

15 *Magnaria in Mear*
Smithsonian Institution.

UNITED STATES NATIONAL MUSEUM.

MAYNARD M. ABRICALE,

BULLETIN

OF THE

UNITED STATES NATIONAL MUSEUM.

No. 52.

A LIST OF NORTH AMERICAN LEPIDOPTERA AND KEY TO
THE LITERATURE OF THIS ORDER OF INSECTS.

BY

HARRISON G. DYAR, Ph. D.,

Custodian of Lepidoptera, United States National Museum,

ASSISTED BY

C. H. FERNALD, Ph. D., THE LATE REV. GEORGE D. HULST,
AND AUGUST BUSCK.



WASHINGTON:
GOVERNMENT PRINTING OFFICE.

1902.

SMITHSONIAN INSTITUTION.

UNITED STATES NATIONAL MUSEUM.

BULLETIN

OF THE

UNITED STATES NATIONAL MUSEUM.

No. 52.



WASHINGTON:
GOVERNMENT PRINTING OFFICE.
1902.

ADVERTISEMENT.

This work (Bulletin No. 52) is one of a series of papers intended to illustrate the collections belonging to or placed under the charge of the Smithsonian Institution and deposited in the United States National Museum.

The publications of the National Museum consist of two series—the *Bulletin* and the *Proceedings*.

The *Bulletin*, publication of which was commenced in 1875, is a series of elaborate papers issued separately and based for the most part upon collections in the National Museum. They are monographic in scope and are devoted principally to the discussion of large zoological groups, bibliographies of eminent naturalists, reports of expeditions, etc. The bulletins, issued only as volumes with one exception, are of octavo size, although a quarto form, known as the Special Bulletin, has been adopted in a few instances in which a larger page was deemed indispensable.

The *Proceedings* (octavo), the first volume of which was issued in 1878, are intended primarily as a medium of publication for newly acquired facts in biology, anthropology, and geology, descriptions of new forms of animals and plants, discussions of nomenclature, etc. A volume of about 1,000 pages is issued annually for distribution to libraries, while a limited edition of each paper in the volume is printed and distributed in pamphlet form in advance.

In addition, there are printed each year in the second volume of the Smithsonian Report (known as the Report of the U. S. National Museum) papers, chiefly of an ethnological character, describing collections in the National Museum.

Papers intended for publication by the National Museum are usually referred to an advisory committee, composed as follows: Frederick W. True (chairman), William H. Holmes, George P. Merrill, James E. Benedict, Otis T. Mason, Leonhard Stejneger, Lester F. Ward, and Marcus Benjamin (editor).

S. P. LANGLEY,

Secretary of the Smithsonian Institution.

WASHINGTON, U. S. A., December 1, 1902.

11
12
13

A LIST
OF
NORTH AMERICAN LEPIDOPTERA

AND
KEY TO THE LITERATURE OF THIS
ORDER OF INSECTS.

BY

HARRISON G. DYAR, Ph. D.,

Custodian of Lepidoptera, United States National Museum,

ASSISTED BY

C. H. FERNALD, Ph. D., THE LATE REV. GEORGE D. HULST,
AND AUGUST BUSCK.

WASHINGTON:

GOVERNMENT PRINTING OFFICE.

1902.

P R E F A C E .

This work is intended to take the place of Smith's List of the Lepidoptera of Boreal America (1891), and to furnish a condensed catalogue of North American Lepidoptera comparable to Staudinger and Rebel's Catalogue of the Lepidoptera of Europe. Within a few years several of the larger families of the Lepidoptera have been fully catalogued, so that it seemed both unnecessary and inadvisable to repeat all of this matter. To avoid this, and yet make these references easily available, a catalogue reference is given at the head of each family, abbreviated "C," and it is specifically referred to by pages or numbers. The original reference to each species is, however, always repeated, except in the case of old synonyms. All specific synonyms are included, but where the reference is not given it will be found in the Catalogue referred to.

Within the last ten years the classification of the Lepidoptera has been radically altered. No exact consensus of opinion as to the proper sequence of families and genera has been reached, but the recent workers are so closely in accord as to the principles involved and the resultant general scheme that we seem to be somewhere near a natural classification. In the present list I have followed my own views, based largely on larval characters, in the arrangement of the family and superfamily groups. The system does not differ in general from that of Edward Meyrick, which has been adopted by the British Museum in the Catalogue of the Lepidoptera Phalaenæ, though the order of groups is somewhat different. I have placed the butterflies first, since they seem on the whole "higher" than the moths, and this course agrees with the usual custom. I follow with the Sphingidae and Saturnians for the same reasons, although, in venation, they are more generalized than some of the Noctuid groups. The list, as a whole, proceeds from higher to lower forms, as in Staudinger and Rebel's catalogue.

The butterflies follow in the main Dr. H. Skinner's recent catalogue as to species. I have restored the genera as worked out by Dr. S. H. Scudder. I have not been able to give the matter full study, so that some of the genera are doubtless not pure, while there are probably too many of them; but as they stand they seem more in harmony with generic

ideas, as understood in the rest of the order, than they have been in any other general list, and are at least an improvement on these. I have placed the Papilionidae first, not because I regard them as higher than the Nymphalidae—the reverse is the case—but because the studies of Prof. A. R. Grote seem to show that they can not be interpolated anywhere, having a very distinct phylogeny. The Sphingidae are not radically altered from the arrangement given in Dr. J. B. Smith's paper on the group some years ago. The Saturnians follow the work of Mr. B. Neumoegen and myself. In the Bombycoidea I have followed Sir G. F. Hampson's Catalogue of the Lepidoptera Phalaenae as far as published. The Noctuidæ have been recently catalogued by Dr. Smith, and I have followed this catalogue with sundry changes, largely suggested by himself. Professor Grote has made some studies on the types of the Noctuid genera with the view of revising their nomenclature, but his results unfortunately did not reach me in time to be made full use of. Professor Grote also very kindly offered me his assistance in regard to other details in the Noctuidæ, which would have been of great value from his long experience with this family; but owing to the distance at which he lives I was unable to take advantage of the offer. The order of genera has, however, been changed to agree with Dr. Smith's present views. The manuscript of the Geometridæ was prepared by the late Dr. Georges D. Hulst, and was not entirely finished at his death. I have made almost no alterations in it, simply completing it on the lines laid down. It forms his last contribution to the study of this family. In the Tineoidea Dr. Hulst furnished manuscript for the subfamily Phycitinae of the Pyralidae, and Dr. C. H. Fernald for the remaining subfamilies of this group, together with the Pterophoridae and Tortricidae. The references by these gentlemen have been given somewhat more fully than in some of the other families, but this has seemed advisable, because in some of these groups the latest catalogue is much out of date, and in others there exists no catalogue. Mr. August Busck has greatly assisted me in the arrangement and sequence of the Tineid groups proper, and he has prepared the Gelechiidae from a full article on that family, which is now in press and will appear soon after this catalogue.

The species have been numbered in sequence, as in the latest American check list. With the marked changes in arrangement and additions, it has naturally been impossible to preserve any relation between these numbers and the old ones. A few decimal numbers have been used for species inserted after the manuscript was completed.

The habitats of the species are given in a general way. The term "Atlantic States" includes the Alleghanian, Carolinian, and Austro-riparian faunas of Dr. C. Hart Merriam's map (Bulletin No. 10, U. S. Department of Agriculture, Division of the Biological Survey, 1898). "No. U. S." refers to the Boreal and Transition zones of the Northern

States and Canada; "Pacific States" to these same zones in California, Oregon, Washington, and British Columbia. "U. S." refers to the whole of the United States and Canada.

The abbreviations of the names of publications are given in a more extended form than in Staudinger and Rebel's Catalogue, and it is expected that they will be self explanatory to those having a general knowledge of the literature. A list of works quoted has, however, been added. In the index the references to the genera are by pages, those of the species by numbers.

Species with an asterisk (*) preceding the serial number are not represented in the collections of the United States National Museum, and it is hoped that persons receiving this Bulletin will reciprocate by sending some of these missing species.

Finally, I would express my obligation to Mr. A. N. Caudell and to Miss Wellesca Pollock, who have kindly assisted me in the work of preparation.

HARRISON G. DYAR.

LIST OF WORKS QUOTED.

PERIODICALS.

- Abhandlungen der Senckenbergischen naturforschenden Gesellschaft, Frankfurt [Frankfort]. I, 1854+.
- Abhandlungen des naturwissenschaftlichen Vereins zu Bremen, Bremen. I, 1866+.
- Act. Hist. Nat. Half.=Skrivter af Naturhistorie-Selskabet, Kjøbenhavn [Copenhagen]. I (1790)-VI (1810).
- Act. Holm.=Vet. Akad. Handl.
- Act. Soc. Berl.=Schriften der Berlinsche Gesellschaft naturforschender Freunde, Berlin. I (1780)-VI (1785).
- American Entomologist, St. Louis. I (1868). II, entitled: American Entomologist and Botanist (1870); 2d ser., I, New York. 1880.
- American Journal of Science and Arts, New Haven. 1st ser., 1818-1847; 2d ser., 1846-1870; 3d ser., 1871-1895; 4th ser., 1896+.
- American Naturalist, Salem, Philadelphia, Boston. I, 1867+.
- Amenitates Academicæ, seu dissertationes variae physice, medicæ, botanice, etc., Stockholm. I (1749)-X (1790).
- Annales de la Société entomologique belge, Bruxelles [Brussels]. I, 1857+.
- Annales de la Société entomologique de France, Paris. 1st ser., I (1832)-XI (1843); 2d ser., I (1843)-X (1852); 3d ser., I (1853)-VIII (1860); 4th ser., I (1861)-X (1870); 5th ser., I (1871)-X (1880); 6th ser., I (1881)-X (1890); LX (1891)+.
- Annales de la Société linnéenne de Lyon, Lyons. 1st ser., 1836-1852; 2d ser., 1852+.
- Annals and Magazine of Natural History, London. Series 1 to 7. 1838+.
- Annals of the Lyceum of Natural History of New York, New York. I, 1826+.
- Annual report of the Secretary of the Massachusetts Board of Agriculture. I, 1854+.
- Berichte (Amtlicher) der Versammlung der deutschen Naturforscher und Ärzte, Mainz [Mayence]. 1829+.
- Berlinisches Magazin, Berlin. 1765-1769.
- Boston Journal of Natural History, containing papers and communications, Boston. I (1834)-VII (1863).
- Bulletin de la Société entomologique de France, Paris. 1851+.
- Bulletin de la Société impériale des Naturalistes de Moscou, Moscow. 1829+.
- Bulletin of the Agricultural Experiment Station of Cornell University, College of Agriculture, Ithaca. III, 1888+.
- Bulletin of the American Museum of Natural History, New York. I, 1888+.
- Bulletin of the Brooklyn Entomological Society, Brooklyn. I (1878)-VII (1885).
- Bulletin of the Buffalo Society of Natural Science, Buffalo. I, 1873+.
- Bulletin of the California Academy of Sciences, San Francisco. I (1884)-II (1887).
- Bulletin of the U. S. Entomological Commission, Washington. I (1877)-VII (1881).
- Bulletin of the U. S. Geological and Geographical Survey of the Territories, F. V. Hayden, geologist in charge, Washington. I (1874)-VI (1882).
- Bulletins of the U. S. Department of Agriculture, Division of Entomology, new series, Washington. I, 1896+.
- Bulletins of the U. S. National Museum, Washington. I, 1875+.
- Cambridge Chronicle, Cambridge. VIII, 1853.
- Canadian Journal, Toronto. 1852-1855.

- Canadian Naturalist and Geologist, Montreal. 1864+.
- Cincinnati Quarterly Journal of Science, Cincinnati. I (1874)-II (1875).
- Cistula Entomologica, London. I (1869)-III (1885).
- Correspondenz-Blatt des zoologisch-mineralogischen Vereins in Regensburg, Regensburg [Ratisbon]. I, 1847+.
- Denkschriften der Kaiserlichen Akademie der Wissenschaften. Mathematisch-naturwissenschaftliche Classe, Wien [Vienna]. I, 1850-.
- Deutsche Entomologische Zeitschrift, Berlin. 1875- . (1875-1880 also as continuation of the Berliner Entomologische Zeitschrift, XIX-XXIV).
- Entomologica Americana, Brooklyn. I (1885)-VI (1890).
- Entomological News, Philadelphia. I, 1890-.
- Entomologische Nachrichten, Berlin. I, 1875-.
- Entomologische Tidskrift, Stockholm. I, 1880-.
- Entomologische Zeitung, herausgegeben von dem entomologische Verein zu Stettin, Stettin. I, 1840-.
- Entomologist, London. I, 1839+.
- Entomologist's Annual, London. I (1855)-XII (1876).
- Entomologist's Monthly Magazine, London. I, 1864-.
- Entomologist's Record and Journal of Variation, London. I, 1890+.
- Entomologist's Weekly Intelligencer, London. I (1856)-IX (1861).
- Farmer's Bulletins, U. S. Department of Agriculture, Washington. No. 1, 1889+.
- Field and Forest, devoted to General Natural History, Potomac-side Naturalist's Club, Washington. I (1875)-III (1878).
- Germar & Zincken, Magazin der Entomologie, Halle. I (1813)-IV (1821).
- Hore Societatis Entomologicæ Rossicæ, Petropoli [St. Petersburg]. I, 1861+.
- Illiger, Magazin für Insectenkunde, Braunschweig [Brunswick]. I (1801)-VI (1807).
- Illustrations of Typical Specimens of Lepidoptera Heterocera in the Collection of the British Museum, London. I (1877)-IX (1893).
- Insect Life, Washington. I (1888)-VII (1985).
- Iris—Correspondenz-Blatt des entomologische Vereines Iris zu Dresden. I, 1884-1888. Deutsche Entomologische Zeitschrift herausgegeben von der Gesellschaft Iris zu Dresden in Verbindung mit der Deutschen Entomologischen Gesellschaft zu Berlin. Lepidopterologische Hefte. II, 1889-.
- Isis—Encyclopædische Zeitschrift, herausgegeben von Oken, Leipzig. 1817-1848.
- Jahrbücher des Nassauischen Vereins für Naturkunde, Wiesbaden. I, 1844-.
- Journal of the Academy of Natural Sciences of Philadelphia, Philadelphia. 1st ser., 1817-1842; 2d ser., 1847-.
- Journal of the Cincinnati Society of Natural History, Cincinnati. I, 1878-.
- Journal of the New York Entomological Society, New York. I, 1893-.
- Journal of the New York State Agricultural Society (not seen; see Transactions).
- Journal of the Proceedings of the Linnaean Society of London (Zoology), London. I, 1857-.
- Journal of the Royal Agricultural Society of England, London. 1840-.
- Kansas University Quarterly, Lawrence. I, 1892-.
- Kongelig Danske Videnskabernes Selskabs Skrifter, Kjøbenhavn [Copenhagen]. 1806-.
- Linnea Entomologica, Zeitschrift herausgegeben von dem entomologischen Verein in Stettin, Berlin. I (1846)-XVI (1866).
- Magasin de zoologie, d'anatomie, etc. (Guérin), Paris. 1831-1848.
- Magazin der Entomologie. (See Germar & Zincken).
- Massachusetts Magazine, or Monthly Museum of Knowledge and Rational Entertainment, Boston. 1789-1796.
- Memoirs of the American Museum of Natural History, New York. I, 1893-1901.
- Memoirs of the Boston Society of Natural History, Boston. I, 1866+.

- Memoirs of the National Academy of Sciences, Washington. I, 1866+.
- Mittheilungen aus dem Roemer-Museum, Hildesheim. I, 1895+.
- Naturaliste (Le), Paris. I, 1879+.
- Nature, a weekly illustrated Journal of Science, London. I, 1869+.
- Naturforscher (Der), Halle. I (1774)-XXVIII (1799).
- Nederlandsche Entomologische Vereeniging (Handelingen der), Leyden. I (1854)-IV (1857). (For continuation see Tijdschrift voor Entomologie.)
- Neusten Magazin für die Liebhaber der Entomologie, Stralsund Struck. 1791.
- New England Farmer. Boston, 1822+.
- North American Entomologist, Buffalo. 1879-1880.
- Nova Acta (Verhandlungen) der Kaiserlich Leopoldinisch-Carolinischen Deutschen Akademie der Naturforscher, Halle. IX, 1818+.
- Novitates Zoologicae, a Journal of Zoology in connection with the Tring Museum, London. I, 1894+.
- Occasional Memoirs of the Chicago Entomological Society, Chicago. I, 1900.
- Papilio, the Organ of the New York Entomological Club, New York. I (1881)-IV (1884).
- Philosophical Magazine, comprehending the Various Branches of Science, etc., London. 1st ser., 1798-1813; 2d ser., The Philosophical Magazine, or Annals of Chemistry, etc. 1827-1832.
- Proceedings of the Academy of Natural Sciences of Philadelphia, Philadelphia. I (1841)-VIII (1856); 1857+.
- Proceedings of the American Academy of Arts and Sciences, Boston. I, 1846+.
- Proceedings of the American Philosophical Society, Philadelphia. I, 1840+.
- Proceedings of the Ashmolean Society (Abstract of the), Oxford. I (1832)-III (1856).
- Proceedings of the Boston Society of Natural History, Boston. I, 1841+.
- Proceedings of the California Academy of Sciences, San Francisco. I (1854)-VII (1876); 2d ser. I (1888)-VI (1896); Zoology, I, 1897+.
- Proceedings of the Davenport Academy of Natural Sciences, Davenport. I, 1876+.
- Proceedings of the Entomological Society of Philadelphia, Philadelphia. I (1861)-VI (1867).
- Proceedings of the Entomological Society of Washington, Washington. I, 1886+.
- Proceedings of the Essex Institute, Salem. 1848-1870.
- Proceedings of the Linnaean Society of New South Wales, Sydney. I, 1876+.
- Proceedings of the United States National Museum, Washington. I, 1878+.
- Proceedings of the Washington Academy of Sciences, Washington. I, 1899+.
- Proceedings of the Zoological Society of London, London. 1832+.
- Psyche. Organ of the Cambridge Entomological Club, Cambridge. I, 1874+.
- Report of the Brooklyn Horticultural Society. (Not seen).
- Report of the Commissioner of Agriculture, Washington. 1862+.
- Report (Annual) of the Entomological Society of Ontario, Toronto. I, 1871+.
- Report of the Michigan State Agricultural College, Lansing. I, 1884+.
- Report of the New York Museum of Natural History, Albany. XXIV, 1872+. (Earlier volumes entitled: State Cabinet of Natural History).
- Report of the New York State Cabinet of Natural History, Albany. I (1848)-XXIII (1873). (See State Museum).
- Report of the Peabody Academy of Sciences, Salem. I (1868)-VI (1873).
- Report of the Secretary of the Board of Agriculture of Massachusetts, Boston. 1854+. (Continuation of transactions of the Agricultural Societies of Massachusetts).
- Report of the State Board of Agriculture of Nebraska, Lincoln. I, 1869+.
- Report of the United States Entomological Commission, Washington. I (1877)-V (1890).

- Report (Preliminary) of the U. S. Geological Survey of Montana and portions of adjoining Territories (Fifth annual report of the U. S. Geological and Geographical Survey of the Territories. F. V. Hayden. Washington. I (1867)-VIII (1874)).
- Revue et magasin de zoologie, Paris. 1849-1879. (Continuation of Guérin's Magasin de zoologie).
- Romanoff, N. M., Mémoires sur les Lépidoptères, St. Petersburg. I, 1884+.
- Rural New Yorker, Rochester and New York. 1850+.
- Tijdschrift voor Entomologie, uitgegeven door de Nederlandsche Entomologische Vereeniging, 's Gravenhage [Hague]. I, 1857+.
- Transactions and Proceedings of the New Zealand Institute, Wellington. I, 1869+.
- Transactions of the American Entomological Society, Philadelphia. I, 1867+.
- Transactions of the Chicago Academy of Sciences, Chicago. I, 1867.
- Transactions of the Department of Agriculture of Illinois, Springfield. 1872+.
- Transactions of the Entomological Society of London, London. I-III (by Haworth) 1810-1812; IV (1834); V (1847-1849); new ser., I (1850)-V (1861); third ser., I (1862)-V (1867); 1868+.
- Transactions of the Kansas Academy of Science, Topeka. I, 1868+.
- Transactions of the New York State Agricultural Society, Albany. 1841+.
- Transactions of the Nova Scotian Institute of Natural Science, Halifax. I, 1867+.
- Transactions of the Ohio Academy of Natural Sciences. (Not seen).
- Transactions of the St. Louis Academy of Science, St. Louis. I, 1857+.
- Transactions of the Society for the Encouragement of Arts, Manufactures, and Commerce, London. 1783-1831.
- Verh. Ges. Deut. Nat. Aerzte. (See Berichte, etc.).
- Verhandlungen der kaiserlich-königlichen zoologisch-botanischen Gesellschaft in Wien [Vienna]. I, 1852+.
- Verhandlungen der Naturforschende Gesellschaft zu Halle, Halle. I, 1853+.
- Verhandlungen des Vereins für naturwissenschaftliche Unterhaltung zu Hamburg. I, 1871+.
- Vetenskabs Academie Handlinger, Stockholm. 1780-1896.
- Wiener Entomologische Monatssehrift, Wien [Vienna]. I (1857)-VIII (1864).
- Zoe: A Biological Journal, San Francisco. 1889-1895.

SEPARATE WORKS.

NOTE.—A few articles, properly to be sought under the heading of periodicals, but which are usually referred to by their titles or which occur in unusual places, are here included under their authors' names.

- Billberg, C. J., Enumeratio insectorum in Museo Billberg, Holmie [Stockholm]. 1820.
- Blanchard, E., in Gay's Historia física de Chile, Zoology. VI, pp. 1-152 (1851); VII, p. 468, Paris (1852).
- , Histoire naturelle des insectes Orthoptères, Neuroptères, Hymenoptères, Lépidoptères et Diptères, Paris. 1840-41.
- Boisduval, J. A., Considerations sur les Lépidoptères envoyés du Guatemala à M. de l'Orza, Paris. 1870.
- , Essai sur une Monographie des Zygaenides, Paris. 1829.
- , Faune entomologique de Madagascar, Bourbon et Maurice, Partie des Lépidoptères, Paris. 1834.
- , Iconographie du règne animal. (See Guérin-Méneville).
- , in Doubleday's List of the Specimens of Lepidopterous Insects in the collection of the British Museum, London. 1844-1848.
- , Journal de la Société centrale d'horticulture de France, (2), viii, 713. 1874.

- Boisduval, J. A., *Species Général des Lépidoptères*. I. Papillons diurnes, Paris. 1836. Heterocera, II, Sphingides, Sesiides, Castniides, Paris. 1874.
 —, et Le Conte, J. E., *Histoire générale et iconographie des Lépidoptères et des Chenilles de l'Amérique Septentrionale*, Paris. 1833.
- Borkhausen, M. B., *Naturgeschichte der europäischen Schmetterlinge*, Frankfort. I (1788), II (1789), III (1790), IV (1792), V (1794).
- Bremer, O., und Grey, W., *Beiträge zur Schmetterlingsfauna des nordlichen China*, St. Petersburg. 1853.
- Brown, P., *New Illustrations of Zoology*, containing fifty colored plates of new, curious, and nondescript birds, with a few quadrupeds, reptiles, and insects, together with a short and scientific description of the same, London. 1776.
- Butler, A. G., *Catalogue of Diurnal Lepidoptera of the family Satyridae in the collection of the British Museum*, London. 1868.
- , *Lepidoptera exotica*, or descriptions and illustrations of exotic Lepidoptera, London. 1869-1874.
- Charpentier, T. V., in Esper's *Die Schmetterlinge in Abbildungen der Natur*, Erlangen. I (1777)-V (1794), suppl. (1805).
- Clemens, B., *The Tineina of North America*, edited by H. T. Stainton, London. 1872.
- Clerck, C. A., *Icones insectorum rariorum cum nominibus eorum trivialibus, locisque C. Linnaei, etc. Syst. Nat. allegatis*, Holmiae [Stockholm]. 1759-1764.
- Comstock, J. H. and A. B., *A Manual for the Study of Insects*, Ithaca. 1895.
- Costa, O. G., *Fauna del regno di Napoli*, etc. A. Lepidotteri, Napoli [Naples]. 1832-1851.
- Cramer, P., *Papillons exotiques des trois parties du monde*, etc., Amsterdam. I. (1775)-IV (1782); supplement by Stoll (1787-1796).
- Curtis, J., *British Entomology*, London. I (1825)-XVI (1840).
 —, *Description of the Insects in the Appendix to Ross' Narrative of a Second Voyage in Search of a Northwest Passage and of a Residence in the Arctic Regions*, London. 1835.
- Dahman, J. W., *Analecta entomologica*, Holmiae [Stockholm]. 1823.
- Danysz, J., *Mémoires du Laboratoire de parasitologie végétale de la Bourse de commerce*, Paris. I, 1893.
- De Geer, C., *Mémoires pour servir à l'histoire des insectes*, Stockholm. I (1752)-VII (1778).
- Denis, M., und Schiffermüller, I., *Systematisches Verzeichniss der Schmetterlinge der Wiener Gegend*, herausgegeben von einigen Lehrern am k. k. Theresianum, Wien [Vienna]. 1776.
- Donovan, E., *Natural History of British Insects*, London. 1792-1816.
- Doubleday, E., Westwood, J. O., and Hewitson, W. C., *The Genera of Diurnal Lepidoptera*, London. I (1846)-II (1850).
- Druce, H., *Biologia Centrali-Americanana. Insecta. Lepidoptera Heterocera*, London. I (1881)-III (1900).
- Drury, Dru, *Illustrations of Exotic Entomology*, London. 1770-1775.
- Duponchel, P. A. J., *Catalogue méthodique des Lépidoptères d'Europe*, Paris. 1844. *Histoire naturelle des Lépidoptères de France (Continuation of Godart's work)*, Paris. VI (1826)-XI (1858); suppl. I (1832)-IV (1842).
- Edwards, Hy., *Pacific Coast Lepidoptera*, Nos. 23-30, San Francisco. 1877-1880. (Numbers 1-22 were published as articles in the Proceedings of the California Academy of Sciences).
- Edwards, W. H., *The Butterflies of North America*, Boston and New York. I (1868)-III (1897).
- Emmons, E., *Natural History of New York. Part V, Agriculture. Descriptions of the more common and injurious species of insects*, Albany. 1854.

- Erichson, W. F., *Die Insecten in R. Schomburgks Reise in Guiana*, Leipzig [Leipsic]. 1848.
- Esper, E. J. C., *Die Schmetterlinge in Abbildungen nach der Natur*, Erlangen. I (1777)-V (1794), suppl. (1805). (See Charpentier).
- Eversmann, E., *Entomographia imperii russici; Genera insectorum systematicae expositae et analysi iconographia instructa*, Moscow. 1851. *Fauna Lepidopterologica Volgo-Uralensis*, Casani [Kasan]. 1844.
- Fabricius, J. C., *Entomologia Systematica emendata et aucta*, III, partes I et II. Hafniae [Copenhagen]. 1793-1794.
- , *Genera insectorum (cum Mantissa speciarum nuper detectarum)*, pp. 209-310, Chilonii [Kiel]. 1777.
- , *Mantissa insectorum*, II. Hafniae [Copenhagen]. 1787.
- , *Species insectorum*, II. Hamburgii [Hamburg] et Kilonii [Kiel]. 1781.
- , *Systema entomologiae*, Flensburgi [Flensburg] et Lipsiae [Leipsic]. 1775.
- , *Supplementum Entomologiae systematicae*, Hafniae [Copenhagen]. 1798.
- Fée, A. L. A., *Vie de Linné*, in *Mémoires de la Société royale des sciences de Lille*. 1831. *Life of Linnaeus*, in *Edinburgh New Philosophical Journal*. XV, pp. 85-96, 1833.
- Felder, C., and Rogenhofer, R., *Reise der österreichischen Fregatte Novara um die Erde. Zoologischer Theil*, II. Abth., 2, Wien [Vienna]. 1864-1867.
- Felt, E. P., *On Certain Grass-eating Insects*. Bulletin 64 of the Cornell University Agricultural Experiment Station, Ithaca. 1894.
- Fernald, C. H., and Forbush, E. H., *The Gypsy Moth*, Boston. 1896.
- , *In Standard Natural History*, II, pp. 435-469. Boston. 1884.
- , *The Crambidae of North America*, Boston. 1896.
- , *The Pterophoridae of North America*, Special Bulletin of the Hatch Experiment Station, Massachusetts Agricultural College, Boston. 1898.
- Fischer, Edler von Roslerstamm, *Abbildungen zur Berichtigung und Ergänzung der Schmetterlingskunde*, Centurie I, Leipzig [Leipsic]. 1838-1844.
- Fitch, A., *Reports on the Noxious and Beneficial and other Insects in the State of New York*, Albany. I (1854)-V (1858).
- Fletcher, J., *Reports, Experimental Farms*, Ottawa. 1891-1901.
- French, G. H., *Synopsis of the Catoccale of Illinois*, Carbondale. 1882.
- Frey, H., *Die Lepidopteren der Schweiz*, Leipsic. 1880.
- Freyer, C. F., *Beiträge zur Geschichte europäischer Schmetterlinge*, Augsburg. I (1827)-III (1831).
- Frölich, F., *Enumeratio Tortricum Wurtemburgie*, Tubingue [Tübingen]. 1828.
- Geoffroy, E. L., *Histoire abrégée des insectes qui se trouvent aux environs de Paris, dans laquelle ces animaux sont rangés suivant un ordre méthodique*, Paris. 1762.
- Germar, E. F., *Fauna insectorum Europei*, Halle [Halle]. 1812-1844.
- , *Systematis Glossatorum Prodromus sistens Bombycium species secundum oris partium diversitates in nova genera distributas*, Lipsiae [Leipsic]. 1810-1812.
- Godard, J. B., *Encyclopédie méthodique*, IX. Article Papillon, Paris. 1819. (Also Latreille).
- Godman, F. D., and Salvin, O., *Biologia Centrali-Americanana. Insecta. Lepidoptera Rhopalocera*, London, I (1879)-III (1901).
- Goeze, J. A. E., *Entomologische Beiträge*, III Theil, I-III Bd., Leipzig [Leipsic]. 1779-1781.
- Grote, A. R., *An Illustrated Essay on the Noctuidæ of North America*, London. 1882.
- , *Cheek List of the Noctuidæ of America North of Mexico*. I. Bombycidæ. a. Noctuelidæ, Buffalo. 1875.
- , *Die Apateliden*, Hildesheim. 1896.
- , *New Cheek List of North American Moths*, New York. 1882. Revised Check List of North American Noctuidæ, Part I, Thyatirinae-Noctuinae, Bremen. 1890.

- Guenée, M. A., *Histoire naturelle des insectes. Species Général des Lépidoptères*, Paris. V (1852)–X (1857).
- Guérin-Méneville, F. E., *Iconographie du Règne animal de G. Cuvier, etc., Insectes*, VII, Paris. 1829–1844.
- Hampson, G. F., *Catalogue of the Lepidoptera Phalense in the British Museum*, London. I (1898)–III (1901).
- , *The Fauna of British India, including Ceylon and Burmah. Moths*, London. I (1892)–IV (1896).
- Harris, T. W., *A Treatise on Some of the Insects Injurious to Vegetation*, edition by C. L. Flint. Boston and New York. 1880.
- , *A Report on the Insects of Massachusetts Injurious to Vegetation*, Cambridge. 1842.
- , in Agassiz' *Lake Superior: Its Physical Characters, Vegetation, and Animals*, etc., Boston. 1850.
- , *Catalogue of the Animals and Plants of Massachusetts*, Amherst. 1835.
- , *Entomological Correspondence*, edited by S. H. Scudder, Boston. 1869.
- Haworth, A. H., *Lepidoptera Britannica*, Londini [London]. 1803–1829.
- Heinemann, H. v., *Die Schmetterlinge Deutschlands und der Schweiz, Braunschweig* [Brunswick]. I (1859)–III (1876).
- Herrich-Schaeffer, G. A. W., *Neue Schmetterlinge aus Europa und den angrenzenden Landern*, Regensburg. I (1856)–III (1861).
- , *Sammlung neuer oder wenig bekannter aussereuropäischer Schmetterlinge*, Regensburg. 1850–1858.
- , *Systematische Bearbeitung der Schmetterlinge von Europa als Text, Revision und Supplement zu Hübner*, Regensburg. I (1843)–VI (1856).
- Hewitson, W. C., *Descriptions of New Species of Hesperiidae*, London. 1867–1869.
- , *Descriptions of New Species of Lycaenidae*, London. 1868.
- Heydenreich, G. H., *Lepidoptorum Europeorum Catalogus methodicus*, editio III, Leipzig. 1851.
- Hofmann, E., *Die Gross-Schmetterlinge Europas*, 2. ed., Stuttgart [Stuttgart]. 1894.
- Hofmann, O., *Die deutschen Pterophorinen* (Berichte des naturwissenschaftlichen Vereins zu Regensburg, Heft pro 1894–95).
- Homeyer, A. v., *Zweite deutsche Nordpolarfahrt. II. Lepidopteren*, pp. 407–410, Leipzig. 1874.
- Hübner, J., *Catalogue des Lépidoptères de la collection de M. Frank*, Strasbourg [Strasburg]. 1825.
- , *Geschichte europäischer Schmetterlinge (Raupen)*, Augsburg. 1793–1831.
- , *Sammlung auserlesener Vögel und Schmetterlinge*, etc., Augsburg. 1793.
- , *Sammlung europäischer Schmetterlinge*, Augsburg. 1793–1827. Fortsetzung von Geyer. 1827–1841.
- , *Tentamen determinationis, digestionis atque denominationis singularium Lepidopterum*, etc. 1806.
- , *Verzeichniss bekannter Schmetterlinge*, Augsburg. 1816.
- , *Zuträge zur Sammlung exotischer Schmetterlinge*, Augsburg. 1818–1825.
- Hummel, A. D., *Essais entomologiques*, St. Petersbourg [St. Petersburg]. 1822–1829.
- Jacquin, V. J. v., *Miscellanea Austriaca ad botanicam, chemiam et historiam naturalem, Vindobone* [Vienna]. 1778–1781.
- Jaeger, B., *The Life of North American Insects*. Illustrated by portrait, numerous coloured engravings and narratives, Providence. 1855.
- Kirby, W. F., *A Handbook to the Order Lepidoptera*, London. 1895–1897.
- , *A Synonymic Catalogue of Diurnal Lepidoptera*, London. 1871. Supplement, 1877.
- , *A Synonymic Catalogue of Lepidoptera Heterocera (Moths)*. I. *Sphinges and Bombycées*, London and Berlin. 1892.
- , *European Butterflies and Moths*, London. 1882.

- Kirby, W. J., *Fauna boreali-Americana, or the Zoology of the Northern parts of British America, etc., Part IV, The Insects*, London. 1837.
- Klug, J. C. F., *Neue Schmetterlinge der Insecten-Sammlung des königlichen zoologischen Museums zu Berlin*, Berlin. 1836.
- Knoch, A. W., *Beiträge zur Insectengeschichte*, Leipzig [Leipsic]. I (1781)–III (1783).
- Kollar, V., *Lepidoptera in C. F. von Hügel's Kaschmir*, IV. Stuttgart. 1848.
- Laharpe (De la Harpe), J. C., *Fauna suisse. Lépidoptères*, 1853–1864. *Nene Denkschriften der allgemeinen schweizerischen Gesellschaft für die gesammten Naturwissenschaften*.
- Lamarek, J. B. P. A. de M., *de Histoire naturelle des animaux sans vertèbres*, Paris. 1815–1822.
- Latreille, P. A., *Familles naturelles du règne animal*, Paris. 1825.
- _____, *Genera Crustaceorum et Insectorum secundum ordinem naturalem in familias disposita*, Paris. I (1802)–IV (1809).
- _____, *Histoire naturelle générale et particulière des crustacés et des insectes*, Paris. 1802–1805.
- _____, *Précis des caractères génériques des insectes, disposés dans un ordre naturel*, Bourdeaux. 1796.
- _____, Sonn. Buff. (See *Hist. Nat.*, etc.).
- Leach, W. E., in *Brewster's Edinburgh Encyclopaedia*, Edinburgh, 1815. IX, pp. 57–172.
- _____, *Zoological Miscellany*, London. I (1814)–III (1817).
- Le Baron, W., *Annual reports on the Noxious Insects of Illinois*, Springfield. 1871–1874.
- Lederer, J., *Die Noctuinen Europas*, Wien. [Vienna]. 1857.
- Leech, J. H., *British Pyralides and Pterophorides*, London. 1886.
- Linnaeus, C. V., *Fauna Svecica. Editio altera*, Holmiae [Stockholm]. 1761.
- _____, *Mantissa plantarum*, Holmiae. [Stockholm]. 1771.
- _____, *Museum Ludovice Ulricae Reginæ*, Holmiae. [Stockholm]. 1764.
- _____, *Systema naturae. Editio decima*, Holmiae. [Stockholm]. 1758. *Editio duodecima*. 1767.
- Lintner, J. A., *Annual reports on the Injurious and other Insects of the State of New York*, Albany. I (1882)–XII (1897).
- _____, *Entomological contributions*, I (1872)–IV (1878). (*Annual Report of the New York State Museum of Natural History*, Albany).
- Lucas, H., in Ramón de la Sagra's *Historia física, política y natural de la isla de Cuba*, Paris. 1856.
- Lugger, O., *Annual Report of the Entomologist of the State Experiment Station of the University of Minnesota to the Governor*, St. Paul. I (1896)–VI (1900).
- Maassen, P., und Weymer, G., *Lepidopteren gesammelt auf einer Reise durch Colombia, Ecuador, Peru, Brasilien, Argentinien und Bolivien in den Jahren 1868–1877 von Alphons Stubel*, Berlin. 1890.
- Martyn, T., *Psyche, Figures of Nondescript Lepidopterous Insects, or rare Moths and Butterflies from different parts of the World*, London. 1797.
- Maynard, C. J., *A Manual of North American Butterflies*, Boston. 1891.
- Ménétries, E., *Enumeratio corporum animalium musei imperialis Academiae scientiarum Petropolitaniae*, Petropoli [St. Petersburg]. I (1855)–III (1863). (The last part published by Moravitz).
- _____, *Insects in Middendorff's Reise in Siberien*, St. Petersburg. 1851.
- Meyrick, E., *Macrolepidoptera*, in *Fauna Hawaïensis, or Zoology of the Sandwich (Hawaiian) Isles*, Cambridge. I, Part II. 1899.
- _____, *A Handbook of British Lepidoptera*, London and New York. 1895.
- Millière, P., *Catalogue raisonné des lépidoptères des Alpes Maritimes*, Paris. I (1871)–III (1875).
- Moore, F., *The Lepidoptera of Ceylon*, London. I (1880)–III (1887).

- Morris, F. O., A Natural History of British Moths, London. I (1859)–IV (1863).
- Murtfeldt, M., Bulletin 42 of the Missouri Agricultural Experiment Station, Columbia. 1898. (Parts of article by J. M. Stedman).
- Newman, E., Sphinx vespiformis: An Essay, London. 1832.
- Nolcken, J. H. W., Lepidopterologischen Fauna von Estland, Livland und Kurland. I (1868)–II (1870). (Arbeiten des Naturforschenden-Vereins zu Riga).
- Oberthür, C., Études d'entomologie. Descriptions d'insectes lépidoptères nouveaux ou peu connus, Rennes. I (1876)–XX (1896).
- Ochsenheimer, F., Die Schmetterlinge von Europa, Leipzig [Leipsic]. I (1807)–IV (1816).
- Olivier, A. G., Encyclopédie méthodique, Paris. Insectes, Vols. III–X. 1789, 1791, and 1825.
- Packard, A. S., A Monograph of the Geometrid Moths or Phalaenidae of the United States. Vol. X of F. V. Hayden's Report on the United States Geological Survey of the Territories. Department of the Interior, Washington. 1876.
- , Annual Reports on the Injurious and Beneficial Insects of Massachusetts, Boston. I (1871)–II (1872); Salem. III (1873).
- , Guide to the Study of Insects and a Treatise on those Injurious and Beneficial to Crops, etc., Salem. 1870.
- , Injurious Insects, new or little known, Boston. 1870.
- , Insects Injurious to Forest and Shade Trees, Washington. 1881. (Bulletin VII of the U. S. Entomological Commission).
- Palisot de Beauvois, A. M. F. J., Insectes recueillis en Afrique et en Amérique dans les royaumes d'Oware, à Saint-Dominique et dans les États-Unis pendant les années 1786–1797, Paris. 1805–1821.
- Pallas, P. S., Reisen durch verschiedene Provinzen der russischen Reiches in den Jahren 1768–1774, St. Petersburg. 1771–1776.
- Peck, W. D., in Massachusetts Agricultural Report for 1795, No. 7.
- Poey, F., Centurie de lépidoptères de l'isle de Cuba, Paris. 1832.
- , in Ramón de la Sagra. (See Lucas).
- Ragonot, E. L., Diagnoses des nouveaux genres et espèces de Phycitidae et Galleriidae, Paris. 1888.
- , Diagnoses of North American Phycitidae and Galleriidae, Paris. 1887.
- Rambur, P., Catalogue systématique des Lépidoptères de l'Andalousie, Paris. 1838–1839.
- Ratzeburg, J. T. C., Forstinsekten, oder Abbildung und Beschreibung der in der Wäldern Prussens . . . gewordenen Insecten, etc., Berlin. 1837.
- Retzius, A. J., Caroli de Geer genera et species insectorum, etc., Lipsiae [Leipsic]. 1783.
- Riley, C. V., Reports on the Noxious and Beneficial and other Insects of the State of Missouri, Jefferson City. I (1869)–IX (1877).
- Ross, A. M., A Classified Catalogue of the Lepidoptera of Canada, Toronto. 1872.
- Saunders, W., Insects Injurious to Fruits, Philadelphia. 1883.
- Schäffer, J. C., Icones insectorum circa Ratisbonam indigenorum coloribus naturam referentibus expresse, Ratisbonae [Regensburg]. I (1766)–III (1779).
- Schrank, F., Fauna Boica, Nuremberg. 1802.
- Scopoli, J. A., Entomologica carniolica exhibens insecta carnioliae indigena et distributa in ordines, genera, species, varietates. Methodo linnaeana, Vindobonae [Vienna]. 1763.
- Scudder, S. H., Systematic Review of American Butterflies, 1871. (Report of the Peabody Academy of Science).
- , The Butterflies of the Eastern United States and Canada, with special reference to New England, Cambridge. I–III, 1889.
- , The Pine Moth of Nantucket. *Retinia frustrana*, Boston. 1883.

- Sepp, C., Surinaamsche Vlinders, maar het, leven geteekned, Amsterdam. 1848-1855.
- Skinner, H., A Synonymic Catalogue of the North American Rhopalocera, Philadelphia. 1898.
- Smith, J. B., Economic Entomology, Philadelphia. 1896.
- , Insects of New Jersey. A list of species occurring in New Jersey, with notes on those of economic importance, Trenton. 1900.
- , List of Lepidoptera of Boreal America, Philadelphia. 1891.
- Smith, J. E., and Abbot, J., The Natural History of the Rarer Lepidopterous Insects of Georgia, etc., London. I-II, 1797.
- Snellen, P. C. T., De Vlinders van Nederland. I, s'Gravenhage [Hague], 1867; II, Leiden, 1882.
- Stainton, H. T., A Manual of British Butterflies and Moths, London. I (1857)-II (1859).
- , List of the Specimens of British Animals in the collection of the British Museum, Part XIII, Lepidoptera (Tineina), London. 1854.
- Standinger, O., Exotische Tagfalter in systematischer Reienfolge mit Berücksichtigung neuer Arten, Furth. 1888-1892.
- und Rebel, H., Catalog der Lepidopteren des Palaearectischen Faunengebietes, Berlin. 1901.
- und Wocke, M., Catalog der Lepidopteren des Europaeischen Faunengebietes, Dresden. 1871.
- Stephens, J. F., A Systematic Catalogue of British Insects, London. 1829.
- , Illustrations of British Entomology, etc., Haustellata, London. I (1827)-IV (1835).
- , List of Specimens of British Animals in the collection of the British Museum, Parts V, X, and XII, London. 1850-1852.
- Streeker, F. H. H., Butterflies and Moths of North America, etc. A Complete Synonymical Catalogue of Macrolepidoptera, with a full bibliography, etc., Reading. 1878.
- , Lepidoptera Rhopaloceres and Heteroceres, Indigenous and Exotic, with colored illustrations, Reading. 1872-1878.
- , in E. H. Ruffner's Annual Report upon Explorations and Surveys in the Department of the Missouri, Washington. 1877.
- Stretch, R. H., in G. M. Wheeler's Report upon Geographical and Geological Explorations and Surveys west of the 100th meridian, V. Zoology, Chapter IX, Washington. 1875 (1878).
- , Illustrations of the Zygaenidae and Bombycidae of North America, San Francisco. 1872, 1873.
- Sulzer, J. H., Abgekürzte Geschichte der Insecten nach dem Linnaischen System, Winterthur. 1776.
- Swainson, W., in T. Horsfield's Catalogue of the Lepidopterous Insects in the Museum of the Honorable East India Company, London. I (1857)-II (1859).
- , Zoological Illustrations, or Figures and Descriptions of new, rare, or interesting Animals, selected chiefly from the Classes of Ornithology and Conchology, and arranged on the principles of Cuvier and other modern Zoologists, London. I (1820)-III (1823); second series, I (1829)-II (1832).
- Tengström, J. v., Bidrag till Finlands Fjäril-Fauna. (Notiser ur Sällskapets pro-Fauna et Flora Fennica Förhandlingar, Helsingfors, I, 69-164. 1847).
- , Catalogus Lepidoptorum Fauna Fennicae precursorius, Helsingforsie. (Acta Societatis pro Fauna et Flora Fennica. X, 1869).
- Thunberg, C. P., Dissertatio entomologica sistens insecta suecica, Upsaliæ [Upsala]. I (1784)-VII (1794). (For VI see the following).
- , Museum Naturalium Academie Upsalensis, cuius partem sextam, etc. Upsaliæ [Upsala]. 1788.

- Treitschke, F., *Die Schmetterlinge von Europa. (Continuation of Oehsenheimer's work)*, Leipzig. [Leipsic]. V (1825)-X (1835).
- Tutt, J. W., *The Pterophorina of Britain*, Hartlepool. 1896.
- Walker, F., in Appendix to K. Lord's *Naturalist in Vancouver's Island and British Columbia*, II, London. 1868.
- _____, *Characters of Undescribed Lepidoptera Heterocera*, London. 1869.
- _____, *List of the Specimens of Lepidopterous Insects in the collection of the British Museum. Lepidoptera Heterocera*, London. I (1854)-XXXV (1866).
- Wallengren, H. D. J., *Skandinaviens Fjadermott*, Stockholm. (K. Vet. Akad. Handl. III, 1859).
- _____, *Skandinaviens Pyralider och Choreutider*, Stockholm. 1872.
- Walsh, B. D., *The Practical Entomologist*, Philadelphia. I (1865)-II (1867).
- Walsingham (Lord), T., *Pterophoride of California and Oregon*, London. 1880.
- Westwood, J. O., *An Introduction to the Classification of Insects, founded on the natural habits and corresponding organization of the different families*, London. 1839-1840.
- _____, in W. Jardine's *Naturalist's Library*, I, Edinburgh. 1840-1841.
- _____, and Humphreys, H. W. N., *British Butterflies*, London. 1840-1841. *British Moths*, London. 1851.
- Wilkinson, S. J., *The British Tortrices*, London. 1859.
- Wood, W., *Index Entomologicus or a Complete Illustrated Catalogue, etc., of the Lepidopterous Insects of Great Britain*, London, 1833-1839, edition by Westwood, 1852; supplement, 1854.
- Zeller, P. C., *Chilonidarum et Cranibidarum genera et species* [Berlin, 1863].
- _____, *Lepidoptera microptera que J. A. Wahlberg in Caffrorum terra collegit*, Stockholm. (Vetensk. Acad. Handligner. 1852).
- Zetterstedt, J. W., *Insecta Lapponica*, Lipsiæ [Leipsic]. 1840.

A LIST OF NORTH AMERICAN LEPIDOPTERA AND KEY TO THE LITERATURE OF THIS ORDER OF INSECTS.

BY

HARRISON G. DYAR, PH. D.,

Custodian of Lepidoptera, United States National Museum,

ASSISTED BY

C. H. FERNALD, PH. D., THE LATE REV. GEORGE D. HULST, AND AUGUST BUSCK.

Order LEPIDOPTERA.

Superfamily PAPILIONOIDEA.

Family PARNASSIIDAE.

(C.=SKINNER, Syn. Cat. No. Am. Rhop., 1898, pp. 72-73.)

PARNASSIUS Latreille.

LATREILLE, Somm. Buff., xiv, 110, 1805; SCUDDER, Proc. Am. Ac. Arts & Sci., x, 241, 1875.

1. *clodius* MÉNÉTRIES, Cat. Lép. Pét., i, 73, 1855; Mts. Pac. States.
SKINNER, C. no. 438.

syn. *baldur* EDWARDS, *clarus* BOISDUVAL.

a. *ménétriesii* HY. EDWARDS, Proc. Cal. Acad. Sci., vii, 164, 1878.

b. *altaurus* DYAR (Spots yellow instead of red). Wyo.

2. *smintheus* DOUBLEDAY & HEWITSON, Gen. Diurn. Lep., pl. 4, 1847; SKINNER, C. no. 439.
syn. *sayii* EDWARDS.

a. *behrii* EDWARDS, Trans. Am. Ent. Soc., iii, 10, 1870.

b. *hermodur* HY. EDWARDS, Pap., i, 4, 1884.

c. *nanus* NEUMOEGEN, Ent. Amer., vi, 61, 1890.

d. *sedakovii* MÉNÉTRIES, Cat. Lép. Pét., i, 71, 1855.

- *3. **nomion** FISCHER, Ent. Russ., ii, 242, 1823; SKINNER, C. no. 440. Alaska.
 4. **aversmanni** MÉNÉTRIES, Cat. Lép. Pét., i, 73, 1855; SKINNER, C. no. 441. Alaska,
 Siberia.
 syn. *wosnessenski* MÉNÉTRIES.
 a. **thor** HY. EDWARDS, Pap., i, 4, 1881; SKINNER, C. no. 441.

Family PAPILIONIDAE.

(C. =SKINNER, Syn. Cat. No. Am. Rhop., 1898, pp. 73-78.)

IPHIDICLES Hübner.

HÜBNER, Verz. bek. Schmett., 82, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 197, 1875.

5. **ajax** LINNÆUS, Syst. Nat., i, 750, 1758; SKINNER, C. no. 442. Atl. States.
 syn. *walshii* EDWARDS, *abbotii* EDWARDS.
 a. **telamonides** FELDER, Reise Novara, Lep., i, 60, 1865; SKINNER, C. no. 442.
 b. **marcellus** BOISDUVAL & LE CONTE, Lép. Am. Sept., pl. 2, 1833.
 *6. **sinon** FABRICIUS, Syst. Ent., 452, 1775; SKINNER, C. no. 443. Fla., Antilles.

PAPILIO Linnaeus.

LINNÆUS, Syst. Nat., i, 76, 1758; SCUDDER, Proc. Am. Ac. Arts & Sci., x, 238, 1875.

7. **pilumnus** BOISDUVAL, Spec. Gén., i, 340, 1836; SKINNER, C. no. 461. Ariz., Mex.
 8. **daunus** BOISDUVAL, Spec. Gén., i, 342, 1836; SKINNER, C. no. 460. Rocky Mts.
 9. **eurymedon** BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 280, 1852; SKINNER, C. no. 458. Pac. States, Col.
 a. **albanus** FELDER, Reise Novara, Lep., i, 93, 1865.
 10. **rutulus** BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 279, 1852; SKINNER, C. no. 459. Pac. States.
 a. **arizonensis** EDWARDS, Pap., iii, 4, 1883. Rocky Mts.
 b. **ammoni** BEHRENS, Can. Ent., xix, 199, 1887.
 11. **glaucus** LINNÆUS, Mus. Ulr., 190, 1764; SKINNER, C. no. 457. Atl. States, Can., Alaska.
 a. **turnus** LINNÆUS, Mant. Plant., v, 36, 1771.
 syn. *alcidamus* CRAMER, *antilochus* LINNÆUS, *fletcheri* KEMP, Ent. News, xi, 481, 1900.
 b. **australis** MAYNARD, Man. Butt., app., 215, 1891.

12. **palamedes** DRURY, Ill. Exot. Ent., i, 19, 1773; SKINNER, C. no. 456.
syn. *calchas* FABRICIUS.
13. **troilus** LINNÆUS, Mus. Ulr., 187, 1764; SKINNER, C. no. 455.
syn. *ilioneus* SMITH & ABBOT.
a. texanus EHRMAN, Can. Ent., xxxii, 348, 1900.
b. radiatus STRECKER, Lep. Rhop. Het., suppl., 3, 17, 1900.
14. **thoas** LINNÆUS, Mant. Plant., 536, 1777; SKINNER, C. no. 462.
syn. *cresphontes* CRAMER, *oxilus* HÜBNER.
- *15. **cresphontinus** MARTYN, Psyche, iii, f. 8, 1797; FLA., Antilles, So. Am.
SKINNER, C. no. 463.
syn. *aristodemus* ESPER, *temenes* GODART, *daphnis* GRAY.
16. **machaon** LINNÆUS, Faun. Suec., 267, 1761; KIRBY, Cat. Diurn. Lep., 565, 1871.
a. aliaska SCUDDER, Proc. Bost. Soc. Nat. Hist., xii, 45, 1869; SKINNER, C. no. 447.
17. **bairdii** EDWARDS, Proc. Ent. Soc. Phil., ii, 200, 1869; SKINNER, C. no. 448.
syn. *utahensis* STRECKER.
a. oregonia EDWARDS, Butt. N. A., ii, pl. 7, 1880.
b. brucei EDWARDS, Can. Ent., xxvii, 11, 1895.
c. hollandii EDWARDS, Can. Ent., xxv, 253, 1893.
18. **zolicaon** BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 281, 1852; SKINNER, C. no. 449.
syn. *zelicayn* LUCAS, *californica* MÉNÉTRIES.
19. **americus** KOLLAR, Denksch. Akad. Wiss. Wien., Math., i, 354, 1850; SKINNER, C. no. 450.
syn. *sadalus* LUCAS.
20. **indra** REAKIRT, Proc. Ent. Soc. Phil., vi, 125, 1866; SKINNER, C. no. 452.
syn. *pergamon* HY. EDWARDS.
a. nitra EDWARDS, Pap., iii, 162, 1883; SKINNER, C. no. 451.
21. **brevicauda** SAUNDERS, Packard's Guide, 245, 1869; SKINNER, C. no. 453.
syn. *anticostiensis* STRECKER.

22. **polyxenes** FABRICIUS, Syst. Ent., 444, 1775; SKINNER, C. no. 454. U. S.
 syn. *asterius* CRAMER.
a. calverleyii GROTE, Proc. Ent. Soc. Phil., ii, 441, 1864.
b. amplicata MÉNÉTRIES, Cat. Lép. Pét., ii, 99, 1857.
c. alunata SKINNER & AARON, Can. Ent., xxi, 127, 1889.
d. semialba EHRMAN, Can. Ent., xxxii, 348, 1900.
e. curvifascia SKINNER, Ent. News, xiii, 183, 1902.

LAERTIAS Hübner.

HÜBNER, Verz. bek. Schmett., 84, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 201, 1875.

23. **philenor** LINNÆUS, Mant. Plant., 535, 1771; SKINNER, C. no. 444. U. S.
 syn. *astinous* DRURY.
a. obsoleta EHRMAN, Can. Ent., xxxii, 348, 1900.
b. wasmuthi WEEKS, Jn. N. Y. Ent. Soc., ix, 82, 1901.

ITHOBALUS Hübner.

HÜBNER, Verz. bek. Schmett., 88, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 198, 1875.

24. **acauda** OBERTHUR, Études d'Ent., iv, 98, 1880; SKINNER, C. no. 445. New Mex., Mex.
 syn. *nezahualcoyotl* STRECKER, *corbis* GODMAN & SALVIN, *orsua* GODMAN & SALVIN.

25. **polydamas** LINNÆUS, Mus. Ulr., 192, 1769; SKINNER, C. no. 446. Fla., Antilles.

Family PIERIDÆ.

(C. = SKINNER, Syn. Cat. No. Am. Rhop., 1898, pp. 60-72.)

ARCHONIAS Hübner.

HÜBNER, Zutr. exot. Schmett., f. 461, 1825; KIRBY, Cat. Diurn. Lep., 429, 1872.

- *26. **lyceas** GODMAN & SALVIN, Biol. Cent. Am., Lep. Rhop., ii, 123, 1889; BARNES, Ent. News, x, 331, 1900. Ariz., Mex.

LEPTALIS Dalman.

DALMAN, Anal. Ent., 40, 1823; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 204, 1875.

27. **melite** LINNÆUS, Syst. Nat., 775, 1767; SKINNER, C. no. 376. Mex., New Mex.

NEOPHASIA Behr.

BEHR, Trans. Am. Ent. Soc., ii, 303, 1869; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 226, 1875.

28. *menapia* FELDER, Wien. ent. Mon., iii, 271, 1859; Pac. States, SKINNER, C. no. 377.

syn. *tau* SCUDDER, *ninonia* BOISDUVAL, *suffusa* STRETCH.

29. *terlooii* BEHR, Trans. Am. Ent. Soc., ii, 304, 1869. Ariz., Mex.

syn. *epyaxa* STRECKER, Lep. Rhop. Het., suppl., 38, 1900; SKINNER, Ent. News, xi, 533, 1900.

a. princetonia POLING, Can. Ent., xxxii, 358, 1900.

TACHYRIS Wallengren.

WALLENGREN, Trans. Ent. Soc. Lond., (3), iv, 361, 1867; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 274, 1875.

30. *margarita* HÜBNER, Zutr. exot. Schmett., ii, pl. 120, 1830; GODMAN & SALVIN, Biol. Cent. Am., Lep. Rhop., ii, 155, 1887.

syn. *molpodia* HÜBNER, *ilaire* GODART, *mysia* GODART, *poeyi* BUTLER.

a. neumoegenii SKINNER, Ent. News, v, 110, 1894; C. no. 379.

31. *amaryllis* FABRICIUS, Ent. Syst., (3), i, 189, 1797; SKINNER, C. no. 378.

syn. *josephina* GODART, GODMAN & SALVIN, Biol. Cent. Am., Lep. Rhop., ii, 135, 1887.

PONTIA Fabricius.

FABRICIUS, Ill. Mag., vi, 283, 1807; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 255, 1875.

32. *monuste* LINNÆUS, Mus. Ulr., 237, 1764; SKINNER, C. no. 380.

syn. *eleones* BOISDUVAL & LE CONTE.

a. phileta FABRICIUS, Syst. Ent., 471, 1775.

33. *beckeri* EDWARDS, Butt. No. Am., i, 30, 1871; SKINNER, C. no. 381.

Pac. States, Col.

34. *sisymbri* BOISDUVAL, An. Soc. Ent. Fr., (2), x, 284, 1854; SKINNER, C. no. 382.

Col., Pac. States.

35. *nelsoni* EDWARDS, Butt. No. Am., ii, pl. 1, Pieris, 1883; SKINNER, C. no. 383.

Alaska.

36. *occidentalis* REAKIRT, Proc. Ent. Soc. Phil., vi, 133, 1866; SKINNER, C. no. 384; COCKERELL, Ent. News, xii, 18, 1901.

Rocky Mts. to Pac.

a. calyce EDWARDS, Trans. Am. Ent. Soc., iii, 189, 1870.

37. *protodice* BOISDUVAL & LE CONTE, Lép. Am. Sep., U. S.
 45, 1833; SKINNER, C. no. 385.
a. vernalis EDWARDS, Proc. Ent. Soc. Phil., ii,
 501, 1864.
38. *napi* LINNÆUS, Faun. Suec., 271, 1766; SKIN- No. U. S.,
 NER, C. no. 386. Cal.,
a. bryoniae OCHSENHEIMER, Eur. Schmett., i, 151,
 1808.
b. hulda EDWARDS, Trans. Am. Ent. Soc., ii, 370,
 1869.
c. venosa SCUDDER, Proc. Bost. Soc. Nat. Hist.,
 viii, 182, 1861.
 syn. *flava* EDWARDS.
d. oleracea HARRIS, N. E. Farm., viii, 402, 1829.
e. borealis GROTE, Bull. Buff. Soc., i, 185, 1873.
f. frigida SCUDDER, Proc. Bost. Soc. Nat. Hist.,
 viii, 181, 1861.
g. virginianensis EDWARDS, Trans. Am. Ent. Soc., iii,
 13, 1870.
h. acadica EDWARDS, Pap., i, 87, 1881.
i. pallida SCUDDER, Proc. Bost. Soc. Nat. Hist.,
 viii, 183, 1861.
 syn. *nasturtii* BOISDUVAL.
k. castoria REAKIRT, Proc. Acad. Nat. Sci. Phil.,
 31, 1866.
 syn. *roseola* BOISDUVAL.
l. cruciferarum BOISDUVAL, Spec. Gén., i, 519, 1839.
 syn. *culta* KIRBY, *æstiva* HARRIS.
- *39. *ochsenheimeri* STAUDINGER, Stett. ent. Zeit., 199, Asia,
 1886; SKINNER, C. no. 387. Alaska.
40. *rapæ* LINNÆUS, Syst. Nat., 468, 1758; SKINNER, Eur.,
 C. no. 388. U. S.
 syn. *marginalis* SCUDDER, *yrca* REAKIRT.
a. novangliae SCUDDER, Can. ent., iv, 79, 1872.
b. immaculata SKINNER & AARON, Can. Ent., xxi,
 128, 1889.
c. manni MAYER, Stett. ent. Zeit., 151, 1851.

NATHALIS Boisduval.

BOISDUVAL, Spec. Gén., i, 587, 1836; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 224, 1875.

41. *iole* BOISDUVAL, Spec. Gén., i, 589, 1836; SKIN- So. U. S.,
 NER, C. no. 389. Mex.
 syn. *irene* FITCH, *felicia* POEY, *Inteolus* REAKIRT.

SYNCHLOE Hübner.

- HÜBNER, Verz. bek. Schmett., 94, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 273, 1875; *Euchloe* HÜBNER, Verz. bek. Schmett., 94, 1816; *Midea* HERRICH-SCHAEFFER, Corr.-Blatt zool.-min. Ver. Reg., xxi, 105, 1867.
42. *creusa* DOUBLEDAY & HEWITSON, Gen. Diurn. Lep., pl. 7, 1847; SKINNER, C. no. 391. So. Cal.
43. *olympia* EDWARDS, Trans. Am. Ent. Soc., iii, 266, 1871; SKINNER, C. no. 392. Ariz.
- a. rosa* EDWARDS, Pap., ii, 45, 1882.
44. *ausonides* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 286, 1852; SKINNER, C. no. 393. Pac. States,
- a. hyantis* EDWARDS, Trans. Am. Ent. Soc., iii, 205, 1871. Col.
- b. coloradensis* HY. EDWARDS, Pap., i, 50, 1881.
45. *lotta* BEUTENMÜLLER, Bull. Am. Mus. Nat. Hist., x, 243, 1898. Rocky Mts.
46. *lanceolata* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 284, 1852; SKINNER, C. no. 390. Pac. States, Rocky Mts.
- syn. *edwardsii* BEHR.
47. *cethura* FELDER, Reise Novara, Lep., ii, 182, 1865; SKINNER, C. no. 394. Pac. States.
- syn. *cooperi* BEHR, *angelina* BOISDUVAL.
- a. morrisoni* EDWARDS, Pap., i, 143, 1881.
48. *genutia* FABRICIUS, Syst. Ent., iii, 193, 1793; SKINNER, C. no. 397. So. Atl. States.
- syn. *midea* HÜBNER.
49. *sara* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 385, 1852; SKINNER, C. no. 395. Pac. States, Rocky Mts.
- syn. *thoosa* SCUDDER, *flora* WRIGHT.
- a. reakirtii* EDWARDS, Trans. Am. Ent. Soc., ii, 369, 1869.
- syn. *stella* EDWARDS.
- b. julia* EDWARDS, Trans. Am. Ent. Soc., iv, 61, 1872.
- *50. *pima* EDWARDS, Can. Ent., xx, 158, 1888; SKINNER, C. no. 396. Ariz.

CALLIDRYAS Boisduval & Le Conte.

BOISDUVAL & LE CONTE, Lép. Am. Sept., 73, 1829; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 131, 1875.

51. *philea* LINNÆUS, Syst. Nat., 764, 1776; SKINNER, C. no. 401. So. Miss. Val., So. Am.
- syn. *arieye* CRAMER, *melanippe* CRAMER.

52. **eubule** LINNEUS, Syst. Nat., 743, 1766; SKINNER, C. no. 398. So. States, Cal., So. Am.
 syn. *sennae* LINNÆUS, *marellina* CRAMER,
drya FABRICIUS, *yamana* REAKIRT.

APHRISSA Butler.

BUTLER, Lep. Exot., 155, 1873; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 116, 1875.

53. **statira** CRAMER, Pap. Exot., iii, pl. 120, f. C., 1779; SKINNER, C. no. 399. Fla., So. Am.
 syn. *neleis* BOISDUVAL, *boisduvalii* FELDER,
juda BUTLER, *floridensis* NEUMOEGEN, *fabia* FABRICIUS, *eradne* GODART, *alcmene* CRAMER.

PHŒBIS Hübner.

HÜBNER, Verz. bek. Schmett., 98, 1816; GODMAN & SALVIN, Biol. Cent. Am., Lep. Rhop., ii, 142, 1887; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 249, 1875.

54. **argante** FABRICIUS, Syst. Ent., 470, 1775; SKINNER, C. no. 403. Fla., Tex., So. Am.
 syn. *cipris* CRAMER, *hersilia* CRAMER, *minuscula* BUTLER, *pallideflava* GOEZE, *xanthia* SEPP, *lurra* FABRICIUS, *volutaria* PERRY, *enidia* GODART.

55. **agarithe** BOISDUVAL, Spec. Gén., i, 625, 1836; SKINNER, C. no. 402. So. Miss., Val., So. Am.
 syn. *maxima* NEUMOEGEN.

GONEPTERYX Leach.

LEACH, Edinb. Enc., ix, 128, 1825; KIRBY, Cat. Diurn. Lep., 487, 1872.

56. **clorinde** GODART, Enc. Méth., ix, suppl., 813, 1823; KIRBY, Cat. Diurn. Lep., 487, 1872; BARNEs, Ent. News, x, 131, 1900. Tex., So. Am.
 syn. *swainsonia* SWAINSON, *mærola* HÜBNER, *godarti* PERTY.

KRICOGONIA Reakirt.

REAKIRT, Proc. Ent. Soc. Phil., ii, 355, 1863; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 201, 1875.

57. **lyside** GODART, Enc. Méth., ix, 98, 1819; SKINNER, C. no. 404. Tex., Mex.
 syn. *terissa* LUCAS.
a. lanice LINTNER, Pap., iv, 138, 1884; SKINNER, C. no. 406.
 58. **fantasia** BUTLER, Trans. Ent. Soc. Lond., 170, 1871; SKINNER, C. no. 405. Tex., Mex.
 59. **unicolor** GODMAN & SALVIN, Biol. Cent. Am., Lep. Rhop., ii, 151, 1889; SKINNER, C. no. 407. Tex., Mex.

ZERENE Hübner.

HÜBNER, Verz. bek. Schmett., 97, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 291, 1875.

60. **eurydice** BOISDUVAL, Ann. Soc. Ent. Fr., iii, 32, 1855; SKINNER, C. no. 408. Ariz., Cal., Oreg.

syn. *wosnesenskii* MÉNÉTRIES, *lorquini* BOISDUVAL, *helena* REAKIRT.

a. amorphæ HY. EDWARDS, Proc. Cal. Acad. Sci., vii, 169, 1876; SKINNER, C. no. 408.

b. bernardino EDWARDS, Butt., iii, pl. 1, 1887.

61. **cæsonia** STOLL, Suppl. Cramer, Pap. Exot., pl. 41, fig. 2, 1790; SKINNER, C. no. 409. So. U. S., So. Am.

syn. *caroliniana* PETIVER.

a. rosa MCNEILL, Can. Ent., xxii, 45, 1889.

EURYMUS Swainson.

SWAINSON, Horsl. Cat. Lep. E. I. Mus., 129, 1829; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 175, 1875.

62. **meadii** EDWARDS, Trans. Am. Ent. Soc., iii, 267, 1871; SKINNER, C. no. 410. Rocky Mts.

a. elis STRECKER, Proc. Acad. Nat. Sci. Phil., 24, 1885; SKINNER, C. no. 411.

63. **hecla** LEFÈBRE, Ann. Soc. Ent. Fr., v, 383, 1836; SKINNER, C. no. 412. Arctic Am., Eur.

a. glacialis McLACHLAN, Jn. Linn. Soc. Lond., xiv, 108, 1878.

b. hela STRECKER, Bull. Brook. Ent. Soc., iii, 33, 1880.

c. pallida SKINNER & MENGEI, Proc. Acad. Nat. Sci. Phil., 156, 1892.

- *64. **boothii** CURTIS, Ross Nar. Second Voy. N.-W. Pass., app., 62, 1835; SKINNER, C. no. 413. Arctic Am.

a. chionae CURTIS, Ross Nar. Second Voy., app., 62, 1835.

65. **eurytheme** BOISDUVAL, Ann. Soc. Ent. Fr., 286, 1852; SKINNER, C. no. 414. Rocky Mts., Pac. States.

syn. *amphidusa* BOISDUVAL, *californiana* MÉNÉTRIES, *keewaydin* EDWARDS, *intermedia* COCKERELL, *autumnalis* COCKERELL.

a. ariadne EDWARDS, Trans. Am. Ent. Soc., iii, 12, 1870.

b. eriphyle EDWARDS, Trans. Am. Ent. Soc., v, 202, 1876.

syn. *hagenii* EDWARDS.

c. fumosa STRECKER, Lep. Rhop. Het., suppl., 3, 19, 1900.

66. *philodice* GODART, Enc. Méth., ix, 100, 1819; SKINNER, C. no. 414. Atl. States.
 syn. *palæno* CRAMER, *europomene* STEPHENS, *palidice* SCUDDER, *virida* STRECKER, *misdidice* SCUDDER, *nigrina* STRECKER, Lep. Rhop. Het., suppl., 3, 19, 1900, *albinic* SKINNER, *melanic* SKINNER, Syn. Cat. N. A. Rhop., 68, 1898.
- a. anthyale* HÜBNER, Zutr. exot. Schmett., f. 307, 1823.
- b. nigridice* SCUDDER, Butt., ii, 1114, 1889.
- c. luteitincta* WOLCOTT, Can. Ent., xxv, 104, 1893.
67. *hartfordii* HY. EDWARDS, Pac. Coast Lep., No. 24, 9, 1877; SKINNER, C. no. 416. Cal.
 syn. *barbara* HY. EDWARDS.
68. *occidentalis* SCUDDER, Proc. Bost. Soc. Nat. Hist., ix, 109, 1862; SKINNER, C. no. 417. Cal., B. C., Utah.
 syn. *chrysomelas* HY. EDWARDS.
69. *christina* EDWARDS, Proc. Ent. Soc. Phil., ii, 79, 1863; SKINNER, C. no. 418. Rocky Mts., Brit. Am.
 syn. *astræa* EDWARDS.
a. pallida LYMAN, Can. Ent., xix, 6, 1884.
70. *alexandra* EDWARDS, Proc. Ent. Soc. Phil., ii, 14, 1863; SKINNER, C. no. 419. Col., No. Pac. States.
 syn. *alba* STRECKER, *pallida* COCKERELL.
a. edwardsii BEIRN in EDWARDS, Butt. N. A., i, 55, 1870.
b. emilia EDWARDS, Trans. Am. Ent. Soc., iii, 12, 1870.
71. *interior* SCUDDER, Proc. Bost. Soc. Nat. Hist., ix, 108, 1862; SKINNER, C. no. 420. No. Atl. States.
 syn. *laurentina* SCUDDER.
72. *scudderi* REAKIRT, Proc. Ent. Soc. Phil., iv, 217, 1865; SKINNER, C. no. 421. No. Rocky Mts., No. Pac. States.
a. flavotincta COCKERELL, Psyche, ix, 186, 1901.
73. *pelidne* BOISDUVAL, Icones, pl. 8, 1832; SKINNER, C. no. 422. Rocky Mts.
 syn. *labradoriensis* SCUDDER.
a. skinneri BARNES, Can. Ent., xxix, 39, 1897.
b. gigantea STRECKER, Lep. Rhop. Het., suppl., 19, 1900.
74. *palæno* LINNEUS, Syst. Nat., 764, 1767; SKINNER, C. no. 423. Eur., Alaska, Labrador.
 syn. *europomene* ESPER, *philonomene* HÜBNER, *lapponica* STAUDINGER, *chippewa* EDWARDS, *helena* EDWARDS.
a. werdandi HERRICH-SCHAEFFER, Schm. Eur., f, 403, 1848.

75. *nastes* BOISDUVAL, Icones, pl. 8, 1832; SKINNER, C. no. 424. Arctic Am., Eur.
a. rossii GUENÉE, Ann. Soc. Ent. Fr., 199, 1864.
b. streckeri GRUMM-GRSHIMAÏLO, Hor. Ent. Soc. Ross., xxix, 290, 1895.
- *76. *moina* STRECKER, Bull. Brook. Ent. Soc., iii, 34, 1880; SKINNER, C. no. 425. Hudson Bay.
77. *behrii* EDWARDS, Proc. Ent. Soc. Phil., vi, 201, 1836; SKINNER, C. no. 426. Mts. Cal.

PYRISITA Butler.

BUTLER, Cist. Ent., i, 35, 1870; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 261, 1875.

79. *gundlachia* POEY, Hist. Nat. Cuba, i, 246, 1851; Tex., Ariz., Mex. SKINNER, C. no. 427.
80. *proterpia* FABRICIUS, Syst. Ent., 478, 1775; SKINNER, C. no. 428. Tex., Ariz., Mex.
81. *mexicana* BOISDUVAL, Spec. Gén., i, 653, 1836; Miss. Val., Mex. SKINNER, C. no. 430.
 syn. *damaris* FELDER, *depuiseti* BOISDUVAL.
- *82. *boisduvaliana* FELDER, Reise Novara, ii, 200, 1865. Ariz., Mex.
 syn. *damaris* SKINNER (not FELDER), C. no. 431;
ingrata FELDER, *gratiosa* REAKIRT.

EUREMA Hübner.

HÜBNER, Verz. bek. Schmett., 96, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 173, 1875.

83. *nicippe* CRAMER, Pap. Exot., iii, 210, 1782; SKINNER, C. no. 429. So. Atl. States, Ariz., Cal.
a. flava STRECKER, Cat. Lep., 84, 1878.
- *84. *westwoodi* BOISDUVAL, Spec. Gén., i, 666, 1836; Tex., Mex.
 SKINNER, C. no. 432.
 syn. *dina* HÜBNER, *calceolaria* BUTLER & DRUCE.
85. *euterpe* MÉNÉTRIES, Bull. Mose., 299, 1832; GODMAN & SALVIN, Biol. Cen. Am., Lep. Rhop., ii, 102, 1889.
 syn. *lisa* BOISDUVAL, *clappii* MAYNARD.
a. alba STRECKER, Cat. Lep., 85, 1878; SKINNER, C. no. 433.
- *86. *linda* EDWARDS, Pap., iv, 53, 1884; SKINNER, C. Mex.
 no. 434.
87. *delia* CRAMER, Pap. Exot., pl. 273, f. A, 1782; Gulf States.
 SKINNER, C. no. 435.
 syn. *demoditas* HÜBNER, *daria* GODART.

88. *jucunda* BOISDUVAL & LE CONTE, Lép. Am. Sept., 52, 1833; SKINNER, C. no. 436. Gulf States,
syn. *ebriola* POEY, *albina* POEY. Mex.
89. *gnatheme* BOISDUVAL, Spec. Gén., i, 680, 1836; KIRBY, Cat. Diurn. Lep., 445, 1872. Fla.,
a. blakei MAYNARD, Man. Butt., app., 216, 1891. Antilles.

Family NYMPHALIDÆ.

(C.=SKINNER, Syn. Cat. No. Am. Rhop., 1898, pp. 3-33.)

COLÆNIS Hübner.

HÜBNER, Verz. bek. Schmett., 32, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 146, 1875.

90. *julia* FABRICIUS, Syst. Ent., 509, 1775; SKINNER, C. no. 7. Tex., Fla., Mex.
a. delila FABRICIUS, Syst. Ent., 510, 1775; SKINNER, C. no. 8.
syn. *cillene* CRAMER.

AGRAULIS Boisduval & LeConte.

BOISDUVAL & LE CONTE, Lép. Am. Sept., 142, 1833; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 105, 1875.

91. *vanillæ* LINNEAUS, Syst. Nat., 482, 1758; SKINNER, C. no. 9. So. Atl. States, Cal., Mex.
syn. *passiflorae* FABRICIUS.

EUPTOIETA Doubleday.

DOUBLEDAY, Gen. Diurn. Lep., 168, 1848; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 172, 1875.

92. *claudia* CRAMER, Pap. Exot., i, pl. 69, f. E, 1779; SKINNER, C. no. 10. Atl. States, Col., Cal.
syn. *columbina* GODART, *dannus* HERBST.
93. *hegesia* CRAMER, Pap. Exot., iii, pl. 209, f. E, 1782; SKINNER, C. no. 11. Cal., Tex., So. Am.
syn. *hortensis* BLANCHARD.

SEMNOPSYCHE Scudder.

SCUDDER, Bull. Buff. Soc., ii, 258, 1875; Butt. E. U. S., iii, 1798, 1889.

94. *diana* CRAMER, Pap. Exot., pl. 98, f. D, 1779; SKINNER, C. no. 12. So. Atl. States.

SPEYERIA Scudder.

- SCUDDER, Syst. Rev., 23, 1872; Proc. Am. Acad. Arts & Sci., x, 269, 1875.
95. *idalia* DRURY, Ill. Exot. Ent., i, pl. 13, 1775; Atl.
SKINNER, C. no. 13. States.
- syn. *astarte* FISCHER, *ashturoth* FISCHER.

ARGYNNIS Fabricius.

FABRICIUS, Ill. Mag., vi, 263, 1807; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 118, 1875.

96. *nokomis* EDWARDS, Proc. Acad. Nat. Sci. Phil., 221, 1862; SKINNER, C. no. 14. Ariz., Utah.
97. *nitocris* EDWARDS, Trans. Am. Ent. Soc., v, 15, 1874; SKINNER, C. no. 15. Ariz., Nev.
- a. cærulescens* HOLLAND, Ent. News, xi, 332, 1900.
- b. nigrocærulea* COCKERELL, Ent. News, xi, 622, 1900.
98. *leto* BEHR, Proc. Cal. Acad. Sci., ii, 173, 1862; Pac. States,
SKINNER, C. no. 16. Col.
- syn. *charlottii* BARNES, SKINNER, C. no. 18
99. *cybele* FABRICIUS, Syst. Ent., 516, 1775; SKINNER, C. no. 17. Atl. States.
- syn. *daphnis* CRAMER, *baal* STRECKER.
- a. carpenterii* EDWARDS, Trans. Am. Ent. Soc., v, 204, 1876.
100. *aphrodite* FABRICIUS, Mant. Ins., ii, 62, 1767; Atl. States,
SKINNER, C. no. 19. Rocky Mts
- syn. *daphnis* MARTYN, *cypria* EDWARDS, *nausicaa* EDWARDS.
- a. alcestis* EDWARDS, Trans. Am. Ent. Soc., v, 289, 1876.
101. *lais* EDWARDS, Can. Ent., xv, 209, 1883; BRIT. AM.
SKINNER, C. no. 21.
102. *atlantis* EDWARDS, Proc. Nat. Acad. Sci. Phil., 54, Atl.
1862; SKINNER, C. no. 22. States.
103. *hippolyta* EDWARDS, Can. Ent., xi, 81, 1879; OREG., CAL.
SKINNER, C. no. 28.
- a. oweni* EDWARDS, Can. Ent., xxiv, 105, 1892;
SKINNER, C. no. 23.
- *104. *cornelia* EDWARDS, Can. Ent., xxiv, 106, 1892; COL.
- SKINNER, C. no. 24.
105. *electa* EDWARDS, Field & Forest, iii, 143, 1878; ROCKY
SKINNER, C. no. 25. MTS.

106. *columbia* HY. EDWARDS, Pacific Coast Lep., no. 26, 1877; SKINNER, C. no. 26. Brit. Col.
107. *hesperis* EDWARDS, Proc. Ent. Soc. Phil., ii, 502, 1864; SKINNER, C. no. 27. Rocky Mts.
108. *bremnerii* EDWARDS, Trans. Am. Ent. Soc., iv, 63, 1872; SKINNER, C. no. 29. Pac. States.
109. *zerene* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 303, 1852; SKINNER, C. no. 30. Cal., Nev
syn. *hydaspe* BOISDUVAL.
110. *monticola* BEHR, Proc. Cal. Acad. Sci., ii, 175, 1862; SKINNER, C. no. 31. Pac. States.
- a. purpurascens* HY. EDWARDS, Proc. Cal. Acad. Sci., vii, 170, 1876.
111. *rhodope* EDWARDS, Trans. Am. Ent. Soc., v, 13, 1874; SKINNER, C. no. 32. Brit. Am.
112. *behrensii* EDWARDS, Trans. Am. Ent. Soc., ii, 370, 1869; SKINNER, C. no. 33. Cal.
113. *halcyone* EDWARDS, Butt., i, 83, 1869; SKINNER, C. no. 34. Rocky Mts.
114. *platina* SKINNER, Can. Ent., xxix, 154, 1897; C. no. 36. Rocky Mts.
115. *coronis* BEHR, Proc. Cal. Acad. Sci., ii, 173, 1862; SKINNER, C. no. 37. Cal.,
syn. *juba* BOISDUVAL. Brit. Am.
116. *callippe* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 302, 1852; SKINNER, C. no. 39. Cal.
117. *snyderi* SKINNER, Can. Ent., xxix, 154, 1897; C. no. 38. Utah, Idaho.
118. *nevadensis* EDWARDS, Trans. Am. Ent. Soc., iii, 14, 1870; SKINNER, C. no. 40. Rocky Mts.
- a. meadii* EDWARDS, Trans. Am. Ent. Soc., v, 69, 1872.
119. *edwardsii* REAKIRT, Proc. Ent. Soc. Phil., vi, 137, 1866; SKINNER, C. no. 41. Rocky Mts.
syn. *aglaia* EDWARDS.
- *120. *chitone* EDWARDS, Can. Ent., xi, 72, 1879; SKINNER, C. no. 35. Rocky Mts.
121. *liliana* HY. EDWARDS, Proc. Cal. Acad. Sci., vii, 170, 1876; SKINNER, C. no. 42. Cal., Utah.
- a. baroni* EDWARDS, Trans. Am. Ent. Soc., ix, 3, 1881.

122. *rupestris* BEHR, Proc. Cal. Acad. Sci., ii, 175
1862; SKINNER, C. no. 43.
syn. *irene* EDWARDS.
a. irene BOISDUVAL, Ann. Soc. Ent. Belg., xii,
59, 1869.
- *123. *laura* EDWARDS, Can. Ent., xi, 49, 1879; SKIN-
NER, C. no. 49. Cal.,
Nev.
124. *semiramis* EDWARDS, Can. Ent., xviii, 61, 1886;
SKINNER, C. no. 46. Cal.
- *125. *inornata* EDWARDS, Trans. Am. Ent. Soc., iv, 64,
1872; SKINNER, C. no. 47. Cal.,
Nev.
- *126. *atossa* EDWARDS, Butt. N. A., iii, pl. 8, Arg.,
1890; SKINNER, C. no. 48. Cal.
127. *adiaste* BEHR, Proc. Cal. Acad. Sci., ii, 175, 1862;
SKINNER, C. no. 49. Cal.
syn. *adiante* BOISDUVAL.
128. *eurynome* EDWARDS, Trans. Am. Ent. Soc., iv,
66, 1872; SKINNER, C. no. 55. Rocky Mts.,
Cal.
syn. *macaria* EDWARDS; SKINNER, C. no. 45;
SNYDER, Occ. Mem. Chic. Ent. Soc., i, 11,
1900.
a. erinna EDWARDS, Can. Ent., xv, 33, 1883.
b. bischoffi EDWARDS, Trans. Am. Ent. Soc., iii,
189, 1870; SKINNER, C. no. 53.
c. artonis EDWARDS, Trans. Am. Ent. Soc., ix, 2,
1881; SKINNER, C. no. 50.
d. elio EDWARDS, Trans. Am. Ent. Soc., v, 106,
1874; SKINNER, C. no. 51.
syn. *opis* EDWARDS; SKINNER, C. no. 52.
e. arge STRECKER, Cat. Lep., 114, 1878; SKINNER,
C. no. 54.
f. cunninghami OWEN, Edt. News, iv, 246, 1893.
129. *montivaga* BEHR, Proc. Cal. Acad. Sci., ii, 174,
1862; SKINNER, C. no. 56. Cal.,
Nev.
130. *egleis* BOISDUVAL, Ann. Soc. Ent. Belg., xii, 59,
1869; SKINNER, C. no. 57. Cal.,
Nev.
syn. *mormonia* BOISDUVAL, *nenoquis* REAKIRT

BRENTHIS Hübner.

HÜBNER, Verz. bek. Schmett., 30, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x,
128, 1875.

131. *myrina* CRAMER, Pap. Exot., ii, pl. 189, f. B, 1779;
SKINNER, C. no. 58. No.
U. S.
syn. *myrissa* GODART.

132. *pales* DENIS & SCHIFFERMÜLLER, Syst. Verz. Wien., 177, 1776; STAUDINGER & REBEL, Cat. Lep. Eur., i, no. 210, 1901.
a. alaskensis HOLLAND, Ent. News, xi, 383, 1900.
- *133. *youngi* HOLLAND, Ent. News, xi, 283, 1900. Alaska.
134. *tricularis* HÜBNER, Samml. ex. Schmett., ii, 1824; SKINNER, C. no. 59.
 syn. *ossianus* BOISDUVAL.
135. *helena* EDWARDS, Trans. Am. Ent. Soc., iii, 268, 1871; SKINNER, C. no. 60. Rocky Mts.
136. *montinus* SCUDDER, Proc. Ess. Ins., iii, 166, 1862; SKINNER, C. no. 61. N. H.
137. *chariclea* SCHNEIDER, Neu. Mag., v, 588, 1794; SKINNER, C. no. 62.
a. arctica ZETTERSTEDT, Ins. Lap., 899, 1828.
b. obscurata McLACHLAN, Jn. Linn. Soc., xiv, 110, 1878.
 syn. *butleri* EDWARDS.
c. boisduvalii DUPONCHEL, Lep. Fr., suppl., 1, pl. 20, f. 4, 1832; SKINNER, C. no. 64.
138. *freija* THUNBERG, Diss. Ent. Suec., ii, 34, 1791; SKINNER, C. no. 65. Eur., Col.
 syn. *freyja* HERRICH-SCHAEFFER, *lapponica* Esper.
a. tarquinius CURTIS, Ross Nar. Second Voy. N.-W. Pass., app., 68, 1835.
139. *polaris* BOISDUVAL, Ind. Méth., 15, 1829; SKINNER, C. no. 67. Arctic Am.
140. *frigga* THUNBERG, Diss. Ent. Suec., ii, 33, 1791; SKINNER, C. no. 68. Arctic Am.
a. saga KADEN, Stett. ent. Zeit., 350, 1861.
b. improba BUTLER, Ent. Mo. Mag., xiii, 206 1877; SKINNER, C. no. 66.
141. *bellona* FABRICIUS, Syst. Ent., 517, 1775; SKINNER, C. no. 69. Atl. States.
 syn. *myrina* MARTYN.
142. *epithore* BOISDUVAL, Ann. Soc. Ent. Belg., xii, 58, 1869; SKINNER, C. no. 70. Pac. States.
a. kreimhild STRECKER, Rept. Surv. Dept. Mo., RUFFNER, app., 1854, 1879.
- *143. *alberta* EDWARDS, Can. Ent., xxii, 113, 1890; SKINNER, C. no. 71. Alberta.
- *144. *astarte* DOUBLEDAY & HEWITSON, Gen. Diurn. Lep., pl. 53, f. 5, 1848; SKINNER, C. no. 72. Alberta.
 syn. *victoria* EDWARDS.

APATURA Fabricius.

FABRICIUS, Ill. Mag., vi, 280, 1807; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 115, 1875.

145. *misippus* LINNÆUS, Mus. Ulr., 264, 1764; SKINNER, C. no. 160. Fla., Africa, India, etc.
syn. *discippus* FABRICIUS.

EUPHYDRYAS Scudder.

SCUDDER, Syst. Rev., 27, 1872; Proc. Am. Acad. Arts & Sci., x, 172, 1875.

146. *phaeton* DRURY, Ill. Exot. Ent., i, pl. 21, 1767; SKINNER, C. no. 73. Atl. States.
syn. *phætana* HÜBNER, *phætoneta* GODART, *phædon* HERRICH-SCHAEFFER, *superba* STRECKER, *phæthusa* HULST, *streckeri* ELLSWORTH, Ent. News, xiii, 104, 1902.

LEMONIAS Hübner.

HÜBNER, Tent., 1, 1806; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 203, 1875.

147. *cooperi* BEHR, Proc. Cal. Acad. Sci., iii, 90, 1863; SKINNER, C. no. 74. Pae. States.
syn. *perdiecas* EDWARDS.
148. *chalcedon* DOUBLEDAY & HEWITSON, Gen. Diurn. Lep., i, 180, 1847; SKINNER, C. no. 75. Pae. States.
a. dwinellei HY. EDWARDS, Pap., i, 51, 1881.
b. fusimacula BARNES, Can. Ent., xxxii, 42, 1900.
c. mariana BARNES, Can. Ent., xxxii, 42, 1900.
149. *maeglashani* RIVERS, Proc. Cal. Acad. Sci., (2), i, 103, 1889; SKINNER, C. no. 76. Cal.
150. *colon* EDWARDS, Pap., i, 45, 1881; SKINNER, C. no. 77. Wash., Oreg.
151. *ania* DOUBLEDAY & HEWITSON, Gen. Diurn. Lep., i, 179, 1848; SKINNER, C. no. 78. Rocky Mts.,
a. beani SKINNER, Can. Ent., xxix, 155, 1897. Pac. States.
b. brucei EDWARDS, Can. Ent., xx, 81, 1888.
151. 1. *maria* SKINNER, Can. Ent., xxxi, 12, 1899. Utah.
152. *nubigena* BEHR, Proc. Cal. Acad. Sci., iii, 91, 1863; SKINNER, C. no. 79. Rocky Mts.,
a. wheeleri HY. EDWARDS, Pap., i, 52, 1881. Cal.
syn. *capella* BARNES.
153. *gillettei* BARNES, Can. Ent., xxix, 40, 1897; SKINNER, C. no. 80. Wyo.

154. *quino* BEHR, Proc. Cal. Acad. Sci., iii, 90, 1863; SKINNER, C. no. 81. Cal.
- *155. *augusta* EDWARDS, Can. Ent., xxii, 21, 1890; SKINNER, C. no. 82. Cal.
156. *baroni* HY. EDWARDS, Pap., i, 52, 1881; SKINNER, C. no. 83. Cal.
157. *rubicunda* HY. EDWARDS, Pap., i, 52, 1881; SKINNER, C. no. 84. Cal.
158. *taylori* EDWARDS, Can. Ent., xx, 82, 1888; SKINNER, C. no. 85. Brit. Col.
159. *editha* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 304, 1852; SKINNER, C. no. 86. Cal.
syn. *anicia* SCUDDER.
- *160. *helvia* SCUDDER, Proc. Bost. Soc. Nat. Hist., xii, 405, 1869; SKINNER, C. no. 87; HOLLAND, Ent. News, xi, 384, 1900. Alaska.
161. *sterope* EDWARDS, Trans. Am. Ent. Soc., iii, 190, 1870; SKINNER, C. no. 88. Oreg.
- *162. *acastus* EDWARDS, Trans. Am. Ent. Soc., v, 16, 1874; SKINNER, C. no. 89. Rocky Mts.
163. *neumoegeni* SKINNER, Ent. News, vi, 113, 1895; C. no. 90. Utah.
164. *palla* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 305, 1852; SKINNER, C. no. 91. Rocky Mts., Pac. States.
- *165. *whitneyii* BEHR, Proc. Cal. Acad. Sci., iii, 88, 1863; SKINNER, C. no. 92. Cal., Nev
syn. *pola* BOISDUVAL.
166. *hoffmanni* BEHR, Proc. Cal. Acad. Sci., iii, 89, 1863; SKINNER, C. no. 93. Pac. States,
- a. heleita* BOISDUVAL, Ann. Soc. Ent. Belg., xii, 55, 1869. Rocky Mts.
167. *gabbi* BEHR, Proc. Cal. Acad. Sci., iii, 89, 1863; SKINNER, C. no. 94. Cal., Utah, Ariz.
syn. *sonora* BOISDUVAL.
- *168. *approximata* STRECKER, Lep. Rhop. Het., suppl. 3, 23, 1900. Tex.

CINCLIDIA Hübner.

- HÜBNER, Verz. bek. Schmett., 29, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 142, 1875.
169. *harrisii* SCUDDER, Proc. Ess. Ins., iii, 167, 1862; SKINNER, C. no. 95. Atl. States.

170. *ulrica* EDWARDS, Can. Ent., ix, 189, 1877; SKINNER, C. no. 96 (as *elada* HEWITSON). Tex.
syn. *imitata* STRECKER.
171. *dymas* EDWARDS, Can. Ent., ix, 190, 1877; SKINNER, C. no. 97. Tex.
syn. *larunda* STRECKER.
172. *perse* EDWARDS, Pap., ii, 136, 1882; SKINNER, C. no. 98. Ariz.
173. *chara* EDWARDS, Can. Ent., xv, 209, 1883; SKINNER, C. no. 98. Ariz.
- *174. *albiplaga* AARON, Pap., iv, 175, 1884; SKINNER, C. no. 100. Tex.

THESSALIA Scudder.

SCUDDER, Bull. Buff. Soc., ii, 265, 1875.

175. *leanira* BOISDUVAL, Ann. Soc. Ent. Belg., xii, 27, 1869; SKINNER, C. no. 101. Pae. States, Rocky Mts.
- a. obsoleta* HY. EDWARDS, Proc. Cal. Acad. Sci., vii, 171, 1876.
176. *wrightii* EDWARDS, Can. Ent., xviii, 64, 1886; SKINNER, C. no. 102. Cal.
177. *alma* STRECKER, Lep. Rhop. Het., 135, 1877; SKINNER, C. no. 103. Utah, Ariz.
178. *theona* MÉNÉTRIES, Cat. Mus. Pét., i, 86, 1855. Tex., Col.
syn. *fulvia* EDWARDS, Can. Ent., xi, 117, 1879; SKINNER, C. no. 104.
178. 1. *cyneas* GODMAN & SALVIN, Biol. Cent. Am., Lep. Rhop., i, 191, 1882. Mex., Ariz.
179. *thekla* EDWARDS, Trans. Am. Ent. Soc., iii, 191, 1870; SKINNER, C. no. 105. Cal. to Tex.
180. *bollii* EDWARDS, Field & Forest, iii, 01, 1877; SKINNER, C. no. 106. Tex., Ariz.
181. *definita* AARON, Pap., iv, 176, 1884; SKINNER, C. no. 107. Tex.

SCHÖENIS Hübner.

HÜBNER, Verz. bek. Schmett., 28, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 266, 1875.

182. *minuta* EDWARDS, Proc. Acad. Nat. Sci. Phil., 161, 1861; SKINNER, C. no. 108. Rocky Mts.
183. *arachne* EDWARDS, Trans. Am. Ent. Soc., ii, 372, 1869; SKINNER, C. no. 109. Rocky Mts.
184. *nympha* EDWARDS, Pap., iv, 53, 1884; SKINNER, C. no. 110. Ariz.

CHARIDRYAS Scudder.

- SCUDDER, Syst. Rev., 26, 1872; Proc. Am. Acad. Arts & Sci., x, 139, 1875.
185. *nycteis* DOUBLEDAY & HEWITSON, Gen. Diurn. Lep., 181, 1847; SKINNER, C. no. 111. Atl. States.
syn. anone SCUDDER, *harrisii* EDWARDS.
a. drusius EDWARDS, Pap., iv, 57, 1884.
186. *ismeria* BOISDUVAL & LE CONTE, Lép. Am. Sept., 168, 1833; SKINNER, C. no. 112. Rocky Mts.
syn. carlota REAKIRT.

PHYCIODES Hübner.

- HÜBNER, Verz. bek. Schmett., 29, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 249, 1875.
187. *vesta* EDWARDS, Trans. Am. Ent. Soc., ii, 371, 1869; SKINNER, C. no. 113. Tex., Mex.
a. boucardi GODMAN & SALVIN, Biol. Cent. Am., Lep. Rhop., i, 194, 1882.
188. *phaon* EDWARDS, Proc. Ent. Soc. Phil., ii, 505, 1864; SKINNER, C. no. 114. Gulf States.
189. *tharos* DRURY, Ill. Exot. Ent., i, 43, 1770; SKINNER, C. no. 115. Atl. States.
syn. gorgone HÜBNER, *morpheus* GODART, *cuclea* BERGSTRESSER, *marcia* EDWARDS, *puckardii* SAUNDERS.
a. morpheus FABRICIUS, Syst. Ent., 550, 1775.
syn. cecyta CRAMER, *pharos* HARRIS.
190. *batesii* REAKIRT, Proc. Ent. Soc. Phil., v, 226, 1865; SKINNER, C. no. 116. Atl. States.
191. *pratensis* BEHR, Proc. Cal. Acad. Sci., iii, 86, 1863; SKINNER, C. no. 117. Pae. States.
syn. campestris BEHR, *pulchella* BOISDUVAL.
a. orseis EDWARDS, Trans. Am. Ent. Soc., iii, 206, 1871; SKINNER, C. no. 118.
192. *camillus* EDWARDS, Trans. Am. Ent. Soc., iii, 268, 1871; SKINNER, C. no. 119. Rocky Mts.
a. emissa EDWARDS, Trans. Am. Ent. Soc., iii, 269, 1871.
b. pallida EDWARDS, Proc. Ent. Soc. Phil., ii, 505, 1864.
c. mata REAKIRT, Proc. Ent. Soc. Phil., vi, 142, 1866.
193. *mylitta* EDWARDS, Proc. Acad. Nat. Sci. Phil., 160, 1861; SKINNER, C. no. 120. Rocky Mts., Pae. States.
syn. collina BEHR, *callina* BOISDUVAL, *cpula* BOISDUVAL.

194. *barnesi* SKINNER, Can. Ent., xxix, 155, 1897; Col.
C. no. 121.
195. *montana* BEIR, Proc. Cal. Acad. Sci., iii, 85, 1863; Cal., Nev.
SKINNER, C. no. 122.
syn. *orsa* BOISDUVAL, *pratensis* SCUDDER.
196. *pieta* EDWARDS, Proc. Ent. Soc. Phil., iv, 201, Rocky Mts.,
1865; SKINNER, C. no. 123. Tex.
syn. *candace* EDWARDS.

MICROTIA Bates.

- BATES, Ent. Mo. Mag., i, 83, 1864.
196. 1. *elva* BATES, Ent. Mo. Mag., i, 83, 1864. Mex., Ariz.

ANTHANASSA Scudder.

SCUDDER, Bull. Buff. Soc., ii, 268, 1875.

197. *frisia* POEY, Cent. Lep. Cuba, 9, 1832; SKINNER, Fla.,
C. no. 124. Antilles.
syn. *gyges* HEWITSON.
198. *texana* EDWARDS, Proc. Ent. Soc. Phil., ii, 81, Tex., Neb.,
1863; SKINNER, C. no. 125. Mex.
syn. *cincta* EDWARDS, *smeardis* HEWITSON.
- *199. *tulcis* BATES, Ent. Mo. Mag., i, 82, 1864; SKIN- Ariz., Tex.,
NER, C. no. 126. Mex.
syn. *punctata* EDWARDS, *archesilea* FELDER.

CHLOSYNE Butler.

- BUTLER, Cist. Ent., i, 38, 1870; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 141, 1875.
200. *janaise* DRURY, Ill. Exot. Ent., iii, pl. 17, f. 5, Tex., Nev.,
1782; SKINNER, C. no. 127. Mex.
201. *lacinia* GEYER, Zutr. exot. Schmett., Tex., Ariz.,
f. 899, 1837; SKINNER, C. no. 128. Mex.
syn. *tellus* BATES, *quehtala* REAKIRT, *ardema*
REAKIRT, *paupera* FELDER, *mediatrix* FEL-
DER, *miseria* FELDER, *pretoria* BOISDUVAL,
erouale EDWARDS, *adjutrix* SCUDDER.
a. adelina STAUDINGER, Verh. zool.-bot. Ges.
Wien, 102, 1875.
b. saundersii DOUBLEDAY & HEWITSON, Gen.
Diurn. Lep., i, 186, 1850.
- *202. *erodyle* BATES, Ent. Mo. Mag., i, 84, 1864; SKIN- Tex.,
NER, C. no. 129. Mex.

MESTRA Hübner.

- HÜBNER, Samml. exot. Schmett., ii, 1826; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 217, 1875.
203. *amymone* MÉNÉTRIES, Cat. Mus. Pét., 123, 1857; SKINNER, C. no. 130. Tex., Mex.
- *204. *floridana* STRECKER, Lep. Rhop. Het., suppl. 3, 24, 1900. Fla.

POLYGONIA Hübner.

- HÜBNER, Verz. bek. Schmett., 36, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 253, 1875.
205. *interrogationis* FABRICIUS, Ent. Syst., sup., 424, 1798; SKINNER, C. no. 131. Atl. States.
syn. *fabricii* EDWARDS.
a. umbrosa LINTNER, Trans. Am. Ent. Soc., ii, 313, 1869.
206. *comma* HARRIS, Ins. Inj. Veg., 221, 1842; SKINNER, C. no. 132. Atl. States.
syn. *harrisii* EDWARDS.
a. dryas EDWARDS, Trans. Am. Ent. Soc., iii, 17, 1870.
207. *satyrus* EDWARDS, Trans. Am. Ent. Soc., ii, 374, 1869; SKINNER, C. no. 133. Rocky Mts., Pac. States.
a. marsyas EDWARDS, Trans. Am. Ent. Soc., iii, 16, 1870.
- *208. *hydas* EDWARDS, Trans. Am. Ent. Soc., iv, 68, 1872; SKINNER, C. no. 134. Col.
209. *faunus* EDWARDS, Proc. Acad. Nat. Sci. Phil., 222, 1862; SKINNER, C. no. 136. No. U. S.
syn. *rusticus* EDWARDS; SKINNER, C. no. 135.
210. *silvius* EDWARDS, Trans. Am. Ent. Soc., v, 108, 1874; SKINNER, C. no. 137. Cal.
211. *zephyrus* EDWARDS, Trans. Am. Ent. Soc., iii, 16, 1870; SKINNER, C. no. 138. Rocky Mts., Pac. States.
syn. *thiodanus* SCUDDER.
212. *gracilis* GROTE & ROBINSON, Ann. N. Y. Lye. Nat. Hist., viii, 432, 1867; SKINNER, C. no. 139. No. U. S.
syn. *c-argenteum* SCUDDER.
- *213. *oreas* EDWARDS, Trans. Am. Ent. Soc., ii, 373, 1869. Pac. States.
a. silenus EDWARDS, Trans. Am. Ent. Soc., iii, 15, 1870; SKINNER, C. no. 140.

214. *progne* CRAMER, Pap. Exot., i, pl. 15, f. E, 1775; SKINNER, C. no. 141. Atl. States, Pac. N.-W.
 syn. *argenteum* KIRBY, *grogne* FABRICIUS.
a. l-argenteum SCUDDER, Bull. Buff. Soc., ii, 253, 1875.

EUGONIA Hübner.

HÜBNER, Verz. bek. Schmett., 36, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 170, 1875.

215. *j-album* BOISDUVAL & LE CONTE, Lép. Am. Sept., 185, 1833; SKINNER, C. no. 142. Atl. States.
 syn. *auriomarginata* COCKERELL.
 216. *californica* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 306, 1852; SKINNER, C. no. 144. Pac. States, Col.

EUVALESSA Scudder.

SCUDDER, Butt. E. U. S. & Can., i, 387, 1889.

217. *antiopa* LINNÆUS, Syst. Nat., 476, 1758; SKINNER, C. no. 143. U. S., Eur.
 syn. *pompadour* POLLICH, *morio* LINNÆUS, *obscura* COCKERELL, *hippolyta* LYMAN, *grandis* EHRMAN, Can. Ent., xxxii, 348, 1900.
a. hygiæa HEYDENREICH, Verz. eur. Schmett., 7, 1851.
 syn. *lintonii* FITCH.

AGLAIS Dalman.

DALMAN, Vetensk. Akad. Handl., xxxvii, 56, 64, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 105, 1875.

218. *milberti* GODART, Encl. Méth., ix, 307, 1819; SKINNER, C. no. 145. U. S.
 syn. *furellata* SAY.
a. subpallida COCKERELL, Ent., 185, 1889.

VANESSA Fabricius.

FABRICIUS, Ill. Mag., vi, 281, 1807; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 287, 1875.

219. *atalanta* LINNÆUS, Syst. Nat., 478, 1758; SKINNER, C. no. 146. U. S., Eur.
 syn. *admiralis* RETZIUS.
 220. *hunteria* FABRICIUS, Syst. Ent., 499, 1775; SKINNER, C. no. 147. U. S., Mex.
 syn. *belladonna* PETIVER, *virginiensis* DRURY, *iole* CRAMER, *hunteri* HÜBNER.
a. fulvia DODGE, Can. Ent., xxxii, 92, 1900.

221. *cardui* LINNÆUS, Syst. Nat., 475, 1758; SKINNER, C. no. 148.
 syn. *carduelis* SEBA, minor COCKERELL, *dymi*
 RAMBUR, *ate* STRECKER.
 U. S., Eur.
 Asia, etc.
222. *carye* HÜBNER, Samml. ex. Schmett., i, 1806;
 SKINNER, C. no. 149.
 syn. *charie* BLANCHARD, *mulleri* LETCHER.
 Pae.
 States.

JUNONIA Hübner.

HÜBNER, Verz. bek. Schmett., 34, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 200, 1875.

223. *cœnia* HÜBNER, Samml. exot. Schmett., ii, 1825;
 SKINNER, C. no. 150.
 syn. *genoreva* CRAMER, *orythia* SMITH & ABBOT,
larinia GODART.
 So. Atl.
 States.

ANARTIA Hübner.

HÜBNER, Verz. bek. Schmett., 33, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 111, 1875.

224. *jatrophæ* LINNÆUS, Mus. Lud. Ulr., 289, 1764;
 SKINNER, C. no. 152.
 Fla.,
 So. Am.

VICTORINA Blanchard.

BLANCHARD, Hist. Ins., iii, 447, 1840; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 288, 1875.

225. *steneles* LINNÆUS, Syst. Nat., 465, 1758; SKINNER, C. no. 151.
 syn. *lavinia* FABRICIUS.
 Fla.,
 So. Am.

HYPANARTIA Hübner.

HÜBNER, Samml. exot. Schmett., ii, 1825; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 193, 1875.

226. *lethe* FABRICIUS, Ent. Syst., iii, 80, 1793; SKINNER, C. no. 153.
 syn. *demonica* HÜBNER.
 Tex.,
 So. Am.

EUNICA Hübner

HÜBNER, Verz. bek. Schmett., 61, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 171, 1875.

227. *monima* CRAMER, Pap. Exot., iv, pl. 387, f. F, 1782; SKINNER, C. no. 154.
 syn. *myrta* GODART, *modesta* BATES.
 Tex., Fla.,
 So. Am.
228. *tatila* HERRICH-SCHAEFFER, Samml. ausser. Schmett., f. 69, 1855; SKINNER, C. no. 155.
 syn. *cærulea* GODMAN & SALVIN.
 Fla.,
 Mex.

DIÆTHRIA Billberg.

- BILLBERG, Enn. Ins., 78, 1820; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 269, 1875.
 229. *clymena* CRAMER, Pap. Exot., i, pl. 24, f. E, 1775; Mex.
 KIRBY, Cat. Diurn. Lep., 207, 1871.

AMPHICHLORA Felder.

- FELDER, Neu. Lep., 19, 1861; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 109, 1875.
 230. *fornax* HÜBNER, Samml. exot. Schmett., ii, 1824; Tex., Mex.
 KIRBY, Cat. Diurn. Lep., 207, 1871.
231. *feronia* LINNÆUS, Mus. Ulr., 283, 1764; KIRBY, Tex.,
 Cat. Diurn. Lep., 215, 1871. Mex.

TIMETES Boisduval.

- BOISDUVAL, Cuvier, Règ. An., ii, pl. 139, 1836; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 284, 1875.
 232. *coresia* GODART, Enc. Méth., ix, 359, 1823; SKINNER, C. no. 156. Tex., Mex.
 syn. *zerynthia* HÜBNER, *sylla* PERTY.
 233. *chiron* FABRICIUS, Syst. Ent., 452, 1775; SKINNER, C. no. 159. Tex., Mex.
 syn. *marius* CRAMER, *chironius* HÜBNER.

ATHENA Hübner.

- HÜBNER, Verz. bek. Schmett., 36, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 123, 1875.
 234. *peleus* SULZER, Abg. Gesch. Ins., pl. 13, f. 4, 1776; SKINNER, C. no. 157. Fla., Mex.
 syn. *petreus* CRAMER, *tethys* FABRICIUS.
 235. *eleucha* HÜBNER, Samml. exot. Schmett., ii, 1824; Tex., Fla., Antilles.
 SKINNER, C. no. 158.
 syn. *pellenis* GODART.

BASILARCHIA Scudder.

- SCUDDER, Syst. Rev., 8, 1872; Proc. Am. Acad. Arts & Sci., x, 126, 1875.
 236. *astyanax* FABRICIUS, Syst. Ent., 447, 1775; SKINNER, C. no. 161. Atl. States, Ariz.
 syn. *ephstion* STOLL, *ursula* GODART.
 a. *arizonensis* EDWARDS, Pap., ii, 22, 1882.
 b. *cerulea* EHRMAN, Can. Ent., xxxii, 348, 1900.
 237. *arthemis* DRURY, Ill. Exot. Ent., ii, pl. 10, f. 3, 1773; SKINNER, C. no. 162. No. Atl. States.
 syn. *lamina* FABRICIUS.
 a. *proserpina* EDWARDS, Proc. Ent. Soc. Phil., v, 148, 1865.

238. *weidemeyerii* EDWARDS, Proc. Acad. Nat. Sci. Phil., 162, 1861; SKINNER, C. no. 163.
a. sinefascia EDWARDS, Pap., ii, 22, 1882.
239. *archippus* CRAMER, Pap. Exot., i, pl. 16, f. A, 1779; SKINNER, C. no. 164.
 syn. *disippe* GODART.
a. pseudodorippus STRECKER, Cat. Lep., 143, 1878.
240. *floridensis* STRECKER, Cat. Lep., 143, 1878; SKINNER, C. no. 165.
 syn. *eros* EDWARDS.
241. *obsoleta* EDWARDS, Pap., ii, 22, 1882; SKINNER, C. no. 166.
 syn. *hulstii* EDWARDS.
242. *lorquinii* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 301, 1852; SKINNER, C. no. 167.
a. eavesi HY. EDWARDS, Proc. Cal. Acad. Sci., vii, 172, 1878.

LIMENITIS Fabricius.

FABRICIUS, Ill. Mag., vi, 281, 1807; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 206, 1875.

243. *bredowii* HÜBNER, Zutr. exot. Schmett., f. 825, 1837; SKINNER, C. no. 168.
 syn. *culalia* DOUBLEDAY & HEWITSON.
a. californica BUTLER, Proc. Zool. Soc. Lond., 485, 1865.

CHLORIPPE Boisduval.

BOISDUVAL, in Doubleday List. Brit. Mus., 108, 1844; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 140, 1875.

244. *celtis* BOISDUVAL & LE CONTE, Lép. Am. Sept., 210, 1833; SKINNER, C. no. 169.
245. *antonia* EDWARDS, Field & Forest, iii, 103, 1877; SKINNER, C. no. 170.
a. montis EDWARDS, Pap., ii, 7, 1882.
246. *leilia* EDWARDS, Trans. Am. Ent. Soc., v, 103, 1874; SKINNER, C. no. 171.
247. *alicia* EDWARDS, Butt. U. S., 135, 1868; SKINNER, C. no. 172.
248. *clyton* BOISDUVAL & LE CONTE, Lép. Am. Sept., 208, 1833; SKINNER, C. no. 173.
 syn. *ocellata* EDWARDS.
a. prosérpina SCUDDER, Proc. Bost. Soc. Nat. Hist., xi, 401, 1868.

249. *flora* EDWARDS, Butt., ii, 1876; SKINNER, C. no. 174. Fla., Tex.
 *250. *cocles* LINTNER, Pap., iv, 141, 1884; SKINNER, C. Tex.
 no. 175.

SMYRNA Hübner.

HÜBNER, Samml. exot. Schmett., ii, 1826; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 269, 1875.

251. *karwinskii* Hübner, Samml. exot. Schmett., ii, Mex.,
 1826; KIRBY, Cat. Diurn. Lep., 266, 1871. Tex.

CŒA Hübner.

HÜBNER, Verz. bek. Schmett., 48, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 144, 1875.

- *252. *acheronta* FABRICIUS, Syst. Ent., 501, 1775; Mex.
 KIRBY, Cat. Diurn. Lep., 264, 1871.
 syn. *codamus* CRAMER, *pherecydes* CRAMER.

HISTORIS Hübner.

HÜBNER, Verz. bek. Schmett., 35, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 192, 1875.

253. *odius* FABRICIUS, Syst. Ent., 457, 1775; KIRBY, Fla.,
 Cat. Diurn. Lep., 263, 1871. So. Am.
 syn. *orion* FABRICIUS, *danae* CRAMER.

ANÆA Hübner.

HÜBNER, Verz. bek. Schmett., 48, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 111, 1875.

254. *andria* SCUDDER, Bull. Buff. Soc., ii, 248, 1875; Miss.
 SKINNER, C. no. 176. Val.
 syn. *ops* DRUCE.

255. *portia* FABRICIUS, Syst. Ent., 507, 1775; SKINNER, Fla.,
 C. no. 177. Antilles.

- *256. *morrisonii* EDWARDS, Pap., iii, 8, 1883; SKINNER, Ariz.
 C. no. 178.

Family AGAPETIDÆ.

(C.=SKINNER, Syn. Cat. No. Am. Rhop., 31-41, 1898.)

CERCYONIS Speyer.

SPEYER, Bull. Buff. Soc., ii, 241, 1875; SCUDDER, Butt. E. U. S., i, 156, 1889.

257. *pegala* FABRICIUS, Syst. Ent., 494, 1775; SKINNER, So. Atl.
 C. no. 210. States.
 syn. *pegula* HERBST.

258. *alope* FABRICIUS, Ent. Syst., iii, 1, 229, 1793; SKINNER, C. no. 211. Atl. States.
a. texana EDWARDS, Can. Ent., xii, 23, 1880.
 syn. *incana* EDWARDS.
b. boopis BEIR. Proc. Cal. Acad. Sci., iii, 164, 1864.
c. nephela KIRBY, Faun. Bor. Am., iv, 297, 1837
 syn. *olympus* EDWARDS, *ariana* BOISDUVAL.
d. baroni EDWARDS, Can. Ent., xii, 91, 1880.
e. maritima EDWARDS, Can. Ent., xii, 23, 1880.
259. *wheeleri* EDWARDS, Trans. Am. Ent. Soc., iv, 343, 1873; SKINNER, C. no. 212. Cal., Ariz., Utah.
 syn. *hoffmanni* STRECKER.
260. *gabbii* EDWARDS, Trans. Am. Ent. Soc., iii, 192, 1870; SKINNER, C. no. 213. Oreg., Utah.
261. *meadii* EDWARDS, Trans. Am. Ent. Soc., iv, 70, 1872; SKINNER, C. no. 214. Rocky Mts.
262. *paulus* EDWARDS, Can. Ent., xi, 50, 1879; SKINNER, C. no. 215. Cal., Nev.
263. *sylvestris* EDWARDS, Proc. Acad. Nat. Sci. Phil., 162, 1861; SKINNER, C. no. 216. Pac. States, Rocky Mts.
 syn. *phocus* EDWARDS.
a. charon EDWARDS, Trans. Am. Ent. Soc., iv, 69, 1870; SKINNER, C. no. 216.
- *264. *œetus* BOISDUVAL, Ann. Soc. Ent. Belg., xii, 63, 1869; SKINNER, C. no. 217. Cal.
- *265. *sthenele* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 308, 1852, SKINNER, C. no. 218. Cal.

GYROCHEILUS Butler.

BUTLER, Ann. Mag. Nat. Hist., (3), xx, 267, 1867; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 182, 1875.

266. *tritonia* EDWARDS, Trans. Am. Ent. Soc., v, 18, 1874; SKINNER, C. no. 207. Ariz., Mex.

EREbia Dalman.

DALMAN, Vetensk. Acad. Handl., xxxvii, 58, 79, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 165, 1875.

267. *fasciata* BUTLER, Cat. Satyr. Brit. Mus., 92, 1868; SKINNER, C. no. 198. Arctic Am.
 268. *discoidalis* KIRBY, Faun. Bor. Am., iv, 298, 1837; SKINNER, C. no. 199. Arctic Am.
 269. *rossii* CURTIS, Ross Second Voy. N. W. Pass., app., 67, 1835; SKINNER, C. no. 200. Arctic Am.

270. *disa* THUNBERG, Diss. Ent. Ins. Suec., ii, 37, 1791; Arctic Am.
KIRBY, Cat. Diurn. Lep., 67, 1871.
a. mancinus DOUBLEDAY & HEWITSON, Gen.
Diurn. Lep., 380, pl. 64, f. 2, 1851; SKINNER,
C. no. 201.
271. *vidleri* ELWES, Trans. Ent. Soc. Lond., 195, 1898; Brit. Col.,
SKINNER, C. no. 202. Wash.
272. *tyndarus* ESPER, Schmett. Eur., i, 2, pl. 67, f. 1, 1781; Kirby, Cat. Diurn. Lep., 63, 1871.
a. callias EDWARDS, Trans. Am. Ent. Soc., iii,
274, 1871; SKINNER, C. no. 203.
273. *epipsodea* BUTLER, Cat. Satyr. Brit. Mus., 80, 1868; SKINNER, C. no. 204. Rocky Mts.,
Alaska.
syn. *rhoda* EDWARDS.
- a. brucei* ELWES, Trans. Ent. Soc. Lond., 326,
1889.
syn. *sineocellata* SKINNER.
274. *sofia* STRECKER, Bull. Brook. Ent. Soc., iii, 35, 1880; SKINNER, C. no. 205. Rocky Mts.,
Alaska.
syn. *ethela* EDWARDS.
a. alaskensis HOLLAND, Ent. News, xi, 387, 1900.
275. *magdalena* STRECKER, Bull. Brook. Ent. Soc., iii,
25, 1880; SKINNER, C. no. 206. Col.
276. *youngi* HOLLAND, Ent. News, xi, 388, 1900. Alaska.

NEOMINOIS Scudder.

SCUDDER, Bull. Buff. Soc., ii, 241, 1875.

277. *ridingsii* EDWARDS, Proc. Ent. Soc. Phil., iv, 201,
1865; SKINNER, C. no. 208. Rocky
Mts.
syn. *stretchii* EDWARDS.
278. *dionysius* SCUDDER, Bull. U. S. Geol. Surv., Hay-
den, iv, 254, 1878; SKINNER, C. no. 209. Utah, Ariz.,
Col.
syn. *ashtaroth* STRECKER.

COENONYMPHA Hübner.

HÜBNER, Verz. bek. Schmett., 65, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x,
145, 1875; SKINNER, Trans. Am. Ent. Soc., xxvi, 299, 1900.

279. *californica* DOUBLEDAY & HEWITSON, Gen. Diurn.
Lep., ii, 398, 1852; SKINNER, C. no. 189. Pae.
States.
syn. *galactinus* BOISDUVAL, *ceres* BUTLER,
eryngii HY. EDWARDS.
a. pulla HY. EDWARDS, Pap., i, 51, 1881.

280. *elko* EDWARDS, Can. Ent., xiii, 57, 1880; SKINNER, C. no. 190. Pae. States.
 syn. *ampelos* EDWARDS; SKINNER, C. no. 193.
281. *ochracea* EDWARDS, Proc. Acad. Nat. Sci. Phil., 163, 1861; SKINNER, C. no. 192. Rocky Mts., So. Cal.
 syn. *brenda* EDWARDS; SKINNER, C. no. 195.
282. *kodiak* EDWARDS, Trans. Am. Ent. Soc., ii, 375, 1869; SKINNER, C. no. 194. Alaska.
a. yukonensis HOLLAND, Ent. News, xi, 386, 1900.
283. *pamphilus* LINNÆUS, Syst. Nat., 472, 1758; SKINNER, C. no. 196. Cal., Asia.
 syn. *pamphilooides* REAKIRT, *gardetta* DE LOCHÉ,
nephela HUFNAGEL, *menalcas* PODA.
- *284. *typhon* ROTTENBURG, Naturf., vi, 15, 1775; KIRBY, Cat. Diurn. Lep., 99, 1871. No. U. S., Eur.
a. laidon BORKHAUSEN, Eur. Schmett., i, 91, 29, 1788; SKINNER, C. no. 191.
 syn. *inornata* EDWARDS.
285. *haydenii* EDWARDS, Rept. Hayden Expl. Surv. Mont., 467, 1872; SKINNER, C. no. 197. Rocky Mts.

ENODIA Hübner.

HÜBNER, Verz. bek. Schmett., 61, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 163, 1875.

286. *portlandia* FABRICIUS, Spec. Ins., ii, 82, 1781; SKINNER, C. no. 179. Atl. States.
 syn. *andromacha* HÜBNER.
- *287. *creola* SKINNER, Ent. News, viii, 236, 1897; C. no. 180. So. States.

SATYRODES Scudder.

SCUDDER, Bull. Buff. Soc., ii, 242, 1875; Butt. E. U. S., i, 187, 1889.

288. *canthus* LINNÆUS, Syst. Nat., 768, 1767; SKINNER, C. no. 181. Atl. States.
 syn. *boisduvalii* HARRIS.

CENEIS Hübner.

HÜBNER, Verz. bek. Schmett., 58, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 231, 1875.

289. *macounii* EDWARDS, Can. Ent., xvii, 71, 1885; SKINNER, C. no. 219. Can.
 290. *nevadensis* FELDER, Reise Nov., iii, 89, 1867; SKINNER, C. no. 220. Pac. States.
 syn. *gigas* BUTLER, *californica* BOISDUVAL,
iduna EDWARDS.

291. **chryxus** DOUBLEDAY & HEWITSON, Gen. Diurn. Can.
Lep., ii, 383, 1851; SKINNER, C. no. 221.
a. calais SCUDDER, Proc. Ent. Soc. Phil., v, 7, 1865.
b. ivallda MEAD, Can. Ent., x, 196, 1878; SKIN- Nev.,
NER, C. no. 223. Cal.
292. **jutta** HÜBNER, Eur. Schmett., f. 614, 1800; SKIN- Arctic
NER, C. no. 230. Am.
- syn. *balder* BOISDUVAL.
- a. alaskensis* HOLLAND, Ent. News, xi, 389, 1900.
293. **uhleri** REAKIRT, Proc. Ent. Soc. Phil., vi, 143, Rocky
1866; SKINNER, C. no. 226. Mts.
- a. varuna* EDWARDS, Can. Ent., xiv, 2, 1882;
SKINNER, C. no. 225.
294. **tarpeia** PALLAS, Reise, i, 18, 1771; SKINNER, C. Can.,
no. 227. Eur.
- syn. *celimene* CRAMER.
- a. alberta* ELWES, Trans. Ent. Soc. Lond., 467,
1893; SKINNER, C. no. 224.
295. **norna** THUNBERG, Diss. Ent. Ins. Suec., ii, 36, Arctic
1791; SKINNER, C. no. 222. Am.,
- a. dauria* STRECKER, Can. Ent., xxvi, 225, 1894; Mts. Atl.
SKINNER, C. no. 228. States,
- b. katahdin* NEWCOMB, Ent. News, xii, 206, 1901. Ariz.
- c. hilda* QUENSEL, Act. Hohn., 272, 1791.
- d. celæno* HÜBNER, Eur. Schmett., i, f. 152, 1794.
- e. bore* HÜBNER, Eur. Schmett., i, f. 756, 1825.
- syn. *fulla* EVERSMANN.
- f. taygete* HÜBNER, Samml. exot. Schmett., iii, 1824; SKINNER, C. no. 229.
- syn. *bootes* BOISDUVAL.
- g. semidea* SAY, Am. Ent., iii, pl. 50, 1828; SKIN-
NER, C. no. 231.
- syn. *ano* BOISDUVAL, *assimilis* BUTLER, *nigra*
EDWARDS.
- h. peartiae* EDWARDS, Butt., iii, pl. 14, Chion., 1897; SKINNER, C. no. 233.
- i. subhyalina* CURTIS, Ross Second Voy. N.-W.
Pass., app., 68, 1835; SKINNER, C. no. 234.
- syn. *crambis* FREYER, also MöSCHLER, *ano*
SCUDDER.
- k. brucei* EDWARDS, Can. Ent., xxiii, 33, 1891;
SKINNER, C. no. 235.
- l. beanii* ELWES, Proc. Ent. Soc. Lond., 476, 1893;
SKINNER, C. no. 236.

NEONYMPHA Hübner.

HÜBNER, Verz. bek. Schmett., 65, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 225, 1875.

296. *gemma* HÜBNER, Zutr. exot. Schmett., i, f. 4, So.
1818; SKINNER, C. no. 182. States.
syn. *cornelius* GODART.
297. *henshawii* EDWARDS, Trans. Am. Ent. Soc., v, Rocky
205, 1876; SKINNER, C. no. 183. Mts.
298. *phocion* FABRICIUS, Sp. Ins., ii, 138, 1781; SKIN- So.
NER, C. no. 184. States.
syn. *areolatus* SMITH & ABBOT, *heleita* HÜBNER.

CISSIA Doubleday.

DOUBLEDAY, List Brit. Mus., app., 33, 1848; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 143, 1875.

299. *eurytus* FABRICIUS, Syst. Ent., 487, 1775; SKIN- Atl.
NER, C. no. 185. States.
syn. *cymela* CRAMER, *eurytris* FABRICIUS.
300. *mitchelli* FRENCH, Can. Ent., xxi, 25, 1889; SKIN- Atl.
NER, C. no. 186. States.
301. *sosybius* FABRICIUS, Ent. Syst., iii, 1, 219, 1793; Atl.
SKINNER, C. no. 187. States.
syn. *camerata* CRAMER.
302. *rubricata* EDWARDS, Trans. Am. Ent. Soc., iii, Tex., Ariz.,
212, 1872; SKINNER, C. no. 188. Mex.

EPINEPHELE Hübner.

HÜBNER, Verz. bek. Schmett., 59, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 164, 1875.

303. *xicaque* REAKIRT, Proc. Acad. Nat. Sci. Phil., Mex.,
336, 1866; KIRBY, Cat. Diurn. Lep., 78, 1872; Ariz.
BARNES, Ent. News, x, 330, 1900.

Family HELICONIDÆ.

APOSTRAPHIA Hübner.

HÜBNER, Verz. bek. Schmett., 13, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 116, 1875.

304. *charithonia* LINNÆUS, Syst. Nat., ii, 757, 1767; Fla.,
SKINNER, C. no. 6. Antilles.

Family ITHOMIIDÆ.

DIRCENNA Doubleday.

DOUBLEDAY, Gen. Diurn. Lep., pl. 17, 1847; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 157, 1875.

305. *klugii* HÜBNER, Zutr. exot. Schmett., f. 801, 1837; Mex.,
SKINNER, C. no. 5. Tex.

MECHANITIS Fabricius.

FABRICIUS, Ill. Mag., vi, 284, 1807; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 212, 1875.

- *306. *californica* REAKIRT, Proc. Ent. Soc. Phil., v, 223, So.
1865; SKINNER, C. no. 4. Cal.

DYNOTHEA Reakirt.

REAKIRT, Proc. Ent. Soc. Phil., 222, 1866; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 160, 1875.

307. *lyceaste* FABRICIUS, Ent. Syst., iii, 1, 161, 1793; Cal.,
SKINNER, C. no. 3. Mex.

- a. negreta* REAKIRT, Proc. Ent. Soc. Phil., v, 223,
1865.

Family LYMNADIDÆ.

(C.=SKINNER, Syn. Cat. No. Am. Rhop., pp. 1-2, 1898.)

ANOSIA Hübner.

HÜBNER, Verz. bek. Schmett., 16, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x
113, 1875.

308. *plexippus* LINNÆUS, Syst. Nat., 471, 1758; SKIN- U. S.
NER, C. no. 1.

syn. *archippus* FABRICIUS; *crippus* CRAMER;
megadippe HÜBNER; *menippus* HÜBNER; *fumosus* HULST; *pulchra* STRECKER, Lep. Rhop.
Het., suppl. 3, 21, 1900.

309. *berenice* CRAMER, Pap. Exot., iii, pl. 205, f. E. So.
1782; SKINNER, C. no. 2. States,
a. strigosa BATES, Ent. Mo. Mag., i, 32, 1864. So. Am.

LYCOREA Doubleday.

DOUBLEDAY, Gen. Diurn. Lep., 105, 1847; KIRBY, Cat. Diurn. Lep., 18, 1872.

310. *cleobæa* GODART, Enc. Méth., ix, 222, 1819; KIR- Fla.,
BY, Cat. Diurn. Lep., 18, 1872. So. Am.

- a. atergatis* DOUBLEDAY & HEWITSON, Gen. Diurn.
Lep., pl. 16, f. 1, 1847.

- b. pales* FELDER, Wien. ent. Mon., vi, 75, 1862,

Family LIBYTHEIDÆ.

(C.=SKINNER, Syn. Cat. No. Am. Rhop., p. 42, 1898.)

HYPATUS Hübner.

- HÜBNER, Cat. Frank., 85, 1825; SCUDER, Proc. Am. Acad. Arts & Sci., x, 194, 1875.
 311. *bachmani* KIRTLAND, Am. Journ. Sci., ii, 13, 336, 1852; SKINNER, C. no. 237. Atl. States.
 312. *carinenta* CRAMER, Pap. Exot., ii, pl. 108, f. E, 1779; SKINNER, C. no. 238. Tex.
a. larvata STRECKER, Lep. Rhop. Het., 130, 1878.

Family RIOPINIDÆ.

(C.=SKINNER, Syn. Cat. No. Am. Rhop., pp. 42-43, 1898.)

CHRYSOBIA Boisduval.

- BOISDUVAL, Ann. Soc. Ent. Belg., xii, 52, 1869; SCUDER, Bull. Buff. Soc., iii, 102, 1876.
 313. *mormo* FELDER, Wien. ent. Mon., iii, 271, 1859; SKINNER, C. no. 239. S.-W. U. S.
syn. dumetii BEHR, *mormonia* BOISDUVAL.
 314. *duryi* EDWARDS, Pap., ii, 47, 1882; SKINNER, C. no. 240. New Mex.
 315. *cythera* EDWARDS, Trans. Am. Ent. Soc., iv, 345, 1873; SKINNER, C. no. 241. Ariz., Mex.
 316. *virgulti* BEHR, Proc. Cal. Acad. Sci., iii, 178, 1865; SKINNER, C. no. 242. So. Cal.
syn. sonorensis FELDER.

POLYSTIGMA Godman & Salvin.

GODMAN & SALVIN, Biol. Cent. Am., Lep. Het., i, 469, 1886.

317. *nais* EDWARDS, Trans. Am. Ent. Soc., v, 291, 1876; SKINNER, C. no. 243. Rocky Mts.
 318. *palmerii* EDWARDS, Trans. Am. Ent. Soc., iii, 195, 1870; SKINNER, C. no. 244. Rocky Mts.

EMESIS Fabricius.

FABRICIUS, Ill. Mag., vi, 287, 1807; SCUDER, Proc. Am. Acad. Arts & Sci., x, 162, 1875.

319. *zela* BUTLER, Ann. Mag. Nat. Hist., iv, 364, 1870; SKINNER, C. no. 245. Ariz., Mex.
syn. ares EDWARDS.
a. eleis EDWARDS, Pap., ii, 137, 1882.

CALEPHELIS Grote & Robinson.

GROTE & ROBINSON, Trans. Am. Ent. Soc., ii, 310, 1869; SCUDDER, Proc. Am. Acad. Arts & Sci., 129, 1875.

320. *cænius* LINNÆUS, Syst. Nat., 1, 2, 796, 1767; So.
SKINNER, C. no. 246. States.

syn. *cerea* HÜBNER, *virginiensis* BOISDUVAL,
pumila BOISDUVAL & LE CONTE, *cereus*
DOUBLEDAY.

321. *borealis* GROTE & ROBINSON, Ann. N. Y. Lyc. Atl.
Nat. Hist., viii, 351, 1866; SKINNER, C. no. 247. States.

322. *australis* EDWARDS, Field & Forest, iii, 87, 1877; Tex.,
SKINNER, C. no. 248. Ariz.

syn. *guadeloupe* STRECKER.

- *323. *nemesis* EDWARDS, Trans. Am. Ent. Soc., iii, 212, So.
1871; SKINNER, C. no. 249. Cal.

CARIA Hübner.

HÜBNER, Zutr. exot. Schmett., 14, 1823; GODMAN & SALVIN, Biol. Cent. Am., Lep.
Rhop., i, 447, 1886.

324. *melicerta* SCHAUS, Ent. Amer., vi, 18, 1890. Tex., Mex.

Family LYCENIDÆ.

(C.=SKINNER, Syn. Cat. No. Am. Rhop., pp. 43-60, 1898.)

EUMÆUS Hübner.

HÜBNER, Verz. bek. Schmett., 67, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x,
170, 1875.

325. *atala* POEY, Cent. Lep. Cuba, ii, 1832; SKINNER. Fla.,
C. no. 250. Cuba.

syn. *toreat* Gray.

326. *minyas* HÜBNER, Samml. exot. Schmett., i, 1806; Tex.,
SKINNER, C. no. 251. Mex.

syn. *yodartii* BOISDUVAL, *torana* BOISDUVAL.

HABRODIAS Scudder.

SCUDDER, Bull. Buff. Soc., iii, 113, 1876.

327. *grunus* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 289, Cal.,
1852; SKINNER, C. no. 252. Nev.

HYPAUROTIS Scudder.

SCUDDER, Bull. Buff. Soc., iii, 112, 1876.

328. *crysalus* EDWARDS, Trans. Am. Ent. Soc., iv, Cal.,
344, 1873; SKINNER, C. no. 253. Ariz., Utah.
a. citima HY. EDWARDS, Pap., i, 53, 1881.

ATLIDES Hübner.

HÜBNER, Verz. bek. Schmett., 80, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 124, 1875.

- *329. *halesus* CRAMER, Pap. Exot., ii, pl. 98, f. B, 1779; Gulf States
SKINNER, C. no. 254. to Cal.
syn. *dolichus* HÜBNER, *juanita* SCUDDER.

EUPSYCHE Scudder.

SCUDDER, Bull. Buff. Soc., iii, 112, 1876.

- *330. *m-album* BOISDUVAL & LE CONTE, Lép. Am. Sept., So. Atl.
86, 1833; SKINNER, C. no. 255. States, Mex.
syn. *pysche* BOISDUVAL & LE CONTE.

- *331. *telea* HEWITSON, Desc. Lyc., iv, no. 10, 1868; Fla.,
SKINNER, C. no. 256. Mex.
*332. *martialis* HERRICH-SCHAEFFER, Corresp.-Blatt Fla.,
Regens., xviii, 164, 1864; SKINNER, C. no. 257. Cuba.
*333. *hugon* GODART, Enc. Méth., ix, 640, 1843; SKIN- Fla.,
NER, C. no. 258. Antilles.
syn. *hugo* DOUBLEDAY & HEWITSON.
*334. *jada* HEWITSON, Ill. Diurn. Lep., 87, 1870; SKIN- Ariz.,
NER, C. no. 259. Mex.

URANOTES Scudder.

SCUDDER, Bull. Buff. Soc., iii, 107, 1876.

335. *melinus* HÜBNER, Zutr. exot. Schmett., f. 121, U. S.
1818; SKINNER, C. no. 263.
syn. *hyperici* BOISDUVAL & LE CONTE, *faronius*
BOISDUVAL & LE CONTE, *humuli* HARRIS, *pan-*
HARRIS, silenus DOUBLEDAY, *puella* HY. ED-
WARDS.

THECLA Fabricius.

FABRICIUS, Ill. Mag., vi, 286, 1807; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 279,
1875.

336. *favonius* SMITH & ARBOT, Lep. Ins. Ga., i, 27, Gulf
1797; SKINNER, C. no. 260. States.
337. *autolyeus* EDWARDS, Trans. Am. Ent. Soc., iii, Tex.,
271, 1871; SKINNER, C. no. 261. Mo., Kans.
338. *alcestis* EDWARDS, Trans. Am. Ent. Soc., iii, 271, Tex.,
1871; SKINNER, C. no. 262. Ariz.
339. *acadica* EDWARDS, Proc. Acad. Nat. Sci. Phil., 55, No. States,
1862; SKINNER, C. no. 264. Nev., Ariz.
syn. *southerana* WHITNEY.

340. *californica* EDWARDS, Proc. Acad. Nat. Sci. Phil., 233, 1862; SKINNER, C. no. 265.
syn. *borus* BOISDUVAL, *cyanus* EDWARDS. Pac. States.
- *341. *itys* EDWARDS, Pap., ii, 23, 1882; SKINNER, C. no. 266. Ariz.
- *342. *auretorum* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 288, 1852; SKINNER, C. no. 261. Cal.
343. *dryope* EDWARDS, Trans. Am. Ent. Soc., iii, 19, 1870; SKINNER, C. no. 268. Cal., Nev., Utah.
- *344. *sylvinus* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 287, 1852; SKINNER, C. no. 269. Cal.
345. *edwardsii* SAUNDERS, Can. Ent., i, 99, 1869; SKINNER, C. no. 270.
syn. *fabricii* KIRBY. No. States.
- *346. *wittfeldii* EDWARDS, Can. Ent., xv, 136, 1883; SKINNER, C. no. 271. Fla.
347. *calanus* HÜBNER, Samml. exot. Schmett., i, 1824; SKINNER, C. no. 272.
syn. *filacer* GODART, *inornata* GROTE & ROBINSON.
a. lorata GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 323, 1868. Atl. States, Rocky Mts.
- *348. *ontario* EDWARDS, Trans. Am. Ent. Soc., ii, 209, 1868; SKINNER, C. no. 273. No. Atl. States.
349. *liparops* BOISDUVAL & LE CONTE, Lép. Am. Sept., 99, 1833; SKINNER, C. no. 274. No. Atl. States, Rocky Mts.
syn. *strigosa* HARRIS.
- *350. *putnami* HY. EDWARDS, Proc. Cal. Acad. Sci., vii, 143, 1876; SKINNER, C. no. 275. Utah.
- *351. *spadix* HY. EDWARDS, Pap., i, 53, 1881; SKINNER, C. no. 278. So. Cal.
- *352. *tetra* BEHR, Trans. Am. Ent. Soc., iii, 19, 1870; SKINNER, C. no. 277. Cal.
- *353. *chaleis* BEHR, Trans. Am. Ent. Soc., ii, 376, 1869; SKINNER, C. no. 278. Cal., Utah.
354. *sæpium* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 288, 1852; SKINNER, C. no. 279.
a. fulvescens HY. EDWARDS, Proc. Cal. Acad. Sci., vii, 172, 1876. Pac. States, Col.
355. *nelsonii* BOISDUVAL, Ann. Soc. Ent. Belg., xii, 43, 1869; SKINNER, C. no. 280. Cal., Col.
a. exoleta HY. EDWARDS, Pap., i, 53, 1881.
b. muijrii HY. EDWARDS, Pap., i, 53, 1881.

356. *adenostomatis* HY. EDWARDS, Proc. Cal. Acad. Sci., vii, 144, 1876; SKINNER, C. no. 281. Cal.
- *357. *tacita* HY. EDWARDS, Pap., i, 54, 1881; SKINNER, C. no. 282. Cal.
358. *spinctorum* BOISDUVAL, in Hewitson, Ill. Diurn. Lep., 94, pl. 45, f. 198, 1867; SKINNER, C. no. 283. Pac. States.
syn. *nivis* EDWARDS.
359. *blenina* HEWITSON, Desc. Lyc., xii, 29, 1868; Vane., Ariz.,
SKINNER, C. no. 284. Mex.
syn. *sira* EDWARDS.
- *360. *castalis* EDWARDS, Trans. Am. Ent. Soc., iii, 208, Tex.
1871; SKINNER, C. no. 285.
- *361. *ilavia* BEUTENMÜLLER, Jn. N. Y. Ent. Soc., vii, Tex.
254, 1899.
syn. *mirabelle* BARNES, Can. Ent., xxxii, 43,
1900.

MITOURA Scudder.

SCUDDER, Syst. Rev., 31, 1872; Proc. Am. Acad. Arts & Sci., x, 220, 1875.

362. *damon* CRAMER, Pap. Exot., iv, pl. 90, f. C, 1782; Atl. States.
SKINNER, C. no. 286.
syn. *grypnus* HÜBNER, *damastus* GODART, *smilacis* BOISDUVAL & LE CONTE, *auburniana* HARRIS.
a. discoidalis SKINNER, Can. Ent., xxix, 156, 1897.
*363. *simæthis* DRURY, Ill. Exot. Ent., i, pl. 1, f. 3, 1770; SKINNER, C. no. 287. Tex., Mex.
syn. *sarita* SKINNER, *lycus* HÜBNER.
364. *acis* DRURY, Ill. Exot. Ent., i, pl. 1, f. 3, 1773; Fla., Antilles.
SKINNER, C. no. 288.
syn. *motris* FABRICIUS.

CALYCOPIS Scudder.

SCUDDER, Bull. Buff. Soc., iii, 108, 1876.

365. *cecrops* FABRICIUS, Ent. Syst., iii, 1, 270, 1793; So. States.
SKINNER, C. no. 289.
syn. *potts* HÜBNER.

CALLICISTA Grote.

GROTE, Bull. Buff. Soc., iii, 107, 1876.

366. *columella* FABRICIUS, Ent. Syst., iii, 1, 282, 1793; Atl. States.,
SKINNER, C. no. 290. Mex.
syn. *curytulus* HÜBNER, *modesta* MAYNARD,
ocellifera GROTE, *istapa* REAKIRT, *salona* HEWITSON.

- *367. *clytie* EDWARDS, Field & Forest, iii, 88, 1877; SKINNER, C. no. 291. Tex., Ariz.
368. *leda* EDWARDS, Pap., ii, 23, 1882; SKINNER, C. no. 292. Ariz., Mex.
- *369. *ines* EDWARDS, Pap., ii, 25, 1882; SKINNER, C. no. 293. Ariz.

CALLIPSYCHE Scudder.

SCUDDER, Bull. Buff. Soc., iii, 106, 1876.

370. *behrii* EDWARDS, Trans. Am. Ent. Soc., iii, 18, 1870; SKINNER, C. no. 294. Rocky Mts., Pac. States.
syn. *kali* STRECKER.

INCISALIA Minot.

MINOT, Seudder, Syst. Rev., 31, 1872; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 196, 1875.

371. *augustus* KIRBY, Faun. Bor. Am., iv, 298, 1837; SKINNER, C. no. 295. No. Atl. States.
syn. *augustinus* WESTWOOD.
372. *iroides* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 289, 1852; SKINNER, C. no. 296. Pac. States.
373. *fotis* STRECKER, Lep. Rhop. Het., 129, 1878; SKINNER, C. no. 297. Ariz.
374. *irus* GODART, Enc. Méth., ix, 674, 1823; SKINNER, C. no. 298. Atl. States.
a. arsace BOISDUVAL & LE CONTE, Lép. Am. Sept., 103, 1833.
375. *mossi* HY. EDWARDS, Pap., i, 54, 1881. Vanc. Is.
376. *henrici* GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 774, 1867; SKINNER, C. no. 299. W. Va.
377. *eryphon* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 290, 1852; SKINNER, C. no. 300. Cal., Col.
378. *niphon* HÜBNER, Zutr. exot. Schmett., f. 203, 1823; SKINNER, C. no. 301. Atl. States, Rocky Mts.

CALLOPHRYS Billberg.

BILLBERG, Enn. Ins., 80, 1820; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 132, 1875.

379. *affinis* EDWARDS, Proc. Acad. Nat. Sci. Phil., 223, 1862; SKINNER, C. no. 302. Utah.
380. *dumetorum* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 291, 1852; SKINNER, C. no. 303. Rocky Mts., Cal.
syn. *viridis* EDWARDS.

381. *apama* EDWARDS, Pap., ii, 137, 1882; SKINNER, C. no. 304. Ariz.
 382. *sheridanii* EDWARDS, Field & Forest, iii, 48, 1877; SKINNER, C. no. 305. Rocky Mts.

ERORA Scudder.

SCUDDER, Syst. Rev., 32, 1872; Proc. Am. Acad. Arts & Sci., x, 166, 1875.

383. *læta* EDWARDS, Proc. Acad. Nat. Sci. Phil., 55, 1862; SKINNER, C. no. 306. Mont., Col.
 syn. *clothilde* EDWARDS.

STRYMON Hübner.

HÜBNER, Verz. bek. Schmett., 74, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 271, 1875.

384. *titus* FABRICIUS, Ent. Syst., iii, 297, 1793; SKINNER, C. no. 307. Atl. States.
 syn. *mopanus* HÜBNER.

FENISECA Grote.

GROTE, Trans. Am. Ent. Soc., ii, 308, 1869; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 177, 1875.

385. *tarquinius* FABRICIUS, Ent. Syst., iii, 319, 1793; SKINNER, C. no. 308. Atl. States.
 syn. *eratagi* BOISDUVAL & LE CONTE, *porsonna* SCUDDER.

THARSALEA Scudder.

SCUDDER, Bull. Buff. Soc., iii, 125, 1876.

386. *arota* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 293, 1852; SKINNER, C. no. 309. Cal.
 387. *virginiensis* EDWARDS, Trans. Am. Ent. Soc., iii, 21, 1870; SKINNER, C. no. 310. Cal., Nev., Col.
 *388. *hermes* EDWARDS, Trans. Am. Ent. Soc., iii, 21, 1870; SKINNER, C. no. 311. Cal., Nev.

GÆIDES Scudder.

SCUDDER, Bull. Buff. Soc., iii, 126, 1876.

389. *xanthoides* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 292, 1852; SKINNER, C. no. 312. Cal.
 390. *dione* SCUDDER, Trans. Chie. Acad. Sci., i, 330, 1869; SKINNER, C. no. 313. Miss. Vall.
 391. *editha* MEAD, Can. Ent., x, 198, 1878; SKINNER, C. no. 314. Nev.
 392. *gorgon* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 292, 1852; SKINNER, C. no. 315. Cal.

CHYSOPHANUS Hübner.

HÜBNER, Verz. bek. Schmett., 72, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 141, 1875.

393. *thoe* BOISDUVAL, Gray Griff. An. King., pl. 56, Atl. States, f. 4, 1832; SKINNER, C. no. 316. Col.

EPIDEMIA Scudder.

SCUDDER, Bull. Buff. Soc., iii, 127, 1876.

394. *mariposa* REAKIRT, Proc. Ent. Soc. Phil., vi, 149, Cal., 1866; SKINNER, C. no. 317. Rocky Mts.
syn. *nivalis* BOISDUVAL.

395. *zeroe* BOISDUVAL, Ann. Soc. Ent. Belg., xii, 45, Cal., 1869; SKINNER, C. no. 318. Col.
syn. *ianthe* EDWARDS.

396. *hollowides* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 291, 1852; SKINNER, C. no. 319. Rocky Mts., Cal.
syn. *castro* REAKIRT.

397. *doreas* KIRBY, Faun. Bor. Am., iv, 299, 1837; Arctic
SKINNER, C. no. 321. Am.
a. florus EDWARDS, Can. Ent., xv, 210, 1883; SKIN-
NER, C. no. 320; DYAR, Proc. Wash. Acad. Sci., ii, 489, 1900.

398. *epixanthe* BOISDUVAL & LE CONTE, Lép. Am. Atl.
Sept., 127, 1833; SKINNER, C. no. 322. States.

HEODES Dalman.

DALMAN, Vet. Akad. Handl., xxxvii, 63, 91, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 187, 1875.

399. *hypopheles* BOISDUVAL, Ann. Soc. Ent. Fr., (2), Atl.
x, 291, 1852; SKINNER, C. no. 323. States.
syn. *phleas* BOISDUVAL & LE CONTE, *americana*
D'URBAN, *fasciata* STRECKER, *fulliolus*
HULST.
a. fieldeni McLACHLAN, Jn. Linn. Soc., xiv, 111,
1878.

CHALCERIA Scudder.

SCUDDER, Bull. Buff. Soc., iii, 125, 1876.

400. *cupreus* EDWARDS, Trans. Am. Ent. Soc., iii, 20, Cal.,
1870; SKINNER, C. no. 324. Oreg.

401. *snowi* EDWARDS, Trans. Kans. Acad. Sci., vii, 69, Rocky
1881; SKINNER, C. no. 325. Mts.

- *402. *rubidus* EDWARDS, Proc. Ent. Soc. Phil., vi, 208, Rocky Mts.,
1866; SKINNER, C. no. 326. Oreg.

- a. sirius* EDWARDS, Trans. Am. Ent. Soc., iii, 270,
1871; SKINNER, C. no. 327.

SATYRIUM Scudder.

SCUDDER, Bull. Buff. Soc., iii, 106, 1876.

403. *fuliginosa* EDWARDS, Proc. Acad. Nat. Sci. Phil., 164, 1861; SKINNER, C. no. 328. Cal., Nev., Utah.
syn. *suasa* BOISDUVAL.

CUPIDO Schrank.

SCHRANK, Faun. Boica, ii, i, 153, 206, 1801; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 149, 1875.

404. *heteronea* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 298, 1852; SKINNER, C. no. 329. Cal. to Col.
405. *clara* HY. EDWARDS, Pacific Coast Lep., no. 26, 1877; SKINNER, C. no. 330. So. Cal.
406. *lycea* EDWARDS, Proc. Ent. Soc. Phil., ii, 507, 1864; SKINNER, C. no. 331. Rocky Mts.
syn. *arapahoe* REAKIRT.
407. *fulla* EDWARDS, Trans. Am. Ent. Soc., iii, 194, 1870; SKINNER, C. no. 332. Pac. States.
syn. *fuliginosa* STRECKER.
408. *icariooides* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 297, 1852; SKINNER, C. no. 333. Cal.
syn. *pardalis* BEHR, *dædalus* BEHR, *crymus* BOISDUVAL, *mintha* EDWARDS.
a. maricopa REAKIRT, Proc. Acad. Nat. Sci. Phil., 245, 1866.
409. *sæpiolus* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 297, 1852; SKINNER, C. no. 334. Pac. States, Rocky Mts.
syn. *æhaja* BEHR, *rufescens* BOISDUVAL.
- *410. *amica* EDWARDS, Proc. Ent. Soc. Phil., ii, 80, 1863; SKINNER, C. no. 335. Brit. Am.
syn. *orbitulus* SCUDDER.
411. *pembina* EDWARDS, Proc. Acad. Nat. Sci. Phil., 224, 1862; SKINNER, C. no. 336. Brit. Am.
412. *pheres* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 297, 1852; SKINNER, C. no. 337. Pac. States,
a. evius BOISDUVAL, Ann. Soc. Ent. Belg., xii, 49, 1869. Rocky Mts.
- *413. *phileros* BOISDUVAL, Ann. Soc. Ent. Belg., xii, 50, 1869; SKINNER, C. no. 338. Cal., Ariz.
syn. *helios* EDWARDS.
- *414. *ardea* EDWARDS, Trans. Am. Ent. Soc., iii, 209, 1871; SKINNER, C. no. 339. Nev.

- *415. *kodiak* EDWARDS, Trans. Am. Ent. Soc., iii, 20, 1870; SKINNER, C. no. 340. Alaska.
- *416. *mela* STRECKER, Lep. Rhop. Het., suppl. 3, 20, 1900. Col., B. C.

NOMIADES Hübner.

HÜBNER, Verz. bek. Schmett., 67, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 228, 1875.

417. *xerxes* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 296, 1852; SKINNER, C. no. 341. Cal.
418. *antiacis* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 300, 1852; SKINNER, C. no. 342. Cal., Nev., Ariz.
syn. *polyphemus* BOISDUVAL, *orcus* EDWARDS.
a. behrii EDWARDS, Proc. Acad. Nat. Sci. Phil., 224, 1862.
b. mertilla EDWARDS, Proc. Ent. Soc. Phil., vi, 206, 1866.
419. *couperii* GROTE, Bull. Buff. Soc., i, 185, 1874; SKINNER, C. no. 343. No. U. S.
syn. *pembina* STRECKER, *afru* EDWARDS.
420. *lygdamas* DOUBLEDAY, Entom., 209, 1842; SKINNER, C. no. 344. So. Atl. States,
a. oro SCUDDER, Can. Ent., viii, 23, 1876. Col., Cal., N. Mex.

PHÆDROTES Scudder.

SCUDDER, Bull. Buff. Soc., iii, 115, 1876.

421. *sagittigera* FELDER, Reise Novara, Lep., ii, 281, 1865; SKINNER, C. no. 345. Rocky Mts., Cal.
syn. *catalina* REAKIRT, *lorquinii* BEHR, *rhaea* BOISDUVAL, *viaca* EDWARDS, *dauinia* EDWARDS.
- *422. *speciosa* HY. EDWARDS, Proc. Cal. Acad. Sci., vii, 173, 1876; SKINNER, C. no. 346. So. Cal.

PHILOTES Scudder.

SCUDDER, Bull. Buff. Soc., iii, 116, 1876.

423. *sonorensis* FELDER, Reise Novara, Lep., ii, 281, 1865; SKINNER, C. no. 347. So. Cal., Mex.
syn. *regia* BOISDUVAL.

AGRIADES Hübner.

- HÜBNER, Verz. bek. Schmett., 68, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 105, 1875.
- *424. *podarce* FELDER, Reise Novara, Lep., ii, 282, 1865; SKINNER, C. no. 348. Cal., Nev., Col.
syn. *tchama* REAKIRT, *cilla* BEHR, *nestos* BOISDUVAL, *orbitulus* STRECKER.
425. *aquilo* BOISDUVAL, Icon., 62, 1833; SKINNER, C. no. 349. Arctic Am.
syn. *franklinii* CURTIS.
426. *rustica* EDWARDS, Proc. Ent. Soc. Phil., iv, 203, 1865; SKINNER, C. no. 350. Col., Brit. Am.

RUSTICUS Hübner.

- HÜBNER, Tent., i, 1806; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 264, 1875.
- *427. *enoptes* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 298, 1852; SKINNER, C. no. 351. Pac. States.
428. *glaueon* EDWARDS, Trans. Am. Ent. Soc., iii, 210, 1871; SKINNER, C. no. 352. Col.
429. *battoides* BEHR, Proc. Cal. Acad. Sci., iii, 282, 1867; SKINNER, C. no. 353. Cal., Nev., Col.
430. *shasta* EDWARDS, Proc. Acad. Nat. Sci. Phil., 224, 1862; SKINNER, C. no. 354. Pac. States, Rocky Mts.
syn. *zelma* FELDER, *calchas* BEHR, *nirium* BOISDUVAL, *lupini* BEHR, *minchaha* SCUDDER.
431. *melissa* EDWARDS, Trans. Am. Ent. Soc., iv, 346, 1873; SKINNER, C. no. 355. Rocky Mts.
432. *seudderi* EDWARDS, Proc. Acad. Nat. Sci. Phil., 164, 1861; SKINNER, C. no. 356. Atl. States.
- *433. *lotis* LINTNER, 30th Rept. N. Y. Sta. Mus., 169, 1879; SKINNER, C. no. 357. Cal.
434. *aemon* DOUBLLEDAY & HEWISTON, Gen. Diurn. Lep., pl. 76, 1852; SKINNER, C. no. 358. Pac. States, Rocky Mts.
syn. *antagon* BOISDUVAL.
- *435. *aster* EDWARDS, Can. Ent., xiv, 194, 1882; SKINNER, C. no. 359. Newfound-land.
436. *annetta* MEAD, Pap., ii, 48, 1882; SKINNER, C. no. 360. Utah.
437. *anna* EDWARDS, Proc. Acad. Nat. Sci. Phil., 163, 1861; SKINNER, C. no. 361. Pac. States, Col.
syn. *cajonot* REAKIRT, *argyrotorus* BEHR, *philemon* BOISDUVAL.

- *438. *neurona* SKINNER, Ent. News, xiii, 15, 1902. Cal.
 *439. *chlorina* SKINNER, Ent. News, xiii, 15, 1902. Cal.

CYANIRIS Dalman.

DALMAN, Vetensk. Akad. Handl., xxxvii, 63, 94, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 150, 1875.

440. *ladon* CRAMER, Pap. Exot., pl. 270, f. D, 1782; U. S.
 BUTLER, Can. Ent., xxxii, 91, 1900.

syn. *pseudargiolus* BOISDUVAL & LE CONTE,
Lép. Am. Sept., 118, 1833; SKINNER, C. no.
 362. *argiolus* SMITH & ABBOT, *intermedia*
 STRECKER, *echo* EDWARDS, *nigra* EDWARDS.

- a. lucia* KIRBY, Faun. Bor. Am., iv, 299, 1837.
b. marginata EDWARDS, Pap., iii, 86, 1883.
c. violacea EDWARDS, Proc. Ent. Soc. Phil., vi,
 201, 1866.
d. cinerea EDWARDS, Pap., iii, 83, 1883.
e. arizonensis EDWARDS, Butt. E. U. S., ii, pl. 2,
Lyc., f. 18, 1884.
f. neglecta EDWARDS, Proc. Acad. Nat. Sci. Phil.,
 56, 1862.
g. piasus BOISDUVAL, Ann. Soc. Ent. Fr., (2), x,
 299, 1852.
h. gozora BOISDUVAL, Lép. Guat., 17, 1870.

EVERES Hübner.

HÜBNER, Verz. bek. Schmett., 69, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x,
 176, 1875.

441. *amyntula* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x,
 294, 1852; SKINNER, C. no. 363. Pac.
 States.
a. herrii GRINNELL, Can. Ent., xxxiii, 192, 1901.
442. *comyntas* GODART, Enc. Méth., ix, 660, 1823; Atl. States.
 SKINNER, C. no. 364. Rocky Mts.
- *443. *monica* REAKIRT, Proc. Acad. Nat. Sci. Phil., 244,
 1866; SKINNER, C. no. 365. So.
 Cal.

HEMIARGUS Hübner.

HÜBNER, Verz. bek. Schmett., 69, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x,
 186, 1875.

444. *isola* REAKIRT, Proc. Acad. Nat. Sci. Phil., 332,
 1866; SKINNER, C. no. 366. Rocky
 Mts.
 syn. *zachæna* BUTLER & DRUCE, *alce* EDWARDS.
445. *gyas* EDWARDS, Trans. Am. Ent. Soc., iii, 210,
 1871; SKINNER, C. no. 367. Ariz.

- *446. *cyna* EDWARDS, Trans. Am. Ent. Soc., ix, 3, 1881; SKINNER, C. no. 368. Tex.
447. *hanno* STOLL, Pap. Exot., suppl., pl. 39, f. 2, 1790; SKINNER, C. no. 369. Gulf States.
syn. *antibubastus* HÜBNER, *hanno* LUCAS, *pseudoptileetus* BOISDUVAL & LE CONTE, *astenidia* BOISDUVAL, *filenus* POEY.
448. *ammon* LUCAS, Sagra, Hist. Cuba, vi, 612, 1856; SKINNER, C. no. 372. Fla., Cuba.

BREPHIDIUM Scudder.

SCUDDER, Bull. Buff. Soc., iii, 123, 1876.

449. *isophthalma* HERRICH-SCHAEFFER, Corr.-Blatt. zool.-min. Ver. Reg., xvi, 141, 1862; SKINNER, C. no. 370. Fla., Ga.
syn. *pseudoficta* MORRISON.
450. *exilis* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 294, 1852; SKINNER, C. no. 371. S.-W. U. S., Col.
syn. *ficta* EDWARDS.

LEPTOTES Scudder.

SCUDDER, Bull. Buff. Soc., iii, 124, 1876.

451. *marina* REAKIRT, Proc. Acad. Nat. Sci. Phil., 87, 1868; SKINNER, C. no. 373. S.-W. U. S.
452. *theonus* LUCAS, Sagra, Hist. Cuba, vii, 611, 1856; SKINNER, C. no. 374. Fla., Cuba.
syn. *cassius* MORRISON.
- *453. *striata* EDWARDS, Field & Forest, iii, 86, 1877; SKINNER, C. no. 375. Tex., Wis.

Family MEGATHYMIIDÆ.

(C.=SKINNER, Syn. Cat. No. Am. Rhop., p. 99, 1898.)

MEGATHYMUS Scudder.

SCUDDER, Syst. Rev., 62, 1872; Proc. Am. Acad. Arts & Sci., x, 213, 1875.

454. *yuccæ* BOISDUVAL & LE CONTE, Lép. Am. Sept., pl. 70, 1833; SKINNER, C. no. 643. So. States, Col., N. Mex.
syn. *coloradensis* RILEY.
455. *cofaqui* STRECKER, Proc. Acad. Nat. Sci. Phil., 148, 1876; SKINNER, C. no. 644. So. States, Col.
456. *streckeri* SKINNER, Can. Ent., xxvii, 179, 1895; C. no. 645. Col., Tex., Ariz.

457. *neumoegenii* EDWARDS, Pap., ii, 27, 1882; SKINNER, C. no. 645 (bis). Ariz., Mex.

457. 1. *ursus* POLING, Ent. News, xiii, 97, 1902. Ariz.

Family HESPERIIDÆ.

(C.=SKINNER, Syn. Cat. No. Am. Rhop., pp. 79-99, 1898.)

PYRRHOPYGA Hübner.

HÜBNER, Verz. bek. Schmett., 103, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x 261, 1875.

458. *araxes* HEWITSON, Desc. Hesp., ii, 3, 1867; SKINNER, C. no. 642. Ariz., Mex.

AMBLYSCIRTES Scudder.

SCUDDER, Syst. Rev., 54, 1872; Proc. Am. Acad. Arts & Sci., x, 109, 1875.

459. *vialis* EDWARDS, Proc. Acad. Nat. Sci. Phil., 58, 1862; SKINNER, C. no. 565. No. U. S.

*460. *nysa* EDWARDS, Can. Ent., ix, 191, 1877; SKINNER, C. no. 566. Tex.
syn. *similis* STRECKER.

*461. *eos* EDWARDS, Trans. Am. Ent. Soc., iii, 276, 1871; SKINNER, C. no. 567. So. States.

*462. *celia* SKINNER, Ent. News, vi, 113, 1895; C. no. 568. Fla.

463. *samoset* SCUDDER, Proc. Ess. Ins., iii, 176, 1862; SKINNER, C. no. 569. Atl. States.
syn. *hegon* SCUDDER, *nemoris* EDWARDS, *alternata* GROTE & ROBINSON.

464. *aenus* EDWARDS, Field & Forest, iii, 118, 1877; SKINNER, C. no. 570. S.-W. U. S.

*465. *simius* EDWARDS, Trans. Am. Ent. Soc., ix, 6, 1881; SKINNER, C. no. 571. So. Cal., Ariz.

466. *cassus* EDWARDS, Pap., iii, 71, 1883; SKINNER, C. no. 572. Ariz.

467. *nanno* EDWARDS, Pap., ii, 142, 1882; SKINNER, C. no. 573. Ariz.

468. *textor* HÜBNER, Zutr. exot. Schmett., f. 515, 1825; SKINNER, C. no. 574. So. Atl. States.
syn. *oneko* SCUDDER, *wakulla* EDWARDS.

PAMPHILA Fabricius.

FABRICIUS, Ill. Mag., vi, 287, 1807; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 236, 1875.

- *469. *palæmon* PALLAS, Reise, i, 471, 1771; SKINNER, No. U. S., C. no. 465.

syn. *panisens* FABRICIUS, *brontes* DENIS & SCHIFFERMÜLLER, *mandan* EDWARDS, *mesoptano* SCUDDER, *skada* EDWARDS.

- *470. *floridæ* MABILLE, Bull. Soc. Ent. Fr., 67, 1876; (Unknown.) SKINNER, C. no. 90.

POTANTHUS Scudder.

SCUDDER, Syst. Rev., 54, 1872; Proc. Am. Acad. Arts & Sci., x, 256, 1875.

471. *dara* KOLLAR, Hügel's Kashmir, iv, 455, 1848; SKINNER, C. no. 466.

Asia.
U. S.

syn. *mæsoides* BUTLER, *omaha* EDWARDS, *mingo* EDWARDS, *californica* SCUDDER.

ANCYLOXYPHA Felder.

FELDER, Verh. zool.-bot. Ges. Wien, xii, 477, 1862; SCUDDER, Proc. Acad. Arts & Sci., x, 112, 1875.

472. *numitor* FABRICIUS, Ent. Syst., iii, 324, 1793; SKINNER, C. no. 467.

Atl.
States.

syn. *puer* HÜBNER, *marginatus* HARRIS.

- *473. *longleyi* FRENCH, Can. Ent., xxix, 80, 1897; SKINNER, C. no. 468.

Ill.

- *474. *arene* EDWARDS, Trans. Am. Ent. Soc., iii, 214, 1871; SKINNER, C. no. 470.

Tex.
Ariz.

COPÆODES Speyer.

SPEYER, Edwards Cat. Lep., 49, 56, 1877.

475. *proceris* EDWARDS, Trans. Am. Ent. Soc., iii, 215, 1871; SKINNER, C. no. 469.

S.-W.
U. S.

syn. *minima* EDWARDS, *candida* WRIGHT.

- a. waco* EDWARDS, Trans. Am. Ent. Soc., ii, 122, 1868.

476. *wrightii* EDWARDS, Can. Ent., xiv, 152, 1882; SKINNER, C. no. 471.

Cal.

477. *myrtis* EDWARDS, Pap., ii, 26, 1882; SKINNER, C. no. 472.

Ariz.

- *478. *eunus* EDWARDS, Pap., i, 47, 1881; SKINNER, C. no. 473.

Cal.

OARISMA Scudder.

- SCUDDER, Syst. Rev., 54, 1872; Proc. Am. Acad. Arts & Sci., x, 231, 1875.
479. *garita* REAKIRT, Proc. Ent. Soc. Phil., vi, 150, 1866; SKINNER, C. no. 474. Col., Dak., Br. Am.
syn. *hyrax* EDWARDS.
480. *powescheik* PARKER, Am. Ent., ii, 271, 1870; SKINNER, C. no. 475. Ia., Ill. to Utah.
- *481. *edwardsii* BARNES, Can. Ent., xxix, 42, 1897; SKINNER, C. no. 476. Col.

POANES Scudder.

- SCUDDER, Syst. Rev., 55, 1872; Proc. Am. Acad. Arts & Sci., x, 252, 1875.
482. *massasoit* SCUDDER, Proc. Ess. Ins., iii, 171, 1862; SKINNER, C. no. 477. Atl. States, Col.
a. suffusa LAURENT, Ent. News, iii, 15, 1892.

ATRYTONE Scudder.

- SCUDDER, Syst. Rev., 56, 1872; Proc. Am. Acad. Arts & Sci., x, 124, 1875.
483. *zabulon* BOISDUVAL & LE CONTE, Lép. Am. Sept., pl. 76, f. 6, 1833; SKINNER, C. no. 478. So. Atl. States.
484. *hobomok* HARRIS, Ins. Inj. Veg., 313, 1862; SKINNER, C. no. 479. Atl. States.
a. pocahontas SCUDDER, Proc. Ess. Ins., iii, 171, 1862.
syn. *quadraquinta* SCUDDER.
485. *taxiles* EDWARDS, Trans. Am. Ent. Soc., ix, 5, 1881; SKINNER, C. no. 480. S.-W. U. S.
- *486. *ruricola* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 350, 1852; SKINNER, C. no. 481. Cal.

ERYNNIS Schrank.

- SCHRANK, Faun. Boica, ii, 1, 157, 1801; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 176, 1875.
487. *comma* LINNÆUS, Syst. Nat., 484, 1758; SKINNER, C. no. 482. No. U. S., Pac. States, Rocky Mts., Eur.
syn. *virgula* RETZIUS.
- a. oregonia* EDWARDS, Can. Ent., xv, 150, 1883.
- b. columbia* SCUDDER, Syst. Rev., 56, 1872.
- c. colorado* SCUDDER, Mem. Bost. Soc. Nat. Hist., 349, 1874.

- d. idaho* EDWARDS, Can. Ent., xv, 148, 1883.
e. nevada SCUDDER, Mem. Bost. Soc. Nat. Hist.,
 ii, 347, 1874.
f. assiniboa LYMAN, Can. Ent., xxiv, 57, 1892.
g. laurentina LYMAN, Can. Ent., xxv, 58, 1893.
h. manitoboides FLETCHER, Rept. Ent. Soc. Ont.,
 19, 86, 1888.
i. juba SCUDDER, Syst. Rev., 77, 1872.
k. viridis EDWARDS, Can. Ent., xv, 147, 1883.
l. manitoba SCUDDER, Mem. Bost. Soc. Nat. Hist.,
 ii, 351, 1874.
488. *sassacus* HARRIS, Ins. Inj. Veg., 315, 1862; SKINNER, C. no. 483. Atl. States.
- *489. *harpalus* EDWARDS, Trans. Am. Ent. Soc., ix, 3, 1881; SKINNER, C. no. 484. Nev.
490. *pawnee* DODGE, Can. Ent., vi, 44, 1884; SKINNER, C. no. 485. Neb., Mont.
- *491. *ottoe* EDWARDS, Proc. Ent. Soc. Phil., vi, 207, 1866; SKINNER, C. no. 486. Neb., Ind. Ter., Ariz.
- *492. *lasus* EDWARDS, Pap., iv, 54, 1884; SKINNER, C. no. 487. So. Ariz.
- *493. *cabelus* EDWARDS, Trans. Am. Ent. Soc., ix, 4, 1881; SKINNER, C. no. 488. Nev., Cal.
494. *napa* EDWARDS, Proc. Ent. Soc. Phil., iv, 202, 1864; SKINNER, C. no. 489. Col.
- syn. *dacotah* EDWARDS.
- *495. *scudderi* SKINNER, Ent. News, x, 111, 1899. Col.
496. *metea* SCUDDER, Proc. Ess. Ins., iii, 177, 1862; SKINNER, C. no. 490. Atl. States.
- syn. *ridingsii* REAKIRT.
497. *rhesus* EDWARDS, Field & Forest, iii, 116, 1877; SKINNER, C. no. 491. Col., Ariz.
498. *carus* EDWARDS, Can. Ent., xv, 34, 1883; SKINNER, C. no. 492. Tex., Ariz.
499. *uncas* EDWARDS, Proc. Ent. Soc. Phil., ii, 19, 1863; SKINNER, C. no. 493. Atl. States., Ariz.
- *500. *licinus* EDWARDS, Trans. Am. Ent. Soc., iii, 276, 1871; SKINNER, C. no. 494. Tex.
501. *attalus* EDWARDS, Trans. Am. Ent. Soc., iii, 276, 1871; SKINNER, C. no. 495. So. Atl. States.
- syn. *seminole* SCUDDER, *slossonae* SKINNER.
- *502. *yuma* EDWARDS, Trans. Am. Ent. Soc., iv, 346, 1873; SKINNER, C. no. 496. Ariz.

ANTHOMASTER Scudder.

- SCUDDER, Syst. Rev., 57, 1872; Proc. Am. Acad. Arts & Sci., x, 114, 1875.
503. *snowi* EDWARDS, Can. Ent., ix, 27, 1877; SKINNER, C. no. 497. Rocky Mts.
504. *leonardus* HARRIS, Ins. Inj. Veg., 314, 1862; SKINNER, C. no. 498. Atl. States.
- *505. *meskei* EDWARDS, Can. Ent., ix, 58, 1877; SKINNER, C. no. 499. Tex., Fla.
syn. *straton* EDWARDS.
506. *nemorum* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 314, 1852; SKINNER, C. no. 500. Cal.
syn. *yreka* EDWARDS.
507. *sylvanoides* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 313, 1852; SKINNER, C. no. 501. Pac. States, Col., Neb.
syn. *sonora* SCUDDER.
508. *agricola* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 314, 1852; SKINNER, C. no. 502. Cal., Nev., Wash.
- *509. *milo* EDWARDS, Can. Ent., xv, 34, 1883; SKINNER, C. no. 503. Oreg.
- *510. *pratincola* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 315, 1852; SKINNER, C. no. 504. Cal., Wash.
- *511. *verus* EDWARDS, Trans. Am. Ent. Soc., ix, 4, 1881; SKINNER, C. no. 505. Cal.

HYLEPHILA Billberg.

- BILLBERG, Enum. Ins., 81, 1820; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 193, 1875.
512. *campestris* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 316, 1852; SKINNER, C. no. 506. Atl. States, Ariz., Cal.
syn. *huron* EDWARDS.
- *513. *stigma* SKINNER, Can. Ent., xxviii, 188, 1896; C. no. 507. Tex., N. Mex.
- *514. *morrisonii* EDWARDS, Field & Forest, iii, 116, 1878; SKINNER, C. no. 508. So. Cal., Ariz.
515. *phylaeus* DRURY, Ill. Exot. Ent., i, pl. 13, f. 4, 1770; SKINNER, C. no. 509. So. U. S., Mex.
syn. *augias* HÜBNER, *bucephalus* STEPHENS.

THYMELICUS Hübner.

HÜBNER, Verz. bek. Schmett., 113, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 283, 1875.

516. *brettus* BOISDUVAL & LE CONTE, Lép. Am. Sept., pl. 75, 1838; SKINNER, C. no. 510. Atl. States.
 syn. *wingina* SCUDDER.
a. brettooides EDWARDS, Pap., iii, 71, 1881; SKINNER, C. no. 510.
- *517. *chusca* EDWARDS, Trans. Am. Ent. Soc., iv, 346, 1873; SKINNER, C. no. 511. Ariz.
518. *draco* EDWARDS, Trans. Am. Ent. Soc., iii, 274, 1871; SKINNER, C. no. 512. Col., Brit. Am.
519. *otho* SMITH & ABBOT, Lep. Ins. Ga., i, 31, 1797; SKINNER, C. no. 514. Atl. States.
a. egeremet SCUDDER, Proc. Ess. Ins., iii, 174, 1862.
 syn. *zetna* SCUDDER, *urso* WORTHINGTON.
520. *mystic* SCUDDER, Proc. Ess. Ins., iii, 172, 1862; SKINNER, C. no. 516. Atl. States.
521. *siris* EDWARDS, Pap., i, 47, 1881; SKINNER, C. no. 517. Wash.
- *522. *mardon* EDWARDS, Pap., i, 47, 1881; SKINNER, C. no. 518. Wash.
523. *cernes* BOISDUVAL & LE CONTE, Lép. Am. Sept., pl. 56, f. 1, 1838; SKINNER, C. no. 519. Atl. States.
 syn. *ahaton* HARRIS, *taumas* SCUDDER.
- *524. *alcina* SKINNER, Ent. News, iv, 519, 1893; SKINNER, C. no. 520 (=no. 554). Col.

POLITES Scudder.

SCUDDER, Syst. Rev., 57, 1872; Proc. Am. Acad. Arts & Sci., x, 252, 1875.

525. *sabuleti* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 316, 1852; SKINNER, C. no. 513. Cal., N. Mex.
526. *peckius* KIRBY, Faun. Bor. Am., iv, 300, 1837; SKINNER, C. no. 515. Atl. States.
 syn. *wamsutta* HARRIS.
527. *baracoa* LUCAS, Sagra, Hist. Cuba, vi, 650, 1857; SKINNER, C. no. 521. Fla., Cuba.
 syn. *amadis* HERRICH-SCHAEFFER, *myius* FRENCH.

EUPHYES Scudder.

SCUDDER, Syst. Rev., 69, 1872; Proc. Am. Acad. Arts & Sci., x, 172, 1875.

528. **verna** EDWARDS, Proc. Acad. Nat. Sci. Phil., 57, 1862; SKINNER, C. no. 523. Atl. States.
syn. *pottawattomie* WORTHINGTON.
529. **vestris** BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 317, 1852. U. S.
syn. *kiowah* REAKIRT, *osecola* LINTNER.
a. metacomet HARRIS, Ins. Inj. Veg., 317, 1862;
SKINNER, C. no. 524.
syn. *rurea* EDWARDS.
530. **bellus** EDWARDS, Pap., iv, 57, 1884; SKINNER, C. no. 525. So. Ariz.
- * 531. **osyka** EDWARDS, Trans. Am. Ent. Soc., i, 228, 1867; SKINNER, C. no. 556. Gulf States, Ind.
- * 532. **comus** EDWARDS, Trans. Am. Ent. Soc., v, 206, 1876; SKINNER, C. no. 557. Tex., So. Col.
syn. *nilus* EDWARDS.
533. **eufala** EDWARDS, Trans. Am. Ent. Soc., ii, 311, 1869; SKINNER, C. no. 558. Fla., Tex.
- * 534. **arabus** EDWARDS, Pap., ii, 26, 1882; SKINNER, C. no. 559. Ariz.
535. **fusca** GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 2, 1867; SKINNER, C. no. 560. Atl. States.
- * 536. **oslari** SKINNER, Ent. News, x, 112, 1899. Col.
537. **nereus** EDWARDS, Trans. Am. Ent. Soc., v, 205, 1876; SKINNER, C. no. 561. Ariz.

LEREMA Scudder.

SCUDDER, Syst. Rev., 61, 1872; Proc. Am. Acad. Arts & Sci., x, 205, 1875.

538. **accius** SMITH & ABBOT, Lep. Ins. Ga., pl. 23, 1797; SKINNER, C. no. 526. So. Atl. States.
syn. *monoco* SCUDDER, *nortonii* EDWARDS,
punctella GROTE & ROBINSON.
- * 539. **loammi** WHITNEY, Can. Ent., viii, 76, 1876; SKINNER, C. no. 527. Fla., N. C.
syn. *regulus* EDWARDS.
- * 540. **horus** EDWARDS, Trans. Am. Ent. Soc., iii, 277, 1871; SKINNER, C. no. 528. Tex.
541. **deva** EDWARDS, Trans. Am. Ent. Soc., v, 292, 1876; SKINNER, C. no. 529. So. Cal., Ariz.

542. *lunus* EDWARDS, Pap., iv, 56, 1884; SKINNER, C. no. 530. So. Ariz.
543. *hianna* SCUDDER, Proc. Bost. Soc. Nat. Hist., xi, 382, 1868; SKINNER, C. no. 562. Atl. States.

OLIGORIA Scudder.

- SCUDDER, Syst. Rev., 61, 1872; Proc. Am. Acad. Arts & Sci., x, 232, 1875.
544. *maculata* EDWARDS, Proc. Ent. Soc. Phil., iv, 201, 1865; SKINNER, C. no. 531. So. Atl. States.
- *545. *drurii* LATREILLE, Enc. Méth., ix, 763, 1823; SKINNER, Ent. News, xii, 171, 1901. Mex.

PRENES Scudder.

- SCUDDER, Syst. Rev., 60, 1872; Proc. Am. Acad. Arts & Sci., x, 256, 1875.
546. *panoquin* SCUDDER, Proc. Ess. Ins., iii, 178, 1862; SKINNER, C. no. 532. So. Atl. States.
syn. *ophis* EDWARDS.
- *547. *panoquinoides* SKINNER, Ent. News, ii, 175, 1891; C. no. 533. Fla.
548. *ocola* EDWARDS, Proc. Ent. Soc. Phil., ii, 20, 1863; SKINNER, C. no. 534. So. Atl. States.
549. *errans* SKINNER, Ent. News, iii, 174, 1892; C. no. 535. Cal.

CALPODES Hübner.

- HÜBNER, Verz. bek. Schmett., 107, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 135, 1875.
- *549. 1. *coscinia* HERRICH-SCHAEFFER, Corr.-Blatt. Regensb., xix, 54, 1865. Mex., Tex.
550. *ethlius* CRAMER, Pap. Exot., iv, pl. 392, f. A, 1782; SKINNER, C. no. 536. So. States.
syn. *chemnis* FABRICIUS, *olynthus* BOISDUVAL & LE CONTE.
551. *pittacus* EDWARDS, Pap., ii, 138, 1882; SKINNER, C. no. 537. Ariz.
552. *python* EDWARDS, Pap., ii, 139, 1882; SKINNER, C. no. 538. Ariz.
- *553. *cestus* EDWARDS, Pap., iv, 57, 1884; SKINNER, C. no. 539. So. Ariz.
- *554. *rhena* EDWARDS, Field & Forest, iii, 115, 1877; SKINNER, C. no. 540. So. Cal.

LIMOCHROES Scudder.

- SCUDDER, Syst. Rev., 59, 1872; Proc. Am. Acad. Arts & Sci., x, 207, 1875.
555. **bimacula** GROTE & ROBINSON, Ann. N. Y. Lyc. Nat. Hist., viii, 433, 1867; SKINNER, C. no. 541. Atl. States.
syn. *acanootus* SCUDDER, *illinois* DODGE.
556. **pontiac** EDWARDS, Proc. Ent. Soc. Phil., ii, 17, 1863; SKINNER, C. no. 542. Atl. States.
syn. *conspicua* EDWARDS, *orono* SCUDDER.
557. **manataqua** SCUDDER, Proc. Ess. Ins., iii, 175, 1862; SKINNER, C. no. 522. U. S.
syn. *cernea* HARRIS.
- *558. **yehl** SKINNER, Ent. News, iv, 212, 1893; C. no. 543. So. Atl. States.
559. **dion** EDWARDS, Can. Ent., xi, 238, 1879; SKINNER, C. no. 544. Atl. States.
560. **arpa** BOISDUVAL & LE CONTE, Lép. Am. Sept., pl. 63, 1833; SKINNER, C. no. 548. Gulf States.
561. **palatka** EDWARDS, Trans. Am. Ent. Soc., i, 287, 1867; SKINNER, C. no. 549. Gulf States.
562. **byssus** EDWARDS, Can. Ent., xii, 224, 1880; SKINNER, C. no. 554. Fla., Tex.
- *563. **phylace** EDWARDS, Field & Forest, iii, 117, 1877; SKINNER, C. no. 555. So. Cal., Ariz.

PHYCANASSA Scudder.

- SCUDDER, Syst. Rev., 56, 1872; Proc. Am. Acad. Arts & Sci., x, 249, 1875.
564. **viator** EDWARDS, Proc. Ent. Soc. Phil., iv, 202, 1865; SKINNER, C. no. 563. Atl. States.
- *565. **carolina** SKINNER, Ent. News, iii, 222, 1892; C. no. 564. N. C.
566. **vitellius** FABRICIUS, Ent. Syst., iii, 1, 327, 1793; SKINNER, C. no. 545. Atl. States.
syn. *delaware* EDWARDS, *logan* EDWARDS, *häbneri* PLÖTZ.
- *567. **streckeri** SKINNER, Ent. News, iv, 212, 1893. Fla.
568. **howardi** SKINNER, Can. Ent., xxviii, 187, 1896. Fla.
569. **aaroni** SKINNER, Ent. News, i, 6, 1890; C. no. 551. So. Atl. States.
570. **melane** EDWARDS, Trans. Am. Ent. Soc., ii, 312, 1869; SKINNER, C. no. 552. Cal., Mex.

- *571. *lagus* EDWARDS, Trans. Am. Ent. Soc., ix, 5, 1881; SKINNER, C. no. 546. Tex., Col.
572. *arogos* BOISDUVAL & LE CONTE, Lép. Am. Sept., pl. 76, f. 3, 1833; SKINNER, C. no. 553. Gulf States, Ia., Neb.
syn. *iowa* SCUDDER.

ERYCIDES Hübner.

HÜBNER, Verz. bek. Schmett., 110, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 166, 1875.

573. *urania* WESTWOOD & HEWITSON, Gen. Diurn. Lep., 510, 1852; SKINNER, C. no. 638. Tex., Mex.
syn. *texana* SCUDDER.
- *574. *lilea* REAKIRT, Proc. Acad. Nat. Sci. Phil., 339, 1866; SKINNER, C. no. 639. Tex., Mex.
syn. *albicilla* HERRICH-SCHAEFFER, *cruentus* SCUDDER, *sanguina* SCUDDER, *socius* BUTLER & DRUCE, *decolor* MABILLE.
575. *batabano* LEFÈBRE, Sagra, Hist. Cuba, vii, 624, 1867; SKINNER, C. no. 640. Fla., Cuba.
syn. *mancinus* HERRICH-SCHAEFFER, *okeechobee* WORTHINGTON.
576. *amytas* FABRICIUS, Syst. Ent., 533, 1775; SKINNER, C. no. 641; Ent. News, xii, 171, 1901. Fla., Ariz., Mex.
syn. *lividus* HÜBNER, *savignyi* LATREILLE.

EUDAMUS Swainson.

SWAINSON, Ill., ii, 48, 1832; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 169, 1875.

577. *proteus* LINNÆUS, Syst. Nat., 484, 1758; SKINNER, C. no. 633. Atl. States.
578. *simplicius* STOLL, Suppl. Cramer, Pap. Exot., pl. 39, f. 6, 1791; SKINNER, C. no. 634. Tex., Ariz., Mex.
a. euryycles LATREILLE, Enc. Méth., ix, 730, 1823; SKINNER, Ent. News, xii, 171, 1901.
579. *dorantes* STOLL, Suppl. Cramer, Pap. Exot., pl. 172, pl. 39, f. 9, 1790; GODMAN & SALVIN, Biol. Cent. Am., Lep. Rhop., ii, 278, 1893.
syn. *protillus* HERRICH-SCHAEFFER, *amisus* HEWITSON, *rauterbergi* SKINNER, C. no. 635. Tex., Ariz.
580. *albofasciatus* HEWITSON, Desc. Hesp., ii, no. 2, 1867; SKINNER, C. no. 636. Tex., Ariz., Mex.
581. *dorus* EDWARDS, Pap., ii, 140, 1882; SKINNER, C. no. 637. So. Ariz., Mex.
582. *zilpa* BUTLER, Lep. Exot., pl. 40, f. 2, 1872; SKINNER, Ent. News, xii, 171, 1901. Ariz., So. Am.
583. *alcæus* HEWITSON, Desc. Hesp., 3, 1867; SKINNER, Ent. News, xii, 171, 1901. Ariz., So. Am.

EPARGYREUS Hübner.

HÜBNER, Verz. bek. Schmett., 105, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 163, 1875.

584. *tityrus* FABRICIUS, Syst. Ent., 532, 1775; SKINNER, C. no. 632. U. S.

HETEROPIA Mabille.

MABILLE, Le Nat., xi, 68, 1889; GODMAN & SALVIN, Biol. Cent. Am., Lep. Rhop., ii, 296, 1893.

- *585. *melon* GODMAN & SALVIN, Biol. Cent. Am., Lep. Rhop., ii, 297, 1893. Ariz., Mex.

RHABDOIDES Scudder.

SCUDDER, Butt. E. U. S., iii, 1854, 1889.

586. *cellus* BOISDUVAL & LE CONTE, Lép. Am. Sept., pl. 73, 1833; SKINNER, C. no. 629.
syn. *festus* HÜBNER. So. Atl. States, Ariz., Mex.

- *587. *hesus* WESTWOOD & HEWITSON, Gen. Diurn. Lep., pl. 78, 1852; SKINNER, C. no. 630. Tex., Mex.

588. *zestos* HÜBNER, Zutr. exot. Schmett., f. 615, 1832; SKINNER, C. no. 631.
syn. *oberon* WORTHINGTON. Fla., So. Am.

PROTEIDES Hübner.

HÜBNER, Verz. bek. Schmett., 104, 1816.

589. *idas* CRAMER, Pap. Exot., iii, pl. 260, f. A, 1782;
KIRBY, Cat. Diurn. Lep., 595, 1872; BARNES, Ent. News, x, 332, 1900.
syn. *mercurius* FABRICIUS. Ariz., Mex.

TELEGONUS Hübner.

HÜBNER, Verz. bek. Schmett., 104, 1816; GODMAN & SALVIN, Biol. Cent. Am., Lep. Rhop., ii, 305, 1893.

- *590. *hahneli* STAUDINGER, Exot. Tagf., 291, 1888;
GODMAN & SALVIN, Biol. Cent. Am., Lep. Rhop., ii, 306, 1893; SKINNER, Ent. News, xii, 171, 1901. Mex.

ACHLARUS Scudder.

SCUDDER, Syst. Rev., 50, 1872; Proc. Am. Acad. Arts & Sci., x, 100, 1875.

591. *lycidas* SMITH & ABBOT, Lep. Ins. Ga., pl. 20, 1797; SKINNER, C. no. 628.
syn. *lyciades* HÜBNER. Atl. States.

THORYBES Scudder.

- SCUDDER, Syst. Rev., 50, 1872; Proc. Am. Acad. Arts & Sci., x, 282, 1875.
592. *epigona* HERRICH-SCHAFFER, Prodr., iii, 59, Tex.,
1868; SKINNER, C. no. 627. Ariz.
- syn. *epigena* BUTLER, *orestes* LINTNER.
- *593. *coyote* SKINNER, Can. Ent., xxiv, 164, 1892. Tex.
594. *drusius* EDWARDS, Can. Ent., xv, 211, 1883; SKIN- So. Ariz.,
NER, C. no. 625. Mex.
595. *outis* SKINNER, Ent. News, v, 332, 1894. Tex.
596. *hippalus* EDWARDS, Pap., ii, 27, 1882; SKINNER. Ariz.,
C. no. 623. Mex.
597. *caicus* HERRICH-SCHAFFER, Prodr., iii, 68, 1868; Ariz.,
SKINNER, C. no. 622. Mex.
- syn. *schäfferi* PLÖTZ, *moschus* EDWARDS.
598. *aemilia* SKINNER, Ent. News, iv, 64, 1893; C. no. Oreg.
621.
599. *bathyllus* SMITH & ABBOT, Lep. Ins. Ga., pl. 22, So. Atl.
1797; SKINNER, C. no. 620. States.
600. *mexicana* HERRICH-SCHAFFER, Prodr., iii, 68, Rocky Mts.,
1868; SKINNER, C. no. 619. Cal.
- syn. *nevada* SCUDDER, *anatinus* PLÖTZ.
601. *pylades* SCUDDER, Proc. Bost. Soc. Nat. Hist., Atl.
xiii, 207, 1870; SKINNER, C. no. 618. States.
- *602. *electra* LINTNER, Can. Ent., xiii, 63, 1881; SKIN- Ont.
NER, C. no. 617.

ACHYLODES Hübner.

- HÜBNER, Verz. bek. Schmett., 107, 1816; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 100, 1875.
603. *thraso* HÜBNER, Samml. exot. Schmett., i, 1806; Tex.,
SKINNER, C. no. 616. Mex.
- syn. *tamenund* EDWARDS.
- *604. *asychis* CRAMER, Pap. Exot., iv, pl. 334, f. E, Mex.
1782; SKINNER, Ent. News, xii, 171, 1901.

PHOLISORA Scudder.

- SCUDDER, Syst. Rev., 51, 1872; Proc. Am. Acad. Arts & Sci., x, 249, 1875.
605. *catullus* FABRICIUS, Ent. Syst., iii, 348, 1793; U. S.
SKINNER, C. no. 608.
- *606. *mexicana* REAKIRT, Proc. Acad. Nat. Sci. Phil., Rocky Mts.,
334, 1866; SKINNER, C. no. 609. Mex.

607. *pirus* EDWARDS, Field & Forest, iii, 119, 1878; SKINNER, C. no. 610. Rocky Mts.
608. *ceos* EDWARDS, Pap., ii, 140, 1882; SKINNER, C. no. 611. Ariz., Mex.
609. *hayhurstii* EDWARDS, Trans. Am. Ent. Soc., iii, 22, 1870; SKINNER, C. no. 612. So. U. S.
610. *libya* SCUDDER, Bull. Geol. Surv. Terr., iv, 258, 1878; SKINNER, C. no. 613. Utah, Cal.
611. *alpheus* EDWARDS, Trans. Am. Ent. Soc., v, 206, 1876; SKINNER, C. no. 614. S.-W. U. S.
- *612. *lena* EDWARDS, Can. Ent., xiv, 5, 1882; SKINNER, C. no. 615. Mont.

SYSTASEA Butler.

- BUTLER, iii EDWARDS, Can. Ent., ix, 120, 1877; *Lintneria* EDWARDS (not BUTLER).
- *613. *pulverulenta* FELDER, Verh. zool.-bot. Ges. Wien, 478, 1869; SKINNER, C. no. 607. S.-W. U. S.
syn. *zampa* EDWARDS.

GRAIS Godman & Salvin.

- GODMAN & SALVIN, Biol. Cent. Am., Lep. Rhop., ii, 381, 1894.
- *614. *stigmaticus* MABILLE, Bull. Soc. Ent. Belg., liv, 1883; GODMAN & SALVIN, Biol. Cent. Am., Lep. Rhop., ii, 381, 1894; BARNES, Ent. News, x, 331, 1900. Ariz., Mex.

TIMOCHARES Godman & Salvin.

- GODMAN & SALVIN, Biol. Cent. Am., Lep. Rhop., ii, 417, 1896.
- *615. *ruptifasciatus* PLÖTZ, Jahrb. Nass. Ver., xxxvii, 27, 1884; GODMAN & SALVIN, Biol. Cent. Am., Lep. Rhop., ii, 418, 1896; SKINNER, Ent. News, xii, 171, 1901. Mex.

STAPHYLUS Godman & Salvin.

- GODMAN & SALVIN, Biol. Cent. Am., Lep. Rhop., ii, 429, 1896.
- *616. *brennus* GODMAN & SALVIN, Biol. Cent. Am., Lep. Rhop., ii, 434, 1896. Mex.

THANAO^S Boisduval.

- BOISDUVAL, Icon., 240, 1832; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 279, 1875.
617. *brizo* BOISDUVAL & LE CONTE, Lép. Am. Sept., pl. 66, 1833; SKINNER, C. no. 586. Atl. States, Col., Ariz.

618. *icelus* LINTNER, 23 Rept. N. Y. Sta. Cab. Nat. Hist., 162, 1872; SKINNER, C. no. 587. Atl. States, Col., Ariz.
619. *somnus* LINTNER, Pap., i, 73, 1881; SKINNER, C. no. 588. Fla.
620. *lucilius* LINTNER, 23 Rept. N. Y. Sta. Cab. Nat. Hist., 162, 1872; SKINNER, C. no. 589. Atl. States.
621. *persius* SCUDDER, Proc. Ess. Ins., iii, 170, 1862; SKINNER, C. no. 590. Atl. States, Rocky Mts.
- *622. *ausonius* LINTNER, 23 Rept. N. Y. Sta. Cab. Nat. Hist., 166, 1872; SKINNER, C. no. 591. Atl. States.
623. *afranius* LINTNER, 30 Rept. N. Y. Mus. Nat. Hist., 175, 1878; SKINNER, C. no. 592. Col., Ariz.
624. *martialis* SCUDDER, Trans. Chic. Acad. Nat. Sci., i, 355, 1869; SKINNER, C. no. 593. Atl. States, Col.
625. *juvenalis* FABRICIUS, Ent. Syst., iii, 339, 1793; SKINNER, C. no. 594. Atl. States, Rocky Mts.
syn. *jurenis* HÜBNER, *costalis* DOUBLEDAY & HEWITSON, *ennius* SCUDDER & BURGESS.
626. *petronius* LINTNER, Pap., i, 70, 1881; SKINNER, C. no. 595. Fla.
627. *horatius* SCUDDER & BURGESS, Proc. Bost. Soc. Nat. Hist., xiii, 301, 1870; SKINNER, C. no. 596. So. Atl. States.
syn. *virgilinus* SCUDDER & BURGESS.
628. *terentius* SCUDDER & BURGESS, Proc. Bost. Soc. Nat. Hist., xiii, 292, 1870; SKINNER, C. no. 597. Atl. States.
syn. *ovidius* SCUDDER & BURGESS.
629. *propertius* LINTNER, Pap., i, 71, 1881; SKINNER, C. no. 598. Pac. States.
- *630. *nævius* LINTNER, Pap., i, 69, 1881; SKINNER, C. no. 599. Fla.
631. *pacuvius* LINTNER, 30 Rept. N. Y. Sta. Mus. Nat. Hist., 172, 1878; SKINNER, C. no. 600. Rocky Mts.
632. *tatus* EDWARDS, Pap., ii, 179, 1882; SKINNER, C. no. 601. Ariz.
633. *clitus* EDWARDS, Pap., ii, 180, 1882; SKINNER, C. no. 602. Ariz.
634. *funeralis* SCUDDER & BURGESS, Proc. Bost. Soc. Nat. Hist., xiii, 293, 1870; SKINNER, C. no. 603. S.-W. U. S.
635. *tristis* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 311, 1852; SKINNER, C. no. 604. Cal., Ariz.

- *636. *tibullus* SCUDDER & BURGESS, Proc. Bost. Soc. Nat. Hist., xiii, 298, 1870; SKINNER, C. no. 605. Cal.
- *637. *plautus* SCUDDER & BURGESS, Proc. Bost. Soc. Nat. Hist., xiii, 304, 1870; SKINNER, C. no. 606. Fla.

HELIOPETES Billberg.

BILLBERG, Entom. Ins., 81, 1820; GODMAN & SALVIN, Biol. Cent. Am., Lep. Rhop., ii, 444, 1897.

- *638. *laviana* HEWITSON, Desc. Hesp., 48, 1868; GODMAN & SALVIN, Biol. Cent. Am., Lep. Rhop., ii, 448, 1897. Mex.

syn. *pastor* FELDER, *lcea* BUTLER.

HESPERIA Fabricius.

FABRICIUS, Ent. Syst., iii, 1, 258, 1793; SCUDDER, Proc. Am. Acad. Arts & Sci., x, 187, 1875.

639. *ericetorum* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 313, 1852; SKINNER, C. no. 575. Pac. States.

syn. *alba* EDWARDS.

- *640. *macaria* REAKIRT, Proc. Acad. Nat. Sci. Phil., 334, 1866; SKINNER, C. no. 576. Ariz., Mex.

syn. *oceanus* EDWARDS, *locutia* HEWITSON.

- *641. *domicella* ERICHSON, Schomb. Reise, iii, 601, 1848; SKINNER, C. no. 577. Ariz., Mex.

a. nearchus EDWARDS, Pap., ii, 26, 1882.

642. *tessellata* SCUDDER, Syst. Rev., 73, 1872; SKINNER, C. no. 578. U. S.

syn. *communis* GROTE.

- *643. *montivagus* REAKIRT, Proc. Acad. Nat. Sci. Phil., 46, 1866; SKINNER, C. no. 579. Rocky Mts., Fla., Mex.

644. *centaureæ* RAMBUR, Faun. Ent. And., pl. 8, f. 10, 1839; SKINNER, C. no. 580. No. Atl. States, Eur.

syn. *ruralis* BOISDUVAL, *wyandot* EDWARDS.

- *645. *philetas* EDWARDS, Pap., i, 46, 1881; SKINNER, C. no. 581. Tex.

646. *cæspitalis* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 312, 1852; SKINNER, C. no. 582. Pac. States, Rocky Mts.

syn. *ricara* EDWARDS, *petreinus* EDWARDS.

- *647. *xanthus* EDWARDS, Field & Forest, iii, 142, 1877; SKINNER, C. no. 583. Col.

- *648. *scriptura* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 312, 1852; SKINNER, C. no. 584. Cal., Ariz., Mont.

649. *nessus* EDWARDS, Can. Ent., ix, 192, 1877; SKINNER, C. no. 585. So. Atl. States.
syn. *notabilis* STRECKER.
- *650. *unna* PLÖTZ, Stett. ent. Zeit., xliv, 204, 1883; (Unknown).
SKINNER, C. no. 90.
651. *polingii* BARNES, Can. Ent., xxxii, 44, 1900. Ariz.
- *652. *syrictus* FABRICIUS, Syst. Ent., 534, 1775; KIRBY, Cat. Diurn. Lep., 610, 1872; SKINNER, Ent. News, xii, 171, 1901. Mex.
syn. *oreus* CRAMER, *oileus* WESTWOOD & HUMPHREYS, *tartarus* HÜBNER.

Superfamily SPHINGOIDEA.

Family SPHINGIDÆ.

(C.=SMITH, Trans. Am. Ent. Soc., xv, 49-242, 1888.)

HEMARIS Dalman.

DALMAN, Vet. Akad. Handl., 207, 1816; KIRBY, Cat. Lep. Het., i, 624, 1892.

- *653. *diffinis* BOISDUVAL, Sp. Gén., i, pl. 15, fig. 2, 1836; SMITH, C. 95. Atl. States.
syn. *aethra* STRECKER.
- a. axillaris* GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 23, 1868; SMITH, C. 95.
syn. *marginalis* GROTE, *grotei* BUTLER.
- b. tenuis* GROTE, Bull. Buff. Soc., i, pl. 1, fig. 6, 1873; SMITH, C. 94.
syn. *fumosa* STRECKER, *metathetis* BUTLER.
- c. thetis* GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 325, 1868; SMITH, C. 90-94. No. Cal., Pac. N.-W.
syn. *rubens* HY. EDWARDS.
- d. cynoglossum* HY. EDWARDS, Proc. Cal. Acad. Sci., v, 88, 1876; SMITH, C. 91. So. Cal.
- e. senta* STRECKER, Rep. Chief Eng., 1878, pl. 2, fig. 1; SMITH, C. 93. Col., N. Mex.
- f. palpalis* GROTE, Bull. Buff. Soc., ii, 145, 1874; SMITH, C. 89. Brit. Col.
654. *brucei* FRENCH, Can. Ent., xxii, 133, 1890. Col., Utah.
655. *gracilis* GROTE & ROBINSON, Proc. Ent. Soc. Phil., v, 174, 1865; SMITH, C. 97. Atl. States.

656. *thysbe* FABRICIUS, Syst. Ent., 548, 1775; SMITH, C. 98. Atl. States, Miss. Vall.
 syn. *pelasgus* CRAMER, *cimbiciformis* STEPHENS,
etolus BOISDUVAL, *fuscicaudis* WALKER.
 a. *ruficaudis* KIRBY, Faun. Bor. Am., iv, 303, 1837;
 SMITH, C. 103.
 syn. *uniformis* GROTE & ROBINSON, *pyramus*,
 BOISDUVAL, *floridensis* GROTE & ROBINSON,
buffaloensis GROTE.

LEPISESIA Grote.

GROTE, Proc. Ent. Soc. Phil., v, 38, 1865; SMITH, C. 109.

- *657. *flavofasciata* WALKER, Cat. Brit. Mus., vii, 87, 1856; SMITH, C. 111. Aret. Amer.
 a. *ulalume* STRECKER, Lep. Rhop. Het., 135, pl. 15, fig. 3, 1878.
 b. *rachel* BRUCE, Ent. News, xii, 19, 1901.
 658. *phaeton* GROTE & ROBINSON, Proc. Ent. Soc. Phil., v, 178, 1865; SMITH, C. 112. So. Cal.
 syn. *errato* BOISDUVAL.
 a. *euterpe* HY. EDWARDS, Ent. Amer., iv, 25, 1888;
 SMITH, C. 235.
 659. *clarkiae* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 318, 1852; SMITH, C. 112. No. Cal.
 to Utah.
 syn. *victoriæ* GROTE.
 660. *gauræ* SMITH & ABBOT, Lep. Ins. Ga., i, 61, pl. 31, 1797; SMITH, C. 114. So. States.
 a. *circæ* HY. EDWARDS, Pap., ii, 9, 1882; SMITH, C. 114.
 661. *juanita* STRECKER, Lep. Rhop. Het., 112, 1878; SMITH, C. 114. Tex.
 *662. *terlooii* HY. EDWARDS, Proc. Cal. Acad. Sci., vi, 90, 1875. Mex., Ga.
 663. *vega* DYAR. (Fore wings as *terlooii*, with an additional dark green band at base; hind wings as *juanita*: exp. 54 mm.) N. Mex.

ÆLLOPOS Hübner.

- HÜBNER, Verz. bek. Schmett., 131, 1822; KIRBY, Cat. Lep. Het., i, 634, 1892.
 664. *tantalus* LINNÆUS, Syst. Nat., i, 493, 1758; SMITH, C. 119-121. So. Amer., So. States occ.
 syn. *titan* CRAMER, *zonata* DRURY, *tripunctata* GOEZE, *annulosum* SWAINSON, *balteata* KIRTLAND.
 a. *ixion* LINNÆUS, Syst. Nat., i, 493, 1758.
 syn. *fadus* CRAMER.

TRIPTOGON Ménétries.

MÉNÉTRIES, Enum. Corp. An. Mus. Pet., Lep., ii, 94, 1859; KIRBY, Cat. Lep. Het., i, 644, 1892.

665. *lugubris* LINNÆUS, Mant. Plant., 537, 1771; SMITH, So. Am., Fla., C. 123.

syn. *fegerus* CRAMER, *camertus* CRAMER, *luctuosus* BOISDUVAL.

CALLIOMMA Walker.

WALKER, Cat. Lep. Het. B. M., viii, 101, 1856; KIRBY, Cat. Lep. Het., i, 646, 1892.

666. *pluto* FABRICIUS, Gen. Ins., 274, 1777; KIRBY, So. Am., Cat. Lep. Het., i, 646, 1892. So. Fla.

syn. *thorates* HÜBNER, *erasus* DALMAN.

AMPHION Hübner.

HÜBNER, Verz. bek. Schmett., 135, 1822; SMITH, C. 125.

667. *nessus* CRAMER, Pap. Exot., ii, pl. 107, f. D, 1777; Atl. States, SMITH, C. 125. Miss. Vall.

SPHECODINA Blanchard.

BLANCHARD, Nat. Hist. Ins., iii, pl. 20, f. 4; KIRBY, Cat. Lep. Het., i, 638, 1892.

668. *abbotii* SWAINSON, Zool. Ill., i, pl. 60, 1821; Atl. States, SMITH, C. 129. Miss. Vall.

DEIDAMIA Clemens.

CLEMENS, Jhl. Acad. Nat. Sci. Phil., iv, 137, 1839; SMITH, C. 128.

669. *inscriptum* HARRIS, Am. Jour. Sci., xxxvi, 306, 1839; SMITH, C. 129. Atl. States, Miss. Vall.

DEILEPHILA Ochsenheimer.

OCHSENHEIMER, Schmett. Eur., iv, 42, 1816, SMITH, C. 130.

670. *gallii* ROTTEMBURG, Naturf., vii, 107, 1775; KIRBY, Cat. Lep. Het., i, 665, 1892; SMITH, C. 131. Eur., Asia, U. S.

syn. *epilobii* HARRIS, *intermedia* KIRBY, *canadensis* GUENÉE, *chamaenerii* HARRIS.

671. *lineata* FABRICIUS, Syst. Ent., 541, 1775; SMITH, C. 133. U. S.

syn. *doucas* CRAMER, *oxybaphi* CLEMENS.

THERETRA Hübner.

- HÜBNER, Verz. bek. Schmett., 135, 1822; KIRBY, Cat. Lep. Het., i, 649, 1892.
 672. *tersa* LINNEUS, Mant. Plant., ii, 538, 1771; SMITH, C. 135. So. States.
 673. *porcus* HÜBNER, Samml. exot. Schmett., ii, 1824; KIRBY, Cat. Lep. Het., i, 671, 1892. So. Am., So. Fla.

ARGEUS Hübner.

- HÜBNER, Verz. bek. Schmett., 134, 1822; SMITH, C. 136.
 674. *labruscae* LINNÆUS, Syst. Nat., 491, 1758; SMITH, C. 137. So. Am., Fla., occ. northw.
 syn. *clotho* FABRICIUS.

PACHYLIA Walker.

- WALKER, Cat. Brit. Mus., i, 189, 1856; SMITH, C. 138.
 675. *fleus* LINNÆUS, Syst. Nat., 491, 1758; SMITH, C. 138. So. Am., So. Fla.
 syn. *crameri* MÉNÉTRIES, *lyncea* CLEMENS, *venerzuelensis* SCHAFUSS.

PHOLUS Hübner.

- HÜBNER, Verz. bek. Schmett., 134, 1822; KIRBY, Cat. Lep. Het., i, 668-670, 1892.
 676. *linnei* GROTE & ROBINSON, Proc. Ent. Soc. Phil., v, 157, 1865; SMITH, C. 141. So. Am., So. States.
 677. *vitis* LINNÆUS, Syst. Nat., 491, 1758; SMITH, C. 143. So. Am., So. States.
 syn. *jussieuæ* HÜBNER, *fasciatus* SULZER.
 678. *pandorus* HÜBNER, Samml. exot. Schmett., ii, 1824; SMITH, C. 144. East. & Cent. States.
 syn. *ampelophaga* BOISDUVAL.
 679. *achemon* DRURY, Ill. Exot. Ent., ii, 51, 1773; SMITH, C. 145. U. S.
 syn. *crantor* CRAMER.
 680. *typhon* KLUG, Neu. Schmett., pl. 3, f. 1, 1836; KIRBY, Cat. Lep. Het., i, 668, 1892. Mex., Ariz.

AMPELOPHAGA Bremer & Grey.

- BREMER & GREY, Beitr. Sch.-Faun. Chin., 11, 1853; SMITH, C. 146.
 681. *chœrilus* CRAMER, Pap. Exot., iii, 91, 1779; SMITH, C. 147. Atl. States, Miss. Vall.
 syn. *clorinda* MARTYN, *azaleæ* SMITH & ABBOT.

682. *myron* CRAMER, Pap. Exot., iii, 91, 1779; SMITH, C. 148. Atl. States, Miss. Vall.
 syn. *pampinatrix* SMITH & ABBOT.
a. enotus HÜBNER, Zutr. exot. Schmett., ff. 321-2, 1823; SMITH, C. 148.
683. *versicolor* HARRIS, Am. Jour. Sci., xxxvi, 303, 1839; SMITH, C. 149. Atl. States, Miss. Vall.

COCYTIUS Hübner.

- HÜBNER, Verz. bek. Schmett., 140, 1822; KIRBY, Cat. Lep. Het., i, 686, 1892.
684. *antaeus* DRURY, Ill. Exot. Ent., ii, 43, 1773; SMITH, C. 153. Antilles, Fla.
 syn. *jatrophæ* FABRICIUS, *annonæ* SHAW.

PSEUDOSPHINX Burmeister.

- BURMEISTER, Verh. nat. Ges. Halle, 69, 1856; KIRBY, Cat. Lep. Het., i, 684, 1892.
685. *tetrio* LINNÆUS, Mant. Plant., 538, 1771; KIRBY, Cat. Lep. Het., i, 684, 1892. So. Am., Antilles, Fla.
 syn. *hasdrubal* STOLL, *rustica* SEPP.

DILOPHONOTA Burmeister.

- BURMEISTER, Verh. nat. Ges. Halle, 69, 1856; SMITH, C. 154.
686. *ello* LINNÆUS, Syst. Nat., 491, 1758; SMITH, C. 156. So. Am., Fla., occ. Northw.
687. *lassauxii* BOISDUVAL, Bull. Soc. Ent. Fr., (3), vii, 157, 1859; KIRBY, Cat. Lep. Het., i, 697, 1892; SCHAUß, Ent. News, vi, 144, 1895. So. Am., Fla.
 syn. *cereyon* BURMEISTER.
a. merianæ GROTE, Proc. Ent. Soc. Phil., v, 75, 1865; SMITH, C. 158.
 syn. *omphaleæ* BOISDUVAL.
688. *alope* DRURY, Ill. Exot. Ent., i, pl. 27, f. 1, 1773; KIRBY, Cat. Lep. Het., i, 699, 1892; SMITH, C. 159; SCHAUß, Ent. News, vi, 144, 1895. So. Am., Fla.
 syn. *fasciata* SWAINSON, *flavicans* GOEZE, *edwardsii* BUTLER.
689. *caicus* CRAMER, Pap. Exot., ii, pl. 125, f. F, 1779; KIRBY, Cat. Lep. Het., i, 697, 1892. So. Am., Fla.
690. *œnotrus* STOLL, Pap. Exot., iv, pl. 301, f. C, 1780; SMITH, C. 160; SCHAUß, Ent. News, ix, 136, 1898. So. Am., Fla.
 syn. *melancholica* GROTE, *juniperæ* BOISDUVAL, *cinerosa* GROTE, *piperis* BOISDUVAL.
691. *crameri* SCHAUß, Ent. News, ix, 136, 1898. So. Am., Fla.

692. *obscura* FABRICIUS, Syst. Ent., 538, 1775; SMITH, C. 157. So. Am., Fla., occ. northw.
 syn. *stheno* HÜBNER, *rhabus* BOISDUVAL.
a. domingonis BUTLER, Proc. Zool. Soc. Lond., 258, 1875; SMITH, C. 161.
 syn. *festa* HY. EDWARDS.

CAUTETHIA Grote.

GROTE, Ann. Lyc. Nat. Hist. N. Y., viii, 202, 1867; KIRBY, Cat. Lep. Het., i, 699, 1892.

693. *noctuiformis* WALKER, Cat. Brit. Mus., viii, 232, 1856; KIRBY, Cat. Lep. Het., i, 699, 1892. Antilles,
 So. Fla.
a. grotei HY. EDWARDS, Papilio, ii, 1882; SMITH, C. 163.

DILUDIA Grote & Robinson.

GROTE & ROBINSON, Proc. Ent. Soc. Phil., v, 188, 1865.

- *694. *brontes* DRURY, Ill. Exot. Ent., ii, pl. 129, f. 4, 1773; KIRBY, Cat. Lep. Het., i, 681, 1892. Antilles,
 So. Fla.
 syn. *collaris* WALKER.
 *695. *cubensis* GROTE & ROBINSON, Proc. Ent. Soc. Phil., v, 189, 1865; KIRBY, Cat. Lep. Het., i, 681, 1892. Antilles,
 So. Fla.

PHLEGETHONTIUS Hübner.

HÜBNER, Verz. bek. Schmett., 140, 1822; KIRBY, Cat. Lep. Het., i, 687, 1892.

696. *quinquemaculata* HAWORTH, Lep. Brit., 59, 1803; SMITH, C. 165. No.
 U. S.
 syn. *celeus* HÜBNER.
 697. *sexta* JOHANSSEN, Amoen. Acad., vi, 410, 1764; SMITH, C. 167. So. Am., U. S.
 syn. *carolina* LINNÆUS.

698. *rustica* FABRICIUS, Syst. Ent., 540, 1775; SMITH, C. 168. So. Am., So. States.

syn. *chionanthi* SMITH & ABBOT.

699. *convolvuli* LINNÆUS, Syst. Nat., 490, 1758; KIRBY, Cat. Lep. Het., i, 690, 1892; MEYRICK, Faun. Hawai., i, 193, 1899. Eur., Asia.
a. cingulata FABRICIUS, Syst. Ent., 545, 1775; SMITH, C. 170; DYAR, Ent. News, vi, 195, 1895. So. Am., So. States, Hawaii.
 syn. *affinis* GOEZE, *pungens* ESCHSCHOLTZ, *druræi* DONAVAN, *decolorata* HY. EDWARDS.

SPHINX Linnæus.

- LINNÆUS, Syst. Nat., 489, 1758; KIRBY, Cat. Lep. Het., i, 690, 1892.
700. *kalmiæ* SMITH & ABBOT, Lep. Ins., Ga., i, 73, 1797; Atl. States. SMITH, C. 177.
- *700. *franckii* NEUMOEGEN, Ent. News, iv, 133, 1893. Mo.
701. *drupiferarum* SMITH & ABBOT, Lep. Ins. Ga., i, 71, 1797; SMITH, C. 177.
a. utahensis HY. EDWARDS, Pap., i, 115, 1881.
702. *perelegans* HY. EDWARDS, Proc. Cal. Acad. Sci., v, 109, 1874; SMITH, C. 179. Cal.
703. *gordius* STOLL, Pap. Exot., iii, pl. 247, f. B., 1780; SMITH, C. 189.
syn. *poecila* STEPHENS.
704. *luscitiosa* CLEMENS, Jn. Acad. Nat. Sci. Phil., iv, 172, 1859; SMITH, C. 181. Atl. States.
705. *vancouverensis* HY. EDWARDS, Proc. Cal. Acad. Sci., v, 111, 1874; SMITH, C. 183. West. States, Rocky Mts.
syn. *rashti* STRECKER.
a. albescens TEPPER, Bull. Brook. Ent. Soc., iv, 1, 1881; SMITH, C. 182.
706. *chersis* HÜBNER, Samml. exot. Schmett., ii, 1824; SMITH, C. 184. U. S.
syn. *cinerea* HARRIS, *oreocaphne* HY. EDWARDS.
a. libocedrus HY. EDWARDS, Pap., iv, 115, 1881.
- *707. *insolita* LINTNER, Pap., iv, 145, 1884; SMITH, C. 186. Tex.
708. *pinastri* LINNÆUS, Syst. Nat., 492, 1758; SMITH, C. 186.
syn. *saniptri* STRECKER.
709. *sequoiæ* BOISDUVAL, Ann. Soc. Ent. Belg., xii, 86, 1868; SMITH, C. 188. Cal.
- *710. *dollii* NEUMOEGEN, Pap., i, 149, 1881; SMITH, C. 189. Ariz.
711. *coloradus* SMITH, Ent. Amer., iii, 153, 1887; C. 189. Col.
712. *elsa* STRECKER, Lep. Rhop. Het., 126, 1878; SMITH, C. 189. Ariz., Utah.
713. *canadensis* BOISDUVAL, Sp. Gén. Het., 93, 1875; SMITH, C. 190. No. Atl. States.
syn. *plota* STRECKER.

*714. <i>eremitoïdes</i> STRECKER, Lep. Rhop. Het., 93, 1874; SMITH, C. 191.	S.-W. States.
715. <i>andromeda</i> BOISDUVAL, Lép. Guat., 74, 1870; SMITH, C. 191; SCHAUS, Ent. News, vi, 142, 1895. syn. <i>separatus</i> NEUMOEGEN.	S.-W. States.
*715. 1. <i>lugens</i> WALKER, Cat. Brit. Mus., viii, 219, 1856; SCHAUS, Ent. News, vi, 143, 1895.	U. S. & SCHAUS,
716. <i>eremitus</i> HÜBNER, Samml. exot. Schmett., ii, 1824; SMITH, C. 193. syn. <i>sordida</i> Harris.	Atl. States.
717. <i>plebeia</i> FABRICIUS, Gen. Ins., 273, 1777; SMITH, C. 194.	Atl. States.
*718. <i>eupressi</i> BOISDUVAL, Sp. Gén. Het., i, 102, 1875; SMITH, C. 195.	So. States.

DOLBA Walker.

WALKER, Cat. Brit. Mus., viii, 229, 1856; SMITH, C. 195.

719. <i>hylæus</i> DRURY, Ill. Exot. Ent., ii, 45, 1773; SMITH, C. 196.	Atl. States.
syn. <i>prini</i> SMITH & ABBOT.	

CHLÆNOGRAMMA Smith.

SMITH, Ent. Amer., iii, 154, 1887; C. 197.

720. <i>jasminearum</i> BOISDUVAL, Icon. Rég. An. Ins., 494, 1844; SMITH, C. 199.	Atl. States.
---	--------------

CERATOMIA Harris.

HARRIS, Am. Jn. Sci., xxxvi, 286, 1839; SMITH, C. 200.

721. <i>amyntor</i> GEYER, Zutr. exot. Schmett., iii, 1824; SMITH, C. 201.	Atl. States, Miss. Vall.
syn. <i>quadricornis</i> HARRIS.	
722. <i>undulosa</i> WALKER, Cat. Brit. Mus., viii, 231, 1856; SMITH, C. 203.	Atl. States, Miss. Vall.
syn. <i>repentinus</i> CLEMENS.	
723. <i>hageni</i> GROTE, Bull. Buff. Soc., ii, 149, 1874; SMITH, C. 204.	Tex.
724. <i>catalpæ</i> BOISDUVAL, Sp. Gén. Het., i, 103, 1875; SMITH, C. 205.	So. States.

LA PARA Walker.

- WALKER, Cat. Brit. Mus., viii, 232, 1856; *Ellema CLEMENS*; SMITH, C. 206.
 725. *bombycoides* WALKER, Cat. Brit. Mus., viii, 232, Atl. States,
 1856; SMITH, C. 205. Miss. Vall.
 syn. *harrisii* CLEMENS.
a. pinetum LINTNER, Ent. Cont., i, 37, 1872;
 SMITH, C. 209.
 726. *coniferarum* SMITH & ABBOT, Lep. Ins. Ga., i, 83, So.
 1797; SMITH, C. 210. States.
 syn. *cana* MARTYN.

EXEDRIUM Grote.

- GROTE, Check List, 11, 1882; SMITH, C. 211.
 *727. *halicarniæ* STRECKER, Bull. Brook. Ent. Soc., iii, Fla.
 35, 1880; SMITH, C. 211.

MARUMBA Moore.

- MOORE, Lep. Ceylon, ii, 8, 1882; KIRBY, Cat. Lep. Het., i, 706, 1892.
 728. *modesta* HARRIS, Am. Journ. Sci., xxxvi, 292, U. S.
 1839; SMITH, C. 216.
 syn. *princeps* WALKER, *populicola* BOISDUVAL,
cablei VON REIZENSTEIN, *occidentalis* HY.
 EDWARDS.
a. imperator STRECKER, Lep. Rhop. Het., 125,
 1878; SMITH, C. 217.

SMERINTHUS Latreille.

- LATREILLE, Hist. Nat. Ins., iv, 209, 1802; SMITH, C. 218.
 729. *jamaicensis* DRURY, Ill. Exot. Ent., ii, 43, 1773; Atl.
 SMITH, C. 219. States.
 syn. *geminatus* SAY, *tripartitus* GROTE.
 730. *cerysii* KIRBY, Faun. Bor. Amer., iv, 301, 1827; No. Atl.
 SMITH, C. 223. States.
a. astarte STRECKER, Proc. Acad. Nat. Sci. Phil., Col.
 36, 283, 1884; SMITH, C. 223.
b. ophthalmicus BOISDUVAL, Ann. Soc. Ent. Fr., No. Pac.
 xii, 67, 1869; SMITH, C. 221. States.
 syn. *pallidulus* HY. EDWARDS, *vancouverensis*
 BUTLER.

PAONIAS Hübner.

HÜBNER, Verz. bek. Schmett., 142, 1822; KIRBY, Cat. Lep. Het., 712, 1892; SMITH, C. 226.

731. *excæcatus* SMITH & ABBOT, Lep. Ins. Ga., i, 49, 1797; SMITH, C. 226. Atl. States.
 syn. *paronia* GEYER.
732. *myops* SMITH & ABBOT, Lep. Ins. Ga., i, 51, 1797; SMITH, C. 227. Atl. States, Miss. Vall.
 syn. *roseatearum* BOISDUVAL.
733. *astylus* DRURY, Ill. Exot. Ent., ii, 45, 1773; SMITH, C. 228. Atl. States.
 syn. *integerrima* HARRIS, *io* BOISDUVAL.

CRESSONIA Grote & Robinson.

GROTE & ROBINSON, Proc. Ent. Soc. Phil., v, 161, 1865; SMITH, C. 229.

734. *juglandis* SMITH & ABBOT, Lep. Ins. Ga., i, 57, 1797; SMITH, C. 230; KIRBY, Cat. Lep. Het., i, 713, 1892. Atl. States, Miss. Vall.
 syn. *robinsonii* BUTLER, *pallens* STRECKER,
hyperbola SLOSSON.

ARCTONOTUS Boisduval.

BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 319, 1852; SMITH, C. 232.

735. *lucidus* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 319, 1852; SMITH, C. 232; KIRBY, Cat. Lep. Het., i, 714, 1892. Pae. States.

Superfamily SATURNOIDEA.

Family SATURNIIDÆ.

(C.=SMITH, Proc. U. S. Nat. Mus., 414-437, 1886; NEUMOGEN & DYAR, Journ. N. Y. Ent. Soc., ii, 121-132, 1894.)

PHILOSAMIA Grote.

- GROTE, Proc. Am. Phil. Soc., xiv, 258, 1874; KIRBY, Cat. Lep. Het., i, 748, 1892.
736. *cynthia* DRURY, Ill. Exot. Ent., ii, pl. 6, f. 2, 1773; SMITH, C. 146; NEUMOGEN & DYAR, C. 121; HAMPSON, Moths Ind., i, 16, 1892. Japan to Java, Atl. coast cities.
 syn. *aurotus* FABRICIUS, *insularis* VOLLENHOVEN, *vesta* WALKER, *cunningii* WALKER, *walkeri* FELDER, *pryeri* BUTLER.

ROTHSCHILDIA Grote.

GROTE, Verh. Ges. deutsch. Nat. Aerzte, 68, 2 div., 1 Heft, 204, 1897.

737. *orizaba* WESTWOOD, Proc. Zool. Soc. Lond., 158, 1853; KIRBY, Cat. Lep. Het., i, 747, 1892. Mex., Ariz.
 738. *jorulla* WESTWOOD, Proc. Zool. Soc. Lond., 159, 1853; NEUMOEGEN & DYAR, C. 122. Mex., Ariz.
 syn. *cinctus* TEPPER.

SAMIA Hübner.

HÜBNER, Verz. bek. Schmett., 156, 1822; NEUMOEGEN & DYAR, C. 123.

739. *cecropia* LINNAEUS, Syst. Nat., i, 447, 1758; SMITH, C. 427. Atl. States.
 740. *gloveri* STRECKER, Lep. Rhop. Het., i, 1, 1872; SMITH, C. 425. Rocky Mts., Ariz.
 " *reducta* NEUMOEGEN, Ent. News, ii, 152, 1891; NEUMOEGEN & DYAR, C. 123.
 741. *columbia* SMITH, Proc. Bost. Soc. Nat. Hist., ix, 343, 1865; C. 424. N. Atl. States.
 742. *rubra* BEHR, Proc. Cal. Acad. Sci., i, 46, 1855; NEUMOEGEN & DYAR, C. 124. Pac. States.
 syn. *euryalus* BOISDUVAL, *californica* GROTE, *ceanothi* BEHR.

CALLOSAMIA Packard.

PACKARD, Proc. Ent. Soc. Phil., iii, 379, 1864; NEUMOEGEN & DYAR, C. 124.

743. *calleta* WESTWOOD, Proc. Zool. Soc. Lond., 166, 1853; NEUMOEGEN & DYAR, C. 124. Mex., Ariz.
 syn. *polyommata* TEPPER.
 744. *promethia* DRURY, Ill. Exot. Ent., ii, pl. 11, f. 1, 1773; SMITH, C. 423. Atl. States.
 745. *angulifera* WALKER, Cat. Brit. Mus., v, 1224, 1855; SMITH, C. 424. Atl. States.

AGAPEMA Neumoegen & Dyar.

NEUMOEGEN & DYAR, Journ. N. Y. Ent. Soc., ii, 125, 1894.

746. *galbina* CLEMENS, Proc. Acad. Nat. Sci. Phil., 156, 1860; SMITH, C. 431. Mex., Ariz.

TROPÆA Hübner.

- HÜBNER, Verz. bek. Schmett., 152, 1822; KIRBY, Cat. Lep. Het., i, 765, 1892.
747. *luna* LINNÆUS, Syst. Nat., 496, 1758; SMITH, C. 429. Atl. States,
Miss. Val.
- a. dictynna* WALKER, Cat. Brit. Mus., vi, 1264, 1855.
- b. rossi* ROSS, Cat. Lep. Can., 5, note, 1872; NEUMOEGEN & DYAR, C. 126.

TELEA Hübner.

- HÜBNER, Verz. bek. Schmett., 154, 1822; SMITH, C. 429.
748. *polyphemus* CRAMER, Pap. Exot., i, pl. 5, f. A, 1775; SMITH, C. 430; NEUMOEGEN & DYAR, C. 126. U. S.
- syn. *paphia* LINNÆUS, *fenestra* PERRY, *oenea* NEUMOEGEN.

SATURNIA Schrank.

- SCHRANK, Faun. Boica, ii, (1), 149; NEUMOEGEN & DYAR, C. 126.
749. *mendocino* BEHRENS, Can. Ent., viii, 149, 1876; SMITH, C. 432. No. Cal.

AUTOMERIS Hübner.

- HÜBNER, Verz. bek. Schmett., 154, 1822; NEUMOEGEN & DYAR, C. 127.
- *750. *zelleri* GROTE & ROBINSON, Trans. Am. Ent. Soc., ii, 193, 1868; SMITH, C. 434. Mex., ?
Tex., ?
751. *pamina* NEUMOEGEN, Pap., ii, 60, 1882; SMITH, C. 435; NEUMOEGEN & DYAR, C. 127. Ariz.,
Mex.
- a. aurosea* NEUMOEGEN, Pap., ii, 61, 1882.
syn. *boucardi* DRUCE, Biol. Cent. Am., Lep. Het., i, 178, pl. 17, f. 5, 1886.
- *752. *zephyria* GROTE, Can. Ent., xiv, 215, 1882; SMITH, C. 436. N. Mex.
753. *io* FABRICIUS, Syst. Ent., 560, 1775; SMITH, C. 434; NEUMOEGEN & DYAR, C. 128. Eastern
U. S., Mex.
- syn. *corollaria* PERRY, *varia* WALKER, *fabricii* BOISDUVAL, *argus* NEUMOEGEN & DYAR.
- a. lilith* STRECKER, Lep. Rhop. Het., 139, 1878.

THAUMA Hy. Edwards.

- HY. EDWARDS, Proc. Cal. Acad. Sci., v, 265, 1875; NEUMOEGEN & DYAR, C. 128.
754. *socialis* FEISTHAMEL, Mag. Zool., pl. 20, f. 1, 1839; NEUMOEGEN & DYAR, C. 128. Peru, Chile,
Brit. Col., ?
- syn. *angulifera* WALKER, *ribis* HY. EDWARDS.

COLORADIA Blake.

BLAKE, Proc. Ent. Soc. Phil., ii, 279, 1863; SMITH, C. 436.

755. *pandora* BLAKE, Proc. Ent. Soc. Phil., ii, 279, 1863; NEUMOEGEN & DYAR, C. 129. Rocky Mts.
a. doris BARNES, Can. Ent., xxxii, 46, 1900.

HEMILEUCA Walker.

WALKER, Cat. Brit. Mus., v, 1319, 1855; NEUMOEGEN & DYAR, C. 129.

756. *electra* WRIGHT, Pap., iv, 19, 1884; NEUMOEGEN & DYAR, C. 129. So. Cal.
 757. *maia* DRURY, Ill. Exot. Ent., ii, pl. 24, f. 3, 1773; NEUMOEGEN & DYAR, C. 130. Atl. States, Col.
 syn. *proserpina* FABRICIUS.
a. lucina HY. EDWARDS, Ent. Am., ii, 14, 1887.
 758. *nevadensis* STRETCH, Zyg. Bomb. N. A., 108, 1872; NEUMOEGEN & DYAR, C. 130. Rocky Mts. to Pacific.
 syn. *californica* WRIGHT, *artemis* PACKARD.
 759. *juno* PACKARD, Rep. Peab. Acad. Sci., iv, 87, 1872; NEUMOEGEN & DYAR, C. 130. Mex., Ariz.
 syn. *yarapai* NEUMOEGEN.
 *760. *grotei* GROTE & ROBINSON, Trans. Am. Ent. Soc., ii, 192, 1868; NEUMOEGEN & DYAR, C. 131. Col., Tex.
 syn. *diana* PACKARD.
 761. *neumoegenii* HY. EDWARDS, Pap., i, 171, 1881; NEUMOEGEN & DYAR, C. 131. Ariz., Cal.
 762. *tricolor* PACKARD, Rep. Peab. Acad., iv, 89, 1872; NEUMOEGEN & DYAR, C. 131. N. Mex.
 763. *hualapai* NEUMOEGEN, Pap., iii, 138, 1883; NEUMOEGEN & DYAR, C. 131. Ariz., Mex.
a. sororius HY. EDWARDS, Pap., i, 100, 1881; NEUMOEGEN & DYAR, C. 129, note.
b. oliviae COCKERELL, Psyche, viii, 252, 1898.

PSEUDOHAZIS Grote & Robinson.

GROTE & ROBINSON, Ann. Lyc. Nat. Hist. N. Y., viii, 377, 1866; NEUMOEGEN & DYAR, C. 131.

764. *eglanterina* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 323, 1852; NEUMOEGEN & DYAR, C. 132. Rocky Mts. to Ariz.
 syn. *arizonensis* STRECKER.
a. nuttalli STRECKER, Lep. Rhop. Het., 107, 1875.

765. *shastaensis* BEHRENS, No. Am. Ent., i, 62, 1880; NEUMOEGEN & DYAR, C. 132. Pac. States, Col.
a. denudata NEUMOEGEN, Can. Ent., xxiii, 145, 1891.
766. *hera* HARRIS, Rep. Ins. Mass., 286, 1841; NEUMOEGEN & DYAR, C. 132. W. Col., Utah, E. Or.
 syn. *picta* WALKER.
a. marcata NEUMOEGEN, Can. Ent., xxiii, 146, 1891; NEUMOEGEN & DYAR, C. 132.

HYLESIA Hübner.

HÜBNER, Verz. bek. Schmett., 186, 1822.

766. 1. *alinda* DRUCE, Biol. Cent. Am., Lep. Het., i, 197, 1886. Mex., Ariz.

Family CERATOCAMPIDIÆ.

(C.=NEUMOEGEN & DYAR, Journ. N. Y. Ent. Soc., ii, 147-152, 1894.)

ANISOTA Hübner.

HÜBNER, Verz. bek. Schmett., 193, 1822; NEUMOEGEN & DYAR, C. 147.

767. *stigma* FABRICIUS, Syst. Ent., 563, 1775; NEUMOEGEN & DYAR, C. 147. Atl. States.
 768. *senatoria* SMITH & ABBOT, Lep. Ins. Ga., pl. 57, 1797; NEUMOEGEN & DYAR, C. 147. Atl. States.
 769. *consularis* DYAR, Journ. N. Y. Ent. Soc., iv, 166, 1896. Fla.
 770. *virginiensis* DRURY, Ill. Exot. Ent., ii, pl. 13, f. 2, 1773; NEUMOEGEN & DYAR, C. 148. Atl. States.
 syn. *astymone* OLIVIER, *pellucida* HERRICH-SCHAEFFER.
 771. *rubicunda* FABRICIUS, Syst. Ent., 429, iii, (1), 1793; NEUMOEGEN & DYAR, C. 148. Atl. States.
a. alba GROTE, Bull. Buff. Soc., ii, 183, 1874.
 syn. *pallida* BOWLES.

ADELOCEPHALA Herrich-Schaeffer.

HERRICH-SCHAEFFER, Auss. Schmett., i, 9, 1855; KIRBY, Cat. Lep. Het., i, 741, 1892;
 DYAR, Proc. Ent. Soc. Wash., iv, 427, 1901.

772. *bicolor* HARRIS, Rep. Ins. Mass., 203, 1841; NEUMOEGEN & DYAR, C. 148. Miss. Val.
 syn. *distigma* WALSH.
a. suprema NEUMOEGEN, Ent. Amer., i, 94, 1885;
 NEUMOEGEN & DYAR, C. 149.
b. immaculata JEWETT, Pap., ii, 144, 1882.

SYSSPHINX Hübner.

HÜBNER, Verz. bek. Schmett., 143, 1822; KIRBY, Cat. Lep. Het., i, 741, 1892; DYAR, Proc. Ent. Soc. Wash., iv, 428, 1901.

773. quadrilineata GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 11, 1867; NEUMOEGEN & DYAR, C. 149. Miss. Val.
774. bisecta LINTNER, Can. Ent., xi, 10, 1879; NEUMOEGEN & DYAR, C. 149. Tex.
- syn. *nebulosa* NEUMOEGEN.
775. heiligbrodti HARVEY, Can. Ent., ix, 110, 1871; NEUMOEGEN & DYAR, C. 149. Ariz.
- a. hubbardi* DYAR (dark stone-gray instead of pale gray).

CITHERONIA Hübner.

HÜBNER, Verz. bek. Schmett., 153, 1822; NEUMOEGEN & DYAR, C. 150.

776. regalis FABRICIUS, Syst. Nat., iii, (1), 436, 1793; NEUMOEGEN & DYAR, C. 150. Atl. States.
- syn. *regia* SMITH & ABBOT.
- a. infernalis* STRECKER, Pap., iv, 73, 1883.
- b. saengeri* NEUMOEGEN, Ent. News, ii, 151, 1891.
777. sepulchralis GROTE & ROBINSON, Proc. Ent. Soc. Phil., iv, 222, 1865; NEUMOEGEN & DYAR, C. 151. Atl. States.

BASILONA Boisduval.

BOISDUVAL, Ann. Soc. Ent. Fr., (4), viii, 314, 1868; NEUMOEGEN & DYAR, C. 151.

778. imperialis DRURY, Ill. Exot. Ent., i, pl. 9, f. 1, 1773; NEUMOEGEN & DYAR, C. 151. Atl. States.
- syn. *imperatoria* SMITH & ABBOT, *punctatissima* NEUMOEGEN.
- a. didyma* DE BEAUVOIS, Ins. Afr. Amér., 52, pl. 20, 1805; NEUMOEGEN & DYAR, C. 157.
- b. nobilis* NEUMOEGEN, Ent. News, ii, 150, 1891.

Superfamily BOMBYCOIDEA.

Family SYNTOMIDÆ.

(C.=HAMPSON, Cat. Lep. Phal. Brit. Mus., i, 1898.)

COSMOSOMA Hübner.

- HÜBNER, Samml. exot. Schmett., ii, 1827; HAMPSON, C. 225.
779. auge LINNÆUS, Syst. Nat., i, (2), 807, 1767; So. Am., HAMPSON, C. no. 477. Mex., Fla.
- syn. *omphale* HÜBNER, *melitta* MÖSCHLER.

SYNTOMEIDA Harris.

HARRIS, Ann. Jn. Sci., xxxvi, 316, 1839; HAMPSON, C. 305.

780. *ipomeæ* HARRIS, Ann. Jn. Sci., xxxvi, 316, 1839; HAMPSON, C. no. 679. So. States.

syn. *ferox* WALKER, *ceterpe* HERRICH-SCHAFFER.

781. *epilais* WALKER, Cat. Brit. Mus., i, 227, 1854; HAMPSON, C. no. 680. Fla., So. Am.

PSEUDOMYA Hübner.

HÜBNER, Verz. bek. Schmett., 124, 1827; HAMPSON, C. 262.

782. *minima* GROTE, Proc. Ent. Soc. Phil., vi, 298, 1867; HAMPSON, C. no. 569. Cuba, Fla.

DIDASYS Grote.

GROTE, Can. Ent., vii, 174, 1875; HAMPSON, C. 360.

783. *belæ* GROTE, Can. Ent., vii, 145, 1875; HAMPSON, C. no. 797. Fla.

HORAMA Hübner.

HÜBNER, Verz. bek. Schmett., 124, 1827; HAMPSON, C. 417.

784. *texana* GROTE, Proc. Ent. Soc. Phil., vi, 184, 1867; HAMPSON, C. no. 928. Cent. Am., Mex., Tex.

EUCEREON Hübner.

HÜBNER, Verz. bek. Schmett., 123, 1827; HAMPSON, C. 485.

785. *confine* HERRICH-SCHAFFER, Ausser. Schmett., f. 277, 1855; HAMPSON, C. no. 1117. Cent. Am., Mex., Fla.
syn. *carolina* HY. EDWARDS.

LYMIRE Walker.

WALKER, Cat. Brit. Mus., ii, 489, 1854; HAMPSON, C. 414.

786. *edwardsi* GROTE, Pap., i, 4, 1881; HAMPSON, C. no. 923. Fla.

SCEPSIS Walker.

WALKER, Cat. Brit. Mus., ii, 285, 1854; HAMPSON, C. 520.

787. *fulvicollis* HÜBNER, Samml. exot. Schmett., i, 1827; HAMPSON, C. no. 1148. Atl. States to Rocky Mts.

syn. *semidiaphana* HARRIS.

- a. pallens* HY. EDWARDS, Ent. Amer., ii, 8, 1886.

788. *packardii* GROTE, Proc. Ent. Soc. Phil., iv, 318, 1865. No. Pac. States.
 syn. *matthewi* GROTE.
789. *wrightii* STRETCH, Ent. Amer., i, 101, 1885; HAMPSON, C. no. 1149. Cal.
HAMPSON, C. no. 1149.
a. gravis HY. EDWARDS, Ent. Amer., ii, 8, 1886.

LYCOMORPHA Harris.

HARRIS, Ann. Jn. Sci., xxxvi, 317, 1839; HAMPSON, C. 522.

790. *grotei* PACKARD, Proc. Essex Ins., iv, 47, 1864; HAMPSON, C. no. 1152. Rocky Mts., Tex.
 syn. *palmeri* PACKARD.
a. pulchra DYAR, Jn. N. Y. Ent. Soc., vi, 34, 1898.
- *791. *fulgens* HY. EDWARDS, Pap., i, 116, 1881; HAMPSON, C. no. 1153. N. Mex., Ariz.
792. *pholus* DRURY, Ill. Exot. Ent., ii, pl. 28, f. 3, 1773; HAMPSON, C. no. 1154. U. S.
a. miniata PACKARD, Rep. Peab. Acad., iv, 84, 1872.
- *792. 1. *desertus* HY. EDWARDS, Pap., i, 81, 1881; NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., ii, 173, 1894. (Type lost.) Ariz.

CTENUCHA Kirby.

KIRBY, Faun. Bor. Am., iii, 305, 1837; HAMPSON, C. 523.

793. *venosa* WALKER, Cat. Brit. Mus., ii, 284, 1854; HAMPSON, C. no. 1165. Mex., Tex., Col.
794. *cressonana* GROTE, Proc. Ent. Soc. Phil., ii, 64, 1863; NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., i, 106, 1893. Rocky Mts.
a. sanguinaria STRECKER, Rep. Ch. Eng. Ruffner, 1878, app., 1858; HAMPSON, C. no. 1166.
b. lutea GROTE, Can. Ent., xxxiv, 104, 1902.
795. *brunnea* STRETCH, Zyg. Bomb. N. A., i, 30, 1872; HAMPSON, C. no. 1168. Cal.
796. *multifaria* WALKER, Cat. Brit. Mus., ii, 478, 1854; HAMPSON, C. no. 1169. Cal.
a. luteoscapus NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., i, 106, 1893.
797. *rubroscapus* MÉNÉTRIES, Cat. Lép. Pét., ii, 142, 1857; HAMPSON, C. no. 1170. Pae. States.
 syn. *walsinghami* HY. EDWARDS.
a. ochroscapus GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 330, 1868.
 syn. *corvina* BOISDUVAL.

798. *virginica* CHARPENTIER, Esper's Exot. Schmett., No. Atl.
ii, suppl., pl. 2, f. 3, 1830; HAMPSION, C. no. 1171. States.
syn. *latreillana* KIRBY.

DAHANA Grote.

GROTE, Can. Ent., vii, 175, 1875; HAMPSION, C. 531.

799. *atripennis* GROTE, Can. Ent., vii, 175, 1875; HAMP- Fla.
SON, C. no. 1174.

Family LITHOSIIDÆ.

(C.=HAMPSION, Cat. Lep. Phal. Brit. Mus., ii, 1900.)

CRAMBIDIA Packard.

PACKARD, Proc. Ent. Soc. Phil., iii, 99, 1864; HAMPSION, C. 126.

800. *pallida* PACKARD, Proc. Ent. Soc. Phil., iii, 99, No. Atl.
1864; HAMPSION, C. no. 244. States.

801. *uniformis* DYAR, Jn. N. Y. Ent. Soc., vi, 33, 1898; Va.,
HAMPSION, C. no. 246. Md.

802. *cephalica* GROTE & ROBINSON, Trans. Am. Ent. Col.,
Soc., iii, 176, 1870; NEUMOEGEN & DYAR, Jn. Ariz.
N. Y. Ent. Soc., i, 109, 1893.

803. *casta* SANBORN, Packard's Guide Stud. Ins., 284, No. U. S.,
1869; HAMPSION, C. no. 247. Can.
syn. *candida* HY. EDWARDS.

804. *lithosioides* DYAR, Jn. N. Y. Ent. Soc., vi, 33, 1898; Tex.
HAMPSION, C. no. 245.

PALPIDIA Dyar.

DYAR, Jn. N. Y. Ent. Soc., vi, 33, 1898; HAMPSION, C. 513.

805. *pallidior* DYAR, Jn. N. Y. Ent. Soc., vi, 34, 1898; Fla.
HAMPSION, C. no. 1103.

LEXIS Wallengren.

WALLENGREN, Vet. Akad. Handl., (2), 5, (4), 41, 1865; HAMPSION, C. 115.

806. *bicolor* GROTE, Proc. Ent. Soc. Phil., iii, 74, 1864; No. States,
HAMPSION, C. no. 224. Can.
syn. *argillacea* PACKARD.

HYPOPREPIA Hübner.

- HÜBNER, Zutr. exot. Schmett., iii, 21, 1825; HAMPSON, C. 515.
807. *miniata* KIRBY, Faun. Bor. Am., iv, 305, 1837; HAMPSON, C. no. 1108. Atl. States.
syn. *vittata* HARRIS.
- a. subornata* NEUMOEGEN & DYAR, Can. Ent., xxv, 124, 1893.
808. *fucosa* HÜBNER, Zutr. exot. Schmett., f. 471, 1825; HAMPSON, C. no. 1109. Atl. States.
syn. *tricolor* FITCH.
- a. plumbea* HY. EDWARDS, Ent. Amer., ii, 9, 1886.
809. *cadaverosa* STRECKER, Proc. Dav. Acad. Sci., ii, 270, 1878; HAMPSON, C. no. 1110. Rocky Mts.
810. *ineulta* HY. EDWARDS, Pap., ii, 13, 1882; HAMPSON, C. no. 1111. Col.

HÆMATOMONIS Hampson.

- HAMPSON, Cat. Lep. Phal. Brit. Mus., ii, 514, 1900.
811. *mexicana* DRUCE, Biol. Cent. Am., Lep. Het., i, 131, 1885; HAMPSON, C. no. 1106. Mex., Ariz.

COMACLA Walker.

- WALKER, Cat. Brit. Mus., vii, 1679, 1856; HAMPSON, C. 338.
812. *simplex* WALKER, Cat. Brit. Mus., vii, 1679, 1856; HAMPSON, C. no. 712. Rocky Mts., Tex.
syn. *murina* WALKER, *clarus* GROTE & ROBINSON, *terana* FRENCH, Can. Ent., xxxi, 9, 1899.
813. *fuscipes* GROTE, Can. Ent., xi, 86, 1883; NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., i, 114, 1893. Ariz.

NEOPLYNES Hampson.

- HAMPSON, Cat. Lep. Phal. Brit. Mus., ii, 520, 1900.
814. *eudora* DYAR, Ent. News, v, 198, 1894; HAMPSON, C. no. 1117. Tex.

BRUCEIA Neumoegen.

- NEUMOEGEN, Jn. N. Y. Ent. Soc., i, 36, 1893; HAMPSON, C. 514.
815. *pulverina* NEUMOEGEN, Jn. N. Y. Ent. Soc., i, 36, 1893; HAMPSON, C. no. 1105. Col.
816. *hubbardi* DYAR, Jn. N. Y. Ent. Soc., vi, 33, 1898. Ariz.

CLEMENSIA Packard.

PACKARD, Proc. Ent. Soc. Phil., iii, 100, 1864; HAMPSION, C. 398.

817. *albata* PACKARD, Proc. Ent. Soc. Phil., iii, 100, 1864; HAMPSION, C. no. 853. No. U. S., Cal., Mex.
 syn. *albida* WALKER, *cana* WALKER, *umbrata*,
 PACKARD, *irrorata* HY. EDWARDS, *patella*
 DRUCE, *philodina* DRUCE.

- *818. *lactea* STRETCH, Ent. Amer., i, 103, 1883; HAMPSION, C. no. 792. Cal.

OZONADIA Dyar.

DYAR, Psyche, viii, 359, 1899; HAMPSION, C. 365.

819. *schwarziorum* DYAR, Psyche, viii, 359, 1899; HAMPSION, C. no. 769. Mex., Ariz.
 820. *unifascia* GROTE & ROBINSON, Trans. Am. Ent. Soc., ii, 175, 1868; HAMPSION, C. no. 770. So. Atl. States.
a. tenuifascia HARVEY, Bull. Buff. Soc., iii, 4, 1875.

ILLICE Walker.

WALKER, Cat. Brit. Mus., xix, 1019, 1859; HAMPSION, C. 363.

821. *subjecta* WALKER, Cat. Brit. Mus., ii, 534, 1854; HAMPSION, C. no. 776. So. Atl. States.
 syn. *packardi* GROTE.
a. striata OTTOLENGUI, Can. Ent., xxx, 101, 1898; HAMPSION, C. no. 777.
 822. *plumbea* STRETCH, Ent. Amer., i, 102, 1885; HAMPSION, C. no. 787. Tex.
 823. *faustinula* BOISDUVAL, Ann. Soc. Ent. Belg., xii, 73, 1868; HAMPSION, C. no. 787. Cal.
a. fusca STRETCH, Zyg. Bomb. N. A., 49, 1872.
 824. *nexa* BOISDUVAL, Ann. Soc. Ent. Belg., xii, 74, 1868; HAMPSION, C. no. 785. Cal.
 syn. *grisea* PACKARD, *deserta* FELDER.

Family ARCTIIDÆ.

(C.=HAMPSION, Cat. Lep. Phal. Brit. Mus., iii, 1901.)

PTYCHOGLENE Felder.

FELDER, Reise Novara, Lep., iv, pl. 106, f. 26, 1874.

- *825. *coccinea* HY. EDWARDS, Ent. Amer., ii, 9, 1886. Ariz.

826. *phrada* DRUCE, Ann. Mag. Nat. Hist., (6), iv, 90, 1889; HAMPSHON, C. ii, no. 507. Ariz., Mex.
 syn. *flammanus* DYAR, Jn. N. Y. Ent. Soc., vi, 39, 1898.
827. *sanguineola* BOISDUVAL, Lép. Guat., 95, 1870; HAMPSHON, C. ii, no. 505. Ariz., Mex.

EUBAPHE Hübner.

HÜBNER, Zutr. exot. Schmett., ii, 9, 1823; HAMPSHON, C. 188.

828. *læta* GUÉRIN, Icon. Ins., pl. 88, f. 6, 1829; HAMPSHON, C. no. 1567. Atl. States.
 syn. *treatii* GROTE, *rubropicta* PACKARD.
829. *intermedia* GRAEF, Ent. Amer., iii, 42, 1887; HAMPSHON, C. no. 1575. Tex., Col.
 a. *parvula* NEUMOEGEN & DYAR, Ent. News, iv, 140, 1893.
 syn. *cocciniceps* SCHAUS, Ann. Mag. Nat. Hist., (7), vii, 269, 1901; HAMPSHON, C. no. 1565.
830. *ostenta* HY. EDWARDS, Pap., i, 12, 1881; HAMPSHON, C. no. 1568. Ariz.
831. *fragilis* STRECKER, Rep. Eng. Ruffner, v, app., 1859, 1878; HAMPSHON, C. no. 1574. Tex.
 syn. *costata* STRETCH, *opelloides* GRAEF.
832. *opella* GROTE, Proc. Ent. Soc. Phil., i, 345, 1863; HAMPSHON, C. no. 1576. Atl. States.
 syn. *obscura* STRECKER, *rubricosta* EHRMAN.
 a. *nigricans* REAKIRT, Proc. Ent. Soc. Phil., ii, 371, 1864.
 syn. *nigrifera* WALKER.
 b. *belmaria* EHRMAN, Can. Ent., xxvii, 345, 1895.
833. *immaculata* REAKIRT, Proc. Ent. Soc. Phil., ii, 372, 1864; SMITH, Can. Ent., xxi, 195, 1889. Atl. States.
 a. *trimaculosa* REAKIRT, Proc. Ent. Soc. Phil., ii, 372, 1864.
834. *aurantiaca* HÜBNER, Zutr. exot. Schmett., f. 411, 1825; HAMPSHON, C. no. 1573. Atl. States to Rocky Mts., Mex.
 a. *rubicundaria* HÜBNER, Zutr. exot. Schmett., f. 511, 1825.
 syn. *rosa* FRENCH, *diminutiva* GRAEF.
 b. *ferruginosa* WALKER, Cat. Brit. Mus., ii, 535, 1854; SMITH, Can. Ent., xxi, 195, 1889.
 c. *brevicornis* WALKER, Cat. Brit. Mus., ii, 536, 1855.
 syn. *belfragei* STRETCH.

- d. quinaria* GROTE, Proc. Ent. Soc. Phil., ii, 30,
1863.
syn. *choriona* REAKIRT, *bimaculata* SAUNDERS.

DODIA Dyar.

DYAR, Jn. N. Y. Ent. Soc., ix, 85, 1901.

835. *albertæ* DYAR, Jn. N. Y. Ent. Soc., ix, 85, 1901. Alberta.

UTETHEISA Hübner.

HÜBNER, Verz. bek. Schmett., 168, 1823; HAMPSON, C. 480.

836. *bella* LINNÆUS, Syst. Nat., 534, 1858; HAMPSON, C. no. 2091. Atl. States.
a. hybrida BUTLER, Trans. Ent. Soc. Lond., 361, 1877.
 syn. *intermedia* BUTLER.
b. terminalis NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., i, 162, 1893.
c. venusta DALMAN, Anal. Ent., 28, 1823.
 syn. *speciosa* WALKER.
 837. *ornatrix* LINNÆUS, Syst. Nat., 511, 1758; HAMPSON, C. no. 2090. Fla., Antilles, So. Am.
a. stretchii BUTLER, Trans. Ent. Soc. Lond., 361, 1877.
 syn. *pura* BUTLER.

HAPLOA Hübner.

HÜBNER, Verz. bek. Schmett., 182, 1822; SMITH, Proc. U. S. Nat. Mus., 338, 1887; LYMAN, Can. Ent., xix, 181, 1887; HAMPSON, C. 492.

838. *elymene* BROWN, Ill. Zool., 96, 1776; HAMPSON, C. no. 2099. Atl. States.
 syn. *interruptomarginata* DE BEAUVOIS, *comma* WALKER.
 839. *colona* HÜBNER, Eur. Schmett., ii, 135, 1804; HAMPSON, C. no. 2100. Atl. States.
 syn. *carolina* HARRIS.
a. reversa STRETCH, Ent. Amer., i, 104, 1885.
 syn. *suffusa* SMITH.
b. fulvicosta CLEMENS, Proc. Acad. Nat. Sci. Phil., 536, 1861; HAMPSON, C. no. 2103.
 syn. *duplicata* NEUMOEGEN & DYAR.
c. consita WALKER, Cat. Brit. Mus., xxxii, 377, 1865.
 syn. *lactata* SMITH.
d. triangularis SMITH, Ent. News, x, 126, 1899.

840. *lecontei* BOISDUVAL, Icon. Reg. An., Ins., 517, 1829; HAMPSON, C. no. 2101. Atl. States.
 syn. *lencomelas* HERRICH-SCHAEFFER.
a. dyari MERRICK, Ent. News, xii, 45, 1901.
b. confinis WALKER, Cat. Brit. Mus., iii, 651, 1855.
c. militaris HARRIS, Rep. Ins. Mass., 243, 1841.
d. harrisii DYAR (oblique band broken).
e. smithii DYAR (marks broken and confused).
f. vestalis PACKARD, Proc. Ent. Soc. Phil., iii, 108, 1864; HAMPSON, C. no. 2105.
841. *confusa* LYMAN, Can. Ent., xix, 185, 1887; HAMPSON, C. no. 2104. No. Atl. States.
a. lymani DYAR (marks broken and reduced).
842. *contigua* WALKER, Cat. Brit. Mus., iii, 651, 1855; HAMPSON, C. no. 494. Atl. States.
a. lumbonigera DYAR (outer band broken or absent).

EUERYTHRA Harvey.

HARVEY, Can. Ent., viii, 5, 1876; HAMPSON, C. 254.

843. *phasma* HARVEY, Can. Ent., viii, 5, 1876; HAMPSON, C. no. 1695. Tex.
 844. *trimaculata* SMITH, Ent. Amer., iii, 17, 1887; HAMPSON, C. no. 1696. Tex.

ECPANTHERIA Hübner.

HÜBNER, Verz. bek. Schmett., 183, 1822; HAMPSON, C. 365.

845. *muzina* OBERTHUR, Étud. d'Ent., pl. 12, f. 4, 1881; HAMPSON, C. no. 1928. Tex., Mex.
 syn. *albicollis* OBERTHUR, *thiemei* OBERTHUR,
abscondens OBERTHUR, *depauperata* OBERTHUR,
garzonii OBERTHUR, *xanthonota* OBERTHUR,
yukatanensis OBERTHUR, *sennettii* LINTNER.
846. *deflorata* FABRICIUS, Syst. Ent., 582, 1775; HAMPSON, C. no. 1918. So. Atl. States, Mex
 syn. *scribonia* STOLL, *chryseis* OLIVIER, *oculatissima* SMITH & ABBOT.
a. confluens OBERTHUR, Étud. d'Ent., 110, 1884.
b. denudata SLOSSON, Ent. News, iii, 212, 1888.

TURUPTIANA Walker.

WALKER, Char. Lep. Het., 19, 1869; HAMPSON, C. 425.

847. *permaculata* PACKARD, Fourth Rept. Peab. Acad. Sci., 80, 1872; HAMPSON, C. no. 1995. Rocky Mts., Ariz.
 syn. *reducta* GROTE, *cæca* STRECKER.

LEPTARCTIA Stretch.

STRETCH, Zyg. Bomb. N. A., 118, 1873; HAMPSON, C. 220.

848. *californiae* WALKER, Cat. Brit. Mus., iii, 625, 1855; HAMPSON, C. no. 1634. Rocky Mts., Pae. States.
 syn. *lena* BOISDUVAL, *adnata* BOISDUVAL, *fulrofasciata* BUTLER, *wrightii* FRENCH.
a. decia BOISDUVAL, Ann. Soc. Ent. Belg., xii, 72, 1869.
 syn. *boisdurvalii* BUTLER, *latifasciata* BUTLER, *albifascia* FRENCH, *occidentalis* FRENCH.
b. dimidiata STRETCH, Zyg. Bomb. N. A., 123, 1873.
 syn. *stretchii* BUTLER.

SEIRARCTIA Packard.

PACKARD, Proc. Ent. Soc. Phil., iii, 119, 1864; HAMPSON, C. 422.

849. *echo* SMITH & ABBOT, Lep. Ins. Ga., ii, 135, 1797; HAMPSON, C. no. 1989. So. States.
 syn. *niobe* STRECKER.

ALEXICLES Grote.

GROTE, Trans. Kans. Acad. Sci., viii, 46, 1882.

- *850. *aspersa* GROTE, Trans. Kans. Acad. Sci., viii, 46, 1882; HAMPSON, C. no. 1853. N. Mex.

ESTIGMENE Hübner.

HÜBNER, Verz. bek. Schmett., 184, 1822; HAMPSON, C. 338.

851. *acraea* DRURY, Ill. Exot. Ent., i, pl. 3, f. 2, 1770; HAMPSON, C. no. 1868. U. S., Mex.

syn. *caprotina* DRURY, *menthastrina* MARTYN,
pseuderminea PECK, *californica* PACKARD,
packardi SCHAUAPP, *klagesii* EHRMAN.

- a. dubia* WALKER, Cat. Brit. Mus., iii, 682, 1856.
 syn. *rickseckeri* BEHR, Zoe, iv, 247, 1895;
 SKINNER, Ent. News, vi, 186, 1895.
b. mexicana HAMPSON, Cat. Lep. Phal. Brit. Mus., iii, 345, 1901.

852. *albida* STRETCH, Zyg. Bomb. N. A., 203, 1873; HAMPSON, C. no. 1869. So. Cal.

853. *prima* SLOSSON, Ent. Amer., v, 40, 1889; HAMPSON, C. no. 1869. No. Atl. States.

854. *congrua* WALKER, Cat. Brit. Mus., iii, 669, 1856.
 syn. *antigone* STRECKER; HAMPSON, C. no. 1871.
a. athena STRECKER, Lep. Rhop. Het., suppl. 2, 4, 1899.

HYPHANTRIA Harris.

HARRIS, Rep. Ins. Mass., 255, 1841; HAMPSON, C. 335.

855. *eunea* DRURY, Ill. Exot. Ent., i, pl. 18, f. 4, 1770; HAMPSON, C. no. 1852. So. Atl. States.

syn. *budea* HÜBNER, *punctatissima* SMITH & ABBOT, *punctata* FITCH, *pallida* PACKARD, *suffusa* STRECKER, *brunnea* STRECKER, Lep. Rhop. Het., suppl. 3, 28, 1900.

856. *textor* HARRIS, Rep. Ins. Mass., 255, 1841. U. S.
syn. *candida* WALKER.

ARACHNIS Geyer.

GEYER, Zutr. exot. Schmett., f. 457, 1873; HAMPSON, C. 319.

857. *picta* PACKARD, Proc. Ent. Soc. Phil., iii, 126, 1864; HAMPSON, C. no. 1942. So. Cal.,
a. maia OTTOLENGUI, Ent. News, vii, 125, 1896. Col.
b. citra NEUMOEGEN & DYAR, Ent. News, iv, 140, 1893.
c. hampsoni DYAR (HAMPSON, C. 392, subsp. 2).
d. perotensis SCHAUSS, Ent. Amer., v, 190, 1889.
858. *zuni* NEUMOEGEN, Ent. Amer., vi, 173, 1890; Ariz.
HAMPSON, C. no. 1944.

ISIA Walker.

WALKER, Cat. Brit. Mus., vii, 1698, 1856; *Pyrrharetia* PACKARD, Proc. Ent. Soc. Phil., iii, 120, 1864.

859. *isabella* SMITH & ABBOT, Lep. Ins. Ga., ii, 131, U. S.
1797; HAMPSON, C. no. 1821.
syn. *californica* PACKARD.

PHRAGMATOBIA Stephens.

STEPHENS, Ill. Brit. Ent., Haust., ii, 73, 1830; HAMPSON, C. 233.

860. *fuliginosa* LINNÆUS, Syst. Nat., i, 509, 1758; No. States,
HAMPSON, C. no. 1672. Eur.
syn. *rubricosa* HARRIS.
a. borealis STAUDINGER, Cat. Lep. Eur., 59, 1871.
b. fervida STAUDINGER, Cat. Lep. Eur., 59, 1871.
c. subnigra MILLIÈRE, Lep., vi, pl. 8, f. 7, 1881.
d. pulverulenta ALPHERAKY, Rom. Mém. Lép., v, 84, 1889.

861. *assimilans* WALKER, Cat. Brit. Mus., iii, 630, No. Atl.
1855; HAMPSON, C. no. 1673. States.
a. *franconica* SLOSSON, Ent. News, ii, 41, 1891.

DIACRISIA Hübner.

HÜBNER, Verz. bek. Schmett., 196, 1827; HAMPSON, C. 256; *Rhagonis* WALKER, Trans. Ent. Soc. Lond., (3), i, 270, 1862.

862. *virginica* FABRICIUS, Syst. Ent., suppl., 437, 1798; U. S.
HAMPSON, C. no. 1710.
a. fumosa STRECKER, Lep. Rhop. Het., suppl. 3,
28, 1900.
863. *latipennis* STRETCH, Zyg. Bomb. N. A., 133, 1872; Atl. States.
HAMPSON, C. no. 1706.
864. *rubra* NEUMOEGEN, Pap., i, 79, 1881; HAMPSON, No. Pac. States.
C. no. 1797.
a. walsinghami BUTLER, Ann. Mag. Nat. Hist.,
(5), viii, 311, 1881.
b. danbyi NEUMOEGEN, Ent. News, iv, 141, 1893.
865. *vagans* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x,
322, 1852; HAMPSON, C. no. 1796. Pae. States.
syn. *pteridis* HY. EDWARDS, *bicolor* WALKER,
Trans. Ent. Soc. Lond., (3), i, 270, 1862.
a. rufula BOISDUVAL, Bull. Soc. Ent. Fr., (3), iii,
32, 1855.
syn. *punctata* PACKARD, *proba* HY. EDWARDS.

MÆNAS Hübner.

HÜBNER, Verz. bek. Schmett., 167, 1827; HAMPSON, C. 247.

866. *vestalis* PACKARD, Proc. Ent. Soc. Phil., iii, 125, Pae. States.
1864; HAMPSON, C. no. 1680.
a. amelaina DYAR, Psyche, vi, 512, 1893.

NEOARCTIA Neumoegen & Dyar.

NEUMOEGEN & DYAR, Ent. News, iv, 141, 1893; HAMPSON, C. 233.

867. *brucei* HY. EDWARDS, Ent. Amer., iii, 183; HAMPSON, C. no. 1666. Col.
HAMPSON, C. no. 1670.
a. fuscosa NEUMOEGEN, Can. Ent., xxiii, 123, 1891; No. Rocky Mts.
HAMPSON, C. no. 1670.
a. fuscosa NEUMOEGEN, Can. Ent., xxiii, 124, 1891.
- *869. *yarrowi* STRETCH, Zyg. Bomb. N. A., 221, 1873; Ariz., Can.
HAMPSON, C. no. 1671.
a. remissa HY. EDWARDS, Ent. Amer., iii, 184, 1888.

HYPHORAIA Hübner.

HÜBNER, Verz. bek. Schmett., 182, 1822; HAMPSON, C. 232.

870. *lapponica* THUNBERG, Diss. Ent., ii, 40, 1791; Arctic
HAMPSON, C. no. 1635. Am.
- syn. *hyperborea* CURTIS, *alpina* QUENSEL, *thulea*
DALMAN, *avia* HÜBNER.
871. *subnebulosa* DYAR, Ent. News, x, 130, 1899; Alaska.
HAMPSON, C. no. 1635a.
872. *parthenos* HARRIS, Agassiz's Lake Sup., 309, pl.
7, f. 4, 1850; HAMPSON, C. no. 1639. No. Atl.
States.
- syn. *borealis* MÖSCHLER.

PLATYPREPPIA Dyar.

DYAR, Can. Ent., xxix, 215, 1897.

873. *virginalis* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x,
321, 1852; SMITH, Can. Ent., xxi, 215, 1889. No. Pac.
States, Col.
- syn. *ochracea* STRETCH.
- a. guttata* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x,
321, 1852.

APANTESIS Walker.

WALKER, Cat. Brit. Mus., iii, 631, 1855; HAMPSON, C. 395.

874. *virgo* LINNÆUS, Syst. Nat., 501, 1758; HAMPSON, Atl.
C. no. 1948. States.
- a. citrinaria* NEUMOEGEN & DYAR, Ent. News, iv,
142, 1893.
875. *virguncula* KIRBY, Faun. Bor. Am., iv, 304, 1837;
HAMPSON, C. no. 1957; GIBSON, Can. Ent., xxxiii,
325, 1901. No. Atl.
States.
- syn. *speciosa* MÖSCHLER.
- a. otiosa* NEUMOEGEN & DYAR, Ent. News, iv, 142,
1893.
876. *michabo* GROTE, Can. Ent., vii, 197, 1875; HAMP-
SON, C. no. 1951. Atl.
States.
- a. minea* SLOSSON, Ent. News, iii, 257, 1892.
877. *intermedia* STRETCH, Zyg. Bomb. N. A., 216, 1874;
NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., ii, 7,
1894. So. Atl.
States.
- a. stretchii* GROTE, Can. Ent., vii, 197, 1875.
878. *parthenice* KIRBY, Faun. Bor. Am., iv, 204, 1837;
HAMPSON, C. no. 1949. No. Atl.
States.
- syn. *saunderii* GROTE.
- a. approximata* STRETCH, Ent. Amer., i, 104, 1885.

879. *oithona* STRECKER, Lep. Rhop. Het., 131, 1877. Atl. States.
a. rectilinea FRENCH, Can. Ent., xi, 45, 1879; Miss.
 HAMPSON, C. no. 1950. Vall.
880. *anna* GROTE, Proc. Ent. Soc. Phil., ii, 433, 1863; Atl.
 HAMPSON, C. no. 1955. States.
a. persephone GROTE, Proc. Ent. Soc. Phil., ii, 433, 1863.
881. *ornata* PACKARD, Proc. Ent. Soc. Phil., iii, 114, Pac.
 1864; HAMPSON, C. no. 1953. States.
 syn. *simplicior* BUTLER, *perpetua* DYAR.
a. achaia GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 334, 1867.
 syn. *edwardsii* STRETCH.
b. ochracea STRETCH, Zyg. Bomb. N. A., 125, 1872.
 syn. *barba* HY. EDWARDS.
882. *arge* DRURY, Ill. Exot. Ent., i, 35, 1770; HAMPSON, C. no. 1952. U. S.
 syn. *dione* FABRICIUS, *incarnatorubra* GOEZE,
calebs MARTYN, *nerea* BOISDUVAL, *doris* BOIS-DUVAL.
a. nervosa NEUMOEGEN & DYAR, Ent. News, iv, 142, 1893.
883. *quenselii* PAYKULL, Act. Hafn., ii, 99, 1793; HAMPSON, C. no. 1956. Arctic Am., Eur.
 syn. *strigosa* FABRICIUS, *gelida* MÖSCHLER,
liturata MÉNÉTRIES, *complicata* WALKER.
a. turbans CHRISTOPH, Iris, v, 349, 1892.
- *884. *obliterata* STRETCH, Ent. Amer., i, 105, 1885; (Unknown.)
 HAMPSON, C. no. 1954.
885. *proxima* GUÉRIN-MÉNEVILLE, Icon. Reg. An., ii, 514, 1844; HAMPSON, C. no. 1958. So. Cal. to Utah, Mex.
 syn. *docta* WALKER, *mexicana* GROTE & ROBINSON, *arizonensis* STRETCH, *mormonica* NEUMOEGEN.
a. autholea BOISDUVAL, Ann. Soc. Ent. Belg., xii, 76, 1869.
- *886. *cervinoides* STRECKER, Proc. Acad. Nat. Sci. Phil., xxviii, 151, 1876; HAMPSON, C. no. 1962. Col.
887. *blakei* GROTE, Proc. Ent. Soc. Phil., iii, 523, 1864. Rocky Mts., Cal.
 syn. *bolanderi* STRETCH; HAMPSON, C. no. 1959.
888. *nevadensis* GROTE & ROBINSON, Proc. Ent. Soc. Phil., vi, 1, 1866; HAMPSON, C. no. 1961. Rocky Mts. to Pacific.
 syn. *behrii* STRETCH.
a. incorrupta HY. EDWARDS, Pap., i, 38, 1881.
 syn. *shastaensis* FRENCH.

- b. superba* STRETCH, Zyg. Bomb. N. A., 227, 1873;
HAMPSON, C. no. 1963.
syn. *generata* STRECKER.
- c. sulphurica* NEUMOEGEN, Ent. Amer., i, 93, 1885.
syn. *ochracea* NEUMOEGEN, *elongata* STRETCH.
889. *williamsii* DODGE, Can. Ent., iii, 167, 1871. Rocky
syn. *williamsi* HAMPSON, C. no. 1964. Mts.
a. determinata NEUMOEGEN, Pap., i, 28, 1881.
syn. *dicekii* NEUMOEGEN.
890. *phyllira* DRURY, Ill. Exot. Ent., i, 15, 1770; So. Atl.
HAMPSON, C. no. 1965. States.
syn. *b-ata* GOEZE, *plantaginis* MARTYN, *dodgei*
BUTLER.
a. excelsa NEUMOEGEN, Pap., iii, 70, 1883.
syn. *lugubris* HULST.
b. favorita NEUMOEGEN, Ent. Amer., vi, 173,
1890; HAMPSON, C. no. 1960.
891. *celia* SAUNDERS, Proc. Ent. Soc. Phil., ii, 59, No. Atl.
1863. States.
syn. *franconica* HY. EDWARDS.
892. *figurata* DRURY, Ill. Exot. Ent., ii, pl. 12, f. 4, So. States.
1770.
syn. *ceramica* HÜBNER, *f-pallida* STRECKER.
893. *placentia* SMITH & ABBOT, Lep. Ins. Ga., ii, pl. 65. So. States.
1797; HAMPSON, C. no. 1968.
a. snowi GROTE, Can. Ent., vii, 197, 1875.
syn. *quadrangulata* STRECKER.
b. flammea NEUMOEGEN, Pap., i, 9, 1881.
894. *nais* DRURY, Ill. Exot. Ent., i, pl. 7, f. 3, 1770; Atl.
HAMPSON, C. no. 1967. States.
syn. *cuneata* GOEZE, *defloriana* MARTYN,
ochreata, BUTLER.
895. *vittata* FABRICIUS, Mant. Ins., ii, 127, 1787; Atl.
HAMPSON, C. no. 1966. States.
syn. *decorata* SAUNDERS.
a. radians WALKER, Cat. Brit. Mus., iii, 632, 1855.
syn. *colorata* WALKER, *incompleta* BUTLER.
b. phalerata HARRIS, Cat. Ins. Mass., 73, 1837.
syn. *rhoda* BUTLER.

KODIOSOMA Stretch.

- STRETCH, Zyg. Bomb. N. A., 67, 1872; HAMPSION, C. 413.
896. fulva STRETCH, Zyg. Bomb. N. A., 67, 1872; Cal.
 HAMPSION, C. no. 1970.
a. nigra STRETCH, Zyg. Bomb. N. A., 68, 1872.
b. eavesii STRETCH, Zyg. Bomb. N. A., 69, 1872.
c. tricolor STRETCH, Zyg. Bomb. N. A., 68, 1872.

ECTYPIA Clemens.

CLEMENS, Proc. Acad. Nat. Sci. Phil., xii, 529, 1860; HAMPSION, C. 475.

- 897. bivittata** CLEMENS, Proc. Acad. Nat. Sci. Phil., Tex.
 xii, 529, 1860; HAMPSION, C. no. 2076.
 syn. *nigroflava* GRAEF.
***898. thona** STRECKER, Lep. Rhop. Het., suppl., 4, 1899; New
 HAMPSION, C. no. 2075. Mex.

EUVERNA Neumoegen & Dyar.

NEUMOEGEN & DYAR, Ent. News, iv, 141, 1893; HAMPSION, C. 457.

- 899. clio** PACKARD, Proc. Ent. Soc. Phil., iii, 120, 1864; Rocky Mts.,
 HAMPSION, C. no. 2053. So. Cal.
a. jessica BARNES, Can. Ent., xxxii, 45, 1900.

PARASEMIA Hübner.

HÜBNER, Verz. bek. Schmett., 121, 1822; HAMPSION, C. 458.

- 900. plantaginis** LINNÆUS, Syst. Nat., i, 501, 1758; No. Pae.
 HAMPSION, C. no. 2054. States, Eur.
 syn. *alpicola* SCOPOLI, *hospita* DENIS & SCHIFFER-
 FERMÜLLER, *matronalis* FREY, *caucasica* HER-
 RICH-SCHAEFFER, *petrosa* WALKER, *nictitans*
 MÉNÉTRIES, *cespitalis* GROTE & ROBINSON,
chicorii GROTE & ROBINSON, *macromera* BUT-
 LER, *leucomera* BUTLER, *melanomera* BUTLER,
selwynii NEUMOEGEN, *floccosa* GRAESER, *syl-
 mita* GRUMM-GRSHIMAÏLO, *melas* CHRISTOPH,
flava KILIAN.
a. modesta PACKARD, Proc. Ent. Soc. Phil., iii,
 113, 1864.
b. scudderri PACKARD, Proc. Ent. Soc. Phil., iii,
 113, 1864.
c. geometrica GROTE, Proc. Ent. Soc. Phil., iv,
 318, 1865.
d. geddesi NEUMOEGEN, Pap., iii, 137, 1883.

LERINA Walker.

WALKER, Cat. Brit. Mus., ii, 477, 1854.

901. *incarnata* WALKER, Cat. Brit. Mus., ii, 477, 1854; DRUCE, Biol. Cent. Am., Lep. Het., ii, 394, pl. 77, f. 14, 1897. Mex., Ariz.?
 syn. *robinsonii* BOISDUVAL; NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., i, 107, 1893.

PYGOCTNUCHA Grote.

GROTE, Trans. Kans. Acad. Sci., viii, 46, 1883; *Protosia* HAMPSION, C. ii, 255, 1900.

902. *terminalis* WALKER, Cat. Brit. Mus., ii, 478, 1854. Mex., Ariz.
 syn. *harrisii* BOISDUVAL, Ann. Soc. Ent. Belg., xii, 72, 1869; *pyrrhura* HULST., *rotira* HY. EDWARDS; NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., i, 107, 1893.
 *903. *funerea* GROTE, Trans. Kans. Acad. Sci., viii, 46, 1883. N. Mex.

ARCTIA Schrank.

SCHRANK, Faun. Boica, ii, (2), 151, 1802; HAMPSION, C. 463.

904. *caia* LINNEUS, Syst. Nat., 500, 1758; HAMPSION, C. no. 2059. No. U. S., Eur.
 syn. *crinacea* RETZIUS, *phaeosoma* BUTLER, *orientalis* MOORE.
a. americana HARRIS, Rep. Ins. Mass., 246, 1841.
b. wiskotti STAUDINGER, Hor. Ent. Soc. Ross., xiv, 333, 1878.
 syn. *utahensis* HY. EDWARDS, *auripennis* BUTLER, *transmontana* NEUMOEGEN & DYAR.
c. opulenta HY. EDWARDS, Pap., i, 30, 1881.

AMMALO Walker.

WALKER, Cat. Brit. Mus., iii, 622, 1855; HAMPSION, C. 83.

905. *tenera* HÜBNER, Zutp. exot. Schmett., i, 7, f. 3, 4, 1818; HAMPSION, C. no. 1340. Atl. States.
 syn. *collaris* FITCH, *antica* WALKER.
a. sciurus BOISDUVAL, Ann. Soc. Ent. Belg., xii, 79, 1869. Cal.
 syn. *yosemitae* HY. EDWARDS.
 906. *insulata* WALKER, Cat. Brit. Mus., iii, 734, 1855; HAMPSION, C. no. 1339. Fla., Antilles.
 syn. *cadaverosa* GROTE, *affinis* GROTE, *aurata* BUTLER.

907. *eglenensis* CLEMENS, Proc. Acad. Nat. Sci. Phil., xii, 533, 1860; HAMPSHON, C. no. 1341. So. Atl. States.
a. inopinatus HY. EDWARDS, Pap., ii, 13, 1882.

EUCHÆTIAS Lyman.

LYMAN, Can. Ent., xxxiv, 27, 1902; *Euchates* HARRIS (not DEJEAN), Rep. Ins. Mass., 257, 1841; HAMPSHON, C. 417.

908. *murina* STRETCH, Ent. Amer., i, 106, 1885; HAMPSHON, C. no. 1983. Tex.

909. *bolteri* STRETCH, Ent. Amer., i, 106, 1885; HAMPSHON, C. no. 1984. Tex.
syn. ♂ sepsiiformis GRAEF.

910. *egle* DRURY, Ill. Exot. Ent., ii, pl. 20, f. 3, 1773; HAMPSHON, C. no. 1985. Atl. States.
a. cyclica HY. EDWARDS, Pap., iii, 148, 1883.

911. *oregonensis* STRETCH, Zyg. Bomb. N. A., 187, 1873; HAMPSHON, C. no. 1986. No. States.

912. *pudens* HY. EDWARDS, Pap., ii, 126, 1882; HAMPSHON, C. no. 1987. Tex.

913. *perlevis* GROTE, Can. Ent., xiv, 196, 1882; HAMPSHON, C. no. 1981. Ariz.

- *914. *antica* WALKER, Cat. Brit. Mus., vii, 1708, 1856; HAMPSHON, C. no. 1979. Ariz., Mex.
syn. zonalis GROTE.

914. 1. *expressa* HY. EDWARDS, Pap., iv, 60, 1884; HAMPSHON, C. no. 1982. Ariz., Mex.

PYGARCTIA Grote

GROTE, Can. Ent., iii, 124, 1871; HAMPSHON, C. 415.

915. *abdominalis* GROTE, Can. Ent., iii, 124, 1871; HAMPSHON, C. no. 1975. Fla.

916. *vivida* GROTE, Pap., ii, 131, 1882; HAMPSHON, C. no. 1974. Tex.

917. *spraguei* GROTE, Can. Ent., vii, 200, 1875; HAMPSHON, C. no. 1973. Col., Kans.
syn. conspicua NEUMOEGEN.

918. *elegans* STRETCH, Zyg. Bomb. N. A., 189, 1873; HAMPSHON, C. no. 1976. Cal., Ariz., Mex.
a. roseicapitis NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., i, 166, 1890.

HALSIDOTA Hübner.

- HÜBNER, Verz. bek. Schmett., 170, 1822; HAMPSON, C. 145.
919. *tessellaris* SMITH & ABBOT, Lep. Ins. Ga., ii, 149, 1797; HAMPSON, C. no. 1498. Atl. States.
syn. *antiphala* WALSH.
920. *harrisii* WALSH, Proc. Ent. Soc. Phil., iii, 430, 1864. Atl. States.
921. *cinctipes* GROTE, Proc. Ent. Soc. Phil., v, 242, 1865; HAMPSON, C. no. 1497. Fla., Tex., Ariz., So. Am.
syn. *darisi* HY. EDWARDS.
922. *maculata* HARRIS, Rep. Ins. Mass., 259, 1841; HAMPSON, C. no. 1481. No. Atl. States.
syn. *fulvogularia* WALKER, *guttifera* HERRICH-SCHAEFFER.
- a. *angulifera* WALKER, Lord's Trav. Vanc., ii, 355, 1866. No. Pac. States.
syn. *alni* HY. EDWARDS.
- b. *agassizii* PACKARD, Proc. Ent. Soc. Phil., iii, 128, 1864. Rocky Mts. Cal.
syn. *californica* WALKER, *salicis* BOISDUVAL.
923. *caryæ* HARRIS, Rep. Ins. Mass., 258, 1841; HAMPSON, C. no. 1479. Atl. States.
syn. *annulifascia* WALKER, *porphyria* HERRICH-SCHAEFFER.
- *924. *pura* NEUMOEGEN, Pap., ii, 133, 1882; HAMPSON, C. no. 1508. Ariz.
925. *longa* GROTE, Can. Ent., xii, 213, 1880; HAMPSON, C. no. 1508. Fla.
- *926. *oho* BARNES, Can. Ent., xxxiii, 53, 1901. Ariz.

HYPOCRISIAS Hampson.

- HAMPSON, Cat. Lep. Phal. Brit. Mus., iii, 216, 1901.
- *927. *minima* NEUMOEGEN, Pap., iii, 138, 1887; HAMPSON, C. no. 1628. Ariz.
syn. *armillata* HY. EDWARDS.

HEMIHYALEA Hampson.

- HAMPSON, Cat. Lep. Phal. Brit. Mus., iii, 129, 1901.
928. *edwardsii* PACKARD, Proc. Ent. Soc. Phil., iii, 129, 1864; HAMPSON, C. no. 1437. Cal.
syn. *translucida* WALKER, *quercus* BOISDUVAL.
929. *labecula* GROTE, Pap., i, 174, 1881; HAMPSON, C. no. 1438. Col.

EUSCHAUSIA Dyar.

DYAR, Can. Ent., xxix, 209, 1897.

930. *argentata* PACKARD, Proc. Ent. Soc. Phil., iii, 129, 1864; HAMPSHOR, C. no. 1476. No. Pac. States.
a. subalpina FRENCH, Can. Ent., xxii, 47, 1890. Col.
b. sobrina STRETCH, Zyg. Bomb. N. A., 87, 1873. Cal.
- *931. *mixta* NEUMOEGEN, Pap., ii, 133, 1882; HAMPSHOR, C. no. 1479, subsp. 2. Ariz.
932. *ingens* HY. EDWARDS, Pap., i, 39, 1881; HAMPSHOR, C. no. 1477. Rocky Mts.
 syn. *scapularis* STRETCH.

ÆMILIA Kirby.

KIRBY, Cat. Lep. Het., i, 218, 1892; HAMPSHOR, C. 182.

933. *ambigua* STRECKER, Proc. Dav. Acad. Sci., ii, 272, 1878; HAMPSHOR, C. no. 1554. Rocky Mts.
 syn. *bolteri* HY. EDWARDS, *syrteosia* DRUCE.
- *934. *roseata* WALKER, App. Lord's Trav. Vanc., 336, 1866; HAMPSHOR, C. no. 1555. Pac. States.
 syn. *cinnamomea* BOISDUVAL, *sanguivenosa* NEUMOEGEN.
a. significans HY. EDWARDS, Ent. Amer., iii, 182, 1888.
- *935. *occidentalis* FRENCH, Can. Ent., xxii, 46, 1890. Rocky Mts.

EUPSEUDOSOMA Grote.

GROTE, Proc. Ent. Soc. Phil., v, 240, 1865; HAMPSHOR, C. 27.

936. *involutum* SEPP, Surin. Vlind., iii, pl. 115, 1852; HAMPSHOR, C. no. 1229. So. Am., Fla.
 syn. *nivra* HERRICH-SCHAEFFER.
a. floridum GROTE, Can. Ent., xiv, 187, 1882.
 syn. *immaculatum* GRAEF.

CALIDOTA Dyar.

DYAR, Proc. U. S. Nat. Mus., xxiii, 368, 1900; HAMPSHOR, C. 432.

937. *strigosa* WALKER, Cat. Brit. Mus., iii, 736, 1855; HAMPSHOR, C. no. 2004. Fla., Antilles.
 syn. *cubensis* GROTE, *laguncula* HY. EDWARDS.
 938. *muricolor* DYAR, Jn. N. Y. Ent. Soc., vi, 38, 1898; HAMPSHOR, C. no. 2011. Ariz.

939. *zella* DYAR. (Brownish gray, a slightly angular yellowish discal dot; hind wing subhyaline, whitish; abdomen crimson above with small dorsal black points; exp. 25 mm.)

Ariz.

BERTHOLDIA Schaus.

SCHAUS, Jn. N. Y. Ent. Soc., iv, 137, 1896; HAMPSOM, C. 78.

940. *trigona* GROTE, No. Am. Ent., i, 46, 1879; HAMPSOM, C. no. 1332.

Col.,
N. Mex.

PHEGOPTERA Herrich-Schaeffer.

HERRICH-SCHAEFFER, Auss. Schmett., 16, 1850; HAMPSOM, C. 117.

941. *astur* CRAMER, Pap. Exot., ii, pl. 120, f. B, 1779; Ariz., Mex., HAMPSOM, C. no. 1433.

So. Am.

syn. *albicans* WALKER, *maculicollis* WALKER,
pustulata PACKARD.

Family AGARISTIDÆ.

(C. = HAMPSOM, Cat. Lep. Phal. Brit. Mus., iii, pp. 515-663, 1901.)

MISA Karsch.

KARSCH, Ent. Nach., 349, 1895; HAMPSOM, C. 622.

942. *sabulosa* BOISDUVAL, Rev. Zool., ii, (3), 106, 1874;
HAMPSOM, C. no. 163.

Ariz.,
Mex.syn. *noctuiformis* MÖSCHLER.

ANDROLOMA Grote.

GROTE, Bull. Buff. Soc. Nat. Sci., i, 30, 1873.

943. *mac-cullochii* KIRBY, Faun. Bor. Am., iv, 301, 1837; HAMPSOM, C. no. 179.

Can.,
Rocky Mts.*a. lorquinii* GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 328, 1868.

944. *similis* STRETCH, Zyg. Bomb. N. A., 14, 1872.

Cal.

syn. *edwardsii* BOISDUVAL.*a. conjuncta* HY. EDWARDS, Pap., iii, 34, 1883.

- *945. *disparata* HY. EDWARDS, Pap., iv, 13, 1884; HAMPSOM, C. no. 180.

Tex.,
Mex.syn. *gracilenta* GRAEF, *desperata* KIRBY.

- *946. *brannani* STRETCH, Zyg. Bomb. N. A., 8, 1872;
HAMPSOM, C. no. 181.

Cal.

ALYPIA Hübner.

HÜBNER, Verz. bek. Schmett., 351, 1825; HAMPSHOR, C. 635.

947. *ridingsii* GROTE, Proc. Ent. Soc. Phil., iii, 521, 1864; HAMPSHOR, C. no. 179. Rocky Mts.
948. *mariposa* GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 329, 1868; HAMPSHOR, C. no. 185. Cal.
- a. lunata* STRETCH, Zyg. Bomb. N. A., 15, 1872.
949. *octomaculata* FABRICIUS, Syst. Ent., 830, 1775; HAMPSHOR, C. no. 182. Atl. States.
- syn. *bimaculata* GMELIN, quadriguttalis HÜBNER, *matuta* HY. EDWARDS.
- a. albomaculata* STOLL, Pap. Exot., pl. 345, f. C, 1782.
950. *wittfeldii* HY. EDWARDS, Pap., iii, 34, 1883. Fla.
- *951. *dipsaci* GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 326, 1868; HAMPSHOR, C. no. 183. Tex., Mex.
952. *langtonii* COUPER, Can. Nat., (2), ii, 64, 1865; HAMPSHOR, C. no. 184. Can., Cal.
- syn. *sacerdenti* GROTE & ROBINSON, *hudsonica* HY. EDWARDS.

ALYPOIDES Grote.

GROTE, Trans. Kans. Acad. Sci., viii, 46, 1883; HAMPSHOR, C. 641.

953. *bimaculata* HERRICH-SCHAFFER, Ausser-Schmett., f. 26, 1853; HAMPSHOR, C. no. 187. So. Cal., Mex., N. Mex.
- syn. *trimaculata* BOISDUVAL.
- a. crescens* WALKER, Cat. Brit. Mus., vii, 1774 1856.
- syn. *grotei* BOISDUVAL, *flavilinguis* GROTE.
- b. dugesii* COCKERELL, Ent. News, vi, 201, 1895.

PSEUDALYPIA Hy. Edwards.

Hy. EDWARDS, Proc. Cal. Acad. Sci., v, 101, 1874; HAMPSHOR, C. 634.

- *954. *crotchii* Hy. EDWARDS, Proc. Cal. Acad. Sci., v, 101, 1874; HAMPSHOR, C. no. 178. Cal.
- a. atrata* Hy. EDWARDS, Pap., iv, 121, 1884.
955. *geronimo* BARNES, Can. Ent., xxxii, 44, 1900. Ariz.

COPIDRYAS Grote.

GROTE, Can. Ent., viii, 99, 1876.

956. *gloveri* GROTE & ROBINSON, Trans. Am. Ent. Soc., ii, 185, 1868; HAMPSHOR, C. no. 154. Tex., Ariz.

Family NOCTUIDÆ.

(C.=SMITH, Bull. 44, U. S. Nat. Mus., 1893.)

Subfamily NOCTUINÆ.

PANTHEA Hübner.

HÜBNER, Verz. bek. Schmett., 203, 1816; SMITH, C. 31.

957. *fureilla* PACKARD, Proc. Ent. Soc. Phil., iii, 374, 1864; SMITH, C. 31; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 15, 1898. Atl. States.
958. *portlandia* GROTE, Mitt. Roem. Mus. Hild., 14, 1896; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 17, 1898. Pac. States.
959. *gigantea* FRENCH, Can. Ent., xxii, 134, 1890; SMITH, C. 31; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 16, 1898. Col.
960. *acronyctoides* WALKER, Can. Nat. Geol., vi, 37, 1861; SMITH, C. 31; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 18, 1898. Atl. States.
- syn. *leucomelana* MORRISON, *eucomelana* SMITH, C. 31.

DEMAS Stephens.

STEPHENS, Ill. Brit. Ent., Haust., ii, 59, 1829.

961. *propinquilinea* GROTE, Trans. Am. Ent. Soc., iv, 293, 1873; SMITH, C. 32; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 20, 1898. Atl. States.
962. *flavicornis* SMITH, Bull. Brook. Ent. Soc., vii, 3, 1884; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 22, 1898. Atl. States.
963. *palata* GROTE, Can. Ent., xii, 258, 1880; SMITH, C. 31; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 23, 1898. Col., Ariz.

CHARADRA Walker.

WALKER, Cat. Brit. Mus., xxxii, 445, 1865.

964. *deridens* GUENÉE, Spec. Gén., v, 35, 1852; SMITH, C. 32; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 25, 1898. Atl. States.
- syn. *circulifera* WALKER, *contigua* WALKER.
965. *dispulsa* MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 213, 1874; SMITH, C. 33; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 27, 1898. So. States.

- 966 *decora* MORRISON, Proc. Acad. Nat. Sci. Phil., 55, 1875; SMITH, C. 33; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 28, 1898.
 syn. *felina* DRUCE, Biol. Cent. Am., Lep. Het., ii, 471, 1898.
- *967. *illudens* WALKER, Cat. Brit. Mus., ix, 37, 1856. Mex., Fla.
 syn. *python* DRUCE, Biol. Cent. Am., Lep. Het., i, 259, 1889; ii, 471, 1892.

RAPHIA Hübner.

HÜBNER, Verz. bek. Schmett., 212, 1816; *Certila* WALKER, Cat. Brit. Mus., xxxii, 448, 1865; *Saligena* WALKER, Cat. Brit. Mus., xxxii, 605, 1865.

968. *frater* GROTE, Proc. Ent. Soc. Phil., ii, 435, 1863; SMITH, C. 32.
 syn. *personata* WALKER, *flexuosa* WALKER, Cat. Brit. Mus., xxxii, 449, 1865.
969. *coloradensis* PUTNAM-CRAMER, Ent. Am., ii, 142, 1886; SMITH, C. 32.
 syn. *pallula* HY. EDWARDS.
970. *abrupta* GROTE, Proc. Ent. Soc. Phil., ii, 336, 1863; SMITH, C. 32.

APATELA Hübner.

HÜBNER, Tent., 1810; *Aeronicta* OCISCHENHEIMER, Schm. Eur., iv, 62, 1816; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 28, 1898; *Triana* HÜBNER, Verz. bek. Schmett., 200, 1816; *Hyboma* HÜBNER, Verz. bek. Schmett., 200, 1816; *Jochava* HÜBNER, Verz. bek. Schmett., 201, 1816; *Arctomyces* HÜBNER, Verz. bek. Schmett., 202, 1816; *Pharetra* HÜBNER, Verz. bek. Schmett., 202, 1816; *Megaveronycta* GROTE, Bull. Buff. Soc., i, 79, 1873; *Leptoreuma* GROTE, Bull. Buff. Soc., i, 80, 1873; *Eulonche* GROTE, Bull. Buff. Soc., i, 81, 1873; *Mastiphanes* GROTE, New Ch. List, 23, 1882; *Merolonche* GROTE, New Ch. List, 23, 1882; *Cuspidia* CHAPMAN, Ent. Rec., i, 27, 1890; *Viminia* CHAPMAN, Ent. Rec., i, 26, 1890; *Tricholonche* GROTE, Die Apateliden, 16, 1896; *Philorgya* GROTE, Die Apateliden, 17, 1896.

971. *rubicoma* GUENÉE, Spec. Gén., v, 49, 1852; SMITH, C. 42; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 42, 1898.
972. *americana* HARRIS, Rep. Ins. Mass., 317, 1841; SMITH, C. 40.
 syn. *acericola* GUENÉE, Spec. Gén., v, 48, 1852; SMITH, C. 41; *obscurata* HY. EDWARDS, Ent. Amer., ii, 169, 1886; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 44, 1898.
973. *hastulifera* SMITH & ABBOT, Lep. Ins. Ga., ii, 183, 1797; SMITH, C. 41; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 47, 1898.
974. *hesperida* SMITH, Ent. News, viii, 148, 1897; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 49, 1898.

Mex.,
Ariz.?

Atl.
States.

Col.,
Cal.

Atl. States,
Col.

So. Atl.
States.

Atl.
States.

Atl.
States.

Pac.
States.

975. <i>dactyline</i> GROTE, Proc. Bost. Soc. Nat. Hist., xvi, 239, 1874; SMITH, C. 40; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 51, 1898.	Atl. States.
976. <i>felina</i> GROTE, Bull. Geol. Surv. Terr., v, 208, 1880; SMITH, C. 39; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 53, 1898.	Pac. States.
977. <i>frigida</i> SMITH, Ent. News, viii, 148, 1897; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 54, 1898.	Pac. States.
978. <i>pacifica</i> SMITH, Ent. News, viii, 148, 1897; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 56, 1898.	Pac. States.
979. <i>insita</i> WALKER, Cat. Brit. Mus., ix, 61, 1856; SMITH, C. 41; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 56, 1898.	Atl. States.
980. <i>canadensis</i> SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 57, 1898; SMITH, Can. Ent., xxxii, 334, 1900.	No. Rocky Mts.
981. <i>cretata</i> SMITH, Ent. News, viii, 148, 1897; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 58, 1898.	Col.
982. <i>leporina</i> LINNÆUS, Syst. Nat., 109, 1766; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 59, 1898. syn. <i>rufipina</i> GROTE; SMITH, C. 40; <i>santa</i> HY. EDWARDS.	Atl. States. Eur.
983. <i>populi</i> RILEY, 2d Rept. Ins. Mo., 119, 1870; SMITH, C. 40; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 61, 1898.	Atl. States.
984. <i>lepusculina</i> GUENÉE, Spec. Gén., v, 46, 1852; SMITH, C. 39; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 63, 1898.	Atl. States.
985. <i>cinderella</i> SMITH, Ent. News, viii, 149, 1897; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 64, 1898.	Rocky Mts.
986. <i>transversata</i> SMITH, Ent. News, viii, 149, 1897; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 65, 1898.	Col.
987. <i>tota</i> GROTE, No. Am. Ent., i, 12, 1879; SMITH, C. 39; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 66, 1898.	Tex.
988. <i>innotata</i> GUENÉE, Spec. Gén., v, 50, 1852; SMITH, C. 38; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 73, 1898. syn. <i>gratifici</i> GROTE.	Atl. States.
989. <i>betulae</i> RILEY, Bull. Brook. Ent. Soc., vii, 2, 1884; SMITH, C. 37; SMITH & DYAR, Proc. U. S. Nat. Mus., xxxi, 75, 1898.	Atl. States.

990. *morula* GROTE, Trans. Am. Ent. Soc., ii, 196, 1868; SMITH, C. 36; SMITH & DYAR, Proc. U. S. Nat. Mus., xxii, 76, 1898.
syn. *ulni* HARRIS.
991. *interrupta* GUENÉE, Spec. Gén., v, 46, 1852.
syn. *occidentalis* GROTE & ROBINSON, Proc. Ent. Soc. Phil., vi, 16, 1866; SMITH, C. 35; SMITH & DYAR, Proc. U. S. Nat. Mus., xxii, 79, 1898.
992. *laetifica* SMITH, Ent. News, viii, 150, 1897; SMITH & DYAR, Proc. U. S. Nat. Mus., xxii, 89, 1898.
Atl. States.
993. *lobeliæ* GUENÉE, Spec. Gén., v, 44, 1852; SMITH, C. 36; SMITH & DYAR, Proc. U. S. Nat. Mus., xxii, 82, 1898.
Atl. States.
994. *furcifera* GUENÉE, Spec. Gén., v, 44, 1852; SMITH, C. 37; SMITH & DYAR, Proc. U. S. Nat. Mus., xxii, 85, 1898.
Atl. States.
995. *hasta* GUENÉE, Spec. Gén., v, 45, 1852; SMITH, C. 36; SMITH & DYAR, Proc. U. S. Nat. Mus., xxii, 87, 1898.
syn. *telum* GUENÉE.
Atl. States.
996. *manitoba* SMITH, Ent. News, viii, 150, 1897; SMITH & DYAR, Proc. U. S. Nat. Mus., xxii, 90, 1898.
Man.
997. *thoracica* GROTE, No. Am. Ent., i, 94, 1879; SMITH, C. 37; SMITH & DYAR, Proc. U. S. Nat. Mus., xxii, 91, 1898.
N. Mex.
998. *strigulata* SMITH, Ent. News, viii, 150, 1897; SMITH & DYAR, Proc. U. S. Nat. Mus., xxii, 92, 1898.
Col.
999. *radcliffei* HARVEY, Bull. Buff. Soc., ii, 270, 1875; SMITH, C. 39; SMITH & DYAR, Proc. U. S. Nat. Mus., xxii, 107, 1898.
Atl. States.
1000. *quadrata* GROTE, Bull. Buff. Soc., ii, 154, 1874; SMITH, C. 38; SMITH & DYAR, Proc. U. S. Nat. Mus., xxii, 106, 1898.
So. States.
1001. *spinigera* GUENÉE, Spec. Gén., v, 45, 1852; SMITH, C. 39; SMITH & DYAR, Proc. U. S. Nat. Mus., xxii, 122, 1898.
syn. *harveyana* GROTE, Proc. Acad. Nat. Sci. Phil., 418, 1875; SMITH, C. 39.
Atl. States.
1002. *clarescens* GUENÉE, Spec. Gén., v, 54, 1852.
syn. *pruni* HARRIS, Ent. Corr., 313, 1869; SMITH, C. 44; SMITH & DYAR, Proc. U. S. Nat. Mus., xxii, 123, 1898; SMITH, Can. Ent., xxxii, 335, 1900.
Atl. States.

1003. *hamamelis* GUENÉE, Spec. Gén., v, 52, 1852; SMITH, C. 44; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 141, 1898.
syn. *subochrea* GROTE, Bull. Buff. Soc., ii, 153, 1874; SMITH, C. 42.
1004. *superans* GUENÉE, Spec. Gén., v, 53, 1852; SMITH, C. 43; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 119, 1898. Atl. States.
1005. *lithospila* GROTE, Proc. Bost. Soc. Nat. Hist., xvi, 240, 1874; SMITH, C. 45; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 89, 1898. Atl. States.
1006. *tritona* HÜBNER, Zutr. exot. Schmett., f. 107, 1818; SMITH, C. 37; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 104, 1898. Atl. States.
1007. *connecta* GROTE, Bull. Buff. Soc., i, 79, 1873; SMITH, C. 43; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 115, 1898; DYAR, Jn. N. Y. Ent. Soc., vii, 253, 1899. Atl. States.
1008. *funeralis* GROTE, Proc. Ent. Soc. Phil., vi, 17, 1866; SMITH, C. 43; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 102, 1898. No. Atl. States.
1009. *fragilis* GUENÉE, Spec. Gén., v, 34, 1852; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 94, 1898.
syn. *spectans* WALKER. No. Atl. States.
1010. *minella* DYAR, Jn. N. Y. Ent. Soc., vi, 41, 1898. Col.
1011. *paupercula* GROTE, Proc. Acad. Nat. Sci. Phil., 197, 1874; SMITH, C. 38; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 97, 1898. Tex.
1012. *vinnula* GROTE, Proc. Ent. Soc. Phil., ii, 436, 1864; SMITH, C. 38; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 93, 1898. Atl. States.
1013. *revellata* SMITH, Ent. News, viii, 150, 1897; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 112, 1898. Col.
1014. *grisea* WALKER, Cat. Brit. Mus., ix, 56, 1856; SMITH, C. 37; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 113, 1898.
syn. *pudorata* MORRISON. Atl. States.
1015. *mansueta* SMITH, Ent. News, viii, 151, 1897; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 100, 1898. Pac. States.
- *1016. *falcula* GROTE, Can. Ent., ix, 86, 1877; SMITH, C. 38; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 109, 1898. Miss. Vall.
1017. *parallela* GROTE, Can. Ent., ix, 53, 1877; SMITH, C. 38; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 110, 1898. Tex.

1018. *afficta* GROTE, Proc. Ent. Soc. Phil., ii, 438, 1864; SMITH, C. 42; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 127, 1898. Atl. States.
1019. *persuasa* HARVEY, Bull. Buff. Soc., ii, 271, 1875; SMITH, C. 43; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 130, 1898. Tex.
1020. *liturata* SMITH, Ent. News, viii, 151, 1897; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 129, 1898. Col.
1021. *marmorata* SMITH, Ent. News, viii, 151, 1897; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 131, 1898. Mont., Cal.
1022. *albarufa* GROTE, Proc. Bost. Soc. Nat. Hist., xvi, 239, 1874; SMITH, C. 38; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 134, 1898. Atl. States.
- syn. *walkeri* ANDREWS.
1023. *increta* MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 131, 1874; SMITH, C. 44; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 144, 1898. Atl. States.
1024. *modica* WALKER, Cat. Brit. Mus., ix, 56, 1856; SMITH, C. 44; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 138, 1898. Atl. States.
- syn. *exilis* GROTE.
1025. *ovata* GROTE, Bull. Buff. Soc., i, 80, 1873; SMITH, C. 43; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 135, 1898. Atl. States.
1026. *brumosa* GUENÉE, Spec. Gén., v, 52, 1852; SMITH, C. 43; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 117, 1898. Atl. States.
- syn. *inclara* SMITH, Can. Ent., xxxii, 335, 1900.
1027. *hesitata* GROTE, Bull. Geol. Surv. Terr., vi, 575, 1882; SMITH, C. 44; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 140, 1898. Atl. States.
1028. *retardata* WALKER, Can. Nat. Geol., vi, 38, 1861; SMITH, C. 45; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 145, 1898. Atl. States.
- syn. *dissecta* GROTE & ROBINSON.
1029. *sperata* GROTE, Bull. Buff. Soc., i, 81, 1873; SMITH, C. 45; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 154, 1898. Atl. States.
1030. *noctivaga* GROTE, Proc. Ent. Soc. Phil., ii, 437, 1864; SMITH, C. 42; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 156, 1898. Atl. States.
1031. *impressa* WALKER, Cat. Brit. Mus., ix, 61, 1856; SMITH, C. 41; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 159, 1898 (larva of *distans* in error). Atl. States.

syn. *fasciata* WALKER, *verrillii* GROTE & ROBINSON.

1032. *distans* GROTE, Can. Ent., xi, 38, 1879; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 161, 1898 (larva of *impressa* in error). Atl. States.
1033. *barnesii* SMITH, Ent. News, viii, 153, 1897; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 162, 1898. Col.
1034. *perdita* GROTE, Can. Ent., vi, 154, 1874; SMITH, C. 42; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 163, 1898. Pac. States.
1035. *edolata* GROTE, Pap., i, 153, 1881; SMITH, C. 45; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 164, 1898. Ariz.
1036. *extricata* GROTE, Bull. Geol. Surv. Terr., vi, 575, 1882; SMITH, C. 45; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 165, 1898. Tex.
1037. *xyliniformis* GUENÉE, Spec. Gén., v, 50, 1852; SMITH, C. 45; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 166, 1898. Atl. States.
syn. *longa* GUENÉE, *pallidicoma* GROTE.
1038. *emaculata* SMITH, Ent. News, viii, 152, 1897; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 158, 1898. Pac. States.
1039. *impleta* WALKER, Cat. Brit. Mus., ix, 57, 1856; SMITH, Can. Ent., xxxii, 334, 1900. U. S.
syn. *luteicoma* GROTE & ROBINSON, Trans. Am. Ent. Soc., ii, 179, 1870; SMITH, C. 42; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 152, 1898.
1040. *illita* SMITH, Ent. News, viii, 152, 1897; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 151, 1898. Col., B. C.
1041. *oblinita* SMITH & ABBOT, Lep. Ins. Ga., ii, 187, 1797; SMITH, C. 46; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 169, 1898. Atl. States.
syn. *salicis* HARRIS.
1042. *lanceolaria* GROTE, Proc. Acad. Nat. Sci. Phil., 418, 1875; SMITH, C. 46; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 171, 1898. Atl. States.
- *1043. *insolita* GROTE, Bull. Buff. Soc., i, 82, 1873; SMITH, C. 46; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 173, 1898. Atl. States.
- *1044. *arioch* STRECKER, Lep. Rhop. Het., suppl. 1, 5, 1898. La.

- *1045. *gasta* STRECKER, Lep. Rhop. Het., suppl. 1, 5,
1898.

III.

APHARETRA Grote.

GROTE, Proc. Ent. Soc. Wash., iv, 368, 1901.

1046. *dentata* GROTE, Can. Ent., vii, 222, 1875; SMITH,
C. 37; SMITH & DYAR, Proc. U. S. Nat. Mus.,
xxi, 173, 1898.

No. Atl.
States.

1047. *pyralis* SMITH, Ent. News, vii, 26, 1896; SMITH
& DYAR, Proc. U. S. Nat. Mus., xxi, 174, 1898.

Rocky
Mts.

ARSILONCHE Lederer.

LEDERER, Noct. Eur., 70, 1857; SMITH & DYAR, Proc. U. S. Nat. Mus., xxi, 174, 1898.

1048. *colorada* SMITH, Proc. U. S. Nat. Mus., xxii, 414,
1900.

Col.

1049. *albovenosa* GOEZE, Ent. Beitr., iii, 3, 251, 1781;
SMITH, C. 34; SMITH & DYAR, Proc. U. S. Nat.
Mus., xxi, 175, 1898.

Atl.
States,
Eur.

a. fumosum MORRISON, Bull. Buff. Soc., i, 275,
1873.

b. henrici GROTE, Bull. Buff. Soc., i, 10, 1873.

c. evanidum GROTE, Bull. Buff. Soc., i, 10, 1873.

MEROLONCHE Grote.

GROTE, Ill. Essay, 50, 1882.

1050. *lupini* GROTE, Bull. Buff. Soc., i, 79, 1873; SMITH,
C. 35; SMITH & DYAR, Proc. U. S. Nat. Mus.,
xxi, 179, 1898.

Pac.
States.

1051. *ursina* SMITH & DYAR, Proc. U. S. Nat. Mus.,
xxi, 180, 1898.

Col.

- *1052. *spinea* GROTE, Bull. Buff. Soc., i, 79, 1873;
SMITH, C. 35; SMITH & DYAR, Proc. U. S. Nat.
Mus., xxi, 179, 1898.

Cal.

HARRISIMEMNA Grote.

GROTE, Trans. Am. Ent. Soc., iv, 293, 1873.

1053. *trisignata* WALKER, Cat. Brit. Mus., ix, 29, 1856;
SMITH, C. 47; SMITH & DYAR, Proc. U. S. Nat.
Mus., xxi, 181, 1898.

Atl.
States.

syn. *sexguttata* HARRIS.

MICROCŒLIA Guenée.

GUENÉE, Spec. Gén., v. 33, 1852.

1054. *dipteroides* GUENÉE, Spec. Gén., v. 34, 1852; Smith, C. 48.
a. obliterata GROTE, Proc. Ent. Soc. Phil., iii, 79, 1864.

JASPIDIA Hübner.

HÜBNER, Tent., 1806; *Euthales* HÜBNER; *Bryophila* TREITSCHKE.

1055. *lepidula* GROTE, 6th Rept. Peab. Acad. Sci., 23, 1874; Smith, C. 49. Atl. States.
*1056. *nana* HÜBNER, Zutr. exot. Schmett., f. 53, 1818; Smith, C. 49. So. States.
*1057. *corticosa* GUENÉE, Spec. Gén., v. 30, 1852; Smith, C. 49. No. Am.
1058. *viridata* HARVEY, Can. Ent., viii, 35, 1876; Smith, C. 49. Cal.
1059. *teratophora* HERRICH-SCHAEFFER, Exot. Schmett., f. 213, 1853; Smith, C. 49. Atl. States.

DIPHTHERA Hübner.

HÜBNER, Tent., 1806.

1060. *fallax* HERRICH-SCHAEFFER, Exot. Schmett., f. 211, 1853; Smith, C. 34. Atl. States.

POLYGRAMMATE Hübner.

HÜBNER, Verz. bek. Schmett., 203, 1816.

1061. *hebraicum* HÜBNER, Zutr. exot. Schmett., f. 25, 1818; Smith, C. 48; DYAR, Proc. U. S. Nat. Mus., xxii, 9, 1898.
syn. *hebræa* GUENÉE.

CERMA Hübner.

HÜBNER, Verz. bek. Schmett., 207, 1816.

- *1062. *galva* STRECKER, Lep. Rhop. Het., suppl. 1, 5, 1898. N. Y.
1063. *cora* HÜBNER, Zutr. exot. Schmett., f. 59, 1818; Smith, C. 47. Atl. States.
syn. *fista* GUENÉE.
1064. *olivacea* SMITH, Trans. Am. Ent. Soc., xviii, 103, 1891; C. 48. Col., Cal.

CYATHISA Grote.

GROTE, Bull. Geol. Surv. Terr., vi, 576, 1882.

1065. *percara* MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 213, 1874; SMITH, C. 50. Fl., Tex., Col.

- *1066. *pallida* SMITH, Jn. N. Y. Ent. Soc., x, 35, 1902. Cal.

CHYTONIX Grote.

GROTE, Bull. Buff. Soc., ii, 66, 1874.

1067. *palliatricula* GUENÉE, Spec. Gén., v, 26, 1852; SMITH, C. 50. Atl. States.
syn. *iaspis* GUENÉE.

1068. *sensilis* GROTE, Pap., i, 49, 1881; SMITH, C. 50. Atl. States.

1069. *semifascia* SMITH, Proc. U. S. Nat. Mus., xxii, 415, 1900. Col.

- *1070. *connecta* SMITH, Trans. Am. Ent. Soc., xxi, 42, 1894. Tex.

COPIBRYOPHILA Smith.

SMITH, Proc. U. S. Nat. Mus., xxii, 416, 1900.

1071. *angelica* SMITH, Proc. U. S. Nat. Mus., xxii, 416, 1900. Cal.

ALEPTINA Dyar.

DYAR, Can. Ent., xxxiv, 105, 1902.

1072. *ince* DYAR, Can. Ent., xxxiv, 105, 1902. Ariz., Tex.

BAILEYA Grote.

GROTE, Abh. nat. Ver. Brem., xiv, 123, 1893; *Leptina* GUENÉE (not MEIGEN), Spec. Gén., v, 14, 1852.

1073. *ophthalmica* GUENÉE, Spec. Gén., v, 15, 1852; SMITH, C. 30. Atl. States.

1074. *australis* GROTE, Can. Ent., xiii, 152, 1881; SMITH, C. 30. Tex., Ala.

1075. *doubledayi* GUENÉE, Spec. Gén., v, 15, 1852; SMITH, C. 30. Atl. States.

1076. *dormitans* GUENÉE, Spec. Gén., v, 15, 1852; SMITH, C. 30. No. Atl. States.
syn. *latebricola* GROTE.

HADENELLA Grote.

GROTE, Pap., iii, 123, 1883.

1077. *pergentilis* GROTE, Pap., iii, 123, 1883; SMITH, C. 164. Wash., Col., Wyo.

1078. *minuscula* MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 147, 1874; SMITH, C. 144. Atl. States, Col.

syn. *subjuncta* SMITH, Can. Ent., xxx, 323, 1898.

1079. *lævigata* SMITH, Can. Ent., xxx, 321, 1898. Col.

ACOPA Harvey.

HARVEY, Bull. Buff. Soc., ii, 279, 1874.

1080. *carina* HARVEY, Bull. Buff. Soc., ii, 279, 1874; SMITH, C. 264. Tex.

1081. *perpallida* GROTE, Can. Ent., x, 68, 1878; SMITH, C. 264. Kans.

- *1082. *incana* HY. EDWARDS, Pap., ii, 128, 1882; SMITH, C. 264. Ariz.

- *1083. *pacifica* HY. EDWARDS, Pap., iv, 46, 1884; SMITH, C. 265. Ariz.

CATABENA Walker.

WALKER, Cat. Brit. Mus., xxxii, 631, 1865; *Adipsophanes* GROTE.

1084. *lineolata* WALKER, Cat. Brit. Mus., xxxii, 631, 1865; SMITH, C. 194. Atl. States, Cal.
syn. *miscellus* GROTE.

- *1085. *terminellus* GROTE, Can. Ent., xv, 132, 1883; SMITH, C. 194. Tex.

- *1086. *egestis* SMITH, Trans. Am. Ent. Soc., xxi, 77, 1894. Ariz.

CRAMBODES Guenée.

GUENÉE, Spec. Gén., vi, 152, 1852.

1087. *talidiformis* GUENÉE, Spec. Gén., vi, 152, 1852; SMITH, C. 194. Atl. States, Col.
syn. *conjugens* WALKER.

PLATYSENTA Grote.

GROTE, 6th Rept. Peab. Acad. Sci., 28, 1874.

1088. *videns* GUENÉE, Spec. Gén., v, 78, 1852; SMITH, C. 184. Atl. States, Col.

syn. *indigena* WALKER, *meskei* SPEYER, *atriciliata* GROTE.

- *1089. *albipuncta* SMITH, Jn. N. Y. Ent. Soc., x, 46, 1902. Tex., Col.
 1089. 1. *angustiorata* GROTE, Bull. Geol. Surv. Terr., vi, 584, 1882; SMITH, C. 184. Col.

SENTA Stephens.

- STEPHENS, Ill. Brit. Ent., Haust., iii, 279, 1829.
 1090. *defecta* GROTE, 6th Rept. Peab. Acad. Sci., 29, 1874; SMITH, C. 183. Atl. States.
 *1091. *enervata* GUENÉE, Spec. Gén., v, 105, 1852; SMITH, C. 183. Fla.
 syn. *fodiens* GUENÉE.

BALSA Walker.

- WALKER, Can. Nat. Geol., v, 250, 1860; *Nolophana* GROTE.
 1092. *malana* FITCH, Rep. Ins. N. Y., i, 244, 1856; SMITH, C. 193. Atl. States.
 syn. *obliquifera* WALKER.
 1093. *tristrigella* WALKER, Cat. Brit. Mus., xxxv, 1734 1865; SMITH, C. 193. Atl. States.
 syn. *zelleri* GROTE.
 1094. *labeula* GROTE, Can. Ent., xii, 217, 1880; SMITH, C. 194. Atl. States.
 *1095. *albopunctella* WALKER, Cat. Brit. Mus., xxxv, 1735, 1866; SMITH, C. 194. U. S.

PLATYPERIGEA Smith.

- SMITH, Trans. Am. Ent. Soc., xxi, 60, 1894.
 1096. *camina* SMITH, Trans. Am. Ent. Soc., xxi, 60, 1894. Col.
 1097. *præacuta* SMITH, Trans. Am. Ent. Soc., xxi, 61, 1894. Col.
 1098. *discistriga* SMITH, Trans. Am. Ent. Soc., xxi, 61, 1894. Col.

FOTELLA Grote.

- GROTE, Can. Ent., xiv, 181, 1882.
 *1099. *notalis* GROTE, Can. Ent., xiv, 181, 1882; SMITH, C. 195. Ariz.

ANORTHODES Smith.

SMITH, Trans. Am. Ent. Soc., xviii, 115, 1891.

1100. *prima* SMITH, Trans. Am. Ent. Soc., xviii, 115, 1891; C. 198. So. Atl. States.

CARADRINA Ochsenheimer.

OCHSENHEIMER, Schmett. Eur., iv, 80, 1816.

1101. *meralis* MORRISON, Can. Ent., vii, 215, 1875; SMITH, C. 195. Atl. States, N. Mex.

syn. *bilunata* GROTE.

1102. *multifera* WALKER, Cat. Brit. Mus., x, 293, 1856; SMITH, C. 196. Atl. States.

syn. *fiducularia* MORRISON

1103. *exigua* HÜBNER, Eur. Schm., 362, 1827; STAUDINGER & REBEL, Cat. Lep. Eur., i, no. 1990, 1901.

syn. *fulgens* HÜBNER, *juncti* ZELLER, *sebghana* AUSTANT, *orbicularis* WALKER, *renosa* BUTLER, *ciliata* GUENÉE, *insulsa* WALKER, *erica* BUTLER, *cycloides* GUENÉE, *caradrinoides* WALKER, *insignata* COTES & SWINHOE, *flammeata* HARVEY, Can. Ent., viii, 54, 1876; SMITH, C. 168; MEYRICK, Faun. Haw., i, 153, 1899.

1104. *spilogoma* WALKER, Cat. Brit. Mus., xxxii, 648, 1865. Tex.

syn. *convirata* HARVEY; SMITH, C. 196.

1105. *extimia* WALKER, Cat. Brit. Mus., xxxii, 687, 1865; SMITH, C. 196. Pac. States, Col.

syn. *civica* GROTE.

1106. *mantalini* SMITH, Trans. Am. Ent. Soc., xxi, 77, 1894. Col.

1107. *rufostriga* PACKARD, Proc. Bost. Soc. Nat. Hist., xi, 36, 1866; SMITH, C. 186. Lab., Col.

syn. *punctiventris* SMITH, Trans. Am. Ent. Soc., xxi, 77, 1894.

- *1108. *insipida* STRECKER, Lep. Rhop. Het., suppl. 3, 32, 1900. Wis.

1109. *miranda* GROTE, Bull. Buff. Soc., i, 11, 169, 1873; SMITH, C. 195. U. S.

- *1110. *tarda* GUENÉE, Spec. Gén., v, 243, 1852; SMITH, C. 195. W. Va.

- *1111. *fragosa* GROTE, Pap., iii, 76, 1883; SMITH, C. 196. Ariz.

*1112. <i>derosa</i> MORRISON, Proc. Bost. Soc. Nat. Hist., xviii, 121, 1875; SMITH, C. 195.	N. J.
*1113. <i>fervens</i> WALKER, Cat. Brit. Mus., x, 266, 1856. syn. <i>subaquila</i> HARVEY; SMITH, C. 196.	Tex.
1114. <i>leucorena</i> SMITH, Proc. U. S. Nat. Mus., xxii, 477, 1900.	Cal., Ariz.

PERIGEA Guenée.

GUENÉE, Spec. Gén., v, 225, 1852.

1115. <i>xanthoides</i> GUENÉE, Spec. Gén., v, 227, 1852; SMITH, C. 152.	Atl. States.
<i>a. enixa</i> GROTE, Bull. Buff. Soc., ii, 310, 1875.	
*1116. <i>iole</i> GROTE, Proc. Bost. Soc. Nat. Hist., xviii, 414, 1875; SMITH, C. 152.	Fla.
1117. <i>vecors</i> GUENÉE, Spec. Gén., v, 230, 1852; SMITH, C. 152. syn. <i>remissa</i> WALKER, <i>lurta</i> GROTE.	Atl. States, Col.
1118. <i>epopea</i> CRAMER, Pap. Exot., iii, pl. 272, f. G, 1782; SMITH, C. 152. syn. <i>cupentina</i> CRAMER, <i>infelix</i> GUENÉE, <i>palpalis</i> WALKER, <i>confederata</i> GROTE.	So. Atl. States.
1119. <i>sutor</i> GUENÉE, Spec. Gén., v, 231, 1852. syn. <i>clavifacta</i> WALKER; SMITH, C. 153; <i>fibrefacta</i> MORRISON.	Atl. States.
*1120. <i>falsa</i> GROTE, Can. Ent., xii, 215, 1880; SMITH, C. 153.	Cal.
1121. <i>albolabes</i> GROTE, Can. Ent., xii, 216, 1880; SMITH, C. 154.	Ariz., Col.
*1122. <i>punctifera</i> WALKER, Cat. Brit. Mus., x, 263, 1856; SMITH, C. 153.	Antilles, Fla.
*1123. <i>loculosa</i> GROTE, Pap., i, 154, 1881; SMITH, C. 154.	Ariz., N. Mex.
*1124. <i>fasciata</i> HY. EDWARDS, Ent. Amer., ii, 169, 1886; SMITH, C. 154.	Ariz.
1125. <i>alfkenii</i> GROTE, Abh. nat. Ver. Bremen, xiv, 81, 1895.	Cal., Ariz.
1126. <i>pulverulenta</i> SMITH, Trans. Am. Ent. Soc., xviii, 105, 1891; C. 154.	Col.
*1127. <i>continens</i> HY. EDWARDS, Pap., iv, 122, 1884; SMITH, C. 154.	Ariz.
1128. <i>veterata</i> SMITH Trans. Am. Ent. Soc., xxi, 62, 1894.	Col.

1129. *lucetta* SMITH, Proc. U. S. Nat. Mus., xxii, 474, 1900. Col.
- *1130. *cervina* SMITH, Proc. U. S. Nat. Mus., xxii, 475, 1900. Fla.
1131. *texana* SMITH, Proc. U. S. Nat. Mus., xxii, 476, 1900. Tex.
1132. *consors* SMITH, Proc. U. S. Nat. Mus., xxii, 477, 1900. Ariz.
- *1133. *proxima* MORRISON, Proc. Bost. Soc. Nat. Hist., xviii, 240, 1875; SMITH, C. 155. Tex.
- *1134. *mersa* MORRISON, Proc. Bost. Soc. Nat. Hist., xviii, 120, 1875; SMITH, C. 155. Cal.
- *1135. *niveirena* HARVEY, Can. Ent., viii, 53, 1876; SMITH, C. 154. B. C.

OLIGIA Hübner.

HÜBNER, Verz. bek. Schmett., 404, 1816.

1136. *festivoides* GUENÉE, Spec. Gén., v, 220, 1852; SMITH, C. 149. Atl. States.
syn. *varia* WALKER.
1137. *chalcedonia* HÜBNER, Eur. Schmett., Noct., 404, 1815; SMITH, C. 150. Atl. States.
Col., N. Mex.
syn. *vineta* WALKER, *irresoluta* WALKER, *arna* GUENÉE, *tracta* GROTE.
1138. *versicolor* GROTE, Proc. Acad. Nat. Sci. Phil., 204, 1874; SMITH, C. 150. Atl. States.
1139. *exesa* GUENÉE, Spec. Gén., v, 222, 1852; SMITH, C. 150. Fla.
syn. *floridiana* WALKER.
1140. *fusceimacula* GROTE, Bull. Geol. Surv. Terr., vi, 262, 1881; SMITH, C. 151. Fla., Tex.
1141. *grata* HÜBNER, Zutr. exot. Schmett., f. 71, 1819; SMITH, C. 151. Atl. States.
syn. *rasilis* MORRISON.
1142. *nucicolora* GUENÉE, Spec. Gén., v, 24, 1852; SMITH, C. 151. Fla., Tex.
syn. *unisignata* WALKER, *paganata* MORRISON, *clara* HARVEY.
1143. *trientiplaga* WALKER, Cat. Brit. Mus., xv, 1677, 1858; DYAR, Proc. Ent. Soc. Wash., iv, 453, 1901.
syn. *aduncula* FELDER, Reise Novara, Lep., pl. 110, f. 4, 1872. Fla., So. Am.
- *1144. *rubiginosa* WALKER, Cat. Brit. Mus., xxxii, 674, 1865. B. C.

HILLIA Grote.

GROTE, Proc. Ent. Soc. Phil., xxxi, 168, 1883.

1145. *crassis* HERRICH-SCHAEFFER, Schmett. Eur., ii, 361, 1845; SMITH, C. 147.
syn. *erdmani* MÖSCHLER, *semisignata* WALKER,
senescens GROTE, *vigilans* GROTE. No. Atl.
States,
Col., Eur.
1146. *algens* GROTE, Can. Ent., x, 236, 1878; SMITH, Me., N. Y.,
C. 147. Col.
1147. *discinigra* WALKER, Cat. Brit. Mus., ix, 27, 1856;
SMITH, C. 148. Can.

HADENA Schrank.

SCHRANK, Faun. Boica, ii, 2, 158, 1802; *Luperina* BOISDUVAL, Ind. Méth., i, 77, 1829;
Nylophasia STEPHENS, Ill. Brit. Ent., Haust., ii, 174, 1829; *Apamea* OCHSENHEIMER,
Schm. Eur., iv, 75, 1816; *Xylena* HÜBNER, Tent., 1806; *Cladocera* RAMBUR (not HOPE),
Cat. Lep. And., pl. 6, 1858; *Helioscota* GROTE, Abh. nat. Ver. Brem., xiv, 78, 1895;
Achatia HÜBNER, Tent., 1806.

1148. *evelina* FRENCH, Can. Ent., xx, 71, 1888; SMITH, Cal., Col.
C. 141.
1149. *bridghami* GROTE & ROBINSON, Proc. Ent. Soc. Atl.
Phil., vi, 17, 1866; SMITH, C. 141. States.
1150. *transfrons* NEUMOEGEN, Pap., iii, 139, 1883; B. C.
SMITH, C. 141.
1151. *violacea* GROTE, Bull. Geol. Surv. Terr., vi, 261, Cal.,
1881; SMITH, C. 141. Col.
1152. *leucoscelis* GROTE, Sixth Rept. Peab. Acad. Sci., Atl. States,
26, 1874; SMITH, C. 142. Col.
syn. *fibulata* MORRISON.
1153. *claudens* WALKER, Cat. Brit. Mus., ix, 753, 1857; No. Atl.
SMITH, C. 142. States.
syn. *hillii* GROTE.
1154. *paviae* BEHR in Strecker, Lep. Rhop. Het., 94, Cal.
1874; SMITH, C. 142.
syn. *inconspicua* SMITH, 142.
1155. *binotata* WALKER, Cat. Brit. Mus., xxxii, 663, Pac.
1865; SMITH, C. 142. States.
syn. *curvata* GROTE, *extensa* WALKER.
1156. *adnixa* GROTE, Can. Ent., xii, 243, 1880; SMITH, Nev.
C. 142.
1157. *indirecta* GROTE, Can. Ent., vii, 28, 1875; SMITH, Pac. States,
C. 143. Col.

1158. *modica* GUENÉE, Spec. Gén., v, 207, 1852; SMITH, C. 146.
syn. *subcædens* WALKER.
1159. *hausta* GROTE, Can. Ent., xiv, 217, 1882; SMITH, C. 146. No. Atl. States, N. M.
1160. *characta* GROTE, Can. Ent., xii, 243, 1880; SMITH, C. 143. Nev., Ariz.
1161. *genetrix* GROTE, Can. Ent., x, 237, 1878; SMITH, C. 143. Nev., Ariz.
1162. *patina* HARVEY, Bull. Buff. Soc., iii, 7, 1875; SMITH, C. 146. Tex., D. C.
- *1163. *egens* WALKER, Cat. Brit. Mus., x, 263, 1856; SMITH, C. 144. Can., Col.
1164. *unicineta* SMITH, Jn. N. Y. Ent. Soc., x, 41, 1902. Cal.
1165. *diversicolor* MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 132, 1874; SMITH, C. 146. No. Atl. States.
1166. *mactata* GUENÉE, Spec. Gén., v, 207, 1852; SMITH, C. 145. Atl. States, Col.
1167. *turbulenta* HÜBNER, Zutr. exot. Schmitt., f. 67, 1820; SMITH, C. 145.
syn. *arcuata* WALKER. Atl. States.
1168. *divesta* GROTE, Can. Ent., vi, 215, 1874; SMITH, C. 143. Pac. States, Col.
- *1169. *tusa* GROTE, Bull. Geol. Surv. Terr., iv, 177, 1878; SMITH, C. 143. Cal.
- *1170. *tonsa* GROTE, Can. Ent., xii, 214, 1880; SMITH, C. 143. Nev.
1171. *chryselectra* GROTE, Can. Ent., xii, 244, 1880; SMITH, C. 147. Col.
- syn. *benigna* HY. EDWARDS, Pap., iv, 122, 1884; SMITH, C. 154.
1173. *fumosa* GROTE, Bull. Geol. Surv. Terr., v, 205, 1879; SMITH, C. 143. Col., Wash.
- *1174. *tortilis* GROTE, Bull. Brook. Ent. Soc., iii, 46, 1880; SMITH, C. 146. Wash.
1175. *marina* GROTE, Bull. Buff. Soc., ii, 67, 1874; SMITH, C. 145. Cal.
1176. *didonea* SMITH, Trans. Am. Ent. Soc., xxi, 58, 1894. Col.
1177. *antennata* SMITH, Proc. U. S. Nat. Mus., xiii, 439, 1890; C. 140. Cal.
1178. *viridimusea* SMITH, Can. Ent., xxi, 262, 1899. Ohio.

*1179. <i>loda</i> STRECKER, Lep. Rhop. Het., suppl. 1, 8, 1898.	Wash.
*1180. <i>una</i> STRECKER, Lep. Rhop. Het., suppl. 3, 32, 1900.	Wis.
*1181. <i>thula</i> STRECKER, Lep. Rhop. Het., suppl. 1, 7, 1898.	Wash.
1182. <i>luteocinerea</i> SMITH, Proc. U. S. Nat. Mus., xxii, 468, 1900.	Mont.
1183. <i>laetabilis</i> SMITH, Can. Ent., xxi, 264, 1899.	N. Mex.
1184. <i>pausis</i> SMITH, Can. Ent., xxi, 262, 1899.	Cal.
*1185. <i>moilena</i> STRECKER, Lep. Rhop. Het., suppl. 1, 8, 1898.	Col.
*1186. <i>lona</i> STRECKER, Lep. Rhop. Het., suppl. 1, 8, 1898. syn. <i>rurata</i> SMITH, Can. Ent., xxxi, 257, 1899.	Wash., Man.
1187. <i>catalina</i> SMITH, Can. Ent., xxi, 261, 1899.	Ariz.
1188. <i>virguncula</i> SMITH, Can. Ent., xxi, 259, 1899.	Col.
1189. <i>barnesii</i> SMITH, Can. Ent., xxi, 258, 1899.	No. Dak., Col.
1190. <i>dionaea</i> SMITH, Can. Ent., xxi, 258, 1899.	No. Dak.
*1191. <i>satina</i> STRECKER, Lep. Rhop. Het., suppl. 1, 8, 1898.	Anticosti.
1192. <i>mustelina</i> SMITH, Proc. U. S. Nat. Mus., xxii, 469, 1900.	Cal.
1193. <i>tenera</i> SMITH, Proc. Wash. Acad. Sci., ii, 491, 1900.	Alaska.
1194. <i>jocasta</i> SMITH, Proc. U. S. Nat. Mus., xxii, 470, 1900.	Dak., Ill.
1195. <i>tela</i> SMITH, Proc. U. S. Nat. Mus., xxii, 470, 1900.	Ariz.
1196. <i>tapeta</i> SMITH, Proc. U. S. Nat. Mus., xxii, 467, 1900.	Fla.
*1197. <i>cluna</i> STRECKER, Lep. Rhop. Het., suppl. 1, 7, 1898.	Ill.
1198. <i>allecto</i> SMITH, Can. Ent., xxi, 260, 1899.	B. C., Man., Dak.
1199. <i>versuta</i> SMITH, Ent. News, vii, 27, 1896.	Alberta.
*1200. <i>dilara</i> STRECKER, Lep. Rhop. Het., suppl. 1, 7, 1898.	Col.
1201. <i>ethnica</i> SMITH, Can. Ent., xxi, 263, 1899.	Cal.

1202. *miselloides* GUENÉE, Spec. Gén., vi, 89, 1852; SMITH, C. 145; Jn. N. Y. Ent. Soc., x, 39, 1902.
a. miscellus SMITH, Jn. N. Y. Ent. Soc., x, 40, 1902.
1203. *macerata* SMITH, Jn. N. Y. Ent. Soc., x, 40, 1902. Man.
- *1204. *chlorostigma* HARVEY, Can. Ent., viii, 53, 1876; SMITH, C. 145. Tex., Ill.
1205. *semicana* WALKER, Cat. Brit. Mus., xxxii, 675, 1865; SMITH, C. 144.
syn. *cultrivaga* MORRISON.
a. fractilinea GROTE, Can. Ent., vi, 15, 1874;
SMITH, C. 144.
b. modiola GROTE, Bull. Geol. Surv. Terr., v, 204, 1879.
1206. *misera* GROTE, Bull. Geol. Surv. Terr., vi, 582, 1882; SMITH, C. 144. Atl. States.
1207. *cylindrica* GROTE, Can. Ent., xii, 214, 1880; SMITH, C. 146. Nev.
1208. *basilinea* FABRICIUS, Mant. Ins., 183, 1787; STAUDINGER & REBEL, Cat. Lep. Eur., i, no. 1710, 1901.
a. cerviana SMITH, Can. Ent., xxxii, 220, 1900. N.-W. Pac. States, Ear.
- *1209. *smaragdina* NEUMOEGEN, Pap., iii, 140, 1883; SMITH, C. 145. Ariz.
1210. *niveivenosa* GROTE, Bull. Geol. Surv. Terr., v, 206, 1879; SMITH, C. 131. Mont., Col.
1211. *stipata* MORRISON, Proc. Acad. Nat. Sci. Phil., 64, 1875; SMITH, C. 131. No. Atl. States.
1212. *passer* GUENÉE, Spec. Gén., v, 195, 1852; SMITH, C. 131.
syn. *incellida* WALKER, *loculata* MORRISON, *viralis* GROTE.
a. conspicua MORRISON, Bull. Buff. Soc., ii, 110, 1874. No. Atl. States, Col., Oreg.
1213. *trigona* SMITH, Jn. N. Y. Ent. Soc., x, 39, 1902. Tenn.
1214. *burgessi* MORRISON, Bull. Buff. Soc., ii, 109, 1874; SMITH, C. 132.
syn. *discors* GROTE. Mass., Ariz., Nebr.
1215. *longula* GROTE, Bull. Geol. Surv. Terr., v, 204, 1879; SMITH, C. 132. Rocky Mts., Kans., Wash.
1216. *contradicta* SMITH, Ent. News, vii, 28, 1896. Alberta.

1217. <i>remissa</i> HÜBNER, Eur. Schmett., Noct., 423, 1812; SMITH, C. 132. syn. <i>indocilis</i> WALKER.	Atl. States.
1218. <i>separans</i> GROTE, Bull. U. S. Geol. Surv. Terr., vi, 260, 1880; SMITH, C. 133.	N. Y., Wis.
1219. <i>suffusca</i> MORRISON, Proc. Acad. Nat. Sci. Phil., 61, 1875; SMITH, C. 133.	Atl. States, Col.
1220. <i>vultuosa</i> GROTE, Proc. Acad. Nat. Sci. Phil., 420, 1875; SMITH, C. 134.	Atl. States.
1221. <i>apamiformis</i> GUENÉE, Spec. Gén., v, 137, 1852; SMITH, C. 133. syn. <i>contenta</i> WALKER.	Atl. States, Col.
1222. <i>exornata</i> MÖSCHLER, Wien. ent. Mon., iv, 364, 1864; SMITH, C. 134.	Lab., Col.
1223. <i>morna</i> STRECKER, Rep. Ch. Eng., Ruffner, v, 1861, 1879; SMITH, C. 134. syn. <i>hulstii</i> GROTE, No. Am. Ent., i, 93, 1880; SMITH, C. 134.	Col.
1224. <i>finitima</i> GUENÉE, Spec. Gén., v, 206, 1852; SMITH, C. 134.	No. U. S.
1225. <i>lateritia</i> HÜBNER, Berl. Mag., iii, 306, 1767; SMITH, C. 134. syn. <i>molochina</i> HÜBNER, <i>obliviosa</i> WALKER.	No. U. S., Eur.
1226. <i>cogitata</i> SMITH, Proc. U. S. Nat. Mus., xiii, 421, 1890; C. 135.	No. U. S.
1227. <i>dubitans</i> WALKER, Cat. Brit. Mus., ix, 232, 1856; SMITH, C. 135. syn. <i>insignata</i> WALKER, <i>sputatrix</i> GROTE.	No. Atl. States.
1228. <i>plutonia</i> GROTE, Can. Ent., xv, 9, 1883; SMITH, C. 135.	Me., Wis.
1229. <i>alticola</i> SMITH, Proc. U. S. Nat. Mus., xxiii, 423, 1890; C. 136.	Col.
1230. <i>dueta</i> GROTE, Bull. Geol. Surv. Terr., iv, 176, 1878; SMITH, C. 136.	No. U. S.
1231. <i>impulsa</i> GUENÉE, Spec. Gén., v, 194, 1852; SMITH, C. 136. <i>a. mixta</i> GROTE, Bull. Geol. Surv. Terr., vi, 264, 1880.	Atl. States.
1232. <i>devastatrix</i> BRACE, Am. Jn. Sci., i, 154, 1819; SMITH, C. 136. syn. <i>ordinaria</i> WALKER, <i>contenta</i> WALKER, <i>marshallana</i> WESTWOOD.	U. S.

1233. *exulis* LEFÈBRE, Ann. Soc. Ent. Fr., v, 393, 1836; Lab.,
SMITH, C. 137. Greenl.
 syn. *gelata* LEFÈBRE, *groenlandica* ZETTER-
STEDT, *marmorata* ZETTERSTEDT, *difflua*
GEYER, *gelida* GUENÉE, *poli* GUENÉE, *borea*
GUENÉE.
- *1234. *sommeri* LEFÈBRE, Ann. Soc. Ent. Fr., iii, 391, Lab.,
1836; SMITH, C. 137. Greenl.
1235. *arctica* BOISDUVAL, Gen. Ind. Méth., 120, 1840; Atl. States,
SMITH, C. 137. Col.
 syn. *amputatrix* FITCH.
1236. *albina* GROTE, Bull. Buff. Soc., ii, 157, 1874; Cal.
SMITH, C. 138.
1237. *pluviosa* WALKER, Cat. Brit. Mus., xxxiii, 725, Pae.
1865; SMITH, C. 138. States.
 syn. *castanea* GROTE, *cymosa* GROTE.
1238. *occidens* GROTE, Bull. U. S. Geol. Surv. Terr., iv, Col.,
177, 1878; SMITH, C. 138. Cal.
- *1239. *perpensa* GROTE, Can. Ent., xiii, 229, 1883; Ariz.,
SMITH, C. 138. New Mex.
1240. *cuculliformis* GROTE, Check List Noct., 24, 1875; Cal.
SMITH, C. 139.
1241. *verbascoidea* GUENÉE, Spec. Gén., v, 141, 1852; Atl.
SMITH, C. 139. States.
1242. *nigrior* SMITH, Proc. U. S. Nat. Mus., xiii, 437, Me.
1890; C. 139.
1243. *cariosa* GUENÉE, Spec. Gén., v, 144, 1852; SMITH, No. U. S.,
C. 139. Ariz.
 syn. *idonea* GROTE.
1244. *vulgaris* GROTE & ROBINSON, Proc. Ent. Soc. Atl.
Phil., vi, 19, 1866; SMITH, C. 139. States.
- *1245. *cristata* GROTE, Bull. Geol. Surv. Terr., iv, 176, N. Y.
1878; SMITH, C. 140.
1246. *releicina* MORRISON, Proc. Bost. Soc. Nat. Hist., Tex.,
xvii, 216, 1874; SMITH, C. 140. Col.
1247. *cinefacta* GROTE, Pap., i, 77, 1881; SMITH, C. Pac. States,
140. Col.
1248. *centralis* SMITH, Proc. U. S. Nat. Mus., xiii, 141, Cal.
1890; C. 140.
1249. *auranticolor* GROTE, Bull. Buff. Soc., i, 109, 1873; Oreg., Col.,
SMITH, C. 140. Neb.

1250. *lignicolor* GUENÉE, Spec. Gén., v, 140, 1852; SMITH, C. 140.
a. quæsita GROTE, Can. Ent., viii, 26, 1876.
 1251. *genialis* GROTE, Bull. Buff. Soc., ii, 66, 1874; SMITH, C. 141.
 1252. *inordinata* MORRISON, Proc. Acad. Nat. Sci. Phil., 63, 1875; SMITH, C. 141.
a. montana SMITH, Proc. U. S. Nat. Mus., xiii, 414, 1890.
 *1252. 1. *semilunata* GROTE, Pap., i, 58, 1881; SMITH, C. 141.

CALOPHASIA Stephens.

STEPHENS, Ill. Brit. Ent., Haust., ii, 61, 1829.

1253. *strigata* SMITH, Trans. Am. Ent. Soc., xviii, 107, 1891; C. 156.

EPIDEMAS Smith.

SMITH, Trans. Am. Ent. Soc., xxi, 40, 1894.

1254. *cinerea* SMITH, Trans. Am. Ent. Soc., xxi, 41, 1894.

Col.

MACRONOCTUA Grote.

GROTE, 6th Rept. Peab. Acad. Sci., 27, 1874.

1255. *onusta* GROTE, 6th Rept. Peab. Acad. Sci., 27, 1874; SMITH, C. 163.

Atl. States.

FISHEA Grote.

GROTE, Can. Ent., ix, 21, 1877.

- *1256. *enthea* GROTE, Can. Ent., ix, 21, 1877; SMITH, C. 167.

Me.

PACHYPOLIA Grote.

GROTE, 6th Rept. Peab. Acad. Sci., 27, 1874.

1257. *atricornis* GROTE, 6th Rept. Peab. Acad. Sci., 27, 1874; SMITH, C. 164.

Ill.

POLIA Hübner.

HÜBNER, Tent., 1806; OCHSENHEIMER, Schmett. Eur., iv, 73, 1816; *Andropolia* GROTE, Abh. nat. Ver. Brem., xiv, 83, 1895.

- *1258. *ædon* GROTE, Can. Ent., xii, 154, 1880; SMITH, C. 165.

Col., Nev., Wash.

1259. *theodori* GROTE, Can. Ent., x, 237, 1878; SMITH, C. 165. Col., Cal., N. M.
a. epichysis GROTE, Can. Ent., xii, 219, 1880.
- *1260. *olorina* GROTE, Bull. Buff. Soc., iii, 84, 1876; SMITH, C. 165. Cal., Col.
1261. *confragosa* MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 138, 1874; SMITH, C. 166. Can., Wis.
1262. *connecta* SMITH, Trans. Am. Ent. Soc., xxi, 72, 1894. Col.
- *1263. *speciosa* MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 137, 1874; SMITH, C. 166. Mass.
- *1264. *pallifera* GROTE, Can. Ent., ix, 88, 1877; SMITH, C. 166. Ill.
1265. *pulverulenta* SMITH, Trans. Am. Ent. Soc., xviii, 106, 1901. Col.
1266. *contacta* WALKER, Cat. Brit. Mus., ix, 58, 1856; SMITH, C. 166. Can., No. N. Y.
 syn. *aspera* MORRISON, *diffusilis* HARVEY.
1267. *diversilineata* GROTE, Bull. Geol. Surv. Terr., iii, 119, 1877; SMITH, C. 165. Rocky Mts.
 syn. *ilepida* GROTE.
1268. *medialis* GROTE, Ann. Lyc. Nat. Hist. N. Y., xi, 306, 1876; SMITH, C. 167. Can., N. Y.
1269. *extincta* SMITH, Proc. U. S. Nat. Mus., xxii, 471, 1900. N. H.
1270. *acera* SMITH, Proc. U. S. Nat. Mus., xxii, 472, 1900. Wash.
- *1271. *acutissima* GROTE, Check List Noct., 23, 1875; SMITH, C. 167. Can.
1272. *resoluta* SMITH, Trans. Am. Ent. Soc., xxi, 70, 1894. Col.
- *1273. *contadina* SMITH, Trans. Am. Ent. Soc., xxi, 71, 1894. B. C.
- *1274. *sansar* STRECKER, Lep. Rhop. Het., suppl. 1, 8, 1898. Wash.
1275. *ochracea* SMITH, Proc. U. S. Nat. Mus., xxii, 474, 1900. Ia.
1276. *dispar* SMITH, Proc. U. S. Nat. Mus., xxii, 473, 1900. Col.

DRYOBOTA Lederer.

LEDERER, Noct. Eur., 100, 1857.

1277. *ilocata* WALKER, Cat. Brit. Mus., xi, 758, 1857; Atl. States,
SMITH, C. 164. Col.
syn. *stigmata* GROTE.

HYPPA Duponchel.

DUPONCHEL, Cat. Méth., iv, 231, 1844.

1278. *xylinoides* GUENÉE, Spec. Gén., vi, 106, 1852; Atl. States,
SMITH, C. 155.
syn. *contraria* WALKER, *aneocisconensis* MORRISON.
1279. *indistincta* SMITH, Trans. Am. Ent. Soc., xxi, 63, Oreg.
1894.
1280. *rectilinea* ESPER, Schmett. Eur., i, 127, 1777; Alaska.
STAUDINGER & REBEL, Cat. Lep. Eur., i, no. 1828, Eur.
1901; DYAR, Proc. Wash. Acad. Sci., ii, 491, 1900.
- *1281. *brunneicrista* SMITH, Can. Ent., xxxiv, 31, 1902. Alberta.

FERALIA Grote.

GROTE, Bull. Buff. Soc., ii, 58, 1874.

1282. *jocosa* GUENÉE, Spec. Gén., v, 37, 1852; SMITH, Atl. States,
C. 33; SEIFERT, Jn. N. Y. Ent. Soc., vi, 182, 1898.
1283. *febrialis* GROTE, Bull. Buff. Soc., ii, 60, 1874; Cal.
SMITH, C. 33.
1284. *major* SMITH, Ent. Amer., vi, 26, 1890; C. 34. Atl. States.
1285. *brillians* BARNES, Can. Ent., xxxiii, 56, 1901. Ariz.

MOMOPHANA Grote.

GROTE, Stett. ent. Zeit., xxxvi, 195, 1875.

1286. *comstocki* GROTE, Bull. Buff. Soc., ii, 59, 1874; Atl. States,
SMITH, C. 34.

VALERIA Germar.

GERMAR, Mag. Ent., iv, 1821; STEPHENS, Cat. Brit. Ins., no. 118, 1829.

1287. *opina* GROTE, Bull. Geol. Surv. Terr., iv, 178, Cal.
1878; SMITH, C. 156.

EUPLEXIA Stephens.

STEPHENS, Ill. Brit. Ent., Haust., iii, 3, 1829.

1288. *lucipara* LINNÆUS, Syst. Nat., 518, 1758; SMITH, C. 171. U. S., Eur.

TRACHEA Hübner.

HÜBNER, Verz. bek. Schmett., 219, 1816.

1289. *delicata* GROTE, Trans. Am. Ent. Soc., v, 92, 1874; SMITH, C. 148. syn. *interna* GROTE. Atl. States.

DIPTERYGIA Stephens.

STEPHENS, Ill. Brit. Ent., Haust., ii, 167, 1829.

1290. *scabriusecula* LINNÆUS, Syst. Nat., 516, 1758; SMITH, C. 155. syn. *pinastri* LINNÆUS. Atl. States, Col., Eur.

ACTINOTIA Hübner.

HÜBNER, Verz. bek. Schmett., 244, 1816.

1291. *ramosula* GUENÉE, Spec. Gén., vi, 114, 1852; SMITH, C. 167. Atl. States.

- *1292. *stewarti* GROTE, Can. Ent., vii, 28, 1875; SMITH, C. 167. Cal.

PYROPHILA Hübner.

HÜBNER, Verz. bek. Schmett., 208, 1816.

1293. *gabella* MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 153, 1874; SMITH, C. 197. U. S.

- *1294. *triquetra* GROTE, Pap., iii, 78, 1883; SMITH, C. 197. Ariz.

1295. *pyramidoides* GUENÉE, Spec. Gén., vi, 413, 1852; SMITH, C. 197. Atl. States, Col.

- a. inornata* GROTE, Proc. Ent. Soc. Phil., iii, 86, 1864.

- b. conspersa* RILEY, 3d Rept. Ins. Mo., 75, 1871.

1296. *tragopoginis* LINNÆUS, Faun. Suec., 1189, 1761; SMITH, C. 197. Atl. States, Eur.

- syn. *repressus* GROTE.

HELIOTROPHA Lederer.

LEDERER, Noct. Eur., 118, 1857.

1297. *reniformis* GROTE, Can. Ent., vi, 14, 1874; SMITH, C. 173. Atl. States.
a. atra GROTE, Proc. Acad. Nat. Sci. Phil., 200, 1874.
- *1298. *obtusa* SMITH, Jn. N. Y. Ent. Soc., x, 45, 1902. N. H.

PRODENIA Guenée.

GUENÉE, Spec. Gén., v, 159, 1852.

1299. *commelinæ* SMITH & ABBOT, Lep. Ins. Ga., ii, 189, 1797; SMITH, C. 169. Atl. States.
 1300. *ornithogalli* GUENÉE, Spec. Gén., v, 163, 1852; SMITH, C. 169. Atl. States, Cal., Col.
 syn. *lineatella* HARVEY.
a. eudiopota GUENÉE, Spec. Gén., v, 164, 1852; SMITH, C. 170.
 syn. *flavimeda* HARVEY.
b. præfica GROTE, Can. Ent., vii, 44, 1875.
 1301. *eridania* CRAMER, Pap. Exot., iv, pl. 358, f. E, 1782; SMITH, C. 169. So. States, So. Am.
 syn. *phytolacca* SMITH & ABBOT, *derupta* MORRISON, *nigrofusciata* HULST.

LAPHYGMA Guenée.

GUENÉE, Spec. Gén., v, 156, 1852.

1302. *frugiperda* SMITH & ABBOT, Lep. Ins. Ga., ii, 191, 1797; SMITH, C. 168. Atl. States, So. Am.
 syn. *macra* GUENÉE, *signifera* WALKER, *plagiata* WALKER, *autumnalis* RILEY.
a. obscura RILEY, 8th Rept. Ins. Mo., 49, 1876.
b. fulvosa RILEY, 8th Rept. Ins. Mo., 49, 1876.

LUSSA Grote.

GROTE, Can. Ent., xv, 127, 1883.

1303. *nigroguttata* GROTE, Can. Ent., xv, 127, 1883; SMITH, C. 167. Fla.
 *1304. *inflexa* MORRISON, Proc. Acad. Nat. Sci. Phil., 65, 1875; SMITH, C. 168. Fla.

MAGUSA Walker.

WALKER, Cat. Brit. Mus., xi, 762, 1857.

1305. *dissidens* FELDER, Reise Novara, pl. 108, f. 50, 1872; SMITH, C. 329; DYAR, Proc. Ent. Soc. Wash., iv, 453, 1901. Atl. States, So. Am.

syn. *diraricata* GROTE, *angustipennis* MÖSCHLER, *dirida* MÖSCHLER.

PSEUDANARTA Hy. Edwards.

HY. EDWARDS, Proc. Cal. Acad. Sci., vi, 133, 1875; *Copanarta* GROTE, Abh. nat. Ver. Brem., xiv, 112, 1895.

- *1306. *aurea* GROTE, Bull. Geol. Surv. Terr., v, 205, 1879; SMITH, C. 149. Tex.
1307. *flava* GROTE, Trans. Am. Ent. Soc., v, 91, 1874; SMITH, C. 140. N. W. Pac. States, Col., Ariz.
- syn. *crocea* HY. EDWARDS.
1308. *singula* GROTE, Can. Ent., xii, 215, 1880; SMITH, C. 148. Tex., Ariz., Col.
1309. *flavidens* GROTE, Bull. Geol. Surv. Terr., v, 205, 1879; SMITH, C. 149. Col., N. Mex.
1310. *falcata* NEUMOGEN, Pap., iii, 141, 1883; SMITH, C. 149. Ariz., Mex.

HOMOHADENA Grote.

GROTE, Bull. Buff. Soc., i, 180, 1873.

1311. *candida* SMITH, Proc. U. S. Nat. Mus., xxii, 478, 1900. Tex.
1312. *badistriga* GROTE, Trans. Am. Ent. Soc., iv, 20, 1872; SMITH, C. 158. Atl. States Col.
1313. *infixa* WALKER, Cat. Brit. Mus., ix, 178, 1856; SMITH, C. 157. So. Atl. States.
- syn. *kappa* GROTE.
1314. *retroversa* MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 157, 1874; SMITH, C. 157. Miss.
1315. *induta* HARVEY, Bull. Buff. Soc., ii, 274, 1874; SMITH, C. 157. Tex.
1316. *incomitata* HARVEY, Bull. Buff. Soc., iii, 6, 1875; SMITH, C. 156. Tex.
1317. *stabilis* SMITH, Ent. News, vii, 29, 1896. Alberta.
- *1318. *inconstans* GROTE, Can. Ent., xv, 28, 1883; SMITH, C. 156. Ariz.

1319. *figurata* HARVEY, Can. Ent., vii, 117, 1875; SMITH, C. 157. Col., Nev., Cal.
- *1320. *chorda* GROTE, Can. Ent., xii, 256, 1880; SMITH, C. 157. Col., Cal.
- *1321. *epipaschia* GROTE, Trans. Kans. Acad. Sci., viii, 49, 1882; SMITH, C. 157. Kans., N. Mex.
1322. *vulnerea* GROTE, Can. Ent., xv, 29, 1883; SMITH, C. 157. Ariz.
- *1323. *deserta* SMITH, Proc. U. S. Nat. Mus., xiii, 402, 1890; C. 157. Ariz.

ONCOCNEMIS Lederer.

LEDERER, Noct. Eur., 94, 1857.

1324. *hayesi* GROTE, Bull. Buff. Soc., i, 106, 1873; SMITH, C. 158. Col., Cal., B. C.
1325. *dayi* GROTE, Bull. Buff. Soc., i, 105, 1873; SMITH, C. 158. Col.
1326. *fasciatus* SMITH, Ins. Life, i, 18, 1888; C. 159. Col., Cal.
- *1327. *behrensi* GROTE, Bull. Buff. Soc., ii, 65, 1874; SMITH, C. 160. Cal.
1328. *mirificalis* GROTE, Bull. Geol. Surv. Terr., v, 207, 1879; SMITH, C. 158. Nev., Cal.
1329. *tenuifascia* SMITH, Ins. Life, i, 18, 1888; C. 159. Col.
1330. *umbrifascia* SMITH, Trans. Am. Ent. Soc., xxi, 64, 1894. Col.
1331. *levis* GROTE, Can. Ent., xii, 254, 1880; SMITH, C. 159. Ariz., Col.
1332. *augustus* HARVEY, Bull. Buff. Soc., iii, 73, 1875; SMITH, C. 159. Tex., Col.
1333. *saunderiana* GROTE, Can. Ent., viii, 29, 1876; SMITH, C. 160. Miss. Vall.
- *1334. *pernotata* GROTE, Can. Ent., xv, 25, 1883; SMITH, C. 160. Ariz.
1335. *homogena* GROTE, Bull. Geol. Surv. Terr., iii, 800, 1874; SMITH, C. 160. Col.
1336. *occata* GROTE, Trans. Am. Ent. Soc., v, 114, 1874; SMITH, C. 160. Tex., Col., Cal.
1337. *fortis* GROTE, Can. Ent., xii, 257, 1880; SMITH, C. 161.
syn. *picina* GROTE, *vorax* BEHR. Nev., Cal.
1338. *chandleri* GROTE, Bull. Buff. Soc., i, 107, 1873; SMITH, C. 161. Col., Nev.

1339. <i>riparia</i> MORRISON, Can. Ent., vii, 213, 1875; SMITH, C. 161.	N. Y., Mass.
*1340. <i>extremis</i> SMITH, Ent. Amer., vi, 30, 1890; C. 160.	B. C.
1341. <i>atrifasciata</i> MORRISON, Proc. Acad. Nat. Sci. Phil., 431, 1875; SMITH, C. 159.	No. Atl. States.
1342. <i>terminalis</i> SMITH, Ins. Life, i, 19, 1888; C. 159.	Col.
*1343. <i>simplex</i> SMITH, Ins. Life, i, 20, 1888; C. 159.	Utah.
1344. <i>iricolor</i> SMITH, Ins. Life, i, 19, 1888; C. 160.	Col.
1345. <i>glennyi</i> GROTE, Bull. Buff. Soc., i, 141, 1873; SMITH, C. 160.	Col.
*1346. <i>meadiana</i> MORRISON, Proc. Acad. Nat. Sci. Phil., 60, 1875; SMITH, C. 160.	Ariz.
1347. <i>major</i> GROTE, Pap., i, 33, 1881; SMITH, C. 162. syn. <i>aqualis</i> GROTE, <i>curricollis</i> GROTE.	Ariz., Col., Cal.
1348. <i>colorado</i> SMITH, Ent. News, iv, 100, 1892; Trans. Am. Ent. Soc., xxi, 66, 1894; C. 161.	Col.
1349. <i>corusca</i> SMITH, Jn. N. Y. Ent. Soc., vii, 40, 1899.	Cal.
1350. <i>melalutea</i> SMITH, Jn. N. Y. Ent. Soc., vii, 39, 1899.	Col.
1351. <i>melantho</i> SMITH, Jn. N. Y. Ent. Soc., vii, 37, 1899.	Cal.
1352. <i>pohono</i> SMITH, Jn. N. Y. Ent. Soc., vii, 38, 1899.	Cal.
*1353. <i>pudorata</i> SMITH, Trans. Am. Ent. Soc., xxi, 63, 1894.	B. C.
*1354. <i>viriditineta</i> SMITH, Trans. Am. Ent. Soc., xxi, 66, 1894.	B. C.
1355. <i>ciliata</i> SMITH, Proc. U. S. Nat. Mus., xxii, 478, 1900.	Ariz.
*1356. <i>barnesii</i> SMITH, Jn. N. Y. Ent. Soc., vii, 37, 1899.	Wyo.
*1357. <i>oblita</i> GROTE, Bull. Geol. Surv. Terr., iii, 117, 1877; SMITH, C. 162.	Nev.
1358. <i>eibalis</i> GROTE, Can. Ent., xii, 244, 1880; SMITH, C. 162.	Col.
*1359. <i>balteata</i> SMITH, Jn. N. Y. Ent. Soc., x, 43, 1902.	Col.
*1360. <i>regina</i> SMITH, Jn. N. Y. Ent. Soc., x, 44, 1902.	N.-W. Ter.
1361. <i>atricollaris</i> HARVEY, Bull. Buff. Soc., ii, 273, 1874; SMITH, C. 162.	Tex., Ariz., Col.
1362. <i>griseicollis</i> GROTE, Can. Ent., xiv, 19, 1882; SMITH, C. 163.	Ariz.
*1363. <i>atterima</i> GROTE, Can. Ent., xi, 199, 1879; SMITH, C. 163.	Cal.

1364. *flagrantis* SMITH, Ins. Life, v, 330, 1893. Cal.
 1365. *exemplaris* SMITH, Trans. Am. Ent. Soc., xxi, 64, Cal.
 1894.
 1366. *extranea* SMITH, Trans. Am. Ent. Soc., xxi, 68, Col.
 1894.
 1367. *nigrocaput* SMITH, Trans. Am. Ent. Soc., xxi, 67, Col.
 1894.
 1368. *refecta* SMITH, Trans. Am. Ent. Soc., xxi, 65, 1894. Col.

LEPIPOLYS Guenée.

GUENÉE, Spec. Gén., vi, 173, 1852.

1369. *perscripta* GUENÉE, Spec. Gén., vi, 174, 1852; Atl. States,
 SMITH, C. 259. Col., Cal.

ADITA Grote.

GROTE, Bull. Buff. Soc., ii, 63, 1874.

1370. *chionanthi* SMITH & ABBOT, Lep. Ins. Ga., ii, 195, Atl. States,
 1797; SMITH, C. 158. Col.

COPIPANOLIS Grote.

GROTE, 6th Rept. Peab. Acad. Sci., app., 25, 1874.

- *1371. *borealis* SMITH, Proc. U. S. Nat. Mus., xv, 61, Minn.
 1892; C. 112.
 1372. *cubilis* GROTE, 6th Rept. Peab. Acad. Sci., app., No. Atl.
 25, 1874; SMITH, C. 112. States.
 1373. *fasciata* SMITH, Proc. U. S. Nat. Mus., xv, 61, Mo.,
 1892; C. 113. Tex.
 *1374. *stigma* SMITH, Ent. Amer., vi, 220, 1890; C. 113. Fla.

EUTOLYPE Grote.

GROTE, Proc. Acad. Nat. Sci. Phil., 189, 1874.

1375. *rolandi* GROTE, Proc. Acad. Nat. Sci. Phil., 198, Atl.
 1874; SMITH, C. 112. States.
 syn. *vernalis* MORRISON.
 1376. *bombyciformis* SMITH, Proc. U. S. Nat. Mus., xv, Mass.,
 58, 1892; C. 112. Mo.
 1377. *grandis* SMITH, Can. Ent., xxx, 321, 1898. Mo.
 1378. *depilis* GROTE, Pap., i, 48, 1881; SMITH, C. 112. Atl. States.
 *1379. *damalis* GROTE, Bull. Geol. Surv. Terr., v, 208, Cal.
 1880; SMITH, C. 112.

PSAPHIDIA Walker.

WALKER, Cat. Brit. Mus., xxxii, 447, 1865; *Dicopis* GROTE.

- | | |
|---|----------|
| 1380. <i>grotei</i> MORRISON, Bull. Buff. Soc., i, 274, 1874; | No. Atl. |
| SMITH, C. 111. | States. |
| 1381. <i>resumens</i> WALKER, Cat. Brit. Mus., xxxii, 448, | Atl. |
| 1865; SMITH, C. 111. | States. |
| syn. <i>viridescens</i> WALKER, <i>muralis</i> GROTE. | |
| *1382. <i>electilis</i> MORRISON, Proc. Bost. Soc. Nat. Hist., xviii, 114, 1875; SMITH, C. 111. | Pa. |
| 1383. <i>thaxterianus</i> GROTE, Bull. Buff. Soc., ii, 196, 1874; | Atl. |
| SMITH, C. 111; DYAR, Jn. N. Y. Ent. Soc., ix, 84, | States. |
| 1901. | |

CERAPODA Smith.

SMITH, Trans. Am. Ent. Soc., xxi, 68, 1894.

- | | |
|--|------|
| 1384. <i>stylata</i> SMITH, Trans. Am. Ent. Soc., xxi, 69, 1894. | Col. |
|--|------|

FOTA Grote.

GROTE, Can. Ent., xiv, 174, 1882.

- | | |
|---|-------|
| 1385. <i>armata</i> GROTE, Can. Ent., xiv, 175, 1882; | Ariz. |
| SMITH, C. 183. | |
| 1386. <i>minorata</i> GROTE, Can. Ent., xiv, 181, 1882; SMITH | Ariz. |
| C. 183. | |

PODAGRA Smith.

SMITH, Jn. N. Y. Ent. Soc., x, 48, 1902.

- | | |
|---|-------------|
| 1387. <i>crassipes</i> SMITH, Jn. N. Y. Ent. Soc., x, 48, 1902. | Ariz., Cal. |
|---|-------------|

CRIMONA Smith.

SMITH, Jn. N. Y. Ent. Soc., x, 49, 1902.

- | | |
|---|------|
| *1388. <i>pallimedia</i> SMITH, Jn. N. Y. Ent. Soc., x, 49, 1902. | Cal. |
|---|------|

RHYNCHAGROTIS Smith.

SMITH, Bull. 38, U. S. Nat. Mus., 13, 1890.

- | | |
|---|--------------|
| 1389. <i>gilvipennis</i> GROTE, 6th Rept. Peab. Acad. Sci., app., 24, 1874; SMITH, C. 50. | No. Atl. |
| | States. |
| 1390. <i>rufipectus</i> MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 165, 1874; SMITH, C. 51. | No. U. S., |
| | Cal. |
| 1391. <i>brunneicollis</i> GROTE, Proc. Ent. Soc. Phil., iii, 524, 1864; SMITH, C. 51. | No. Atl. |
| | States, Col. |

1392. *minimalis* GROTE, No. Am. Ent., i, 45, 1879; Smith, C. 52. Me., Col.
1393. *anchoceloides* GUENÉE, Spec. Gén., v, 384, 1852; Smith, C. 52.
syn. *cupida* GROTE, *relata* WALKER. No. Atl. States,
a. brunneipennis GROTE, Can. Ent., vii, 187, 1875. Rocky Mts.
1394. *belfragei* SMITH, Bull. 38, U. S. Nat. Mus., 20, Tex.
1890; C. 53.
1395. *placida* GROTE, Ann. Lyc. Nat. Hist. N. Y., xi, 305, 1876; Smith, C. 52. Rocky Mts., No. U. S.
1396. *variata* GROTE, Bull. Buff. Soc., iii, 83, 1876; Smith, C. 53.
syn. *varia* GROTE, *orbis* GROTE. Rocky Mts., B. C., Ariz.
1397. *alternata* GROTE, Proc. Ent. Soc. Phil., iii, 526, 1864; Smith, C. 53. Atl. States, Col.
1398. *trigona* SMITH, C. 53, 1893. Col., Cal., Oreg.
1399. *cupidissima* GROTE, Can. Ent., vii, 101, 1875; Smith, C. 56. Cal.
- *1400. *bimarginalis* GROTE, Ann. Mag. Nat. Hist., 53, 1883; Smith, C. 54. N. Mex.
1401. *vittifrons* GROTE, Proc. Ent. Soc. Phil., iii, 527, 1864; Smith, C. 54. Col.
1402. *inelegans* SMITH, Trans. Am. Ent. Soc., xvii, 43, 1890; C. 54. Cal.
1403. *mirabilis* GROTE, No. Am. Ent., i, 39, 1879; Smith, C. 54. Col., Ariz.
1404. *exsertistigma* MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 166, 1874; Smith, C. 55.
syn. *obsoletabilis* GROTE. Cal.
1405. *formalis* GROTE, Bull. Buff. Soc., ii, 61, 1874; Smith, C. 55. Pac. States.
- a. facula* GROTE, Bull. Buff. Soc., iii, 82, 1876.
syn. *insularis* GROTE, *emarginata* GROTE. Pac. States.
- *1406. *carissima* HARVEY, GROTE, Check List, 25, 1875; Smith, C. 54. Cal.
- *1407. *laetula* GROTE, Bull. Buff. Soc., iii, 83, 1876; Smith, C. 56. Pac. States.
syn. *distracta* SMITH.
1408. *discoidalis* GROTE, Bull. Buff. Soc., iii, 82, 1876; Smith, C. 56. Nev., Oreg.

1409. *crenulata* SMITH, Proc. U. S. Nat. Mus., x, 451, 1887; C. 56. Pac. States.
- *1410. *confusa* SMITH, Proc. U. S. Nat. Mus., x, 452, 1887; C. 56. Wash.
- *1411. *costata* GROTE, Bull. Buff. Soc., iii, 80, 1876; SMITH, C. 55. Pac. States.
syn. *binominalis* SMITH.

ADELPHAGROTIS Smith.

SMITH, Bull. 38, U. S. Nat. Mus., 38, 1890.

- *1412. *stellaris* GROTE, Can. Ent., xii, 153, 1880; SMITH, C. 57. Nev., Wash.
- *1413. *indeterminata* WALKER, Cat. Brit. Mus., xxxiii, 750, 1875; SMITH, C. 57. Pac. States.
syn. *innotabilis* GROTE, *washingtoniensis* GROTE.
- *1414. *quarta* GROTE, Bull. Geol. Surv. Terr., vi, 258, 1883; SMITH, C. 57. Cal.
1415. *prasina* FABRICIUS, Mant. Ins., ii, 169, 1787; SMITH, C. 57. No. Atl. States.
syn. *herbacea* GUENÉE. Rocky Mts., Eur.
1416. *apposita* GROTE, Bull. Geol. Surv. Terr., iv, 170, 1878; SMITH, C. 58. Pac. States, Col.

PLATAGROTIS Smith.

SMITH, Bull. 38, U. S. Nat. Mus., 43, 1890.

1417. *speciosa* HÜBNER, Eur. Schmett., Noct., 491, 1815; SMITH, C. 58. No. Atl. States, Eur.
syn. *perquirita* MORRISON, *baileyana* GROTE, *mixta* WALKER.
- a. arctica* ZETTERSTEDT, Ins. Lapl., 339, 1839.
1418. *pressa* GROTE, Trans. Am. Ent. Soc., v, 90, 1874; SMITH, C. 59. Atl. States.
1419. *condita* GUENÉE, Spec. Gén., vi, 78, 1852; SMITH, C. 59. Atl. States.
syn. *trahalis* GROTE.
- *1420. *sincera* HERRICH-SCHAFFER, Eur. Schmett., ii, 412, 1851; SMITH, C. 59. Lab.
1421. *imperita* HÜBNER, Zutr. exot. Schmett., f. 447, 1828; SMITH, C. 59. No. Atl. States.

EUERETAGROTIS Smith.

SMITH, Bull. 38, U. S. Nat. Mus., 47, 1900.

1422. *sigmoidea* GUENÉE, Spec. Gén., v, 325, 1852; SMITH, C. 60. Atl. States.
1423. *perattenta* GROTE, Can. Ent., vi, 131, 1874; SMITH, C. 60. Atl. States.
1424. *attenta* GROTE, Can. Ent., vi, 131, 1874; SMITH, C. 60. Atl. States.

ABAGROTIS Smith.

SMITH, Bull. 38, U. S. Nat. Mus., 50, 1890.

1425. *erratica* SMITH, Bull. 38, U. S. Nat. Mus., 50, 1890; C. 60. Cal.

SEMIOPHORA Stephens.

STEPHENS, Ill. Brit. Ent., Haust., ii, 138, 1829.

1426. *elimata* GUENÉE, Spec. Gén., v, 333, 1852; SMITH, C. 61. Atl. States.
syn. *dilucidula* MORRISON.
a. badicollis GROTE, Bull. Buff. Soc., i, 136, 1873.
b. janualis GROTE, Bull. Geol. Surv. Terr., iv, 169, 1878.
1427. *opacifrons* GROTE, Bull. Geol. Surv. Terr., iv, 170, 1878; SMITH, C. 61. No. Atl. States.
1428. *tenebrifera* WALKER, Cat. Brit. Mus., xxxiii, 714, 1865; SMITH, C. 62. No. Atl. States.
syn. *catherina* GROTE, *manifestolabes* MORRISON.
1429. *youngii* SMITH, Can. Ent., xxxiv, 29, 1902. Can.

PACHNOBIA Guenée.

GUENÉE, Spec. Gén., v, 341, 1852.

- *1430. *monochromatea* MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 165, 1874; SMITH, C. 62. Mass.
1431. *littoralis* PACKARD, Proc. Bost. Soc. Nat. Hist., xi, 36, 1868; SMITH, C. 62. Col., Mont., Dak.
a. pectinata GROTE, Proc. Acad. Nat. Sci. Phil., 207, 1874; SMITH, C. 63.
syn. *ferruginooides* SMITH.
1432. *carnea* THUNBERG, Mus. Acad. Nat. Ups., Diss., iv, 56, 1788; SMITH, C. 64. Arctic Am.
a. cinerea STAUDINGER, Stett. ent. Zeit., xxii, 369, 1861.

1433. *cinerascens* SMITH, Trans. Am. Ent. Soc., xviii, 103, 1891; C. 64.
1434. *wockei* MÖSCHLER, Wien. ent. Mon., vi, 130, 1862; SMITH, C. 64.
syn. *seropulana* MORRISON.
- *1435. *okakensis* PACKARD, Proc. Bost. Soc. Nat. Hist., xi, 38, 1867; SMITH, C. 64.
- *1436. *elevata* SMITH, Trans. Am. Ent. Soc., xviii, 104, 1891; C. 64.
1437. *salicarum* WALKER, Cat. Brit. Mus., xi, 717, 1857; SMITH, C. 63.
syn. *orilliana* GROTE, *clariformis* MORRISON.
- *1438. *manifesta* MORRISON, Proc. Bost. Soc. Nat. Hist., xviii, 116, 1875; SMITH, C. 62.
- *1439. *hæsitans* WALKER, Cat. Brit. Mus., x, 329, 1856; SMITH, C. 63.
1440. *fishii* GROTE, Bull. Geol. Surv. Terr., iv, 175, 1878; SMITH, C. 64.

METALEPSIS Grote.

GROTE, Check list Noct., 25, 1875; *Pseudoglaea* GROTE.

- *1441. *cornuta* GROTE, Bull. Buff. Soc., ii, 68, 1874; SMITH, C. 210.
- *1442. *blanda* GROTE, Bull. Buff. Soc., iii, 86, 1875; SMITH, C. 210.
syn. *tædata* GROTE, *decepta* GROTE.

SETAGROTIS Smith.

SMITH, Bull. 38, U. S. Nat. Mus., 59, 1890.

- *1443. *planifrons* SMITH, Trans. Am. Ent. Soc., xvii, 42, 1890; C. 65.
1444. *radiatus* SMITH, Proc. U. S. Nat. Mus., xxii, 418, 1900.
1445. *quebecensis* SMITH, Proc. U. S. Nat. Mus., xxii, 417, 1900.
1446. *elata* SMITH, Jn. N. Y. Ent. Soc., vi, 106, 1898.
1447. *terrifica* SMITH, Trans. Am. Ent. Soc., xxi, 42, 1894.
1448. *congrua* SMITH, Trans. Am. Ent. Soc., xvii, 43, 1890; C. 65.

Cal.

N. H.,
Lab.N. H.,
Lab.

Col.

No. Atl.
States.Atl.
States.Rocky
Mts.

Me.

1449. *vernalis* GROTE, Can. Ent., xi, 57, 1879; SMITH, C. 65. Col., Nev., Cal.
- *1450. *infimatis* GROTE, No. Am. Ent., i, 93, 1880; SMITH, C. 65. Cal., Wash.

AGROTIS Ochsenheimer.

OCHSENHEIMER, Schmett. Eur., iv, 66, 1816.

1451. *bardinodis* GROTE, Can. Ent., vi, 13, 1874; SMITH, C. 65. Atl. States.
1452. *violaris* GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 353, 1868; SMITH, C. 66. Pa., N. Y.
1453. *aurulenta* SMITH, Bull. 38, U. S. Nat. Mus., 215, 1890; C. 66. Col., Ariz., Neb.
1454. *ypsilon* ROTTEMBURG, Naturf., xli, 141, 1776; SMITH, C. 66. U. S., Eur.
syn. *suffusa* DENIS & SCHIFFERMÜLLER, *telifera* HARRIS, *idonea* CRAMER.
1455. *geniculata* GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 349, 1868; SMITH, C. 66. Atl. States.
1456. *docilis* GROTE, Bull. Geol. Surv. Terr., vi, 259, 1882; SMITH, C. 68. Col.
syn. *ingeniculata* SMITH, Bull. 38, U. S. Nat. Mus., 216, 1890; C. 67.
- *1457. *bollii* GROTE, Bull. Geol. Surv. Terr., vi, 160, 1882; SMITH, C. 67. Tex.
- *1458. *dapsilis* GROTE, Bull. Geol. Surv. Terr., vi, 582, 1883; SMITH, C. 67. Fla.
- *1459. *nanalis* GROTE, Can. Ent., xiii, 131, 1881; SMITH, C. 67. Nev.
- *1460. *hero* MORRISON, Proc. Bost. Soc. Nat. Hist., xviii, 238, 1876; SMITH, C. 67. Mass.
- *1461. *tenuicola* MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 163, 1874; SMITH, C. 67. N. Y.

PERIDROMA Hübner.

HÜBNER, Verz. bek. Schmett., 227, 1816.

1462. *occulta* LINNÆUS, Syst. Nat., iv, 514, 1767; SMITH, C. 68. No. U. S.
- *1463. *præfica* MORRISON, Proc. Bost. Soc. Nat. Hist., xviii, 117, 1875; SMITH, C. 68. Rocky Mts.
1464. *astricta* MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 135, 1874; SMITH, C. 68. No. Atl. States, Col.

1465. *nigra* SMITH, Trans. Am. Ent. Soc., xxi, 43, 1894. Col.
 *1466. *grandipennis* GROTE, Ann. Mag. Nat. Hist., 54, N. Mex.
 1883; SMITH, C. 69.
 1467. *margaritosa* HAWORTH, Lep. Brit., 157, 1810. U. S., Eur.
a. saucia HÜBNER, Samml. Eur. Schmett., Noct., 378, 1816; SMITH, C. 69.
 syn. *inermis* HARRIS, *ortonii* PACKARD.
 1468. *incipitis* GUENÉE, Spec. Gén., v, 274, 1852; SMITH, Atl. States,
 C. 70. Cal.
 syn. *alabamæ* GROTE.
 1469. *pellucidalis* GROTE, Bull. Geol. Surv. Terr., vi, Tex.,
 567, 1882; SMITH, C. 69. Col.
 1470. *rudens* HARVEY, Bull. Buff. Soc., ii, 271, 1874; Tex.
 SMITH, C. 69.
 1471. *demutabilis* SMITH, Ins. Life, v, 328, 1893. Cal.
 *1472. *tenuescens* SMITH, Bull. 38, U. S. Nat. Mus., 73, Neb.
 1890; C. 70.
 1473. *simplaria* MORRISON, Proc. Bost. Soc. Nat. Hist., Tex.
 xvii, 164, 1874; SMITH, C. 70.
 1474. *digna* MORRISON, Proc. Bost. Soc. Nat. Hist., Tex.
 xviii, 115, 1875; SMITH, C. 70.
 syn. *nigrovittata* GROTE.

NOCTUA Linnaeus.

LINNÆUS, Syst. Nat., 508, 1758.

1475. *smithii* SNELLEN, Tijd. voor Ent., xxxix, 157, No. Atl.
 1896; SMITH, Jn. N. Y. Ent. Soc., vi, 99, 1898. States.
 1476. *normaniana* GROTE, Trans. Am. Ent. Soc., v, 89, Atl.
 1874; SMITH, C. 71. States.
 syn. *obtusa* SPEYER.
 1477. *esuralis* GROTE, Can. Ent., xiii, 131, 1881; SMITH, Wash.
 C. 72; Jn. N. Y. Ent. Soc., vi, 102, 1898.
 1478. *bicearne* GUENÉE, Spec. Gén., v, 329, 1852; SMITH, Atl. States,
 C. 71. Col.
 syn. *plagiata* WALKER.
 1479. *treatii* GROTE, Can. Ent., vii, 186, 1875; SMITH, Mass.
 C. 71; Jn. N. Y. Ent. Soc., vi, 103, 1898.
 *1480. *conchis* GROTE, No. Am. Ent., i, 43, 1879; SMITH, Col.,
 C. 71. N. Mex.
 1481. *c-nigrum* LINNÆUS, Syst. Nat., 516, 1758; SMITH, Atl. States,
 C. 72. Eur.

1482. *hospitalis* GROTE, Can. Ent., xiv, 184, 1882; N. Y.
SMITH, C. 72; Jn. N. Y. Ent. Soc., vi, 100, 1898.
1483. *jucunda* WALKER, Cat. Brit. Mus., x, 399, 1856; No.
SMITH, C. 72.
syn. *perconflua* GROTE.
U. S.
1484. *phylophora* GROTE, Bull. Buff. Soc., ii, 61, 1874; No. Atl.
SMITH, C. 72.
States.
syn. *eriensis* GROTE.
1485. *rubifera* GROTE, Can. Ent., viii, 207, 227, 1875; No. Atl.
SMITH, C. 73; Jn. N. Y. Ent. Soc., vi, 100, 1898.
States.
1486. *oblata* MORRISON, Proc. Bost. Soc. Nat. Hist., No.
xviii, 116, 1875; SMITH, C. 73.
U. S.
syn. *hilliana* HARVEY.
1487. *rosaria* GROTE, Bull. Geol. Surv. Terr., iv, 172, Pac. States,
1878; SMITH, C. 73; Jn. N. Y. Ent. Soc., vi, Col.
102, 1898.
1488. *rava* HERRICH-SCHAEFFER, Schmett. Eur., vi, 59, Lab.,
1850; SMITH, C. 73.
Nova Scotia.
syn. *umbrata* PACKARD.
1489. *fennica* TAUSCHER, Eversmann, Bull. Soc. Imp. No.
Mosc., i, 13, 1837; SMITH, C. 74.
U. S.
syn. *intractata* WALKER.
1490. *plecta* LINNÆUS, Faun. Suec., 321, 1761; SMITH, No. Atl.
C. 74.
States, Eur.
syn. *ricaria* WALKER.
1491. *collaris* GROTE & ROBINSON, Trans. Am. Ent. No. Atl.
Soc., i, 348, 1868; SMITH, C. 74.
States.
- *1492. *juneta* GROTE, Bull. Geol. Surv. Terr., iv, 171, Nova Scotia,
1878; SMITH, C. 74.
Alberta.
syn. *patefacta* SMITH, Ent. News, vi, 333, 1895.
1493. *haruspicea* GROTE, Bull. Buff. Soc., ii, 212, 1875; No. U. S.
SMITH, C. 74.
syn. *grandis* SPEYER.
1494. *inopinatus* SMITH, Jn. N. Y. Ent. Soc., vi, 103, Col.,
1898.
Alberta.
- *1495. *sierrae* HARVEY, Can. Ent., viii, 37, 1876; SMITH, Cal.,
C. 75.
Col.
1496. *clandestina* HARRIS, Ins. Inj. Veg., 448, 1862; Atl. States,
SMITH, C. 75.
Rocky Mts.
syn. *unicolor* WALKER, *nigriceps* WALKER.
1497. *clemens* SMITH, Trans. Am. Ent. Soc., xvii, 44, Cal.
1890; C. 75.

1498. <i>pyrophiloides</i> HARVEY, Can. Ent., viii, 37, 1876; SMITH, C. 78.	Cal.
*1499. <i>subporphyrea</i> WALKER, Cat. Brit. Mus., xiv, 1658, 1858; SMITH, C. 76.	Ga.
1500. <i>havilæ</i> GROTE, Bull. Geol. Surv. Terr., vi, 157, 1880; SMITH, C. 76.	Cal., Col.
1501. <i>piscipellis</i> GROTE, Can. Ent., x, 233, 1878; SMITH, C. 76.	Col., Nev., Ariz.
1502. <i>atrifrons</i> GROTE, Bull. Buff. Soc., i, 97, 1873; SMITH, C. 77.	Rocky Mts.
1503. <i>plebeia</i> SMITH, Jn. N. Y. Ent. Soc., vi, 105, 1898.	B. C.
1504. <i>atricineta</i> SMITH, Ent. News, vi, 333, 1895.	Alberta.
*1505. <i>pallidicollis</i> GROTE, Bull. Geol. Surv. Terr., vi, 154, 1880; SMITH, C. 77.	Cal.
1506. <i>substrigata</i> SMITH, Ent. News, vi, 352, 1895.	Alberta.
1507. <i>flavotineta</i> SMITH, Trans. Am. Ent. Soc., xxi, 45, 1898.	B. C.
1508. <i>calgary</i> SMITH, Jn. N. Y. Ent. Soc., vi, 101, 1898.	Alberta.
1509. <i>exuberans</i> SMITH, Jn. N. Y. Ent. Soc., vi, 103, 1898.	Col.
1510. <i>bolteri</i> SMITH, Jn. N. Y. Ent. Soc., vi, 104, 1898.	N. Mex.
1511. <i>cynica</i> SMITH, Jn. N. Y. Ent. Soc., vi, 101, 1898.	N. Y.
*1512. <i>tepperi</i> SMITH, Proc. U. S. Nat. Mus., x, 452, 1887; C. 77.	Mont.
1513. <i>vocalis</i> GROTE, Can. Ent., xi, 56, 1879; SMITH, C. 77. syn. <i>inrennata</i> GROTE.	Col., Nev., N. Mex.
1514. <i>lubricans</i> GUENÉE, Spec. Gén., v, 323, 1852; SMITH, C. 77. syn. <i>associatus</i> WALKER, <i>illapsa</i> WALKER. <i>a. beata</i> GROTE, Ann. Mag. Nat. Hist., (5), xi, 54, 1883.	U. S.
*1515. <i>spreta</i> SMITH, Jn. N. Y. Ent. Soc., x, 36, 1902.	Fla.

PRONOCTUA Smith.

SMITH, Trans. Am. Ent. Soc., xxi, 44, 1894.

1516. <i>typica</i> SMITH, Trans. Am. Ent. Soc., xxi, 45, 1894.	Col.
---	------

CHORIZAGROTIS Smith.

SMITH, Bull. 38, U. S. Nat. Mus., 98, 1890.

1517. *auxiliaris* GROTE, Bull. Buff. Soc., i, 196, 1872; SMITH, C. 78. Col., Tex., Cal.
1518. *introferens* GROTE, Proc. Acad. Nat. Sci. Phil., 423, 1873; SMITH, C. 78. Col., Tex., Cal.
1519. *agrestis* GROTE, Bull. Geol. Surv. Terr., iii, 118, 1877; SMITH, C. 78. Rocky Mts., Tex., Cal.
syn. *mercenaria* GROTE.
1520. *soror* SMITH, Proc. U. S. Nat. Mus., x, 453, 1887; C. 78. Mont., Tex.
1521. *inconcinna* HARVEY, Bull. Buff. Soc., iii, 5, 1875; SMITH, C. 78. Ariz., Tex., Col.
- *1522. *terrealis* GROTE, Trans. Kans. Acad. Sci., viii, 47, 1882; SMITH, C. 79. N. Mex.
1523. *immixta* GROTE, Bull. Geol. Surv. Terr., vi, 259, 1882; SMITH, C. 79. Tex.
1524. *balanitis* GROTE, Bull. Buff. Soc., i, 97, 1873; SMITH, C. 79. Col., B. C.

RHIZAGROTIS Smith.

SMITH, Bull. 38, U. S. Nat. Mus., 41, 1890.

1525. *albalis* GROTE, Bull. Geol. Surv. Terr., iv, 175, 1878; SMITH, C. 80. Col.
1526. *cloanthoides* GROTE, Bull. Geol. Surv. Terr., vi, 153, 1880; SMITH, C. 80. Col.
1527. *abnormis* SMITH, Trans. Am. Ent. Soc., xvii, 41, 1890; C. 79. Cal.
- *1528. *proclivis* SMITH, Proc. U. S. Nat. Mus., x, 453, 1887; C. 79. Ariz.
- *1529. *aeclivis* MORRISON, Ann. Lye. Nat. Hist. N. Y., xi, 93, 1875; SMITH, C. 79. Ariz., Tex., Col.
syn. *opaca* HARVEY.
1530. *albicosta* SMITH, Proc. U. S. Nat. Mus., x, 451, 1887; C. 80. Rocky Mts.
- *1531. *flavicollis* SMITH, Proc. U. S. Nat. Mus., x, 456, 1887; C. 90. Rocky Mts.
1532. *apicalis* GROTE, Bull. Geol. Surv. Terr., vi, 153, 1882; SMITH, C. 80. Col., N. Mex.
1533. *lagena* GROTE, Can. Ent., vii, 26, 1875; SMITH, C. 80. Rocky Mts., Cal.

*1534. *atha* STRECKER, Lep. Rhop. Het., suppl. 2, 6, 1898. Wash.

FELTIA Walker.

- WALKER, Cat. Brit. Mus., ix, 203, 1856.
1535. *robustior* SMITH, Can. Ent., xxxi, 206, 1899. Man.
- *1536. *olivia* MORRISON, Proc. Bost. Soc. Nat. Hist., xviii, 238, 1876; SMITH, C. 80. Utah.
1537. *longidens* SMITH, Bull. 38, U. S. Nat. Mus., 217, 1890; C. 81. N. Mex.
1538. *subgothica* HAWORTH, Lep. Brit., 224, 1810; SMITH, C. 81; Jn. N. Y. Ent. Soc., x, 36, 1902; SLINGERLAND, Can. Ent., xxvii, 301, 1895; xxviii, 295, 1896. No. U. S.
- *1539. *edentata* SMITH, Jn. N. Y. Ent. Soc., x, 38, 1902. Wash.
1540. *jaculifera* GUENÉE, Spec. Gén., v, 262, 1852; SMITH, C. 81. Atl. States, Col.
- syn. *tricosa* LINTNER.
- a. herilis* GROTE, Bull. Buff. Soc., i, 99, 1873; SMITH, C. 82.
1541. *pectinicornis* SMITH, Bull. 38, U. S. Nat. Mus., 114, 1890; C. 82. Tex.
- *1542. *evanidalis* GROTE, Bull. Geol. Surv. Terr., iv, 172, 1878; SMITH, C. 82. Cal.
- *1543. *circumdata* GROTE, Ann. Mag. Nat. Hist., (5), xi, 53, 1883; SMITH, C. 82. N. Mex.
1544. *gladiaria* MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 162, 1874; SMITH, C. 82. Atl. States.
- syn. *morrisoniana* RILEY.
1545. *venerabilis* WALKER, Cat. Brit. Mus., x, 328, 1856; SMITH, C. 83. U. S.
1546. *gravis* GROTE, Bull. Buff. Soc., ii, 155, 1874; SMITH, C. 83. Cal.
- syn. *rapularis* GROTE.
1547. *vancouverensis* GROTE, Bull. Buff. Soc., i, 134, 1873; SMITH, C. 83. Pac. States.
- syn. *hortulana* MORRISON, *semiclarata* GROTE, *agilis* GROTE.
1548. *aeneipennis* GROTE, Bull. Buff. Soc., iii, 81, 1876; SMITH, C. 83. Pac. States.
- syn. *clodiana* GROTE.
1549. *volubilis* HARVEY, Bull. Buff. Soc., ii, 118, 1874; SMITH, C. 84. U. S.
- syn. *stigmata* MORRISON.

1550. *annexa* TREITSCHKE, Schmett. Eur., v, 154, 1825; SMITH, C. 84.
 syn. *decernens* WALKER.
1551. *malefida* GUENÉE, Spec. Gén., v, 267, 1852; SMITH, C. 84. U. S.,
 So. Am.

POROSAGROTIS Smith.

SMITH, Bull. 38, U. S. Nat. Mus., 123, 1890.

1552. *vetusta* WALKER, Cat. Brit. Mus., ix, 78, 1856; SMITH, C. 85.
 syn. *muraenula* GROTE & ROBINSON.
1553. *catenula* GROTE, No. Am. Ent., i, 44, 1879; SMITH, C. 85. Rocky Mts.,
 Cal.
1554. *texana* GROTE, Proc. Ent. Soc. Phil., ii, 273, 1863; SMITH, C. 86.
 syn. *obesula* SMITH, Proc. U. S. Nat. Mus., x, 456, 1887; C. 85. Tex., Col.,
 Mont.
1555. *satiens* SMITH, Trans. Am. Ent. Soc., xvii, 45, 1890; C. 85. Col.,
 B. C.
1556. *mimallonis* GROTE, Bull. Buff. Soc., i, 98, 1873; SMITH, C. 85.
 syn. *rufipennis* GROTE. Mont., Col.,
 Can., N. Y.
- *1557. *fusca* BOISDUVAL, Icon. Hist. Lep., pl. 48, f. 4, 1834; SMITH, C. 86.
 syn. *septentrionalis* MÖSCHLER, *patula* WALKER. Lab.,
 Rocky Mts.
1558. *tripars* WALKER, Cat. Brit. Mus., ix, 78, 1856; SMITH, C. 86. N. Y.,
 Ind.
 syn. *worthingtoni* GROTE.
1559. *rileyana* MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 166, 1874; SMITH, C. 86. Atl. States,
 Rocky Mts.
1560. *orthogonia* MORRISON, Proc. Bost. Soc. Nat. Hist., xviii, 239, 1876; SMITH, C. 87. Rocky
 Mts.
1561. *dædalus* SMITH, Bull. 38, U. S. Nat. Mus., 217, 1890; C. 87. Col.
- *1562. *dollii* GROTE, Can. Ent., xiv, 216, 1882; SMITH, C. 87. Ariz.
1563. *milleri* GROTE, Bull. Buff. Soc., iii, 78, 1875; SMITH, C. 87. Cal.
1564. *pluralis* GROTE, Bull. Geol. Surv. Terr., iv, 174, 1878; SMITH, C. 87. Nev.,
 Col.

PARAGROTIS Pratt.

<i>Cuneades</i> GROTE (not BATES), Can. Ent., xv, 4, 1883.—F. C. PRATT.	
1565. <i>edictalis</i> SMITH, Trans. Am. Ent. Soc., xxi, 40, 1894.	Col.
1566. <i>siccata</i> SMITH, Trans. Am. Ent. Soc., xxi, 46, 1894.	Col.
1567. <i>wilsonii</i> GROTE, Bull. Buff. Soc., i, 135, 1873; SMITH, C. 88. syn. <i>specialis</i> GROTE, <i>æqualis</i> HARVEY.	Cal., Col.
1568. <i>lacunosa</i> GROTE, Bull. Geol. Surv. Terr., iv, 172, 1878; SMITH, C. 88.	Cal.
1569. <i>segregata</i> SMITH, Trans. Am. Ent. Soc., xxi, 47, 1894.	Col.
1570. <i>lætificans</i> SMITH, Trans. Am. Ent. Soc., xxi, 48, 1894.	Col.
1571. <i>recula</i> HARVEY, Can. Ent., viii, 37, 1876; SMITH, C. 88.	Oreg., Col.
1572. <i>cicatricosa</i> GROTE & ROBINSON, Proc. Ent. Soc. Phil., iv, 492, 1865; SMITH, C. 88.	Col.
1573. <i>neomexicana</i> SMITH, Bull. 38, U. S. Nat. Mus., 218, 1890; C. 88.	N. Mex.
1574. <i>quadridentata</i> GROTE & ROBINSON, Proc. Ent. Soc. Phil., iv, 491, 1865; SMITH, C. 89.	Col., Oreg.
1575. <i>niveilinea</i> GROTE, Can. Ent., xiv, 216, 1882; SMITH, C. 89.	Rocky Mts., Tex.
*1576. <i>insertans</i> SMITH, Trans. Am. Ent. Soc., xvii, 45, 1890; C. 89.	B. C.
1577. <i>brevipennis</i> SMITH, Proc. U. S. Nat. Mus., x, 455, 1887; C. 89.	Cal., Col.
1578. <i>oblongostigma</i> SMITH, Proc. U. S. Nat. Mus., x, 454, 1887; C. 89.	Mont., Col.
1579. <i>plagigera</i> MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 163, 1874; SMITH, C. 89.	No. U. S.
*1580. <i>agema</i> STRECKER, Lep. Rhop. Het., suppl. 2, 5, 1899.	Col.
1581. <i>olivalis</i> GROTE, No. Am. Ent., i, 43, 1879; SMITH, C. 89.	Col., Utah.
1582. <i>ridingsiana</i> GROTE, Bull. Buff. Soc., ii, 305, 1875; SMITH, C. 90.	Rocky Mts.
*1583. <i>dargo</i> STRECKER, Lep. Rhop. Het., suppl. 1, 6, 1898.	Col.

1584. <i>pugionis</i> SMITH, Proc. U. S. Nat. Mus., xxii, 419, 1900.	Col.
1585. <i>flavidens</i> SMITH, Proc. U. S. Nat. Mus., x, 455, 1887; C. 90.	Rocky Mts.
1586. <i>loya</i> SMITH, Proc. U. S. Nat. Mus., xxii, 422, 1900.	Cal.
1587. <i>bicollaris</i> GROTE, Bull. Geol. Surv. Terr., iv, 173, 1878; SMITH, C. 90.	Cal., Nev., Ariz.
1588. <i>brocha</i> MORRISON, Proc. Acad. Nat. Sci. Phil., 56, 1875; SMITH, C. 90. syn. <i>bochus</i> MORRISON.	Col., Nev., Kans., Neb.
1589. <i>sponsa</i> SMITH, Proc. U. S. Nat. Mus., x, 457, 1887; C. 90.	Wash.
1590. <i>cogitans</i> SMITH, Trans. Am. Ent. Soc., xvii, 46, 1890; C. 90.	Cal., Col.
*1591. <i>achor</i> STRECKER, Lep. Rhop. Het., suppl. 2, 5, 1899.	Col.
1592. <i>stigmatalis</i> SMITH, Proc. U. S. Nat. Mus., x. ii, 425, 1900.	Col.
1593. <i>hollemani</i> GROTE, Can. Ent., vi, 156, 1874; SMITH, C. 91.	Cal., Ariz., Col.
1894. <i>collocata</i> SMITH, Trans. Am. Ent. Soc., xxi, 50, 1894.	Col.
1595. <i>nevada</i> SMITH, Proc. U. S. Nat. Mus., xxii, 420, 1900.	Nev.
*1596. <i>atristrigata</i> SMITH, Ent. Amer., vi, 76, 1890; C. 91.	B. C.
1597. <i>biplavis</i> GROTE, Bull. Geol. Surv. Terr., v, 206, 1879; SMITH, C. 91.	Ariz.
1598. <i>perpolita</i> MORRISON, Proc. Bost. Soc. Nat. Hist., xviii, 237, 1876; SMITH, C. 91.	No. Atl. States, Col.
1599. <i>fumalis</i> GROTE, Bull. Buff. Soc., i, 98, 1873; SMITH, C. 91. syn. <i>permunda</i> MORRISON.	Atl. States.
1600. <i>perfusca</i> GROTE, Pap., iii, 77, 1883; SMITH, C. 91.	Cal., Col., Ariz.
1601. <i>punctigera</i> WALKER, Cat. Brit. Mus., xxxii, 661, 1865; SMITH, C. 92. syn. <i>pastoralis</i> GROTE.	Pac. States, Rocky Mts.
1602. <i>finis</i> SMITH, Proc. U. S. Nat. Mus., x, 457, 1887; C. 92.	Mont.
1603. <i>velleripennis</i> GROTE, Sixth Rept. Peab. Acad. Sci., app., 25, 1874; SMITH, C. 92.	Atl. States, Col.

1604. <i>atomaris</i> SMITH, Trans. Am. Ent. Soc., xvii, 47, 1890; C. 92.	Cal., Col.
1605. <i>flaviscapula</i> SMITH, Proc. U. S. Nat. Mus., xxii, 422, 1900.	N. Mex.
1606. <i>exculta</i> SMITH, Proc. U. S. Nat. Mus., xxii, 424, 1900.	Col.
1607. <i>excogita</i> SMITH, Proc. U. S. Nat. Mus., xxii, 423, 1900.	Col.
1608. <i>gagates</i> GROTE, Can. Ent., vii, 68, 1875; SMITH, C. 92.	Col., Cal.
1609. <i>nævulus</i> SMITH, Proc. U. S. Nat. Mus., xxii, 424, 1900.	Cal.
1610. <i>citricolor</i> GROTE, Can. Ent., xii, 154, 1880; SMITH, C. 92.	Rocky Mts.
1611. <i>acornis</i> SMITH, Ent. News, vi, 335, 1895.	Alberta.
1612. <i>megastigma</i> SMITH, Proc. U. S. Nat. Mus., xxii, 425, 1900.	Alberta.
1613. <i>mørens</i> GROTE, Can. Ent., xv, 4, 1883; SMITH, C. 93.	Ariz.
1614. <i>misturata</i> SMITH, Bull. 38, U. S. Nat. Mus., 156, 1890; C. 92.	Col.
1615. <i>mitis</i> SMITH, Trans. Am. Ent. Soc., xxi, 49, 1894.	Col.
1616. <i>candida</i> SMITH, Trans. Am. Ent. Soc., xxi, 49, 1894.	Mont.
1617. <i>contagionis</i> SMITH, Proc. U. S. Nat. Mus., xxii, 421, 1900.	Col., Nev.
*1618. <i>dolis</i> GROTE, No. Am. Ent., i, 91, 1880; SMITH, C. 93.	Col.
1619. <i>falerina</i> SMITH, Proc. U. S. Nat. Mus., xxii, 429, 1900.	Col.
1620. <i>scandens</i> RILEY, First Rept. Ins. Mo., 76, 1869; SMITH, C. 93.	Atl. States, Col.
*1621. <i>detesta</i> SMITH, C. 93, 1893.	Col.
1622. <i>remota</i> SMITH, Trans. Am. Ent. Soc., xvii, 48, 1890; C. 93.	Cal., Col.
1623. <i>detersa</i> WALKER, Cat. Brit. Mus., ix, 212, 1856; SMITH, C. 93. syn. <i>pityehrous</i> GROTE, <i>personata</i> MORRISON.	Atl. States, Col.
*1624. <i>infracta</i> MORRISON, Proc. Bost. Soc. Nat. Hist., xviii, 115, 1875; SMITH, C. 93.	Col., Tex.
*1625. <i>gian</i> STRECKER, Lep. Rhop. Het., suppl. 1, 6, 1898.	Ariz.

*1626. <i>azif</i> STRECKER, Lep. Rhop. Het., suppl. 1, 6, 1898.	N. Y.
1627. <i>luteola</i> SMITH, Proc. U. S. Nat. Mus., x, 457, 1887; C. 94.	Ariz.
*1628. <i>serricornis</i> SMITH, Proc. U. S. Nat. Mus., x, 458, 1887; C. 94.	So. Cal.
*1629. <i>tetrica</i> SMITH, Proc. U. S. Nat. Mus., x, 458, 1887; C. 94.	Tex., Nev.
1630. <i>vulpina</i> SMITH, Ent. News, vi, 335, 1895.	Alberta.
1631. <i>bostoniensis</i> GROTE, Proc. Acad. Nat. Sci. Phil., 203, 1874; SMITH, C. 94.	Atl. States.
1632. <i>cænis</i> GROTE, No. Am. Ent., i, 44, 1879; SMITH, C. 94.	Col., N. Mex.
1633. <i>muscosa</i> GROTE, Can. Ent., xv, 26, 1883; SMITH, C. 94.	Col.
1634. <i>medialis</i> SMITH, Proc. U. S. Nat. Mus., x, 459, 1887; C. 95.	Tex., Col.
1635. <i>feniseca</i> HARVEY, Bull. Buff. Soc., iii, 74, 1875; SMITH, C. 95.	Cal.
1636. <i>audentis</i> SMITH, Trans. Am. Ent. Soc., xxi, 51, 1894. syn. <i>anniv</i> STRECKER, Lep. Rhop. Het., suppl. 1, 6, 1898.	Col.
1637. <i>conia</i> STRECKER, Lep. Rhop. Het., suppl. 1, 6, 1898.	Col.
1638. <i>enteridis</i> SMITH, Proc. U. S. Nat. Mus., xxii, 427, 1900.	Wash.
1639. <i>vallus</i> SMITH, Proc. U. S. Nat. Mus., xxii, 430, 1900.	B. C.
1640. <i>termessus</i> SMITH, Proc. U. S. Nat. Mus., xxii, 426, 1900.	Wyo.
*1641. <i>alko</i> STRECKER, Lep. Rhop. Het., suppl. 2, 5, 1899.	Col.
1642. <i>dakota</i> SMITH, Proc. U. S. Nat. Mus., xxii, 442, 1900.	Dak.
1643. <i>sessile</i> SMITH, Proc. U. S. Nat. Mus., xxii, 431, 1900.	Col.
1644. <i>relaxus</i> SMITH, Proc. U. S. Nat. Mus., xxii, 432, 1900.	Cal.
1645. <i>luteositus</i> SMITH, Proc. U. S. Nat. Mus., xxii, 433, 1900.	Col.

- *1646. *extranea* SMITH, Proc. U. S. Nat. Mus., x, 459, 1887; C. 95. Mont.
- *1647. *trifasciata* SMITH, Proc. U. S. Nat. Mus., x, 460, 1887; C. 95. Oreg.
1648. *bifasciata* SMITH, Proc. U. S. Nat. Mus., x, 460, 1887; C. 95. Ariz.
1649. *messoria* HARRIS, Rep. Ins. Mass., 324, 1841; SMITH, C. 96; Proc. U. S. Nat. Mus., xxii, 434, 1900. U. S.
syn. *spissa* GUENÉE, *cochrani* RILEY, *repentis* GROTE & ROBINSON, *displiciens* WALKER, *reticens* WALKER, *ordinata* WALKER, *inextincta* WALKER, *indirecta* WALKER, *septentrionalis* WALKER, *inducta* WALKER.
1650. *ineubita* SMITH, Proc. U. S. Nat. Mus., xxii, 435, 1900. Wash., Cal.
1651. *terrenus* SMITH, Proc. U. S. Nat. Mus., xxii, 436, 1900. Wash.
1652. *pleuritica* GROTE, Check List, 47, 1875; SMITH, C. 97. No. Atl. States.
1653. *tocoyæ* SMITH, Proc. U. S. Nat. Mus., xxii, 433, 1900. Cal.
1654. *territorialis* SMITH, Proc. U. S. Nat. Mus., xxii, 436, 1900. Col., Wash.
1655. *fulda* SMITH, Proc. U. S. Nat. Mus., xxii, 437, 1900. Cal.
- *1656. *drewseni* STAUDINGER, Stett. ent. Zeit., xviii, 302, 1857; SMITH, C. 97. Greenl.
1657. *rubefactalis* GROTE, Bull. Geol. Surv. Terr., vi, 154, 1880; SMITH, C. 97. Wash., Col.
1658. *perturbata* SMITH, Bull. 38, U. S. Nat. Mus., 222, 1890; C. 97. Col.
1659. *brunneigera* GROTE, Bull. Buff. Soc., iii, 80, 1875; SMITH, C. 98. Pac. States, Col., La.
1660. *inecallida* SMITH, Trans. Am. Ent. Soc., xvii, 50, 1890; C. 98. Cal.
1661. *lutulenta* SMITH, Trans. Am. Ent. Soc., xvii, 50, 1890; C. 98. Cal., Col.
- *1662. *comosa* MORRISON, Proc. Bost. Soc. Nat. Hist., xviii, 238, 1876; SMITH, C. 95. Col.
- *1663. *fauna* MORRISON, Proc. Bost. Soc. Nat. Hist., xviii, 237, 1876; SMITH, C. 98. Cal.

1664. *itodes* SMITH, Proc. U. S. Nat. Mus., xxii, 438, 1900. Ariz.
1665. *lagganæ* SMITH, Proc. U. S. Nat. Mus., xxii, 439, 1900. Alberta.
1666. *ontario* SMITH, Proc. U. S. Nat. Mus., xxii, 440, 1900. Can.
1667. *testula* SMITH, Proc. U. S. Nat. Mus., xxii, 440, 1900. Alberta.
1668. *diformis* SMITH, Proc. U. S. Nat. Mus., xxii, 441, 1900. Oreg.
1669. *choris* HARVEY, Can. Ent., viii, 37, 1876; SMITH, C. 97. Nev.
1670. *sculptilis* HARVEY, Bull. Buff. Soc., ii, 271, 1874; SMITH, C. 95. Tex., N. Mex.
syn. *xyliniformis* SMITH.
1671. *conjuneta* SMITH, Bull. 38, U. S. Nat. Mus., 221, 1890; C. 98. N. Mex., Col.
1672. *pallipennis* SMITH, Proc. U. S. Nat. Mus., x, 461, 1887; C. 104. Col., B. C.
1673. *recticincta* SMITH, Ent. News, vi, 334, 1895. Alberta.
1674. *annulipes* SMITH, Trans. Am. Ent. Soc., xvii, 48, 1890; C. 98. Oreg.
1675. *pedalis* SMITH, Bull. 38, U. S. Nat. Mus., 220, 1890; C. 98. Col.
1676. *lineifrons* SMITH, Bull. 38, U. S. Nat. Mus., 219, 1890; C. 98. Col.
1677. *kervillei* SMITH, Proc. U. S. Nat. Mus., xxii, 443, 1900. Tex.
- *1678. *teleboa* SMITH, Bull. 38, U. S. Nat. Mus., 219, 1890. N. Mex., Col.
1679. *murdockii* SMITH, Trans. Am. Ent. Soc., xvii, 49, 1890; C. 99. Utah, B. C.
1680. *quinquelinea* SMITH, Trans. Am. Ent. Soc., xvii, 49, 1890; C. 99. Cal.
1681. *friabilis* GROTE, Can. Ent., vii, 187, 1875; SMITH, C. 99. No. U. S.
1682. *fuscigera* GROTE, Can. Ent., vi, 155, 1874; SMITH, C. 99. Cal., Col.
- *1683. *orbicularis* SMITH, Proc. U. S. Nat. Mus., x, 460, 1887; C. 99. Nev.
- 4630—No. 52—02—10

- *1684. *micronyx* GROTE, Bull. Geol. Surv. Terr., iv, 171, 1878; SMITH, C. 99. Cal.
1685. *atropulvrea* SMITH, Proc. U. S. Nat. Mus., xxii, 428, 1900. Col.
- *1686. *numa* STRECKER, Lep. Rhop. Het., suppl. 1, 5, 1898. Wash.
1687. *ternarius* SMITH, Proc. U. S. Nat. Mus., xxii, 444, 1900. Col.
1688. *compressipennis* SMITH, Proc. U. S. Nat. Mus., xxii, 429, 1900. Cal.
1689. *holoberba* SMITH, Proc. U. S. Nat. Mus., xxii, 443, 1900. Alberta.
1690. *objurgata* SMITH, Proc. U. S. Nat. Mus., xxii, 448, 1900. Wash., Dak.
1691. *cariosus* SMITH, Proc. U. S. Nat. Mus., xxii, 449, 1900. Wash.
1692. *intrita* MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 164, 1874; SMITH, C. 99. B. C., Cal., Ariz.
- *1693. *mollis* WALKER, Cat. Brit. Mus., x, 331, 1856; SMITH, C. 100. Me., Can., Col.
syn. *fernaldi* MORRISON.
- *1694. *opipara* MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 165, 1874; SMITH, C. 100. N. H., Lab.
syn. *labracoriensis* STAUDINGER.
- *1695. *tristicula* MORRISON, Proc. Acad. Nat. Sci. Phil., 429, 1875; SMITH, C. 100. Me.
1696. *munis* GROTE, No. Am. Ent., i, 38, 1879; SMITH, C. 100. Col., Nev., N. Mex.
syn. *sublatiss* GROTE.
- *1697. *dissona* MÖSCHLER, Wien. ent. Mon., iv, 365, 1860; SMITH, C. 101. Lab.
1698. *vetusta* WALKER, Cat. Brit. Mus., xxxii, 662, 1865; SMITH, C. 101. Pac. States.
syn. *tetra* WALKER. *euroides* GROTE. *perpura* MORRISON.
1699. *titubatis* SMITH, Trans. Am. Ent. Soc., xxi, 51, 1894. Oreg., Col.
- *1700. *reuda* STRECKER, Lep. Rhop. Het., suppl. 1, 6, 1898. Wash.
1701. *noctuiformis* SMITH, Proc. U. S. Nat. Mus., xxii, 445, 1900. Cal., Wash.

1702. *infausta* WALKER, Cat. Brit. Mus., xxxiii, 729, 1865; SMITH, C. 101.
syn. *rufula* SMITH.
1703. *basiflava* SMITH, Trans. Am. Ent. Soc., xvii, 52, 1890; C. 101.
B. C., Col.
1704. *alticola* SMITH, Trans. Am. Ent. Soc., xvii, 51, 1890; C. 101.
Cal., Col.
- *1705. *satis* HARVEY, Can. Ent., viii, 36, 1876; SMITH, C. 102.
Cal., Nev., Mont.
1706. *rena* SMITH, Trans. Am. Ent. Soc., xvii, 53, 1890; C. 102.
Cal.
1707. *insulsa* WALKER, Cat. Brit. Mus., ix, 234, 1856;
SMITH, C. 102.
syn. *insignata* WALKER, *expulsa* WALKER,
declarata WALKER, *decolor* MORRISON, *campestris* GROTE.
a. verticalis GROTE, Bull. Brook. Ent. Soc., iii, 29, 1880.
1708. *albibennis* GROTE, Bull. Buff. Soc., iii, 118, 1877;
SMITH, C. 103.
syn. *nigripennis* GROTE.
Atl. States, Rocky Mts.
- *1709. *spectanda* SMITH, Trans. Am. Ent. Soc., xvii, 54, 1890; C. 103.
Cal.
1710. *neotelis* SMITH, Proc. U. S. Nat. Mus., xxii, 446, 1900.
Wash. Col.
1711. *tessellata* HARRIS, Rep. Ins. Mass., 324, 1841;
SMITH, C. 103.
syn. *maizi* FITCH, *atropurpurea* GROTE.
U. S.
1712. *intrusa* SMITH, Proc. U. S. Nat. Mus., xxii, 446, 1900.
Cal.
1713. *atrofusca* SMITH, Proc. U. S. Nat. Mus., xxii, 447, 1900.
Col.
1714. *malis* SMITH, Proc. U. S. Nat. Mus., xxii, 450, 1900.
Man.
- *1715. *colla* STRECKER, Lep. Rhop. Het., suppl. 1, 6, 1898.
Col.
1716. *basalis* GROTE, No. Am. Ent., i, 38, 1879; SMITH, C. 104.
Col.
- *1717. *solitaria* SMITH, Stett. ent. Zeit., xlvi, 223, 1885; C. 104.
Lab.
1718. *nostra* SMITH, Trans. Am. Ent. Soc., xvii, 55, 1890; C. 104.
Cal.

1719. <i>ochrogaster</i> GUENÉE, Spec. Gén., v, 327, 1852; SMITH, C. 104.	No. Atl. States, Col.
syn. <i>illata</i> WALKER, <i>cinereomaculata</i> MORRISON, <i>gularis</i> GROTE, <i>turris</i> GROTE.	
1720. <i>idahoensis</i> GROTE, Bull. Geol. Surv. Terr., iv, 171, 1878; SMITH, C. 105.	Rocky Mts.
1721. <i>furtivus</i> SMITH, Trans. Am. Ent. Soc., xvii, 56, 1890; C. 105.	Cal., Col.
*1722. <i>westermanni</i> STAUDINGER, Stett. ent. Zeit., xviii, 303, 1857; SMITH, C. 105.	Lab., Greenl.
1723. <i>fœminalis</i> SMITH, Proc. U. S. Nat. Mus., xxii, 454, 1900.	Col.
1724. <i>obeliscoides</i> GUENÉE, Spec. Gén., v, 293, 1852; SMITH, C. 105.	No. Atl. States, Rocky Mts.
syn. <i>seratilis</i> GROTE.	
1725. <i>infusa</i> SMITH, Can. Ent., xxxiv, 30, 1902.	Man., Wyo.
1726. <i>perexcellens</i> GROTE, Bull. Geol. Surv. Terr., vi, 156, 1880; SMITH, C. 106.	Pac. States, Col.
syn. <i>infelix</i> SMITH.	
*1727. <i>abar</i> STRECKER, Lep. Rhop. Het., suppl. 2, 5, 1899.	Col.
*1728. <i>islandica</i> STAUDINGER, Stett. ent. Zeit., xviii, 232, 1857; SMITH, C. 106.	Iceland.
1729. <i>henrietta</i> SMITH, Proc. U. S. Nat. Mus., xxii, 452, 1900.	Cal., Ariz.
1730. <i>vanidicus</i> SMITH, Proc. U. S. Nat. Mus., xxii, 453, 1900.	Ariz., Wash.
1731. <i>acutifrons</i> SMITH, Proc. U. S. Nat. Mus., xxii, 458, 1900.	Cal., Oreg.
1732. <i>nordica</i> SMITH, Proc. U. S. Nat. Mus., xxii, 455, 1900.	B. C.
1733. <i>factoris</i> SMITH, Proc. U. S. Nat. Mus., xxii, 456, 1900.	Col.
*1734. <i>colata</i> GROTE, Can. Ent., xiii, 131, 1881; SMITH, C. 106.	Oreg., Cal.
*1735. <i>lewisi</i> GROTE, Bull. Buff. Soc., i, 137, 1873; SMITH, C. 106.	Col.
1736. <i>divergens</i> WALKER, Cat. Brit. Mus., x, 327, 1856; SMITH, C. 107.	No. U. S.
syn. <i>versipellis</i> GROTE.	
1737. <i>redimicula</i> MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 165, 1874; SMITH, C. 107.	No. Atl. States, Col.
1738. <i>servitus</i> SMITH, Ent. News, vi, 336, 1895.	Col., Alberta.

1739. *fusimacula* SMITH, Can. Ent., xxxiv, 125, 1902. Cal.
 1740. *pindar* SMITH, Proc. U. S. Nat. Mus., xxii, 451, Utah.
 1900.
 *1741. *atrifera* GROTE, Bull. Geol. Surv. Terr., iv, 173, Cal., Col.,
 1878; SMITH, C. 107. Me.
 *1742. *strigilis* GROTE, Bull. Buff. Soc., iii, 81, 1876; B. C.
 SMITH, C. 107.
 1743. *tesselloides* GROTE, Bull. Geol. Surv. Terr., vi, Cal., Ariz.,
 566, 1880; SMITH, C. 107. Col.
 1744. *cæsius* SMITH, Proc. U. S. Nat. Mus., xxii, 457, Cal.
 1900.
 1745. *silens* GROTE, Can. Ent., vii, 67, 1875; SMITH, C. Cal., Ariz.,
 107. Col.
 1746. *laminis* SMITH, Proc. U. S. Nat. Mus., xxii, 460, Cal.
 1900.
 1747. *selenis* SMITH, Proc. U. S. Nat. Mus., xxii, 459, Cal.
 1900.
 *1748. *perlentans* WALKER, Cat. Brit. Mus., x, 352, N. Y.
 1856; SMITH, C. 108.

EUCOPTOCNEMIS Grote.

GROTE, Bull. Buff. Soc., ii, 13, 1874.

1749. *fimbriaris* GUENÉE, Spec. Gén., v, 172, 1852; Mass.
 SMITH, C. 109.
 syn. *obvia* WALKER.

RICHIA Grote.

GROTE, Can. Ent., xix, 44, 1887.

1750. *chortalis* HARVEY, Bull. Buff. Soc., ii, 272, 1875; Tex.,
 SMITH, C. 108. Rocky Mts.
a. atratrix HARVEY, Bull. Buff. Soc., iii, 74, 1875.
 1751. *parentalis* GROTE, No. Am. Ent., i, 44, 1879; Col.,
 SMITH, C. 108. N. Mex.
a. decipiens GROTE, No. Am. Ent., i, 45, 1879.
 *1752. *distichoides* GROTE, Trans. Kans. Acad. Sci., N. Mex.
 viii, 48, 1883; SMITH, C. 109.

ANYTUS Grote.

GROTE, Bull. Buff. Soc., i, 144, 1873.

1753. *privatus* WALKER, Cat. Brit. Mus., xi, 521, 1857; Atl. States,
 SMITH, C. 109. Col.
 syn. *sculptus* GROTE.
a. planus GROTE, Can. Ent., xiv, 183, 1882.

- *1754. **theodora** SCHAUß, Trans. Am. Ent. Soc., xxi, 223, 1894 (of this genus!). Ariz., Mex.
1755. **atristrigatus** SMITH, Proc. U. S. Nat. Mus., xxii, 460, 1900. Tex.
1756. **profundus** SMITH, Can. Ent., xxxii, 218, 1900. Man.
1757. **obscurus** SMITH, Can. Ent., xxxii, 218, 1900. Alberta.

UFEUS Grote.

GROTE, Bull. Buff. Soc., i, 101, 1873.

- *1758. **sagittarius** GROTE, Pap., iii, 31, 1883; SMITH, C. 190. Cal.
1759. **plicatus** GROTE, Bull. Buff. Soc., i, 102, 1873; SMITH, C. 190. No. Atl. States, Col., Cal.
- syn. *barometricus* GOOSSENS, Le Nat., iii, 380, 1881.
1760. **unicolor** GROTE, Bull. Geol. Surv. Terr., iv, 179, 1878; SMITH, C. 190. Ill., Col.
- *1761. **faunus** STRECKER, Lep. Rhop. Het., suppl. 1, 9, 1898. N. Mex.
1762. **satyricus** GROTE, Bull. Buff. Soc., i, 101, 1873; SMITH, C. 191. No. Atl. States.

AGROTIPHILA Grote.

GROTE, Ann. Lyc. Nat. Hist. N. Y., xi, 107, 1875.

1763. **alaskæ** GROTE, Bull. Buff. Soc., iii, 84, 1876; SMITH, C. 110. Alaska.
1764. **incognita** SMITH, Trans. Am. Ent. Soc., xxi, 52, 1894. B. C.
- *1765. **staudingeri** MÖSCHLER, Wien. ent. Mon., vi, 132, 1862; SMITH, C. 110. Lab., N. H., Col.
- syn. *montana* MORRISON.
1766. **rigida** SMITH, Trans. Am. Ent. Soc., xviii, 133, 1891; C. 110. Col.
1767. **maculata** SMITH, Trans. Am. Ent. Soc., xxi, 53, 1894. B. C.
1768. **colorado** SMITH, Trans. Am. Ent. Soc., xviii, 133, 1891; C. 110. Col.
- *1769. **velata** STRECKER, Lep. Rhop. Het., suppl. 1, 9, 1898. Tex.

PTEROSCIA Morrison.

MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 155, 1874.

- *1770. **atrata** MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 156, 1874; SMITH, C. 191. N. H.

MAMESTRA Ochsenheimer.

OCHSENHEIMER, Schmett. Enr., iv, 76, 1816.

1771. *discalis* GROTE, Bull. Geol. Surv. Terr., iii, 797, 1877; SMITH, C. 114. Col., Cal., N. Mex.
1772. *rogenhoferi* MÖSCHLER, Stett. ent. Zeit., xxxi, 269, 1870; SMITH, C. 114. Lab.
1773. *nimbosa* GUENÉE, Spec. Gén., vi, 77, 1852; SMITH, C. 114. No. Atl. States.
1774. *imbrifera* GUENÉE, Spec. Gén., vi, 76, 1852; SMITH, C. 114. No. Atl. States.
1775. *purpurissata* GROTE, Proc. Ent. Soc. Phil., iii, 82, 1864; SMITH, C. 114. No. Atl. States.
1776. *juncimacula* SMITH, Bull. Brook. Ent. Soc., v, 67, 1882; C. 114. Col.
1777. *insolens* GROTE, Bull. Buff. Soc., ii, 65, 1874; SMITH, C. 115. Cal.
- syn. *arietis* GROTE, *carina* MORRISON.
1778. *leucogramma* GROTE, Bull. Buff. Soc., i, 140, 1873; SMITH, C. 115. Cal.
1779. *lepidula* SMITH, Proc. U. S. Nat. Mus., x, 463, 1887; C. 115. Tex.
1780. *determinata* SMITH, Proc. U. S. Nat. Mus., xiv, 209, 1891; C. 115. Col.
1781. *meditata* GROTE, Bull. Buff. Soc., i, 104, 1873; SMITH, C. 115. Atl. States.
1782. *lustralis* GROTE, Can. Ent., vii, 223, 1875; SMITH, C. 115. Atl. States, Col., Ariz.
- syn. *suffusa* SMITH, Proc. U. S. Nat. Mus., x, 474, 1887; C. 203.
1783. *detracta* WALKER, Cat. Brit. Mus., xi, 733, 1857; SMITH, C. 116. Atl. States, N. Mex.
- syn. *claripena* GROTE.
1784. *gnata* GROTE, Can. Ent., xiv, 170, 1882; SMITH, C. 116. Ariz., N. Mex.
1785. *distineta* HÜBNER, Samml. exot. Schmett., i, 1810; SMITH, C. 116. Atl. States, Col.
- syn. *citis* FRENCH.
1786. *eroticii* GROTE, Bull. Brook. Ent. Soc., iii, 29, 1880; SMITH, C. 116. Col., Oreg., Cal.
- a. *fusculenta* SMITH, Proc. U. S. Nat. Mus., xiv, 213, 1891.
1787. *farnhami* GROTE, Bull. Buff. Soc., i, 103, 1873; SMITH, C. 116. Col.

1788. <i>liquida</i> GROTE. Pap., i, 58, 1881; SMITH, C. 116.	Wash., Oreg., Col.
1789. <i>capsularis</i> GUENÉE. Spec. Gén., vi, 22, 1852; SMITH, C. 117. syn. <i>propulsa</i> WALKER.	Atl. States, Col.
*1790. <i>vittula</i> GROTE. Trans. Kans. Acad. Sci., viii, 48, 1882; SMITH, C. 117.	N. Mex.
1791. <i>prodeniformis</i> SMITH. Proc. U. S. Nat. Mus., ix, 464, 1887; C. 117.	Ariz., N. Mex.
1792. <i>atlantica</i> GROTE. Bull. Buff. Soc., ii, 12, 1874; SMITH, C. 117. syn. <i>discolor</i> SPEYER.	Atl. States.
1793. <i>radix</i> WALKER. Cat. Brit. Mus., x, 332, 1856; SMITH, C. 117. syn. <i>dinnochii</i> GROTE, <i>desperata</i> SMITH.	No. U. S., Cal.
*1794. <i>canadensis</i> SMITH. Proc. U. S. Nat. Mus., x, 464, 1887; C. 118.	New Bruns.
*1795. <i>nevadæ</i> GROTE. Bull. Buff. Soc., iii, 84, 1876; SMITH, C. 118.	Cal.
1796. <i>subjuncta</i> GROTE & ROBINSON. Trans. Am. Ent. Soc., ii, 198, 1868; SMITH, C. 118.	Atl. States, Col.
1797. <i>gussata</i> SMITH. Ent. News, vi, 337, 1895.	Alberta.
1798. <i>ingravis</i> SMITH. Ent. News, vi, 337, 1895; ix, 250, 1898.	Alberta.
1799. <i>invalida</i> SMITH. Proc. U. S. Nat. Mus., xiv, 225, 1891; C. 119.	Pac. States, Col.
1800. <i>grandis</i> BOISDUVAL. Guenée, Ind. Méth., 120, 1840; SMITH, C. 118. syn. <i>libera</i> WALKER.	No. U. S.
1801. <i>trifolii</i> ROTTEMBURG. Naturf., ix, 131, 1776; SMITH, C. 119. syn. <i>chenopodii</i> FABRICIUS, <i>albifusa</i> WALKER, <i>glaucoptaria</i> WALKER, <i>major</i> SPEYER. <i>a. oregonica</i> GROTE. Can. Ent., xiii, 230, 1881.	U. S., Eur.
1802. <i>u-scripta</i> SMITH. Proc. U. S. Nat. Mus., xiv, 228, 1891; C. 119.	Cal., Col.
1803. <i>rosea</i> HARVEY. Bull. Buff. Soc., ii, 119, 1874; SMITH, C. 120.	No. U. S.
1804. <i>larissa</i> SMITH. Ent. News, vi, 338, 1895.	Alberta.
1805. <i>congermana</i> MORRISON. Can. Ent., vi, 106, 1874; SMITH, C. 120.	No. Atl. States, Col.
*1806. <i>rubefacta</i> MORRISON. Can. Ent., vi, 249, 1874; SMITH, C. 120.	No. Atl. States.

1807. <i>pieta</i> HARRIS, Rep. Ins. Mass., 329, 1847; SMITH, C. 120.	Atl. States, Col.
syn. <i>exusta</i> GUENÉE, <i>contraria</i> WALKER.	
1808. <i>cristifera</i> WALKER, Cat. Brit. Mus., xv, 1654, 1858; SMITH, C. 121.	No. U. S.
syn. <i>lubens</i> GROTE.	
1809. <i>assimilis</i> MORRISON, Bull. Buff. Soc., ii, 119, 1874; SMITH, C. 121.	No. Atl. States.
<i>a. pulverulenta</i> SMITH, Proc. U. S. Nat. Mus., x, 468, 1887.	
1810. <i>latex</i> GUENÉE, Spec. Gén., vi, 78, 1852; SMITH, C. 121.	No. Atl. States.
syn. <i>demissa</i> WALKER.	
*1811. <i>passa</i> MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 139, 1874; SMITH, C. 122.	Cal.
1812. <i>adjuncta</i> BOISDUVAL, Guenée, Ind. Méth., 243, 1841; SMITH, C. 122.	No. Atl. States.
1813. <i>variolata</i> SMITH, Proc. U. S. Nat. Mus., x, 467, 1887; C. 122.	Wash.
*1814. <i>glaciata</i> GROTE, Can. Ent., xiv, 170, 1882; SMITH, C. 122.	Ariz., Col.
1815. <i>minorata</i> SMITH, Proc. U. S. Nat. Mus., x, 467, 1887; C. 122.	Cal., Col.
*1816. <i>defessa</i> GROTE, Can. Ent., xii, 88, 1880; SMITH, C. 122.	Cal.
1817. <i>chartaria</i> GROTE, Bull. Buff. Soc., i, 138, 1873; SMITH, C. 122.	Cal., Wash., Col.
*1818. <i>repentina</i> MORRISON, Proc. Bost. Soc. Nat. Hist., xviii, 118, 1875; SMITH, C. 122.	N. J.
*1819. <i>brachiolum</i> HARVEY, Can. Ent., viii, 6, 1876; SMITH, C. 122.	Tex., Ariz.
*1820. <i>beanii</i> GROTE, Can. Ent., ix, 87, 1877; SMITH, C. 122.	Ill., Tex., Col.
1821. <i>rugosa</i> MORRISON, Proc. Bost. Soc. Nat. Hist., xviii, 119, 1875; SMITH, C. 122.	Me.
1822. <i>ligitima</i> GROTE, Proc. Ent. Soc. Phil., iii, 82, 1864; SMITH, C. 122.	No. U. S.
1823. <i>lilacina</i> HARVEY, Bull. Buff. Soc., ii, 119, 1874; SMITH, C. 122.	No. Atl. States, Col., N. Mex.
syn. <i>illabefacta</i> MORRISON.	
1824. <i>noverca</i> GROTE, Can. Ent., x, 236, 1878; SMITH, C. 124.	Cal., Col., Ariz., Neb.

1825. *goodellii* GROTE, Can. Ent., vii, 223, 1875; SMITH, C. 124. No. Atl. States.
1826. *quadrata* SMITH, Proc. U. S. Nat. Mus., xiv, 248, 1891; C. 124. Cal.
1827. *obscura* SMITH, Proc. U. S. Nat. Mus., x, 468, 1891; C. 124. Wis.
1828. *ectypa* MORRISON, Proc. Bost. Soc. Nat. Hist., xviii, 118, 1875; SMITH, C. 124. N. J., W. Va.
syn. *bella* GROTE.
1829. *renigera* STEPHENS, Ill. Brit. Ent., Haust., ii, 16, 1829; SMITH, C. 124. No. Atl. States, Col., Eur.
syn. *herbimacula* GUENÉE, *inficta* WALKER.
1830. *stricta* WALKER, Cat. Brit. Mus., xxxiii, 728, 1865; SMITH, C. 125. Pac. States.
syn. *ferrea* GROTE.
a. cinnabarina GROTE, Proc. Bost. Soc. Nat. Hist., xvi, 241, 1874.
- *1831. *spiculosa* GROTE, Can. Ent., xvi, 28, 1883; SMITH, C. 125. Ariz.
1832. *olivacea* MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 143, 1874; SMITH, C. 125. No. U. S.
a. obscurior SMITH, Proc. U. S. Nat. Mus., x, 465, 1887.
b. comis GROTE, Bull. Geol. Surv. Terr., iii, 85, 1877.
syn. *darena* SMITH, Trans. Am. Ent. Soc., xxvii, 237, 1901; *lucina* SMITH, Trans. Am. Ent. Soc., xxvii, 236, 1901; *altna* SMITH, Trans. Am. Ent. Soc., xxvii, 236, 1901; *megarena* SMITH, Trans. Am. Ent. Soc., xxvii, 236, 1901; *petita* SMITH, Trans. Am. Ent. Soc., xxvii, 239, 1901.
- c. rectilinea* SMITH, Proc. U. S. Nat. Mus., x, 465, 1887; C. 125.
syn. *circumcineta* SMITH, Proc. U. S. Nat. Mus., xiv, 253, 1891; C. 125; *obnigra* SMITH, Trans. Am. Ent. Soc., xxvii, 238, 1901.
- *1833. *vau-media* SMITH, Proc. U. S. Nat. Mus., x, 466, 1887; C. 126. Col.
- *1834. *incurva* SMITH, Proc. U. S. Nat. Mus., x, 466, 1887; C. 126. Col., Ariz., N. Mex.
1835. *quadrilineata* GROTE, Bull. Buff. Soc., i, 140, 1873; SMITH, C. 126. Ariz., Cal.
1836. *marinitineta* HARVEY, Bull. Buff. Soc., ii, 273, 1875; SMITH, C. 126. Tex.

1837. <i>laudabilis</i> GUENÉE, Spec. Gén., vi, 30, 1852; SMITH, C. 126.	So. Atl. States, Col., Cal.
syn. <i>indicans</i> WALKER, <i>strigicollis</i> WALLENGREN.	
<i>a. illaudabilis</i> GROTE, Can. Ent., vii, 27, 1875.	
1838. <i>albogutta</i> GROTE, Bull. Buff. Soc., iii, 85, 1877; SMITH, C. 126.	N. Mex., Oreg., Cal.
1839. <i>cuneata</i> GROTE, Bull. Buff. Soc., i, 139, 1873; SMITH, C. 127.	Pac. States, N. Y.
*1840. <i>sutrina</i> GROTE, Pap., i, 5, 1881; SMITH, C. 127; Ent. News, ix, 230, 1898.	Col.
1841. <i>quadrannulata</i> MORRISON, Proc. Acad. Nat. Sci. Phil., 430, 1875; SMITH, C. 127.	Neb., Tex., Col.
1842. <i>lorea</i> GUENÉE, Spec. Gén., v, 126, 1852; SMITH, C. 127.	Atl. States, Col.
syn. <i>ligata</i> WALKER, <i>dodgei</i> GROTE.	
1843. <i>erecta</i> WALKER, Cat. Brit. Mus., x, 264, 1856; SMITH, C. 127.	Tex.
syn. <i>constipata</i> WALKER, <i>innera</i> GROTE.	
1844. <i>longiclava</i> SMITH, Proc. U. S. Nat. Mus., xiv, 265, 1891; C. 128.	Col.
1845. <i>anguina</i> GROTE, Can. Ent., xiii, 129, 1881; SMITH, C. 128.	No. Atl. States, Col.
1846. <i>languida</i> SMITH, Trans. Am. Ent. Soc., xxi, 54, 1894.	Col.
1847. <i>hadeniformis</i> SMITH, Trans. Am. Ent. Soc., xxi, 55, 1894.	Col.
1848. <i>fuscolutea</i> SMITH, Trans. Am. Ent. Soc., xxi, 55, 1894.	Col.
1849. <i>segregata</i> SMITH, Trans. Am. Ent. Soc., xxi, 56, 1894.	B. C.
1850. <i>vicina</i> GROTE, Bull. Buff. Soc., ii, 156, 1874; SMITH, C. 128.	Atl. States, Cal.
syn. <i>teligera</i> MORRISON, <i>acutipennis</i> GROTE.	
1851. <i>pensilis</i> GROTE, Proc. Acad. Nat. Sci. Phil., 199, 1874; SMITH, C. 128.	Pac. States, Col.
*1852. <i>impolita</i> MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 140, 1874; SMITH, C. 129.	Can.
1853. <i>plicata</i> SMITH, Ent. News, ix, 243, 1898.	Col.
*1854. <i>ferrealis</i> GROTE, Can. Ent., xv, 29, 1883; SMITH, C. 128.	Mont.

*1855. <i>subdita</i> MÖSCHLER, Wien. ent. Mon., iv, 363, 1860; SMITH, C. 129.	Lab.
1856. <i>cervina</i> SMITH, Ent. News, ix, 247, 1898.	Man.
1857. <i>neoterica</i> SMITH, Ent. News, ix, 244, 1898.	Man.
1858. <i>nugatis</i> SMITH, Ent. News, ix, 240, 1898.	Mont., Neb.
1859. <i>mystica</i> SMITH, Ent. News, ix, 242, 1898.	Man.
1860. <i>intentata</i> SMITH, Ent. News, ix, 245, 1898.	Col.
1861. <i>etrapela</i> Smith, Ent. News, ix, 249, 1898.	B. C.
*1862. <i>doira</i> STRECKER, Lep. Rhop. Het., suppl. 1, 7, 1898.	Utah.
1863. <i>griseata</i> SMITH, Proc. U. S. Nat. Mus., xxii, 467, 1900.	Col.
1864. <i>senatoria</i> SMITH, Proc. U. S. Nat. Mus., xxii, 461, 1900.	Ariz.
1865. <i>dilatata</i> SMITH, Proc. U. S. Nat. Mus., xxii, 464, 1900.	N. Mex.
1866. <i>yakima</i> SMITH, Proc. U. S. Nat. Mus., xxii, 464, 1900.	Wash.
1867. <i>roseosuffusa</i> SMITH, Proc. U. S. Nat. Mus., xxii, 466, 1900.	Ariz.
1868. <i>rainierii</i> SMITH, Proc. U. S. Nat. Mus., xxii, 462, 1900.	Wash.
1869. <i>florida</i> SMITH, Proc. U. S. Nat. Mus., xxii, 465, 1900.	Fla.
1870. <i>bolteri</i> SMITH, Proc. U. S. Nat. Mus., xxii, 463, 1900.	N. Mex.
1871. <i>mutilata</i> SMITH, Ent. News, ix, 246, 1898.	B. C.
*1872. <i>selana</i> STRECKER, Lep. Rhop. Het., suppl. 1, 7, 1898.	Tex.
*1873. <i>mania</i> STRECKER, Lep. Rhop. Het., suppl. 2, 5, 1899.	Col.
*1874. <i>tacoma</i> STRECKER, Lep. Rhop. Het., suppl. 3, 31, 1900.	Wash.
1875. <i>nævia</i> SMITH, Ent. News, ix, 248, 1898.	Col.
1876. <i>negussa</i> SMITH, Can. Ent., xxxii, 219, 1900.	Alberta.
*1877. <i>circumvadis</i> SMITH, Jn. N. Y. Ent. Soc., x, 42, 1902.	Alberta.
*1878. <i>vau-orbicularis</i> SMITH, Jn. N. Y. Ent. Soc., x, 42, 1902.	Oreg.

ADMETOVIS Grote.

GROTE, Bull. Buff. Soc., i, 133, 1873.

1879. **oxymorus** GROTE, Bull. Buff. Soc., i, 133, 1873; Cal.,
SMITH, C. 113. Col.
1880. **similis** BARNES. Cal., Col.

BARATHRA Hübner.

HÜBNER, Verz. bek. Schmett., 218, 1816; *Copimamestra* GROTE.

1881. **occidentata** GROTE, Ann. Mag. Nat. Hist. (5), xi, N. Mex.
53, 1883; SMITH, C. 113.
1882. **curialis** SMITH, Proc. U. S. Nat. Mus., x, 470, Me.,
1887; C. 113. N. H.

NEURONIA Hübner.

HÜBNER, Verz. bek. Schmett., 215, 1816.

1883. **americana** SMITH, Trans. Am. Ent. Soc., xxi, 59, Mont.
1894.

DARGIDA Walker.

WALKER, Cat. Brit. Mus., ix, 201, 1856; *Eupsephopactes* GROTE.

1884. **procinctus** GROTE, Bull. Buff. Soc., i, 138, 1873; Cal., Oreg.,
SMITH, C. 170. Col.

MORRISONIA Grote.

GROTE, Bull. Buff. Soc., ii, 53, 1874; SMITH, Proc. U. S. Nat. Mus., xv, 64, 1892.

1885. **sectilis** GUENÉE, Spec. Gén., v, 141, 1852; SMITH, No. Atl.
C. 232. States.

syn. *ericta* GROTE.*a. vomerina* GROTE, Bull. Buff. Soc., i, 84, 1873.

- *1886. **infidelis** GROTE, Can. Ent., xi, 206, 1879; SMITH, Mich.
C. 232.

1887. **rileyana** SMITH, Ent. Amer., vi, 212, 1890; C. Mo.,
231. Tex.

1888. **bisulca** GROTE, Can. Ent., xiii, 230, 1881; SMITH, Ariz.
C. 232.

1889. **mucens** HÜBNER, Verz. bek. Schmett., 243, 1816; Atl.
SMITH, C. 231. States.

syn. *spoliata* WALKER.

1890. **confusa** HÜBNER, Verz. bek. Schmett., 243, 1816; Atl.
SMITH, C. 232. States.

syn. *infructuosa* WALKER, *multifaria* WALKER.

XYLOMIGES Guenée.

GUENÉE, Spec. Gén., v, 147, 1852.

1891. *hiemalis* GROTE, Bull. Buff. Soc., ii, 71, 1874; Cal.
SMITH, C. 233.
syn. *californica* BEHR.
1892. *simplex* WALKER, Cat. Brit. Mus., xxxii, 618, Pac. States,
1865; SMITH, C. 233. Col.
syn. *crucialis* HARVEY.
1893. *curialis* GROTE, Bull. Buff. Soc., i, 143, 1873; Cal.
SMITH, C. 233.
1894. *dolosa* GROTE, Can. Ent., xii, 88, 1880; SMITH, C. No. Atl.
234. States, Col.
1895. *rubrica* HARVEY, Can. Ent., x, 58, 1878; SMITH, Cal.,
C. 234. Oreg.
1896. *perlubens* GROTE, Can. Ent., xiii, 132, 1881; Pac. States,
SMITH, C. 234. Col.
syn. *subapicalis* SMITH.
- *1897. *pulchella* SMITH, Trans. Am. Ent. Soc., xxi, 81, B. C.
1894.
1898. *ochracea* RILEY, Proc. U. S. Nat. Mus., xv, 74, Cal.
1892; SMITH, C. 234.
1899. *candida* SMITH, Trans. Am. Ent. Soc., xxi, 79, B. C.
1898.
1900. *patalis* GROTE, Bull. Buff. Soc., i, 144, 1873; Pac. States.
SMITH, C. 234.
syn. *fletcheri* GROTE.
1901. *cognata* SMITH, Trans. Am. Ent. Soc., xxi, 78, B. C., Oreg.,
1894. Col.
- *1902. *peritalis* SMITH, Proc. U. S. Nat. Mus., xv, 68, Col.,
1892; C. 233. Oreg.
1903. *indurata* SMITH, Trans. Am. Ent. Soc., xxi, 80, Col.
1894.
1904. *pallidior* SMITH, Jn. N. Y. Ent. Soc., vii, 227, B. C.
1899.
- *1905. *tabulata* GROTE, Bull. Geol. Surv. Terr., iv, 181, N. Y.
1878; SMITH, C. 234.

SCOTOGRAMMA Smith.

SMITH, Proc. U. S. Nat. Mus., x, 469, 1887.

1906. *submarina* GROTE, Can. Ent., xv, 4, 1883; SMITH, Ariz., Mont.,
C. 129. Oreg.

1907. <i>densa</i> SMITH, Ins. Life, v, 329, 1893.	Cal., Col.
<i>a. megæra</i> SMITH, Jn. N. Y. Ent. Soc., vii, 44, 1899.	
1908. <i>infuscata</i> SMITH, Jn. N. Y. Ent. Soc., vii, 42, 1899.	Col.
1909. <i>discolor</i> SMITH, Jn. N. Y. Ent. Soc., vii, 42, 1899.	Col.
1910. <i>uniformis</i> SMITH, Trans. Am. Ent. Soc., xxi, 58, 1894.	B. C.
1911. <i>luteola</i> SMITH, Trans. Am. Ent. Soc., xxi, 57, 1894.	B. C.
1912. <i>perplexa</i> SMITH, Proc. U. S. Nat. Mus., x, 469, 1887; C. 129.	Col.
1913. <i>inconcinna</i> SMITH, Proc. U. S. Nat. Mus., x, 469, 1887; C. 130.	Col.
1914. <i>umbrosa</i> SMITH, Proc. U. S. Nat. Mus., x, 470, 1887; C. 130.	Col., Ariz.
1915. <i>phoca</i> MÖSCHLER, Wien. ent. Mon., viii, 197, 1864; SMITH, C. 129. syn. <i>promulsa</i> MORRISON.	Lab., Col.
1916. <i>sedilis</i> SMITH, Jn. N. Y. Ent. Soc., vii, 43, 1899.	Col.
*1917. <i>stretchii</i> HY. EDWARDS, Can. Ent., xix, 146, 1887; SMITH, C. 130.	Ariz.
1918. <i>conjugata</i> SMITH, Jn. N. Y. Ent. Soc., vii, 41, 1899.	Col.

ULOLONCHE Smith.

SMITH, Proc. U. S. Nat. Mus., x, 471, 1887.	
*1919. <i>niveiguttata</i> GROTE, Bull Buff. Soc., i, 140, 1873; SMITH, C. 130.	Cal., Ariz.
1920. <i>orbiculata</i> SMITH, Proc. U. S. Nat. Mus., xiv, 266, 1891; C. 131.	Col.
1921. <i>modesta</i> MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 114, 1874; SMITH, C. 130.	Atl. States.
1922. <i>fasciata</i> SMITH, Proc. U. S. Nat. Mus., x, 471, 1887; C. 130.	N. Mex.
1923. <i>disticha</i> MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 217, 1874; SMITH, C. 130.	Tex.
1924. <i>dilecta</i> HY. EDWARDS, Pap., iv, 123, 1884; SMITH, C. 154.	Col., Ariz.

ANARTA Ochsenheimer.

OCHSENHEIMER, Schmett. Eur., iv, 90, 1816.

1925. <i>etacta</i> SMITH, Proc. Wash. Acad. Sci., ii, 493, 1900.	Alaska.
--	---------

*1926. <i>mimula</i> GROTE, Trans. Kans. Acad. Sci., viii, 48, 1883; SMITH, C. 295.	N. Mex.
*1927. <i>mimuli</i> BEHR, Bull. Cal. Acad. Sci., 62, 1885; SMITH, C. 295.	Cal.
*1928. <i>funebris</i> HÜBNER, Schmett. Eur., Noct., f. 433, 1804; SMITH, C. 295.	Lab.
1929. <i>acadiensis</i> BETHUNE, Trans. Nov. Sc. Ins. Nat. Sci., ii, 84, 1869; SMITH, C. 292.	Nova Scotia.
1930. <i>cordigera</i> THUNBERG, Mus. Nat. Acad. Ups., Diss., vi, 72, 1788; SMITH, C. 292. syn. <i>luteola</i> GROTE & ROBINSON.	Can., Lab., Col.
1931. <i>melanopa</i> THUNBERG, Diss. Ent., ii, 42, 1791; SMITH, C. 292. syn. <i>nigrolunata</i> PACKARD.	Arctic Am., Col.
1932. <i>melaleuca</i> THUNBERG, Diss. Ent., ii, 42, 1791; SMITH, C. 292. syn. <i>bicycla</i> PACKARD.	Lab.
1933. <i>quadrilunata</i> GROTE, Proc. Bost. Soc. Nat. Hist., xvi, 244, 1874; SMITH, C. 293.	Col.
1934. <i>schoenherri</i> ZETTERSTEDT, Ins. Lap., 950, 1840; SMITH, C. 293. syn. <i>lenocyclo</i> STAUDINGER.	Lab., Greenl.
1935. <i>richardsoni</i> CURTIS, Ross Natr. Second Voy. N.-W. Pass., app., 72, 1834; SMITH, C. 293. <i>a. lanuginosa</i> SMITH, Proc. Wash. Acad. Sci., ii, 492, 1900.	Lab., Alaska.
*1936. <i>impingens</i> WALKER, Cat. Brit. Mus., xi, 700, 1857; SMITH, C. 294. syn. <i>niraria</i> GROTE, <i>curta</i> MORRISON, <i>perpura</i> MORRISON.	Col.
*1937. <i>secedens</i> WALKER, Cat. Brit. Mus., xii, 913, 1857; SMITH, C. 294.	Can.
*1938. <i>membranacea</i> MORRISON, Ann. N. Y. Lyc. Nat. Hist., xi, 101, 1875; SMITH, C. 294.	N. H.
*1939. <i>lapponica</i> THUNBERG, Diss. Ent., ii, 42, 1792; SMITH, C. 294. syn. <i>amissa</i> LEFFÈBRE.	Lab., Greenl.
*1940. <i>kelloggi</i> HY. EDWARDS, Proc. Cal. Acad. Sci., vi, 133, 1875; SMITH, C. 295.	Cal.
1941. <i>zetterstedti</i> STAUDINGER, Stett. ent. Zeit., 294, 1857; SMITH, C. 295.	Lab., Lapl.
*1942. <i>quieta</i> HÜBNER, Schmett. Eur., Noct., 485, 1805; SMITH, C. 295. syn. <i>constricta</i> WALKER, <i>rigida</i> WALKER.	Arctic Am.

TRICHOCLEA Grote.

GROTE, Pap., iii, 30, 1883; SMITH, C. 209.

1943. *edwardsii* SMITH, Proc. U. S. Nat. Mus., x, 478, 1887; C. 209. Cal.
1944. *decepta* GROTE, Pap., iii, 30, 1883; SMITH, C. 209. Ariz.
1945. *postica* SMITH, Trans. Am. Ent. Soc., xviii, 115, 1891; C. 209. Cal., Col.
- a. antica* SMITH, Trans. Am. Ent. Soc., xviii, 116, 1891; C. 209.

TRICHOPOLIA Grote.

GROTE, Pap., iii, 76, 1883.

1946. *serrata* SMITH, Proc. U. S. Nat. Mus., xxii, 479, 1900. Tex.
- *1947. *dentatella* GROTE, Pap., iii, 76, 1883; SMITH, C. 164. Ariz.
1948. *ptilodonta* GROTE, Pap., iii, 77, 1883; SMITH, C. 164. Ariz.

EUPOLIA Smith.

SMITH, Trans. Am. Ent. Soc., xxi, 69, 1894.

1949. *licentiosa* SMITH, Trans. Am. Ent. Soc., xxi, 70, 1894. Utah.

NEPHELODES Guenée.

GUENÉE, Spec. Gén., v, 130, 1852.

1950. *minians* GUENÉE, Spec. Gén., v, 130, 1852; SMITH, C. 172. Atl. States.
syn. *erpatia* WALKER, *sobria* WALKER.
a. violans GUENÉE, Spec. Gén., v, 130, 1852.
syn. *subdolens* WALKER.

1951. *pectinatus* SMITH, Can. Ent., xxxii, 221, 1900. B. C.

HELIOPHILA Hübner.

HÜBNER, Tent., 1806; *Leucania* OCHSENHEIMER, Schmett. Eur., iv, 81, 1816; SMITH, Proc. U. S. Nat. Mus., xxv, 159, 1902.

- *1952. *lutina* SMITH, Proc. U. S. Nat. Mus., xxv, 176, 1902. Fla.
syn. *relutina* SMITH (not EVERSMANN), Proc. U. S. Nat. Mus., xxii, 480, 1900.

1953. *unipuncta* HAWORTH, Lep. Brit., ii, 177, 1810; SMITH, C. 189. Atl. States.

syn. *extincta* GUENÉE.

4630—No. 52—02—11

1954. <i>pseudargyria</i> GUENÉE, Spec. Gén., v, 74, 1852; SMITH, C. 189.	Atl. States.
<i>a. callida</i> GROTE, New Check List, 30, 1882.	
*1955. <i>pilipalpis</i> GROTE, Proc. Bost. Soc. Nat. Hist., xviii, 415, 1875; SMITH, C. 189.	Fla.
1956. <i>subpunctata</i> HARVEY, Bull. Buff. Soc., iii, 8, 1875; SMITH, C. 189.	Tex., N. Mex.
syn. <i>complicata</i> STRECKER, Lep. Rhop. Het., suppl. 1, 9, 1898.	
1957. <i>luteopallens</i> SMITH, Proc. U. S. Nat. Mus., xxv, 180, 1902.	Atl. States.
1958. <i>minorata</i> SMITH, Trans. Am. Ent. Soc., xxi, 75, 1894.	Cal., Oreg.
1959. <i>oxygale</i> GROTE, Can. Ent., xiii, 14, 1881; SMITH, C. 185.	Col.
1960. <i>rubripallens</i> SMITH, Proc. U. S. Nat. Mus., xxv, 182, 1902.	Col., Utah.
*1961. <i>pertracta</i> MORRISON, Proc. Bost. Soc. Nat. Hist., xviii, 120, 1875; SMITH, C. 186.	Pa.
1962. <i>rubripennis</i> GROTE & ROBINSON, Trans. Am. Ent. Soc., iii, 179, 1870; SMITH, C. 186.	So. States.
1963. <i>albilinea</i> HÜBNER, Samml. exot. Schmett., f. 337, 1816; SMITH, C. 186.	Atl. States.
syn. <i>harveyi</i> GROTE.	
1964. <i>obscurior</i> SMITH, Proc. U. S. Nat. Mus., xxv, 185, 1902.	Man.
1965. <i>diffusa</i> WALKER, Cat. Brit. Mus., ix, 94, 1856; SMITH, C. 186.	Atl. States.
syn. <i>moderata</i> WALKER.	
*1966. <i>limitata</i> SMITH, Proc. U. S. Nat. Mus., xxv, 187, 1902.	Tex.
1967. <i>tetra</i> SMITH, Proc. U. S. Nat. Mus., xxv, 187, 1902.	Ariz.
1968. <i>neptis</i> SMITH, Proc. U. S. Nat. Mus., xxv, 188, 1902.	Col.
1969. <i>ligata</i> GROTE, Trans. Am. Ent. Soc., v, 115, 1875; SMITH, C. 187.	Tex., Col., Fla.
*1970. <i>flabilis</i> GROTE, Can. Ent., xiii, 15, 1881; SMITH, C. 189.	N. Y.
1971. <i>rimosa</i> GROTE, Can. Ent., xiv, 216, 1882; SMITH, C. 189.	Me.
1972. <i>dia</i> GROTE, Can. Ent., xi, 29, 1879; SMITH, C. 187.	Cal.

1973. <i>megadia</i> SMITH, Proc. U. S. Nat. Mus., xxv, 191, 1902.	Pac. States, Ariz.
1974. <i>heterodoxa</i> SMITH, Trans. Am. Ent. Soc., xxi, 75, 1894.	Cal., B. C., Minn.
1975. <i>insueta</i> GUENÉE, Spec. Gén., v, 81, 1852; SMITH, C. 188. syn. <i>adonae</i> GROTE, <i>mimica</i> STRECKER, Lep. Rhop. Het., suppl. 2, 6, 1899.	Atl. States, Col.
1976. <i>extincta</i> GUENÉE, Spec. Gén., v, 79, 1852; SMITH, C. 187. syn. <i>tinita</i> GUENÉE, <i>scirpicola</i> GUENÉE, <i>amyg-dalina</i> HARVEY.	Atl. States.
1977. <i>juncicola</i> GUENÉE, Spec. Gén., v, 83, 1852; SMITH, C. 188. syn. <i>adjuta</i> GROTE.	Ala., Tex.
1978. <i>multilinea</i> WALKER, Cat. Brit. Mus., ix, 97, 1856; SMITH, C. 187. syn. <i>lapidaria</i> GROTE.	Atl. States.
1979. <i>commoides</i> GUENÉE, Spec. Gén., v, 86, 1852; SMITH, C. 188.	Atl. States, Col.
1980. <i>phragmitidicola</i> GUENÉE, Spec. Gén., v, 89, 1852; SMITH, C. 187. <i>a. texana</i> MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 211, 1874.	Atl. States, Col.
1981. <i>imperfecta</i> SMITH, Trans. Am. Ent. Soc., xxi, 76, 1894.	Ariz.
1982. <i>anteroclara</i> SMITH, Proc. U. S. Nat. Mus., xxv, 200, 1902.	Alberta.
1983. <i>calgariana</i> SMITH, Proc. U. S. Nat. Mus., xxv, 201, 1902.	Alberta.
*1984. <i>stolata</i> SMITH, Trans. Am. Ent. Soc., xxi, 76, 1894.	Ariz.
*1985. <i>oregona</i> SMITH, Proc. U. S. Nat. Mus., xxv, 202, 1902.	Oreg.
1986. <i>roseola</i> SMITH, Trans. Am. Ent. Soc., xxi, 75, 1894.	B. C.
1987. <i>fareta</i> GROTE, Can. Ent., xiii, 15, 1881; SMITH, C. 188.	Cal.
1988. <i>palliseca</i> SMITH, Proc. U. S. Nat. Mus., xxv, 203, 1902.	Cal., Col.

NELEUCANIA Smith.

SMITH, Proc. U. S. Nat. Mus., xxv, 203, 1902.

1989. <i>niveicosta</i> SMITH, Proc. U. S. Nat. Mus., xxv, 205, 1902.	Col.
---	------

1990. *bicolorata* GROTE, Pap., i, 154, 1881; SMITH, C. 186. Ariz., Col.
1991. *citronella* SMITH, Proc. U. S. Nat. Mus., xxv, 206, 1902. Col.
1992. *patricia* GROTE, Bull. Brook. Ent. Soc., iii, 46, 1880; SMITH, C. 186. Col., N. Mex.
- *1993. *prægracilis* GROTE, Bull. Geol. Surv. Terr., iii, 119, 1877; SMITH, C. 185. Rocky Mts.

ZOSTEROPODA Grote.

GROTE, Bull. Buff. Soc., ii, 67, 1874.

1994. *hirtipes* GROTE, Bull. Buff. Soc., ii, 68, 1874; SMITH, C. 190. Cal.

TRICHORTHOSIA Grote.

GROTE, Pap., iii, 31, 1883.

- *1995. *parallela* GROTE, Pap., iii, 31, 1883; SMITH, C. 210. N. Mex.

ORTHOSES Guenée.

GUENÉE, Spec. Gén., v, 371, 1852.

1996. *crenulata* BUTLER, Ann. Mag. Nat. Hist., (6), vi, 97, 1890; SMITH, C. 198. Atl. States.
1997. *cynica* GUENÉE, Spec. Gén., v, 375, 1852; SMITH, C. 190. Atl. States, Col.
syn. *candens* GUENÉE, *tecta* WALKER.
1998. *vecors* GUENÉE, Spec. Gén., v, 376, 1852; SMITH, C. 199. Atl. States.
- syn. *enerris* GUENÉE, *nimia* GUENÉE, *togata* WALKER, *relata* WALKER, *prodeuns* WALKER, *griseocincta* HARVEY, *nitens* GROTE.

1999. *virgula* GROTE, Pap., iii, 76, 1883; SMITH, C. 200. Ariz., Col.
2000. *irrorata* SMITH, Proc. U. S. Nat. Mus., x, 478, 1887; C. 200. Wash., B. C.
2001. *puerilis* GROTE, Bull. Buff. Soc., ii, 64, 1874; SMITH, C. 200. Cal.
- *2002. *agrotiformis* GROTE, Can. Ent., xiii, 14, 1881; SMITH, C. 200. Col.
- *2003. *calceolarius* STRECKER, Lep. Rhop. Het., suppl. 3, 33, 1900. N. Y.
- *2004. *imora* STRECKER, Lep. Rhop. Het., suppl. 1, 8, 1898. Wis.

- *2005. *akalus* STRECKER, Lep. Rhop. Het., suppl. 2, 6, 1899. Col.

HIMELLA Grote.

- GROTE, Proc. Acad. Nat. Sci. Phil., 200, 1874; SMITH, C. 200.
2006. *contrahens* WALKER, Can. Nat. Geol., v, 255, 1860; SMITH, C. 200. No. Atl. States, Col., N. Mex.
syn. *thecata* MORRISON.
2007. *intractata* MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 160, 1874; SMITH, C. 201. Atl. States.
syn. *fidelis* GROTE.
- *2008. *conar* STRECKER, Lep. Rhop. Het., suppl. 1, 7, 1898. N. Mex., Utah, Ariz.
syn. *quadristigma* SMITH, Proc. U. S. Nat. Mus., xxii, 480, 1900.

CROCIGRAPHA Grote.

GROTE, Can. Ent., vii, 57, 1875; SMITH, C. 201.

2009. *normani* GROTE, Can. Ent., vi, 115, 1874; SMITH, C. 201. No. Atl. States.

GRAPHIPHORA Hübner.

- HÜBNER, Tent., 1806; *Taxiocampa* GUENÉE, Ann. Soc. Ent. Fr., viii, 477, 1839.
2010. *carminata* SMITH, Ent. Amer., vi, 121, 1890; C. 202. Col.
2011. *trifascia* SMITH, Trans. Am. Ent. Soc., xviii, 118, 1891; C. 202. Col.
2012. *culea* GUENÉE, Spec. Gén., v, 404, 1852; SMITH, C. 202. Atl. States.
syn. *modifica* MORRISON.
2013. *consopita* GROTE, Pap., i, 154, 1881; SMITH, C. 202. Ariz.
2014. *rufula* GROTE, Bull. Buff. Soc., ii, 64, 1874; SMITH, C. 203. Cal., Col.
2015. *oviducta* GUENÉE, Spec. Gén., v, 357, 1852; SMITH, C. 203. Atl. States.
syn. *capsella* GROTE, *orobia* HARVEY.
2016. *utahensis* SMITH, Proc. U. S. Nat. Mus., x, 473, 1887; C. 203. Utah.
2017. *curtica* SMITH, Ent. Amer., vi, 122, 1890; C. 203. Cal.
2017. 1. *suffusa* SMITH, Proc. U. S. Nat. Mus., x, 174, 1887; C. 203. Col., Ariz.

2018. <i>incipeta</i> MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 133, 156, 1874; SMITH, C. 203.	Mass., Ill., Col.
2019. <i>pectinata</i> SMITH, Proc. U. S. Nat. Mus., x, 475, 1887; C. 204.	Cal.
2020. <i>annulimacula</i> SMITH, Trans. Am. Ent. Soc., xviii, 117, 1891; C. 204.	Tex.
2021. <i>uniformis</i> SMITH, Proc. U. S. Nat. Mus., x, 472, 1887; C. 202.	Ariz.
2022. <i>palilis</i> HARVEY, Bull. Buff. Soc., ii, 273, 1875; SMITH, C. 202.	Tex.
2023. <i>columbia</i> SMITH, Proc. U. S. Nat. Mus., x, 472, 1887; C. 202.	B. C.
2024. <i>furfurata</i> GROTE, Proc. Acad. Nat. Sci. Phil., 201, 1874; SMITH, C. 201.	U. S.
2025. <i>perbrunnea</i> GROTE, Can. Ent., xi, 28, 1879; SMITH, C. 202.	Cal.
2026. <i>peredia</i> GROTE, Pap., iii, 32, 1883; SMITH, C. 201.	No. Atl. States.
*2027. <i>perforata</i> GROTE, Pap., iii, 73, 1883; SMITH, C. 203.	Ariz.
*2028. <i>obtusa</i> SMITH, Proc. U. S. Nat. Mus., x, 474, 1887; C. 204.	Ariz.
*2029. <i>terminata</i> SMITH, Proc. U. S. Nat. Mus., x, 475, 1887; C. 204.	So. Cal.
2030. <i>reliqua</i> SMITH, Jn. N. Y. Ent. Soc., vii, 226, 1899.	Col.
*2031. <i>præses</i> GROTE, Bull. Geol. Surv. Terr., v, 202, 1879; SMITH, C. 206.	Cal.
*2032. <i>revicta</i> MORRISON, Proc. Bost. Soc. Nat. Hist., xviii, 241, 1875; SMITH, C. 206.	Ill.
2033. <i>ferrigera</i> SMITH, Trans. Am. Ent. Soc., xxi, 78, 1894.	B. C., Oreg.
2034. <i>flaviannula</i> SMITH, Jn. N. Y. Ent. Soc., vii, 225, 1899.	Col.
*2035. <i>saturnus</i> STRECKER, Lep. Rhop. Het., suppl. 3, 31, 1900.	Wis.
*2036. <i>subfuscula</i> GROTE, Proc. Bost. Soc. Nat. Hist., xvi, 244, 1873; SMITH, C. 204.	Oreg., Mont.
*2037. <i>arthrolita</i> HARVEY, Bull. Buff. Soc., ii, 275, 1874; SMITH, C. 204.	Cal.
2038. <i>vindemialis</i> GUENÉE, Spec. Gén., v, 344, 1852; SMITH, C. 205.	Fla. ?

2039. *pacifica* HARVEY, Bull. Buff. Soc., ii, 120, 1874; SMITH, C. 205. Col., Cal.
2040. *alia* GUENÉE, Spec. Gén., v, 352, 1852; SMITH, C. 205. Atl. States.
syn. *instabilis* FITCH, *insciens* WALKER.
a. hibisci GUENÉE, Spec. Gén., v, 355, 1852.
syn. *confluens* MORRISON.
- *2041. *alurina* SMITH, Jn. N. Y. Ent. Soc., x, 47, 1902. Atl. States.
2042. *rubrescens* WALKER, Cat. Brit. Mus., xxxii, 671, 1865; SMITH, C. 206. No. Atl. States.
syn. *renata* SMITH.
2043. *subterminata* SMITH, Proc. U. S. Nat. Mus., x, 476, 1887; C. 206. No. Atl. States.
- *2044. *garmani* GROTE, Can. Ent., xi, 28, 1879; SMITH, C. 206. Ill., Iowa.
- *2045. *styracis* GUENÉE, Spec. Gén., v, 357, 1852; SMITH, C. 206. Ga.
- *2046. *planalis* GROTE, Ann. Mag. Nat. Hist., (5), xi, 53, 1883; SMITH, C. 206. N. Mex.

STRETCHIA Hy. Edwards.

Hy. EDWARDS, Proc. Cal. Acad. Sci., v, 267, 1874; *Acerra* GROTE.

2047. *normalis* GROTE, Bull. Buff. Soc., ii, 162, 1874; SMITH, C. 207. Cal.
2048. *plusiiformis* Hy. EDWARDS, Proc. Cal. Acad. Sci., v, 267, 1874; SMITH, C. 208. Cal., Col., Nev., Oreg.
syn. *muricina* GROTE, Bull. Buff. Soc., iii, 85, 1875; *inferior* SMITH, Proc. U. S. Nat. Mus., x, 477, 1887.
2049. *behrensiana* GROTE, Can. Ent., vii, 71, 1875; SMITH, C. 208. Cal.
2050. *variabilis* SMITH, Trans. Am. Ent. Soc., xviii, 119, 1891; C. 208. Col.
2051. *addenda* SMITH, Ent. Amer., vi, 122, 1890; C. 208; Jn. N. Y. Ent. Soc., vii, 225, 1899. Cal.
- *2052. *pulchella* HARVEY, Can. Ent., viii, 54, 1876; SMITH, C. 208; Jn. N. Y. Ent. Soc., vii, 225, 1899. Cal.
2053. *erythrolita* GROTE, Can. Ent., xi, 208, 1879; SMITH, C. 208. Cal.
2054. *transparens* GROTE, Bull. Geol. Surv. Terr., vi, 583, 1881; SMITH, C. 208. Wash., Cal.
syn. *hamifera* GROTE, Can. Ent., xx, 130, 1888; SMITH, C. 218.

2055. *mys* DYAR (fore wings dark purple-brown, slightly hoary, unspotted; hind wings whitish, rosy tinged at the edges). Cal.

PERIGONICA Smith.

SMITH, Ent. Amer., vi, 123, 1890.

2056. *angulata* SMITH, Ent. Amer., vi, 124, 1890; C. 209. Cal.

2057. *tertia* DYAR (markings of *angulata*, antennae of *fulminans*). Cal., Oreg.

2058. *fulminans* SMITH, Ent. Amer., vi, 124, 1890; C. 209. Col.

PERIGRAPHA Lederer.

LEDERER, Noct. Eur., 136, 1857.

- *2059. *prima* SMITH, Trans. Am. Ent. Soc., xviii, 119, 1891; C. 209. Cal.

TRICHLOLITA Grote.

GROTE, Bull. Buff. Soc., ii, 211, 215, 1875.

2060. *signata* WALKER, Can. Nat. Geol., v, 253, 1860; SMITH, C. 172. No. Atl. States.
SYN. *semiaperta* MORRISON.

2061. *fistula* HARVEY, Can. Ent., x, 56, 1878; SMITH, C. 173. Cal., Ariz., Col.

2062. *ineconspicua* GROTE, Can. Ent., xv, 129, 1883; SMITH, C. 173. Ariz.

- *2063. *notata* STRECKER, Lep. Rhop. Het., suppl. 1, 9, 1898. Neb.

- *2064. *syriaca* STRECKER, Lep. Rhop. Het., suppl. 2, 6, 1899. Ill.

COBALIODES Dyar.

Cobalus SMITH (not *Cobalus* HÜBNER), Jn. N. Y. Ent. Soc., vii, 223, 1899.

2065. *franciscanus* SMITH, Jn. N. Y. Ent. Soc., viii, 224, 1899. Cal.

2066. *angelicus* SMITH, Jn. N. Y. Ent. Soc., viii, 223, 1899. Cal.

CLEOCERIS Boisduval.

BOISDUVAL, Ind. Méth., 93, 1829.

2067. *populi* STRECKER, Lep. Rhop. Het., suppl. 1, 8, 1898. Col.

- *2068. *onychina* GUENÉE, Spec. Gén., vi, 48, 1852; SMITH, C. 215. No. Am.
 2069. *elda* FRENCH, Can. Ent., xix, 5, 1887; SMITH, C. 215. Cal.
 2070. *rectifascia* SMITH, Trans. Am. Ent. Soc., xviii, 109, 1891; C. 215. Cal.
 2071. *curvifascia* SMITH, Trans. Am. Ent. Soc., xviii, 109, 1891; C. 215. Cal.

APOROPHILA Guenée.

GUENÉE, Ind. Méth., Ann. Soc. Ent. Fr., x, 246, 1841.

- *2072. *yosemitæ* GROTE, Bull. Buff. Soc., i, 113, 1873; SMITH, C. 163. Cal.

PLEROMA Smith.

SMITH, Trans. Am. Ent. Soc., xviii, 114, 1891.

2073. *obliquata* SMITH, Trans. Am. Ent. Soc., xviii, 114, 1891; C. 235. Col., Cal.
 2074. *bonuscula* SMITH, Can. Ent., xxx, 325, 1898. Col.
 *2075. *conserta* GROTE, Pap., i, 58, 1881; SMITH, C. 235. Wash.
 *2076. *apposita* SMITH, Trans. Am. Ent. Soc., xxi, 81, 1894. B. C.

LITHOMOIA Hübner.

HÜBNER, Verz. bek. Schmett., 244, 1816.

2077. *germana* MORRISON, Bull. Buff. Soc., ii, 192, 1874; SMITH, C. 235. No. Atl. States.

XYLINA Ochsenheimer.

OCHSENHEIMER, Schmett. Eur., iv, 85, 1816; SMITH, Trans. Am. Ent. Soc., xxvii, 1, 1900; *Lithophane* HÜBNER, Verz. bek. Schmett., 242, 1816.

2078. *disposita* MORRISON, Bull. Buff. Soc., ii, 116, 1874; SMITH, C. 227. No. Atl. States.
 2079. *petulca* GROTE, Sixth Rept. Peab. Acad. Sci., 31, 1874; SMITH, C. 227. No. Atl. States.
 2080. *contenta* GROTE, Can. Ent., xii, 216, 1880; SMITH, C. 224. Cal., Wash.
 syn. *pomona* SMITH, Jn. N. Y. Ent. Soc., vii, 230, 1899.
 2081. *puella* SMITH, Trans. Am. Ent. Soc., xxvii, 30, 1900. Cal.
 *2082. *dentilinea* SMITH, Jn. N. Y. Ent. Soc., vii, 229, 1899. Ariz., Col.

2083. *longior* SMITH, Jn. N. Y. Ent. Soc., vii, 230, 1899. Col.
2084. *torrida* SMITH, Jn. N. Y. Ent. Soc., vii, 228, 1899. Pac. States.
2085. *itata* SMITH, Jn. N. Y. Ent. Soc., vii, 231, 1899. Col.
- *2086. *hemia* GROTE, Bull. Geol. Surv. Terr., v, 202, 1879; SMITH, C. 227. No. Atl. States.
- *2087. *gausapata* GROTE, Pap., iii, 77, 1883; SMITH, C. 227. Cal.
2088. *dilatocula* SMITH, Trans. Am. Ent. Soc., xxvii, 42, 1900. Wash., Cal.
- *2089. *patefacta* WALKER, Cat. Brit. Mus., xiv, 1733, 1858; SMITH, C. 231. Can.
2090. *antennata* WALKER, Cat. Brit. Mus., xiv, 1733, 1858; SMITH, C. 228. Atl. States.
" syn. *cinerata* RILEY.
2091. *laticinerea* GROTE, Bull. Buff. Soc., ii, 27, 1874; SMITH, C. 229. Atl. States.
2092. *grotei* RILEY, Pap., ii, 102, 1882; SMITH, C. 229. Atl. States.
syn. *cinerosa* GROTE (not GUENÉE).
a. winnipeg SMITH, Trans. Am. Ent. Soc., xxvii, 31, 1900.
2093. *ferrealis* GROTE, Sixth Rept. Peab. Acad. Sci., 32, 1874; SMITH, C. 227. Atl. States.
2094. *signosa* WALKER, Cat. Brit. Mus., xi, 627, 1857; SMITH, C. 227. No. Atl. States.
2095. *innominata* SMITH, C. 227. No. Atl. States, Col.
2096. *amanda* SMITH, Trans. Am. Ent. Soc., xxvii, 24, 1900. No. U. S.
2097. *bethunei* GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 354, 1868; SMITH, C. 227. No. Atl. States.
2098. *oriunda* GROTE, Bull. Buff. Soc., ii, 160, 1874; SMITH, C. 224. Can., Wis.
2099. *semiusta* GROTE, Sixth Rept. Peab. Acad. Sci., 24, 1874; SMITH, C. 228. No. Atl. States.
2100. *fagina* MORRISON, Bull. Buff. Soc., ii, 115, 1874; SMITH, C. 228. Mass., N. Y.
- *2101. *oregonensis* HARVEY, Can. Ent., viii, 55, 1876; SMITH, C. 228. Oreg., Cal., Col.
2102. *georgii* GROTE, Can. Ent., vii, 88, 1875; SMITH, C. 228. No. Atl. States.

2103. *holocinerea* SMITH, Trans. Am. Ent. Soc., xxvii, 28, 1900. Pac. States.
2104. *emarginata* SMITH, Trans. Am. Ent. Soc., xxvii, 28, 1900. Col.
- *2105. *viridipallens* GROTE, Can. Ent., ix, 215, 1877; SMITH, C. 229. Mass., N. Y.
2106. *unimoda* LINTNER, Ent. Cont., iv, 96, 1878; SMITH, C. 229. No. Atl. States.
2107. *tepida* GROTE, Bull. Buff. Soc., ii, 27, 1874; SMITH, C. 229. No. Atl. States.
2108. *baileyi* GROTE, Can. Ent., ix, 86, 1877; SMITH, C. 229. N. Y.
2109. *querquera* GROTE, Sixth Rept. Peab. Acad. Sci., 34, 1874; SMITH, C. 229. Mo., N. Y.
2110. *lepidia* LINTNER, Ent. Cont., iv, 95, 1878; SMITH, C. 230. No. Atl. States.
2111. *thaxteri* GROTE, Bull. Buff. Soc., ii, 196, 1874; SMITH, C. 230. No. Atl. States.
2112. *pexata* GROTE, Sixth Rept. Peab. Acad. Sci., 35, 1874; SMITH, C. 230. No. Atl. States,
- a. washingtonia* GROTE, Pap., iii, 74, 1883. Wash.
2113. *capax* GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 355, 1868; SMITH, C. 230. No. Atl. States, Col.

EUHARVEYA Grote.

GROTE, Can. Ent., xxvi, 81, 1894.

2114. *carbonaria* HARVEY, Can. Ent., viii, 55, 1876; SMITH, C. 230. Oreg., Cal., Col.

LITHOLOMIA Grote.

GROTE, Can. Ent., vii, 206, 1875.

2115. *napaea* MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 152, 1874; SMITH, C. 226. No. Atl. States, Col., Cal.
2116. *dunbari* HARVEY, Can. Ent., viii, 52, 1876; SMITH, C. 226. B. C.

CALOCAMPA Stephens.

STEPHENS, Ill. Brit. Ent. Haust., ii, 174, 1829.

2117. *brucei* SMITH, Ent. News, iii, 252, 1892; Trans. Am. Ent. Soc., xxi, 82, 1894. Col.
2118. *nupera* LINTNER, Bull. Buff. Soc., ii, 188, 1874; SMITH, C. 235. Atl. States.

2119. *thoracica* PUTNAM-CRAMER, Ent. Amer., ii, 142, 1886; SMITH, C. 236. No. U. S.
2120. *cineritia* GROTE, Proc. Acad. Nat. Sci. Phil., 210, 1874; SMITH, C. 236. No. Atl. States.
2121. *curvimapula* MORRISON, Bull. Buff. Soc., ii, 191, 1874; SMITH, C. 236. No. U. S.
- *2121.1. *brillians* OTTOLENGUI, Jn. N. Y. Ent. Soc., x, 78, 1902. Me., N. H.

CUCULLIA Schrank.

SCHRANK, Faun. Boica, ii, 157, 1802.

2122. *convexipennis* GROTE & ROBINSON, Trans. Am. Ent. Soc., ii, 201, 1868; SMITH, C. 236. Atl. States.
2123. *montanæ* GROTE, Can. Ent., xv, 178, 1882; SMITH, C. 237. Col., Mont.
2124. *similaris* SMITH, Proc. U. S. Nat. Mus., xv, 40, 1892; C. 237. Col.
2125. *obscurior* SMITH, Proc. U. S. Nat. Mus., xv, 40, 1892; C. 237. Col.
2126. *postera* GUENÉE, Spec. Gén., vi, 133, 1852; SMITH, C. 237. Atl. States.
2127. *asteroides* GUENÉE, Spec. Gén., vi, 133, 1852; SMITH, C. 237. Atl. States.
2128. *florea* GUENÉE, Spec. Gén., vi, 133, 1852; SMITH, C. 237. Atl. States.
2129. *lætifica* LINTNER, Grote, Check List Noct., 24, 1875; SMITH, C. 237.
syn. *cita* GROTE, *hartmanni* FRENCH. Tex., Ariz.
2130. *dorsalis* SMITH, Proc. U. S. Nat. Mus., xv, 46, 1892; C. 238. Col.
2131. *speyeri* LINTNER, Ent. Cont., iii, 168, 1874; SMITH, C. 238. Col.
2132. *intermedia* SPEYER, Stett. ent. Zeit., xxxi, 400, 1870; SMITH, C. 238. Atl. States.
2133. *cinderella* SMITH, Proc. U. S. Nat. Mus., xv, 48, 1892; C. 238. Col.
2134. *serraticornis* LINTNER, Ent. Cont., iii, 174, 1874; SMITH, C. 238. Cal.
2135. *bistriga* SMITH, Proc. U. S. Nat. Mus., xv, 47, 1892; C. 238. Col.
2136. *albida* SMITH, Trans. Am. Ent. Soc., xxi, 84, 1894. Col.

COPICUCULLIA Smith.

SMITH, Trans. Am. Ent. Soc., xxi, 84, 1894.

- *2137. *eulepis* GROTE, Bull. Buff. Soc., iii, 86, 1875; Oreg.,
SMITH, C. 236. Cal.
2138. *antipoda* STRECKER, Lep. Rhop. Het., 129, 1875; Col.,
SMITH, C. 236. Ariz.
- *2139. *alfarata* STRECKER, Lep. Rhop. Het., suppl. 1, Fla.
9, 1898.
2140. *astigma* SMITH, Trans. Am. Ent. Soc., xxi, 85, Col.
1894.
2141. *propinquua* SMITH, Trans. Am. Ent. Soc., xxi, 85, Col.
1894.

RANCORA Smith.

SMITH, Trans. Am. Ent. Soc., xxi, 83, 1894.

2142. *solidaginis* BEHR, Strecker, Lep. Rhop. Het., 94, Cal.,
1874; SMITH, C. 239. B. C.
- syn. *strigata* SMITH, Trans. Am. Ent. Soc., xxi, 83, 1894.
- *2143. *matricaria* BEHR, Strecker, Lep. Rhop. Het., 94, Cal.
1874.

LATHOSEA Grote.

GROTE, Bull. Geol. Surv. Terr., vi, 270, 1882.

2144. *pullata* GROTE, Bull. Geol. Surv. Terr., vi, 270, Oreg.,
1882; SMITH, C. 163. Col.
2145. *ursina* SMITH, Can. Ent., xxxi, 324, 1898. Col.

ASTEROSCOPUS Boisduval.

BOISDUVAL, Ind. Méth., 59, 1829.

2146. *borealis* SMITH, Can. Ent., xxxi, 25, 1899. Man.

BELLURA Walker.

WALKER, Cat. Brit. Mus., xxxii, 465, 1865; *Arzoma* WALKER.

2147. *gortynides* WALKER, Cat. Brit. Mus., xxxii, 465, Atl.
1865; SMITH, C. 181. States.
- syn. *densa* WALKER, *vulnifica* GROTE, *melano-*
pyga GROTE.
2148. *diffusa* GROTE, Bull. Geol. Surv. Terr., iv, 179, Can.,
1878; SMITH, C. 181. Me.

SPHIDA Grote.

GROTE, Bull. Geol. Surv. Terr., iv, 179, 1878.

2149. *obliqua* WALKER, Cat. Brit. Mus., xxxii, 428, 1865; SMITH, C. 181.
syn. *obliquata* GROTE & ROBINSON. Atl. States.

NONAGRIA Oehsenheimer.

OEHSNHEIMER, Schmett. Eur., iv, 82, 1816.

2150. *permagna* GROTE, Pap., iii, 73, 1883; SMITH, C. 182. Fla.
2151. *subflava* GROTE, Pap., ii, 95, 1882; SMITH, C. 182. Ill., Mass., Me.
*2152. *oblonga* GROTE, Pap., ii, 96, 1882; SMITH, C. 182. Me.
2153. *subcarnea* KELLICOTT, Can. Ent., xv, 175, 1883; SMITH, C. 182. N. Y.
*2154. *læta* MORRISON, Proc. Bost. Soc. Nat. Hist., xviii, 120, 1875; SMITH, C. 182. N. J.
*2155. *inquinata* GUENÉE, Spec. Gén., v, 104, 1852; SMITH, C. 183. N. Y.

OMMATOSTOLA Grote.

GROTE, Bull. Buff. Soc., ii, 112, 1873.

2156. *lintneri* GROTE, Bull. Buff. Soc., ii, 112, 1873; SMITH, C. 185. N. Y., N. J.
2157. *popofensis* SMITH, Proc. Wash. Acad. Sci., ii, 492, 1900. Alaska.

ACHATODES Guenée.

GUENÉE, Spec. Gén., v, 132, 1852.

2158. *zeæ* HARRIS, Ins. Inj. Veg., 319, 1841; SMITH, C. 179. No. Atl. States.

GORTYNA Oehsenheimer.

OEHSNHEIMER, Schmett., Eur., iv, 82, 1816.

2159. *albilunata* SMITH, Trans. Am. Ent. Soc., xxvi, 14, 1899.
syn. *lunata* SMITH (not FREYER), Trans. Am. Ent. Soc., xviii, 110, 1891. Cal.
*2160. *u-album* GUENÉE, Spec. Gén., v, 345, 1852; SMITH, C. 174; Trans. Am. Ent. Soc., xxvi, 15, 1899.
syn. *purpuripennis* GROTE, *baliola* MORRISON. No. Atl. States.

2161. *velata* WALKER, Cat. Brit. Mus., xxxii, 671, 1865; SMITH, C. 174; Trans. Am. Ent. Soc., xxvi, 20, 1899.
syn. *sera* GROTE & ROBINSON.
2162. *nictitans* BORKHAUSEN, Naturg. Europ. Schmett., iv, 463, 1792; SMITH, C. 174.
syn. *erythrostigma* HAWORTH, lucens FREYER.
a. americana SPEYER, Stett. ent. Zeit., xxxvi, 152, 1875.
syn. *atlantica* SMITH, Trans. Am. Ent. Soc., xxvi, 18, 1899.
b. pacifica SMITH, Trans. Am. Ent. Soc., xxvi, 19, 1899.
c. interoceanica SMITH, Trans. Am. Ent. Soc., xxvi, 17, 1899.
- *2163. *erecta* GROTE, Bull. Geol. Surv. Terr., vi, 267, 1881; SMITH, C. 175.
2164. *juvenile* GROTE, Bull. Geol. Surv. Terr., vi, 267, 1881; SMITH, C. 174; Trans. Am. Ent. Soc., xxvi, 20, 1899.
2165. *immanis* GUENÉE, Spec. Gén., v, 128, 1852; SMITH, C. 175; Trans. Am. Ent. Soc., xxvi, 21, 1899.
- *2166. *stramentosa* GUENÉE, Spec. Gén., v, 129, 1852; SMITH, C. 175; Trans. Am. Ent. Soc., xxvi, 22, 1899.
2167. *obliqua* HARVEY, Can. Ent., viii, 53, 1876; SMITH, C. 175; Trans. Am. Ent. Soc., xxvi, 23, 1899.
2168. *medialis* SMITH, Trans. Am. Ent. Soc., xxi, 74, 1894; xxvi, 24, 1899.
syn. *pallidescens* SMITH, Trans. Am. Ent. Soc., xxvi, 25, 1899.
2169. *senilis* SMITH, Trans. Am. Ent. Soc., xxi, 73, 1894; xxvi, 25, 1899.
2170. *serrata* GROTE, No. Am. Ent., i, 94, 1880; SMITH, C. 179; Trans. Am. Ent. Soc., xxvi, 26, 1899.

PAPAIPEMA Smith.

SMITH, Trans. Am. Ent. Soc., xxvi, 2, 1899.

2171. *cerina* GROTE, Proc. Acad. Nat. Sci. Phil., 200, 1874; SMITH, C. 176.
2172. *inquæsita* GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 344, 1868; SMITH, C. 176.
2173. *speciosissima* GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 342, 1868; SMITH, C. 177; Trans. Am. Ent. Soc., xxvi, 29, 1899.

Atl.
States.Atl.
States.

Cal.

Kans.

Col.,
Kans.No.
U. S.No. Atl.
States.Atl.
States.No. Pac.
States, Col.

Col.

Col.

Kans.,
Me.No. Atl.
States.No. Atl.
States.

2174. *rigida* GROTE, Can. Ent., ix, 87, 1877; SMITH, C. 176. No. Atl. States.
2175. *harrisii* GROTE, Bull. Geol. Surv. Terr., vi, 268, 276, 1882; SMITH, C. 177. No. Atl. States.
2176. *verona* SMITH, Trans. Am. Ent. Soc., xxvi, 32, 1899. Man.
2177. *baptisiae* BIRD, Can. Ent., xxxiv, 109, 1902. Atl. States.
2178. *purpurifascia* GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 341, 1868; SMITH, C. 176. Atl. States.
2179. *nitela* GUENÉE, Spec. Gén., v, 124, 1852; SMITH, C. 178. Atl. States.
- a. nebris* GUENÉE, Spec. Gén., v, 124, 1852.
2180. *nelita* STRECKER, Lep. Rhop. Het., suppl. 1, 8, 1898; SMITH, Trans. Am. Ent. Soc., xxvi, 35, 1899.
syn. *aezata* LYMAN, Can. Ent., xxxiii, 319, 1901. No. Atl. States.
2181. *necopina* GROTE, Can. Ent., viii, 25, 1876; SMITH, C. 179. N. Y.
2182. *limpida* GUENÉE, Spec. Gén., v, 124, 1852; SMITH, C. 178. No. Atl. States.
2183. *cerussata* GROTE & ROBINSON, Proc. Ent. Soc. Phil., ii, 431, 1864; SMITH, C. 178. No. Atl. States.
2184. *frigida* SMITH, Trans. Am. Ent. Soc., xxvi, 39, 1899. Man.
2185. *unimoda* SMITH, Trans. Am. Ent. Soc., xxi, 73, 1894; xxvi, 39, 1899. Col.
2186. *angelica* SMITH, Trans. Am. Ent. Soc., xxvi, 40, 1899. Cal.
2187. *cataphracta* GROTE, Proc. Acad. Nat. Sci. Phil., 81, 1864; SMITH, C. 176. No. Atl. States.
2188. *impecuniosa* GROTE, Bull. Geol. Surv. Terr., vi, 267, 1882; SMITH, C. 176. Mass., N. Y.
2189. *circumlucens* SMITH, Trans. Am. Ent. Soc., xxvi, 43, 1899. Atl. States.
2189. 1. *duovata* BIRD, Can. Ent., xxxiv, 115, 1902. N. Y.
2190. *rutila* GUENÉE, Spec. Gén., v, 123, 1852; SMITH, C. 177. Atl. States.
- *2190. 1. *insulidens* BIRD, Can. Ent., xxxiv, 112, 1902. B. C.
2191. *appassionata* HARVEY, Can. Ent., viii, 155, 1876; SMITH, C. 178. Can.
2192. *marginidens* GUENÉE, Spec. Gén., v, 123, 1852; SMITH, C. 177. No. Atl. States.

2193. *furcata* SMITH, Trans. Am. Ent. Soc., xxvi, 46, 1899. Atl. States.
 *2194. *latia* STRECKER, Lep. Rhop. Het., suppl. 2, 6, 1899. III.

OCHRIA Hübner.

HÜBNER, Verz. bek. Schmett., 233, 1816.

2195. *sauzaelite* GROTE, Bull. Buff. Soc., ii, 216, 1875; Cal.
 SMITH, C. 179.
 *2196. *buffaloensis* GROTE, Can. Ent., ix, 88, 1877; N. Y.
 SMITH, C. 179.

PYRRHIA Hübner.

HÜBNER, Verz. bek. Schmett., 262, 1816.

2197. *umbra* HÜFNAGEL, Berl. Mag., iii, 294, 1767; Atl. States,
 SMITH, C. 216. Col.
a. exprimens WALKER, Cat. Brit. Mus., xi, 687,
 1857.
 syn. *angulata* GROTE.

- *2198. *stilla* GROTE, No. Am. Ent., i, 45, 1880; SMITH, Rocky
 C. 216. Mts.

XANTHIA Hübner.

HÜBNER, Tent., 1806.

2199. *flavago* FABRICIUS, Mant. Ins., 160, 1787; SMITH, No. Atl.
 C. 223. States, Eur.
 syn. *togata* ESPER, *silago* HÜBNER.
 2200. *pulchella* SMITH, Can. Ent., xxxii, 223, 1900. B. C.
 *2201. *puta* GROTE & ROBINSON, Trans. Am. Ent. Soc., No. Atl.
 i, 347, 1868; SMITH, C. 223. States.

JODIA Hübner.

HÜBNER, Verz. bek. Schmett., 234, 1816.

2202. *rufago* HÜBNER, Zutr. exot. Schmett., f. 61, 1818; Atl.
 SMITH, C. 223. States.
 syn. *honesta* WALKER.

BROTOLOMIA Lederer.

LEDERER, Noct. Eur., ii, 64, 1852; *Mesolomia* SMITH, C. 171.

2203. *iris* GUENÉE, Spec. Gén., vi, 64, 1852; SMITH, No. Atl.
 C. 171. States.

TRIGONOPHORA Hübner.

- HÜBNER, Verz. bek. Schmett., 217, 1816.
2204. *periculosa* GUENÉE, Spec. Gén., vi, 65, 1852; SMITH, C. 171. No. Atl. States, Col.
- a. v-brunneum* GROTE, Check List Noct., 23, 1875.

CONSERVULA Grote.

- GROTE, Check List Noct., 11, 1875.
2205. *anodontata* GUENÉE, Spec. Gén., vi, 63, 1852; SMITH, C. 170. No. Atl. States.

EUCIRRÖDIA Grote.

- GROTE, Can. Ent., vii, 206, 1875.
2206. *pampina* GUENÉE, Spec. Gén., v, 402, 1852; SMITH, C. 224. No. Atl. States.

SCOLIOPTERYX Germar.

- GERMAR, Syst. Gloss. Prod., 14, 1812.
2207. *libatrix* LINNÆUS, Syst. Nat., 507, 1758; SMITH, C. 224. U. S., Eur.

CHŒPHORA Grote & Robinson.

- GROTE & ROBINSON, Trans. Am. Ent. Soc., ii, 199, 1868.
2208. *fungorum* GROTE & ROBINSON, Trans. Am. Ent. Soc., ii, 220, 1868; SMITH, C. 211. Atl. States.

PSEUDORTHOSIA Grote.

- GROTE, Bull. Buff. Soc., ii, 161, 1874.
2209. *variabilis* GROTE, Bull. Buff. Soc., ii, 161, 1874; SMITH, C. 211. Cal., Col.

PSEUDOGLÆA Grote.

- GROTE, Can. Ent., viii, 18, 1876.
- *2210. *blanda* GROTE, Bull. Buff. Soc., iii, 86, 1875; SMITH, C. 210. Pae. States, Col., Tex.
- syn. *tardata* GROTE, *decepta* GROTE.

ANCHOCELIS Guenée.

- GUENÉE, Ann. Soc. Ent. Fr., viii, 483, 1839.
2211. *digitalis* GROTE, Bull. Geol. Surv. Terr., vi, 584, 1882; SMITH, C. 215. No. Atl. States.

SELICANIS Smith.

SMITH, Proc. U. S. Nat. Mus., xxii, 481, 1900.

2212. *cinereola* SMITH, Proc. U. S. Nat. Mus., xxii, 481, Col.
1900.

TAPINOSTOLA Lederer.

LEDERER, Noct. Eur., 123, 1857.

2213. *orientalis* GROTE, Bull. Geol. Surv. Terr., vi, 583, No. Atl.
1882; SMITH, C. 184. States.
- *2214. *variana* MORRISON, Proc. Acad. Nat. Sci. Phil., Mich.
432, 1875; SMITH, C. 184.

FAGITANA Walker.

WALKER, Cat. Brit. Mus., xxxii, 645, 1865; *Pseudolimacodes* GROTE.

- *2215. *obliqua* SMITH, Jn. N. Y. Ent. Soc., viii, 174, 1900, Fla.
2216. *littera* GUENÉE, Spec. Gén., v, 71, 1852; SMITH, C. 356. Atl.
syn. *lucidata* WALKER, *niveostatus* GROTE. States.

COSMIA Ochsenheimer.

OCHSENHEIMER, Schmett. Eur., iv, 84, 1816; *Eunaria* HÜBNER, Verz. bek. Schmett.,
235, 1816.

2217. *paleacea* ESPER, Schmett. Eur., pl. 122, f. 504, U. S.,
1788; SMITH, C. 214. Eur.
syn. *discolor* WALKER, *infumata* GROTE.

2218. *punctirena* SMITH, Can. Ent., xxxii, 222, 1900. Col.

ORTHOSIA Ochsenheimer.

OCHSENHEIMER, Schmett. Eur., iv, 79, 1816.

2219. *purpurea* GROTE, Bull. Buff. Soc., ii, 125, 1874; Cal.
SMITH, C. 217.
a. crispa HARVEY, Bull. Buff. Soc., ii, 276, 1875.
- *2220. *decipiens* GROTE, Bull. Geol. Surv. Terr., vi, 269, Ind.
1881; SMITH, C. 217.
2221. *ralla* GROTE & ROBINSON, Trans. Am. Ent. Soc., Atl.
i, 346, 1868; SMITH, C. 217. States.

2222. *bicolorago* GUENÉE, Spec. Gén., v, 397, 1852; Atl.
SMITH, C. 218.
syn. *spurcata* WALKER.

- a. ferruginoides* GUENÉE, Spec. Gén., v, 389, 1852.

2223. *euroa* GROTE & ROBINSON, Trans. Am. Ent. Soc., Atl. States.
iv, 431, 1873; SMITH, C. 218. Col.

2224. *inops* GROTE, Bull. Geol. Surv. Terr., vi, 270, 1881; SMITH, C. 218. Me.
2225. *aurantiago* GUENÉE, Spec. Gén., v, 394, 1852; SMITH, C. 219. Atl. States.
syn. *illiterata* GROTE, *differta* MORRISON, *illinoiensis* FRENCH.
- *2226. *americana* MORRISON, Proc. Acad. Nat. Sci. Phil., 434, 1875; SMITH, C. 219. N. Y.
- *2227. *posticata* HARVEY, Bull. Buff. Soc., iii, 8, 1875; SMITH, C. 219. Tex.
- *2228. *citima* GROTE, Pap., iii, 74, 1883; SMITH, C. 219. Ariz.
2229. *conradi* GROTE, Bull. Geol. Surv. Terr., v, 203, 1879; SMITH, C. 219. Atl. States.
2230. *helva* GROTE, Bull. Buff. Soc., ii, 310, 1875; SMITH, C. 219. Atl. States, Col.
2231. *lutosa* ANDREWS, Can. Ent., ix, 99, 1877; SMITH, C. 220. Atl. States, Ariz.
- *2232. *belangeri* MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 149, 1874; SMITH, C. 220. Can.
- *2233. *immaculata* MORRISON, Proc. Acad. Nat. Sci. Phil., xvii, 149, 1874; SMITH, C. 220. Nev.
- *2234. *chlorophora* HÜBNER, Samml. exot. Schmett., i, 1806; SMITH, C. 220. So. States.

PARASTICHTIS Hübner.

HÜBNER, Verz. bek. Schmett., 212, 1816.

2235. *discivaria* WALKER, Cat. Brit. Mus., ix, 27, 1856; SMITH, C. 217. No. Atl. States.
syn. *gentilis* GROTE.
a. perbellis GROTE, Bull. Buff. Soc., ii, 144, 1874.

SCOPELOSOMA Curtis.

CURTIS, Brit. Ins., xiv, 635, 1838.

2236. *indirecta* WALKER, Cat. Brit. Mus., x, 468, 1857; SMITH, C. 225. No. Atl. States.
syn. *graftiana* GROTE.
2237. *moffatiana* GROTE, Bull. Geol. Surv. Terr., vi, 538, 1882; SMITH, C. 225. No. Atl. States.
2238. *pettiti* GROTE, Can. Ent., vii, 188, 1875; SMITH, C. 225. No. Atl. States.
2239. *ceromatica* GROTE, Bull. Buff. Soc., ii, 70, 1874; SMITH, C. 225. No. Atl. States.

2240. *tristigmata* GROTE, Can. Ent., ix, 156, 1877; SMITH, C. 225. No. Atl. States.
2241. *walkeri* GROTE, Proc. Ent. Soc. Phil., ii, 439, 1864; SMITH, C. 225. Atl. States.
2242. *sidus* GUENÉE, Spec. Gén., v, 386, 1852; SMITH, C. 226. Atl. States.
syn. *vinulenta* GROTE.
2243. *morrisoni* GROTE, Bull. Buff. Soc., ii, 70, 1874; SMITH, C. 226. No. Atl. States.
2244. *devia* GROTE, Proc. Acad. Nat. Sci. Phil., 209, 1874; SMITH, C. 226. No. Atl. States.

ORRHODIA Hübner

HÜBNER, Verz. bek. Schmett., 231, 1816.

2245. *californica* SMITH, Trans. Am. Ent. Soc., xviii, 113, 1891; C. 223. Cal.

GLÆA Hübner.

HÜBNER, Tent., 1806.

2246. *viatica* GROTE, Sixth Rept. Peab. Acad. Sci., 29, 1874; SMITH, C. 221. Atl. States.
2247. *inulta* GROTE, Sixth Rept. Peab. Acad. Sci., 30, 1874; SMITH, C. 221. Atl. States.
2248. *olivata* HARVEY, Bull. Buff. Soc., ii, 120, 1874; SMITH, C. 221. Cal.
2249. *sericea* MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 151, 1874; SMITH, C. 222. Atl. States.
- *2250. *signata* FRENCH, Can. Ent., xi, 76, 1879; SMITH, C. 221. Atl. States.

EPIGLÆA Grote.

GROTE, Bull. Geol. Surv. Terr., iv, 181, 1878.

2251. *pastillicans* MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 151, 1874; SMITH, C. 222. No. Atl. States.
2252. *tremula* HARVEY, Bull. Buff. Soc., ii, 276, 1874; SMITH, C. 222. Tex.
- *2253. *venustula* GROTE, Can. Ent., vii, 84, 1875; SMITH, C. 222. Md.
2254. *apiata* GROTE, Sixth Rept. Peab. Acad. Sci., 30, 1874; SMITH, C. 222. No. Atl. States.
2255. *decliva* GROTE, Sixth Rept. Peab. Acad. Sci., 30, 1874; SMITH, C. 222. Atl. States.
syn. *deleta* GROTE.

HOMOGLÆA Morrison.

MORRISON, Proc. Bost. Soc. Nat. Hist., xviii, 240, 1875.

2256. *hircina* MORRISON, Proc. Bost. Soc. Nat. Hist., xviii, 240, 1875; SMITH, C. 220. No. Atl. States.
- *2257. *carnosa* GROTE, Can. Ent., ix, 21, 70, 1877; SMITH, C. 220. No. Atl. States.

MESOGONA Boisduval.

BOISDUVAL, Guenée, Ind. Méth., 144, 1840.

- *2258. *oxalina* HÜBNER, Samml. eur. Schmett., iv, 219, 1823; SMITH, C. 211. N. Y.? Eur.
syn. *interta* HARVEY.

CALYMNIA Hübner.

HÜBNER, Verz. bek. Schmett., 235, 1816.

2259. *orina* GUENÉE, Spec. Gén., vi, 10, 1852; SMITH, C. 212. U. S.
syn. *catascopus* BEHR, Bull. Cal. Acad. Sci., iii, 61, 1885; SMITH, C. 214.
a. calamii HARVEY, Can. Ent., viii, 54, 1876.

ZOTHECA Grote.

GROTE, Bull. Buff. Soc., ii, 68, 1874.

2260. *tranquila* GROTE, Bull. Buff. Soc., ii, 69, 1874; SMITH, C. 212. Cal.
syn. *sambuci* BEHR.
a. viridula GROTE, Bull. Geol. Surv. Terr., iv, 180, 1878.

IPIMORPHA Hübner.

HÜBNER, Verz. bek. Schmett., 238, 1816.

2261. *pleonectusa* GROTE, Bull. Buff. Soc., i, 191, 1873; SMITH, C. 212. Atl. States, Col., Utah.
syn. *aequilinea* SMITH.

- *2262. *subvexa* GROTE, Can. Ent., viii, 189, 1876; SMITH, C. 212. Tex., Col.

TRILEUCA Grote.

GROTE, Proc. Am. Phil. Soc., xxi, 166, 1883.

- *2263. *buxea* GROTE, Can. Ent., xiii, 230, 1882; SMITH, C. 213. Tex.

- *2264. *dentalis* SMITH, Trans. Am. Ent. Soc., xviii, 123, 1891; C. 213. Tex.

- *2265. *gulnare* STRECKER, Proc. Dav. Acad. Sci., ii, 274, 1878; SMITH, C. 213. Pa., Ill.

ATETHMIA Hübner.

HÜBNER, Verz. bek. Schmett., 238, 1816.

2266. *subusta* HÜBNER, Zutr. exot. Schmett., ii, 205, 1818; SMITH, C. 213. Fla., Tex., So. Am.

2267. *rectifascia* GROTE, Proc. Bost. Soc. Nat. Hist., xvi, 242, 1874; SMITH, C. 214. Atl. States.

- *2268. *inusta* GUENÉE, Spec. Gén., vi, 12, 1852; SMITH, C. 214. Fla., Tex.

TRICHOCOSMIA Grote.

GROTE, Can. Ent., xv, 6, 1883.

2269. *inornata* GROTE, Can. Ent., xv, 6, 1883; SMITH, C. 210. Ariz.

CEA Grote.

GROTE, Pap., iii, 78, 1883.

- *2270. *immaculata* GROTE, Pap., iii, 87, 1883; SMITH, C. 214. Ariz.

TRISTYLA Smith.

SMITH, Ins. Life, v, 332, 1893.

2271. *alboplagiata* SMITH, Ins. Life, v, 332, 1893. Cal.

ANTAPLAGA Grote.

GROTE, Can. Ent., ix, 71, 1877.

2272. *dimidiata* GROTE, Can. Ent., ix, 71, 1877; SMITH, C. 265. Col.

- *2273. *sexseriata* GROTE, Pap., i, 176, 1882; SMITH, C. 265. Ariz.

- *2274. *biundulata* ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 502, 1872; SMITH, C. 265. Tex.

- *2275. *composita* HY. EDWARDS, Pap., iv, 44, 1884; SMITH, C. 266. Ariz.

- *2276. *thoracica* HY. EDWARDS, Pap., iv, 44, 1884; SMITH, C. 265. Ariz.

2277. *koebelei* RILEY, Ins. Life, v, 333, 1893. Cal.

GROTELLA Harvey.

HARVEY, Bull. Buff. Soc., ii, 278, 1874.

2278. *septempunctata* HARVEY, Bull. Buff. Soc., ii, 278, 1874; SMITH, C. 266. Tex., Col.

2279. *dis* GROTE, Ann. Mag. Nat. Hist., (5). XI, 55 N. Mex.,
1883; SMITH, C. 266. Ariz.

PIPPONA Harvey.

HARVEY, Bull. Buff. Soc., iii, 9, 1875.

2280. *bimatrix* HARVEY, Bull. Buff. Soc., iii, 10, 1875; Tex.
SMITH, C. 266.

BESSULA Grote.

GROTE, Pap., i, 176, 1881.

- *2281. *luxæ* GROTE Pap., i, 176, 1881; SMITH, C. 266. N. Mex.,
Col.

OXYCNEMIS Grote.

GROTE, Can. Ent., xiv, 182, 1882.

2282. *perfundis* SMITH, Trans. Am. Ent. Soc., xxi, 87, Tex.
1894.

- *2283. *advena* GROTE, Can. Ent., xiv, 182, 1882; SMITH, Ariz.
C. 267.

2284. *septilis* SMITH, Trans. Am. Ent. Soc., xxi, 86, Tex.
1894.

- *2285. *nivalis* SMITH, Trans. Am. Ent. Soc., xxi, 87, 1894. Tex.

2286. *gracillima* GROTE, Can. Ent., xiii, 231, 1881; Ariz.
SMITH, C. 162.

2287. *fusimacula* SMITH, Jn. N. Y. Ent. Soc., x, 50, 1902. Cal.

NYCTEROPHÆTA Smith.

SMITH, Bull. Brook. Ent. Soc., iv, 45, 1882; *Epingetis* GROTE.

2288. *luna* MORRISON, Proc. Bost. Soc. Nat. Hist., xviii, Rocky
122, 1875; SMITH, C. 267. Mts.

syn. *magdalena* HULST, *notatella* GROTE.

COPABLEPHARON Harvey.

HARVEY, Can. Ent., x, 56, 1878.

- *2289. *grandis* STRECKER, Lep. Rhop. Het., 129, 1875; Mont.
SMITH, C. 267.

syn. *subflavidens* GROTE, Can. Ent., xiv, 169,
1882.

2290. *longipenne* GROTE, Can. Ent., xiv, 169, 1882; Mont.
SMITH, C. 267.

2291. *album* HARVEY, Can. Ent., vii, 35, 1876; SMITH, Oreg., Col.,
C. 268. Mont.

2292. *absidum* HARVEY, Bull. Buff. Soc., ii, 275, 1874; Cal.,
SMITH, C. 267. Rocky Mts.

ÆDOPHRON Lederer.

LEDERER, Noct. Eur., 180, 1857.

- *2293. *pallens* TEPPER, Trans. Am. Ent. Soc., x, 215, So.
1882; SMITH, C. 268. Cal.

THYREION Smith.

SMITH, Trans. Am. Ent. Soc., xviii, 121, 1891.

- *2294. *snowi* GROTE, Proc. Acad. Nat. Sci. Phil., 422, Kans.
1875; SMITH, C. 268.

2295. *rosea* SMITH, Trans. Am. Ent. Soc., xviii, 121, Col.
1891; C. 268.

CHLORIDEA Westwood.

WESTWOOD, Lib. Nat. Hist., xxxvii, 198, 1841.

2296. *virescens* FABRICIUS, Spec. Ins., ii, 217, 1781; U. S.
SMITH, C. 268.

syn. *rhexiae* SMITH & ABBOT, *spectanda*
STRECKER.

- *2297. *subflexa* GUENÉE, Spec. Gén., ii, 175, 1852; No.
SMITH, C. 269. Am.

HELIOCHEILUS Grote.

GROTE, Proc. Ent. Soc. Phil., iv, 328, 1865.

2298. *paradoxus* GROTE, Proc. Ent. Soc. Phil., iv, 329, So. Atl.
1865; SMITH, C. 269. States, Col.

- *2299. *albidentina* WALKER, Cat. Brit. Mus., xxxii, Fla.
680, 1865; SMITH, C. 269.

HELIOTHIS Ochsenheimer.

OCHSENHEIMER, Schmett. Eur., iv, 91, 1816.

2300. *armiger* HÜBNER, Samml. eur. Schmett., Noct., U. S.
370, 1810; SMITH, C. 270.

a. umbrosus GROTE, Proc. Ent. Soc. Phil., i, 219,
1863; SMITH, C. 270.

2301. *phlogophagus* GROTE & ROBINSON, Trans. Am. U. S.
Ent. Soc., i, 180, 1868; SMITH, C. 270.

syn. *interjacens* GROTE.

a. luteitinctus GROTE, Proc. Acad. Nat. Sci. Phil.,
426, 1875.

2302. *scutosus* FABRICIUS, Mant. Ins., ii, 142, 1787; Rocky
SMITH, C. 271. Mts.

syn. *nuchalis* GROTE.

2303. *sauvini* HY. EDWARDS, Pap., iv, 45, 1884; SMITH, C. 271. Rocky Mts.

DERRIMA Walker.

WALKER, Cat. Brit. Mus., xii, 770, 1857.

2304. *stellata* WALKER, Cat. Brit. Mus., xxii, 770, 1857; SMITH, C. 271. Atl. States.
a. henrietta GROTE, Proc. Ent. Soc. Phil., iii, 3, 1864.

CHAMÆCLEA Grote.

GROTE, Can. Ent., xv, 76, 1883.

- *2305. *pernana* GROTE, Pap., i, 155, 1881; SMITH, C. 271. Ariz.

RHODOPHORA Guenée.

GUENÉE, Spec. Gén., vi, 170, 1852; *flavia* WESTWOOD (not SCHRANK), *Oxylos* GROTE, Check List Noct., 19, 1875.

2306. *gauræ* SMITH & ABBOT, Lep. Ins. Ga., ii, 197, 1797; SMITH, C. 272. So. States, Col.
 syn. *matutina* HÜBNER.
 2307. *florida* GUENÉE, Spec. Gén., vi, 171, 1852; SMITH, C. 272. Atl. States.
 *2308. *felicitata* SMITH, Trans. Am. Ent. Soc., xxi, 80, 1894. Utah.
 2309. *citronellus* GROTE & ROBINSON, Trans. Am. Ent. Soc., iii, 180, 1870; SMITH, C. 272. Tex., Col.

RHODOSEA Grote.

GROTE, Can. Ent., xv, 5, 1883.

2310. *julia* GROTE, Can. Ent., xv, 5, 1883; SMITH, C. 272. New Mex., Ariz.

RHODODIPSA Grote.

GROTE, Bull. Geol. Surv. Terr., iii, 797, 1877.

2311. *volupia* FITCH, Trans. N. Y. Sta. Agr. Soc., 900, 1857; SMITH, C. 273. Col., Tex.
 *2312. *miniana* GROTE, Pap., i, 175, 1881; SMITH, C. 273. N. Mex.
 2313. *masoni* SMITH, Ent. News, vii, 284, 1896. Col.
 *2314. *aden* STRECKER, Lep. Rhop. Het., suppl. 1, 11, 1898. Col.

TRIOCNEMIS Grote.

GROTE, Pap., i, 77, 1881.

2315. *saporis* GROTE, Pap., i, 77, 1881; SMITH, C. 273. Col., Wash., Cal.

PSEUDACONTIA Smith.

SMITH, Trans. Am. Ent. Soc., x, 246, 1882.

2316. *crustaria* MORRISON, Proc. Acad. Nat. Sci. Phil., 70, 1875; SMITH, C. 273. Neb., Col.

GRÆPERIA Grote.

GROTE, Abh. nat. Ver. Brem., xiv, 109, 1895; *Heliodes* NEUMOEGEN (not *Heliodes* STAL), Can. Ent., xxiii, 125, 1891.

- *2317. *magnifica* NEUMOEGEN, Can. Ent., xxiii, 125, Tex. 1891; SMITH, C. 273.

PORRIMA Grote.

GROTE, Bull. Geol. Surv. Terr., iii, 798, 1877.

2318. *regia* STRECKER, Lep. Rhop. Het., 121, 1876; Kans., Tex., SMITH, C. 279. Col.

2319. *sanguinea* GEYER, Zutr. exot. Schmett., f. 613, So. 1832; SMITH, C. 279. States.
syn. *carmosina* NEUMOEGEN.

2320. *gloriosa* STRECKER, Lep. Rhop. Het., 132, 1876; Tex. SMITH, C. 280.

TRICHOSELLUS Grote.

GROTE, Rev. Check List, 36, 1890.

- *2321. *cupes* GROTE, Trans. Am. Ent. Soc., v. 113, 1875; Pac. States, SMITH, C. 280. Tex., Col.
syn. *crotchii* HY. EDWARDS

EUPANYCHIS Grote.

GROTE, Rev. Check List, 34, 1890.

2322. *spinosa* GUENÉE, Spec. Gén., vi, 182, 1852; SMITH, Atl. C. 281. States.
syn. *hirtella* GROTE & ROBINSON.

CANIDIA Grote.

GROTE, Rev. Check List, 36, 1890.

2323. *scissa* GROTE, Proc. Bost. Soc. Nat. Hist., xviii, Fla. 451, 1876; SMITH, C. 285.

SCHINIA Hübner.

HÜBNER, Verz. bek. Schmett., 281, 1816; SMITH, Trans. Am. Ent. Soc., x, 225, 1883.

2324. *chrysellus* GROTE, Bull. Buff. Soc., ii, 76, 1874; Tex., SMITH, C. 274. N. Mex., Col.

2325. *lanul* STRECKER, Lep. Rhop. Het., 132, 1877; SMITH, C. 285.
 Tex., Cal.
 syn. *relaris* GROTE, *ochreifascia* SMITH, C. 274.
- *2326. *hulstia* TEPPER, Trans. Am. Ent. Soc., x, 228, 1883; SMITH, C. 274.
 Tex., Col.
2327. *aleucis* HARVEY, Can. Ent., vii, 117, 1875; SMITH, C. 275.
 Tex.
2328. *cumatilis* GROTE, Proc. Ent. Soc. Phil., iv, 330, 1865; SMITH, C. 275.
 Col., N. Mex.
- *2329. *tenuescens* GROTE, Can. Ent., xv, 128, 1883; SMITH, C. 275.
 Ariz.
- *2330. *biundulata* SMITH, Trans. Am. Ent. Soc., xviii, 129, 1891; C. 275.
 Col.
2331. *sexplagiata* SMITH, Trans. Am. Ent. Soc., xviii, 124, 1891; C. 275.
 Col.
 syn. *pyraloides* STRECKER, Lep. Rhop. Het., suppl. 1, 9, 1898.
2332. *trifascia* HÜBNER, Zutr. exot. Schmett., f. 33, 1818; SMITH, C. 275.
 Atl. States, Col.
 syn. *lineata* WALKER.
- *2333. *gracilenta* HÜBNER, Zutr. exot. Schmett., f. 5, 1818; SMITH, C. 276.
 So. States.
 syn. *oleagina* MORRISON.
2334. *simplex* SMITH, Trans. Am. Ent. Soc., xviii, 129, 1891; C. 276.
 Col.
- *2335. *arefacta* HY. EDWARDS, Pap., iv, 123, 1884; SMITH, C. 276.
 Fla.
2336. *unimacula* SMITH, Trans. Am. Ent. Soc., x, 229, 1882; C. 276.
 Col.
2337. *obliqua* SMITH, Trans. Am. Ent. Soc., x, 229, 1882; C. 276.
 Ariz.
- *2338. *bifascia* HÜBNER, Zutr. exot. Schmett., f. 55, 1818; SMITH, C. 276.
 Ga., Ariz., Col.
2339. *nundina* DRURY, Ill. Exot. Ent., i, 36, 1770; SMITH, C. 276.
 Atl. States.
 syn. *nigriventris* HAWORTH.
- *2340. *parmeliana* HY. EDWARDS, Pap., ii, 14, 1882; SMITH, C. 277.
 Md.
2341. *acutilinea* GROTE, Can. Ent., x, 232, 1878; SMITH, C. 277.
 Rocky Mts.
 syn. *separata* GROTE.
- *2342. *balba* GROTE, Pap., i, 156, 1881; SMITH, C. 277.
 Ariz.

*2343. <i>coercita</i> GROTE, Pap., i, 156, 1881; SMITH, C. 277.	Ariz.
*2344. <i>walsinghami</i> HY. EDWARDS, Pap., i, 20, 1881; SMITH, C. 278.	Oreg.
2345. <i>brucei</i> SMITH, Trans. Am. Ent. Soc., xviii, 125, 1891; C. 278.	Col.
2346. <i>lynx</i> GUENÉE, Spec. Gén., vi, 185, 1852; SMITH, C. 278.	Atl. States.
2347. <i>roseitincta</i> HARVEY, Bull. Buff. Soc., ii, 278, 1875; SMITH, C. 278. syn. <i>exaltata</i> HY. EDWARDS.	Tex., Col.
2348. <i>saturata</i> GROTE, Bull. Buff. Soc., ii, 74, 1874; SMITH, C. 278. syn. <i>rubiginosa</i> STRECKER.	Atl. States, Cal.
2349. <i>diffusa</i> SMITH, Trans. Am. Ent. Soc., xviii, 125, 1891; C. 279.	Col.
2350. <i>sordidus</i> SMITH, Trans. Am. Ent. Soc., x, 230, 1883; C. 279.	Ala., Tex.
2351. <i>tertia</i> GROTE, Proc. Acad. Nat. Sci. Phil., 212, 1874; SMITH, C. 279.	Tex.
2352. <i>albafascia</i> SMITH, Trans. Am. Ent. Soc., x, 231, 1883; C. 279.	Utah, Col.
2353. <i>jaguarina</i> GUENÉE, Spec. Gén., vi, 184, 1852; SMITH, C. 280.	So. States, Col.
2354. <i>arcifera</i> GUENÉE, Spec. Gén., vi, 184, 1852; SMITH, C. 280. syn. <i>spraguei</i> GROTE.	Atl. States.
*2355. <i>petulans</i> HY. EDWARDS, Pap., iv, 123, 1884; SMITH, C. 281.	Fla.
*2356. <i>crenilinea</i> SMITH, Trans. Am. Ent. Soc., xviii, 129, 1891; C. 281.	Tex.
*2357. <i>lupatus</i> GROTE, Can. Ent., vii, 224, 1875; SMITH, C. 281.	Tex.
2358. <i>packardii</i> GROTE, Proc. Ent. Soc. Phil., iii, 528, 1864; SMITH, C. 281. syn. <i>morta</i> GROTE, <i>nobilis</i> GROTE.	Tex., Col., Ariz.
*2359. <i>bicuspidia</i> SMITH, Trans. Am. Ent. Soc., xviii, 127, 1891; C. 282.	Tex.
2360. <i>thoreani</i> GROTE & ROBINSON, Trans. Am. Ent. Soc., iii, 181, 1868; SMITH, C. 282.	So. States.
2361. <i>marginata</i> HAWORTH, Lep. Brit., 374, 1810; SMITH, C. 282. syn. <i>riculosa</i> GUENÉE, <i>divergens</i> WALKER, <i>contracta</i> WALKER, <i>designata</i> WALKER.	Atl. States.

- *2362. *imperspicua* STRECKER, Lep. Rhop. Het., 122, 1876; SMITH, C. 276.
syn. *digitalis* SMITH, Trans. Am. Ent. Soc., xviii, 128, 1891; C. 283.
- *2363. *constricta* HY. EDWARDS, Pap., ii, 128, 1882; SMITH, C. 283.
- *2364. *septentrionalis* WALKER, Cat. Brit. Mus., xv, 1744, 1858; SMITH, C. 284.
- *2365. *tuberculatum* HÜBNER, Zutr. exot. Schmett., f. 517, 1823; SMITH, C. 283.
syn. *dorsilutea* WALKER.
2366. *brevis* GROTE, Proc. Ent. Soc. Phil., iii, 530, 1864; SMITH, C. 283.
a. atrites GROTE, Proc. Ent. Soc. Phil., iii, 530, 1864.
- *2367. *concinna* SMITH, Trans. Am. Ent. Soc., xviii, 128, 1891; C. 284.
2368. *errans* SMITH, Trans. Am. Ent. Soc., x, 235, 1883; C. 284.
- *2369. *inclarata* STRECKER, Lep. Rhop. Het., 122, 1876; SMITH, C. 284.
- *2370. *limbalis* GROTE, Proc. Acad. Nat. Sci. Phil., 421, 1875; SMITH, C. 284.
2371. *meskeana* GROTE, Can. Ent., vii, 234, 1875; SMITH, C. 284.
syn. *fastidiosa* STRECKER, *rufimedia* GROTE.
2372. *ultima* STRECKER, Lep. Rhop. Het., 122, 1876; SMITH, C. 285.
2373. *ligeæ* SMITH, Ins. Life, v, 331, 1893.
2374. *intrabilis* SMITH, Ins. Life, v, 331, 1893.
2375. *ciliata* SMITH, Proc. U. S. Nat. Mus., xxii, 488, 1900.
2376. *oculata* SMITH, Proc. U. S. Nat. Mus., xxii, 488, 1900.
2377. *reniformis* SMITH, Proc. U. S. Nat. Mus., xxii, 487, 1900.
- *2378. *labe* STRECKER, Lep. Rhop. Het., suppl. 1, 10, 1898.
- *2379. *hangae* STRECKER, Lep. Rhop. Het., suppl. 1, 9, 1898.
- *2380. *ar* STRECKER, Lep. Rhop. Het., suppl. 1, 10, 1898.

- *2381. *nubila* STRECKER, Lep. Rhop. Het., 122, 1876; SMITH, C. 284. Tex.
- *2382. *approximata* STRECKER, Lep. Rhop. Het., suppl. 1, 10, 1898. Tex.
- *2383. *dolosa* STRECKER, Lep. Rhop. Het., suppl. 1, 9, 1898. Tex.
- *2384. *neglecta* STRECKER, Lep. Rhop. Het., suppl. 1, 10, 1898. Col.
- *2385. *tanena* STRECKER, Lep. Rhop. Het., suppl. 1, 10, 1898. Tex.
- *2386. *obscurata* STRECKER, Lep. Rhop. Het., suppl. 1, 10, 1898. Pa.
- *2387. *lora* STRECKER, Lep. Rhop. Het., suppl. 1, 10, 1898. Tex.
- *2388. *siren* STRECKER, Lep. Rhop. Het., 122, 1876; SMITH, C. 285. Tex.

DASYSPOULDÆA Smith.

SMITH, Trans. Am. Ent. Soc., x, 213, 1883.

2389. *lucens* MORRISON, Proc. Acad. Nat. Sci. Phil., 69, 1875; SMITH, C. 286. Rocky Mts.
a. luxuriosa GROTE, Can. Ent., xiv, 175, 1882.
2390. *meadii* GROTE, Bull. Buff. Soc., i, 121, 1873; SMITH, C. 286. Mont., Col.

PSEUDANTHŒCIA Smith.

SMITH, Trans. Am. Ent. Soc., x, 213, 1880.

2391. *tumida* GROTE, Bull. Brook. Ent. Soc., iii, 30, 1880; SMITH, C. 286. Col.

PALADA Smith.

SMITH, Proc. U. S. Nat. Mus., xxii, 486, 1900.

2392. *scarletina* SMITH, Proc. U. S. Nat. Mus., xxii, 487, 1900. Cal.

STYLOPODA Smith.

SMITH, Trans. Am. Ent. Soc., xviii, 131, 1891.

2393. *cephalica* SMITH, Trans. Am. Ent. Soc., xviii, 131, 1891; C. 286. Cal.

SYMPISTIS Hübner.

HÜBNER, Verz. bek. Schmett., 257, 1816; *Eros* HY. EDWARDS.

- *2394. *proprius* HY. EDWARDS, Pap., i, 19, 1881; SMITH, C. 286. Cal.

MELANOPORPHYRIA Grote.

GROTE, Bull. Buff. Soc., ii, 75, 1874.

2395. *immortua* GROTE, Bull. Buff. Soc., ii, 75, 220, Mass., N. Y.,
1874; SMITH, C. 287.
 *2396. *prorupta* GROTE, Trans. Am. Ent. Soc., iv, 294, Cal.,
1873; SMITH, C. 287. Oreg.
 syn. *renastu* HY. EDWARDS.
 2397. *oregona* HY. EDWARDS, Proc. Cal. Acad. Sci., vi, Col., Nev.,
135, 1875; SMITH, C. 287. Oreg.

DYSOCNEMIS Grote.

GROTE, Rev. Check List, 34, 1890.

2398. *belladonna* HY. EDWARDS, Pap., i, 20, 1881; Utah.
SMITH, C. 287.

PSEUDOTAMILA Smith.

SMITH, Trans. Am. Ent. Soc., x, 238, 1883.

2399. *vanella* GROTE, Can. Ent., xi, 197, 1877; SMITH, Nev.,
C. 287. Cal.
 *2400. *perminuta* HY. EDWARDS, Pap., i, 21, 1881; SMITH, Cal.
C. 287.

MELICLEPTRIA Hübner.

HÜBNER, Verz. bek. Schmett., 262, 1816.

- *2401. *celeris* GROTE, Bull. Buff. Soc., i, 148, 1873; So.
SMITH, C. 288. Cal.
 2402. *pulchripennis* GROTE, Proc. Bost. Soc. Nat. Hist., Cal.,
xvi, 241, 1874; SMITH, C. 288. Col.
 syn. *languida* HY. EDWARDS.
 *2403. *graefiana* TEPPER, Trans. Am. Ent. Soc., x, 245, So.
1883; SMITH, C. 288. Cal.
 2404. *villosa* GROTE, Proc. Ent. Soc. Phil., iii, 531, 1864; Col.,
SMITH, C. 288. Cal.
 syn. *pauvillius* GROTE.
a. persimilis GROTE, Bull. Buff. Soc., i, 117, 1873.
 2405. *honesta* GROTE, Pap., i, 77, 1881; SMITH, C. 289. Oreg.
 *2406. *sueta* GROTE, Bull. Buff. Soc., i, 117, 1873; SMITH, Col.,
C. 289. Cal.
 syn. *californicus* GROTE.
 *2407. *vacciniæ* HY. EDWARDS, Proc. Cal. Acad. Sci., Cal.,
vi, 134, 1875; SMITH, C. 289.

2408. *septentrionalis* HY. EDWARDS, Pap., iv, 45, 1884; Can.
SMITH, C. 289.

HELIOLONCHE Grote.

GROTE, Bull. Buff. Soc., i, 115, 1873.

2409. *modicella* GROTE, Bull. Buff. Soc., i, 116, 1873; Cal., Col., Utah.
SMITH, C. 289.

OMIA Hübner.

HÜBNER, Verz. bek. Schmett., 244, 1816.

2410. *nesaea* SMITH, Ins. Life, v, 332, 1893. Cal.

HELIOPHANA Grote.

GROTE, Bull. Buff. Soc., ii, 220, 1875.

- *2411. *mitis* GROTE, Bull. Buff. Soc., i, 116, 1873; Tex.,
SMITH, C. 290. Miss.
syn. *obliquata* SMITH.
2412. *amaryllis* SMITH, Trans. Am. Ent. Soc., xviii, 130, Cal.
1891; C. 290.
- *2413. *bina* GUENÉE, Spec. Gén., vi, 186, 1852; SMITH, Neb.,
C. 290. N. Y.

HELIODES Guenée.

GUENÉE, Ann. Soc. Ent. Fr., x, 61, 1841.

2414. *restrictalis* SMITH, Proc. U. S. Nat. Mus., xxii, Cal.
485, 1900.
2415. *angelica* SMITH, Proc. U. S. Nat. Mus., xxii, 484, Cal.
1900.

HELIOSEA Grote.

GROTE, Bull. Buff. Soc., ii, 220, 1875.

- *2416. *pictipennis* GROTE, Bull. Buff. Soc., ii, 220, 1875; Cal.
SMITH, C. 289.

XANTHOTHRIX Hy. Edwards.

HY. EDWARDS, Pac. Coast Lep., no. 29, 1878.

2417. *ranunculi* HY. EDWARDS, Pac. Coast Lep., no. 29, Cal.
1878; SMITH, C. 290.
2418. *neumoegeni* HY. EDWARDS, Pap., i, 101, 1881; Cal.
SMITH, C. 290.

AXENUS Grote.

GROTE, Bull. Buff. Soc., i, 153, 1873.

2419. *arvalis* GROTE, Bull. Buff. Soc., i, 152, 1873; SMITH, C. 291.
a. ochraceus HY. EDWARDS, Proc. Cal. Acad. Sci., vi, 136, 1875.
b. amplus HY. EDWARDS, Proc. Cal. Acad. Sci., vi, 136, 1875.

HELIACA Herrich-Schaeffer.

HERRICH-SCHAEFFER, Schmett. Enr., ii, 370, 1853.

2420. *diminutiva* GROTE, Bull. Buff. Soc., i, 148, 1873; SMITH, C. 291.
 2421. *fasciata* HY. EDWARDS, Proc. Cal. Acad. Sci., vi, 134, 1875; SMITH, C. 281.
 *2422. *dubitans* TEPPER, Trans. Am. Ent. Soc., vi, 134, 1875; SMITH, C. 291.
 2423. *nexilis* MORRISON, Proc. Acad. Nat. Sci. Phil., 102, 1875; SMITH, C. 291.
 2424. *elaborata* HY. EDWARDS, Pap., i, 21, 1881; SMITH, C. 291.

EUPSEUDOMORPHA Dyar.

DYAR, Can. Ent., xxv, 28, 1893.

- *2425. *brillians* NEUMOEGEN, Can. Ent., xii, 67, 1880; NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., ii, 23, 1894.

XANTHOPASTIS Hübner.

HÜBNER, Verz. bek. Schmett., 211, 1816.

2426. *timais* CRAMER, Pap. Exot., pl. 275, f. B, 1782; SMITH, C. 180.
 syn. *regnatrix* GROTE.

PSYCHOMORPHA Harris.

HARRIS, Am. Jn. Sci., xxxvi, 319, 1839.

2427. *epimenis* DRURY, Ill. Exot. Ent., iii, pl. 39, f. 2, 1780; NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., ii, 19, 1894.

EUTHISANOTIA Hübner.

HÜBNER, Zutr. exot. Schmett., iii, 12, 1825; *Eudryas* BOISDUVAL.

2428. *unio* HÜBNER, Zutr. exot. Schmett., iii, 12, 839, 840, 1825; NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., ii, 24, 1894.

Cal., Col.,
Ariz.Cal., Nev.,
Col.

Col.

Nev.

Col.,
Cal.

Col.

Tex.

Fla.

Atl.
States.Atl.
States.

2429. *brevipennis* STRETCH, Zyg. Bomb. No. Am., 151, 1874; NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., ii, 25, 1894. Cal.

2430. *grata* FABRICIUS, Syst. Ent., iii, 457, 1793; NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., ii, 25, 1894. Atl. States.

syn. *assimilis* BOISDUVAL.

CIRIS Grote.

GROTE, Proc. Ent. Soc. Phil., ii, 65, 1863.

2431. *wilsoni* GROTE, Proc. Ent. Soc. Phil., ii, 65, 1863; NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., ii, 25, 1894. Tex.

NOROPSIS Guenée.

GUENÉE, Spec. Gén., v, 117, 1852.

2432. *hieroglyphica* CRAMER, Pap. Exot., pl. 147, f. D, 1779; SMITH, C. 180.
syn. *festiva* FABRICIUS, elegans HÜBNER, *fastuosa* GUENÉE. Tex., Fla.

FENARIA Grote.

GROTE, Pap., ii, 132, 1882.

2433. *longipes* DRUCE, Biol. Cent. Am., Lep. Het., i, 334, 1889.
2434. *sevorsa* GROTE, Pap., ii, 132, 1882; NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., ii, 19, 1894.
syn. *vedessa* DRUCE, Biol. Cent. Am., Lep. Het., i, 334, 1889. Ariz., Mex.

ACHERDOA Walker.

WALKER, Cat. Brit. Mus., xxxii, 451, 1865; *Varina* NEUMOEGEN.

2435. *ferraria* WALKER, Cat. Brit. Mus., xxxii, 451, 1865; NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., ii, 59, 1894.
syn. *ornata* NEUMOEGEN. Fla.

AON Neumoegen.

NEUMOEGEN, Ent. News, iii, 258, 1893.

2436. *noctuiformis* NEUMOEGEN, Ent. News, iii, 258, 1893; NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., ii, 60, 1894. Tex.

CIRRHOPHANUS Grote.

GROTE, Can. Ent., iv, 187, 1872.

2437. *triangulifer* GROTE, Can. Ent., iv, 187, 1872; So.
SMITH, C. 261. States.
2438. *dyari* COCKERELL, Can. Ent., xxxi, 288, 1899. N. Mex.
- *2439. *duplicatus* SMITH, Trans. Am. Ent. Soc., xviii, Col.
112, 1891; C. 261.

TRICHOCALA Ottolengui.

Kallitrichia OTTOLENGUI (not *Callitricha* POLI), Can. Ent., xxx, 107, 1898.—R.
OTTOLENGUI.

- *2440. *coronides* DRUCE, Biol. Cent. Am., Lep. Het., i, Ariz.,
328, 1889. Mex.
- syn. *pendula* OTTOLENGUI, Can. Ent., xxx, 108,
1898.
- *2441. *albavena* OTTOLENGUI, Can. Ent., xxx, 107, 1898. Ariz.
- *2442. *smithii* DRUCE, Biol. Cent. Am., Lep. Het., i, Ariz.,
329, 1889. (May be 2463.) Mex.
- a. sagittalba* OTTOLENGUI, Can. Ent., xxx, 108,
1898.

BASILODES Guenée.

GUENÉE, Spec. Gén., vi, 358, 1852.

2443. *pepita* GUENÉE, Spec. Gén., vi, 358, 1852; SMITH, So. Atl.
C. 261. States.
2444. *chrysopis* GROTE, Pap., i, 154, 1881; SMITH, C. Rocky Mts.
261.
2445. *territans* HY. EDWARDS, Pap., iv, 45, 1884; SMITH, Ariz.
C. 261.
- *2446. *howardi* HY. EDWARDS, Pac. Coast Lep., 25, 1877; Ariz.
SMITH, C. 261.
- *2447. *mirabilis* NEUMOEGEN, Pap., iv, 94, 1884; SMITH, Ariz.
C. 262.
- *2447. 1. *arizonae* FRENCH, Can. Ent., xxi, 161, 1889; Ariz.
SMITH, C. 248.

STIRIA Grote.

GROTE, Bull. Buff. Soc., ii, 73, 1874.

2448. *rugifrons* GROTE, Bull. Buff. Soc., ii, 75, 1874; Kans.
SMITH, C. 262. Col.
- *2449. *consuela* STRECKER, Lep. Rhop. Het., suppl. 3, Ariz.
34, 1900.

- *2450. *sulphurea* NEUMOEGEN, Pap., ii, 135, 1882; SMITH, C. 262. Ariz.
 *2451. *nanata* NEUMOEGEN, Pap., iv, 95, 1884; SMITH, C. 262. N. Mex.

STIBADIUM Grote.

GROTE, Bull. Buff. Soc., ii, 74, 1874.

2452. *spumosum* GROTE, Bull. Buff. Soc., ii, 74, 1874; SMITH, C. 262. So. Atl. States, Col.
 2453. *aureolum* HY. EDWARDS, Pap., ii, 126, 1882; SMITH, C. 262. Ariz.
 *2454. *curiosum* NEUMOEGEN, Pap., iii, 141, 1883; SMITH, C. 262. Ariz.
 2455. *navium* HARVEY, Bull. Btffl. Soc., iii, 10, 1875; SMITH, C. 263. Tex.

PLAGIOMIMICUS Grote.

GROTE, Bull. Buff. Soc., i, 182, 1873.

2456. *pityochromus* GROTE, Bull. Buff. Soc., i, 182, 1873; SMITH, C. 263. So. Atl. States, Col.
 2457. *triplagiatus* SMITH, Ent. Amer., vi, 139, 1890; C. 163. N. Mex.
 2458. *tepperi* MORRISON, Proc. Acad. Nat. Sci. Phil., 68 1875; SMITH, C. 263. Tex., Col.
 syn. *richi* GROTE.
 2459. *expallidus* GROTE, Pap., ii, 185, 1882; SMITH, C. 264. Mont., Col.
 *2460. *viridifera* GROTE, Can. Ent., xiv, 217, 1882; SMITH, C. 264. Ariz.

FALA Grote.

GROTE, Proc. Acad. Nat. Sci. Phil., 425, 1875.

- *2461. *ptycophora* GROTE, Proc. Acad. Nat. Sci. Phil., 426, 1875; SMITH, C. 264. Cal.

NARTHECOPHORA Smith.

SMITH, Proc. U. S. Nat. Mus., xxii, 485, 1900.

2462. *pulverea* SMITH, Proc. U. S. Nat. Mus., xxii, 486, 1900. Ariz.

NEUMOEGENIA Grote.

GROTE, Pap., ii, 132, 1882.

- *2463. *poetica* GROTE, Pap., ii, 132, 184, 1882; SMITH, C. 265. Ariz., Oreg.

PLUSIODONTA Guenée.

GUENÉE, Spec. Gén., vi, 359, 1852.

2464. *compressipalpis* GUENÉE, Spec. Gén., vi, 359, 1852; SMITH, C. 260. Atl. States.
syn. *insignis* WALKER.

GONODONTA Hübner.

HÜBNER, Verz. bek. Schmett., 263, 1816.

2465. *unica* NEUMOEGEN, Can. Ent., xxiii, 125, 1891; Fla.
SMITH, C. 259; DYAR, Proc. U. S. Nat. Mus., xxiii, 272, 1900.
*2466. *nutrix* CRAMER, Pap. Exot., iv, pl. 312, f. B. Fla.,
1782; GUENÉE, Spec. Gén., vi, 370, 1852. So. Am.

CALPE Treitschke.

TREITSCHKE, Schmett. Eur., v, 2, 168, 1825.

2467. *canadensis* BETHUNE, Proc. Ent. Soc. Phil., iv, 213, 1865; SMITH, C. 259. No. Atl. States.
syn. *purpurascens* WALKER, *sobria* WALKER.

PANCHRYSSIA Hübner.

HÜBNER, Verz. bek. Schmett., 252, 1816; *Dera* WALKER, Cat. Brit. Mus., xii, 962, 1857.

- *2468. *morigera* HY. EDWARDS, Ent. Amer., ii, 169, Col.
1887; SMITH, C. 247.

2469. *purpurigera* WALKER, Cat. Brit. Mus., xiv, 1791, Atl. States.
1858; SMITH, C. 246. Col.

- *2470. *palligera* GROTE, Pap., i, 35, 1881; SMITH, C. Cal.,
247. Col.

2471. *ornata* OTTOLENGUI, Can. Ent., xxx, 106, 1898. N. Mex.

POLYCHRYSSIA Hübner.

HÜBNER, Verz. bek. Schmett., 251, 1816.

2472. *moneta* FABRICIUS, Mant. Ins., 162, 1787; STAUDINGER & REBEL, Cat. Lep. Eur., i, no. 2521, 1901. Alberta,
Eur.

- a. esmeralda* OBERTHUR, Étud. d'Ent., v, 85, 1880.

syn. *trabea* SMITH, Ent. News, vii, 29, 1896.

2473. *formosa* GROTE, Proc. Ent. Soc. Phil., iv, 323, 1865; SMITH, C. 249. Atl. States.

PLUSIA Hübner.

HÜBNER, Tent., 1806; OCHSENHEIMER, Schmett. Eur., iv, 89, 1816.

2474. *aerea* HÜBNER, Schmett. Eur., iv, pl. 56, f. 27, Atl. States,
1810; SMITH, C. 247. Col.
2475. *aeroides* GROTE, Proc. Ent. Soc. Phil., iii, 83, Atl. States,
1864; SMITH, C. 247. Col.
2476. *balluea* GEYER, Zutr. exot. Schmett., f. 681, No. Atl.
1835; SMITH, C. 248. States.
2477. *metallica* GROTE, Bull. Buff. Soc., ii, 371, 1875; Wash.,
SMITH, C. 248. Cal.
- syn. *scapularis* HY. EDWARDS, Pap., ii, 127,
1882; *lenzi* FRENCH, Can. Ent., xxi, 161,
1889; SMITH, C. 253.

EUCHALCIA Hübner.

HÜBNER, Verz. bek. Schmett., 251, 1816.

2478. *contexta* GROTE, Bull. Buff. Soc., i, 193, 1873; Atl. States,
SMITH, C. 248.
2479. *festucæ* LINNÆUS, Syst. Nat., 513, 1758; STAUDINGER & REBEL, Cat. Lep. Eur., i, no. 2546, Atl. States
1901. Eur.
- a. putnami* GROTE, Bull. Buff. Soc., i, 146, 1873;
SMITH, C. 248.
2480. *venusta* WALKER, Cat. Brit. Mus., xxxiii, 836, Atl. States,
1865; SMITH, C. 248.
- syn. *striatella* GROTE.

EOSPHOROPTERYX Dyar.

DYAR, Jn. N. Y. Ent. Soc., x, 80, 1902.

2481. *thyatiroides* GUENÉE, Spec. Gén., vi, 337, 1852; Atl. States,
SMITH, C. 249.

AUTOGRAPHA Hübner.

HÜBNER, Verz. bek. Schmett., 251, 1816.

2482. *mappa* GROTE & ROBINSON, Trans. Am. Ent. Soc., ii, 204, 1868; SMITH, C. 249. No. Atl. States.
2483. *bimaculata* STEPHENS, Ill. Brit. Ent., Haust., iii, 104, 1832; SMITH, C. 249. Atl. States.
- *2484. *solida* OTTOLENGUI, Jn. N. Y. Ent. Soc., x, 64, 1902. Tex., Mex.
2485. *biloba* STEPHENS, Ill. Brit. Ent., Haust., iii, 104, 1832; SMITH, C. 249. U. S.

2486. *verruca* FABRICIUS, Ent. Syst., iii, 2, 81, 1794; Smith, C. 250.
 syn. *omega* HÜBNER, *oo* CRAMER, *omicron*
 HÜBNER, *questionis* TREITSCHKE, *rutila*
 WALKER.
2487. *rogationis* GUENÉE, Spec. Gén., vi, 344, 1852; Smith, C. 250.
 syn. *hamifera* WALKER, *dysa* GROTE, *in-*
cludens WALKER, *culta* LINTNER.
2488. *precationis* GUENÉE, Spec. Gén., vi, 344, 1852; Smith, C. 251. Atl. States.
2489. *egena* GUENÉE, Spec. Gén., vi, 328, 1852; Smith, C. 251. Fla.
2490. *labrosa* GROTE, Proc. Acad. Nat. Sci. Phil., 207, 1874; Smith, C. 251. Cal.
2491. *flagellum* WALKER, Cat. Brit. Mus., xii, 909, 1857; Smith, C. 251. Can.
 syn. *monodon* GROTE, *insolita* SMITH, Ent. News, vii, 30, 1896.
2492. *gamma* LINNÉUS, Faun. Suec., 1171, 1761; SMITH, C. 251. Can., Pac. States.
- a. *pseudogamma* GROTE, Can. Ent., vii, 203, 1875; SMITH, C. 251.
- b. *californica* SPEYER, Stett. ent. Zeit., xxxvi, 164, 1875.
 syn. *russa* HY. EDWARDS.
2493. *ou* GUENÉE, Spec. Gén., vi, 348, 1852; SMITH, C. 252. U. S.
 syn. *fratella* GROTE, Bull. Buff. Soc., ii, 161, 1874; SMITH, C. 252.
- *2494. *rubidus* OTTOLENGUI, Jn. N. Y. Ent. Soc., x, 67, 1902. Can.
- *2495. *pedalis* GROTE, Can. Ent., vii, 204, 1875; SMITH, C. 252. Kans.
2496. *brassicæ* RILEY, Second Rept. Ins. Mo., 110, 1870; SMITH, C. 253. U. S.
 syn. *echinocystis* BEIR.
- *2497. *abrota* DRUCE, Biol. Cent. Am., Lep. Het., i, 333, 1889; ii, 504, 1898. Fla., Mex.
2498. *oxygramma* GEYER, Zutr. exot. Schmett., f. 769, 1830; SMITH, C. 253.
 syn. *indigua* WALKER, Cat. Brit. Mus., xxii, 901, 1857; SMITH, C. 257. So. States, So. Am.
- *2500. *albavitta* OTTOLENGUI, Jn. N. Y. Ent. Soc., x, 75, 1902. Cal.

2501. alias OTTOLENGUI, Jn. N. Y. Ent. Soc., x, 69, 1902.	No. Atl. States.
2502. <i>octoscripta</i> GROTE, Bull. Buff. Soc., ii, 72, 1874; SMITH, C. 254. syn. <i>octosignata</i> GROTE.	No. Atl. States.
*2503. <i>altera</i> OTTOLENGUI, Jn. N. Y. Ent. Soc., x, 69, 1902.	N. Y., Can.
*2504. <i>v-alba</i> OTTOLENGUI, Jn. N. Y. Ent. Soc., x, 73, 1902.	Wyo.
2505. <i>rectangula</i> KIRBY, Faun. Bor. Am., iv, 306, 1837; SMITH, C. 254. syn. <i>mortuorum</i> GUENÉE, Spec. Gén., vi, 353, 1852; SMITH, C. 254.	No. Atl. States.
*2506. <i>u-aureum</i> GUENÉE, Spec. Gén., vi, 353, 1852; SMITH, C. 254. ¹	No. Atl. States.
*2507. <i>arctica</i> MÖSCHLER, Verh. zool.-bot. Ges. Wien, 285, 1884. ¹	Labr.
2508. <i>vaccinii</i> HY. EDWARDS, Ent. Amer., iii, 170, 1886; SMITH, C. 254. ¹	No. Atl. States.
2509. <i>selecta</i> WALKER, Cat. Brit. Mus., xii, 912, 1857; SMITH, C. 255. syn. <i>viridisignata</i> GROTE.	No. Atl. States.
*2510. <i>variana</i> OTTOLENGUI, Jn. N. Y. Ent. Soc., x, 70, 1902.	N. Bruns.
2511. <i>epsilon</i> OTTOLENGUI, Proc. Wash. Acad. Sci., ii, 494, 1901.	Alaska.
2512. <i>angulidens</i> SMITH, Trans. Am. Ent. Soc., xviii, 111, 1891; C. 255.	Col.
2513. <i>ottolenguii</i> DYAR. syn. <i>arefacta</i> OTTOLENGUI (not MÖSCHLER), Jn. N. Y. Ent. Soc., x, 66, 1902.	Alaska.
*2514. <i>celsa</i> HY. EDWARDS, Pap., i, 101, 1891; SMITH, C. 255.	Oreg.
2515. <i>epigaea</i> GROTE, Proc. Acad. Nat. Soc. Phil., 208, 1874; SMITH, C. 255.	N. Y., Mass., Col.
*2516. <i>surena</i> GROTE, Bull. Geol. Surv. Terr., vi, 585, 1882; SMITH, C. 255.	Me.
2517. <i>ampla</i> WALKER, Cat. Brit. Mus., xii, 910, 1857; SMITH, C. 256. syn. <i>alterna</i> STRECKER, Proc. Acad. Nat. Sci. Phil., xxxvii, 178, 1885.	No. Atl. States, Col.

¹These names may not represent more than one species.

2518. *basigera* WALKER, Cat. Brit. Mus., xxxiii, 836, 1865; SMITH, C. 255. Atl. States.
syn. *latidaria* MORRISON.
2519. *falcigera* KIRBY, Faun. Bor. Am., iv, 308, 1837; U. S.
SMITH, C. 254.
a. simplex GUENÉE, Spec. Gén., vi, 346, 1852;
SMITH, C. 256.
2520. *pasiphæia* GROTE, Bull. Buff. Soc., i, 146, 1873; Pac. States.
SMITH, C. 256.
- *2521. *zeta* OTTOLENGUI, Jn. N. Y. Ent. Soc., x, 70, N.-W. Terr.
1902.
- *2522. *excelsa* OTTOLENGUI, Jn. N. Y. Ent. Soc., x, 71, No. U. S.
1902.
- *2523. *pallida* OTTOLENGUI, Jn. N. Y. Ent. Soc., x, 71, Newfoundl.
1902.
2524. *corrusca* STRECKER, Proc. Acad. Nat. Sci. Phil., 178, 1885; SMITH, C. 257. Col., Wash.
- *2525. *omicon* AFZELIUS, Life Linn., 1823; SMITH, C. N. Y.
257.¹
- *2526. *speciosa* OTTOLENGUI, Jn. N. Y. Ent. Soc., x, 73, B. C.
1902.
- *2527. *simplicima* OTTOLENGUI, Jn. N. Y. Ent. Soc., x, Wash.
74, 1902.
2528. *sackeni* GROTE, Can. Ent., ix, 135, 1877; SMITH, Col.
C. 257.
- *2529. *snowi* HY. EDWARDS, Pap., iv, 44, 1884; SMITH, Col., N. Mex.
C. 257.
- *2530. *diasema* BOISDUVAL, Eur. Lep. Ind. Méth., 93, Lab.,
1829; SMITH, C. 256. Col.
2531. *accurata* HY. EDWARDS, Pap., ii, 127, 1882; SMITH, Wash.
C. 257.

SYNGRAPHA Hübner.

HÜBNER, Verz. bek. Schmett., 250, 1816; *Calophasia* SMITH.

2532. *parilis* HÜBNER, Schmett. Eur., Noct., iii, 422, Arctic
1800; SMITH, C. 256. Am.
syn. *quadripuncta* WALKER.
2533. *ignea* GROTE, Proc. Ent. Soc. Phil., ii, 274, 1863; Col.
SMITH, C. 258.

¹This name falls by homonymy even if it represent a different species from *omicon* Hübner [2486]. See Fée, Life Linnaeus in Mém. Soc. R. d. Sci. de Lille, 1831.

2534. *hochenwarthi* HOCHENWARTH, Act. Soc. Berl., vi
337, 1785; SMITH, C. 258.
syn. *divergens* FABRICIUS.
Arctic
Am.
2535. *devergens* HÜBNER, Schmett. Eur., Noct., iii, 500,
1800; SMITH, C. 259.
syn. *alticola* WALKER, Cat. Brit. Mus., xii, 912,
1857; SMITH, C. 258.
Col.,
Lab.

ABROSTOLA Oehsenheimer.

- OEHSENHEIMER, Schmett. Eur., iv, 88, 1816.
2536. *urentis* GUENÉE, Spec. Gén., vi, 322, 1852;
SMITH, C. 246.
Atl.
States.
- *2537. *ovalis* GUENÉE, Spec. Gén., vi, 322, 1852;
SMITH, C. 246.
Atl.
States.

BEHRENSIA Grote.

- GROTE, Can. Ent., vii, 70, 1875.
2538. *conchiformis* GROTE, Can. Ent., vii, 71, 1875;
SMITH, C. 246.
Cal.,
Oreg.

DIASTEMA Guenée.

- GUENÉE, Spec. Gén., vi, 317, 1852; *Nepista* WALKER, *Plagiola* GROTE.
- *2539. *tigris* GUENÉE, Spec. Gén., vi, 317, 1852; SMITH,
C. 245.
syn. *lineata* WALKER.
Fla.

OGDOONTA Butler.

- BUTLER, Ann. Mag. Nat. Hist., (6), vii, 462, 1891.
2540. *cinereola* GUENÉE, Spec. Gén., vi, 316, 1852;
SMITH, C. 245.
syn. *atomaria* WALKER.
Atl.
States.
- *2541. *carneola* SMITH, Trans. Am. Ent. Soc., xviii,
110, 1891; C. 246.
N. Mex.

PÆCTES Hübner.

- HÜBNER, Verz. bek. Schmett., 248, 1816; *Ingura* GUENÉE.
2542. *declinata* GROTE, Can. Ent., xi, 208, 1878; SMITH,
C. 240.
Cal.,
Col.
2543. *burseræ* DYAR, Proc. Ent. Soc. Wash., iv, 455,
1901.
Fla.
2544. *delineata* GUENÉE, Spec. Gén., vi, 311, 1852;
SMITH, C. 240.
Atl.
States.

2545. *abrostoloides* GUENÉE, Spec. Gén., vi, 311, 1852; SMITH, C. 240. Atl. States.
- *2546. *flabella* GROTE, Can. Ent., xi, 208, 1879; SMITH, C. 240. Kans.
2547. *pygmæa* HÜBNER, Zutr. exot. Schmett., f. 109, 1818; SMITH, C. 240; GROTE, Abh. nat. Ver. Brem., xiv, 101, 1895.
syn. *fuscescens* WALKER, *abrostolla* WALKER, *præpilata* GROTE.
2548. *oculatrix* GUENÉE, Spec. Gén., vi, 313, 1852; SMITH, C. 241. Atl. States.
- *2549. *cristatrix* GUENÉE, Spec. Gén., vi, 313, 1852; SMITH, C. 241. U. S.

EUTELIA Hübner.

HÜBNER, Verz. bek. Schmett., 259, 1816.

- *2550. *pulcherrima* GROTE, Proc. Ent. Soc. Phil., iv, 326, 1865; SMITH, C. 239. Atl. States.
syn. *dentifera* WALKER.

MARASMALUS Grote.

GROTE, Trans. Am. Ent. Soc., iv, 89, 1872.

2551. *inficita* WALKER, Cat. Brit. Mus., xxxiii, 818, 1865; SMITH, C. 239. Atl. States.
syn. *histrion* GROTE.

2552. *ventilator* GROTE, Trans. Am. Ent. Soc., iv, 89, 1872; SMITH, C. 239. Atl. States.

AMYNA Guenée.

GUENÉE, Spec. Gén., v, 406, 1852; *Chytoryza* GROTE.

2553. *orbica* MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 216, 1874; SMITH, C. 244. Tex., Kans.
syn. *tecta* GROTE.

PTERÆTHOLIX Grote.

GROTE, Trans. Am. Ent. Soc., iv, 298, 1873.

2554. *bullula* GROTE, Trans. Am. Ent. Soc., iv, 299, 1873; SMITH, C. 244. So. States.

ALABAMA Grote.

- GROTE, Abb. nat. Ver. Brem., xiv, 123, 1895.
 2555. *argillacea* HÜBNER, Zutr. exot. Schmett., f. 399,
 1820; SMITH, C. 243.
 syn. *xydina* SAY, *grandipuncta* GUENÉE,
bipunctata GUENÉE.

ANOMIS Hübner.

- HÜBNER, Verz. bek. Schmett., 249, 1816.
 2556. *erosa* HÜBNER, Zutr. exot. Schmett., f. 287, 1818;
 SMITH, C. 241. So. Atl. States.
 2557. *exacta* HÜBNER, Samml. exot. Schmett., ii, 1810;
 SMITH, C. 241. So. Atl. States.
 2558. *luridula* GUENÉE, Spec. Gén., vi, 401, 1852;
 SMITH, C. 242. Gulf States.
 syn. *derogata* WALKER, *torana* RILEY.
 *2559. *condueta* WALKER, Cat. Brit. Mus., xiii, 990,
 1857; SMITH, C. 242. Tex.
 syn. *hostia* HARVEY.

SCOLECOCAMPA Guenée.

- GUENÉE, Spec. Gén., v, 131, 1852.
 2560. *liburna* GEYER, Zutr. exot. Schmett., f. 963, 1823;
 SMITH, C. 191. Atl. States.
 syn. *ligni* GUENÉE.

EUCLYPTERA Morrison.

- MORRISON, Ann. Lyc. Nat. Hist. N. Y., xi, 104, 1875.
 *2561. *obseura* GROTE, Can. Ent., xv, 7, 1883; SMITH,
 C. 192. Ariz.
 2562. *bipuncta* MORRISON, Ann. Lyc. Nat. Hist. N. Y.,
 xi, 104, 1875; SMITH, C. 191. Atl. Coast.
 2563. *peetinicornis* SMITH, Jn. N. Y. Ent. Soc., vii, 232,
 1899. Ariz.
 2564. *strigata* SMITH, Jn. N. Y. Ent. Soc., x, 45, 1902. Tex.

REABOTIS Smith.

Eyes naked; legs unarmed save for the usual spurs on tibiae, closely scaled; palpi long, curved, far exceeding the head, closely scaled, median joint a little thickened centrally, terminal joint slender, cylindrical; tongue moderate only; primaries trigonate, costa a little depressed, inner and outer margins rounded; secondaries, cell rather short, vein 5 as strong as the others and close to 4 on a short spur from the median.—JONX B. SMITH.

- *2565. *immaculalis* HULST, Trans. Am. Ent. Soc., xiii, Mont.
154, 1886.

CILLA Grote.

GROTE, No. Am. Ent., i, 100, 1880.

2566. *distema* GROTE, No. Am. Ent., i, 100, 1880; Tex.
SMITH, C. 193.

AMOLITA Grote.

GROTE, Bull. Buff. Soc., ii, 158, 1874.

2567. *fessa* GROTE, Bull. Buff. Soc., ii, 158, 1874; SMITH, Atl.
C. 193. States.

RIVULA Guenée.

GUENÉE, Spec. Gén., viii, 47, 1854.

2568. *propinqualis* GUENÉE, Spec. Gén., viii, 49, 1854; Atl.
SMITH, C. 384. States.

PSEUDORGYIA Harvey.

HARVEY, Bull. Buff. Soc., ii, 283, 1875.

2569. *versuta* HARVEY, Bull. Buff. Soc., ii, 284, 1875; Tex.
SMITH, C. 386.

- *2570. *russula* GROTE, Pap., iii, 75, 1883; SMITH, C. Ariz.
386.

DORYODES Guenée.

GUENÉE, Spec. Gén., x, 233, 1857.

2571. *bistriaris* GEYER, Zutr. exot. Schmett., f. 775, Atl.
1823; SMITH, C. 192. Coast.
syn. *aenaria* HERRICH-SCHAEFFER, *divisa*
Walker, promptella WALKER.

2572. *spadaria* GUENÉE, Spec. Gén., x, 234, 1857; Fla.
SMITH, C. 192.

PHIPROSOPUS Grote.

GROTE, Trans. Am. Ent. Soc., iv, 90, 1872.

2573. **callitrichoides** GROTE, Trans. Am. Ent. Soc., iv, 90, 1872; SMITH, C. 192. Atl. States.
syn. *nastaria* ZELLER.

ANEPI SCHETOS Smith.

SMITH, Proc. U. S. Nat. Mus., xxii, 482, 1900.

2574. **bipartita** SMITH, Proc. U. S. Nat. Mus., xxii, 482, 1900. Fla.

DIALLAGMA Smith.

SMITH, Proc. U. S. Nat. Mus., xxii, 483, 1900.

2575. **lutea** SMITH, Proc. U. S. Nat. Mus., xxii, 483, 1900. Fla.

PLEONECTYPTERA Grote.

GROTE, Trans. Am. Ent. Soc., iv, 23, 1872.

2576. **pyralis** HÜBNER, Zut. exot. Schmett., f. 127, 1818; SMITH, C. 362. So. Atl. States.
syn. *irrecta* WALKER, *floccalis* ZELLER.

2577. **geometralis** GROTE, Trans. Am. Ent. Soc., iv, 24 1872; SMITH, C. 362. So. States.

- *2578. **habitalis** WALKER, Cat. Brit. Mus., xvi, 39, 1859; SMITH, C. 363. So. States.
syn. *phalænalis* GROTE.

2579. **finitima** SMITH, Ins. Life, v, 333, 1893. Cal.

2580. **incusalis** GROTE, Can. Ent., xiii, 133, 1881; SMITH, C. 363. Col., Ariz.

- *2581. **subflavidalis** GROTE, Pap., i, 166, 1881; SMITH, C. 363. Ariz.

- *2582. **historialis** GROTE, Can. Ent., xiv, 188, 1882; SMITH, C. 363. Ariz.

2583. **immaculalis** HARVEY, Bull. Bufl. Soc., iii, 13, 1875; SMITH, C. 363. Tex.

- *2584. **obliqualis** Hy. EDWARDS, Ent. Amer., ii, 171, 1886; SMITH, C. 363. Tex.

ANNAPHILA Grote.

GROTE, Bull. Buff. Soc., i, 149, 1873.

- *2585. *cæsta* HY. EDWARDS, Ent. Amer., iv, 114, 1890; SMITH, C. 296. Oreg.
2586. *superba* HY. EDWARDS, Proc. Cal. Acad. Sci., vi, 139, 1875; SMITH, C. 296. Cal.
- *2587. *divinula* GROTE, Bull. Geol. Surv. Terr., iv, 183, 1878; SMITH, C. 296. Cal.
2588. *diva* GROTE, Bull. Buff. Soc., i, 150, 1873; SMITH, C. 296. Cal.
- *2589. *pustulata* HY. EDWARDS, Pap., i, 23, 1881; SMITH, C. 297. Ariz.
- *2590. *domina* HY. EDWARDS, Proc. Cal. Acad. Sci., vi, 138, 1875; SMITH, C. 297. Cal.
- *2591. *germana* HY. EDWARDS, Proc. Cal. Acad. Sci., vi, 138, 1875; SMITH, C. 296. Cal.
2592. *decia* GROTE, Can. Ent., vii, 47, 1875; SMITH, C. 296. Cal.
syn. *amicula* HY. EDWARDS.
- *2593. *depicta* GROTE, Bull. Buff. Soc., i, 159, 1873; SMITH, C. 296. Cal.
2594. *salicis* HY. EDWARDS, Pap., i, 23, 1881; SMITH, C. 297. Cal.
syn. *arralis* HY. EDWARDS.
- *2595. *lithosina* HY. EDWARDS, Proc. Cal. Acad. Sci., vi, 137, 1875; SMITH, C. 297. Cal.
2596. *mera* HARVEY, Bull. Buff. Soc., ii, 277, 1875; SMITH, C. 297. Cal.
2597. *danistica* GROTE, Bull. Buff. Soc., i, 151, 1873; SMITH, C. 297. Nev., Cal.

INCITA Grote.

GROTE, Abh. nat. Ver. Brem., xiv, 112, 1895.

2598. *aurantiaca* HY. EDWARDS, Pap., i, 23, 1881; SMITH, C. 297. Cal.

TRICHOTARACHE Grote.

GROTE, Can. Ent., vii, 48, 1875.

- *2599. *assimilis* GROTE, Can. Ent., vii, 48, 1875; SMITH, C. 298. Cal.

EUSTROTIA Hübner.

- HÜBNER, Verz. bek. Schmett., 253, 1816; *Erastria* OCHSENHEIMER (not HÜBNER).
- *2600. *malaca* GROTE, Trans. Am. Ent. Soc., iv, 296, 1873; SMITH, C. 309. Pa.
2601. *albidula* GUENÉE, Spec. Gén., vi, 230, 1852; SMITH, C. 309. Atl. States.
- *2602. *secta* GROTE, Can. Ent., xi, 199, 1879; SMITH, C. 310. Mass.
2603. *flaviguttata* GROTE, Can. Ent., xiv, 187, 1882; SMITH, C. 310. Tex.
2604. *concinnimacula* GUENÉE, Spec. Gén., vi, 238, 1852; SMITH, C. 310. Atl. States.
a. parvimacula GROTE, No. Am. Ent., i, 66, 1880.
2605. *synochitis* GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 357, 1868; SMITH, C. 310. Atl. States.
2606. *musta* GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 358, 1868; SMITH, C. 311. Atl. States.
2607. *museosecula* GUENÉE, Spec. Gén., vi, 230, 1852; SMITH, C. 311. Atl. States.
- *2608. *retis* GROTE, Can. Ent., xi, 198, 1879; SMITH, C. 311. Pa.
- *2609. *distincta* GROTE, Pap., ii, 184, 1882; SMITH, C. 311. Ariz.
2610. *caduca* GROTE, Can. Ent., viii, 207, 1876; SMITH, C. 311. Atl. States.
2611. *propera* GROTE, Pap., ii, 132, 1882; SMITH, C. 311. Ariz.
2612. *apieosa* HAWORTH, Lep. Brit., 261, 1812; SMITH, C. 311.
 syn. *nigritula* GUENÉE.
2613. *earneola* GUENÉE, Spec. Gén., vi, 228, 1852; SMITH, C. 312.
 syn. *biplagia* WALKER.
- *2614. *strigulataria* SMITH, Jn. N. Y. Ent. Soc., viii, 173, 1900. Fla.
- *2615. *dividua* GROTE, No. Am. Ent., i, 46, 1880; SMITH, C. 312. Tex.
2616. *æria* GROTE, Pap., i, 11, 1881; SMITH, C. 312. Wis., Ala.

2617. *includens* WALKER, Cat. Brit. Mus., xii, 813, 1857; SMITH, C. 312.
 syn. *norma* MORRISON, *pentia* MORRISON,
mariae GROTE.

GALGULA Guenée.

GUENÉE, Spec. Gén., vi, 239, 1852.

2618. *hepara* GUENÉE, Spec. Gén., vi, 239, 1852; SMITH, C. 314.
 syn. *externa* WALKER.
a. partita GUENÉE, Spec. Gén., vi, 239, 1852.
 syn. *vesca* MORRISON, *subpartita* GUENÉE.

ESCARIA Grote.

GROTE, Pap., ii, 186, 1882.

2619. *clauda* GROTE, Pap., ii, 186, 1882; SMITH, C. 302.
 Ariz.

AZENIA Grote.

GROTE, Pap., ii, 186, 1882.

2620. *implora* GROTE, Pap., ii, 186, 1882; SMITH, C. 302.
 Ariz.
 *2621. *edentata* GROTE, Can. Ent., xv, 25, 1883; SMITH, C. 302.
 Ariz.

LITHACODIA Hübner.

HÜBNER, Verz. bek. Schmett., 205, 1816.

2622. *bellieula* HÜBNER, Zutr. exot. Schmett., f. 85, 1818; SMITH, C. 309.
 Atl. States, Col.

PROTHYMINA Hübner.

HÜBNER, Verz. bek. Schmett., 282, 1816.

2623. *rhodarialis* WALKER, Cat. Brit. Mus., xix, 860, 1859; SMITH, C. 307.
 syn. *coccineifascia* GROTE.
 2624. *semipurpurea* WALKER, Cat. Brit. Mus., xxxiii, 803, 1865; SMITH, C. 307.
 syn. *confinisalis* WALKER, *rosalba* GROTE.
 *2625. *plana* GROTE, Pap., ii, 184, 1882; SMITH, C. 307.
 Ariz.
 2626. *orgyiae* GROTE, Trans. Am. Ent. Soc., v, 116, 1845; SMITH, C. 307.
 Tex.
 syn. *subolivacea* HARVEY.

EXYRA Grote.

GROTE, Check List Noct., 26, 1875.

2627. *semicrocea* GUENÉE, Spec. Gén., vi, 241, 1852; SMITH, C. 306. Atl. States.
2628. *ridingsii* RILEY, Trans. St. Louis Acad. Sci., iii, 240, 1874; SMITH, C. 306. So. States.
syn. *nigrocaput* MORRISON.
- *2629. *fax* GROTE, Trans. Am. Ent. Soc., iv, 295, 1873; SMITH, C. 306. So. States.
2630. *rolandiana* GROTE, Psyche, ii, 38, 1877; SMITH, C. 306. Atl. States.

XANTHOPTERA Guenée.

GUENÉE, Spec. Gén., vi, 240, 1852.

2631. *nigrofimbria* GUENÉE, Spec. Gén., vi, 241, 1852; SMITH, C. 303. So. Atl. States.
- *2632. *clausula* GROTE, Pap., ii, 186, 1882; SMITH, C. 303. Ariz.
2633. *semiflava* GUENÉE, Spec. Gén., vi, 241, 1852; SMITH, C. 303. So. States.
- *2634. *subcitrinalis* HULST, Trans. Am. Ent. Soc., xiii, 157, 1886; SMITH, C. 304. Ariz.

THALPOCHARES Lederer.

LEDERER, Verh. zool.-bot. Ges. Wien, iv, 368, 1853.

- *2635. *aetheria* GROTE, No. Am. Ent., i, 47, 1879; SMITH, C. 313. Fla.

EUMESTLETA Butler.

BUTLER, Ent., xxv, 189, 1892.

2636. *flammeineta* WALKER, Cat. Brit. Mus., xxxiii, 801, 1865; SMITH, C. 313. Tex., Fla.
syn. *patula* MORRISON, *patruelis* GROTE.
2637. *carmelita* MORRISON, Proc. Acad. Nat. Sci. Phil., 434, 1875; SMITH, C. 313. Tex., Miss., Cal.
2638. *mundula* ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 460, 1872; SMITH, C. 313. Tex.
2639. *daria* DRUCE, Biol. Cent. Am., Lep. Het., ii, 497, 1898; SMITH, Proc. U. S. Nat. Mus., xxii, 490, 1900. Ariz., Mex.
- *2640. *orba* GROTE, Can. Ent., ix, 68, 1877; SMITH, C. 314. Ala.

*2641. *fortunata* GROTE, Can. Ent., xiv, 171, 1882; SMITH, C. 314. Ariz.

*2642. *perita* GROTE, Can. Ent., xiv, 171, 1882; SMITH, C. 314. Ariz.

GYROS Hy. Edwards.

HY. EDWARDS, Pap., i, 177, 1881.

*2643. *muirii* HY. EDWARDS, Pap., i, 22, 117, 1881; SMITH, C. 315. Cal.

TRIPUDIA Grote.

GROTE, Can. Ent., ix, 70, 1877.

2644. *flavofasciata* GROTE, Can. Ent., ix, 70, 1877; SMITH, C. 314. Rocky Mts., Tex., Ala.

syn. *versutus* HY. EDWARDS.

2645. *quadrifera* ZELLER, Verh. zool.-bot. Ges. Wien, xxiv, 425, 1874; SMITH, C. 315. Tex., Mo., Mex.

2646. *limbata* HY. EDWARDS, Pap., i, 22, 1881; SMITH, C. 315. Tex., Mex.

2647. *opipara* HY. EDWARDS, Pap., i, 117, 1881; SMITH, C. 315. Tex.

2648. *luda* DRUCE, Biol. Cent. Am., Lep. Het., ii, 491, 1898; SMITH, Proc. U. S. Nat. Mus., xxii, 489, 1900. Ariz., Mex.

*2649. *basicinerea* GROTE, Bull. Geol. Surv. Terr., vi, 563, 1882; SMITH, C. 315. Ariz.

2650. *lixivia* GROTE, Can. Ent., xiv, 173, 1882; SMITH, C. 315. Ariz.

2651. *luxuriosa* SMITH, Proc. U. S. Nat. Mus., xxii, 490, 1900. Ariz.

2652. *balteata* SMITH, Proc. U. S. Nat. Mus., xxii, 489, 1900. Ariz.

METOPONIA Duponchel.

DUPONCHEL, Cat. Lep. Méth. Eur., iii, 45, 1844.

2653. *obtusa* HERRICH-SCHAFFER, Samml. ausser. Schmett., f. 210, 1844; SMITH, C. 316. So. Atl. States.

2654. *perflava* HARVEY, Bull. Buff. Soc., iii, 11, 1875; SMITH, C. 316. Tex.

2655. *macula* SMITH, Trans. Am. Ent. Soc., xviii, 132, 1891; C. 316. N. Mex.

CHAMYRIS Guenée.

GUENÉE, Spec. Gén., vi, 225, 1852.

2656. *cerintha* TREITSCHKE, Schmett. Eur., v, 240, 1825; SMITH, C. 301. Atl. States.

TORNACONTIA Smith.

SMITH, Trans. Am. Ent. Soc., xxvii, 55, 1900.

2657. *sutrix* GROTE, Can. Ent., xii, 154, 1880; SMITH, C. 299. Rocky Mts.

2658. *megocula* SMITH, Trans. Am. Ent. Soc., xxvii, 58, 1900. So. Cal.

THERASEA Grote.

GROTE, Abh. nat. Ver. Brem., xiv, 118, 1895; *Conacontia* SMITH, Trans. Am. Ent. Soc., xxvii, 55, 1900.

2659. *flavicosta* SMITH, Trans. Am. Ent. Soc., xxvii, 58, 1900. Rocky Mts.

2660. *angustipennis* GROTE, Proc. Acad. Nat. Sci. Phil., 426, 1875; SMITH, C. 299. Rocky Mts., Cal., Tex.

TARACHE Hübner.

HÜBNER, Verz. bek. Schmett., 261, 1816.

2661. *terminimacula* GROTE, Bull. Buff. Soc., i, 153, 1873; SMITH, C. 301. Atl. States.

2662. *delecta* WALKER, Cat. Brit. Mus., xii, 799, 1857; SMITH, C. 301.
syn. *metallica* GROTE.

2663. *flavipennis* GROTE, Bull. Buff. Soc., i, 153, 1873; SMITH, C. 298. Pae. States.

2664. *abdominalis* GROTE, Can. Ent., ix, 157, 1877; SMITH, C. 298. Tex., Kans.

2665. *lactipennis* HARVEY, Bull. Buff. Soc., iii, 10, 1875; SMITH, C. 300. Tex.

2666. *major* SMITH, Trans. Am. Ent. Soc., xxvii, 64, 1900. Col.

2667. *expolita* GROTE, Pap., ii, 131, 1882; SMITH, C. 298. Ariz.

2668. *ian eolata* GROTE, Can. Ent., xi, 198, 1879; SMITH, C. 299. Tex.

- *2669. *gonella* STRECKER, Lep. Rhop. Het., suppl. 1, 11, 1898; SMITH, Trans. Am. Ent. Soc., xxvii, 66, 1900. Ariz., N. Mex.

- *2670. *sedata* HY. EDWARDS, Pap., i, 23, 1881; SMITH, C. 300. Ariz., Tex.
2671. *nucicola* SMITH, Trans. Am. Ent. Soc., xxvii, 67, 1900. Tex.
2672. *lucasi* SMITH, Trans. Am. Ent. Soc., xxvii, 68, 1900. Cal.
2673. *biplaga* GUENÉE, Spec. Gén., vi, 218, 1852; SMITH, C. 298. So. States.
2674. *aprica* HÜBNER, Schmett. Eur., Noct., f. 371, 1803; SMITH, C. 298. So. States.
- *2675. *areli* STRECKER, Lep. Rhop. Het., suppl. 1, 11, 1898. Rocky Mts.
2676. *erastricoides* GUENÉE, Spec. Gén., vi, 218, 1852; SMITH, C. 299. Atl. States.
2677. *quadriplaga* SMITH, Trans. Am. Ent. Soc., xxvii, 72, 1900. Tex., N. Mex.
2678. *schorazi* SMITH, Trans. Am. Ent. Soc., xxvii, 73, 1900. Ariz.
2679. *arida* SMITH, Trans. Am. Ent. Soc., xxvii, 73, 1900. Col., Ariz.
2680. *coquilletti* SMITH, Trans. Am. Ent. Soc., xxvii, 74, 1900. Cal.
2681. *neocula* SMITH, Trans. Am. Ent. Soc., xxvii, 75, 1900. N. Mex.
2682. *eretata* GROTE & ROBINSON, Trans. Am. Ent. Soc., iii, 181, 1868; SMITH, C. 300. Tex., Col.
2683. *behrii* SMITH, Trans. Am. Ent. Soc., xxvii, 76, 1900. Cal.
2684. *elegantula* HARVEY, Can. Ent., viii, 55, 1876; SMITH, C. 300. Rocky Mts.
syn. *arizone* HY. EDWARDS, *seminivralis* HULST.
2685. *virginalis* GROTE, Can. Ent., xiii, 15, 1881; SMITH, C. 300. Ariz.
2686. *binocula* GROTE, Can. Ent., vii, 224, 1875; SMITH, C. 300. Ariz., Tex.
2687. *meskei* SMITH, Trans. Am. Ent. Soc., xxvii, 79, 1900. Tex.
2688. *tenuicola* MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 218, 1874; SMITH, C. 299. Tex.
2689. *libedis* SMITH, Trans. Am. Ent. Soc., xxvii, 80, 1900. Col., N. Mex.

2690. *neomexicana* SMITH, Trans. Am. Ent. Soc., xxvii, 81, 1900. Tex.
2691. *candefacta* HÜBNER, Zutr. exot. Schmett., f. 587, 1823; SMITH, C. 299. Atl. States.
syn. *debilis* WALKER.
- *2692. *ardoris* HÜBNER, Zutr. exot. Schmett., f. 551, 1823; SMITH, C. 301. Ga.
- *2693. *niveicollis* SMITH, Jn. N. Y. Ent. Soc., x, 51, 1902. Cal.
- *2694. *semiatra* SMITH, Jn. N. Y. Ent. Soc., x, 52, 1902. Ariz.
- *2695. *tenuescens* SMITH, Jn. N. Y. Ent. Soc., x, 53, 1902. Fla.

FRUVA Grote.

GROTE, Can. Ent., ix, 69, 1877.

2696. *tortricina* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 461, 1872; SMITH, C. 306. Tex., Kans.
syn. *fasciatella* GROTE, *obsolete* GROTE; SMITH, C. 302; *inornata* GROTE.
- *2697. *acerba* HY. EDWARDS, Pap., i, 24, 1881; SMITH, C. 302. Cal.
- *2698. *modesta* HY. EDWARDS, Pap., iv, 124, 1884; SMITH, C. 302. Nev.
2699. *apicella* GROTE, Trans. Am. Ent. Soc., iv, 21, 1872; SMITH, C. 302. So. States.
syn. *truncatula* ZELLER, *acepta* HY. EDWARDS.
- *2700. *parvula* WALKER, Cat. Brit. Mus., xxxiii, 779, 1865; SMITH, C. 303. Ariz.
syn. *georgica* GROTE.
- *2701. *deleta* HY. EDWARDS, Pap., iv, 124, 1884; SMITH, C. 303. Nev., Can.

SPRAGUEIA Grote.

GROTE, Check List Noct., 25, 1875.

2702. *onagrus* GUENÉE, Spec. Gén., vi, 205, 1852; SMITH, C. 304. So. States.
2703. *leo* GUENÉE, Spec. Gén., vi, 205, 1852; SMITH, C. 304. So. States.
- *2704. *magnifica* GROTE, Pap., ii, 183, 1882; SMITH, C. 304. Ariz.
2705. *plumbifimbriata* GROTE, Can. Ent., ix, 68, 1877; SMITH, C. 304. Tex.
- *2706. *obatra* MORRISON, Proc. Bost. Soc. Nat. Hist., xviii, 124, 1875; SMITH, C. 304. So. States.

2707. *dama* GUENÉE, Spec. Gén., vi, 205, 1852; SMITH, C. 305. So. States.
syn. *trifuriana* WALKER.
- *2708. *transmutata* WALKER, Cat. Brit. Mus., xxxiii, 776, 1865; SMITH, C. 305. Fla.
syn. *petralialis* GROTE.
2709. *funeralis* GROTE, Pap., i, 158, 1881; SMITH, C. 305. Ariz.
2710. *sordida* GROTE, Can. Ent., xiv, 217, 1882; SMITH, C. 305. Tex.
2711. *guttata* GROTE, Can. Ent., vii, 224, 1875; SMITH, C. 305. Tex.

CALLOPISTRIA Hübner.

HÜBNER, Verz. bek. Schmett., 216, 1816.

2712. *floridensis* GUENÉE, Spec. Gén., vi, 192, 1852; SMITH, C. 309. Fla.
- *2713. *strena* GROTE, Abh. nat. Ver. Brem., xiv, 119, 1895. Ariz.

METATHORASA Moore.

MOORE, Proc. Zool. Soc. Lond., 374, 1881.

- *2714. *argentininea* WALKER, Cat. Brit. Mus., xii, 863, 1857; SMITH, C. 308. So. Atl. States.
2715. *monitifera* GUENÉE, Spec. Gén., vi, 295, 1852; SMITH, C. 308. Atl. States.

EUHERRICHIA Grote.

GROTE, Pap., ii, 122, 1882.

2716. *mollissima* GUENÉE, Spec. Gén., vi, 294, 1852; SMITH, C. 308. Atl. States.
syn. *rubicunda* WALKER.
- *2717. *granitosa* GUENÉE, Spec. Gén., vi, 195, 1852; SMITH, C. 308. So. States.
- *2718. *cervina* HY. EDWARDS, Ent. Amer., vi, 114, 1890; SMITH, C. 308. Cal., Col.

CYDOSIA Westwood.

WESTWOOD, Nat. Lib. Exot. Moths, xxxvii, 193, 1841; SMITH, Proc. U. S. Nat. Mus., xi, 187, 1888; *Pentheta* HY. EDWARDS, Pap., i, 80, 1881; *Tintura* KIRBY, Cat. Lep. Het., i, 86, 1892.

2719. *imitella* STRETCH, Zyg. Bomb. No. Am., i, 163, 1873; NEUMOGEN & DYAR, Jn. N. Y. Ent. Soc., i, 154, 1893; DRUCE, Biol. Cent. Am., Lep. Het., ii, 402, 1897. So. States.

2720. *aurivitta* GROTE & ROBINSON, Trans. Am. Ent. Soc., ii, 186, 1868; NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., i, 154, 1893. So. States.
2721. *majuscula* HY. EDWARDS, Pap., i, 80, 1881; NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., i, 113, 1893; DYAR, Jn. N. Y. Ent. Soc., vi, 41, 1898. So. States.

CERATHOSIA Smith.

SMITH, Ent. Amer., iii, 79, 1887.

2722. *tricolor* SMITH, Ent. Amer., iii, 79, 1887; GROTE, Ent. Amer., iv, 121, 1888; SMITH, Ent. Amer., iv, 122, 1888; GROTE, Can. Ent., xxi, 37, 1889; SMITH, Ent. Amer., v, 8, 119, 1889; HULST, Ent. Amer., v, 118, 1889; NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., i, 155, 1893; DYAR, Psyche, viii, 154, 1897. Tex.

HORMOSCHISTA Möschler.

MÖSCHLER, Abh. Senck. Ges., 221, 1890.

2723. *pagenstecheri* MÖSCHLER, Abh. Senck. Ges., 221, 1890. Ala., Porto Rico.

PHALÆNOSTOLA Grote.

GROTE, Trans. Am. Ent. Soc., iv, 302, 1873.

2724. *larentioides* GROTE, Trans. Am. Ent. Soc., iv, 302, 1873; SMITH, C. 377.
a. citima GROTE, Trans. Am. Ent. Soc., iv, 303, 1873.
- So. Atl. States.

PANGRAPTA Hübner.

HÜBNER, Verz. bek. Schmett., 343, 1816.

2725. *decoralis* HÜBNER, Zutr. exot. Schmett., f. 93, 1818; SMITH, C. 377.
 syn. *geometroides* GUENÉE, *epionoides* GUENÉE, *elegantalis* FITCH, *recensans* WALKER.
- Atl. States.

SYLECTRA Hübner.

HÜBNER, Verz. bek. Schmett., 341, 1816.

2726. *erycata* CRAMER, Pap. Exot., pl. 287, f. D, 1782;
 SMITH, C. 376.
 syn. *mirandalis* HÜBNER.
- Fla., So. Am.

HYAMIA Walker.

WALKER, Cat. Brit. Mus., xvi, 234, 1858; *Spatgaloma* GROTE.

2727. *sexpunctata* GROTE, Trans. Am. Ent. Soc., iv, 300, 1873; DYAR, Jn. N. Y. Ent. Soc., iv, 145, 1896. Atl. States.
2728. *perditalis* WALKER, Cat. Brit. Mus., xvi, 234, 1858; SMITH, C. 346. Atl. States.
syn. *semilineata* WALKER, *umbrifascia* GROTE.
- *2729. *punctipennis* GROTE, Can. Ent., xv, 122, 1883; SMITH, C. 376. Ariz.

MELANOMMA Grote.

GROTE, Trans. Am. Ent. Soc., v, 117, 1875; HULST, Trans. Am. Ent. Soc., xxiii, 294, 1896.

2730. *auricinctaria* GROTE, Trans. Am. Ent. Soc., v, 117, 1875; Bull. Geol. Surv. Ter., iv, 674, 1878; DYAR, Can. Ent., xxx, 257, 1898. Atl. States.

ARGILLOPHORA Grote.

GROTE, Bull. Buff. Soc., i, 124, 1873; SMITH, C. 375.

- *2731. *fureilla* GROTE, Bull. Buff. Soc., i, 124, 1873; SMITH, C. 375. Ala.

PARORA Smith.

SMITH, Proc. U. S. Nat. Mus., xxii, 49, 1900.

2732. *texana* SMITH, Proc. U. S. Nat. Mus., xxii, 491, 1900. Tex.

HOMOPYRALIS Grote.

GROTE, Proc. Acad. Nat. Soc. Phil., 213, 1874.

2733. *discalis* GROTE, Can. Ent., viii, 206, 1876; SMITH, C. 374. Atl. States.

2734. *contracta* WALKER, Can. Nat. Geol., v, 258, 1869; SMITH, C. 374. Atl. States.
syn. *zonata* WALKER, *tactus* GROTE.

2735. *tantillus* GROTE, Proc. Acad. Nat. Sci. Phil., 214, 1874; SMITH, C. 375. Atl. States.

2736. *monodia* DYAR (like *tantillus*, but blacker, nearly uniform, the lines fine, white, punctate). So. Atl. States.

2737. *miserulata* GROTE, Can. Ent., xiv, 185, 1882; SMITH, C. 375. N. Mex.

AGASSIZIA Behr.

BEHR, Trans. Am. Ent. Soc., iii, 23, 1870.

- *2738. **urbicola** BEHR, Trans. Am. Ent. Soc., iii, 23, 1870; SMITH, C. 366.

Cal.

ISOGONA Guenée.

GUENÉE, Spec. Gén., vii, 322, 1852; *Eutorema* GROTE.

- *2739. **natrix** GUENÉE, Spec. Gén., vii, 323, 1852; SMITH, C. 365.

So. Atl.
States.

syn. *tenuis* GROTE, Trans. Am. Ent. Soc., iv, 22, 1872.

HYPSOROPHA Hübner.

HÜBNER, Verz. bek. Schmett., 249, 1816.

2740. **monilis** FABRICIUS, Spec. Ins., ii, 219, 1782; SMITH, C. 260.

So.
States.

2741. **hormos** HÜBNER, Zutr. exot. Schmett., f. 27, 1818; SMITH, C. 260.

So. Atl.
States.

HYBLÆA Fabricius.

FABRICIUS, Ent. Syst., iii, 2, 127, 1793.

2742. **puera** CRAMER, Pap. Exot., pl. 103, f. D, 1779; SMITH, C. 316.

Fla.,
Antilles.

syn. *saga* FABRICIUS, *mirificum* STRECKER.

Subfamily CATOCALINÆ.

CISSURA Walker.

WALKER, Cat. Brit. Mus., ix, 153, 1856; *Syndoida* HY. EDWARDS.

2743. **spadix** CRAMER, Pap. Exot., pl. 275, f. F, 1780; SMITH, C. 320.

Tex.

syn. *regeta* MORRISON; SMITH, C. 207, 320.

- *2744. **mucronata** GROTE, Can. Ent., xv, 121, 1883; SMITH, C. 321.

Ariz.

2745. **inepta** HY. EDWARDS, Pap., i, 27, 1881; SMITH, C. 321.

Col.

syn. *morbosa* HY. EDWARDS.

- *2746. **biformata** HY. EDWARDS, Pac. Coast Lep., no. 29, 9, 1878; SMITH, C. 321.

Cal.

2747. **scropulosa** HY. EDWARDS, Pac. Coast Lep., no. 29, 9, 1878; SMITH, C. 321.

Col.,
Cal.

2748. *insperata* GROTE, Can. Ent., xiv, 176, 1882; SMITH, C. 321. Ariz.
2749. *aegrotata* HY. EDWARDS, Pap., iv, 47, 1884; SMITH, C. 321. Ariz.
2750. *sabulosa* HY. EDWARDS, Pap., i, 26, 1881; SMITH, C. 321. Col.
- *2751. *cervina* HY. EDWARDS, Pap., ii, 129, 1882; SMITH, C. 320. Ariz.
2752. *subtermina* SMITH, Proc. U. S. Nat. Mus., xxii, 492, 1900. Cal.

ULOSYNEDA Smith.

Differs from *Cissura* by the plump woolly body, woolly thoracic vestiture, short weak legs, shorter palpi, narrower primaries and pectinated male antennae; allied with *Cenurgia*.—JOHN B. SMITH.

2753. *valens* HY. EDWARDS, Pap., i, 119, 1881; SMITH, C. 321. Utah, Col.

DRASTERIA Hübner.

HÜBNER, Verz. bek. Schmett., 280, 1816.

2754. *erechtea* CRAMER, Pap. Exot., pl. 275, f. E, 1782; SMITH, C. 316. Atl. States, Col.
 syn. *sobria* WALKER, *narrata* WALKER, *patibilis* WALKER, *agricola* GROTE & ROBINSON, *mundula* GROTE & ROBINSON.
2755. *crassiuscula* HAWORTH, Lep. Brit., 259, 1810; SMITH, C. 317. Atl. States, Col.
 syn. *ericta* GUENÉE.
a. ochrea GROTE, Bull. Buff. Soc., i, 155, 1873.
b. distincta NEUMOEGEN, Pap., iii, 143, 1883.
2756. *cærulea* GROTE, Bull. Buff. Soc., i, 155, 1873; SMITH, C. 318. Pac. States.
 syn. *aqumatrina* FELDER.
2757. *conspicua* SMITH, Can. Ent., xxxii, 224, 1900. Alberta.

CÆNURGIA Walker.

WALKER, Cat. Brit. Mus., xiv, 1491, 1858; *Litosea* GROTE.

2758. *convalescens* GUENÉE, Spec. Gén., vii, 289, 1852; SMITH, C. 318. Atl. States.
 syn. *socors* WALKER, *purgata* WALKER.
2759. *adversa* GROTE, Can. Ent., vii, 49, 1875; SMITH, C. 318. Cal.

EUCLIDIA Ochsenheimer.

OCHSENHEIMER, Schmett. Eur., iv, 96, 1816.

2760. *cuspidea* HÜBNER, Zutr. exot. Schmett., f. 69, 1818; SMITH, C. 319. Atl. States.
- *2761. *annexa* HY. EDWARDS, Ent. Amer., vi, 115, 1890; SMITH, C. 319. Oreg.
2762. *intercalcaris* GROTE, Bull. Geol. Surv. Terr., vi, 563, 1882; SMITH, C. 319. N. Mex.
2763. *diagonalis* DYAR, Jn. N. Y. Ent. Soc., vi, 41, 1898. N. Mex.

PANULA Guenée.

GUENÉE, Spec. Gén., vii, 59, 1852.

2764. *inconstans* GUENÉE, Spec. Gén., vii, 59, 1852; SMITH, C. 320. So. States.
- *2765. *remigipila* GUENÉE, Spec. Gén., vii, 60, 1852; SMITH, C. 320. Fla.?

MELIOPOTIS Hübner.

HÜBNER, Verz. bek. Schmett., 260, 1816.

2766. *fasciolaris* HÜBNER, Zutr. exot. Schmett., f. 443, 1823; SMITH, C. 326. So. States? Antilles.
syn. *lunularis* GUENÉE.
2767. *nigrescens* GROTE & ROBINSON, Proc. Ent. Soc. Phil., vi, 20, 1866; SMITH, C. 326. Tex., Col.
syn. *ochreipennis* HARVEY.
2768. *pallescens* GROTE & ROBINSON, Proc. Ent. Soc. Phil., vi, 21, 1866; SMITH, C. 327. Tex., Col.
2769. *limbolaris* GEYER, Zutr. exot. Schmett., f. 689, 1825; SMITH, C. 327. Atl. States.
syn. *grandirena* HAWORTH.
- *2770. *tenella* HY. EDWARDS, Pap., i, 26, 1881; SMITH, C. 328. Tex.
- *2771. *stygialis* GROTE, Bull. Geol. Surv., iv, 184, 1878; SMITH, C. 328. Ill., Tex.
- *2772. *versabilis* HARVEY, Can. Ent., ix, 94, 1877; SMITH, C. 328. Tex.
2773. *perlæta* HY. EDWARDS, Pap., ii, 14, 1882; SMITH, C. 327. Ariz.

2774. *jucunda* HÜBNER, Zutr. exot. Schmett., f. 81, 1818; SMITH, C. 328.
 Atl. States, Col.
 syn. *ciniis* GUENÉE, *agrotipennis* HARVEY,
hadeniformis BEHR, Trans. Am. Ent. Soc.,
 iii, 25, 1870; SMITH, C. 327.

2775. *sinualis* HARVEY, Can. Ent., ix, 94, 1877; SMITH, C. 328. Tex.

HYPOTRIGONINA Guenée.

GUENÉE, Spec. Gén., vii, 34, 1852.

- *2776. *andromedæ* GUENÉE, Spec. Gén., vii, 84, 1852;
 SMITH, C. 328. Ga.

CIRRHBOLINA Grote.

GROTE, Trans. Am. Ent. Soc., v, 117, 1875.

2777. *deducta* MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 220, 1874; SMITH, C. 325.
 Tex.
 syn. *pavitensis* MORRISON.

2778. *mexicana* BEHR, Trans. Am. Ent. Soc., iii, 27, 1870; SMITH, C. 325.
 S.-W.
 U. S.
 syn. *incurvata* GROTE.
a. vulpina HY. EDWARDS, Pap., ii, 14, 1882.

- *2779. *perfecta* HY. EDWARDS, Pap., iv, 46, 1884; SMITH, C. 326. Ariz.

- *2780. *tetrica* HY. EDWARDS, Pac. Coast Lep., no. 29, 10, 1878; SMITH, C. 326. Cal.

SYNEDA Guenée.

GUENÉE, Spec. Gén., vii, 71, 1852.

2781. *graphica* HÜBNER, Zutr. exot. Schmett., f. 11, 1818; SMITH, C. 322.
 Atl. States.
 syn. *capitula* WALKER.
a. media MORRISON, Proc. Bost. Soc. Nat. Hist., xviii, 125, 1875.
2782. *divergens* BEHR, Trans. Am. Ent. Soc., iii, 27, 1870; SMITH, C. 323. Cal.
- *2783. *petricola* WALKER, Cat. Brit. Mus., xiv, 1462, 1858; SMITH, C. 323. Rocky Mts.
2784. *allenii* GROTE, Can. Ent., ix, 215, 1877; SMITH, C. 323.
 No. Atl. States, Col.
 syn. *sareta* HY. EDWARDS.
2785. *adumbrata* BEHR, Trans. Am. Ent. Soc., iii, 27, 1870; SMITH, C. 323. Cal., Rocky Mts

2786. <i>seposita</i> HY. EDWARDS, Pap., i, 25, 1881; SMITH, C. 323.	Col., Utah.
2787. <i>socia</i> BEHR, Trans. Am. Ent. Soc., iii, 27, 1870; SMITH, C. 323.	Cal., Col.
2788. <i>ochracea</i> BEHR, Trans. Am. Ent. Soc., iii, 25, 1870; SMITH, C. 324.	Cal.
*2789. <i>mirifica</i> HY. EDWARDS, Pac. Coast Lep., no. 29, 8, 1878; SMITH, C. 324.	Nev.
2790. <i>tejonica</i> BEHR, Trans. Am. Ent. Soc., iii, 26, 1870; SMITH, C. 324.	Cal., Col.
2791. <i>ingeniculata</i> MORRISON, Proc. Acad. Nat. Sci. Phil., 435, 1875; SMITH, C. 325.	Tex.
2792. <i>hastingsii</i> HY. EDWARDS, Pac. Coast Lep., no. 29, 8, 1878; SMITH, C. 324. <i>a. perpallida</i> HY. EDWARDS, Pap., i, 25, 1881.	Oreg., Cal.
*2793. <i>maculosa</i> BEHR, Trans. Am. Ent. Soc., iii, 26, 1870; SMITH, C. 324.	Cal.
*2794. <i>facta</i> HY. EDWARDS, Pap., i, 119, 1881; SMITH, C. 324.	Fla.
2795. <i>howlandii</i> GROTE, Proc. Ent. Soc. Phil., iii, 533, 1864; SMITH, C. 324. syn. <i>stretchii</i> BEHR.	Rocky Mts., Cal.
2796. <i>edwardsii</i> BEHR, Trans. Am. Ent. Soc., iii, 28, 1870; SMITH, C. 325.	Cal.
*2797. <i>nubicola</i> BEHR, Trans. Am. Ent. Soc., iii, 25, 1870; SMITH, C. 324.	Cal.
*2798. <i>perplexa</i> HY. EDWARDS, Pap., iv, 47, 1884; SMITH, C. 325.	Ariz.
*2799. <i>hudsonica</i> GROTE & ROBINSON, Proc. Ent. Soc. Phil., iv, 494, 1865; SMITH, C. 322.	Can., Mont.
*2800. <i>athabasca</i> NEUMOEGEN, Pap., iii, 143, 1883; SMITH, C. 322.	B. C.
*2801. <i>occulta</i> HY. EDWARDS, Pap., i, 118, 1881; SMITH, C. 323.	Tex.
*2802. <i>fumosa</i> STRECKER, Lep. Rhop. Het., suppl. 1, 12, 1898.	Ariz.
*2803. <i>flavofasciata</i> STRECKER, Lep. Rhop. Het., suppl. 1, 12, 1898.	Ariz.
*2804. <i>nigromarginata</i> STRECKER, Lep. Rhop. Het., suppl. 1, 11, 1898.	Ariz.
*2805. <i>decepta</i> STRECKER, Lep. Rhop. Het., suppl. 1, 11, 1898.	Col.

CATOCALA Schrank.

- SCHRANK, Faun. Boica, ii, 2, 158, 1802.
2806. *epione* DRURY, Ill. Exot. Ent., i, 46, 1773; SMITH, C. 347. Atl. States.
2807. *sappho* STRECKER, Lep. Rhop. Het., 95, 1874; SMITH, C. 352. So. States, Ill.
2808. *agrippina* STRECKER, Lep. Rhop. Het., 95, 1874; SMITH, C. 352. So. States.
- *2809. *subviridis* HARVEY, Can. Ent., ix, 193, 1877; SMITH, C. 353. Tex.
2810. *laerymosa* GUENÉE, Spec. Gén., vii, 93, 1852; SMITH, C. 352. Atl. States.
- a. ulalume* STRECKER, Lep. Rhop. Het., 132, 1877; SMITH, C. 352.
- b. paulina* HY. EDWARDS, Bull. Brook. Ent. Soc., iii, 54, 1880.
- c. emilia* HY. EDWARDS, Pap., i, 117, 1881.
- d. evelina* FRENCH, Pap., i, 110, 1881.
- e. zelica* FRENCH, Pap., i, 111, 1881.
2811. *viduata* GUENÉE, Spec. Gén., vii, 94, 1852; SMITH, C. 352. So. Atl. States.
- syn. *mastosata* HULST, *guenéei* GROTE.
- *2812. *moderna* GROTE, Can. Ent., xxxii, 191, 1900. Tex.
2813. *vidua* SMITH & ABBOT, Lep. Ins. Ga., ii, 181, 1797; SMITH, C. 351. Atl. States.
- syn. *desperata* GUENÉE.
- *2814. *dejecta* STRECKER, Bull. Brook. Ent. Soc., ii, 97, 1880; SMITH, C. 351. So. Atl. States.
2815. *reecta* GROTE, Trans. Am. Ent. Soc., iv, 4, 1872; SMITH, C. 351. Atl. States.
- a. luctuosa* HULST, Bull. Brook. Ent. Soc., vii, 32, 53, 1884.
2816. *fiebilis* GROTE, Trans. Am. Ent. Soc., iv, 4, 1872. Atl. States.
2817. *robinsonii* GROTE, Trans. Am. Ent. Soc., iv, 20, 1872; SMITH, C. 351. ' Atl. States.
- a. curvata* FRENCH, Pap., i, 218, 1881.
- *2818. *barnesii* FRENCH, Can. Ent., xxxii, 190, 1900. Tex.
2819. *obscura* STRECKER, Lep. Rhop. Het., 19, 1873; SMITH, C. 353. Atl. States.
- a. simulatilis* GROTE, Trans. Am. Ent. Soc., v, 95, 1873.

2820. <i>residua</i> GROTE, Proc. Bost. Soc. Nat. Hist., xvi, 242, 1874; SMITH, C. 353.	Atl. States.
2821. <i>insolabilis</i> GUENÉE, Spec. Gén., vii, 94, 1852; SMITH, C. 353.	Atl. States.
2822. <i>angusi</i> GROTE, Can. Ent., viii, 229, 1876; SMITH, C. 353. <i>a. lucetta</i> HY. EDWARDS, French Cat. Ill., 4, 1882.	Atl. States.
2823. <i>judith</i> STRECKER, Lep. Rhop. Het., 95, 1874; SMITH, C. 350. syn. <i>lerettei</i> GROTE. <i>a. miranda</i> HY. EDWARDS, Pap., i, 118, 1881.	Atl. States.
2824. <i>tristis</i> EDWARDS, Proc. Ent. Soc. Phil., ii, 511, 1864; SMITH, C. 347.	Atl. States.
*2825. <i>elda</i> BEHRENS, Can. Ent., xix, 199, 1887; SMITH, C. 347.	Oreg.
2826. <i>relicta</i> WALKER, Cat. Brit. Mus., xiii, 1192, 1857; SMITH, C. 346. <i>a. bianca</i> HY. EDWARDS, Bull. Brook. Ent. Soc., iii, 54, 1880. <i>b. phrynia</i> HY. EDWARDS, Bull. Brook. Ent. Soc., iii, 54, 1880.	Atl. States, Oreg., Col.
2827. <i>cara</i> GUENÉE, Spec. Gén., vii, 87, 1852; SMITH, C. 344. <i>a. sylvia</i> HY. EDWARDS, Bull. Brook. Ent. Soc., iii, 57, 1880. <i>b. carissima</i> HULST, Bull. Brook. Ent. Soc., ii, 97, 1880.	Atl. States.
2828. <i>amatrix</i> HÜBNER, Samml. exot. Schmett., ii, 1810; SMITH, C. 344. <i>a. nurus</i> WALKER, Cat. Brit. Mus., xiii, 1195, 1857; SMITH, C. 345.	Atl. States, Col.
2829. <i>marmorata</i> EDWARDS, Proc. Ent. Soc. Phil., ii, 508, 1864; SMITH, C. 340.	U. S.
2830. <i>concumbens</i> WALKER, Cat. Brit. Mus., xiii, 1198, 1857; SMITH, C. 344. <i>a. diana</i> HY. EDWARDS, Bull. Brook. Ent. Soc., iii, 57, 1880. <i>b. hillii</i> GROTE, Pap., iii, 43, 1883.	Atl. States.
2831. <i>californica</i> EDWARDS, Proc. Ent. Soc. Phil., ii, 509, 1864; SMITH, C. 343. <i>a. perdita</i> HY. EDWARDS, Strecker, Lep. Rhop. Het., 100, 1874. <i>b. cleopatra</i> HY. EDWARDS, Strecker, Lep. Rhop. Het., 99, 1874.	Cal.

- *2832. *frenchii* POLING, Can. Ent., xxxiii, 125, 1901. B. C.
- *2833. *jessica* HY. EDWARDS, Pac. Coast Lep., no. 25, 1877; SMITH, C. 341. Cal.
- *2834. *hippolyta* HY. EDWARDS, Proc. Cal. Acad. Sci., vi, 211, 1875; SMITH, C. 341. Cal.
- *2835. *portia* HY. EDWARDS, Bull. Brook. Ent. Soc., ii, 94, 1880; SMITH, C. 341. Cal.
2836. *luciana* HY. EDWARDS, Strecker, Lep. Rhop. Het., 99, 1874; SMITH, C. 343. Col., Kans., Neb.
- syn. *nebraskæ* DODGE.
- a. somnus* DODGE, Can. Ent., xii, 40, 1881.
- *2837. *babayaga* STRECKER, Pap., iv, 73, 1884; SMITH, C. 346. Ariz.
2838. *arizonæ* GROTE, Can. Ent., v, 163, 233, 1873; SMITH, C. 345. Ariz.
- *2838. 1. *texanæ* FRENCH, Can. Ent., xxxiv, 98, 1902. Tex.
2839. *aspasia* STRECKER, Lep. Rhop. Het., 94, 1874; SMITH, C. 345. Col.
- a. sara* FRENCH, Can. Ent., xv, 163, 1883.
2840. *walshii* EDWARDS, Proc. Ent. Soc. Phil., ii, 509, 1864; SMITH, C. 345. Tex.
- *2841. *junctura* WALKER, Cat. Brit. Mus., xiii, 1196, 1857; SMITH, C. 345. Atl. States.
- *2842. *cassandra* HY. EDWARDS, Proc. Cal. Acad. Sci., vi, 214, 1875; SMITH, C. 345. Col.
2843. *stretchii* BEHR, Trans. Am. Ent. Soc., iii, 24, 1870; SMITH, C. 341. Cal.
- *2844. *augusta* HY. EDWARDS, Proc. Cal. Acad. Sci., vi, 184, 1875; SMITH, C. 341. Cal.
- *2845. *rosalinda* HY. EDWARDS, Bull. Brook. Ent. Soc., iii, 55, 1880; SMITH, C. 341. Col., Kans.
2846. *pura* HULST, Bull. Brook. Ent. Soc., ii, 96, 1880; SMITH, C. 341. Rocky Mts.
- *2847. *semirelicta* GROTE, Sixth Rept. Peab. Acad. Sci., 35, 1874; SMITH, C. 342. Atl. States.
2848. *unijuga* WALKER, Cat. Brit. Mus., xiii, 1194, 1857; SMITH, C. 340. Atl. States.
- *2849. *beaniana* GROTE, Can. Ent., x, 195, 1878; SMITH, C. 341. Atl. States.
2850. *meskei* GROTE, Can. Ent., vi, 161, 233, 1873; SMITH, C. 340. Atl. States.

2851. *mariana* HY. EDWARDS, Strecker, Lep. Rhop. Het., 99, 1874; SMITH, C. 342.
a. francesca HY. EDWARDS, Bull. Brook. Ent. Soc., iii, 57, 1880.
2852. *groteiana* BAILEY, No. Am. Ent., i, 21, 1879; SMITH, C. 342. Atl. States.
2853. *hermia* HU., EDWARDS, Bull. Brook. Ent. Soc., ii, 93, 1880; SMITH, C. 343. Col., N. Mex.
2854. *briseis* EDWARDS, Proc. Ent. Soc. Phil., ii, 508, 1864; SMITH, C. 342. Atl. States.
2855. *faustina* STRECKER, Lep. Rhop. Het., 21, 1872; SMITH, C. 341.
a. zillah STRECKER, Lep. Rhop. Het., 129, 1877.
b. verecunda HULST, Bull. Brook. Ent. Soc., vii, 45, 1884.
c. allusa HULST, Bull. Brook. Ent. Soc., vii, 45, 1884.
2856. *irene* BEHR, Trans. Am. Ent. Soc., iii, 24, 1870; SMITH, C. 343. Cal., Col.
- a. virginia* HY. EDWARDS, Bull. Brook. Ent. Soc., iii, 56, 1880.
b. volumnia HY. EDWARDS, Bull. Brook. Ent. Soc., iii, 56, 1880.
c. valeria HY. EDWARDS, Bull. Brook. Ent. Soc., iii, 56, 1880.
2857. *parta* GUENÉE, Spec. Gén., vii, 84, 1852; SMITH, C. 340.
a. perplexa STRECKER, Lep. Rhop. Het., 38, 1874.
b. petulans HULST, Bull. Brook. Ent. Soc., vii, 43, 1884.
2858. *coccinata* GROTE, Trans. Am. Ent. Soc., iv, 6, 1872; SMITH, C. 338.
a. sinuosa GROTE, Bull. Brook. Ent. Soc., i, 77, 1879.
2859. *circe* STRECKER, Lep. Rhop. Het., 121, 1876; SMITH, C. 338. Tex.
2860. *aholibah* STRECKER, Lep. Rhop. Het., 72, 1874; SMITH, C. 339. Pac. States, Col.
- *2861. *chiricahua* POLING, Can. Ent., xxxiii, 127, 1901. Ariz.
- *2862. *violenta* HY. EDWARDS, Bull. Brook. Ent. Soc., iii, 58, 1880; SMITH, C. 337. Col.

2863. *verilliana* GROTE, Can. Ent., vii, 185, 1875; SMITH, C. 337. Rocky Mts.
- a. ophelia* HY. EDWARDS, Bull. Brook. Ent. Soc., ii, 95, 1880.
 - b. votiva* HULST, Bull. Brook. Ent. Soc., vii, 41, 1884.
2864. *ultronia* HÜBNER, Zutr. exot. Schmett., f. 347, 1818; SMITH, C. 338. Atl. States, Col.
- a. celia* HY. EDWARDS, Bull. Brook. Ent. Soc., iii, 58, 1880.
 - b. mopsa* HY. EDWARDS, Bull. Brook. Ent. Soc., iii, 58, 1880.
 - c. adriana* HY. EDWARDS, Bull. Brook. Ent. Soc., iii, 57, 1880.
 - d. herodias* STRECKER, Lep. Rhop. Het., 121, 1876.
2865. *ilia* CRAMER, Pap. Exot., pl. 33, f. B, 1779; SMITH, C. 339. Atl. States.
- a. zoe* BEHR, Trans. Am. Ent. Soc., iii, 24, 1870.
 - b. uxor* GUENÉE, Spec. Gén., vii, 92, 1852; SMITH, C. 339.
 - syn. *umbrosa* WORTHINGTON, *confusa* WORTHINGTON, *decorata* WORTHINGTON, *obsoleta* WORTHINGTON, *duplicata* WORTHINGTON, *conspicua* WORTHINGTON.
 - c. osculata* HULST, Bull. Brook. Ent. Soc., vii, 43, 1884.
2866. *innubens* GUENÉE, Spec. Gén., vii, 98, 1852; SMITH, C. 348. Atl. States.
- a. flavidalis* GROTE, Trans. Am. Ent. Soc., v, 95, 1874; SMITH, C. 349.
 - b. hinda* FRENCH, Pap., i, 111, 1881.
 - c. scintillans* GROTE, Proc. Ent. Soc. Phil., vi, 28, 1866.
2867. *nebulosa* EDWARDS, Proc. Ent. Soc. Phil., ii, 510, 1864; SMITH, C. 350. Atl. States.
2868. *piatrix* GROTE, Proc. Ent. Soc. Phil., iii, 88, 1865; SMITH, C. 350. Atl. States.
2869. *dionyza* HY. EDWARDS, Pap., iv, 124, 1884; SMITH, C. 350. Ariz.
2870. *neogama* SMITH & ABBOT, Lep. Ins. Ga., ii, 175, 1797; SMITH, C. 349. Atl. States.
- a. communis* GROTE, Trans. Am. Ent. Soc., iv, 9, 1872.
 - b. snowiana* GROTE, List. Noct., 41, 1876; SMITH, C. 350.

2871. *subnata* GROTE, Proc. Ent. Soc. Phil., iii, 326, 1865; SMITH, C. 350. Atl. States.
2872. *cerogama* GUENÉE, Spec. Gén., vii, 96, 1852; SMITH, C. 337; DYAR, Can. Ent., xxvi, 21, 1894. Atl. States.
syn. aurella FISCHER, *eliza* FISCHER.
a. bunkeri GROTE, Can. Ent., viii, 230, 1876.
2873. *palæogama* GUENÉE, Spec. Gén., vii, 97, 1852; SMITH, C. 349. Atl. States.
a. annida FAGER, Can. Ent., xiv, 120, 1882.
b. phalanga GROTE, Proc. Ent. Soc. Phil., iii, 86, 1865.
2874. *consors* SMITH & ABBOT, Lep. Ins. Ga., ii, 177, 1797; SMITH, C. 336. So. Atl. States.
2875. *muliercula* GUENÉE, Spec. Gén., vii, 97, 1852; SMITH, C. 348. Atl. States.
a. permanans HULST, Bull. Brook. Ent. Soc., vii, 50, 1884.
2876. *delilah* STRECKER, Lep. Rhop. Het., 96, 1874; SMITH, C. 337. Ill., Tex., Ariz.
syn. adoptiva GROTE.
- *2877. *desdemona* HY. EDWARDS, Pap., ii, 15, 1882; SMITH; C. 337. Ariz.
- *2878. *calphurnia* HY. EDWARDS, Bull. Brook. Ent. Soc., iii, 59, 1880; SMITH, C. 337. Kans.
2879. *adromache* HY. EDWARDS, Ent. Amer., i, 50, 1885; SMITH, C. 336. Cal.
2880. *frederici* GROTE, Trans. Am. Ent. Soc., iv, 14, 1872; SMITH, C. 336. Tex., N. Mex., Col.
2881. *illecta* WALKER, Cat. Brit. Mus., xiii, 1205, 1857; SMITH, C. 336; BEUTENMÜLLER, Jn. N. Y. Ent. Soc., ix, 189, 1902.
syn. magdalena STRECKER.
2882. *serena* EDWARDS, Proc. Ent. Soc. Phil., ii, 510, 1864; SMITH, C. 348. Atl. States.
2883. *amestris* STRECKER, Lep. Rhop. Het., 96, 1874; SMITH, C. 336. Miss. Val.
syn. anna GROTE.
a. wescottii GROTE, Can. Ent., x, 195, 1878.
2884. *antinympha* HÜBNER, Verz. bek. Schmett., 278, 1816; SMITH, C. 347. Atl. States.

2885. *badia* GROTE & ROBINSON, Proc. Ent. Soc. Phil., vii, 22, 1868; SMITH, C. 348. Atl. States.
2886. *cœlebs* GROTE, Trans. Am. Ent. Soc., v, 96, 1874; SMITH, C. 348. Can.
- a. phœbe* HY. EDWARDS, Pap., iv, 125, 1884.
2887. *habilis* GROTE, Trans. Am. Ent. Soc., iv, 11, 1872; SMITH, C. 348. Atl. States.
- a. basalis* GROTE, Can. Ent., viii, 230, 1876.
2888. *clintonii* GROTE, Proc. Ent. Soc. Phil., iii, 89, 1865; SMITH, C. 335. Atl. States.
- a. helene* PILATE, Pap., ii, 31, 1882.
2889. *abbreviatella* GROTE, Trans. Am. Ent. Soc., iv, 14, 1872; SMITH, C. 335. Miss. Val.
2890. *whitneyi* DODGE, Can. Ent., vi, 125, 1874; SMITH, C. 375. Ohio, Neb.
2891. *nuptialis* WALKER, Cat. Brit. Mus., iii, 1206, 1857; SMITH, C. 335. Miss. Val.
- syn. myrrha* STRECKER.
2892. *polygama* GUENÉE, Spec. Gén., vii, 105, 1852; SMITH, C. 332. Atl. States.
- syn. blandula* HULST; SMITH, C. 335.
- a. cratægi* SAUNDERS, Can. Ent., viii, 72, 1876; SMITH, C. 334.
- b. mira* GROTE, Can. Ent., viii, 230, 1876.
2893. *pretiosa* LINTNER, Can. Ent., viii, 121, 1876; SMITH, C. 334. N. Y.
2894. *amasia* SMITH & ABBOT, Lep. Ins. Ga., ii, 178, 1797; SMITH, C. 333. Atl. States.
- syn. sancta* HULST; SMITH, C. 334.
- a. virens* FRENCH, Can. Ent., xviii, 162, 1886.
- *2895. *cordelia* HY. EDWARDS, Bull. Brook. Ent. Soc., iii, 59, 1880; SMITH, C. 334. Tex., Fla.
2896. *chelidonia* GROTE, Pap., i, 159, 1881; SMITH, C. 333. Ariz.
2897. *similis* EDWARDS, Proc. Ent. Soc. Phil., ii, 511, 1864; SMITH, C. 333. Atl. States.
- syn. formula* GROTE.
- a. aholah* STRECKER, Lep. Rhop. Het., 96, 1874.
- b. isabella* HY. EDWARDS, Bull. Brook. Ent. Soc., iii, 60, 1880.

2898. *fratercula* GROTE & ROBINSON, Proc. Ent. Soc. Phil., vi, 24, 1866; SMITH, C. 332 (as *micronympha* GUENÉE).
a. atarah STRECKER, Lep. Rhop. Het., 97, 1874.
b. jaquenetta HY. EDWARDS, Bull. Brook. Ent. Soc., iii, 60, 1880.
c. ouwah POLING, Can. Ent., xxxiii, 128, 1901.
d. timandra HY. EDWARDS, Bull. Brook. Ent. Soc., iii, 60, 1880.
e. hero HY. EDWARDS, Pap., iv, 125, 1874.
f. gisela MEYER, Bull. Brook. Ent. Soc., ii, 96, 1880.
- *2899. *olivia* HY. EDWARDS, Bull. Brook. Ent. Soc., ii, 95, 1880; SMITH, C. 331. Tex.
2900. *præclara* GROTE & ROBINSON, Proc. Ent. Soc. Phil., vi, 25, 1866; SMITH, C. 332. Atl. States.
2901. *dulciola* GROTE, Pap., i, 5, 1881; SMITH, C. 334. Ohio, Ill.
2902. *grynea* CRAMER, Pap. Exot., iii, pl. 208, f. H, 1782; SMITH, C. 332.
a. constans HULST, Bull. Brook. Ent. Soc., vii, 37, 1884.
- *2903. *alabamæ* GROTE, Proc. Acad. Nat. Sci. Phil., 427, 1875; SMITH, C. 332. Ala.
- *2904. *titania* DODGE, Ent. News, xi, 472, 1900. Mo.
2905. *gracilis* EDWARDS, Proc. Ent. Soc. Phil., ii, 511, 1864; SMITH, C. 331. Atl. States.
a. sordida GROTE, Can. Ent., ix, 170, 1877.
2906. *minuta* EDWARDS, Proc. Ent. Soc. Phil., ii, 512, 1864; SMITH, C. 331. Atl. States.
a. parvula EDWARDS, Proc. Ent. Soc. Phil., ii, 512, 1864.
b. mellitula HULST, Bull. Brook. Ent. Soc., vii, 35, 1884.
2907. *amica* HÜBNER, Zutr. exot. Schmett., f. 27, 1818; SMITH, C. 330. Atl. States.
 syn. *androphila* GUENÉE.
a. lineella GROTE, Trans. Am. Ent. Soc., iv, 18, 1872.
b. nerissa HY. EDWARDS, Bull. Brook. Ent. Soc., iii, 61, 1880.
- *2908. *jair* STRECKER, Ent. News, viii, 116, 1897. Fla.

ALLOTRIA Hübner.

HÜBNER, Verz. bek. Schmett., 280, 1816.

2909. *elonympha* HÜBNER, Zutr. exot. Schmett., i, f. 29,
1818; SMITH, C. 330.

Atl.
States.

ANDREWSIA Grote.

GROTE, New Check List, 41, 1882.

2910. *messalina* GUENÉE, Spec. Gén., vii, 107, 1852;
SMITH, C. 330.
syn. *belfragiana* HARVEY, *jocasta* STRECKER.

So. Miss.
Vall.

EUPARTHENOS Grote.

GROTE, Ann. N. Y. Lyc. Nat. Hist., xi, 301, 1876.

- 2911 *nubilis* HÜBNER, Samml. exot. Schmett., ii, 1816;
SMITH, C. 330.
a. apache POLING, Can. Ent., xxxiii, 129, 1901.

Atl. States,
Ariz.

HYPOCALA Guenée.

GUENÉE, Spec. Gén., vii, 73, 1852.

2912. *andremona* CRAMER, Pap. Exot., iv, pl. 358, f. C,
1782; MEYRICK, Faun. Haw., i, 159, 1899.
syn. *hillii* LINTNER, Ent. Cont., iv, 103, 1878;
SMITH, C. 318.

Tex.,
So. Am.

LITOCALA Harvey.

HARVEY, Bull. Buff. Soc., ii, 280, 1875.

2913. *sexsignata* HARVEY, Bull. Buff. Soc., ii, 280, 1875;
SMITH, C. 322.
a. deserta HY. EDWARDS, Pap., i, 25, 1881.

Rocky Mts.,
Cal.

TOXOCAMPA Guenée.

GUENÉE, Ann. Soc. Ent. Fr., x, 75, 1841.

2914. *victoria* GROTE, Bull. Buff. Soc., ii, 163, 1874;
SMITH, C. 355.

No. U. S.,
Col.

PHOBERIA Hübner.

HÜBNER, Verz. bek. Schmett., 267, 1816.

2915. *atomaris* HÜBNER, Zutr. exot. Schmett., f. 75,
1818; SMITH, C. 355.
syn. *orthosiooides* GUENÉE, *forrigens* WALKER,
ingenua WALKER.

Atl.
States.

- *2916. *indiscreta* HY. EDWARDS, Ent. Amer., ii, 170,
1866; SMITH, C. 355.

Cal.

HOMOPHOBERIA Morrison.

MORRISON, Proc. Bost. Soc. Nat. Hist., xviii, 125, 1875.

- *2917. *cristata* MORRISON, Proc. Bost. Soc. Nat. Hist.,
xviii, 125, 1875; SMITH, C. 355.

N. J.?

SIAVANA Walker.

WALKER, Cat. Brit. Mus., xiii, 1009, 1857; *Harreya* GROTE.

2918. *repanda* WALKER, Cat. Brit. Mus., xiii, 1009,
1857; SMITH, C. 361.
syn. *auripennis* GROTE.

So.
States.

PALINDIA Guenée.

GUENÉE, Spec. Gén., vi, 274, 1852.

2919. *dominicata* GUENÉE, Spec. Gén., vi, 276, 1852;
SMITH, C. 361.

Tex.,
So. Am.

- *2919. 1. *merricki* HOLLAND, Ent. News, xiii, 172, 1902.

Pa.

PANAPODA Guenée.

GUENÉE, Spec. Gén., vii, 324, 1852.

2920. *rufimargo* HÜBNER, Zutr. exot. Schmett., f. 45,
1818; SMITH, C. 361.
syn. *rubricosta* GUENÉE, *cressonii* GROTE.
a. carneicosta GUENÉE, Spec. Gén., vii, 325, 1852.
syn. *scissa* WALKER, *combinata* WALKER.
b. roseicosta GUENÉE, Spec. Gén., vii, 325, 1852.

Atl.
States.

PARALLELIA Hübner.

HÜBNER, Verz. bek. Schmett., 269, 1816.

2921. *bistriaris* HÜBNER, Zutr. exot. Schmett., f. 63,
1818; SMITH, C. 360.
syn. *amplissima* WALKER.

Atl.
States.

AGNOMONIA Hübner.

HÜBNER, Zutr. Exot. Schmett., iii, 10, 1823.

2922. *anilis* DRURY, Ill. Exot. Ent., ii, 21, 1797; SMITH,
C. 360.
syn. *sesquistriaris* HÜBNER.

So. Atl.
States.

REMIGIA Guenée.

GUENÉE, Spec. Gén., vii, 313, 1852.

2923. *repanda* FABRICIUS, Ent. Syst., iii, 133, 1793. Atl. States,
syn. *latipes* GUENÉE, *perlata* WALKER, *inden-*
tata HARVEY, *terana* MORRISON. So. Am.
a. disseverans WALKER, Cat. Brit. Mus., xiv, 1495, 1858.
b. marcida GUENÉE, Spec. Gén., vii, 317, 1852.
syn. *herastylus* HARVEY.

GRAMMODES Guenée.

GUENÉE, Spec. Gén., vii, 275, 1852.

2924. *smithii* GUENÉE, Spec. Gén., vii, 266, 1852; So. States.
SMITH, C. 319.
 2925. *similis* GUENÉE, Spec. Gén., vii, 267, 1852; So. States.
SMITH, C. 319.
a. apicalis GUENÉE, Spec. Gén., vii, 267, 1852.
 2926. *consobrina* GUENÉE, Spec. Gén., vii, 268, 1852; So. States.
SMITH, C. 319.

EPIDROMIA Guenée.

GUENÉE, Spec. Gén., vii, 325, 1852.

- *2927. *delinquens* WALKER, Cat. Brit. Mus., xiv, 1423, Fla.,
1858; DRUCE, Biol. Cent. Am., Lep. Het., i, 381, So. Am.
1890.

POAPHILA Guenée.

GUENÉE, Spec. Gén., vii, 299, 1852.

2928. *quadrifilaris* HÜBNER, Zutr. exot. Schmett., f. Atl. States.
569, 1823; SMITH, C. 358.
 2929. *deleta* GUENÉE, Spec. Gén., vii, 300, 1852; SMITH, So. States.
C. 358.
syn. *obsolete* GROTE.
 2930. *sylvarum* GUENÉE, Spec. Gén., vii, 300, 1852; So. States.
SMITH, C. 358.
 *2931. *erasa* GUENÉE, Spec. Gén., vii, 301, 1852; SMITH, So. States.
C. 359.
 *2932. *herbicola* GUENÉE, Spec. Gén., vii, 301, 1852; So. States.
SMITH, C. 359.
 *2933. *contempta* GUENÉE, Spec. Gén., vii, 302, 1852; So. States.
SMITH, C. 358.
 *2934. *flavistriaria* HÜBNER, Zutr. exot. Schmett., f. So. States.
555, 1823; SMITH, C. 359.

- *2935. *pacalis* WALKER, Cat. Brit. Mus., xiv, 1475, 1858; SMITH, C. 359.
syn. *irrorata* GROTE.
- *2936. *placata* GROTE, Bull. Geol. Surv. Terr., iv, 184, 1878; SMITH, C. 359.
- *2937. *perplexa* BOISDUVAL, Guenée, Spec. Gén., vii, 302, 1852; SMITH, C. 359.
- *2938. *revoluta* WALKER, Cat. Brit. Mus., xiv, 1472, 1858; SMITH, C. 360.
- *2939. *turbata* WALKER, Cat. Brit. Mus., xiv, 1834, 1858; SMITH, C. 260 (to *Perigea*).

PHURYS Guenée.

- GUENÉE, Spec. Gén., vii, 303, 1852.
2940. *vinculum* GUENÉE, Spec. Gén., vii, 304, 1852; SMITH, C. 357.
2941. *herbarum* GUENÉE, Spec. Gén., vii, 303, 1852; SMITH, C. 357.
syn. *bifasciata* BATES.
- *2942. *ovalis* GROTE, Pap., iii, 75, 1883; SMITH, C. 357.
2943. *lima* GUENÉE, Spec. Gén., vii, 305, 1852; SMITH, C. 357.
syn. *obversa* WALKER, *dissocians* WALKER.
2944. *bistrigata* HÜBNER, Zutr. exot. Schmett., f. 111, 1818; SMITH, C. 357.
2945. *perspicua* WALKER, Cat. Brit. Mus., xvi, 1477, 1858; SMITH, C. 358.
syn. *glands* GROTE.

CELIPTERA Guenée.

- GUENÉE, Spec. Gén., vii, 308, 1852.
2946. *frustulum* GUENÉE, Spec. Gén., vii, 308, 1852; SMITH, C. 355.
syn. *discissa* WALKER, *elongatus* GROTE.
- *2947. *bucetum* GROTE, Trans. Kans. Acad. Sci., viii, 50, 1883; SMITH, C. 356.

ANTICARSIA Hübner.

- HÜBNER, Verz. bek. Schmett., 340, 1816.
2948. *gemmatilis* HÜBNER, Zutr. exot. Schmett., f. 153, 1818; SMITH, C. 365.
2949. *ferruginea* SMITH, Jn. N. Y. Ent. Soc., viii, 174, 1900.

ANTIBLEMMA Hübner.

HÜBNER, Verz. bek. Schmett., 341, 1816.

2950. *inexacta* WALKER, Cat. Brit. Mus., xxxiii, 1038, So. States,
1865; SMITH, C. 366.
So. Am.,
syn. *canalis* GROTE.
Ariz.
a. guttula HY. EDWARDS, Pap., ii, 129, 1882.
b. minorata SMITH, Proc. U. S. Nat. Mus., xxii,
493, 1900.
c. fasciata SMITH, Proc. U. S. Nat. Mus., xxii,
494, 1900.

LITOPROSOPUS Grote.

GROTE, Trans. Am. Ent. Soc., ii, 309, 1869.

2951. *futilis* GROTE & ROBINSON, Trans. Am. Ent. Soc., Fla.,
ii, 202, 1868; SMITH, C. 245. Ga.

OPHIDERES Boisduval.

BOISDUVAL, Faun. Ent. Mad., 99, 1834.

- *2952. *materna* LINNÆUS, Syst. Nat., 12th ed., 2, 840, Fla.,
1767; SMITH, C. 354.
So. Am.
syn. *hybrida* FABRICIUS, *calaminea* CRAMER.

STRENOLOMA Grote.

GROTE, No. Am. Ent., i, 99, 1880; *Spiloloma* GROTE (not *Spilosoma* STEPHENS), Bull. Buff. Soc., i, 127, 1873.

2953. *lunilinea* GROTE, Buff. Bull. Soc., i, 127, 1873; So. Atl.
SMITH, C. 354. States.

CAMPOMETRA Guenée.

GUENÉE, Spec. Gén., vii, 25, 1852; *Euholina* HARVEY; SMITH, Proc. U. S. Nat. Mus., xxii, 101, 1899 (for 2956 and 2958).

2954. *fraterna* SMITH, Proc. U. S. Nat. Mus., xxii, 104, Tex.
1899.
 2955. *minor* SMITH, Proc. U. S. Nat. Mus., xxii, 104, Ariz.
1899.
 2956. *impartialis* HARVEY, Bull. Buff. Soc., ii, 281, Tex.
1875; SMITH, C. 372.
 2957. *amella* GUENÉE, Spec. Gén., vii, 25, 1852; SMITH, Tex.,
C. 372.
syn. *integerrima* WALKER, *stylobata* HARVEY.
 2958. *meskei* HY. EDWARDS, Pap., ii, 128, 1882; SMITH, Fla.
C. 372.
Tex.

2959. *mima* HARVEY, Can. Ent., viii, 155, 1876; SMITH, C. 372. Tex., Col., Ariz.
2960. *bilineata* SMITH, Proc. U. S. Nat. Mus., xxi, 102, 1899. Tex.
2961. *cinctipalpis* SMITH, Proc. U. S. Nat. Mus., xxi, 103, 1899. Fla.

TRAMA Harvey.

HARVEY, Bull. Buff. Soc., iii, 13, 1875.

2962. *detrahrens* WALKER, Cat. Brit. Mus., xiv, 1834, 1858; SMITH, C. 364. So. States.
syn. *arrosa* HARVEY.
2963. *hinna* GEYER, Zutr. exot. Schmett., f. 971, 1837; SMITH, C. 364. So. States.
- *2964. *griseipennis* GROTE, Can. Ent., xiv, 183, 1882; SMITH, C. 365. Ariz.

MATIGRAMMA Grote.

GROTE, Trans. Am. Ent. Soc., iv, 22, 1872.

2965. *pulverilinea* GROTE, Trans. Am. Ent. Soc., iv, 22, 1872; SMITH, C. 375. So. States.
2966. *pulversoa* WALKER, Cat. Brit. Mus., xxxiii, 994, 1865; SMITH, C. 375. Tex.
2967. *rubrosuffusa* GROTE, Can. Ent., xiv, 172, 1882; SMITH, C. 375. Ariz.

CAPNODES Guenée.

GUENÉE, Spec. Gén., vii, 374, 1852.

2968. *punctivena* SMITH, Jn. N. Y. Ent. Soc., vii, 175, 1900. Fla.
- *2969. *californica* BEHR, Trans. Am. Ent. Soc., iii, 23, 1870; SMITH, C. 365. Cal.

KAKOPODA Smith.

SMITH, Jn. N. Y. Ent. Soc., viii, 175, 1900.

- *2970. *cincta* SMITH, Jn. N. Y. Ent. Soc., viii, 176, 1900. Fla.

YRIAS Guenée.

GUENÉE, Spec. Gén., vii, 21, 1852.

2971. *clientis* GROTE, Can. Ent., xiv, 236, 1882; SMITH, C. 374. Ariz.

2972. *volucris* GROTE, Can. Ent., xv, 3, 1883; SMITH, C. 374. Ariz.
 2973. *repentis* GROTE, Pap., i, 165, 1881; SMITH, C. 374. Ariz.
 2974. *crudelis* GROTE, Can. Ent., xv, 237, 1882; SMITH, C. 374. Ariz., Tex., Cal.

EGRYRLON Smith.

- SMITH, Jn. N. Y. Ent. Soc., viii, 176, 1900.
 *2975. *filaria* SMITH, Jn. N. Y. Ent. Soc., viii, 177, 1900. Fla.

ZALE Hübner.

- HÜBNER, Verz. bek. Schmett., 275, 1816.
 2977. *horrida* HÜBNER, Zutr. exot. Schmett., f. 31, 1818; SMITH, C. 367. Atl. States.

SELENIS Guenée.

- GUENÉE, Spec. Gén., vii, 361, 1852.
 2978. *monotropa* GROTE, Can. Ent., vii, 207, 1876; SMITH, C. 373. Tex.

PHEOCYMA Hübner.

- HÜBNER, Verz. bek. Schmett., 275, 1816.
 2979. *lunifera* HÜBNER, Zutr. exot. Schmett., f. 97, 1818; SMITH, C. 368. Atl. States.
 syn. *lineola* WALKER.
 *2980. *umbrina* GROTE, Can. Ent., xv, 3, 1883; SMITH, C. 368. Ariz.
 *2981. *termina* GROTE, Can. Ent., xv, 129, 1883; SMITH, C. 368. Ariz.

YPSIA Guenée.

- GUENÉE, Spec. Gén., vii, 16, 1852.
 2983. *undularis* DRURY, Ill. Exot. Ent., i, pl. 9, f. 4, 1770; SMITH, C. 372. Atl. States.
a. æruginosa GUENÉE, Spec. Gén., vii, 17, 1852.
 syn. *plenipennis* WALKER.
b. umbripennis GROTE, Can. Ent., viii, 109, 1877.

PSEUDANTHROCIA Grote.

- GROTE, Bull. Buff. Soc., ii, 46, 1874.
 2984. *coracias* GUENÉE, Spec. Gén., vii, 19, 1852; SMITH, C. 373. Atl. States.
 *2985. *cornix* GUENÉE, Spec. Gén., vii, 19, 1852; SMITH, C. 373. No. Am.

HOMOPTERA Boisduval.^a

BOISDUVAL (not LATREILLE) in Guérin, Icon. Rég. An., pl. 89, 1829; GUENÉE, Spec. Gén., vii, 8, 1852.

2986. <i>lunata</i> DRURY, Ill. Exot. Ent., i, 40, 1770; SMITH, C. 368.	Atl. States.
<i>a. edusa</i> DRURY, Ill. Exot. Ent., ii, pl. 24, f. 4, 1773. syn. <i>putrescens</i> GUENÉE, <i>saundersii</i> BETHUNE, <i>viridans</i> WALKER, <i>involuta</i> WALKER.	
*2987. <i>nigricans</i> BETHUNE, Proc. Ent. Soc. Phil., iv, 214, 1864; SMITH, C. 369. ^b	No. Atl. States.
2988. <i>rosæ</i> BEHR, Trans. Am. Ent. Soc., iii, 28, 1870; SMITH, C. 369.	Cal.
2989. <i>rubi</i> HY. EDWARDS, Pap., i, 28, 1881; SMITH, C. 369.	Cal., Ariz.
*2990. <i>minerea</i> GUENÉE, Spec. Gén., vii, 15, 1852; SMITH, C. 369.	Atl. States.
2991. <i>calycanthata</i> SMITH & ABBOT, Lep. Ins. Ga., ii, 207, 1797; SMITH, C. 370.	Atl. States.
2992. <i>cingulifera</i> WALKER, Cat. Brit. Mus., xiii, 1056, 1857; SMITH, C. 370. syn. <i>intenta</i> WALKER, <i>woodii</i> GROTE.	Atl. States.
*2993. <i>salicis</i> BEHR, Trans. Am. Ent. Soc., iii, 28, 1870; SMITH, C. 370.	Cal.
*2994. <i>albofasciata</i> BETHUNE, Can. Jn., x, 256, 1865; SMITH, C. 370.	Can.
2995. <i>edusina</i> HARVEY, Bull. Buff. Soc., iii, 14, 1875; SMITH, C. 370. <i>a. atritineta</i> HARVEY, Bull. Buff. Soc., iii, 14, 1875.	Tex.
*2996. <i>galbanata</i> MORRISON, Proc. Acad. Nat. Sci. Phil., 435, 1875; SMITH, C. 370.	Neb.
*2997. <i>uniformis</i> MORRISON, Can. Ent., vii, 148, 1875; SMITH, C. 371.	Ga.
*2998. <i>cinerea</i> MORRISON, Can. Ent., vii, 148, 1875; SMITH, C. 371.	Mass.
*2999. <i>penna</i> MORRISON, Proc. Bost. Soc. Nat. Hist., xviii, 241, 1875; SMITH, C. 371.	Miss. Vall.
3000. <i>unilineata</i> GROTE, Can. Ent., viii, 108, 1876; SMITH, C. 371.	Atl. States.

^a A homonym, but probably the same as *Phocyna*.

^b Synonym of *Ypsia undularis* according to Bethune in letter.

3001. *obliqua* GUENÉE, Spec. Gén., vii, 16, 1852; SMITH, C. 371. Ad. States.
3002. *duplicata* BETHUNE, Can. Jn., x, 257, 1865; SMITH, C. 371. Atl. States.
- *3003. *benesignata* HARVEY, Bull. Buff. Soc., iii, 14, 1875; SMITH, C. 371. Can.
- *3004. *declarans* WALKER, Cat. Brit. Mus., xiii, 1057, 1857; SMITH, C. 371. E. Fla.

LATEBRARIA Guenée.

GUENÉE, Spec. Gén., vii, 159, 1852.

3005. *amphipyroides* GUENÉE, Spec. Gén., vii, 159, 1852. Tex., So. Am.

EREBUS Latreille.

LATREILLE, Gen. Crust. Ins., 365, 1810.

3006. *odora* LINNEUS, Syst. Nat., 505, 1758; SMITH, C. 366. Atl. States, Col., Cal., So. Am.
- syn. *agarista* CRAMER.

THYSANIA Dalman.

DALMAN, Vet. Akad. Handl., 407, 1824.

3007. *zenobia* CRAMER, Pap. Exot., pl. 115, f. A, 1779; SMITH, C. 367. Fla., So. Am.

Subfamily HYPENINÆ.

EPIZEUXIS Hübner.

HÜBNER, Verz. bek. Schmett., 346, 1816; SMITH, Bull. 48, U. S. Nat. Mus., 15, 1895.

3008. *americanus* GUENÉE, Spec. Gén., viii, pl. 6, f. 5, 1854; SMITH, C. 379; Bull. 48, U. S. Nat. Mus., 23, 1895.
- syn. *scriptipennis* WALKER.

3009. *aemula* HÜBNER, Samml. exot. Schmett., iii, 1815; SMITH, C. 379.
- syn. *mollifera* WALKER, *herminiooides* WALKER, *affusalis* WALKER, *concisa* WALKER.

- *3010. *nigellus* STRECKER, Lep. Rhop. Het., suppl. 3, 36, 1900. Ill.

3011. *suffusalis* SMITH, N. Y. Ent. Soc., vii, 233, 1899. Ariz.

3012. *lubricalis* GEYER, Zutr. exot. Schmett., f. 665, 1832; SMITH, C. 377.
 syn. *phæalis* GUENÉE, *surrectalis* WALKER.
a. occidentalis SMITH, Bull. Brook. Ent. Soc., vii, 5, 1884.
3013. *denticulalis* HARVEY, Bull. Buff. Soc., ii, 283, 1875; SMITH, C. 378. Atl. States.
3014. *scobialis* GROTE, No. Am. Ent., i, 95, 1880; SMITH, C. 378. Atl. States.
3015. *laurentii* SMITH, Ent. News, iv, 83, 1893. N. C.
3016. *rotundalis* WALKER, Cat. Brit. Mus., xxxiv, 1144, 1865; SMITH, Bull. 48, U. S. Nat. Mus., 20, 1895. Atl. States, Col.
 syn. *borealis* SMITH, *forbesii* FRENCH.
3017. *majoralis* SMITH, Bull. 48, U. S. Nat. Mus., 25 1895. Atl. States.
3018. *gopheri* SMITH, Can. Ent., xxxi, 94, 1899. Fla.

ZANCLOGNATHA Lederer.

LEDERER, Noct. Eur., 211, 1857; SMITH, Bull. 48, U. S. Nat. Mus., 27, 1895; *Pityolita* GROTE, Bull. Buff. Soc., i, 39, 1873; *Megachyta* GROTE, Trans. Am. Ent. Soc., iv, 306, 1873; *Cleptomita* GROTE, Trans. Am. Ent. Soc., iv, 301, 1873.

3019. *lævigata* GROTE, Trans. Am. Ent. Soc., iv, 95, 1872; SMITH, Bull. 48, U. S. Nat. Mus., 36, 1895. Atl. States.
a. modestalis FITCH (median space entirely brown).
b. reversata DYAR (basal and terminal spaces brown).
c. obsoleta SMITH, Bull. Brook. Ent. Soc., vii, 5, 1884; C. 382.
3020. *pedipilalis* GUENÉE, Spec. Gén., viii, 57, 1854; SMITH, C. 381; Bull. 48, U. S. Nat. Mus., 39, 1895. Atl. States.
3021. *eruralis* GUENÉE Spec. Gén., viii, 58, 1854; SMITH, C. 382; Bull. 48, U. S. Nat. Mus., 40, 1895. Atl. States.
 syn. *jachusalis* WALKER.
3022. *obscuripennis* GROTE, Trans. Am. Ent. Soc., iv, 98, 309, 1872; SMITH, C. 382; Bull. 48, U. S. Nat. Mus., 41, 1895. Atl. States.
3023. *protumnusalis* WALKER, Cat. Brit. Mus., xvi, 104, 1859; SMITH, C. 383; Bull. 48, U. S. Nat. Mus., 42, 1895.
 syn. *minimalis* GROTE.
- 4630—No. 52—02—16

3024. *ochreipennis* GROTE, Trans. Am. Ent. Soc., iv, 98, 1872; SMITH, C. 382; Bull. 48, U. S. Nat. Mus., 44, 1895. Atl. States.
3025. *marcidilinea* GROTE, Trans. Am. Ent. Soc., iv, 93, 1872; SMITH, C. 382; Bull. 48, U. S. Nat. Mus., 43, 1895. Atl. States.
3026. *laturalis* HÜBNER, Zutr. exot. Schmett., f. 19, 1818; SMITH, C. 380; Bull. 48, U. S. Nat. Mus., 32, 1895. Atl. States.
3027. *theralis* WALKER, Cat. Brit. Mus., xix, 855, 1859; SMITH, C. 380; Bull. 48, U. S. Nat. Mus., 33, 1895. Atl. States.
syn. *deceptricalis* ZELLER.
a. gypsalis GROTE, Bull. Brook. Ent. Soc., iii, 65, 1880.
3028. *inconspicualis* GROTE, Can. Ent., xv, 30, 1883; SMITH, C. 380; Bull. 48, U. S. Nat. Mus., 35, 1895. No. N. Y.
- *3029. *minoralis* SMITH, Bull. 48, U. S. Nat. Mus., 34, 1895. N. Y.
- *3030. *atrilineella* GROTE, Trans. Am. Ent. Soc., iv, 301, 1873; SMITH, C. 383; Bull. 48, U. S. Nat. Mus., 38, 1895. Tex.

HORMISA Walker.

- WALKER, Cat. Brit. Mus., xvi, 74, 1859; SMITH, Bull. 48, U. S. Nat. Mus., 45, 1895;
Pallachira GROTE, Can. Ent., ix, 197, 1877.
3031. *absorptalis* WALKER, Cat. Brit. Mus., xvi, 74, 1859; SMITH, C. 380; Bull. 48, U. S. Nat. Mus., 46, 1895. Atl. States.
syn. *nubilifascia* GROTE.
- *3032. *litophora* GROTE, Bull. Buff. Soc., i, 86, 1873; SMITH, C. 380; Bull. 48, U. S. Nat. Mus., 48, 1895. Atl. States.
- *3033. *linearis* GROTE, Can. Ent., xv, 121, 1883; SMITH, C. 381. Ariz.
3034. *bivittata* GROTE, Can. Ent., ix, 198, 1877; SMITH, C. 383; Bull. 48, U. S. Nat. Mus., 48, 1895. Atl. States.

SISYRHYPENA Grote.

GROTE, Can. Ent., v, 227, 1873.

3035. *orciferalis* WALKER, Cat. Brit. Mus., xvi, 235, 1859; SMITH, C. 386; Bull. 48, U. S. Nat. Mus., 49, 1895. So. Atl. States.
syn. *pupillaris* GROTE, *hartii* FRENCH.

PHILOMETRA Grote.

- GROTE, Trans. Am. Ent. Soc., iv, 99, 1872; SMITH, Bull. 48, U. S. Nat. Mus., 50, 1895.
3036. *metonalis* WALKER, Cat. Brit. Mus., xvi, 236, 1859; SMITH, Bull. 48, U. S. Nat. Mus., 51, 1895. Atl. States.
syn. *goosalis* WALKER; SMITH, C. 383; *longilobris* GROTE.
3037. *eumelusalis* WALKER, Cat. Brit. Mus., xvi, 105, 1859; SMITH, C. 384; Bull. 48, U. S. Nat. Mus., 53, 1895. Atl. States.
syn. *serraticornis* GROTE.
3038. *hanhami* SMITH, Can. Ent., xxxi, 207, 1899. Man.

CHYTOLITA Grote.

- GROTE, Trans. Am. Ent. Soc., iv, 309, 1873; SMITH, Bull. 48, U. S. Nat. Mus., 54, 1895.

3039. *morbidalis* GUENÉE, Spec. Gén., viii, 56, 1854; SMITH, C. 382; Bull. 48, U. S. Nat. Mus., 56, 1895. Atl. States.
a. petrealis GROTE, Can. Ent., xii, 219, 1880; SMITH, Bull. 48, U. S. Nat. Mus., 56, 1895.
b. punctiformis SMITH, Bull. 48, U. S. Nat. Mus., 37, 1895.

HYPENULA Grote.

- GROTE, Can. Ent., viii, 27, 1876; SMITH, Bull. 48, U. S. Nat. Mus., 76, 1895.

3040. *cacuminalis* WALKER, Cat. Brit. Mus., xvi, 37, 1859; SMITH, C. 389; Bull. 48, U. S. Nat. Mus., 77, 1895. So. States.
syn. *biferalis* WALKER, *opacalis* GROTE.

RENTIA Guenée.

- GUENÉE, Spec. Gén., vii, 91, 1854; SMITH, Bull. 48, U. S. Nat. Mus., 65, 1895.

3041. *salusalis* WALKER, Cat. Brit. Mus., xvi, 197, 1859; SMITH, C. 387; Bull. 48, U. S. Nat. Mus., 68, 1895. Atl. States.
syn. *brevirostralis* GROTE.
3042. *discoloralis* GUENÉE, Spec. Gén., viii, 82, 1854; SMITH, C. 386; Bull. 48, U. S. Nat. Mus., 69, 1895. Atl. States.
syn. *fallacialis* WALKER, *generalis* WALKER, *thratalis* WALKER.

3043. *fraternalis* SMITH, Bull. 48, U. S. Nat. Mus., 70, 1895. Fla., Ga.

3044. *sobrialis* WALKER, Cat. Brit. Mus., xvi, 228, 1859; Atl. States,
 SMITH, C. 387; Bull. 48, U. S. Nat. Mus., 71, 1895; Col.
 DYAR, Proc. U. S. Nat. Mus., xxiii, 280, 1901.
 syn. *restrictalis* GROTE.
a. larvalis GROTE, Trans. Am. Ent. Soc., iv, 20,
 1872; SMITH, C. 387; Bull. 48, U. S. Nat. Mus.,
 72, 1895.
3045. *clitosalis* WALKER, Cat. Brit. Mus., xvi, 108, 1859; Atl. States.
 SMITH, C. 388; Bull. 48, U. S. Nat. Mus., 72, 1895.
 syn. *centralis* GROTE.
3046. *factiosalis* WALKER, Cat. Brit. Mus., xvi, 37, 1859; Atl. States,
 SMITH, C. 388; Bull. 48, U. S. Nat. Mus., 73, 1895. Col.
 syn. *plenilinealis* GROTE, *alutalis* GROTE.
3047. *pulverosalis* SMITH, Bull. 48, U. S. Nat. Mus., 75, Col.
 1895.
3048. *flavipunctalis* GEYER, Zutr. exot. Schmett., f. 701, 1832; SMITH, C. 388; Bull. 48, U. S. Nat. Mus., 74, 1895. Atl. States.
 syn. *phalerosalis* WALKER, *heliusalis* WALKER,
belfragei GROTE, *pastoralis* GROTE.

BLEPTINA Guenée.

- GUENÉE, Spec. Gén., viii, 66, 1854; SMITH, Bull. 48, U. S. Nat. Mus., 57, 1895.
3049. *caradrinalis* GUENÉE, Spec. Gén., vii, 67, 1854; Atl. States,
 SMITH, C. 389; Bull. 48, U. S. Nat. Mus., 58, Rocky Mts.,
 1895. Ariz.
 syn. *cloniasalis* WALKER.
3050. *inferior* GROTE, Trans. Am. Ent. Soc., iv, 94, 1872; So.
 SMITH, C. 389; Bull. 48, U. S. Nat. Mus., 61, 1895. States.
a. medialis SMITH, Bull. 48, U. S. Nat. Mus., 60,
 1895.

TETANOLITA Grote.

- GROTE, Trans. Am. Ent. Soc., iv, 305, 1873; SMITH, Bull. 48, U. S. Nat. Mus., 61, 1895.
3051. *floridana* SMITH, Bull. 48, U. S. Nat. Mus., 63, Fla.,
 1895. Tex.
3052. *mynesalis* WALKER, Cat. Brit. Mus., xix, 860, So. Atl.
 1859; SMITH, C. 389; Bull. 48, U. S. Nat. Mus., 63, States.
 1895.
 syn. *livalis* GROTE.
3053. *palligera* SMITH, Bull. Brook. Ent. Soc., vii, 6, Cal.
 1884; C. 385; Bull. 48, U. S. Nat. Mus., 64,
 1895.

HETEROPRAMMA Guenée.

GUENÉE, Spec. Gén., viii, 91, 1854; SMITH, Bull. 48, U. S. Nat. Mus., 78, 1895.

3054. *pyramusalis* WALKER, Cat. Brit. Mus., xvi, 106, 1859; SMITH, C. 385; Bull. 48, U. S. Nat. Mus., 79, 1895.

syn. *gyasalis* WALKER, *rurigena* GROTE.

GABERASA Walker.

WALKER, Cat. Brit. Mus., xxxiv, 1197, 1865; SMITH, Bull. 48, U. S. Nat. Mus., 80, 1895.

3055. *ambiguialis* WALKER, Cat. Brit. Mus., xxxvi, 1198, 1865; SMITH, C. 395; Bull. 48, U. S. Nat. Mus., 81, 1895.

syn. *bifidalis* GROTE, *indivisialis* GROTE.

DIRCETIS Grote.

GROTE, Bull. Geol. Surv. Terr., iv, 186, 1878; SMITH, Bull. 48, U. S. Nat. Mus., 82, 1895.

3056. *vitrea* GROTE, Bull. Geol. Surv. Terr., iv, 186, 1878; SMITH, C. 396.

3057. *pygmæa* GROTE, Bull. Geol. Surv. Terr., iv, 187, 1878; SMITH, C. 396.

PALTHIS Hübner.

HÜBNER, Verz. bek. Schmett., 342, 1816; SMITH, Bull. 48, U. S. Nat. Mus., 84, 1895.

3058. *angulalis* HÜBNER, Schmett. Eur., Pyral. f. 107, 1796; SMITH, C. 385; Bull. 48, U. S. Nat. Mus., 86, 1895.

syn. *aracanthusalis* WALKER.

3059. *asopialis* GUENÉE, Spec. Gén., viii, 96, 1854; SMITH, C. 385; Bull. 48, U. S. Nat. Mus., 87, 1895.

CAPIS Grote.

GROTE, Can. Ent., xiv, 20, 119, 1882; SMITH, Bull. 48, U. S. Nat. Mus., 88, 1895.

3060. *curvata* GROTE, Can. Ent., xiv, 20, 1882; SMITH, C. 386.

No. Atl.
States.

SALIA Hübner.

HÜBNER, Verz. bek. Schmett., 338, 1816; SMITH, Bull. 48, U. S. Nat. Mus., 89, 1895.

3061. *salicalis* DENIS & SCHIFFERMÜLLER, Syst. Verz. Wien, 122, 1776; WALKER, Cat. Brit. Mus., xvi, 19, 1858; STAUDINGER & REBEL, Cat. Lep. Eur., i, no. 2790, 1901.

syn. *salicis* SMITH, Bull. 48, U. S. Nat. Mus., 91, 1895.

3062. *interpuneta* GROTE, Trans. Am. Ent. Soc., iv, 93, 1872; SMITH, C. 384; Bull. 48, U. S. Nat. Mus., 90, 1895.
 syn. *saligna* ZELLER, *rufa* GROTE, Can. Ent., xv, 31, 1883; SMITH, C. 384.

LOMANALTES Grote.

- GROTE, Bull. Buff. Soc., i, 13, 1873; SMITH, Bull. 48, U. S. Nat. Mus., 109, 1895.
 3063. *eductalis* WALKER, Cat. Brit. Mus., xvi, 36, 1859; SMITH, C. 390.
 syn. *latulus* GROTE.

BOMOLOCHA Hübner.

- HÜBNER, Verz. bek. Schmett., 343, 1816; SMITH, Bull. 48, U. S. Nat. Mus., 91, 1895.
 3064. *manalis* WALKER, Cat. Brit. Mus., xvi, 33, 1859; SMITH, C. 390; Bull. 48, U. S. Nat. Mus., 95, 1895.
 3065. *baltimorealis* GUENÉE, Spec. Gén., viii, 34, 1854; SMITH, C. 390; Bull. 48, U. S. Nat. Mus., 96, 1895.
 syn. *benignalis* WALKER, *luciniosa* ZELLER.
 3066. *bijugalis* WALKER, Cat. Brit. Mus., xvi, 32, 1859; SMITH, C. 391; Bull. 48, U. S. Nat. Mus., 97, 1895.
 syn. *fascialis* GROTE, *pallialis* ZELLER.
 3067. *scutellaris* GROTE, Can. Ent., v, 225, 1873; SMITH, C. 391; Bull. 48, U. S. Nat. Mus., 98, 1895.
 3068. *abalonealis* WALKER, Cat. Brit. Mus., xvi, 31, 1859; SMITH, C. 391; Bull. 48, U. S. Nat. Mus., 100, 1895.
 3069. *madefactalis* GUENÉE, Spec. Gén., viii, 35, 1854; SMITH, C. 391; Bull. 48, U. S. Nat. Mus., 102, 1895.
 syn. *achatinalis* ZELLER; SMITH, C. 391; *dumosalis* WALKER, *caducalis* WALKER, Cat. Brit. Mus., xvi, 35, 1859; SMITH, C. 393; *profecta* GROTE.
 3070. *sordidula* GROTE, Trans. Am. Ent. Soc., iv, 296, 1873; SMITH, C. 392; Bull. 48, U. S. Nat. Mus., 103, 1895.
 *3071. *mitographa* GROTE, Trans. Am. Ent. Soc., iv, 296, 1873; SMITH, C. 392.
 3072. *toreuta* GROTE, Trans. Am. Ent. Soc., iv, 24, 1872; SMITH, C. 392; Bull. 48, U. S. Nat. Mus., 105, 1895.
 syn. *albisignalis* ZELLER.
 3073. *deceptalis* WALKER, Cat. Brit. Mus., xvi, 30, 1859; SMITH, C. 393; Bull. 48, U. S. Nat. Mus., 101, 1895.
 syn. *perangulalis* HARVEY.

3074. *edictalis* WALKER, Cat. Brit. Mus., xvi, 28, 1859; SMITH, C. 393; Bull. 48, U. S. Nat. Mus., 106, 1895.
 syn. *lentiginosa* GROTE, *vellifera* GROTE.
 Atl. States.
3075. *citata* GROTE, Trans. Am. Ent. Soc., iv, 101, 1872; SMITH, Bull. 48, U. S. Nat. Mus., 107, 1895.
 syn. *trituberalis* ZELLER, *idæusalis* SMITH (not WALKER), C. 392.
 Atl. States.
3076. *umbralis* SMITH, Bull. Brook. Ent. Soc., vii, 41, 1884; C. 392; Bull. 48, U. S. Nat. Mus., 104, 1895.
 Fla.
3077. *vega* SMITH, Proc. U. S. Nat. Mus., xxii, 494, 1900.
 N. Mex.
- *3078. *annulalis* GROTE, Check List Noct., 45, 1876; SMITH, C. 391; Bull. 48, U. S. Nat. Mus., 108, 1895.
 Tex.
- *3078. 1. *idæusalis* WALKER, Cat. Brit. Mus., xix, 839, 1859; SMITH, Bull. 48, U. S. Nat. Mus., 108, 1895.
 U. S.

PLATHYPENA Grote.

GROTE, Bull. Buff. Soc., i, 38, 1873; SMITH, Bull. 48, U. S. Nat. Mus., 110, 1895.

3079. *scabra* FABRICIUS, Ent. Syst., suppl. 4, 448, 1794; SMITH, C. 395; Bull. 38, U. S. Nat. Mus., 111, 1895.
 syn. *erectalis* GUENÉE, *pallidalis* HAWORTH,
crassatus HAWORTH, *obesalis* STEPHENS.
a. subrufalis GROTE, Trans. Am. Ent. Soc., iv, 102, 1872.

HYPENA Schrank.

- SCHRANK, Faun. Boica, ii, 2, 163, 1802; SMITH, Bull. 48, U. S. Nat. Mus., 112, 1895.
3080. *humuli* HARRIS, Cat. Ins. Mass., 74, 1855; SMITH, C. 394; Bull. 48, U. S. Nat. Mus., 112, 1895.
 syn. *eranidalis* ROBINSON, *germanalis* WALKER.
a. olivacea GROTE, Can. Ent., v, 226, 1873.
b. albopunctata TEPPER, Bull. Brook. Ent. Soc., iv, 2, 1881.
3081. *californica* BEHR, Trans. Am. Ent. Soc., iii, 23, 1870; SMITH, C. 394; Bull. 48, U. S. Nat. Mus., 116, 1895.
a. decorata SMITH, Bull. Brook. Ent. Soc., vii, 4, 1884.
3082. *modesta* SMITH, Bull. 48, U. S. Nat. Mus., 117, 1895.
 Cal.
- Pac. States.

Family NYCTEOLIDÆ.

(C.=NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., i, 117, 1893.)

NYCTEOLA Hübner.

HÜBNER, Tent., 2, 1806; KIRBY, Cat. Lep. Het., i, 369, 1892.

3083. *revayana* SCOPOLI, Ann. Nat. Hist., v, 116, 1772; EUR., U. S.
 KIRBY, Cat. Lep. Het., i, 369, 1892.
 syn. *ramosana* HÜBNER, *dilutana* HÜBNER,
undulana HÜBNER, *degenerata* HÜBNER,
punctata HÜBNER, *stonius* CURTIS, *duplana*
 FABRICIUS, *virgiana* FABRICIUS, *fasciata-*
num RETZIUS, *glauca* LAMPA.
 a. *linterana* SPEYER, Stett. ent. Zeit., xxxv, 170, 1875; NEUMOEGEN & DYAR, C. 117.
 b. *columbiana* HY. EDWARDS, Proc. Cal. Acad. Sci., v, 184, 1874.
 c. *cinereana* NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., i, 117, 1893.
3084. *proteella* DYAR, Jn. N. Y. Ent. Soc., vi, 40, 1898. Atl. States.

Family PERICOPIDÆ.

(C.=NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., ii, 26, 1894.)

DARITIS Walker.

WALKER, Cat. Brit. Mus., iii, 618, 1855.

3085. *howardi* HY. EDWARDS, Ent. Amer., ii, 165, 1887; Ariz.
 NEUMOEGEN & DYAR, C. 26; DRUCE, Biol. Cent. Am., Lep. Het., ii, 387, 1897.

COMPOSIA Hübner.

HÜBNER, Verz. bek. Schmett., 179, 1822.

3086. *fidellissima* HERRICH-SCHAEFFER, Corr.-Blatt. Reg., xx, 131, 1866; NEUMOEGEN & DYAR, C. 26. Fla.,
 syn. *olympia* BUTLER. Antilles.

GNOPHÆLA Walker.

WALKER, Cat. Brit. Mus., ii, 330, 1854.

3087. *latipennis* BOISDUVAL, Ann. Soc. Ent. Fr., (2), x, 320, 1852; NEUMOEGEN & DYAR, C. 27. Pac. States,
 Rocky Mts.
 syn. *hopyfferi* GROTE & ROBINSON.
 a. *discreta* STRETCH, Surv. W. 100th Mer., Wheeler, 802, 1878.
 syn. *arizonæ* FRENCH, *morrisoni* DRUCE.
 b. *vermiculata* GROTE & ROBINSON, Proc. Ent. Soc. Phil., ii, 334, 1863.
 syn. *continua* HY. EDWARDS.

3088. *clappiana* HOLLAND, Ent. News, ii, 156, 1891; NEUMOEGEN & DYAR, C. 27. Col., Ariz.

Family DIOPTIDÆ.

(C.=NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., ii, 111, 1894.)

PHRYGANIDIA Packard.

PACKARD, Proc. Ent. Soc. Phil., iv, 348, 1864.

3089. *californica* PACKARD, Proc. Ent. Soc. Phil., iv, 348, 1864; NEUMOEGEN & DYAR, C. 111. Cal.

Family NOTODONTIDÆ.

(C.=PACKARD, Monog. Not., Mem. Nat. Acad. Sci., vii, 87-284, 1895.)

APATELODES Packard.

PACKARD, Proc. Ent. Soc. Phil., iii, 253, 1864; PACKARD, C. 99.

3090. *torrefacta* SMITH & ABBOT, Lep. Ins. Gal., 151, 1797; PACKARD, C. 100. Atl. States.
a. floridana HY. EDWARDS, Ent. Amer., ii, 13, 1886.

3091. *angelica* GROTE, Proc. Ent. Soc. Phil., iii, 322, 1864; PACKARD, C. 103. Atl. States.
 syn. *hyalinopuncta* PACKARD.
a. indistincta HY. EDWARDS, Ent. Amer., ii, 13, 1886.

MELALOPHA Hübner.

HÜBNER, Tent., I, 1806; PACKARD, C. 123.

3092. *apicalis* WALKER, Cat. Brit. Mus., v, 1058, 1855; PACKARD, C. 125. U. S.
 syn. *vau* FITCH, *indentata* PACKARD.
a. ornata GROTE & ROBINSON, Trans. Am. Ent. Soc., ii, 191, 1868.
 syn. *incarcerata* BOISDUVAL.
b. astoriæ HY. EDWARDS, Ent. Amer., ii, 14, 1886.
c. bifiria HY. EDWARDS, Ent. Amer., ii, 167, 1886.

3093. *inornata* NEUMOEGEN, Pap., ii, 134, 1882; PACKARD, C. 130. Ariz.

3094. *inclusa* HÜBNER, Zutr. exot. Schmett., 36, 1825; PACKARD, C. 131. Atl. States.
 syn. *americana* HARRIS.
a. inversa PACKARD, Proc. Ent. Soc. Phil., iii, 352, 1864.
 syn. *palla* FRENCH.
b. jocosa HY. EDWARDS, Ent. Amer., ii, 10, 1886.

3095. *strigosa* GROTE, Bull. Geol. Serv. Terr., vi, 532, 1882; PACKARD, C. 130. No. Atl. States.
a. luculenta HY. EDWARDS, Ent. Amer., ii, 10, 1886.
3096. *albosigma* FITCH, Second Rept. Ins. N. Y., 274, 1855; PACKARD, C. 138. U. S.
a. specifica DYAR, Can. Ent., xxiv, 180, 1892.
3097. *brucei* HY. EDWARDS, Ent. Amer., i, 17, 1885; PACKARD, C. 137. No. U. S.
a. multnoma DYAR, Can. Ent., xxiv, 179, 1892.
 syn. *alethe* NEUMOEGEN & DYAR.

DATANA Walker.

WALKER, Cat. Brit. Mus., v, 1060, 1855; PACKARD, C. 105.

3098. *ministra* DRURY, Ill. Exot. Ent., ii, 25, 1773; PACKARD, C. 106. Atl. States.
3099. *californica* DYAR, Ent. Amer., vi, 127, 1890; PACKARD, C. 108. Cal.
3100. *angusii* GROTE & ROBINSON, Proc. Ent. Soc. Phil., vi, 9, 1866; PACKARD, C. 110. Atl. States.
3101. *drexelii* HY. EDWARDS, Pap., iv, 25, 1884; PACKARD, C. 112. Atl. States.
3102. *major* GROTE & ROBINSON, Proc. Ent. Soc. Phil., vi, 12, 1866; PACKARD, C. 113. Atl. States.
3103. *palmii* BEUTENMÜLLER, Psyche, vi, 297, 1890; PACKARD, C. 116. Atl. States.
3104. *floridana* GRAEF, Bull. Brook. Ent. Soc., ii, 37, 1879; PACKARD, C. 115. Fla.
- *3105. *modesta* BEUTENMÜLLER, Psyche, vi, 297, 1890; PACKARD, C. 117. Fla.
3106. *perspicua* GROTE & ROBINSON, Proc. Ent. Soc. Phil., iv, 489, 1865; PACKARD, C. 119. Atl. States.
a. messillæ COCKERELL, Psyche, viii, 41, 1897.
- *3107. *robusta* STRECKER, Lep. Rhop. Het., 131, 1872; PACKARD, C. 119. Tex.
3108. *integerrima* GROTE & ROBINSON, Proc. Ent. Soc. Phil., vi, 12, 1866; PACKARD, C. 120. Atl. States.
3109. *chiriquensis* DYAR, Jn. N. Y. Ent. Soc., iii, 167, 1895. Ariz., Mex.
3110. *contracta* WALKER, Cat. Brit. Mus., v, 1062, 1855; PACKARD, C. 122; BEUTENMÜLLER, Ent. News, i, 144, 1890. Atl. States.

HYPERAESCHRA Butler.

BUTLER, Ann. Mag. Nat. Hist., (5), vi, 65, 1880; DYAR, Trans. Am. Ent. Soc., xxiv, 16, 1897.

3111. *stragula* GROTE, Proc. Ent. Soc. Phil., iii, 93, U. S.
1864; PACKARD, C. 165; SCHAUSS, Trans. Ent. Soc. Lond., 330, 1901.
syn. *scitipennis* WALKER.
a. manitou NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., i, 35, 1893.
b. pacifica BEHR, Proc. Cal. Acad. Sci., (2), iii, 206, 1892.
3112. *georgica* HERRICH-SCHAFFER, Samml. ausser. Schmett., 66, 1856; PACKARD, C. 153. Atl. States.
3113. *tortuosa* TEPPER, Bull. Brook. Ent. Soc., iv, 2, 1881; PACKARD, C. 153. Col., Ariz.

ODONTOSIA Hübner.

HÜBNER, Verz. bek. Schmett., 145, 1818; DYAR, Trans. Am. Ent. Soc., xxiv, 16, 1897.

3114. *elegans* STRECKER, Proc. Acad. Nat. Sci. Phil., 285, 1884; PACKARD, C. 156; SCHAUSS, Trans. Ent. Soc. Lond., 329, 1901. Rocky Mts., Can.
a. grisea STRECKER, Proc. Acad. Nat. Sci. Phil., 286, 1884; NEUMOEGEN & DYAR, Trans. Am. Ent. Soc., xxi, 184, 1894.
syn. *notaria* HY. EDWARDS.

PTILODON Hübner.

HÜBNER, Tent., 1, 1806; DYAR, Trans. Am. Ent. Soc., xxiv, 16, 1897.

- *3115. *americana* HARVEY, Can. Ent., ix, 95, 1877; PACKARD, C. 156 (= Eur. sp., *capucina* LINNÆUS?). Atl. States.

NOTODONTA Ochsenheimer.

OCHSENHEIMER, Schidett. Eur., ii, 45, 1810; DYAR, Trans. Am. Ent. Soc., xxiv, 15, 1897.

3116. *basitriens* WALKER, Cat. Brit. Mus., v, 1000, 1855; PACKARD, C. 152; SCHAUSS, Trans. Ent. Soc. Lond., 330, 1901. Atl. States.
3117. *simplaria* GRAEF, Bull. Brook. Ent. Soc., iii, 95, 1881; PACKARD, C. 167. No. Atl. States.

PHEOSIA Hübner.

HÜBNER, Verz. bek. Schmett., 145, 1818; PACKARD, C. 157.

3118. *dimidiata* HERRICH - SCHAEFFER, Ausser. Schmett., 66, 1856; PACKARD, C. 158; SCHAUSS, Trans. Ent. Soc. Lond., 331, 1901. Atl. States, Rocky Mts., Can.
syn. *rimosa* PACKARD, *californica* STRETCH.

3119. *portlandia* HY. EDWARDS, Ent. Amer., ii, 168, 1886; PACKARD, C. 158. No. Pac. States.
syn. *descherei* NEUMOEGEN.

LOPHODONTA Packard.

PACKARD, Proc. Ent. Soc. Phil., iii, 358, 1864; C. 146.

3120. *ferruginea* PACKARD, Proc. Ent. Soc. Phil., iii, 357, 1864; C. 150; SCHAUS, Trans. Ent. Soc. Lond., 330, 1901. Atl. States.
3121. *angulosa* SMITH & ABBOT, Lep. Ins. Ga., 165, 1797; PACKARD, C. 147. Atl. States.

EUNYSTALEA Grote.

GROTE, Abh. natur. Ver. Bremen, xiv, 7, 1895; DYAR, Trans. Am. Ent. Soc., xxiv, 14, 1897.

- *3122. *indiana* GROTE, Pap., iv, 7, 1884; SCHAUS, Trans. Ent. Soc. Lond., 326, 1901. Fla.

NADATA Walker.

WALKER, Cat. Brit. Mus., v, 1062, 1855; PACKARD, C. 141.

3123. *gibbosa* SMITH & ABBOT, Lep. Ins. Ga., ii, 163, 1797; PACKARD, C. 142. U. S.
a. doubledayi PACKARD, Proc. Ent. Soc. Phil., iii, 365, 1864.
b. rubripennis NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., i, 24, 1893.
c. oregonensis BUTLER, Ann. Mag. Nat. Hist., (5), viii, 317, 1881.
d. behrensi HY. EDWARDS, Ent. Amer., i, 49, 1885.

NERICE Walker.

WALKER, Cat. Brit. Mus., v, 1076, 1855; PACKARD, C. 169.

3124. *bidentata* WALKER, Cat. Brit. Mus., v, 1076, 1855; PACKARD, C. 171; SCHAUS, Trans. Ent. Soc. Lond., 267, 1901. Atl. States.

SYMMERISTA Hübner.

HÜBNER, Verz. bek. Schmett., 248, 1816; PACKARD, C. 177.

3125. *albifrons* SMITH & ABBOT, Lep. Ins. Ga., ii, 159, 1797; PACKARD, C. 179. Atl. States, Rocky Mts.
a. albicosta HÜBNER, Eur. Schmett., Noct., f. 440, 1804.
b. suavis BARNES, Can. Ent., xxxiii, 53, 1901.
*3125. 1. *plagiata* WALKER, Cat. Brit. Mus., xxxii, 427, 1865; NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., ii, 173, 1894 (type lost). Can.

HIPPIA Möschler.

MÖSCHLER, Verh. zool.-bot. Ges. Wien, xxvii, 693, 1878; SCHAUER, Trans. Ent. Soc. Lond., 287, 1901.

3126. *packardii* MORRISON, Ann. Lyce. Nat. Hist. N. Y., Tex.
xi, 92, 1875; PACKARD, C. 183.

DASYLOPHIA Packard.

PACKARD, Proc. Ent. Soc. Phil., iii, 362, 1864; C. 172.

3127. *anguina* SMITH & ABBOT, Lep. Ins. Ga., 167, Atl. States,
1797; PACKARD, C. 174.

syn. *cucullifera* HERRICH-SCHAFFER, *punctata* WALKER, *cana* WALKER, *signata* WALKER.

- a. punctagorda* SLOSSON, Can. Ent., xxiv, 129,
1892.

- b. saturata* BARNES, Can. Ent., xxxiii, 53, 1901.

3128. *thyatiroides* WALKER, Trans. Ent. Soc. Lond., Atl.
(3), i, 79, 1862; PACKARD, C. 177.

syn. *interna* PACKARD, *tripartita* WALKER.

- *3129. *seriata* DRUCE, Biol. Cent. Am., Lep. Het., i,
235, 1887.

syn. *melanoptera* BARNES, Can. Ent., xxxiii, 54,
1901.

LITODONTA Harvey.

HARVEY, Can. Ent., viii, 5, 1876; PACKARD, C. 220.

3130. *hydromeli* HARVEY, Can. Ent., viii, 5, 1876;
PACKARD, C. 253.

- a. fusca* HARVEY, Can. Ent., viii, 110, 1876.

HETEROCAMPA Doubleday.

DOUBLEDAY, Entom., 97, 1841; PACKARD, C. 220.

- *3131. *lineata* DRUCE, Biol. Cent. Am., Lep. Het., i, pl.
25, f. 11, 1887.

Mex.,
Fla.?

3132. *astarte* DOUBLEDAY, Ent., 57, 1841; PACKARD, C.
247; SCHAUER, Trans. Ent. Soc. Lond., 302, 1901.

syn. *varia* WALKER, *mendis* HARRIS.

So.
States.

3133. *obliqua* PACKARD, Proc. Ent. Soc. Phil., iii, 368,
1864; C. 242.

No. Atl.
States.

- a. trouvelottii* PACKARD, Proc. Ent. Soc. Phil.,
iii, 368, 1864.

syn. *brunnea* GROTE & ROBINSON.

3134. *pieta* FELDER, Reise Nov., pl. 97, f. 19, 1874; So.
SCHAUS, Trans. Ent. Soc. Lond., 303, 1901. States.
- syn. *chapmani* GROTE, Bull. U. S. Geol. Surv. Terr., vi, 258, 1891; PACKARD, C. 251; *perolirata* PACKARD, Mem. Nat. Acad. Sci., vii, 246, 1895.
3135. *lunata* HY. EDWARDS, Pap., iv, 64, 1884; PACKARD, C. 248. Ariz., Mex.
- syn. *plumosa* HY. EDWARDS.
3136. *umbrata* WALKER, Cat. Brit. Mus., v, 1023, 1855; PACKARD, C. 249; SCHAUS, Trans. Ent. Soc. Lond., 302, 1901 (*pulvrea* sp. distinct). Atl. States.
- syn. *semiplaga* WALKER, *pulvrea* GROTE & ROBINSON, *athereo* HARRIS.
3137. *manteo* DOUBLEDAY, Ent., 58, 1841; PACKARD, C. 224; DYAR, Ent. News, iv, 262, 1893. At. States.
- syn. *cineraceens* WALKER, *subalbicans* GROTE.
3138. *subrotata* HARVEY, Bull. Buff. Soc., i, 263, 1874; PACKARD, C. 252. Tex.
- syn. *celtiphaga* HARVEY, *superba* HY. EDWARDS.
3139. *belfragei* GROTE, Can. Ent., xi, 209, 1879; PACKARD, C. 250. Tex.
3140. *biundata* WALKER, Cat. Brit. Mus., v, 1025, 1855; PACKARD, C. 235. At. States.
- syn. *olivatus* PACKARD, *mollis* WALKER.
3141. *guttivitta* WALKER, Cat. Brit. Mus., v, 992, 1855; PACKARD, C. 230. At. States.
- syn. *albiplagia* WALKER, *uncoreta* HERRICH-SCHAEFFER, *harrisii* PACKARD, *intedermittens* WALKER, *doubledayi* SCUDER, *cineratus* PACKARD.
3142. *bilineata* PACKARD, Proc. Ent. Soc. Phil., iii, 359, 1864; C. 218. At. States.
- syn. *turbida* WALKER, *associata* WALKER, *ulmi* HARRIS.
- MISOGADA Walker.
- WALKER, Cat. Brit. Mus., xxxii, 449, 1865; SCHAUS, Trans. Ent. Soc. Lond., 300, 1901.
3143. *unicolor* PACKARD, Proc. Ent. Soc. Phil., iii, 373, 1864; C. 254. At. States.
- syn. *marina* PACKARD, *cinerata* SCHAUS (not PACKARD), *sobria* WALKER.

EUHYPARPAX Beutenmüller.

BEUTENMÜLLER, Bull. Am. Mus. Nat. Hist., v, 19, 1893; PACKARD, C. 187.

- *3144. *rosea* BEUTENMÜLLER, Bull. Am. Mus. Nat. Hist., v, 19, 1893; PACKARD, C. 188. Col.

IANASSA Walker.

WALKER, Cat. Brit. Mus., v, 1101, 1855; PACKARD, C. 188; *Dicentria* HERRICH-SHAFFER, Ausser. Schmett., i, 11, 1855; SCHAUS, Trans. Ent. Soc. Lond., 296, 1901.

3145. *lignicolor* WALKER, Cat. Brit. Mus., v, 1101, 1855; PACKARD, C. 189.
syn. *virgata* PACKARD, *lignigera* WALKER.
3146. *coloradensis* HY. EDWARDS, Ent. Amer., i, 17, 1885; PACKARD, C. 210.
3147. *pallida* STRECKER, Lep. Rhop. Het., suppl. 2, 5, 1899.

SCHIZURA Doubleday.

DOUBLEDAY, Ent., 59, 1841; PACKARD, C. 192.

3148. *ipomoeæ* DOUBLEDAY, Ent., 59, 1841; PACKARD, C. 194.
syn. *biguttatus* PACKARD, *confusa* WALKER,
deurns WALKER, *corticea* WALKER, *compta*
WALKER, *nigrosignata* WALKER.
a. telifer GROTE, No. Am. Ent., 99, 1880.
b. cinereofrons PACKARD, Proc. Ent. Soc. Phil., iii, 366, 1864.
syn. *ustipennis* WALKER.
3149. *concinna* SMITH & ABBOT, Lep. Ins. Ga., ii, 169, 1797; PACKARD, C. 212.
syn. *nitida* PACKARD.
3150. *semirufescens* WALKER, Cat. Brit. Mus., xxxii, 450, 1865; SCHAUS, Trans. Ent. Soc. Lond., 296, 1901.
syn. *eximia* GROTE; PACKARD, C. 210.
a. perangulata HY. EDWARDS, Pap., ii, 125, 1882.
3151. *unicornis* SMITH & ABBOT, Lep. Ins. Ga., ii, 170, 1797; PACKARD, C. 203.
syn. *edmandsii* PACKARD, *humilis* WALKER,
conspecta HY. EDWARDS.
3152. *apicalis* GROTE & ROBINSON, Proc. Ent. Soc. Phil., vi, 15, 1886; PACKARD, C. 203.
3153. *badia* PACKARD, Proc. Ent. Soc. Phil., iii, 361, 1864; C. 208.
syn. *significata* WALKER.
3154. *leptinoides* GROTE, Proc. Ent. Soc. Phil., iii, 323, 1864; PACKARD, C. 199.
syn. *mustelina* PACKARD.

HYPARPAX Hübner.

- HÜBNER, Samml. exot. Schmett., ii, 1824; PACKARD, C. 184.
3155. *aurora* SMITH & ABBOT, Lep. Ins. Ga., ii, 173, 1797; PACKARD, C. 184. Atl. States.
syn. *rosea* WALKER, *venusta* WALKER.
3156. *venus* NEUMOEGEN, Can. Ent., xxiv, 226, 1892; PACKARD, C. 187. Col.
3157. *perophoroides* STRECKER, Proc. Acad. Nat. Sci. Phil., 152, 1876; PACKARD, C. 187. Fla.
syn. *aurostriata* GRAEF.
a. tyria SLOSSON, Ent. News, v, 198, 1894.
- *3158. *aonides* STRECKER, Lep. Rhop. Het., suppl. 2, 4, 1899. N. Mex.

CERURA Schrank.

- SCHRANK, Faun. Boica, ii, 155, 1802; PACKARD, C. 263; DYAR, Trans. Am. Ent. Soc., xxiv, 10, 1897.
3159. *scitiscripta* WALKER, Cat. Brit. Mus., xxxii, 408, 1865; PACKARD, C. 276. Atl. States, Mex.
a. multiscripta RILEY, Trans. St. Louis Acad. Sci., iii, 241, 1875.
b. candida LINTNER, Ent. Cont., iv, 57, 1878.
3160. *occidentalis* LINTNER, Ent. Cont., iv, 82, 1878; PACKARD, C. 268. Atl. States.

HARPYIA Ochsenheimer.

- OCHSENHEIMER, Schmett. Eur., iii, 19, 1810; DYAR, Trans. Am. Ent. Soc., xxiv, 10, 1897.
3161. *borealis* BOISDUVAL, in Guérin, Icon. Règ. An., pl. 88, f. 5, 1829; PACKARD, C. 264. Atl. States.
3162. *cineræa* WALKER, Cat. Brit. Mus., xxxii, 407, 1865; PACKARD, C. 273. U. S.
a. cinereoides DYAR, Can. Ent., xxii, 253, 1890.
b. placida DYAR, Psyche, vi, 291, 1892.
c. paradoxa BEHR, Bull. Cal. Acad. Sci., 64, 1885.
3163. *nivea* NEUMOEGEN, Can. Ent., xxiii, 124, 1891; PACKARD, C. 273. Ariz., Mont.
a. meridionalis DYAR, Psyche, vi, 291, 1892; KUNZÉ, Jn. N. Y. Ent. Soc., vi, 188, 1898.
3164. *scolopendrina* BOISDUVAL, Ann. Soc. Ent. Belg., xii, 86, 1870; PACKARD, C. 270. No. U. S.
syn. *aqüilonaris* LINTNER.
a. modesta HUDSON, Can. Ent., xxiii, 197, 1891.
b. albicoma STRECKER, Proc. Acad. Nat. Sci. Phil., 284, 1884.

FENTONIA Butler.

BUTLER, Trans. Ent. Soc. Lond., 20, 1881; DYAR, Trans. Am. Ent. Soc., xxiv, 10, 1897.

3165. *marthesia* CRAMER, Pap. Exot., pl. 98, f. A, 1779; PACKARD, C. 257. Atl. States.
syn. tesella PACKARD, *turbida* WALKER.
a. elongata GROTE, Trans. Am. Ent. Soc., i, 182, 1867.
syn. dorothaea DYAR, Can. Ent., xxviii, 176, 1896.

GLUPHISIA Boisduval.

BOISDUVAL, Ind. Méth., 88, 1840; PACKARD, C. 89.

3166. *septentrionalis* WALKER, Cat. Brit. Mus., v, 1038, 1855; PACKARD, C. 90. U. S.
syn. clandestina WALKER, *trilineata* PACKARD.
a. ridenda HY. EDWARDS, Ent. Amer., ii, 11, 1886; PACKARD, C. 93.
b. quinquelineata DYAR, Ent. News, iii, 158, 1892.
3167. *wrightii* HY. EDWARDS, Ent. Amer., ii, 11, 1886; PACKARD, C. 93. S.-W. U. S.
syn. albofascia HY. EDWARDS.
a. rupta HY. EDWARDS, Ent. Amer., ii, 12, 1886.
b. formosa HY. EDWARDS, Ent. Amer., ii, 12, 1886.

3168. *severa* HY. EDWARDS, Ent. Amer., ii, 167, 1886; PACKARD, C. 96. No. U. S.
a. danbyi NEUMOEGEN, Can. Ent., xxiv, 225, 1892.
b. avimacula HUDSON, Ent. News, ii, 155, 1891.
c. slossonii PACKARD, Mem. Nat. Acad. Sci., vii, 97, 1895.

3169. *lintneri* GROTE, Can. Ent., ix, 85, 1877; PACKARD, C. 96. No. Atl. States.

ELLIDA Grote.

GROTE, Can. Ent., viii, 125, 1876; PACKARD, C. 168.

3170. *caniplaga* WALKER, Cat. Brit. Mus., ix, 1856; PACKARD, C. 169. Atl. States.
syn. transversata WALKER, *gelida* GROTE.

HEMICERAS Guenée.

GUENÉE, Spec. Gén., vii, 379, 1852; SCHAUS, Trans. Ent. Soc. Lond., 333, 1901.

3171. *cadmia* GUENÉE, Spec. Gén., vii, 383, 1852; SMITH, Bull. 44, U. S. Nat. Mus., 260, 1893. So. States.
syn. obliquilineata WALKER.

CARGIDA Schaus.

SCHAUS, Trans. Ent. Soc. Lond., 267, 1901.

- *3172. *pyrrha* DRUCE, Biol. Cent. Am., Lep. Het., ii, 459, 1898. Ariz., Mex.

CRINODES Herrich-Schaeffer.

HERRICH-SCHAEFFER, Ausser. Schmett., i, 11, 1855; SCHAUS, Trans. Ent. Soc. Lond., 276, 1901.

- *3172. 1. *beskei* HÜBNER, Samml. exot. Schmett., ii, 1824; SCHAUS, Trans. Ent. Soc. Lond., 276, 1901. Ariz., Mex.

Family THYATIRIDÆ.

(C.=SMITH, Bull. 44, U. S. Nat. Mus., 27-29, 1893.)

HABROSYNE Hübner.

HÜBNER, Verz. bek. Schmett., 236, 1816; HAMPSON, Moths Ind., i, 178, 1892.

3173. *scripta* GOSSE, Can. Nat., 249, 1840; SMITH, C. 27; DYAR, Can. Ent., xxvii, 129, 1895. No. Atl. States.

- *3174. *chatfeldii* GROTE, Abhl. natur. Ver. Brem., xiv, 10, 1895. No. Pac. States.

3175. *rectangulata* OTTOLENGUI, Ent. News, viii, 25, 1897; WINN, Ent. News, viii, 99, 1897. Atl. States, Rocky Mts.

PSEUDOTHYATIRA Grote.

GROTE, Proc. Ent. Soc. Phil., iii, 539, 1865; SMITH, C. 28.

3176. *cymatophorooides* GUENÉE, Spec. Gén., v, 13, 1852; SMITH, C. 25. Atl. States.

3177. *expultrix* GROTE, Proc. Ent. Soc. Phil., ii, 58, 1863; SMITH, C. 28. Atl. States.

THYATIRA Hübner.

HÜBNER, Verz. bek. Schmett., 236, 1816.

3178. *mexicana* HY. EDWARDS, Pap., iv, 16, 1884. Ariz., Mex.
syn. *superba* BARNES, Can. Ent., xxviii, 55, 1901.

EUTHYATIRA Smith.

SMITH, List. Lep. Bor. Am., 34, 1891; C. 27.

3179. *lorata* GROTE, Pap., i, 75, 1881; SMITH, C. 27. No. Pac. States.

3180. *pudens* GUENÉE, Spec. Gén., v, 13, 1852; SMITH, C. 29; DYAR, Can. Ent., xxvii, 129, 1895. No. Atl. States.

a. anticostiensis GROTE, Can. Ent., xviii, 215, note, 1886.

b. pennsylvanica SMITH, Jn. N. Y. Ent. Soc., x, 34, 1902.

3181. *semicircularis* GROTE, Pap., i, 75, 1881; SMITH, C. 29.
No. Pac. States.
- *3182. *candida* SMITH, Ent. Amer., vi, 179, 1890; C. 29.
Fla.
- *3183. *tema* STRECKER, Lep. Rhop. Het., suppl. 1, 5,
1898.
No. Pac. States.

BOMBYCIA Hübner.

HÜBNER, Tent., 1, 1816; SMITH, C. 29; DYAR, Can. Ent., xxvii, 129, 1895.

- *3184. *improvisa* HY. EDWARDS, Proc. Cal. Acad. Sci., v, 189, 1873; SMITH, C. 29.
Pac. States.
syn. *tearlii* HY. EDWARDS.

Family LIPARHIDÆ.

(C.=NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., ii, 28-30, 57-60, 1894.)

GYNÆPHORA Hübner.

HÜBNER, Verz. bek. Schmett., 161, 1822; DYAR, Can. Ent., xxix, 15, 1897.

3185. *rossii* CURTIS, Ross Second Voyage, app., 70,
1835; NEUMOEGEN & DYAR, C. 59.
Arctic Am.
3186. *grønlandica* HOMEYER, Zweite deut. Nordp.-
Fahrt, ii, 469, 1874; NEUMOEGEN & DYAR, C. 59.
Arctic Am.

NOTOLOPHUS Germar.

GERMAR, Syst. Gloss. Prod., 35, 1812; NEUMOEGEN & DYAR, C. 28.

3187. *antiqua* LINNÆUS, Syst. Nat., i, 503, 1758; NEU-
MOEGEN & DYAR, C. 28.
No. U. S., Eur.
syn. *nora* FITCH.
a. badia HY. EDWARDS, Proc. Cal. Acad. Sci., v,
188, 1874; NEUMOEGEN & DYAR, C. 29.
Col.
- *3188. *oslari* BARNES, Can. Ent., xxxii, 45, 1900.
syn. *lilaea* STRECKER, Lep. Rhop. Het.,
suppl. 3, 29, 1900.

HEMEROCAMPA Dyar.

DYAR, Can. Ent., xxix, 15, 1897.

3189. *vetusta* BOISDUVAL, Ann. Soc. Ent. Fr., x, 322,
1852; NEUMOEGEN & DYAR, C. 29.
a. cana HY. EDWARDS, Pap., i, 61, 1881.
b. gulosa HY. EDWARDS, Pap., i, 61, 1881.
Cal.
3190. *leucostigma* SMITH & ABBOT, Lep. Ins. Gal., ii,
pl. 79, 1797; NEUMOEGEN & DYAR, C. 30.
Atl. States.
syn. *leucographa* GEYER, *intermedia* FITCH,
borealis FITCH, *obliviosa* HY. EDWARDS.

3191. *inornata* BEUTENMÜLLER, Psyche, v, 300, 1890; Atl.
NEUMOEGEN & DYAR, C. 30; DYAR, Psyche, ix, States.
143, 1900.
syn. *falcata* SCHAUS, Jn. N. Y. Ent. Soc., iv,
153, 1896; DRUCE, Biol. Cent. Am., Lep.
Hct., ii, 411, pl. 79, f. 7, 1897.

3192. *definita* PACKARD, Proc. Ent. Soc. Phil., iii, 332, Atl.
1864; NEUMOEGEN & DYAR, C. 29. States.

OLENE Hübner.

HÜBNER, Zutr. exot. Schmett., ii, 19, 1823; NEUMOEGEN & DYAR, C. 30.

3193. *achatina* SMITH & ABBOT, Lep. Ins. Ga., ii, pl. 77, Atl.
1797; NEUMOEGEN & DYAR, C. 57. States.
syn. *parallelia* GROTE & ROBINSON.

a. tephra HÜBNER, Samml. exot. Schmett., i,
1805; NEUMOEGEN & DYAR, C. 57.

syn. *obliquata* GROTE & ROBINSON.

b. cinnamomea GROTE & ROBINSON, Proc. Ent.
Soc. Phil., vi, 6, 1866.

3194. *leucophæa* SMITH & ABBOT, Lep. Ins. Ga., ii, Atl.
pl. 78, 1797; NEUMOEGEN & DYAR, C. 57. States.

a. basiflava PACKARD, Proc. Ent. Soc. Phil., iii,
332, 1864.

b. atrivenosa PALM, Jn. N. Y. Ent. Soc., i, 21,
1893.

c. manto STRECKER, Lep. Rhop. Hct., suppl. 3,
29, 1900.

3195. *plagiata* WALKER, Cat. Brit. Mus., iv, 199, 1855; Atl.
NEUMOEGEN & DYAR, C. 58. States.

syn. *atomaria* WALKER, *clintonii* GROTE &
ROBINSON.

PORHETRIA Hübner.

HÜBNER, Verz. bek. Schmett., 160, 1822; NEUMOEGEN & DYAR, C. 58.

3196. *dispar* LINNÆUS, Syst. Nat., i, 501, 1758; FER- Mass.,
NALD, Gypsy Moth, 257, 1896. Eur.

EUPROCTIS Hübner.

HÜBNER, Verz. bek. Schmett., 159, 1822; KIRBY, Cat. Lep. Hct., i, 442, 1892; DYAR,
Can. Ent., xxix, 16, 1897.

3197. *chrysorrhœa* LINNÆUS, Syst. Nat., 502, 1758; Mass.,
KIRBY, Cat. Lep. Hct., i, 442, 1892; FERNALD & Eur.
KIRKLAND, Brown Tail Moth, Sp. Bull. Mass.
Agr. Coll., 1897.

DOA Neumoegen & Dyar.

NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., ii, 171, 1894.

3198. **ampla** GROTE, Can. Ent., x, 232, 1878; NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., i, 155, 1893. Ariz., Col.

LEUCULODES Dyar.

Leucula HULST (not GUENÉE), Trans. Am. Ent. Soc., xxiii, 317, 1896.

3199. **lacteolaria** HULST, Ent. Amer., ii, 51, 120, 1887. Ariz.

Family LASIOCAMPIDÆ.

(C.=NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., ii, 152-160, 1894.)

GLOVERIA Packard.

PACKARD, Rep. Peab. Acad., iv, 89, 1872; NEUMOEGEN & DYAR, C. 159.

3200. **dolores** NEUMOEGEN & DYAR, Ent. News, iv, 290, 1893; C. 159. Col.

3201. **arizonensis** PACKARD, Rep. Peab. Acad., iv, 90, 1872; NEUMOEGEN & DYAR, C. 159. Ariz.
syn. *dentata* HY. EDWARDS.

3202. **medusa** STRECKER, Ent. News, ix, 13, 1898. Cal.

- *3203. **gargamella** STRECKER, Proc. Acad. Nat. Sci. Phil., 286, 1884; NEUMOEGEN & DYAR, C. 159. Ariz.

3204. **psidii** SALLÉ, Ann. Soc. Ent. Fr., (2), v, 16, 1857; KIRBY, Cat. Lep. Het., 834, 1892. Ariz., Mex.

3205. **diazoma** GROTE, Pap., i, 175, 1881; NEUMOEGEN & DYAR, C. 159. Ariz.

3206. **howardi** DYAR, Jn. N. Y. Ent. Soc., iv, 22, 1896. Ariz.

ARTACE Walker.

WALKER, Cat. Brit. Mus., vi, 1491, 1855.

3207. **punctistriga** WALKER, Cat. Brit. Mus., vi, 1491, 1855; NEUMOEGEN & DYAR, C. 157. So. Atl. States.
syn. *rubripalpis* FELDER.

TOLYPE Hübner.

HÜBNER, Verz. bek. Schmett., 189, 1822; NEUMOEGEN & DYAR, C. 157.

3208. **velleda** STOLL, Suppl. Cram. Pap. Exot., pl. lii, f. 4, 1791; NEUMOEGEN & DYAR, C. 158. Atl. States.

3209. **glenwoodi** BARNES, Can. Ent., xxiii, 47, 1900. Col.

3210. *distincta* FRENCH, Can. Ent., xxii, 45, 1890; NEUMOEGEN & DYAR, C. 158. Col.
 3211. *laricis* FITCH, Second Report Ins. N. Y., 262, 1856; NEUMOEGEN & DYAR, C. 158. Atl. States.
 syn. *minuta* GROTE.
3212. *brevicrista* DYAR, Can. Ent., xxviii, 246, 1895. N. Mex.

HYPOPACHA Neumoegen & Dyar.

NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., i, 29, 1893.

- *3213. *grisea* NEUMOEGEN, Pap., ii, 134, 1882; NEUMOEGEN & DYAR, C. 157. Ariz.

MALACOSOMA Hübner.

HÜBNER, Verz. bek. Schmett., 192, 1822; KIRBY, Cat. Lep. Het., i, 819, 1892; DYAR, Can. Ent., xxx, 6, 1898.

3214. *americana* FABRICIUS, Syst. Ent., iii, 433, 1793; NEUMOEGEN & DYAR, C. 155. Atl. States.
 syn. *decipiens* WALKER, frutetorum Bois-DUVAL.

3215. *fragilis* STRETCH, Pap., i, 64, 1881; NEUMOEGEN & DYAR, C. 155. Rocky Mts. to Cal.
 a. *incurva* HY. EDWARDS, Pap., ii, 125, 1882.
 syn. *discolorata* NEUMOEGEN.
 b. *mus* NEUMOEGEN, Can. Ent., xxv, 4, 1893.
 c. *constrictina* NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., i, 30, 1893.
 syn. *lutescens* NEUMOEGEN & DYAR.
 d. *perlutea* NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., i, 31, 1893.

3216. *pluvialis* DYAR, Can. Ent., xxv, 42, 1893; NEUMOEGEN & DYAR, C. 156. No. Pac. States.

3217. *ambisimilis* DYAR, Can. Ent., xxv, 40, 1893; NEUMOEGEN & DYAR, C. 156. Cal.

3218. *californica* PACKARD, Proc. Ent. Soc. Phil., iii, 357, 1864; NEUMOEGEN & DYAR, C. 156. Cal.
 syn. *pseudoneustria* BOISDUVAL.

3219. *constricta* STRETCH, Pap., i, 65, 1881; NEUMOEGEN & DYAR, C. 157. Cal.
 syn. *californica* WALKER (not PACKARD).
 a. *strigosa* STRETCH, Pap., i, 67, 1881.

3220. *tigris* DYAR, Proc. Ent. Soc. Wash., v, 38, 1902. Rocky Mts.
3221. *disstria* HÜBNER, Verz. bek. Schmett., 122, 1822; U. S.
NEUMOEGEN & DYAR, C. 154.
syn. *drupacearum* BOISDUVAL.
a. sylvatica HARRIS, Rep. Ins. Mass., 271, 1841.
b. thoracicoides NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., i, 30, 1893.
c. erosa STRETCH, Pap., i, 64, 1881.
d. sylvaticoides NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., i, 30, 1893.
e. thoracica STRETCH, Pap., i, 68, 1881.
f. perversa NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., i, 30, 1893.

HETEROPACHA Harvey.

HARVEY, Bull. Buff. Soc. Nat. Sci., i, 262, 1874; NEUMOEGEN & DYAR, C. 153.

3222. *rileyana* HARVEY, Bull. Buff. Soc. Nat. Sci., i, 262, 1874; Miss.
NEUMOEGEN & DYAR, C. 154. Vall.

EPICNAPTERA Rambur.

RAMBUR, Cat. Lep. And., 344, 1866; NEUMOEGEN & DYAR, C. 152.

3223. *americana* HARRIS, Rep. Ins. Mass., 273, 1841; U. S.
NEUMOEGEN & DYAR, C. 153.
syn. *occidentis* WALKER, *carpinifolia* BOIS-DUVAL.
a. ferruginea PACKARD, Proc. Ent. Soc. Phil., iii, 386, 1864; NEUMOEGEN & DYAR, C. 153.
b. roseata STRETCH, Zyg. Bomb. N. A., pl. 4, f. 12, 1872.
syn. *wildei* STRETCH.
c. californica PACKARD, Rep. Peab. Acad., iv, 91, 1872.
d. dyari RIVERS, Can. Ent., xxv, 144, 1893.

Family BOMBYCIDÆ.

BOMBYX Linnaeus.

LINNAEUS, Syst. Nat., i, 499, 1758.

3224. *mori* LINNÆUS, Syst. Nat., i, 499, 1758; NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., ii, 118, 1894. (Cultivated.)

Family PLATYPTERYGIDÆ.

(C. = NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., ii, 61-62, 1894.)

EUDEILINEA Packard.

PACKARD, Rept. Peab. Acad., v, 68, 1873; NEUMOEGEN & DYAR, C. 61.

3225. *herminiata* GUENÉE, Spec. Gén., x, 58, 1857; NEUMOEGEN & DYAR, C. 61. Atl. States.
a. biseriata PACKARD, Fifth Rept. Peab. Acad. Sci., 68, 1873.

ORETA Walker.

WALKER, Cat. Brit. Mus., v, 1116, 1855; NEUMOEGEN & DYAR, C. 61.

3226. *rosea* WALKER, Cat. Brit. Mus., v, 1164, 1855; NEUMOEGEN & DYAR, C. 61. Atl. States.
 syn. *americana* HERRICH-SCHAEFFER, formula GROTE.
a. marginata WALKER, Cat. Brit. Mus., v, 1165, 1855.
 3227. *irrorata* PACKARD, Proc. Ent. Soc. Phil., iii, 377, 1864; NEUMOEGEN & DYAR, C. 61. Atl. States.
 *3228. *adona* STRECKER, Lep. Rhop. Het., suppl. 3, 30, 1900. Fla.

DREPANA Schrank.

SCHRANK, Fauna Boica, ii, (2), 155, 1802; KIRBY, Cat. Lep. Het., i, 730, 1892.

3229. *arcuata* WALKER, Cat. Brit. Mus., v, 1164, 1855; NEUMOEGEN & DYAR, C. 62. Atl. States.
 syn. *fibula* GROTE.
a. genicula GROTE, Proc. Acad. Nat. Sci. Phila., 59, 1862; NEUMOEGEN & DYAR, C. 62.
 3230. *sieulifer* PACKARD, Rept. Peab. Acad., iv, 87, 1872; NEUMOEGEN & DYAR, C. 62. No. Pac. States.

FALCARIA Haworth.

HAWORTH, Lep. Brit., ii, 147, 1809; NEUMOEGEN & DYAR, C. 62.

3231. *bilineata* PACKARD, Proc. Ent. Soc. Phil., iii, 376, 1864; NEUMOEGEN & DYAR, C. 62. Atl. States.
a. levis HUDSON, Can. Ent., xxv, 24, 1893.

Family GEOMETRIDÆ.

By GEORGE D. HULST.

(C.=PACKARD, Mon. Geom., Rept. U. S. Geol. Surv. Terr., Hayden, x, 1876.)

Subfamily DYSPTERIDINÆ.

DYSPTERIS Hübner.

HÜBNER, Verz. bek. Schmett., 286, 1818; HERRICH-SCHAFFER, Auss. Schmett., i, 27, 1854; GUENÉE, Spec. Gén., ix, 361, 1857; PACKARD, C. 368; HULST, Trans. Am. Ent. Soc., xxiii, 250, 1896.

3232. *abortivaria* HERRICH - SCHAEFFER, Auss. Schmett., f. 346, 1855; PACKARD, C. 368; FRENCH, Trans. Dept. Agr. Ill., xv, 238, 1877. Atl. States.

CYSTEOPTERYX Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 250, 1896.

- *3233. *viridata* PACKARD, Fifth Rept. Peab. Acad. Sci., 56, 1873; C. 182. Atl. States.

NYCTOBIA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 251, 1896.

3234. *limitata* WALKER, Cat. Brit. Mus., xxi, 487, 1860; PACKARD, C. 457; HULST, Ent. News, vi, 43, 1895. Atl. States.

syn. *lobophorata* WALKER, Cat. Brit. Mus., xxv, 1347, 1862; *vernata* PACKARD, Fifth Rept. Peab. Acad. Sci., 57, 1873; C. 183; GROTE, Can. Ent., ix, 27, 1877.

3235. *fusifasciata* WALKER, Cat. Brit. Mus., xxv, 1258, 1862; HULST, Ent. News, vi, 43, 1895. Atl. States.

syn. *longipennis* WALKER, Cat. Brit. Mus., xxxv, 1671, 1866; GROTE & ROBINSON, Trans. Am. Ent. Soc., ii, 82, 1868; *angulilineata* GROTE, Ann. Lyc. Nat. Hist. N. Y., viii, pl. 15A, f. 16, 1867; PACKARD, C. 184.

- *3236. *nigroangulata* STRECKER, Lep. Rhop. Het., suppl. 2, 10, 1899. Pac. States.

CLADORA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 251, 1896.

3237. *atroliturata* WALKER, Cat. Brit. Mus., xxv, 1710, 1862; GROTE & ROBINSON, Tr. Am. Ent. Soc., ii, 83, 1868; HULST, Ent. News, vi, 43, 1895. Atl. States.

syn. *geminata* GROTE & ROBINSON, Proc. Ent. Soc. Phil., vi, 29, 1866; PACKARD, C. 184.

OPHEROPTERA Hübner.

HÜBNER, Verz. bek. Schmett., 321, 1818; PACKARD, C. 197; HULST, Trans. Am. Ent. Soc., xxiii, 151, 1896; *Cheimatobia* STEPHENS, Nom. Brit. Ins., 44, 1829; WESTWOOD & HUMPHREYS, Brit. Moths, ii, 57, 1849.

3238. *boreata* HÜBNER, Schm. Eur., f. 414, 1820; PACKARD, C. 198; DIMMOCK, Psyche, iv, 243, 1885; HULST, Tr. Am. Ent. Soc., xxiii, 252, 1896; HOFMANN, Gross, Sch. Eur., 199, 1894; KIRBY, Eur. Butt., 388, 1882. Arctic
No. Am.,
Eur.

PARAPTERA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 252, 1896.

- *3239. *danbyi* HULST, Trans. Am. Ent. Soc., xxiii, 252, 1896. No. Pac. States.

RACHELA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 253, 1896.

3240. *bruceata* HULST, Ent. Amer., ii, 123, 1886. No. Atl. States.

3241. *hyperborea* HULST, Trans. Am. Ent. Soc., xxiii, 254, 1896. Alaska.

3242. *occidentalis* HULST, Trans. Am. Ent. Soc., xxiii, 254, 1896. No. Pac. States.

- *3243. *latipennis* HULST, Trans. Am. Ent. Soc., xxiii, 254, 1896. Cal.

Subfamily HYDRIOMENINAE.

PALEACRITA Riley.

RILEY, Trans. Acad. Sci. St. Louis, iii, 273, 1875; HULST, Trans. Am. Ent. Soc., xxiii, 257, 1896.

- *3244. *longiciliata* HULST, Can. Ent., xxx, 113, 1898. Cal.

3245. *vernata* PECK, Mass. Mag., 323, 415, 1795; PACKARD, C. 402; RILEY, Rep. Ins. Mo., i, 109; ii, 94; vi, 28; vii, 80; viii, 13, 1874; SAUNDERS, Ins. Inj. Fr., 61, 1883; PACKARD, Bull. U. S. Ent. Comm., vii, 61, 1882; RILEY, Rept. U. S. Ent. Comm., iii, 157, 170, 1882; FRENCH, Ill. Rept., vii, 110, 239, 1877; HULST, Ent. Amer., iv, 51, 1888.

syn. *sericeifera* WALKER, Cat. Brit. Mus., xxv, 1697, 1862; PACKARD, C. 454; HULST, Ent. News, vi, 42, 1895; *autumnata* PACKARD, C. 400.

a. merricata DYAR (dark gray, the discal dot large, white, dark edged; other markings broken and reduced).

- *3246. *speciosa* HULST, Can. Ent., xxx, 113, 1898. Col.

ALSOPHILA Hübner.

HÜBNER, Verz. bek. Schmett., 320, 1818; STEPHENS, Cat. Brit. Lep., 160, 1850; HULST, Trans. Am. Ent. Soc., xxiii, 257, 1896; *Anisopteryx*, STEPHENS, Cat. 116, 1829; PACKARD, C. 309; KIRBY, Ent. Butt., 356, 1881; HOFMANN, Gr. Schm. Eur., 146, 1894.

3247. *pometaria* HARRIS, Inj. Ins. Mass., 333, 1841; RILEY, Rept. Ins. Mo., ii, 97; vi, 29; vii, 80; viii, 13, 1874; PACKARD, Guide Stud. Ins., 324, 1869; C. 402; MANN, Can. Ent., viii, 164, 1876; JAEGER, N. A. Ins., 175, 1871; SAUNDERS, Ins. Inj. Fr., 65, 1883; RILEY, Rept. U. S. Ent. Comm., iii, 150, 1882; FRENCH, Ill. Rept., vii, 238, 1877; HULST, Ent. Amer., iv, 56, 1888; Ent. News, vi, 42, 1895; HINDS, Can. Ent., xxxiii, 185, 1901; DYAR, Psyche, ix, 262, 1901.
syn. *restituta* WALKER, Cat. Brit. Mus., xxv, 1697, 1862.

EUDULE Hübner.

HÜBNER, Zutr. exot. Schmett., ii, 14, 1825; NEUMOEGEN & DYAR, Jr. N. Y. Ent. Soc., i, 118, 1893; HULST, Trans. Am. Ent. Soc., xxiii, 157, 1896; *Ameria* WALKER, Cat. Brit. Mus., ii, 554, 1854; *Euphanessa* PACKARD, Proc. Ent. Soc. Phil., iii, 102 1864.

3248. *mendica* WALKER, Cat. Brit. Mus., ii, 576, 1854; PACKARD, Proc. Ent. Soc. Phil., iii, 102, 1864; C. 33; SAUNDERS, Can. Ent., iii, 227, 1871; CLEMENS, Proc. Ent. Soc. Phil., i, 543, 1860; RILEY, Rept. Ins. Mo., ix, 6, 1877; Ent. Amer., i, 170, 1885; SMITH, Ent. Amer., i, 179, 1885; BUTLER, Trans. Ent. Soc. Lond., 371, 1877; HULST, Ent. Amer., i, 167, 1885, ii, 221, 1887; STRETCH, Zyg. Bomb. N. A., 53, 1872; LUOCK, Can. Ent., xxx, 248, 1898; DYAR, Psyche, ix, 189, 1901.
syn. *biseriata* HERRICH-SCHAFFER, Auss. Schm., f. 441, 1858.

3249. *meridiana* SLOSSON, Ent. Amer., v, 7, 1889. So. Atl. States.

- *3250. *hyalina* HULST, Can. Ent., xxx, 114, 1898. Ariz.

3251. *unicolor* ROBINSON, Ann. N. Y. Lyc. Nat. Hist., ix, 153, 1869; NEUMOEGEN & DYAR, Jr. N. Y. Ent. Soc., i, 118, 1893. Tex., Col., Ariz.

EUCESTIA Hübner.

HÜBNER, Verz. bek. Schmett., 322, 1818; MEYRICK, Trans. Ent. Soc. Lond., 69, 1892; HULST, Trans. Am. Ent. Soc., xxiii, 259, 1896; *Lithostege* HÜBNER, Verz. bek. Schmett., 337, 1818; *Apoloeca* STEPHENS, Cat. 141, 1829; *Anaitis* DUPONCHEL, Hist. Nat., viii, 350, 1829; *Chesias* DUPONCHEL, Hist. Nat., viii, 497, 1829; HOFMANN, Gr. Schm. Eur., 197, 1894.

- *3252. *rotundata* PACKARD, Sixth Rept. Peab. Acad. Sci., 39, 1874; C. 196. Cal., Ariz.
a. arizonata GROTE, Can. Ent., xv, 126, 1883.

PHILOPSIA Hulst.

- HULST, Trans. Am. Ent. Soc., xxiii, 259, 1896.
 3253. *nivigerata* WALKER, Cat. Brit. Mus., xxiv, 1259, 1862; PACKARD, C. 185; HULST, Ent. News, vi, 43, 1895.
 syn. *inæqualiata* PACKARD, C. 180.

AGIA Hulst.

- HULST, Trans. Am. Ent. Soc., xxiii, 159, 1896.
 *3254. *eborata* HULST, Trans. Am. Ent. Soc., xxiii, 260, 1896.

U. S.
Atl. States.

TALLEDEGA Hulst.

- HULST, Trans. Am. Ent. Soc., xxiii, 260, 1896.
 3255. *montanata* PACKARD, Sixth Rept. Peab. Acad. Sci., 40, 1874; C. 181.
 syn. *nocticolata* HULST, Bull. Brook. Ent. Soc., iv, 26, 1881.
 3256. *tabulata* HULST, Trans. Am. Ent. Soc., xxiii, 26, 1896.

No.
U. S.N.-W.
U. S.

SCELIDACANTHA Hulst.

- HULST, Trans. Am. Ent. Soc., xxiii, 261, 1896.
 3257. *triseriata* PACKARD, Sixth Rept. Peab. Acad. Sci., 39, 1874; C. 195.
 3258. *virginata* GRAEF, Bull. Brook. Ent. Soc., iii, 96, 1880.

Col.

Col., Ariz.,
Cal.

CARSIA Hübner.

HÜBNER, Verz. bek. Schmett., 336, 1818; GUENÉE, Spec. Gén., ix, 493, 1857; MEYRICK, Trans. Ent. Soc. Lond., 69, 1892; HULST, Trans. Am. Ent. Soc., xxiii, 261, 1896; *Larissa* CURTIS, Brit. Ent., vii, 324, 1830; *Celma* STEPHENS, Ill. Brit. Ent., Haust., iii, 242, 1831.

3259. *paludata* THUNBERG, Mus. Acad. Nat., 76, 1788;
 PACKARD, C. 186; MÖSCHLER, Verh. zool.-bot. Ges. Wien, 301, 1884; HOFMANN, Gr. Schm. Eur., 197, 1894.
 syn. *sororata* HÜBNER, *sororaria* HERRICH-SCHAFFER, *primaria* EVERSMANN, Bull. Mosc., ii, 639, 1851; *boreata* PACKARD, *alpinata* PACKARD.
a. imbutata HÜBNER, Schm. Eur., pl. 68, f. 405, 1796; PACKARD, C. 186; WESTWOOD & HUMPHREYS, Brit. Moths, ii, 43, 1849.

Arctic
Am.,
Eur.

NANNIA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 262, 1896.

3260. *refusata* WALKER, Cat. Brit. Mus., xxiii, 891, 1861; HULST, Ent. News, vi, 43, 1895. No. Atl. States.
syn. *harreiata* PACKARD, C. 193.

- *3261. *morensata* HULST, Trans. Am. Ent. Soc., xxiii, 262, 1896. Miss. Vall.

HETEROPHLEPS Herrich-Schaeffer.

HERRICH-SCHAEFFER, Ausser. Schmett., 62, 1854; PACKARD, C. 192.

3262. *triguttaria* HERRICH - SCHAEFFER; Ausser. Schmett., f. 202, 1854; PACKARD, C. 193. U. S.
syn. *quadrinotata* WALKER, Cat. Brit. Mus., xxvi, 1759, 1862; HULST, Ent. News, vi, 105, 1895; SCHAUS, Proc. Zool. Soc. Lond., 647, 1896; *hexaspilata* WALKER, Cat. Brit. Mus., xxxv, 1653, 1866; HULST, Ent. News, vi, 42, 1895.

CHLOROCYSTIS Hübner.

HÜBNER, Verz. bek. Schmett., 323, 1818; MEYRICK, Trans. Ent. Soc. Lond., 65, 1892;
HULST, Trans. Am. Ent. Soc., xxiii, 263, 1896.

- *3263. *inconspicua* HULST, Trans. Am. Ent. Soc., xxiii, 264, 1896. Cal.

GYMNOCELIS Mabille.

MABILLE, Ann. Soc. Ent. Fr., 77, 1869; MEYRICK, Trans. Ent. Soc. Lond., 65, 1892;
HULST, Trans. Am. Ent. Soc., xxiii, 264, 1896.

- *3264. *inferior* HULST, Trans. Am. Ent. Soc., xxiii, 264, 1896. Cal.

- *3265. *gypsata* GROTE, Can. Ent., xiv, 188, 1882. Ariz.

3266. *desperata* HULST, Trans. Am. Ent. Soc., xxiii, 264, 1896. Tex.

3267. *minuta* HULST, Trans. Am. Ent. Soc., xxiii, 265, 1896. So. Cal.

TEPHROCYSTIS Hübner.

HÜBNER, Verz. bek. Schmett., 323, 1818; MEYRICK, Trans. Ent. Soc. Lond., 65, 1892;
HULST, Trans. Am. Ent. Soc., xxiii, 265, 1896; *Dyscymatoge* HÜBNER, *Tarachia* HÜBNER, *Areyonia* HÜBNER, *Leucocora* HÜBNER, *Eupithecia* CURTIS, Brit. Ent., ii, 64, 1825; PACKARD, C. 47; v. GUMPPENBERG, Nov. Act. Halle, lii, 153, 1888; MEYRICK, Trans. Ent. Soc. Lond., 192, 1892; *Nyeterosea* HULST, Trans. Am. Ent. Soc., xxiii, 263, 1896.

- *3268. *misturata* HULST, Trans. Am. Ent. Soc., xxiii, 266, 1896. U. S.

3269. *nebulosa* HULST, Trans. Am. Ent. Soc., xxiii, 266, 1896. Atl. States.
- *3270. *scriptaria* HERRICH-SCHAEFFER, Schm. Eur., iii, 121, 1847; GUENÉE, Spec. Gén., ix, 312, 1857; MÖSCHLER, Stett. ent. Zeit., 122, 1883; v. GUMPPENBERG, Nov. Act. Halle, iii, 180, 1888; HOFMANN, Gross. Schm. Eur., 215, 1894. Lab.
3271. *implicata* WALKER, Cat. Brit. Mus., xxiv, 1241, 1862; PACKARD, C. 64; HULST, Ent. Amer., iii, 114, 1887; Ent. News, vi, 70, 1895. N.-E., U. S.
3272. *luteata* PACKARD, Proc. Bost. Soc. Nat. Hist., xi, 46, 1867; C. 57; v. GUMPPENBERG, Nov. Act. Halle, iii, 252, 1888. No. Atl. States.
- syn. *pallidula* PACKARD, Fifth Report Peab. Acad. Sci., 58, 1873; C. 57.
- *3273. *hyperboreata* STAUDINGER, Stett. ent. Zeit., 400, 1861; v. GUMPPENBERG, Nov. Act. Halle, iii, 187, 1888. Greenl.
- *3274. *edna* HULST, Trans. Am. Ent. Soc., xxiii, 266, 1896. Col.
- *3275. *subcolorata* HULST, Can. Ent., xxx, 114, 1898. Ariz.
3276. *ornata* HULST, Trans. Am. Ent. Soc., xxiii, 267, 1896. Rocky Mts., No. Cal.
3277. *miserulata* GROTE, Proc. Ent. Soc. Phil., ii, 32, 1863; PACKARD, C. 52; Bull. U. S. Ent. Comm., vii, 248, 1881; COQUILLET, Pap., i, 56, 1881; RILEY, Ins. Life, iii, 345, 1891; HULST, Ent. News, vi, 70, 1895; v. GUMPPENBERG, Nov. Act. Halle, iii, 173, 1888. Atl. States.
- α. californiata* v. GUMPPENBERG, Nov. Act. Halle, iii, 174, 1888. Cal.
- *3278. *interruptofasciata* PACKARD, Fifth Rept. Peab. Acad. Sci., 59, 1873; C. 52; COQUILLET, Ill. Rept., xi, 23, 1881; Pap., i, 56, 1881; SAUNDERS, Ins. Inj. Fr., 352, 1885; v. GUMPPENBERG, Nov. Act. Halle, iii, 174, 1888. Atl. States.
- *3279. *leucata* HULST, Trans. Am. Ent. Soc., xxiii, 267, 1896. Rocky Mts.
3280. *niveifascia* HULST, Can. Ent., xxx, 115, 1898. N. Mex., Oreg.
- *3281. *inornata* HULST, Trans. Am. Ent. Soc., xxiii, 276, 1896. Atl. States.

- *3282. *albicapitata* PACKARD, C. 48; v. GUMPPENBERG, Nov. Act. Halle, lii, 254, 1888. Can., Col.
- *3283. *insolabilis* HULST, Jn. N. Y. Ent. Soc., viii, 215, 1901. Ariz.
3284. *rotundopuneta* PACKARD, Proc. Bost. Soc. Nat. Hist., xiii, 395, 1871; v. GUMPPENBERG, Nov. Act. Halle, lii, 245, 1888. N. Mex., Cal.
syn. *rotundopunctata* PACKARD, C. 55.
- *3285. *annulata* HULST, Trans. Am. Ent. Soc., xxiii, 267, 1896. Cal.
- *3286. *borealis* HULST, Can. Ent., xxx, 114, 1898. Manitoba.
- *3287. *latipennis* HULST, Can. Ent., xxx, 114, 1898. Can.
3288. *plumbaria* HULST, Can. Ent., xxxii, 112, 1900. Atl. States.
- *3289. *flavigutta* HULST, Trans. Am. Ent. Soc., xxiii, 268, 1896. Col.
- *3290. *coloradensis* HULST, Trans. Am. Ent. Soc., xxiii, 268, 1896. Col.
- *3291. *sierræ* HULST, Trans. Am. Ent. Soc., xxiii, 268, 1896. Col.
- *3292. *cretata* HULST, Trans. Am. Ent. Soc., xxiii, 269, 1896. Cal.
- *3293. *brunneipennis* HULST, Trans. Am. Ent. Soc., xxiii, 263, 1896. Cal.
3294. *absinthiata* CLERCK, Icones, vi, 9, 1759; LINNÆUS, Faun. Suec., 339, 1761; HÜBNER, Schmett. Eur., 453, 1820; v. GUMPPENBERG, Nov. Act. Halle, lii, 246, 1888; HOFMANN, Gr. Sehm. Eur., 218, 1894. U. S., Eur.
syn. *minutata* TREITSCHKE, Schm. Eur., vi, (2), 105, 1828; *notata* STEPHENS, Ill., iii, 286, 1831; *elongata* HAWORTH, Brit. Ent., 358, 1829; *absynthiata* GUENÉE, Spec. Gén., ix, 340, 1857; CREWE, Ent. Ann., 140, 1861; SNELLEN, Tidj. v. Ent., 137, 1866; PACKARD, C. 49; GOODELL, Can. Ent., ix, 62, 1877; MÖSCHLER, Verh. zool.-bot. Ges. Wien, 319, 1884; *coagulata* GUENÉE, *geminata* PACKARD.
3295. *fumosa* HULST, Trans. Am. Ent. Soc., xxiii, 269, 1896. Atl. States.
3296. *longipalpata* PACKARD, Geom. Moths., C. 56, 1876. Pac. States.

- *3297. *mæstosa* HULST, Trans. Am. Ent. Soc., xxiii, 269, 1896. Col.
- *3297. *lachrymosa* HULST, Can. Ent., xxxii, 103, 1900. Oreg.
- *3298. *nimbicolor* HULST, Trans. Am. Ent. Soc., xxiii, 269, 1896. No. Rocky Mts., Cal.
3299. *perfusca* HULST, Can. Ent., xxx, 116, 1898. Utah, Wash.
3300. *zygænidata* PACKARD, C. 51; v. GUMPPENBERG, Nov. Act. Halle, iii, 249, 1888. Atl. States, Col.
3301. *plenoscripta* HULST, Can. Ent., xxxii, 103, 1900. Wyo.
3302. *nimbosa* HULST, Trans. Am. Ent. Soc., xxiii, 269, 1896. Cal., Ariz.
- *3302. *bolteri* HULST, Can. Ent., xxxii, 102, 1900. Tex.
- *3303. *longidens* HULST, Trans. Am. Ent. Soc., xxiii, 270, 1896. Col.
- *3303. *tenebrescens* HULST, Can. Ent., xxxii, 103, 1900. Tex.
- *3304. *multistrigata* HULST, Trans. Am. Ent. Soc., xxiii, 270, 1896. Col., Utah.
- *3305. *multiscripta* HULST, Trans. Am. Ent. Soc., xxiii, 270, 1896. Col.
- *3306. *laisata* STRECKER, Lep. Rhop. Het., suppl. 2, 11, 1899. Cal.
- *3307. *stellata* HULST, Trans. Am. Ent. Soc., xxiii, 270, 1896. Col.
3308. *flebilis* HULST, Proc. Wash. Acad. Sci., ii, 497, 1900. Alaska.
- *3309. *obscurior* HULST, Trans. Am. Ent. Soc., xxiii, 271, 1896. Cal.
3310. *bivittata* HULST, Trans. Am. Ent. Soc., xxiii, 271, 1896. Cal.
- *3311. *golgata* STRECKER, Lep. Rhop. Het., suppl. 2, 11, 1899. Nev.
3312. *behrensata* PACKARD, C. 59; HULST, Ent. Amer., iv, 49, 1886. Cal.
- *3313. *unicolor* HULST, Trans. Am. Ent. Soc., xxiii, 271, 1896. Col., Cal.
3314. *subapicata* GUENÉE, Spec. Gén., ix, 331, 1857; PACKARD, C. 62; GROTE, Can. Ent., xv, 27, 1883; v. GUMPPENBERG, Nov. Act. Halle, iii, 240, 1888. Cal.
syn. *occidentalis* PACKARD, Proc. Bost. Soc. Nat. Hist., xiii, 404, 1871.

3315. *acutipennis* HULST, Can. Ent., xxx, 115, 1898. Cal.
 3316. *cestata* HULST, Trans. Am. Ent. Soc., xxiii, 271, 1896. Cal.
 *3317. *nevadata* PACKARD, Proc. Bost. Soc. Nat. Hist., xiii, 395, 1871; C. 61; v. GUMPPENBERG, Nov. Act. Halle, lii, 229, 1888. Pac. States.
 *3318. *implorata* HULST, Trans. Am. Ent. Soc., xxiii, 272, 1896. Cal.
 3319. *raveocostaliata* PACKARD, C. 60; v. GUMPPENBERG, Nov. Act. Halle, lii, 217, 1888. Pac. States.

CYSTEOPHORA Hulst.

HULST, Jn. N. Y. Ent. Soc., viii, 215, 1901.

3320. *pervertipennis* HULST, Jn. N. Y. Ent. Soc., viii, 215, 1901; DYAR, Proc. Ent. Soc. Wash., iv, 457, 1901. Fla.

EUCYMATOGE Hübner

HÜBNER, Verz. bek. Schmett., 325, 1818; MEYRICK, Trans. Ent. Soc. Lond., 67, 1892; HULST, Trans. Am. Ent. Soc., xxiii, 272, 1896; *Hypopiritis* HÜBNER, *Orthonata* HÜBNER, *Horisma* HÜBNER, Verz. bek. Schmett., 329, 331, 1818; *Phibalapteryx* STEPHENS, Cat., 138, 1829; PACKARD, C. 168; *Collix* GUENÉE, Spec. Gén., x, 357, 1857; KIRBY, Eur. Butt., 368, 1882.

3321. *tenuata* HULST, Bull. Brook. Ent. Soc., iii, 45, 1880. Col.
 *3322. *gelidata* MÖSCHLER, Wien ent. Monats., iv, 47, 1860; Stett. ent. Zeit., 122, 1883; PACKARD, C. 64; STAUDINGER, Cat. Lep. Eur., 195, 1871; v. GUMPPENBERG, Nov. Act. Halle, lii, 201, 1888. Labr.
 3323. *anticaria* WALKER, Cat. Brit. Mus., xxv, 1241, 1862; PACKARD, C. 64; HULST, Ent. News, vi, 70, 1895. Atl. States.
 syn. *explanata* WALKER, Cat. Brit. Mus., xxv, 1242, 1862; PACKARD, C. 64; HULST, Ent. News, vi, 70, 1895; *strattonata* PACKARD, Fifth Rept. Peab. Acad. Sci., 60, 1883; C. 58; v. GUMPPENBERG, Nov. Act. Halle, lii, 230, 1888.
 *3324. *graefii* HULST, Trans. Am. Ent. Soc., xxiii, 273, 1896. Wash.
 3325. *grandis* HULST, Trans. Am. Ent. Soc., xxxii, 273, 1896. Wash., Oreg.

- *3326. *gille tei* HULST, Can. Ent., xxx, 116, 1898. Col.
3327. *intestinata* GUENÉE, Spec. Gén., ix, 432, 1857; PACKARD, C. 170; HULST, Ent. News, vi, 43, 1895; v. GUMPPENBERG, Nov. Act. Halle, iii, 153, 1888. U. S.
- syn. *impleta* WALKER, Cat. Brit. Mus., xxxv, 1683, 1866; *indoctrinata* WALKER, Cat. Brit. Mus., xxvi, 1722, 1862.
- *3328. *vitalbata* DENIS & SCHIFFERMÜLLER, Syst. Verz. Wien, 109, 1776; HÜBNER, Schmett. Eur., 269, 1820; TREITSCHKE, Eur. Schmett., vi, (2), 66, 1828; DUPONCHEL, Hist. Nat., viii, 197, 1838; GUENÉE, Spec. Gén., ix, 437, 1857; WALKER, Cat. Brit. Mus., xxv, 1337, 1862; HULST, Trans. Am. Ent. Soc., xxiii, 272, 1896; v. GUMPPENBERG, Nov. Act. Halle, iii, 145, 1888; HOFMANN, Gr. Schmett. Eur., 210, 1894. Can., Eur.

VENUSIA Curtis.

CURTIS, Brit. Ent., 759, 1839; MEYRICK, Trans. Ent. Soc. Lond., 75, 1892; HULST, Trans. Am. Ent. Soc., xxiii, 273, 1896.

3329. *cambrica* CURTIS, Brit. Ins., xvi, 1839; WOOD, Ind. Ent., suppl., 1724, 1839; LEDERER, Verh. zool.-bot. Ges. Wien, xix, 101, 1853; HULST, Ent. News, vi, 70, 1895; HOFMANN, Gr. Schm. Eur., 204, 1894. U. S., Eur.
- syn. *cambriaria* GUENÉE, Spec. Gén., ix, 440, 1857; PACKARD, C. 85; MÖSCHLER, Verh. zool.-bot. Ges. Wien, 303, 1884; *erutaria* DUPONCHEL, Hist. Nat., suppl., 4, 1842; BOISDUVAL, Ind. Méth., 203, 1840; HERICH-SCHAEFFER, Schm. Eur., 258, 1856; *nebulosaria* FREYER, Beit. Ges. Eur. Schm., 546, 1831; *scitularia* WALKER, Cat. Brit. Mus., xxi, 406, 1860; HULST, Ent. Amer., iii, 114, 1887.
3330. *duodecemlineata* PACKARD, Proc. Bost. Soc. Nat. Hist., xvi, 19, 1874; C. 84; BUTLER, Pap., i, 222, 1881. U. S.
3331. *comptaria* WALKER, Cat. Brit. Mus., xxi, 406, 1860; HULST, Ent. News, vi, 70, 1895. Atl. States.
- syn. *condensata* WALKER, Cat. Brit. Mus., xxv, 1273, 1862; PACKARD, C. 166; *inclinataria* WALKER, Cat. Brit. Mus., xxvi, 1727, 1862; *inclinata* HULST, Sm. List Lep. Bor. Am., no. 3929, 1891; *perlineata* PACKARD, Proc. Bost. Soc. Nat. Hist., xvi, 19, 1874; C. 83.

EUCHŒCA Hübner.

HÜBNER, Verz. bek. Schmett., 298, 1818; MEYRICK, Trans. Ent. Soc. Lond., 74, 1892; HULST, Trans. Am. Ent. Soc., xxiii, 274, 1896; MEYRICK, Proc. Linnean Soc. N. S. Wales, ii, 811, 1887; *Hydralia* HÜBNER, Verz. bek. Sch., 322, 1818; KIRBY, Eur. Butt., 389, 1882; *Trichodezia* WARREN, Nov. Zool., ii, 119, 1895.

3332. *albovittata* GUENÉE, Spec. Gén., ix, 520, 1857; PACKARD, C. 189; HULST, Ent. News, vi, 42, 1895.
 syn. *propriaria* WALKER, Cat. Brit. Mus., xxv, 1293, 1862; *reciproca* WALKER, Cat. Brit. Mus., xxv, 1294, 1862.
a. albofasciata GROTE, Proc. Ent. Soc. Phil., ii, 66, 1863; Trans. Kans. Acad. Sci., viii, 51, 1878; Can. Ent., viii, 28, 1876; PACKARD, C. 166.
3333. *californiata* PACKARD, Proc. Bost. Soc. Nat. Hist., xiii, 404, 1871; C. 189. Pac. States.
3334. *cretacea* PACKARD, Sixth Rept. Peab. Acad. Sci., 40, 1874; Proc. Bost. Soc. Nat. Hist., xvi, pl. 1, f. 3, 1874; C. 63; BUTLER, Pap., i, 223, 1881; v. GUMPPENBERG, Nov. Act. Halle, iii, 249, 1888. U. S.
3335. *lucata* GUENÉE, Spec. Gén., ix, 437, 1857; PACKARD, C. 326. Ill., Man.
- *3336. *albifera* WALKER, Cat. Brit. Mus., xxxv, 1625, 1866; HULST, Ent. News, vi, 105, 1895.
 syn. *albogularia* MORRISON, Proc. Bost. Soc. Nat. Hist., xvi, 194, 1874; PACKARD, C. 325; *triseriata* PACKARD, Sixth Rept. Peab. Acad. Sci., 50, 1874; C. 325.
a. brunneifasciata PACKARD, C. 324, 1876.

EPIRRITA Hübner.

HÜBNER, Tent., 1810; PACKARD, C. 82; HULST, Trans. Am. Ent. Soc., xxiii, 274, 1896; *Asthenia* HÜBNER, Verz. bek. Schmett., 310, 1818; PACKARD, C. 324; MEYRICK, Trans. Ent. Soc. Lond., 74, 1892; HULST, Trans. Am. Ent. Soc., xxiii, 274, 1896; *Oporinia* HÜBNER, Verz. bek. Schmett., 321, 1818; *Mina* TREITSCHKE, Schm. Eur., vi, (2), 248, 1827; STAUDINGER, Cat. Lep. Eur., 178, 1871; v. GUMPPENBERG, Nov. Act. Halle, xlxi, 365, 1887; *Oporobia* STEPHENS, Ills., iii, 273, 1831; GUENÉE, Spec. Gén., ix, 261, 1857.

3337. *dilutata* DENIS & SCHIFFERMÜLLER, Syst. Verz. Wien, 109, 1776; PACKARD, C. 87; FITCH, Fifth Rept. Ins. N. Y., 842, 1858; BRUCE, Pap., ii, 82, 1882; HOFMANN, Gr. Sch. Eur., 205, 1894.
 syn. *dilutaria* FREYER, *impluriata* BORKHAUSEN, Eur. Schmett., v, 291, 1794; *inscriptata* DONOVAN, Nat. Hist., xv, pl., 517, 1816; *fimbriata* HAWORTH, Lep. Brit., 320, 1829.
a. autumnata GUENÉE, Spec. Gén., x, 264, 1857.

CORYPHISTA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 275, 1896.

- *3338. *meadii* PACKARD, Sixth Rept. Peab. Acad. Sci., 41, 1874; Rept. Geol. Surv. Terr., v, 551, 1875. Pac. States, New Mex.
syn. *mediata* PACKARD, C. 176.
3339. *badiaria* HY. EDWARDS, Ent. Amer., i, 50, 1885; Pac. States, Col.
v. GUMPPENBERG, Nov. Act. Halle, iii, 136, 1888.

HYDRIA Hübner.

HÜBNER, Tent., 1810; PACKARD, C. 171; *Calocalpe* HÜBNER, Verz. bek. Schmett., 330, 1818; MEYRICK, Trans. Ent. Soc. Lond., 70, 1892; HULST, Trans. Am. Ent. Soc., xxiii, 275, 1896; *Eucosmia* STEPHENS, Ills., iii, 265, 1831; STAUDINGER, Cat. Lep. Eur., 78, 1871; v. GUMPPENBERG, Nov. Act. Halle, iii, 139, 1888.

3340. *undulata* LINNÆUS, Syst. Nat., 524, 1758; U. S., Eur.
FITCH, Fourteenth Rept. Ins. N. Y., 355, 1870;
PACKARD, C. 172; MÖSCHLER, Verh. zool.-bot. Ges. Wien, 301, 1884; HULST, Ent. Amer., ii, 162, 1886; v. GUMPPENBERG, Nov. Act. Halle, iii, 140, 1888; HOFMANN, Gr. Sch. Eur., 200, 1894; DYAR, Psyche, ix, 9, 1900.

CATOCLOTHIS Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 275, 1896; *Cyclica* GROTE (not LATREILLE), Can. Ent., xiv, 174, 1882; HULST, Trans. Am. Ent. Soc., xxiii, 275, 1896.

- *3341. *frondaria* GROTE, Can. Ent., xiv, 174, 1882; xv, Ariz.
27, 1883.

PHILEREME Hübner.

HÜBNER, Verz. bek. Schmett., 330, 1818; PACKARD, C. 174; MEYRICK, Trans. Ent. Soc. Lond., 70, 1892; HULST, Trans. Am. Ent. Soc., xxiii, 276, 1896; *Scotodia* STEPHENS, Brit. Ins., 44, 1829; LEDERER, Verh. zool.-bot. Ges. Wien, 252, 1853; v. GUMPPENBERG, Nov. Act. Halle, iii, 137, 1888; HOFMANN, Gr. Sch. Eur., 200, 1894.

3342. *californiata* PACKARD, Proc. Bost. Soc. Nat. Cal.
Hist., xiii, 399, 1871; C. 175.

- *3343. *multivagata* HULST, Bull. Brook. Ent. Soc., iv, Ont., Col.,
26, 1881. B. C.

- *3344. *nigrescens* HULST, Can. Ent., xxxii, 104, 1900. Oreg.

- *3345. *formosa* HULST, Trans. Am. Ent. Soc., xxiii, 276, Col.,
1896. Man.

- *3346. *optimata* STRECKER, Lep. Rhop. Het., suppl. 2, Wash.
11, 1899.

PHYLACE Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 277, 1896.

3347. *luteolata* HULST. Trans. Am. Ent. Soc., xxiii, 277, 1896.

Rocky
Mts.

EUSTROMA Hübner.

HÜBNER, Verz. bek. Schmett., 335, 1818; MEYRICK, Trans. Ent. Soc. Lond., 71, 1892; HULST, Trans. Am. Ent. Soc., xxiii, 277, 1896; *Euphia* HÜBNER, Verz. bek. Schmett., 336, 1818; *Electra* STEPHENS, Cat. 135, 1829; *Steganolophia* STEPHENS, Cat. 135, 1829; WESTWOOD & HUMPHREYS, Brit. Ins., ii, 39, 1849.

3348. *diversilineata* HÜBNER, Samml. exot. Schm., i, 1, 2, 3, 4, 1806; PACKARD, C. 128; FRENCH, Trans. Dep. Agr. Ill., xv, 237, 1877; BRUCE, Ent. Amer., iii, 50, 1887; SAUNDERS, Can. Ent., ii, 74, 1870.
a. gracililineata GUENÉE, Spec. Gén., x, 476, 1857.

Atl.
States.

3349. *testata* LINNÆUS, Faun. Suec., 1262, 1761;
PACKARD, C. 122; MÖSCHLER, Verh. zool.-bot. Ges. Wien, 302, 1884.
syn. *achatinata* HÜBNER, Schm. Eur., 301, 1796; PACKARD, C. 122.

Atl.
States,
Eur.

3350. *populata* LINNÆUS, Syst. Nat., 525, 1758; PACKARD, C. 124; MÖSCHLER, Wien. ent. Mon., iv, 375, 1860; Stett. ent. Zeit., 120, 1883; Verh. zool.-bot. Ges. Wien, 302, 1884; HOFMANN, Gr. Schm. Eur., 201, 1894; HULST, Ent. News, vi, 43, 1895.
syn. *dotata* CLERCK, *propulsata* WALKER, *molliculata* WALKER; PACKARD, C. 132; *packardata* LINTNER, Ent. Cont., iv, 113, 1878.
a. remotata WALKER, Cat. Brit. Mus., xxv, 1388, 1862; PACKARD, C. 132.
b. similis WALKER, Cat. Brit. Mus., xxv, 1425, 1862.
c. cervinifascia WALKER, Cat. Brit. Mus., xxv, 1184, 1862; PACKARD, C. 131.

No.
U. S.
Eur.

- *3351. *destinata* MÖSCHLER, Wien. ent. Mon., iv, 46, 1860; Stett. ent. Zeit., 120, 1883; PACKARD, Proc. Bost. Soc. Nat. Hist., xi, 48, 1867.

No.
U. S.

- a. lugubrata* MÖSCHLER, Wien. ent. Mon., 136, 1862; STAUDINGER & REBEL, Cat. Lep. Eur., i, no. 3295 a, 1901.

3352. *prunata* LINNÆUS, Syst. Nat., 526, 1758; PACKARD, C. 116; HOFMANN, Gr. Schm. Eur., 200, 1894.

No.
U. S.,
Eur.

- syn. *ribesiaria* BOISDUVAL, *triangulatum* PACKARD, *montanatum* PACKARD.

3353. *nubilata* PACKARD, Proc. Bost. Soc. Nat. Hist., Pac.
xiii, 400, 1871. States.
syn. *semitratum* HULST, Bull. Brook. Ent.
Soc., iv, 26, 1881.
3354. *atrocolorata* GROTE, Ann. N. Y. Lyc. Nat. Hist., Atl.
viii, 31, 1867; PACKARD, C. 121. States.
3355. *explanata* WALKER, Cat. Brit. Mus., xxv, 1422, Atl. States,
1862; HULST, Ent. News, vi, 44, 1895. Col.
3356. *cunigerata* WALKER, Cat. Brit. Mus., xxvi, 1726, Atl. States,
1862; PACKARD, C. 114; HULST, Ent. News, vi, 44, 1895. States.
- syn. *disjunctaria* PACKARD.

NEOLEXIA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 278, 1896.

3357. *xyloina* HULST, Trans. Am. Ent. Soc., xxiii, 278, No. U. S.
1896.
- *3358. *speciosa* HULST, Trans. Am. Ent. Soc., xxiii, Alberta,
279, 1896. Can.

RHEUMAPTERA Hübner.

HÜBNER, Tent., 1810; PACKARD, C. 150; *Cosmorhoe* HÜBNER, *Plenivria*, HÜBNER; MEY-
RICK, Trans. Ent. Soc. Lond., 71, 1892; HULST, Trans. Am. Ent. Soc., xxiii, 279,
1896; *Epirrhoe* HÜBNER, *Eulypa* HÜBNER, *Melanippe* DUPONCHEL.

3359. *hastata* LINNÆUS, Syst. Nat., 527, 1758; PACK- No. U. S.,
ARD, C. 164; MÖSCHLER, Verh. zool.-bot. Ges. Eur.
Wien, 306, 1884; STRECKER, Surv. Dept. Mo.,
Ruffner, app., 1861, 1878; DIMMOCK, Psyche,
iv, 243, 1885; HULST, Ent. News, vi, 73, 1895.
a. gothicata GUENÉE, Spec. Gén., x, 388, 1857;
PACKARD, Proc. Bost. Soc. Nat. Hist., xi, 46,
1867.
syn. *fureifascia* WALKER, Cat. Brit. Mus.,
xxv, 1294, 1862; *hecate* BUTLER, Ann. Mag.
Nat. Hist., (5), i, 448, 1878; Ill. Lep. Het.
B. M., iii, 55, 1879.
b. hastulata HÜBNER, Eur. Schmett., 356, 1820.
c. subhastata NOLCKEN, Verh. zool.-bot. Ges.
Wien, xx, 68, 1870.
d. thulearia HERRICH-SCHAEFFER, Eur. Schmett.,
iii, 156, 1850; GUENÉE, Spec. Gén., ix, 389,
1857; WALKER, Cat. Brit. Mus., xxv, 1282,
1862.
e. mœstata NOLCKEN, Verh. zool.-bot. Ges.
Wien, xx, 68, 1870.
syn. *hastulata* GUENÉE (not HÜBNER), Spec.
Gén., ix, 389, 1857; STAUDINGER, Stett.
ent. Zeit., 397, 1861.

3360. **tristata** LINNÆUS, Syst. Nat., 526, 1758; PACKARD, C. 162; MÖSCHLER, Verh. zool.-bot. Ges. Wien, 306, 1884; HOFMANN, Gr. Schm. Eur., 207, 1894.
 syn. *limbopunctata* NOLCKEN, Lep. Faun., i, 270, 1868.
3361. **sociata** BORKHAUSEN, Eur. Schmett., v, 432, 1794; STAUDINGER, Cat. Lep. Eur., 188, 1871.
 syn. *substriata* HAWORTH, *degenerata* HAWORTH, *alchemillata* SCHIFFERMÜLLER, *alchemillaria* FREYER, *rivata* DUPONCHEL.
- *3362. **luctuata** DENIS & SCHIFFERMÜLLER, Syst. Verz. Wien, 316, 1776 (not desc.); HÜBNER, Bei. Ges. Schm., ii, 4, 3, T, 1792; STAUDINGER & REBEL, Cat. Lep. Eur., i, no. 3444, 1901.
 syn. *luctuaria* HERRICH-SCHAFFER, *transversata* THUNBERG, *lugubrata* STAUDINGER, Cat. Lep. Eur., 189, 1871; PACKARD, C. 161.
 a. **obductata** MÖSCHLER, Wien, ent. Mon., 374, 1860; HULST, Ent. News, vi, 70, 1895.
 b. **concordata** WALKER, Cat. Brit. Mus., xxv, 1295, 1862.
 c. **kodiakata** PACKARD, Proc. Bost. Soc. Nat. Hist., xvi, 23, 1874.
- *3363. **delimitata** WARREN, Nov. Zool., ii, 114, 1895. U. S.
3364. **georgii** HULST, Trans. Am. Ent. Soc., xxiii, 280, 1896. No. U. S.,
Pac. States.
3365. **rubrosuffusata** PACKARD, Proc. Bost. Soc. Nat. Hist., xiii, 402, 1871; C. 143; BUTLER, Pap., i, 223, 1881. Pac. States.

ZENOPHLEPS Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 280, 1896.

3366. **lignicolorata** PACKARD, Sixth Rept. Peab. Acad. Sci., 42, 1874; Proc. Bost. Soc. Nat. Hist., xvi, pl. 1, f. 11, 1874; C. 138; HULST, Ent. News, vi, 104, 1696. Pac. States.
- *3367. **obscurata** HULST, Trans. Am. Ent. Soc., xxiii, 281, 1896. Cal.

ENCHORIA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 281, 1896.

- *3368. **oseculata** HULST, Trans. Am. Ent. Soc., xxiii, 281, 1896. So. Cal.
3369. **albifasciata** PACKARD, Proc. Bost. Soc. Nat. Hist., xvi, pl. 1, f. 5, 1874; C. 97. Cal.

PERCNOPTILOTA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 282, 1896.

3370. *fluvia* HÜBNER, Eur. Schm., 280, 1820; PACKARD, C. 78; MILLIÈRE, Ann. Soc. Linn. Lyon, 50, 1868; KIRBY, Eur. Butt., 365, 1882; MÖSCHLER, Ver. zool.-bot. Ges. Wien, 304, 1884; HOFMANN, Gr. Sch. Eur., 205, 1894; HULST, Ent. News, vi, 70, 1895; DYAR, Psyche, viii, 429, 1899.

syn. *flavaria* HERRICH-SCHAFFER, *gemma*
HÜBNER, *gemmaria* HERRICH-SCHAFFER,
angustata HAWORTH, *caugitata* WALKER,
Cat. Brit. Mus., xxv, 1331, 1862; *peracuta*
WALKER, Cat. Brit. Mus., xxv, 1421, 1862;
obruptata WALKER, Cat. Brit. Mus., xxv,
1713, 1862; *signaturia* WALKER, Cat. Brit.
Mus., xxv, 1718, 1862; *alternata* WALKER,
Cat. Brit. Mus., xxxv, 1681, 1866; *pigrata*
WALKER, Cat. Brit. Mus., xxxv, 1681, 1866;
mediata WALKER, Cat. Brit. Mus., xxv, 1338,
1862; *intrusata* WALKER, Cat. Brit. Mus.,
xxv, 1339, 1862; *lapillata* GUENÉE, Spec.
Gén., ix, 430, 1857; *baccata* GUENÉE, Spec.
Gén., ix, 430, 1857; *plemyrata* FELDER,
Reise Nov., pl. 132, f. 15, 1874.

U. S.,
Eur.

MESOLEUCA Hübner.

HÜBNER, Verz. bek. Schmett., 326, 1818; HULST, Trans. Am. Ent. Soc., xxiii, 282, 1896; *Glaucopteryx* HÜBNER, PACKARD, C. 66; *Melanthis* DUPONCHEL, Hist. Nat., viii, 252, 1829; BOISDUVAL, Gen. Ind., 216, 1840; STEPHENS, List. Ins. Br. Mus., 213, 1850; *Campogramma* STEPHENS, Ill., iii, 263, 1831; GUENÉE, Spec. Gén., ix, 422, 1857; WALKER, Cat. Brit. Mus., xxv, 1323, 1862; WESTWOOD & HUMPHREYS, Brit. Moths, ii, 51, 1849.

3371. *ruficiliata* GUENÉE, Spec. Gén., ix, 382, 1857;
PACKARD, C. 153; EMMONS, Nat. Hist. N.Y. Agr.,
v, 249, 1854.

No.
U. S.

3372. *gratulata* WALKER, Cat. Brit. Mus., xxv, 1273,
1862; PACKARD, C. 166; HULST, Ent. News, vi,
43, 1895.

Pac.
States.

syn. *brunneociliata* PACKARD, Sixth Rept.
Peab. Acad. Sci., 42, 1874; C. 152.

3373. *cæsiata* DENIS & SCHIFFERMÜLLER, Syst. Verz.
Wien, 112, 1776; BORKHAUSEN, Eur. Schmett.,
v, 351, 1794; PACKARD, C. 67; KIRBY, Eur. Butt.,
383, 1882; MÖSCHLER, Stett. ent. Zeit., 122,
1883; Verh. zool.-bot. Ges. Wien, 305, 1884;
BUTLER, Pap., i, 222, 1881; HOFMANN, Gr. Schm.
Eur., 205, 1894; GROTE, Bull. Geol. Surv. Terr.,
Hayden, vi, 591, 1882.

No. U. S.,
Eur.

syn. *casaria* FREYER, *infrequentata* HAWORTH,
aurata PACKARD.

- a. annosata* ZETTERSTEDT, Ins. Lap., 962, 1840.
b. glaciatata GERMAR, Faun. Ins. Eur., xv, f. 18,
 1835; ZETTERSTEDT, Ins. Lap., 959, 1840.
c. gelata GUENÉE, Spec. Gén., x, 271, 1857.
d. inventaria GROTE, Bull. Geol. Surv. Terr.,
 Hayden, vi, 591, 1882.
3374. *lacustrata* GUENÉE, Spec. Gén., ix, 395, 1857; No. U. S.,
 PACKARD, C. 158. Eur.
3375. *implicata* GUENÉE, Spec. Gén., x, 284, 1857; Cal.,
 PACKARD, C. 71. Wis.
 syn. *multilineata* PACKARD.
3376. *intermediata* GUENÉE, Spec. Gén., x, 395, 1857; Atl.
 PACKARD, C. 157; DYAR, Psyche, viii, 438, 1899. States.
- *3377. *brunneomaculata* BATES, Can. Ent., xviii, 74, Mass.
 1886.
3378. *variata* DENIS & SCHIFFERMÜLLER, Syst. Verz. Alaska,
 Wien, 110, 1776; STAUDINGER & REBEL, Cat. Eur.
 Lep. Eur., i, no. 3306, 1901; DYAR, Proc. Wash.
 Acad. Sci., ii, 495, 1900.
3379. *truncata* HUFNAGEL, Berl. Mag., iv, 602, 1769; No. U. S.,
 PACKARD, C. 105; STAUDINGER & REBEL, Cat. Eur.
 Lep. Eur., i, no. 3319, 1901; STRECKER, Surv.
 Dept. Mo., suppl., 1864, 1878.
 syn. *centunnotata* SCHULZ, *russata* DENIS
 & SCHIFFERMÜLLER, *russaria* HERRICH-
 SCHAEFFER, *comamanotata* HAWORTH, *stau-
 rata* STEPHENS, ? *infuscata* TENGSTRÖM,
 Cat. 30, 320, 1869; *mulleolata* HULST, Bull.
 Brook. Ent. Soc., iv, 26, 1881; ? *transversata*
 KELLICOTT, Bull. Buff. Soc., v, 45, 1886;
 HULST, Ent. News, vi, 106, 1895 (type lost).
a. brunneata PACKARD, Proc. Bost. Soc. Nat. Hist., xi, 47, 1861; C. 108.
b. suspectata MÖSCHLER, Stett. ent. Zeit., xxv, 160, 1874; xxxv, 121, 1884; PACKARD, C. 130.
3380. *immanata* HAWORTH, Lep. Brit., 323, 1810; No. U. S.,
 STAUDINGER & REBEL, Cat. Lep. Eur., i, no. Eur.
 3320, 1901.
 syn. *atrifasciata* HULST, Ent. Amer., iii, 214,
 1887; Ent. News, vi, 43, 1895.
a. marmorata HAWORTH, Lep. Brit., 324, 1810.
 syn. *amaenata* STEPHENS, *passeraria* FREYER,
 ? *citrata* LINNÆUS.
b. unicolorata STAUDINGER, Cat. Lep. Eur., 184,
 1871.

3381. *silacea* HÜBNER, Samml. ausser. Schmett. n. Vögel, 100, 1793; STAUDINGER & REBEL, Cat. Lep. Eur., i, 307, 1901.
a. deflavata STAUDINGER, Cat. Lep. Eur., 191, 1871; Stett. ent. Zeit., 122, 1883; MÖSCHLER, Verh. zool.-bot. Ges. Wien, 306, 1884.
3382. *albolineata* PACKARD, Fifth Rept. Peab. Acad., 55, 1873; C. 120. No. Atl. States.
3383. *hersiliata* GUENÉE, Spec. Gén., x, 464, 1857; PACKARD, C. 111; HULST, Ent. News, vi, 43, 1895.
syn. *flammeifera* WALKER, Cat. Brit. Mus., xxiv, 1184, 1862. Col.
- *3384. *ethela* HULST, Trans. Am. Ent. Soc., xxiii, 283, 1896. Cal.
3385. *abacta* HULST, Can. Ent., xxx, 117, 1898. Ariz.
3386. *vasaliata* GUENÉE, Spec. Gén., x, 407, 1857; PACKARD, C. 167; HULST, Ent. News, vi, 103, 1895.
syn. *rigidata* WALKER, Cat. Brit. Mus., xxvi, 1727, 1862; PACKARD, C. 133.
a. niveifascia HULST, Can. Ent., xxx, 115, 1898; Jn. N. Y. Ent. Soc., viii, 216, 1901. U. S.

HYDRIOMENA Hübner.

HÜBNER, Verz. bek. Schmett., 322, 1818; PACKARD, C. 90; MEYRICK, Proc. Linn. Soc. N. S. Wales, ii, 819, 1887; Trans. Ent. Soc. Lond., 72, 1892; HULST, Trans. Am. Ent. Soc., xxiii, 283, 1896; *Euphyia* HÜBNER, ?*Perizonia* HÜBNER, ?*Entephria* HÜBNER, *Chloroclysta* HÜBNER, *Dysstromia* HÜBNER, Verz. bek. Schmett., 333, 1818; *Harpaluce* STEPHENS, *Ypsiptes* STEPHENS, *Emmeleia* STEPHENS, Cat. ii, 147, 1829; *Mesia* STEPHENS, *Polyphrasia* STEPHENS, *Euthalia* STEPHENS, *Thera* STEPHENS, Ills., iii, 271, 1831; *Phasyle* DUPONCHEL, Cat. Méth., 254, 1844; *Ceratodalia* PACKARD, C. 322.

3387. *sordidata* FABRICIUS, Ent. Syst., 185, 1794; PACKARD, C. 96; MÖSCHLER, Verh. zool.-bot. Ges. Wien, 306, 1884; HOFMANN, Gr. Schm. Eur., 209, 1894.
syn. *rectangulata* FABRICIUS, *bicolorata* BORKHAUSEN, *birirata* BORKHAUSEN.
a. elutata HÜBNER, Schmett. Eur., 224, 1820?; STAUDINGER & REBEL, Cat. Lep. Eur., i, no. 3485a, 1901.
b. nubilifasciata PACKARD, Proc. Bost. Soc. Nat. Hist., xiii, 398, 1871; C. 98.
c. quinquefasciata PACKARD, Proc. Bost. Soc. Nat. Hist., xiii, 379, 1871.
d. viridata PACKARD, Proc. Bost. Soc. Nat. Hist., xvi, 21, 1874.
e. bistriolata ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 493, 1873; PACKARD, C. 94.
f. glaucata PACKARD, Proc. Bost. Soc. Nat. Hist., xvi, 20, 1876. No. U. S., Eur.

3388. *autumnalis* STRÖMEYER, Kgl. Vid. Skr.-Sel., 85, 1783; STAUDINGER & REBEL, Cat. Lep. Eur., i, no. 3486, 1901.
 syn. *trifasciata* BORKHAUSEN, *impluviata* DENIS & SCHIFFERMÜLLER, Syst. Verz. Wien, 109, 1776 (not dese.); *pluvia* GUENÉE, *dirisaria* WALKER, Cat. Brit. Mus., xxi, 489, 1860; *renunciata* WALKER, Cat. Brit. Mus., xxv, 1187, 1862; *frigidata* WALKER, Cat. Brit. Mus., xxv, 1729, 1862; HULST, Ent. News, xi, 43, 1895.
3389. *pernotata* HULST, Can. Ent., xxx, 117, 1898. Alaska.
3390. *tæniata* STEPHENS, Ills., iii, 299, 1831; STAUDINGER & REBEL, Cat. Lep. Eur., i, no. 3324, 1901; HULST, Ent. News, vi, 103, 1895.
 syn. *arctata* ZELLER, *arctaria* HERRICH-SCHAEFFER, *albimacularia* FREYER, *explagiata* WALKER, Cat. Brit. Mus., xxv, 1728, 1862; PACKARD, C. 133; *basaliata* WALKER, Cat. Brit. Mus., xxv, 1184, 1862; PACKARD, C. 154; *fulveida* BUTLER.
3391. *californiata* PACKARD, Proc. Bost. Soc. Nat. Hist., xiii, 396, 1871; C. 94. Pac. States, Ariz., Mont.
- *3392. *speciosata* PACKARD, Proc. Bost. Soc. Nat. Hist., xvi, 22, 1874; C. 102. Tex., Cal., Ariz.
- *3393. *reflata* GROTE, Can. Ent., xiv, 186, 1882. Rocky Mts.
3394. *similaris* HULST, Trans. Am. Ent. Soc., xxiii, 284, 1896. Col., Nev.
3395. *contracta* PACKARD, Fifth Rept. Peab. Acad., 56, 1873; C. 89. Me.
- *3396. *sparsimacula* HULST, Trans. Am. Ent. Soc., xxiii, 285, 1896. Cal.
3397. *banavahrata* STRECKER, Lep. Rhop. Het., suppl. 2, 11, 1899. Cal.
3398. *occidens* HULST, Can. Ent., xxx, 180, 1898. Oreg.
- *3399. *herbicolata* HULST, Trans. Am. Ent. Soc., xxiii, 285, 1896. Cal.
- *3400. *floridata* WALKER, Cat. Brit. Mus., xxv, 1719, 1862; HULST, Ent. News, vi, 105, 1895 (type lost). Fla.
3401. *multiferata* WALKER, Cat. Brit. Mus., xxv, 1715, 1862; PACKARD, C. 81. No. U. S.
3402. *latirupta* WALKER, Cat. Brit. Mus., xxxv, 1684, 1866; PACKARD, C. 169; HULST, Ent. News, vi, 43, 1895. U. S.
- syn. *lascinata* ZELLER, Verh. zool.-bot. Ges. Wien, 205, 1873.

- *3403. *curvilinea* HULST, Trans. Am. Ent. Soc., xxiii, 286, 1896. Brit. Col.
- *3404. *immediata* GROTE, Can. Ent., xiv, 184, 1882 (type lost). N. Y.
3405. *costiguttata* HULST, Trans. Am. Ent. Soc., xxiii, 286, 1896. Cal., Oreg.
3406. *custodiata* GUENÉE, Spec. Gén., ix, 491, 1857; WALKER, Cat. Brit. Mus., xxv, 1438, 1862; HULST, Ent. News, vi, 104, 1895.
syn. *gueneata* PACKARD, C. 141. Pac. States, Rocky Mts.
- *3407. *excavata* GROTE, Can. Ent., xv, 123, 1883. Mont., B. C.
syn. *gueneata* PACKARD, C. 323.
- *3408. *mirabilata* GROTE, Can. Ent., xv, 123, 1883. Rocky Mts.
- *3409. *unangulata* HAWORTH, Lep. Brit., 332, 1829; PACKARD, C. 159; HOFMANN, Gr. Schm. Eur., 207, 1894; HULST, Ent. News, vi, 70, 1896.
syn. *unangularia* HERRICH-SCHAEFFER, *congregata* WALKER, Cat. Brit. Mus., xxv, 1264, 1862. U. S., Eur.
- *3410. *amorata* HULST, Can. Ent., xxxii, 104, 1900. Cal.
3411. *neomexicana* HULST, Trans. Am. Ent. Soc., xxiii, 285, 1896. Rocky Mts., Cal., Fla.
3412. *grandiosa* HULST, Can. Ent., xxx, 118, 1898. Fla., Ariz.
3413. *australata* HULST, Ent. Amer., i, 205, 1886. Fla.
- *3414. *albata* HULST, Trans. Am. Ent. Soc., xxiii, 284, 1896. Ariz.
- *3415. *elisata* STRECKER, Lep. Rhop. Het., suppl. 2, 11, 1899. Atl. States.

TRIPHOSA Stephens.

STEPHENS, Cat., 44, 1829; PACKARD, C. 177; v. GUMPPENBERG, Nov. Act. Halle, iii, 129, 1888; HOFMANN, Gr. Schm. Eur., 199, 1894; HULST, Tr. Am. Ent. Soc., xxiii, 287, 1896.

3416. *dubitata* LINNÆUS, Syst. Nat., 524, 1758; PACKARD, C. 177; STAUDINGER & REBEL, Cat. Lep. Eur., i, no. 3259, 1901. No. Atl. States, Eur.
3417. *progressata* WALKER, Cat. Brit. Mus., xxv, 1348, 1862; BUTLER, Pap., i, 223, 1881; HULST, Ent. News, vi, 43, 1895.
syn. *indubitata* GROTE, Bull. U. S. Geol. Surv. Terr., vi, 591, 1882; *dubitata* PACKARD (not LINNÆUS), C. 177; HARVEY, Bull. Buff. Soc., i, 264, 1874; MÖSCHLER, Verh. zool.-bot. Ges. Wien, 301, 1884. No. Pac. States.
- a. pustularia* HY. EDWARDS, Ent. Amer., i, 50, 1885.

CŒNOCALPE Hübner.

- HÜBNER, Verz. bek. Schmett., 330, 1818; HULST, Trans. Am. Ent. Soc., xxiii, 287, 1896; *Corythea* DUPONCHEL, Cat. Méth., 257, 1844; *Stammodes* GUENÉE, Spec. Gén., ix, 515, 1857; v. GUMPPENBERG, Nov. Act. Halle, Ixix, 345, 1887.
3418. *aurata* GROTE, Can. Ent., xiv, 186, 1882. Rocky Mts.
3419. *magnoliata* GUENÉE, Spec. Gén., ix, 455, 1857; HY. EDWARDS, Proc. Cal. Acad. Sci. vi, 89, 1875; PACKARD, C. 70; MOFFAT, Can. Ent., xvi, 38, 1884; HULST, Ent. News, vi, 70, 1895.
 syn. *ziezacata* WALKER, Cat. Brit. Mus., xxv, 1185, 1862; *placidata* WALKER, Cat. Brit. Mus., xxv, 1186, 1862; *quadripunctata* PACKARD, Proc. Bost. Soc. Nat. Hist., xiii, 402, 1871.
a. cumatilis GROTE & ROBINSON, Ann. N. Y. Lyc. Nat. Hist., viii, 460, 1867; GROTE, Can. Ent., xvi, 38, 1884; PACKARD, Proc. Bost. Soc. Nat. Hist., xvi, 20, 1874.
- *3420. *oxygramma* HULST, Trans. Am. Ent. Soc., xxiii, 288, 1896. Cal.
3421. *carnata* PACKARD, Sixth Rept. Peab. Acad. Sci., 43, 1874; Proc. Bost. Soc. Nat. Hist., xvi, pl. 1, f. 9, 1874.
 syn. *carnearia* PACKARD, C. 142.
- *3422. *phlebeculata* GUENÉE, Spec. Gén., ix, 419, 1857; WALKER, Cat. Brit. Mus., xxv, 1309, 1862; PACKARD, C. 149; HULST, Ent. News, vi, 104, 1895 (type lost). Cal.
3423. *alaskæ* HULST, Trans. Am. Ent. Soc., xxiii, 287, 1896. Alaska.
3424. *parinotata* ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 495, 1872; PACKARD, C. 155. Tex., Fla.
3425. *polygrammata* HULST, Trans. Am. Ent. Soc., xxiii, 288, 1896. Rocky Mts.
3426. *gibbocostata* WALKER, Cat. Brit. Mus., xxv, 1388, 1862; HULST, Ent. Amer., iii, 9, 1887; Ent. News, vi, 42, 1895.
 syn. *costinotata* WALKER, Cat. Brit. Mus., xxv, 1701, 1862; *strigularia* MINOT; PACKARD, C. 170; WINN, Can. Ent., xxiii, 97, 1891; *aneiformis* HARVEY, Buff. Bull., i, 265, 1873.
- *3427. *annellata* HULST, Ent. Amer., ii, 191, 1887. Pac. States.
- *3428. *morrisata* HULST, Ent. Amer., ii, 190, 1887. Ariz.
- *3429. *cœnonymphata* HULST, Can. Ent. xxxii, 104, 1900. Col., Cal.
3430. *fervifactoria* GROTE, Pap., i, 177, 1881. Rocky Mts.

3431. *formosata* STRECKER, Surv. Dept. Mo., Ruffner,
app., 1864, 1878. Rocky
Mts.
syn. *dryadata* HULST, Bull. Brook. Ent. Soc.,
iii, 43, 1880; *sponsata* GROTE, Can. Ent.,
xiv, 215, 1882.
- *3432. *seifertii* NEUMOEGEN, Pap., ii, 125, 1882. Ariz.
3433. *tessellata* PACKARD, Rept. Geol. Surv. Terr.,
v, 522, 1873; C. 261. Ariz.
3434. *topazata* STRECKER, Lep. Rhop. Het., suppl. 2,
9, 1899. Rocky Mts.,
Alaska.

EMPLOCIA Herrich-Schaeffer.

HERRICH-SCHAEFFER, Ausser. Schmett., 34, 1855; HULST, Trans. Am. Ent. Soc., xxiii,
288, 1896.

3435. *inconstans* GEYER, Zuträge Exot. Schmett., f.
861, 1825. N. Mex.,
Ariz.
syn. *cephisaria* GROTE, Pap., i, 177, 1881;
HULST, Trans. Am. Ent. Soc., xxiii, 289,
1896.

MARMOPTERYX Packard.

- PACKARD, Rept. Geol. Surv. Terr., v, 552, 1873; C. 259; HULST, Trans. Am. Ent. Soc.,
xxiii, 289, 1896; *Marmoropteryx* v. GUMPPENBERG, Nov. Act. Halle, xlix, 332, 1887.
3436. *marmorata* PACKARD, Proc. Bost. Soc. Nat. Hist.,
xiii, 393, 1871; C. 260. Rocky Mts.,
Cal.
- *3437. *odonata* HULST, Trans. Am. Ent. Soc., xxiii,
289, 1896. Col.

GYPSOCHROA Hübner.

HÜBNER, Verz. bek. Schmett., 336, 1818; v. GUMPPENBERG, Nov. Act. Halle, xlix,
368, 1887; HULST, Trans. Am. Ent. Soc., xxiii, 290, 1896; *Cidaria* TREITSCHKE,
Schm. Eur., vi, 2, 242, 1828; MEYRICK, Trans. Ent. Soc. Lond., 211, 1886; HOF-
MANN, Gr. Schm. Eur., 201, 1894.

3438. *designata* HUFNAGEL, Berl. Mag., iv, 612,
1769; PACKARD, C. 144; MÖSCHLER, Verh. zool.-
bot. Ges. Wien, 304, 1884; GOODELL, Can.
Ent., xii, 235, 1880; HOFMANN, Gr. Schm. Eur.,
205, 1894.
syn. *propugnata* DENIS & SCHIFFERMÜLLER,
propugnaria TREITSCHKE.

3439. *sitellata* GUENÉE, Spec. Gén., x, 298, 1857; U. S.
WALKER, Cat. Brit. Mus., xxv, 1210, 1862.
syn. *hesitata* GUENÉE, Spec. Gén., x, 444,
1857; HULST, Ent. News, vi, 43, 1895; DYAR,
Psyche, ix, 59, 1900; *impatiperata* WALKER,
Cat. Brit. Mus., xxv, 1363, 1862; *albosignata*
PACKARD, Fifth Rept. Peab. Acad., 61, 1873;
C. 174; v. GUMPPENBERG, Nov. Act. Halle,
lii, 141, 1888.

EURHINOSEA Packard.

PACKARD, Proc. Bost. Soc. Nat. Hist., xvi, 34, 1873; HULST, Trans. Am. Ent. Soc., xxiii, 290, 1896.

*3440. *flavaria* PACKARD, Proc. Bost. Soc. Nat. Hist., Cal.
xvi, 35, 1873.

syn. *flavata* PACKARD, C. 129.

*3441. *leoninata* PACKARD, Proc. Bost. Soc. Nat. Hist., Cal.
xiii, 401, 1871; C. 119; HULST, Ent. News, vi, 104, 1895.

*3442. *mancipata* GUENÉE, Spec. Gén., x, 468, 1857; Cal.
PACKARD, C. 113; HULST, Ent. News, vi, 104,
1895.

syn. *subochreata* PACKARD, Proc. Bost. Soc. Nat.
Hist., xiii, 400, 1871.

PSYCHOPHORA Curtis.

CURTIS, App. Ross Second Voy., 73, 1835; HULST, Trans. Am. Ent. Soc., xxiii, 290,
1896.

3443. *sabinii* CURTIS, App. Ross Second Voy., 73, 1835; Greenl.,
HULST, Trans. Am. Ent. Soc., xxiii, 290, 1896;
Ent. News, vi, 70, 1895.

syn. *frigidaria* GUENÉE, Spec. Gén., x, 269,
1857; *phoeata* MÖSCHLER, Wien, ent. Mon.,
vi, 9, 1862; PACKARD, C. 76; *sabinaria* PACK-
ARD, C. 75.

a. polaris HULST (both wings uniform brownish
gray, the fore wings darker).

b. immaculata SKINNER, Proc. Acad. Nat. Sci.
Phil., 159, 1892; HULST, Ent. News, vi, 70,
1895.

3443. *l. fasciata* SKINNER, Ent. News, xiii, 141, 1902. Alaska.

TRICHOCHLAMYS Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 291, 1896.

*3444. *polata* HÜBNER, Zutr. exot. Schmett., f. 805,
1825; STAUDINGER, Stett. ent. Zeit., 395, 1861;
PACKARD, C. 73; MÖSCHLER, Verh. zool.-bot.
Ges. Wien, 305, 1884; HOFMANN, Gr. Schm. Eur.,
205, 1894.

syn. *polaria* HERRICH-SCHAEFFER, Eur.
Schmett., iii, 162, 1847; CHRISTOPH, Wien.
ent. Mon., 313, 1858; HULST, Ent. News,
vi, 106, 1895; *punctipes* CURTIS, App. Ross
Second Voy., 73, 1835.

a. brullei LEFÈBRE, Ann. Soc. Ent. Fr., 399, 1836;
STAUDINGER, Stett. ent. Zeit., 306, 1857;
WALKER, Cat. Brit. Mus., xxv, 1284, 1862.

3445. *lacteata* PACKARD C. 143, 1876. Pac. States.

ERSEPHILA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 291, 1896.

3446. *grandipennis* HULST, Trans. Am. Ent. Soc., xxiii, 291, 1896. Pae. States, Col.3447. *indistincta* HULST, Can. Ent., xxx, 119, 1898. Pae. States, Col.

PETROPHORA Hübner.

HÜBNER, Tentamen, 1810; PACKARD, C. 103; HULST, Trans. Am. Ent. Soc., xxiii, 292, 1896; *Xanthorhoe* HÜBNER, Verz. bek. Schmett., 327, 1818; MEYRICK, Proc. Linn. Soc. N. S. Wales, ii, 862, 1887; Trans. Ent. Soc. Lond., 76, 1892; *Calostygia* HÜBNER, *Melanoclysis* HÜBNER, *Plerocymia* HÜBNER, *Amaba* HÜBNER, *Oehuria* HÜBNER, *Ongechia* HÜBNER, *Scotopteryx* HÜBNER, *Ortholithe* HÜBNER, *Mesotypa* HÜBNER, Verz. bek. Schm., 328-338, 1818; v. GUMPPENBERG, Nov. Act. Halle, iii, 142, 1888; *Eubolia* DUPONCHEL, Hist. Nat., viii, 162, 1829; *Larentia* DUPONCHEL, Hist. Nat., viii, 358, 1829; MEYRICK, Tr. Linn. Soc. N. S. Wales, 77, 1883; *Zerynthia* CURTIS, Brit. Ent., vii, 296, 1830; *Cymazonita* SODOFFSKY, Bull. Imp. Soc. Mosc., 126, 1837; *Eusebia* DUPONCHEL, Cath. Méth., 249, 1844; *Coremia* GUENÉE, Spec. Gén., x, 408, 1857; WALKER, Cat. Brit. Mus., xxv, 1304, 1862.

*3448. *volucer* HULST, Trans. Am. Ent. Soc., xxiii, 293, 1896. Rocky Mts.*3449. *incurvata* HÜBNER, Schmett. Eur., f. 351, 1803; STAUDINGER & REBEL, Cat. Lep. Eur., i, no. 3361, 1901. No. U. S., Eur.

syn. *disceptaria* FISCHER, *incurvaria* HERRICH-SCHAEFFER, *decrepitate* ZETTERSTEDT, *decrepitaria* HERRICH-SCHAEFFER, Sehm. Eur., iii, 159, 1847; *polygrapharia* BOISDUVAL, Ind. Méth., 203, 1840, GUENÉE, Spec. Gén., x, 282, 1857.

*3450. *abrasaria* HERRICH-SCHAEFFER, Neu. Schmett., 27, vi, 137, 1856; PACKARD, C. 139; MÖSCHLER, Verh. zool.-bot. Ges. Wien, 304, 1884. No. U. S., Eur.

syn. *ligularia* GUENÉE, *baculeata* BREMER, *nigrofasciata* PACKARD.

*3451. *ilocata* HULST, Trans. Am. Ent. Soc., xxiii, 293, 1896. Or., Alaska.3452. *borealis* HULST, Trans. Am. Ent. Soc., xxiii, 292, 1896. Alaska.3453. *nemorella* HULST, Trans. Am. Ent. Soc., xxiii, 293, 1896. Pae. Coast.3454. *glacialis* HULST, Can. Ent., xxx, 119, 1898.
a. longula HULST, Can. Ent., xxx, 119, 1898;
DYAR, Can. Ent., xxx, 203, 1898. Alaska.*3455. *algidata* MÖSCHLER, Stett. ent. Zeit., xxxv, 162, 1874; xliv, 121, 1883; PACKARD, C. 150. Lab., Anticosti.

3456. *munitata* HÜBNER, Schm. Eur., f. 346, 1803; STAUDINGER & REBEL, Cat. Lep. Eur., i, no. 3327, 1901.
 syn. *munitaria* HERRICH-SCHAEFFER, Eur. Schmett., iii, 167, 1847; PACKARD, C. 136; *decoloraria* ESPER, *arcticaria* GERMAR, *colinaria* METZNER, Stett. ent. Zeit., 238, 1846; *strigata* PACKARD, *californiata* PACKARD.
- a. labradorensis* PACKARD, Proc. Bost. Soc. Nat. Hist., xi, 46, 1867; MÖSCHLER, Verh. zool.-bot. Ges. Wien, 302, 1884.
- *3457. *ferrugata* CLERCK, Icones, vi, 14, 1759; STAUDINGER & REBEL, Cat. Lep. Eur., i, no. 3369, 1901.
 syn. *ferrugaria* BORKHAUSEN; PACKARD, C. 146; *unidentaria* HAWORTH.
3458. *spadicearia* DENIS & SCHIFFERMÜLLER, Syst. Verz. Wien, 113, 1776; STAUDINGER & REBEL, Cat. Lep. Eur., i, no. 3369, 1901.
 syn. *ferrugata* HÜBNER (not CLERCK), *ferrugaria* HAWORTH (not BORKHAUSEN), *alchae-nillaria* ESPER, *freyeraria* STAUDINGER, Cat. Lep. Eur., no. 524, 1861.
3459. *montanata* DENIS & SCHIFFERMÜLLER, Syst. Verz. Wien, 113, 1776; STAUDINGER & REBEL, Cat. Lep. Eur., i, no. 3363, 1901.
 syn. *montanaria* TREITSCHKE, *implicata* VILLIERS, *ocellata* FABRICIUS.
a. lapponica STAUDINGER, Cat. Lep. Eur., 186, 1871; MÖSCHLER, Verh. zool.-bot. Ges. Wien, 303, 1884.
- *3460. *convallaria* GUENÉE, Spec. Gén., x, 410, 1857; PACKARD, C. 149; HULST, Ent. News, vi, 104, 1895.
 Col., Cal., B. C.
3461. *defensaria* GUENÉE, Spec. Gén., x, 411, 1857; PACKARD, C. 149.
 Col., Pac. States.
- *3462. *anticostiata* STRECKER, Lep. Rhop. Het., suppl. 2, 11, 1899.
 Anticosti.
3463. *fluctuata* LINNEUS, Syst. Nat., 527, 1758; PACKARD, C. 155; STAUDINGER & REBEL, Cat. Lep. Eur., i, no. 3344, 1901; HULST, Ent. News, vi, 104, 1896.
 syn. *fibulata* HUFNAGEL, *costorata* HAWORTH, *iduata* GUENÉE, Spec. Gén., x, 403, 1857; *ideata* WALKER, Cat. Brit. Mus., xxv, 1296, 1862.
 No.-E. U. S., Eur.

LOXOFIDONIA Packard.

PACKARD, C. 223; HULST, Trans. Am. Ent. Soc., xxiii, 294, 1896; *Thyone* MEYRICK, Trans. N. Zeal. Ins., xvi, 61, 1883; *Asaphodes* MEYRICK, Trans. N. Zeal. Ins., xviii, 184, 1885; Trans. Ent. Soc. Lond., 76, 1892.

- *3464. *acidaliata* PACKARD, Sixth Rept. Peab. Acad. Sci., 48, 1874; C. 224; STRECKER, Surv. Dept. Mo., suppl., 1862, 1878.

Col.

Subfamily MONOTAXIINÆ.

MONOTAXIS Hulst.

HULST, Can. Ent., xxx, 120, 1898.

3465. *semipectinata* HULST, Can. Ent., xxx, 120, 1898.

Ariz.

Subfamily MONOCTENIINÆ.

SYNOMILA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 295, 1896.

3466. *subochreata* HULST, Ent. Amer., ii, 187, 1887.

Rocky Mts.,
Oreg.

PAOTA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 295, 1896.

- *3467. *fultaria* GROTE, Can. Ent., xiv, 174, 1882.

Ariz.

HÆMATOPSIS Hübner.

HÜBNER, Verz. bek. Schmett., 301, 1818; PACKARD, C. 218; HULST, Trans. Am. Ent. Soc., xxiii, 295, 1896.

3468. *grataria* FABRICIUS, Ent. Syst., suppl., 112, 1798;
PACKARD, C. 219; RILEY, Rept. Ins. Mo., i, 179, 1869; BOWLES, Can. Ent., xv, 165, 1883; DYAR, Psyche, ix, 155, 1901.

Atl.
States.

syn. *sanaria* HÜBNER, *successoria* WALKER,
Can. Nat., v, 262, 1862; Cat. Brit. Mus., xxv, 1617, 1862; GROTE, Can. Ent., ix, 29, 1878.

Subfamily SPERRHIINÆ.

ERASTRIA Hübner.

HÜBNER, Tentamen, 1810; *Calothysanis* HÜBNER, Verz. bek. Schmett., 301, 1818; MEYRICK, Trans. Ent. Soc. Lond., 91, 1892; HULST, Trans. Am. Ent. Soc., xxiii, 297, 1896; *Timandra* DUPONCHEL, *Bradypteryx* STEPHENS; PACKARD, C. 316.

3469. *amaturaria* WALKER, Cat. Brit. Mus., xxxv, 1634, 1866; PACKARD, C. 317; Ins. Life, iv, 382, 1892; KELLOGG, Can. Ent., xxiv, 242, 1892.

Atl.
States.

- *3470. *viridipennaria* GUENÉE, Spec. Gén., x, 3, 1857;
HULST, Ent. News, vi, 104, 1895.

No.
Am.

PIGIA Guenée.

GUENÉE, Spec. Gén., x, 19, 1857; HULST, Trans. Am. Ent. Soc., xxiii, 297, 1896.

- *3471. *multilineata* HULST, Ent. Amer., ii, 188, 1887. Ariz.

EUACIDALIA Packard.

PACKARD, Fifth Rept. Peab. Acad., 69, 1873; C. 318; HULST, Trans. Am. Ent. Soc., xxiii, 298, 1896.

3472. *sericeata* PACKARD, Fifth Rept. Peab. Acad., 69, 1873; C. 318. Fla.
to Ariz.

PROSOPARIA Grote.

GROTE, Can. Ent., xv, 130, 1883; HULST, Trans. Am. Ent. Soc., xxiii, 298, 1896.

- *3473. *perfuscaria* GROTE, Can. Ent., xv, 130, 1883. Ariz.

MYCTEROPHORA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 298, 1896.

- *3474. *monticola* HULST, Trans. Am. Ent. Soc., xxiii, 299, 1896. Cal.

- *3475. *longipalpata* HULST, Trans. Am. Ent. Soc., xxiii, 299, 1896. Cal.

- *3476. *slossoniæ* HULST, Can. Ent., xxx, 120, 1898. N. H., Man.

DEPTALIA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 299, 1896.

3477. *insularia* GUENÉE, Spec. Gén., ix, 469, 1857; PACKARD, C. 335; HULST, Ent. Amer., iii, 175, 1887; Ent. News, vi, 71, 1895. Atl. States.

syn. *asthenaria* WALKER, Cat. Brit. Mus., xxii, 737, 1861; *invariata* WALKER, Cat. Brit. Mus., xxv, 1596, 1862; *imparata* WALKER, Cat. Brit. Mus., xxv, 1598, 1862; *persimilata* GROTE.

COSYMBIA Hübner.

HÜBNER, Verz. bek. Schmett., 302, 1818; *Cyclophora* HÜBNER (not MONTFORT), Tentamen, 1810; HULST, Trans. Am. Ent. Soc., xxiii, 300, 1896; *Leucophthalmia* HÜBNER, Verz. bek. Sch., 302, 1818; MEYRICK, Trans. Ent. Soc. Lond., 91, 1892; *Codoma* HÜBNER, Verz. bek. Schmett., 302, 1818; *Pyctis* HÜBNER, Verz. bek. Schmett., 309, 1818; *Ephyra* DUPONCHEL, Hist. Nat., viii, 20, 1829; PACKARD, C. 361; *Zonosoma* LEDERER, Verh. zool.-bot. Ges. Wien, 194, 1853.

3478. *culicaria* GUENÉE, Spec. Gén., ix, 407, 1857; PACKARD, C. 365; HULST, Ent. Amer., ii, 221, 1887; Ent. News, vi, 72, 1895. So. Atl. States.

3479. *myrtaria* GUENÉE, Spec. Gén., ix, 408, 1857; PACKARD, C. 364; GOODELL, Can. Ent., ix, 62, 1877; HULST, Ent. News, vi, 70, 1896.
syn. *ignotaria* WALKER, Cat. Brit. Mus., xxv, 1576, 1862.
3480. *lumenaria* HÜBNER, Zutr. exot. Schmett., f. 757, 1832; PACKARD, C. 365; HULST, Ent. News, vi, 106, 1895.
syn. *pendulinaria* GUENÉE; PACKARD, C. 363; *quadriannulata* WALKER, Cat. Brit. Mus., xxv, 1595, 1862.
- *3481. *umatillaria* STRECKER, Lep. Rhop. Het., suppl. 2, 9, 1899. Fla.
3482. *serrulata* PACKARD, Fifth Rept. Peab. Acad. Sci., 73, 1873; C. 366. Atl. States, Ariz.
- *3483. *dataria* HULST, Ent. Amer., ii, 186, 1887. Cal.
- *3484. *albocostaliata* PACKARD, C. 336. Atl. States.
3485. *pannaria* GUENÉE, Spec. Gén., ix, 470, 1857; PACKARD, C. 336; HULST, Ent. News, vi, 73, 1895.
syn. *tremularia* WALKER, Cat. Brit. Mus., xxv, 1614, 1862; *purpurissata* GROTE. Atl. States.

SYNELYS Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 300, 1896.

3486. *alabastaria* HÜBNER, Zutr. exot. Schmett., ii, f. 311, 1825?; HULST, Ent. News, vi, 72, 1895; vi, 106, 1895.
syn. *reconditaria* WALKER, Cat. Brit. Mus., xxiii, 786, 1861; PACKARD, C. 357; GROTE, Trans. Am. Ent. Soc., ii, 82, 1868; HULST, Ent. News, vi, 72, 1895; *enucleata* PACKARD (not GUENÉE), C. 347; GOODELL, Can. Ent., xi, 194, 1879; Can. Ent., xii, 236, 1880.
3487. *ennucleata* GUENÉE, Spec. Gén., ix, 505, 1857; HULST, Ent. News, vi, 72, 1895; DYAR, Psyche, ix, 165, 1901.
syn. *restrictata* WALKER, Cat. Brit. Mus., xxii, 722, 1861; *mensurata* WALKER, Cat. Brit. Mus., xxxv, 1621, 1866; *continuaria* WALKER, Cat. Brit. Mus., xxxv, 1622, 1866. Atl. States, Rocky Mts.
- *3488. *pergracilis* HULST, Can. Ent., xxx, 121, 1898. Fla.
- *3489. *nigrocandida* HULST, Can. Ent., xxx, 121, 1898. Fla.

- *3490. **timandrata** WALKER, Cat. Brit. Mus., xxii, 724, 1861; PACKARD, C. 355; HULST, Ent. News, vi, 72, 1895.
syn. *rufilineata* WALKER, Cat. Brit. Mus., xxiii, 783, 1861.
3491. **ordinata** WALKER, Cat. Brit. Mus., xxii, 722, 1861; PACKARD, C. 565; HULST, Ent. News, vi, 71, 1895.
syn. *puraria* WALKER, Cat. Brit. Mus., xxiii, 796, 1861; HULST, Ent. News, vi, 71, 1895;
candidaria PACKARD, C. 349.
3492. **subquadrata** GUENÉE, Spec. Gén., ix, 459, 1857; WALKER, Cat. Brit. Mus., xxii, 729, 1861; HULST, Ent. News, vi, 73, 1895.
syn. *obluridata* HULST, Ent. Amer., ii, 185, 1887.
- *3493. **umbilicata** GUENÉE, Spec. Gén., ix, 504, 1857; WALKER, Cat. Brit. Mus., 727, 1861; HULST, Ent. News, vi, 72, 1895.
syn. *indoctaria* WALKER, Cat. Brit. Mus., xxii, 731, 1861.

XYSTROTA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 301, 1896.

3494. **hepaticaria** GUENÉE, Spec. Gén., ix, 471, 1857; PACKARD, C. 352; HULST, Ent. Amer., ii, 222, 1887, iv, 49, 1888.
syn. *rubromarginaria* PACKARD, *ferrunimaria* ZELLER, Verh. zool.-bot. Ges. Wien, 478, 1873; PACKARD, C. 360; *rubromarginata* PACKARD, C. 339.

WAUCHULA Hulst.

HULST, Jn. N. Y. Ent. Soc., viii, 216, 1901.

3495. **rubrotincta** HULST, Jn. N. Y. Ent. Soc., viii, 216, 1901. Fla.

CINGLIS Guenée.

GUENÉE, Spec. Gén., x, 114, 1857; MEYRICK, Trans. Ent. Soc. Lond., 90, 1892; HULST, Trans. Am. Ent. Soc., xxiii, 301, 1896.

- *3496. **luteolata** HULST, Bull. Brook. Ent. Soc., iii, 42, 1880; Ent. Amer., ii, 222, 1887. Col.
3497. **similaria** WALKER, Cat. Brit. Mus., xxxv, 1592, 1866; HULST, Ent. News, vi, 72, 1895. Atl. States.
syn. *quadrilineata* PACKARD, C. 345.

3498. *purata* GUENÉE, Spec. Gén., ix, 488, 1857; WALKER, Cat. Brit. Mus., xxii, 720, 1861; PACKARD, C. 353; HULST, Ent. Amer., ii, 222, 1887.
syn. *cetuminata* MORRISON, *cucuminaria* PACKARD, C. 346. Atl. States.
- *3499. *compensata* WALKER, Cat. Brit. Mus., xxii, 724, 1861; PACKARD, C. 354. Tex., Fla.
3500. *ancellata* HULST, Ent. Amer., ii, 186, 1887. Rocky Mts.
3501. *fuscata* HULST, Ent. Amer., ii, 187, 1887. Rocky Mts.
- *3502. *albidula* HULST, Trans. Am. Ent. Soc., xxiii, 301, 1896. Fla.

SCELOLOPHIA Hulst.

- HULST, Trans. Am. Ent. Soc., xxiii, 301, 1896.
- *3503. *formosa* HULST, Trans. Am. Ent. Soc., xxiii, 302, 1896. Tex.

CHAROMMATÆA Hulst.

- HULST, Trans. Am. Ent. Soc., xxiii, 302, 1896.
- *3504. *ella* HULST, Trans. Am. Ent. Soc., xxiii, 302, 1896. Tex.
- a. ellatina* HULST, Trans. Am. Ent. Soc., xxiii, 303, 1896.

LEPTOMERIS Hübner.

- HÜBNER, Verz. bek. Schmett., 310, 1818; MEYRICK, Trans. Ent. Soc. Lond., 89, 1892; HULST, Trans. Am. Ent. Soc., xxiii, 303, 1896; *Craspedia* HÜBNER, Verz. bek. Schmett., 312, 1818; *Dosithea* DUPONCHEL, Hist. Nat., viii, 43, 1829.
3505. *gemma* PACKARD, C. 320, 1876. Rocky Mts.
3506. *lautaria* HÜBNER, Zutr. exot. Schmett., 539, 1820?; HULST, Ent. News, vi, 72, 1895. So. States.
- syn. *myrmidonata* GUENÉE, Spec. Gén., ix, 487, 1857; PACKARD, C. 353; *minutularia* HULST, Bull. Brook. Ent. Soc., iii, 44, 1880.
- *3507. *occidentaria* PACKARD, Proc. Bost. Soc. Nat. Hist., xvi, 29, 1874; C. 321. Pae. States, Col.
- syn. *occidentata* PACKARD.
- *3508. *roseotincta* HULST, Trans. Am. Ent. Soc., xxiii, 303, 1896. Fla.
3509. *æmulata* HULST, Trans. Am. Ent. Soc., xxiii, 303, 1896. Fla.
3510. *quinquelinearia* PACKARD, Proc. Bost. Soc. Nat. Hist., 389, 1871; Rept. Geol. Surv. Terr., v, 554, 1873; C. 348; BUTLER, Pap., i, 221, 1881. U. S.

3511. <i>sentinaria</i> HÜBNER, Zutr. exot. Schmett., f. 823, 1837; PACKARD, C. 342.	No. U. S.
syn. <i>spuraria</i> CHRISTOPH, <i>gracilior</i> BUTLER, Ann. Mag. Nat. Hist., (6), xii, 18, 1893.	
3512. <i>magnetaria</i> GUENÉE, Spec. Gén., ix, 450, 1857; PACKARD, C. 350; HULST, Ent. Amer., ii, 222, 1886.	Pac. States.
syn. <i>rubrolinearia</i> PACKARD, <i>rubrolineata</i> PACKARD, C. 343.	
*3513. <i>frigidaria</i> MÖSCHLER, Wien. ent. Monat., iv, 44, 1860; PACKARD, C. 340; HULST, Ent. News, vi, 71, 1895.	Arctic Am.
syn. <i>defixaria</i> WALKER, Cat. Brit. Mus., xxiii, 796, 1861; <i>impauperata</i> WALKER, Cat. Brit. Mus., xxv, 1363, 1862; <i>tareticaria</i> WALKER, Cat. Brit. Mus., xxvi, 1594, 1862; HULST, Ent. News, vi, 105, 1895 (type lost); <i>okukaria</i> PACKARD.	
3514. <i>ostentaria</i> WALKER, Cat. Brit. Mus., xxiii, 784, 1861; PACKARD, C. 355.	Fla., Tex.
3515. <i>plantagenaria</i> HULST, Ent. Amer., ii, 185, 1887.	Fla. to Ariz.
*3516. <i>nigrodisalis</i> HULST, Can. Ent., xxx, 158, 1898.	Me.
*3517. <i>placidaria</i> GUENÉE, Spec. Gén., ix, 469, 1857; PACKARD, C. 352; HULST, Ent. News, vi, 105 1895 (type lost).	No. Am.

EOIS Hübner.

HÜBNER, Verz. bek. Schmett., 308, 1818; PACKARD, C. 319; MEYRICK, Trans. Ent. Soc. Lond., 86, 1892; HULST, Trans. Am. Ent. Soc., xxiii, 304, 1896; *Arrhostia* HÜBNER, Verz. bek. Schmett., 311, 1818; *Pychopoda* STEPHENS, Cat. 150, 1829; *Hyria* STEPHENS, Cat. 150, 1829; GUENÉE, Spec. Gén., ix, 428, 1857; *Carphoxera* RILEY, Ins. Life, iv, 112, 1892.

3518. <i>parvularia</i> HULST, Ent. Amer., iii, 213, 1887.	Tex.
3519. <i>ptelearia</i> RILEY, Ins. Life, iv, 112, 1892; iv, 271, 1892; v, 40.1892; WRIGHT, Ins. Life, v, 271, 1892.	U. S.
*3520. <i>scintillaria</i> HULST, Ent. Amer., iii, 213, 1887.	Fla.
3521. <i>demissaria</i> HÜBNER, Zutr. exot. Schmett., 563, 1825; PACKARD, C. 351.	U. S.
syn. <i>ferrugata</i> PACKARD, C. 321; MÖSCHLER, Verh. zool.-bot. Ges. Wien, 304, 1884; <i>boni- fata</i> HULST, Ent. Amer., ii, 187, 1886.	
<i>a. russata</i> HULST, Ent. Amer., ii, 187, 1886.	
syn. <i>creniata</i> HULST, Ent. Amer., ii, 187, 1886; <i>inclusaria</i> WALKER, Cat. Brit. Mus., xxv, 1596, 1862; HULST, Ent. News, vi, 105, 1895 (type lost).	

3522. *purpurascens* HULST, Can. Ent., xxxii, 105, 1900. Fla.
- *3523. *hilliata* HULST, Ent. Amer., ii, 187, 1886. Fla.
- *3524. *flavescens* HULST, Trans. Am. Ent. Soc., xxiii, 304, 1896. Tex.
3525. *lævitaria* HÜBNER, Zutr. exot. Schmett., f. 873, 1820!; GUENÉE, Spec. Gén., ix, 471, 1857; WALKER, Cat. Brit. Mus., xxii, 719, 1861.
syn. *floridata* PACKARD, C. 319. Fla. to Cal.
3526. *microphysa* HULST, Trans. Am. Ent. Soc., xxiii, 305, 1896. So. Cal.
- *3527. *delicata* HULST, Trans. Am. Ent. Soc., xxiii, 305, 1896. N. Mex.
3528. *peralbata* PACKARD, Fifth Rept. Peab. Acad. Sci., 70, 1873; C. 332; STRECKER, Surv. Dept. Mo. Ruffner, app., 1862, 1878.
syn. *longipennata* PACKARD, Fifth Rept. Peab. Acad. Sci., 71, 1873; C. 332; HULST, Ent. Amer., ii, 221, 1887. Tex.
3529. *nimbicolor* HULST, Trans. Am. Ent. Soc., xxiii, 305, 1896. Fla.
- syn. *floridaria* HULST (not PACKARD), Ent. Amer., iii, 215, 1888; *floridata* HULST, Trans. Am. Ent. Soc., xxiii, 306, 1896.
3530. *ossularia* HÜBNER, Zutr. exot. Schmett., f. 909, 1837; HULST, Ent. Amer., ii, 221, 1887; Ent. News, vi, 73, 1895.
syn. *ossulata* PACKARD, C. 329; *temnaria* GUENÉE; PACKARD, C. 352; *sublataria* GUENÉE, Spec. Gén., ix, 474, 1857; PACKARD, C. 352; *magnifiraria* WALKER, Cat. Brit. Mus., xxiii, 784, 1861; PACKARD, C. 356; *furillifera* WALKER, Cat. Brit. Mus., xxv, 1624, 1866; PACKARD, C. 359; *viola-cearia* WALKER, Cat. Brit. Mus., xxiii, 786, 1861; PACKARD, C. 357; *repletaria* WALKER, Cat. Brit. Mus., xxv, 1624, 1866; PACKARD, C. 359. U. S.
- *3531. *granitaria* PACKARD, Proc. Bost. Soc. Nat. Hist., xiii, 390, 1871; C. 330. Cal.
3532. *lanceolata* HULST, Trans. Am. Ent. Soc., xxiii, 305, 1896. N. Mex., Cal., Fla.
3533. *balistraria* GUENÉE, Spec. Gén., ix, 453, 1857; PACKARD, C. 351.
syn. *perirrorata* PACKARD, Fifth Rept. Peab. Acad. Sci., 71, 1873; C. 331. So. States, Col., Ariz.

*3534. <i>rufescens</i> HULST, Trans. Am. Ent. Soc., xxiii, 305, 1896.	Atl. States.
*3535. <i>pallida</i> HULST, Trans. Am. Ent. Soc., xxiii, 306, 1896.	Tex.
3536. <i>eburneata</i> GUENÉE, Spec. Gén., ix, 474, 1857; WALKER, Cat. Brit. Mus., xxii, 734, 1861; HULST, Ent. News, vi, 73, 1895. syn. <i>tectorata</i> WALKER, Cat. Brit. Mus., xxii, 721, 1861; PACKARD, C. 353.	Fla.
3537. <i>suavata</i> HULST, Jn. N. Y. Ent. Soc., viii, 217, 1901; DYAR, Psyche, ix, 106, 1900.	Fla.
3538. <i>lacteolata</i> LINTNER, Ent. Cont., iv, 112, 1878.	Fla.
3539. <i>obfuscaria</i> WALKER, Cat. Brit. Mus., xxiii, 786, 1861; PACKARD, C. 357. syn. <i>punctofimbriata</i> PACKARD, Fifth Rept. Peab. Acad. Sci., 70, 1873; C. 333; HULST, Ent. News, vi, 71, 1895.	Atl. States.
*3540. <i>crossii</i> HULST, Can. Ent., xxxii, 105, 1900.	Fla.
*3541. <i>volucrata</i> HULST, Ent. Amer., ii, 186, 1887.	Mo.
*3542. <i>quæsitata</i> HULST, Bull. Brook. Ent. Soc., iii, 45, 1880.	Col.
*3543. <i>micropterata</i> HULST, Jn. N. Y. Ent. Soc., viii, 217, 1901.	Fla.
*3544. <i>rotundopennata</i> PACKARD, C. 337.	No. Atl. States.
*3545. <i>persimilis</i> HULST, Can. Ent., xxx, 158, 1898.	No. U. S.
3546. <i>inductata</i> GUENÉE, Spec. Gén., ix, 494, 1857; PACKARD, C. 340; HULST, Ent. News, vi, 71, 1895; DYAR, Psyche, ix, 226, 1901. syn. <i>consecutaria</i> WALKER, Cat. Brit. Mus., xxxv, 1623, 1866; PACKARD, C. 358; <i>sobria</i> WALKER, Cat. Brit. Mus., xxxv, 1624, 1866; PACKARD, C. 359; <i>?suppressaria</i> WALKER, Cat. Brit. Mus., xxvi, 1594, 1862; HULST, Ent. News, vi, 105, 1895 (type lost).	Atl. States.
*3547. <i>hanhamii</i> HULST, Can. Ent., xxx, 158, 1898.	Man.
*3548. <i>productata</i> PACKARD, C. 334, 1876.	Atl. States.
*3549. <i>australis</i> HULST, Trans. Am. Ent. Soc., xxiii, 306, 1896.	Fla.
3550. <i>sideraria</i> GUENÉE, Spec. Gén., ix, 450, 1857; PACKARD, C. 350; HULST, Ent. Amer., ii, 222, 1887; PACKARD, C. 341. syn. <i>californiaria</i> PACKARD, <i>californiata</i> PACKARD, <i>pacificaria</i> PACKARD.	No. U. S.

- *3550. 1. *refractaria* WALKER, Cat. Brit. Mus., xxiii, 785, 1861. East Fla.
3551. *anticaria* WALKER, Cat. Brit. Mus., xxvi, 1593, 1862; HULST, Ent. News, vi, 72, 1895. Atl. States.
syn. *subalbaria* PACKARD, Proc. Bost. Soc. Nat. Hist., xvi, 28, 1873; C. 344.
- *3551. 1. *basipunctaria* WALKER, Cat. Brit. Mus., xxiii, 785, 1861. East Fla.

EMMILTIS Hübner.

HÜBNER, Verz. bek. Schmett., 309, 1818; MEYRICK, Trans. Ent. Soc. Lond., 86, 1892; HULST, Trans. Am. Ent. Soc., xxiii, 306, 1896; *Anthometria* BOISDUVAL, Ind. Méth., 231, 1840; v. GUMPPENBERG, Nov. Act. Halle, xlxi, 392, 1887.

3552. *sparsaria* WALKER, Cat. Brit. Mus., xxvi, 1596, 1862; HULST, Ent. News, vi, 42, 1895. Tex.. Fla.
syn. *psilogrammaria* ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 490, 1872; PACKARD, C. 430.

PENTOPODA Hulst.

- HULST, Trans. Am. Ent. Soc., xxiii, 307, 1896.
*3553. *miranda* HULST, Trans. Am. Ent. Soc., xxiii, 307, 1896. Tex.

SIGELA Hulst.

- HULST, Trans. Am. Ent. Soc., xxiii, 308, 1896.
3554. *penumbrata* HULST, Trans. Am. Ent. Soc., xxiii, 308, 1896. Fla., Cal.

LOPHOSIS Hulst.

- HULST, Trans. Am. Ent. Soc., xxiii, 308, 1896.
*3555. *labeculata* HULST, Ent. Amer., ii, 187, 1887. Col., Ariz.

GONIACIDALIA Packard.

- PACKARD, Fifth Rept. Peab. Acad. Sci., 68, 1873; C. 312; HULST, Trans. Am. Ent. Soc., xxiii, 308, 1896.
3556. *furciferata* PACKARD, Fifth Rept. Peab. Acad. Sci., 68, 1873; C. 312. Tex.

Subfamily GEOMETRINÆ.

ANNEMORIA Packard.

- PACKARD, Proc. Bost. Soc. Nat. Hist., xvi, 30, 1874; C. 375; HULST, Trans. Am. Ent. Soc., xxiii, 312, 1896.
3557. *bistriaria* PACKARD, C. 378; HULST, Ent. Amer., ii, 140, 1886; iii, 193, 1888. Rocky Mts.
syn. *undinaria* STRECKER, Surv. Dept. Mo., Ruffner, app., 1862, 1878.

3558. *faseolaria* GUENÉE, Spec. Gén., ix, 351, 1857; Cal.
WALKER, Cat. Brit. Mus., xxii, 534, 1861.
syn. *faseolaria* PACKARD, C. 375; *fasciolaria*
HULST, Ent. Amer., ii, 141, 1886; *perriridaria* PACKARD, C. 379.
- *3559. *græfaria* HULST, Ent. Amer., ii, 123, 1886. Nev., Cal.
3560. *unitaria* PACKARD, Proc. Bost. Soc. Nat. Hist., Nev.
xvi, 30, 1874; C. 376.

CHLOROCHLAMYS Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 312, 1896.

3561. *chloroleucaria* GUENÉE, Spec. Gén., ix, 351, 1857; Atl.
PACKARD, C. 370; GOODELL, Can. Ent., xii, 235, States,
1880; HULST, Bull. Brook. Ent. Soc., ii, 78, Cal.
1879; Ent. News, vi, 71, 1895.
syn. *indiscriminaria* WALKER, Cat. Brit.
Mus., xxvi, 1556, 1862; PACKARD, C. 375;
densaria WALKER, Cat. Brit. Mus., xxv,
1557, 1862; PACKARD, C. 375; *deprivata*
WALKER, Cat. Brit. Mus., xxvi, 1559, 1862;
PACKARD, C. 396.
3562. *phyllinaria* ZELLER, Verh. zool.-bot. Ges. Wien, Rocky Mts.,
479, 1872; HULST, Ent. Amer., ii, 141, 1886; Cal.
Ent. News, vi, 71, 1895.
syn. *zelleraria* PACKARD, C. 370.

NEMORIA Hübner.

HÜBNER, Verz. bek. Schmett., 285, 1818; PACKARD, C. 372; MEYRICK, Trans. Ent.
Soc. Lond., 93, 1892; HULST, Trans. Am. Ent. Soc., xxiii, 312, 1896; *Chlorissa* STE-
PHENS, West. & Hump., Brit. Moths, ii, 78, 1849.

3563. *pistaceata* GUENÉE, Spec. Gén., ix, 348, 1857; Atl.
PACKARD, C. 374; HULST, Ent. News, vi, 71, 1895. States.
syn. *superata* WALKER, Cat. Brit. Mus., xxxv,
1612, 1862; PACKARD, C. 396.
3564. *subcroceaata* WALKER, Cat. Brit. Mus., xxv, 1557, Atl.
1862; PACKARD, C. 372; DYAR, Psyche, viii, 386, States.
1899.
3565. *dyarii* HULST, Can. Ent., xxxii, 105, 1900. Atl. States.
- *3566. *auranticolorata* STRECKER, Lep. Rhop. Het., Fla.
suppl. 2, 8, 1899.
- *3567. *euchloraria* GUENÉE, Spec. Gén., ix, 355, 1857; Atl.
PACKARD, C. 396. States.

EUCROSTIS Hübner.

HÜBNER, Verz. bek. Schmett., 283, 1818; PACKARD, C. 369; MEYRICK, Trans. Ent. Soc. Lond., 94, 1892; HULST, Trans. Am. Ent. Soc., xxiii, 313, 1896.

3568. *incertata* WALKER, Cat. Brit. Mus., xxv, 1557, 1862; PACKARD, C. 372; HULST, Ent. News, vi, 71, 1895. Atl. States.

syn. *oporaria* ZELLER, Verh. zool.-bot. Ges. Wien, 481, 1872; *gratata* PACKARD, C., pl. 10, f. 79, 1876.

3569. *viridipennata* HULST, Trans. Am. Ent. Soc., xxiii, 314, 1896; DYAR, Psyche, ix, 287, 1901. Col., Cal.

CHLOROPTERYX Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 314, 1896.

*3570. *tepperaria* HULST, Ent. Amer., ii, 122, 1886. So. States.

RACHEOSPILA Guenée.

GUENÉE, Spec. Gén., ix, 372, 1857; PACKARD, C. 384; HULST, Trans. Am. Ent. Soc., xxiii, 314, 1896.

3571. *lixaria* GUENÉE, Spec. Gén., ix, 374, 1857; PACKARD, C. 384; HULST, Ent. News, vi, 71, 1895. Atl. States.

syn. *inclusaria* WALKER, Cat. Brit. Mus., xxii, 508, 1861; HULST, Ent. News, vi, 105, 1895; PACKARD, C. 395; *congruata* WALKER, Cat. Brit. Mus., xxii, 511, 1861; *extremaria* WALKER, Cat. Brit. Mus., xxii, 584, 1861; *rubrolineata* PACKARD, Fifth Rept. Peab. Acad. Sci., 74, 1873; C. 390; *cupidenaria* GROTE, Can. Ent., xii, 218, 1880.

*3572. *jaspidiaria* HULST, Ent. Amer., ii, 122, 1886. Fla.

*3573. *hollandaria* HULST, Ent. Amer., ii, 122, 1886. Fla.

*3574. *viridipurpurea* HULST, Can. Ent., xxx, 159, 1898. Fla.

3575. *saltusaria* HULST, Ent. Amer., ii, 122, 1886; DYAR, Psyche, ix, 118, 1900. Fla.

SYNCHLORA Guenée.

GUENÉE, Spec. Gén., ix, 375, 1857; PACKARD, C. 379; HULST, Trans. Am. Ent. Soc., xxiii, 314, 1896; *Eunemoria* PACKARD, Fifth Rept. Peab. Acad. Sci., 76, 1873.

3576. *hulstiana* DYAR, Proc. Ent. Soc. Wash., iv, 457, 1901. Fla.

3577. *louisa* HULST, Can. Ent., xxx, 159, 1898. Fla.
3578. *ærata* FABRICIUS, Syst. Ent., suppl., 238, 1798; HULST, Ent. News, vi, 71, 1895; AURIVILLIUS, Tidsk. Ent., xviii, 166, 1898. Atl. States.
- syn. *glaucaria* GUENÉE, Spec. Gén., ix, 377, 1857; PACKARD, C. 392; HULST, Ent. Amer., ii, 141, 1886; DYAR, Psyche, ix, 93, 1900; *mimicata* WALKER, Cat. Brit. Mus., xxxv, 1600, 1866; PACKARD, C. 395; *rubivora* RILEY, First Rept. Ins. Mo., 139, 1869; *rubivoraria* PACKARD, C. 382; SAUNDERS, Ins. Inj. Fruits, 316, 1883; FRENCH, Trans. Dept. Agr. Ill., xv, 238, 1877; *albolineata* PACKARD, Fifth Rept. Peab. Acad. Sci., 75, 1873; *gracillaria* PACKARD, Fifth Rept. Peab. Acad. Sci., 77, 1873.
- *3579. *viridipallens* HULST, Trans. Am. Ent. Soc., xxiii, 315, 1896. Col., Ariz.
3580. *denticulata* WALKER, Cat. Brit. Mus., xxii, 536, 1861; HULST, Ent. News, vi, 71, 1895. U. S.
- syn. *excavaria* PACKARD, Fifth Rept. Peab. Acad. Sci., 76, 1873; C. 381; DYAR, Ent. News, v, 62, 1894.
3581. *liquoraria* GUENÉE, Spec. Gén., ix, 375, 1857; PACKARD, C. 383; HULST, Ent. Amer., ii, 141, 1886; Ent. News, vi, 71, 1895. U. S.
- syn. *tricoloraria* PACKARD, Proc. Bost. Soc. Nat. Hist., xvi, 30, 1874; C. 381.
- *3582. *texana* HULST, Can. Ent., xxx, 160, 1898. Tex.
3583. *rubrifrontaria* PACKARD, Fifth Rept. Peab. Acad. Sci., 75, 1873; C. 383. Atl. States.
3584. *xysteraria* HULST, Ent. Amer., ii, 121, 1886. Fla.
3585. *dominicaria* GUENÉE, Spec. Gén., ix, 367, 1857; WALKER, Cat. Brit. Mus., xxii, 566, 1861; HULST, Ent. News, vi, 71, 1895. Fla.

CHLOROSEA Packard.

PACKARD, Proc. Bost. Soc. Nat. Hist., xvi, 30, 1874; C. 376; HULST, Trans. Am. Ent. Soc., xxiii, 315, 1896.

- *3586. *nevadaria* PACKARD, Proc. Bost. Soc. Nat. Hist., xvi, 31, 1874; C. 378. Rocky Mts., Pac. States.

APLODES Guenée.

GUENÉE, Spec. Gén., ix, 376, 1857; PACKARD, C. 385; HULST, Trans. Am. Ent. Soc., xxiii, 315, 1896; *Hipparchiscus* WALSH, Proc. Bost. Soc. Nat. Hist., ix, 300, 1864.

3587. *mimosaria* GUENÉE, Spec. Gén., ix, 377, 1857; Atl. States.
 PACKARD, C. 388; HULST, Ent. News, vi, 71, 1895; Ent. Amer., ii, 139, 1886; DYAR, Psyche, viii, 310, 1899.
 syn. *tractoria* WALKER, Cat. Brit. Mus., xxii, 540, 1861; *venusta* WALSH, Proc. Bost. Soc. Nat. Hist., ix, 301, 1864; *approximaria* PACKARD, Fifth Rept. Peab. Acad. Sci., 73, 1873; C. 391; Bull. U. S. Ent. Comm., vii, 49, 1881; *tataria* PACKARD, Fifth Rept. Peab. Acad. Sci., 74, 1873; C. 391; *coniferaaria* PACKARD, Am. Nat., xviii, 933, 1884.

- *3588. *catachloa* HULST, Can. Ent., xxx, 160, 1898. Fla.
 3589. *rubrifrontaria* PACKARD, Fifth Rept. Peab. Acad. Sci., 76, 1873; C. 386. Atl. States, Brit. Col.
 syn. *packardaria* GROTE, New Check List, 46, 1882.
 3590. *bistriaria* HÜBNER, Zutr. exot. Schmett., f. 103, 1818; PACKARD, C. 564; HULST, Ent. News, vi, 71, 1895. Atl. States.
 syn. *bijilata* WALKER, Cat. Brit. Mus., xxvi, 1585, 1862; *brunnearia* PACKARD, C. 388.

ANAPLODES Packard.

- PACKARD, C. 392; HULST, Trans. Am. Ent. Soc., xxiii, 316, 1896.
 3591. *zygotaria* HULST, Ent. Amer., ii, 121, 1886. Tex.
 3592. *viridicaria* HULST, Bull. Brook. Ent. Soc., iii, 41, 1880; Ent. Amer., ii, 140, 1886. Col., Ariz.
a. albaria GROTE, Can. Ent., xv, 126, 1883.
 *3593. *obliqua* HULST, Can. Ent., xxx, 161, 1898. Col.
 syn. *billonaria* STRECKER, Lep. Rhop. Het., suppl. 2, 8, 1899.
 *3594. *rubromarginaria* PACKARD, C. 389; HULST, Ent. News, vi, 71, 1895. Atl. States.
 3595. *arizonaria* GROTE, Can. Ent., xv, 125, 1883. Cal., Ariz.
 syn. *festaria* HULST, Ent. Amer., ii, 121, 1886.
 3596. *pistacearia* PACKARD, C. 392, 1876. Rocky Mts.
 *3597. *junctolinearia* GRAEF, Bull. Brook. Ent. Soc., iii, 87, 1881; HULST, Ent. Amer., ii, 140, 1886. Rocky Mts.
 3598. *remotaria* WALKER, Cat. Brit. Mus., xxii, 530, 1861; HULST, Ent. News, vi, 71, 1895. Atl. States.
a. consequaria HY. EDWARDS, Pap., iv, 19, 1884.

3599. *iridaria* GUENÉE, Spec. Gén., ix, 344, 1857; PACKARD, C. 394; HULST, Ent. News, vi, 71, 1895.
 syn. *rectaria* GROTE, Can. Ent., ix, 157, 1877;
 HULST, Ent. News, vi, 71, 1895.
3600. *illustraria* HULST, Ent. Amer., ii, 121, 1886. Cal.
 syn. *iridaria* PACKARD (not GUENÉE), C. pl. 10,
 f. 93, 1876.

Subfamily FERNALDELLINÆ.

FERNALDELLA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 318, 1896.

3601. *fimetaria* GROTE & ROBINSON, Trans. Am. Ent. Soc., iii, 182, 1870; GROTE, Bull. Buff. Soc., i, 88, 1873; PACKARD, C. 228; HULST, Ent. Amer., iii, 9, 1887.
 syn. *halesaria* ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 488, 1872; xxv, 125, 1875.
a. partitaria GROTE, Can. Ent., xv, 130, 1883.
3602. *stalachtaria* STRECKER, Surv. Dept. Mo., Ruffner, suppl., 1863, 1878; HULST, Ent. Amer., iii, 9, 1887.
a. alternaria GROTE, Can. Ent., xv, 27, 1883.

Subfamily ENNOMINÆ.

EPELIS Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 324, 1896.

3603. *truncataria* WALKER, Cat. Brit. Mus., xxv, 1034, 1862; PACKARD, C. 230; v. GUMPPENBERG, Nov. Act. Halle, xlix, 388, 1894; HULST, Ent. News, vi, 12, 1895; DYAR, Psyche, ix, 298, 1902.
 syn. *faronii* MINOT, Proc. Bost. Soc. Nat. Hist., xi, 83, 1869; PACKARD, C. 232.

EUFIDONIA Packard.

PACKARD, C. 225; HULST, Trans. Am. Ent. Soc., xxiii, 324, 1896; v. GUMPPENBERG, Nov. Act. Halle, xlix, 397, 1887.

3604. *notataria* WALKER, Cat. Brit. Mus., xxi, 407, 1860; PACKARD, C. 226; GOODELL, Can. Ent., xiv, 199, 1882; HULST, Ent. News, vi, 12, 1895.
 syn. *discospilata* WALKER, Cat. Brit. Mus., xxiv, 1034, 1862.
a. fidoniata WALKER, Cat. Brit. Mus., xxiv, 1183, 1862; v. GUMPPENBERG, Nov. Act. Halle, xlix, 398, 1887.
 syn. *bicolorata* MINOT, Proc. Bost. Soc. Nat. Hist., xi, 83, 1869; *quadripunctaria* MORRISON, Proc. Bost. Soc. Nat. Hist., xvi, 199, 1874.

ORTHOFIDONIA Packard.

- PACKARD, C. 235; HULST, Trans. Am. Ent. Soc., xxiii, 324, 1896.
3605. **exornata** WALKER, Cat. Brit. Mus., xxiv, 1187, 1862; PACKARD, C. 236; v. GUMPPENBERG, Nov. Act. Halle, xlix, 400, 1887; HULST, Ent. News, vi, 42, 1895.
syn. *albitusata* WALKER, Cat. Brit. Mus., xxvi, 1728, 1862.
3606. **semiclarata** WALKER, Cat. Brit. Mus., xxxv, 1653, 1866; PACKARD, C. 302; HULST, Ent. News, v, 304, 1894.
syn. *vittata* HARVEY, Buff. Bull. Soc., i, 265, 1874.
3608. **vestaliata** GUENÉE, Spec. Gén., x, 59, 1857; PACKARD, C. 301.
syn. *junctaria* WALKER, Can. Nat., vi, 39, 1861; Cat. Brit. Mus., xxvi, 1593, 1862; GROTE, Can. Ent., ix, 27, 1877.
- *3609. **elsinora** HULST, Jn. N. Y. Ent. Soc., viii, 218, 1900.

DASYFIDONIA Packard.

- PACKARD, C. 233; HULST, Trans. Am. Ent. Soc., xxiii, 23, 325, 1896.
3610. **avuncularia** GUENÉE, Spec. Gén., x, 145, 1857; PACKARD, C. 234; v. GUMPPENBERG, Nov. Act. Halle, xlix, 386, 1887.

HELIOMATA Grote.

- GROTE, Proc. Ent. Soc. Phil., vi, 29, 1866; PACKARD, C. 190; v. GUMPPENBERG, Nov. Act. Halle, xlix, 368, 1887; HULST, Trans. Am. Ent. Soc., xxiii, 325, 1896.
3611. **infulata** GROTE, Proc. Ent. Soc. Phil., ii, 67, 1863; PACKARD, C. 191.
- *3612. **elaborata** GROTE, Proc. Ent. Soc. Phil., ii, 67, 1863; PACKARD, C. 191.
3613. **cycladata** GROTE, Proc. Ent. Soc. Phil., vi, 30, 1866; PACKARD, C. 192; DYAR, Psyche, ix, 177, 1901.

MELLILLA Grote.

- GROTE, Bull. Buff. Soc., i, 12, 1873; HULST, Trans. Am. Ent. Soc., xxiii, 325, 1896.
3614. **inextricata** WALKER, Cat. Brit. Mus., xxiv, 1038, 1862; PACKARD, C. 295; HULST, Ent. News, v, 304, 1894.
- a. xanthometata* WALKER, Cat. Brit. Mus., xxiv, 1038, 1862.
syn. *snowaria* PACKARD, C. 222.

3615. *chamæchrysaria* GROTE, Bull. Buff. Soc., i, 13, 1873; Can. Ent., x, 152, 1878. Atl. States.
syn. *rileyaria* PACKARD, C. 221.

CHLORASPILATES Packard.

- PACKARD, C. 211; HULST, Trans. Am. Ent. Soc., xxiii, 326, 1896.
3616. *bicoloraria* PACKARD, C. 212; GROTE, Can. Ent., xiv, 109, 1882. Rocky Mts.
a. arizonaria GROTE, Pap., ii, 80, 1882.
3617. *profugaria* HERRICH - SCHAEFFER, Ausser. Schmett., 66, f. 410, 1855; PACKARD, C. 212. No. Am.

PSYSOSTEGANIA Warren.

- WARREN, Nov. Zool., i, 406, 1894; HULST, Trans. Am. Ent. Soc., xxiii, 326, 1896.
3618. *pustularia* GUENÉE, Spec. Gén., x, 49, 1857; PACKARD, C. 310; U. S. Ent. Comm., vii, 112, 1881; SAUNDERS, Can. Ent., iii, 225, 1871; HULST, Ent. News, v, 304, 1894. Atl. States.

GUENERIA Packard.

PACKARD, C. 307; HULST, Trans. Am. Ent. Soc., xxiii, 326, 1896.

3619. *basiaria* WALKER, Cat. Brit. Mus., xxvi, 1508, 1862; HULST, Ent. News, v, 304, 1896. Atl. States.
syn. *basiata* PACKARD, C. 308; *incoloraria* WALKER, Cat. Brit. Mus., xxvi, 1509, 1862; PACKARD, C. 498; *congrua* WALKER, Cat. Brit. Mus., xxxv, 1623, 1866; PACKARD, C. 358.

DEILINIA Hübner.

HÜBNER, Verz. bek. Schmett., 310, 1818; PACKARD, C. 305; MEYRICK, Trans. Ent. Soc. Lond., 108, 1892; HULST, Trans. Am. Ent. Soc., xxiii, 327, 1896; *Sphecodes* HÜBNER (not LATREILLE), Tentamen, 1806; *Caberia* TREITSCHKE, Schmett. Eur., vi, 1, 343, 1827; STEPHENS, Brit. Ins., 44, 1829; DUPONCHEL, Lép. Fr., viii, (v), 5, 1830; LEDERER, Verh. zool.-bot. Ges. Wien, 200, 1853; GUENÉE, Spec. Gén., x, 52, 1857.

- *3620. *borealis* HULST, Trans. Am. Ent. Soc., xxiii, 327, 1896. Alberta.

- *3621. *elimaria* HULST, Ent. Amer., ii, 186, 1882. Col., Man.

- *3622. *quadrifasciaria* PACKARD, Fifth Rept. Peab. Acad. Sci., 62, 1873; C. 205. Rocky Mts.

3623. *variolaria* GUENÉE, Spec. Gén., x, 56, 1857; PACKARD, C. 306; HULST, Ent. News, v, 304, 1894.

syn. *intentata* WALKER, Cat. Brit. Mus., xxiii, 870, 1861; PACKARD, C. 306.

3624. *erythremaria* GUENÉE, Spec. Gén., x, 56, 1857; PACKARD, C. 306. Atl. States.
3625. *exanthemata* SCOPOLI, Ent. Car., 218, 552, 1763; STAUDINGER, Cat. Lep. Eur., 155, 1871. Can., Eur.
- syn. *exanthemaria* DENIS & SCHIFFERMÜLLER, Syst. Verz. Wien., 107, 5, 1776; STAUDINGER & REBEL, Cat. Lep. Eur., i, no. 3714, 1901; HULST, Trans. Am. Ent. Soc., xxiii, 327, 1896; *striaria* HÜBNER, *arenosaria* HAWORTH, *approximaria* HAWORTH.
- *3626. *pacificaria* PACKARD, C. 307, 1876. Brit. Col.
- *3627. *nevadaria* HULST, Ent. Amer., iii, 217, 1888. Nev., Cal.
3628. *fœminaria* GUENÉE, Spec. Gén., x, 149, 1857; WALKER, Cat. Brit. Mus., xxiv, 1029, 1862; HULST, Ent. News, vi, 104, 1896. Col., Cal.
- syn. *celataria* HULST, Ent. Amer., iii, 216, 1888; *lmonicaria* GUENÉE, Spec. Gén., x, 100, 1857 (type lost).
3629. *falcataria* PACKARD, Proc. Bost. Soc. Nat. Hist., xvi, 32, 1874; C. 423. Pac. States.
3630. *carnearia* HULST, Ent. Amer., iii, 216, 1888. Cal.
3631. *biflata* HULST, Bull. Brook. Ent. Soc., iii, 44, 1880. Rocky Mts.
3632. *perpallidaria* GROTE, Can. Ent., xiv, 185, 1882; Can. Ent., xv, 25, 1883. Col., Cal., Brit. Col.
3633. *litaria* HULST, Ent. Amer., ii, 211, 1887. Rocky Mts., Cal.
3634. *pulveraria* HULST, Can. Ent., xxx, 161, 1898. Brit. Col.
3635. *quadraria* GROTE, Can. Ent., xiv, 185, 1882. Cal., Col., Nev.
3636. *liberaria* WALKER, Cat. Brit. Mus., xx, 239, 1860; HULST, Ent. Amer., iii, 10, 1887; Ent. News, vi, 15, 1895; PACKARD, C. 297. Atl. States.
- syn. *integraria* WALKER, Cat. Brit. Mus., xxiii, 889, 1861; *lintonaria* PACKARD, Sixth Rept. Peab. Acad. Sci., 44, 1874; C. 209; GOODELL, Can. Ent., x, 40, 1878.
3637. *nigroseriata* PACKARD, Proc. Bost. Soc. Nat. Hist., xvi, 40, 1878; C. 246. No. U. S.
3638. *behrensaria* HULST, Ent. Amer., ii, 210, 1887; Ent. News, vi, 15, 1895. Rocky Mts., Pac. States.
- syn. *tunicularia* GUENÉE, Spec. Gén., x, 100, 1857; PACKARD, C. 275.
- a. cervinicolor* HULST, Can. Ent., xxx, 161, 1898.
3639. *fumosa* HULST, Trans. Am. Ent. Soc., xxiii, 328, 1896. Col., Cal.

*3640. *solamata* HULST, Jn. N. Y. Ent. Soc., viii, 217,
1901.

Man.

EPISEMASIA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 328, 1896.

*3641. *morbosa* HULST, Trans. Am. Ent. Soc., xxiii,
328, 1896.

Fla.

3642. *cervinaria* PACKARD, Fifth Rept. Peab. Acad.
Sci., 81, 1873; C. 532.

Tex.

SCIAGRAPHIA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 329, 1896.

3643. *sublacteolaria* HULST, Ent. Amer., ii, 189, 1887.

Miss. Vall.

*3644. *colorata* GROTE, Can. Ent., xv, 7, 1883.

Ariz., N. Mex.

3645. *maculifascia* HULST, Trans. Am. Ent. Soc., xxiii,
329, 1876.

Miss.
Vall.

*3646. *flavivenata* HULST, Can. Ent., xxx, 163, 1898.

No. Atl.
States.

3647. *granitata* GUENÉE, Spec. Gén., x, 85, 1857;
PACKARD, C. 285; HULST, Ent. News, v, 304,
1894; DYAR, Ent. News, v, 63, 1894.

Atl.
States.

syn. *contemptata* GUENÉE, Spec. Gén., x, 86,
1857; PACKARD, C. 294; *halita* GUENÉE,
Spec. Gén., x, 97, 1857; PACKARD, C. 356;
dispuncta WALKER, Cat. Brit. Mus., xxi,
405, 1861; PACKARD, Rept. Geol. Surv. Terr.,
v, 553, 1875; *inordinaria* WALKER, Cat.
Brit. Mus., xxi, 488, 1860; GROTE, Can.
Ent., ix, 27, 1877; *retractaria* WALKER, Cat.
Brit. Mus., xxiii, 785, 1861; PACKARD, C.
356; *submarmorata* WALKER, Cat. Brit.
Mus., xxiii, 887, 1861; *exaspicata* WALKER,
Cat. Brit. Mus., xxiii, 889, 1861; *irregularia*
WALKER, Cat. Brit. Mus., xxiii, 890, 1861;
ordinata WALKER, Cat. Brit. Mus., xxiv,
1038, 1862; *exnotata* WALKER, Cat. Brit.
Mus., xxiv, 1186, 1862; *abruptata* WALKER,
Cat. Brit. Mus., xxv, 1326, 1862; PACKARD,
Fifth Rept. Peab. Acad. Sci., 88, 1873;
fissinotata WALKER, Cat. Brit. Mus., xxvi,
1595, 1862; *subapicaria* WALKER, Can. Nat.,
vi, 40, 1861; Cat. Brit. Mus., xxvi, 1641,
1862; *retinotata* WALKER, Cat. Brit. Mus.,
xxvi, 1642, 1862; *quadriseignata* WALKER,
Cat. Brit. Mus., xxxv, 1665, 1866; *semmacu-
lata* PACKARD, Proc. Bost. Soc. Nat. Hist.,
xi, 44, 1867; *succosata* ZELLER, Verh. zool.-
bot. Ges. Wien, xxii, 485, 1872; *unimodaria*
MORRISON, Proc. Bost. Soc. Nat. Hist., xvi,
196, 1874.

3648. *denticulata* GROTE, Can. Ent., xv, 133, 1883; HULST, Ent. Amer., ii, 223, 1887.
syn. *sexpunctata* BATES, Can. Ent., xviii, 75, 1886. Rocky Mts.
3649. *muscariata* GUENÉE, Spec. Gén., x, 98, 1857; PACKARD, C. 274; HULST, Ent. News, vi, 104, 1895.
syn. *delectata* HULST, Ent. Amer., ii, 190, 1887. Col., Nev., Cal.
3650. *punctolineata* PACKARD, Fifth Rept. Peab. Acad. Sci., 64, 1873; C. 284. Rocky Mts.
3651. *heliothidata* GUENÉE, Spec. Gén., x, 79, 1857; WALKER, Cat. Brit. Mus., xxiii, 891, 1861; HULST, Ent. News, v, 305, 1894; DYAR, Psyche, ix, 203, 1901.
syn. *ocellinata* GUENÉE, Spec. Gén., x, 85, 1857; ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 486, 1872; PACKARD, C. 283; *restorata* WALKER, Cat. Brit. Mus., xxii, 726, 1861; *subcolumbata* WALKER, Cat. Brit. Mus., xxvi, 1676, 1862; *duplicata* PACKARD, Fifth Rept. Peab. Acad. Sci., 65, 1873. Pac. States, Rocky Mts.
3652. *californiaria* PACKARD, Proc. Bost. Soc. Nat. Hist., xiii, 392, 1871; xvi, 27, 1874; Rept. Geol. Surv. Terr., v, 553, 1873.
syn. *californiata* PACKARD, C. 281; GROTE, Can. Ent., xv, 8, 1883; *pallidata* PACKARD, Fifth Rept. Peab. Acad. Sci., 64, 1873. Pac. States, Rocky Mts.
3653. *respersata* HULST, Bull. Brook. Ent. Soc., iii, 42, 1880. Rocky Mts., B. C.
- *3654. *nubiculata* PACKARD, C. 267; HULST, Ent. Amer., ii, 224, 1886.
syn. *colata* GROTE, Pap., i, 167, 1881. Cal., Wyo., Ariz.
3655. *irrorata* PACKARD, C. 273; BUTLER, Pap., i, 222, 1882; DYAR, Ent. News, v, 63, 1894. Col., Ariz., Cal.
3656. *neptaria* GUENÉE, Spec. Gén., x, 99, 1857; WALKER, Cat. Brit. Mus., xxiii, 957, 1861.
syn. *neptata* PACKARD, C. 273; GROTE, Can. Ent., xv, 8, 1883; HULST, Ent. Amer., ii, 223, 1887; *flavofasciata* PACKARD, Proc. Bost. Soc. Nat. Hist., xiii, 394, 1871; *cinerata* BATES, Can. Ent., xviii, 75, 1886. Col., Ariz., Wash.
- *3657. *hebitata* HULST, Bull. Brook. Ent. Soc., iv, 34, 1881. Col., Ariz., Wash.
3658. *sinuata* PACKARD, Sixth Rept. Peab. Acad. Sci., 45, 1874; C. 271. Pac. States, Col.

3659. **snowiata** PACKARD, C. 268.
 syn. *subminiata* PACKARD (not PACKARD), Sixth Pa., Kans.
 Rept. Peab. Acad. Sci., 49, 1874.
3660. **pervolata** HULST, Bull. Brook. Ent. Soc., iii, 42, Col.,
 1880. Ariz.
3661. **meadiaria** PACKARD, Sixth Rept. Peab. Acad. Col.,
 Sci., 47, 1874. Ariz.
 syn. *meadiata* PACKARD, C. 269.
3662. **continuata** WALKER, Cat. Brit. Mus., xxv, 1445, Atl. and Pac.
 1862; HULST, Ent. Amer., iii, 114, 1887; Ent. States.
 News, vi, 12, 1895.
 syn. *orillata* WALKER, Cat. Brit. Mus., xxvi, 1740, 1862; PACKARD, C. 265; *strigularia* WALKER, Cat. Brit. Mus., xxvi, 1675, 1862; PACKARD, C. 211; *excavata* PACKARD, Sixth Rept. Peab. Acad. Sci., 47, 1874; *curvata* GROTE, Bull. Brook. Ent. Soc., iii, 47, 1880; *cruciata* GROTE, Trans. Kans. Acad. Sci., viii, 56, 1883; Ann. Mag. Nat. Hist., (5), xi, 55, 1883.
a. atrofasciata PACKARD, C. 264.
3663. **spodopterata** HULST, Can. Ent., xxx, 162, 1898. Cal., Col.
3664. **mellistrigata** GROTE, Bull. Buff. Soc., i, 12, 1873; No.
 HULST, Ent. Amer., ii, 224, 1887; PACKARD, U. S.
 C. 269.
a. trifasciata PACKARD, Sixth Rept. Peab. Acad. Sci., 46, 1874; C. 270.
3665. **subminiata** PACKARD, Proc. Bost. Soc. Nat. Hist., Mont., Cal.
 xvi, 25, 1874; C. 272.

PHILOBIA Duponchel.

- DUPONCHEL, Hist. Nat., vii, 195, 1829; HULST, Trans. Am. Ent. Soc., xxiii, 330, 1896.
3666. **notata** LINNÆUS, Syst. Nat., 523, 1758; HULST, Atl. States,
 Trans. Am. Ent. Soc., xxiii, 330, 1896; STAUDINGER & REBEL, Cat. Lep. Eur., i, no. 3782, Eur.
 1901.
 syn. *notaria* DENIS & SCHIFFERMÜLLER, Syst. Verz. Wien, v, 104, 1776.
3667. **enotata** GUENÉE, Spec. Gén., x, 69, 1857; PACKARD, C. 288; HULST, Ent. News, v, 305, 1894; Trans. Am. Ent. Soc., xxiii, 330, 1896. U. S.
 syn. *æmulataria* WALKER, Cat. Brit. Mus., xxiii, 884, 1861; ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 487, 1872; *sectomaculata* MORRISON, Proc. Bost. Soc. Nat. Hist., xvi, 198, 1874; *notata* CRAMER (not LINNÆUS), Pap. Exot., iv, pl. 371, f. F., 1782.

MACARIA Curtis.

- CURTIS, Brit. Ent., vi, 132, 1826; PACKARD, C. 279; HOFMANN, Gr. Schm. Eur., 175, 1894; HULST, Trans. Am. Ent. Soc., xxiii, 330, 1896.
3668. *infimata* GUENÉE, Spec. Gén., x, 81, 1857; WALKER, Cat. Brit. Mus., xxiii, 907, 1861; HULST, Ent. News, v, 305, 1894.
syn. *gnophosaria* GUENÉE, Spec. Gén., x, 99, 1857; PACKARD, C. 275; *infectata* WALKER, Cat. Brit. Mus., xxv, 1332, 1862; *seductata* WALKER, Cat. Brit. Mus., xxvi, 1654, 1862; *casiaria* HULST, Ent. Amer., iii, 217, 1887.
3669. *s-signata* PACKARD, Fifth Rept. Peab. Acad. Sci., 63, 1873; C. 280; GROTE, Can. Ent., xv, 7, 127, 1883.
3670. *pictipennata* HULST, Can. Ent., xxx, 162, 1898.
- *3671. *labradoriata* MÖSCHLER, Stett. ent. Zeit., 118, 1883.
- *3672. *sabularia* GUENÉE, Spec. Gén., x, 105, 1857; PACKARD, C. 276; HULST, Ent. News, vi, 105, 1896 (type lost).
3673. *eremiata* GUENÉE, Spec. Gén., x, 109, 1857; PACKARD, C. 278; HULST, Ent. News, vi, 12, 105, 1895.
syn. *rectetata* WALKER, Cat. Brit. Mus., xxiii, 959, 1861; *gradata* WALKER, Cat. Brit. Mus., xxiii, 968, 1861; *retentata* WALKER, Cat. Brit. Mus., xxiii, 968, 1861; *subcinctaria* WALKER, Cat. Brit. Mus., xxvi, 1655, 1862.
3674. *hypæthrata* GROTE, Pap., i, 167, 1881.
3675. *æquiferaria* WALKER, Cat. Brit. Mus., xxiii, 886, 1861; PACKARD, C. 295; HULST, Ent. Amer., iii, 114, 1888; Ent. News, v, 305, 1894.
syn. *postremata* WALKER, Cat. Brit. Mus., xxiii, 887, 1861; PACKARD, C. 295; *morosaria* WALKER, Cat. Brit. Mus., xxiii, 942, 1861; *galbiniata* ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 484, 1872; PACKARD, C. 290.
3676. *minorata* PACKARD, Fifth Rept. Peab. Acad. Sci., 66, 1873; C. 291.
3677. *grassata* HULST, Bull. Brook. Ent. Soc., iv, 33, 1881; Ent. Amer., ii, 223, 1887.
- *3678. *præatomata* HAWORTH, Lep. Brit., 345, 1810; PACKARD, C. 291; HULST, Ent. Amer., ii, 223, 1887.
syn. *consepta* WALKER, Cat. Brit. Mus., xxiii, 941, 1861.

Atl. States.

Rocky Mts., Cal.

Col., Ariz.

Lab.

No. Am.

Atl. States.

Rocky Mts.

Atl. States, Ariz.

Atl. States.

Atl. States.

Atl. States.

- a. bisignata* WALKER, Cat. Brit. Mus., xxxv, 1655, 1866; PACKARD, C. 290.
syn. *consimilata* ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 483, 1872.
- *3679. *quadrисignata* WALKER, Cat. Brit. Mus., xxxv, 1655, 1866. No. Am.
3680. *simulata* HULST, Ent. Amer., ii, 188, 1887. Tex., Ariz.
syn. *similata* HULST, Trans. Am. Ent. Soc., xxiii, 331, 1896.
3681. *mendicata* HULST, Ent. Amer., ii, 189, 1887. N. Mex., Ariz.
3682. *septemfluaria* GROTE, Pap., i, 41, 1881; HULST, Ent. Amer., ii, 223, 1887; Ent. News, v, 304, 1894. Atl. States.
syn. *?quadrinotata* HERRICH-SCHAFFER, Auss. Schmett., f. 347, 1855; *septemlinearia* GROTE.
3683. *glomeraria* GROTE, Pap., i, 41, 1881; Can. Ent., xiii, 139, 1881; Pap., ii, 84, 1882; HULST, Ent. News, v, 304, 1894. Atl. States.
- *3684. *teucaria* STRECKER, Lep. Rhop. Het., suppl. 2, 8, 1899. Wash.
- *3685. *ancillaria* STRECKER, Lep. Rhop. Het., suppl. 2, 8, 1899. Fla.
- *3686. *lapitaria* STRECKER, Lep. Rhop. Het., suppl. 2, 8, 1899. Tex., Mex.
- *3687. *aegaria* STRECKER, Lep. Rhop. Het., suppl. 2, 9, 1899. Col.
- *3687. 1. *dispuneta* WALKER, Cat. Brit. Mus., xxi, 405, 1860. Can.

CYMATOPHORA Hübner.

HÜBNER, Tent., 1810; PACKARD, C. 427; HARVEY, Bull. Buff. Soc., i, 276, 1873; *Diasictis* HÜBNER, Verz. bek. Schmett., 288, 1818; MEYRICK, Trans. Ent. Soc. Lond., 103, 1892; HULST, Trans. Am. Ent. Soc., xxiii, 331, 1896; *Itama* HÜBNER, Verz. bek. Schmett., 299, 1818; *Rhipparia* HÜBNER, Verz. bek. Schmett., 305, 1818; *Dryocetis* HÜBNER, Verz. bek. Schmett., 316, 1818; *Speranza* CURTIS, Brit. Ent., v, 222, 1825; *Grammatophora* STEPHENS, Cat., 126, 1829; *Halia* DUPONCHEL, Hist. Nat., vii, 537, 1829; GUENÉE, Spec. Gén., x, 91, 1857; HOFMANN, Gr. Schm. Eur., 188, 1894; *Thamnonoma* LEDERER, Verh. zool.-bot. Ges. Wien, 233, 1853; PACKARD, C. 249; *Tephrina* GUENÉE, Spec. Gén., x, 96, 1857; *Eumacaria* PACKARD, Fifth Rept. Peab. Acad. Sci., 67, 1874; C. 298; *Eufitchia* PACKARD, C. 247; *Catalasticis* v. GUMPPENBERG, Nov. Act. Halle, Ixix, 370, 1887.

- *3688. *deleta* HULST, Jn. N. Y. Ent. Soc., viii, 218, 1901. Atl. States.
- *3689. *virginalis* HULST, Jn. N. Y. Ent. Soc., viii, 218, 1901. Atl. States.

3690. *ribearia* FITCH, Trans. N. Y. Agr. Soc., viii, 466, 1848; Third Rept. Ins. N. Y., 427, 1856; WALSH, Pract. Ent., 22, 1865; SAUNDERS, Rept. Ent. Soc. Ont., 374, 1874; Can. Ent., vi, 138, 1874; Ins. Inj. Fruits, 345, 1883; PACKARD, C. 248; RILEY, Rept. Ins. Mo., ix, 3, 1877; LINTNER, Ent. Cont., iii, 166, 1872; HULST, Ent. News, vi, 104, 1895.
 syn. *sigmaria* GUENÉE, Spec. Gén., ix, 184, 1857; WALKER, Cat. Brit. Mus., xxiv, 1068, 1862; *annisaria* WALKER, Can. Nat., v, 260, 1860; *anisaria* WALKER, Cat. Brit. Mus., xxvi, 1507, 1862; PACKARD, C. 497; *grossulariata* SAUNDERS, Rept. Ent. Soc. Ont., xii, 83, 1881.
- *3691. *sulphurea* PACKARD, Fifth Rept. Peab. Acad. Sci., 77, 1873.
 syn. *sulphuraria* PACKARD, C. 255.
3692. *occiduaria* PACKARD, Sixth Rept. Peab. Acad. Sci., 52, 1874; C. 473.
3693. *flaviearia* PACKARD, C. 256.
- *3694. *fascioferaria* HULST, Ent. Amer., ii, 191, 1887.
3695. *brunneata* THUNBERG, Diss. Ent., i, 9, 1784; STAUDINGER & WOCKE, Cat. Lep. Eur., i, no. 2451, 1871; STAUDINGER & REBEL, Cat. Lep. Eur., i, no. 4018, 1901; PACKARD, C. 256.
 syn. *pinctaria* HÜBNER, *quinquaria* HÜBNER, *sylvaria* CURTIS, *cembraria* MOTSCHULSKY, *ferruginaria* PACKARD.
- *3696. *crocearia* HULST, Ent. Amer., ii, 211, 1887.
3697. *ella* HULST, Trans. Am. Ent. Soc., xxiii, 332, 1896.
- *3698. *cervinaria* BLANCHARD, Gay's Hist. Chile, Zool., vii, 89, 1852; HULST, Ent. News, v, 305, 1894.
 syn. *aversaria* GUENÉE, Spec. Gén., ix, 93, 1857; WALKER, Cat. Brit. Mus., xx, 116, 1860; *rithosaria* WALKER, Cat. Brit. Mus., xx, 162, 1860; *tegularia* WALKER, Cat. Brit. Mus., xx, 228, 1860.
a. gausaparia GROTE, Pap., i, 41, 1881.
- *3699. *nicetaria* GUENÉE, Spec. Gén., x, 107, 1857; HULST, Ent. News, v, 305, 1894.
 syn. *proditata* WALKER, Cat. Brit. Mus., xxii, 633, 1861; *confinaria* WALKER, Cat. Brit. Mus., xxiii, 959, 1861; *cyclata* WALKER, Cat. Brit. Mus., xxvi, 1669, 1862; *liboraria* WALKER, Cat. Brit. Mus., xxvi, 1495, 1862; *lucidifera* WALKER, Cat. Brit. Mus., xxvi, 1574, 1862; *vagaria* WALKER, Cat. Brit. Mus., xxvi, 1685, 1862.

Atl. States.

No. U. S.

Pac. States.

No. Atl. States.

No. U. S.

No. U. S., Eur.

Tex.

Wash.

Fla., Tex., Ariz., So. Am.

Fla.

- *3700. **solitaria** WALKER, Cat. Brit. Mus., xxii, 631, 1861; HULST, Ent. News, v, 306, 1894.
 syn. *stabilitata* WALKER, Cat. Brit. Mus., xxii, 632, 1861; *repugnata* WALKER, Cat. Brit. Mus., xxvi, 1577, 1862.
a. inaptata WALKER, Cat. Brit. Mus., xxiii, 886, 1861; PACKARD, C. 297.
- *3701. **helena** HULST, Trans. Am. Ent. Soc., xxiii, 332, 1896. N. Y.
- *3702. **nervata** GUENÉE, Spee. Gén., x, 85, 1857; WALKER, Cat. Brit. Mus., xxiii, 910, 1861.
 syn. *tractata* WALKER, Cat. Brit. Mus., xxiii, 890, 1861; PACKARD, C. 296.
3703. **inceptaria** WALKER, Cat. Brit. Mus., xxvi, 1667, 1862; HULST, Ent. News, vi, 11, 1895; SLINGERLAND, Rural New Yorker, 497, 1896.
 syn. *argillacearia* PACKARD, Sixth Rept. Peab. Acad. Sci., 48, 1874; C. 258; *modestaria* HULST, Ent. News, vi, 11, 1895. Atl. States.
- *3704. **evagaria** HULST, Can. Ent., xxxii, 106, 1900. Col., Alberta, Minn., Ont.
3705. **subcessaria** WALKER, Cat. Brit. Mus., xxiii, 945, 1861; PACKARD, C. 254; HULST, Ent. News, v, 306, 1894.
 syn. *perarevata* WALKER, Cat. Brit. Mus., xxiv, 1264, 1862.
a. coortaria HULST, Ent. Amer., ii, 191, 1887.
3706. **bitactata** WALKER, Cat. Brit. Mus., xxiv, 1264, 1862; HULST, Ent. News, v, 306, 1894. U. S.
 syn. *quadrilinearia* PACKARD, Proc. Bost. Soc. Nat. Hist., xvi, 26, 1874; C. 252.
- *3707. **packardaria** MÖSCHLER, Stett. ent. Zeit., 119, 1883. Lab.
3708. **wauaria** LINNÆUS, Syst. Nat., 522, 1758; STAUDINGER & REBEL, Cat. Lep. Eur., i, no. 4013, 1901.
 syn. *wawaria* FABRICIUS, Syst. Ent., iii, 2, 150, 1794; PACKARD, C. 253; HOFMANN, Gr. Schm. Eur., 189, 1894; *wauaria* SCHRANK, Faun. Boica, ii, 2, 24, 1802; *wawaria* HERICH-SCHAFFER; MÖSCHLER, Verh. zool.-bot. Ges. Wien, 301, 1884; *fuscaria* THUNBERG, Diss. Ent., iv, 58, 1794; *v-nigraria* HAWORTH, Lep. Brit., 282, 1829; *atrosignata* WALKER, Cat. Brit. Mus., xxv, 1457, 1862; *circumflexaria* EVERSMANN, Bull. Mose., iii, 226, 1848. No. U. S., Eur.

3709. **pustularia** HÜBNER, Zutr. exot. Schmett., f. 879, 1837; PACKARD, C. 564; HULST, Ent. News, vi, 106, 1895.
 syn. *latiferrugata* WALKER, Cat. Brit. Mus., xxvi, 1640, 1862; PACKARD, C. 296; HULST, Ent. News, v, 304, 1894; *brunneata* PACKARD, Fifth Rept. Peab. Acad. Sci., 67, 1873; Rept. Geol. Surv. Terr., v, 553, 1873; *brunnearia* PACKARD, C. 298; GOODELL, Can. Ent., x, 66, 1878; KELLICOTT, Can. Ent., xvii, 32, 1885.
3710. **graphidiaria** HULST, Ent. Amer., ii, 190, 1887. Ariz., N. M., Mex., Tex.
3711. **octolineata** HULST, Ent. Amer., ii, 189, 1887. Ariz.
- *3712. **particolor** HULST, Can. Ent., xxx, 163, 1898. Fla.
- *3713. **marinaria** STRECKER, Lep. Rhop. Het., suppl. 2, 9, 1899. Wash.
- *3714. **floridensis** HULST, Can. Ent., xxx, 164, 1898. Fla.
- *3715. **decorata** HULST, Trans. Am. Ent. Soc., xxiii, 333, 1896. Col.
- *3716. **sericeata** HULST, Can. Ent., xxx, 191, 1898. Ariz., Col.
3717. **olivalis** HULST, Can. Ent., xxx, 191, 1898. ? Tex.
3718. **benigna** HULST, Can. Ent., xxx, 191, 1898. Cal.
- *3719. **pervelata** WALKER, Cat. Brit. Mus., xxvi, 1760, 1862; PACKARD, C. 276; HULST, Ent. News, vi, 105, 1895 (type lost).
3720. **rectifascia** HULST, Trans. Am. Ent. Soc., xxiii, 333, 1896. Wash.
3721. **guenearia** PACKARD, C. 252, 1876. Cal.
3722. **tenebrosata** HULST, Ent. Amer., ii, 189, 1887. Ariz.
- *3723. **subalbaria** HULST, Trans. Am. Ent. Soc., xxiii, 333, 1896. U. S.
3724. **minuta** HULST, Trans. Am. Ent. Soc., xxiii, 334, 1896. Tex., Ariz.
- *3725. **maricopa** HULST, Can. Ent., xxx, 164, 1898. Ariz.
3726. **abbreviata** WALKER, Cat. Brit. Mus., xxvi, 1673, 1862; PACKARD, C. 210; HULST, Ent. News, vi, 105, 1895.
 syn. *florida* HULST, Trans. Am. Ent. Soc., xxiii, 334, 1896.
- *3727. **crassata** HULST, Trans. Am. Ent. Soc., xxiii, 333, 1896. Col.

- *3728. *deceptata* HULST, Trans. Am. Ent. Soc., xxiii, 334, 1896. N. Y.
- *3729. *pallidula* HULST, Trans. Am. Ent. Soc., xxiii, 334, 1896. Col.
- *3730. *subacuta* HULST, Trans. Am. Ent. Soc., xxiii, 335, 1896. Col., Nev.
- *3731. *cinerola* HULST, Trans. Am. Ent. Soc., xxiii, 335, 1896. Col.
3732. *umbriferata* HULST, Ent. Amer., ii, 189, 1887. Col., Cal.,
syn. *umbrifuscata* HULST, Trans. Am. Ent. Soc., xxiii, 332, 1896. N. Mex.
3733. *inquinaria* HULST, Ent. Amer., ii, 189, 1887. Col., Cal.
3734. *denticulodes* HULST, Trans. Am. Ent. Soc., xxiii, 332, 1896. N. Y.,
Col.
- *3735. *festa* HULST, Trans. Am. Ent. Soc., xxiii, 335, 1896. Col.
- *3736. *subfalcata* HULST, Trans. Am. Ent. Soc., xxiii, 335, 1896. Col.,
Man.
- *3737. *bicolorata* FABRICIUS, Syst. Ent., suppl., 149, 1794; GUENÉE, Spec. Gén., x, 77, 1857; PACKARD, C. 294; WALKER, Cat. Brit. Mus., xxiii, 883, 1861. Fla.,
Cal.,
Alberta.
- *3738. *distribuaria* HÜBNER, Zutr. exot. Schmett., f. 585, 1825; PACKARD, C. 293; HULST, Ent. News, v, 305, 1896. Atl.
syn. *oppositaria* GUENÉE, Spec. Gén., x, 76, 1857; PACKARD, C. 293; *proxanthata* WALKER, Cat. Brit. Mus., xxvi, 1642, 1862; PACKARD, C. 297; *antaurata* WALKER, Cat. Brit. Mus., xxvi, 1686, 1862.
a. *transitaria* WALKER, Cat. Brit. Mus., xxiii, 886, 1861; PACKARD, C. 295.
- *3739. *donotaria* WALKER, Cat. Brit. Mus., xxvi, 1673. 1862 (type lost). Ga.
3739. 1. *speciosa* HULST, Trans. Am. Ent. Soc., xxiii, 332, 1896. N. Mex.

NYCTIPHANTA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 336, 1896.

- *3740. *lætula* HULST, Trans. Am. Ent. Soc., xxiii, 336, 1896.

Ariz.

APOLEMA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 336, 1896.

- *3741. *carata* HULST, Ent. Amer., ii, 211, 1887.

Fla.

EUASPILATES Packard.

PACKARD, Sixth Rept. Peab. Acad. Sci., 45, 1874; C. 203; HULST, Trans. Ent. Soc., xxiii, 337, 1896.

3742. *spinataria* PACKARD, Sixth Rept. Peab. Acad. Sci., 45, 1874; Rept. Geol. Surv. Terr., v, 551, 1875; C. 204; STRECKER, Surv. Dept. Mo., Ruffner, App. SS, 1863, 1878; BRUCE, Ent. Amer., iii, 49, 1887.

Rocky Mts.

ANTHELIA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 337, 1896.

- *3743. *taylorata* HULST, Trans. Am. Ent. Soc., xxiii, 337, 1896.

Brit. Col.

SYMPHERTA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 338, 1896.

3744. *julia* HULST, Trans. Am. Ent. Soc., xxiii, 338, 1896.

Atl. States, Rocky Mts.

- *3745. *coloradensis* HULST, Trans. Am. Ent. Soc., xxiii, 338, 1896.

Col.

3746. *marcessaria* GUENÉE, Spec. Gén., x, 92, 1857; PACKARD, C. 251; HULST, Ent. Amer., iii, 9, 1887.

Cal., Col.

- a. cineraria* PACKARD, Proc. Bost. Soc. Nat. Hist., xiii, 392, 1871.

3747. *tripunctaria* PACKARD, Proc. Bost. Soc. Nat. Hist., xvi, 26, 1874; C. 250; BUTLER, Pap., i, 222, 1882; HULST, Ent. News, vi, 11, 1895.

Cal., Brit. Col.

- syn. *florquinaria* GUENÉE, Spec. Gén., x, 101, 1857; WALKER, Cat. Brit. Mus., xxiii, 958, 1861; HULST, Ent. Amer., iii, 9, 1887; Ent. News, vi, 11, 1895 (type lost).

HOMOCHLODES Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 339, 1896.

3748. *fritillaria* GUENÉE, Spec. Gén., x, 136, 1857; PACKARD, C. 489; HULST, Ent. News, v, 306, 1894.

No. Atl. States.

- syn. *discreta* WALKER, Cat. Brit. Mus., xxi, 404, 1860; PACKARD, C. 243; GROTE, Can. Ent., ix, 28, 1877; HULST, Ent. News, v, 306, 1894; *latispargaria* WALKER, Can. Nat., vi, 41, 1861; Cat. Brit. Mus., xxv, 1387, 1862; *immersata* WALKER, Cat. Brit. Mus., xxiv, 1228, 1862.

- *3749. *famulata* HULST, Ent. Amer., ii, 191, 1887.

Ont.

THALLOPHAGA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 339, 1896.

- *3750. *fautaria* HULST, Ent. Amer., iii, 216, 1888; Ent. News, v, 306, 1894. Cal., Col.,
B. C.

ÆTHYCTERA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 339, 1896.

- *3751. *electa* HULST, Trans. Am. Ent. Soc., xxiii, 339, 1896. Cal.

- *3752. *lineata* HULST, Can. Ent., xxx, 192, 1898. Col.

APÆCASIA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 340, 1896.

3753. *detersata* GUENÉE, Spec. Gén., x, 105, 1857; N. E. States,
PACKARD, C. 243. Col.

- *3754. *deductaria* WALKER, Cat. Brit. Mus., xx, 237, No. Atl.
1860; HULST, Ent. News, vi, 13, 1895. States.

syn. *atropunctata* PACKARD, Sixth Rept. Peab.
Acad. Sci., 50, 1874; C. 244; GROTE, Can.
Ent., xii, 219, 1880; *fernaldi* GROTE, Can.
Ent., x, 17, 1878.

3755. *defluata* WALKER, Cat. Brit. Mus., xxiii, 984, No. Atl.
1861; PACKARD, C. 245; HULST, Ent. News, vi,
71, 1895. States.

syn. *subaequaria* WALKER, Cat. Brit. Mus.,
xxvi, 1660, 1862; PACKARD, C. 247.

- *3756. *mercedulata* STRECKER, Lep. Rhop. Het., suppl. Cal.
2, 9, 1899.

- *3757. *extremaria* WALKER, Cat. Brit. Mus., xxiii, 984, Atl.
1861; PACKARD, C. 247; HULST, Ent. News, vi,
42, 1895. States.

syn. *ordinaria* WALKER, Cat. Brit. Mus., xxiv,
1068, 1861.

CATOPYRRHA Hübner.

HÜBNER, Verz. bek. Schmett., 300, 1818; GUENÉE, Spec. Gén., x, 182, 1857; WALKER,
Cat. Brit. Mus., xxiv, 1064, 1861; HULST, Trans. Am. Ent. Soc., xxiii, 340, 1896.

- *3758. *ferruginosaria* PACKARD, Proc. Bost. Soc. Nat. Col.
Hist., xiii, 388, 1871; C. 426.

3759. *coloraria* FABRICIUS, Syst. Ent., suppl., 96, 1798; Atl.
 PACKARD, C. 206; HULST, Ent. Amer., iii, 10, States.
 1887; Ent. News, vi, 15, 1895.
 syn. *accessaria* HÜBNER, Zutr. exot. Schmett.,
 f. 503, 1820?; *eruentaria* HÜBNER, Eur.
 Schmett., pl. 10, f. 48, 1830?; DUPONCHEL,
 Hist. Nat., viii, 128, 1829; *atropunctaria*
 WALKER, Cat. Brit. Mus., xxvi, 1673, 1862;
 PACKARD, C. 210.
a. olenusaria WALKER, Cat. Brit. Mus., xxvi,
 1675, 1862; PACKARD, C. 216.
b. dissimilaria HÜBNER, Samml. exot. Schmett.,
 i, 1806; PACKARD, C. 208.
c. sphæromacaria HARVEY, Bull. Buff. Soc., ii,
 284, 1875; PACKARD, C. 207.
d. perolivata HULST, Trans. Am. Ent. Soc., xxiii,
 340, 1896.

ENEMERA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 340, 1896.

3760. *juturnaria* GUENÉE, Spec. Gén., x, 147, 1857; Rocky Mts.,
 PACKARD, C. 241; BUTLER, Pap., i, 222, 1881; Pae. States,
 DYAR, Ent. News, v, 63, 1894; HULST, Ent. Alaska.
 News, vi, 104, 1895.
a. californiaria PACKARD, Proc. Bost. Soc. Nat.
 Hist., xiii, 394, 1871; C. 241.

3761. *viridirufaria* NEUMOEGEN, Pap., i, 145, 1881. Ariz.

CARIPETA Walker.

*WALKER, Cat. Brit. Mus., xxvi, 1524, 1862; PACKARD, C. 237; HULST, Trans. Am. Ent. Soc., xxiii, 341, 1896; *Pareumomos* PACKARD.

- *3762. *ida* HULST, Trans. Am. Ent. Soc., xxiii, 341, 1896. Col.
 *3763. *græfaria* HULST, Ent. Amer., ii, 192, 1887. Ariz.
 3764. *divisata* WALKER, Cat. Brit. Mus., xxvi, 1525, 1862; PACKARD, C. 237; HULST, Ent. News, vi, 12, 105, 1895.
 syn. *albopunctata* MORRISON, Proc. Bost. Soc. Nat. Hist., xvi, 202, 1874.

3765. *angustiorata* WALKER, Cat. Brit. Mus., xxvi, 1524, 1862; PACKARD, C. 238; Am. Nat., xviii, 1095, 1884; HULST, Ent. Amer., iii, 9, 1887.
 syn. *piniaria* PACKARD, New or Little Known Ins., 15, 1870.
a. latiorata WALKER, Cat. Brit. Mus., xxvi, 1525, 1862; PACKARD, C. 239.

- *3766. *aretaria* WALKER, Cat. Brit. Mus., xx, 258, 1860; HULST, Ent. News, vi, 12, 1895. Va. to Ga.
 syn. *subochrearia* GROTE, Can. Ent., xv, 9, 1883; HULST, Ent. Amer., iii, 9, 1887; Ent. News, vi, 12, 1895.
3767. *aequaliaria* GROTE, Trans. Kans. Acad. Sci., viii, 56, 1883; Ann. Mag. Nat. Hist., (5), xi, 56, 1883; HULST, Ent. Amer., iii, 9, 1887. Col., N. Mex.
- *3768. *seductaria* STRECKER, Lep. Rhop. Het., suppl. 2, 9, 1899. Pa.

PHENGOMMATAEA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 341, 1896.

3769. *edwardsata* HULST, Ent. Amer., i, 203, 1886. Col., Ariz., Cal.
3770. *gertruda* HULST, Trans. Am. Ent. Soc., xxiii, 342, 1896. Col.
- *3771. *dissimilis* HULST, Can. Ent., xxx, 215, 1898. Col.

PLATEA Herrich-Schaeffer.

HERRICH-SCHAFFER, Ausser. Schmett., 29, 1855; HULST, Trans. Am. Ent. Soc., xxiii, 342, 1896; GROTE, Proc. Ent. Soc. Phil., ii, 344, 1865; *Gorytodes* GUENÉE, Spec. Gén., x, 179, 1857; PACKARD, C. 201.

3772. *californaria* HERRICH-SCHAFFER, Ausser. Schmett., f. 537, 1855; WALKER, Cat. Brit. Mus., xxvi, 1673, 1862.
 syn. *uncanaria* GUENÉE, Spec. Gén., x, 180, 1857; PACKARD, C. 201.
a. personaria HY. EDWARDS, Pap., i, 120, 1881.
3773. *trilinearia* PACKARD, Proc. Bost. Soc. Nat. Hist., xvi, 24, 1874; C. 202; HULST, Ent. Amer., iii, 11, 1887.
a. dulcearia GROTE, Bull. Brook. Ent. Soc., iii, 46, 1880.
3774. *diva* HULST, Trans. Am. Ent. Soc., xxiii, 343, 1896. So. Cal.
- *3775. *demorsaria* STRECKER, Lep. Rhop. Het., suppl. 2, 9, 1899. Wash.

ENYPIA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 343, 1896.

3776. *venata* GROTE, Can. Ent., xv, 133, 1883. Pac. States.
- *3777. *perangulata* HULST, Trans. Am. Ent. Soc., xxiii, 242, 1896. Col., Ariz.

PH1LEDIA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 343, 1896.

3778. *punctomacularia* HULST, Ent. Amer., iii, 214, 1888; HOPKINS, Bull. 21, n. s., U. S. Dept. Agr., 18, 1899 (without name). Pac. States.

NEPYTIA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 344, 1896.

3779. *nigrovenaria* PACKARD, C. 454. Pac. States.

3780. *semiclusaria* WALKER, Cat. Brit. Mus., xxvi, 1506, 1862; HULST, Ent. News, vi, 42, 1895. No. U. S.

syn. *pulchraria* MINOT, Proc. Bost. Soc. Nat. Hist., xiii, 170, 1896; PACKARD, C. 452; *pellucidaria* PACKARD, Fifth Rept. Peab. Acad. Sci., 78, 1873; MORRISON, Psyche, i, 68, 1875; *pinaria* PACKARD, New or Little Known Ins., 14, 1870; DIMMOCK, Psyche, iv, 272, 1885.

a. canosaria WALKER, Cat. Brit. Mus., xxvi, 1675, 1862; PACKARD, C. 210.

- *3781. *fumosaria* STRECKER, Lep. Rhop. Het., suppl. 2, 10, 1899. Fla., Ill.

- *3782. *phantasmaria* STRECKER, Lep. Rhop. Het., suppl. 2, 10, 1899. Wash.

3783. *umbrosata* PACKARD, Proc. Bost. Soc. Nat. Hist. xvi, 23, 1874; C. 453. Pac. States.

ALCIS Curtis.

CURTIS, Brit. Ent., iii, 303, 1825; HULST, Trans. Am. Ent. Soc., xxiii, 344, 1896; *Hesperomia* PACKARD, Fifth Rept. Peab. Acad. Sci., 79, 1873; Proc. Bost. Soc. Nat. Hist., xvi, 37, 1873.

3784. *sulphuraria* PACKARD, Fifth Rept. Peab. Acad. Sci., 79, 1873; C. 477. U. S.

syn. *ochreata* PACKARD, Proc. Bost. Soc. Nat. Hist., xvi, 37, 1873.

a. baltearia HULST, Bull. Brook. Ent. Soc., iii, 43, 1880.

b. unicoloraria HULST, Ent. Amer., i, 208, 1886.

3785. *multilineata* PACKARD, Fifth Rept. Peab. Acad. Sci., 65, 1873; C. 287; HULST, Ent. Amer., ii, 223, 1887. N.-E. U. S., Rocky Mts.

syn. *patriciata* GROTE, Can. Ent., xv, 129, 1883.

3786. *dislocaria* PACKARD, C. 282; GROTE, Can. Ent., xv, 8, 1883. Iowa, Tex., Col.

3787. *metanemaria* HULST, Ent. Amer., ii, 188, 1887. Ariz., Cal.

3788. *depromaria* GROTE, Can. Ent., xv, 87, 1883. Rocky Mts. Cal.

3789. *lallata* HULST, Can. Ent., xxx, 193, 1898. Ariz.

3790. *atrolinearia* HULST, Ent. Amer., iii, 214, 1888. Atl. States,
Col.
3791. *spodoea* HULST, Trans. Am. Ent. Soc., xxiii, 345,
1896. Col.
3792. *dissonaria* HULST, Trans. Am. Ent. Soc., xxiii,
345, 1896. Col.
- *3793. *guttata* HULST, Jn. N. Y. Ent. Soc., viii, 219,
1901. N. Y.,
Pa.
- *3794. *dejecta* HULST, Trans. Am. Ent. Soc., xxiii, 345,
1896. Col., Cal.,
Ariz.
3795. *quinquelinearia* PACKARD, Sixth Rept. Peab. Acad.
Sci., 51, 1874; C. 432. Tex.
3796. *obliquaria* GROTE, Can. Ent., xv, 124, 1883. Col., Cal.,
Ariz.
3797. *imitata* WALKER, Cat. Brit. Mus., xxi, 395, 1860;
HULST, Ent. News, vi, 42, 1895.
syn. *californiaria* PACKARD, Proc. Bost. Soc.
Nat. Hist., xiii, 388, 1869; C. 411.
3798. *mæstosa* HULST, Can. Ent., xxx, 193, 1898. Iowa.
3799. *latifasciaria* PACKARD, Proc. Bost. Soc. Nat. Hist.,
xvi, 33, 1873; C. 447; Bull. U. S. Ent. Comm.,
vii, 49, 1881. Cal.,
Wash.
3800. *haydenata* PACKARD, C. 445, 1876. Rocky Mts.
- *3801. *luridula* HULST, Trans. Am. Ent. Soc., xxiii, 346,
1896. Ga.,
Fla.
3802. *latipennis* HULST, Trans. Am. Ent. Soc., xxiii,
346, 1896. Wash.

PARAPHIA Guenée.

GUENÉE, Spec. Gén., ix, 271, 1857; PACKARD, C. 415; HULST, Trans. Am. Ent. Soc.,
xxiii, 346, 1896; *Amilapis* GUENÉE, Spec. Gén., x, 62, 1857.

3803. *subatomaria* WOOD, Ind. Ent., 241, f. 1673, 1839;
PACKARD, C. 417; HULST, Ent. News, vi, 73, 1895.
syn. *nubecularia* GUENÉE, *mammuraria*
GUENÉE, *impropriata* WALKER, Cat. Brit.
Mus., xxiii, 888, 1861; *ersuperata* WALKER,
Cat. Brit. Mus., xxvi, 1655, 1862.
- a. *unipuncta* HAWORTH, Lep. Brit., 345, 1820?;
PACKARD, C. 416.
syn. *unipunctata* GUENÉE, *triplipunctaria*
FITCH, Trans. N. Y. Agr. Soc., xviii, 825,
1860.
- b. *deplanaria* GUENÉE, Spec. Gén., ix, 272, 1857;
PACKARD, C. 418; HULST, Ent. News, vi, 73,
1895.
syn. *fidoniata* WALKER, Cat. Brit. Mus., xxiii,
924, 1861.

SPODOLEPIS Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 347, 1896.

3804. *substriaria* HULST, Trans. Am. Ent. Soc., xxiii, 347, 1896. N. Y.,
N. J.

STENOTRACHELYS Guenée.

GUENÉE, Spec. Gén., ix, 290, 1857; PACKARD, C. 448; HULST, Trans. Am. Ent. Soc., xxiii, 347, 1896.

3805. *approximaria* HÜBNER, Samml. exot. Schmett., i, 1806; PACKARD, C. 449. So. Atl. States.
3806. *permagnaria* PACKARD, C. 450, 1876. Mo.

LYTROSIS Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 348, 1896.

3807. *unitaria* HERRICH-SCHAEFFER, Ausser. Schmett., f. 204, 1855; PACKARD, C. 447; Bull. U. S. Ent. Comm., vii, 49, 1881. Atl. States.

MERIS Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 348, 1896.

- *3808. *alticola* HULST, Trans. Am. Ent. Soc., xxiii, 348, 1896. Col.

PTEROTÆA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 349, 1896.

- *3809. *cariosa* HULST, Trans. Am. Ent. Soc., xxiii, 349, 1896. Cal.

IXALA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 349, 1896.

3810. *desperaria* HULST, Ent. Amer., ii, 210, 1887. N. Mex.,
a. unicoloraria HULST, Ent. Amer., iii, 217, 1888. Ariz.

PTEROSPODA Dyar.

Spodoptera HULST (not GUENÉE), Trans. Am. Ent. Soc., xxiii, 350, 1896.

- *3811. *opuscularia* HULST, Ent. Amer., ii, 210, 1887. Cal.
3812. *kunzei* HULST, Can. Ent., xxx, 192, 1898. Ariz.

SOMATOLOPHIA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 350, 1896.

- *3813. *umbripennis* HULST, Trans. Am. Ent. Soc., xxiii, 350, 1896. Col.

TORNOS Morrison.

MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 217, 1875; PACKARD, C. 214; HULST, Trans. Am. Ent. Soc., xxiii, 351, 1896.

3814. *scolopacinarius* GUENÉE, Spec. Gén., x, 360, 1857; So. Atl.
PACKARD, C. 565; HULST, Ent. News, vi, 103, States.
1896.

syn. *rubiginosus* MORRISON, Proc. Bost. Soc.
Nat. Hist., xvii, 218, 1875; PACKARD, C. 214.

a. cinctarius HULST, Ent. Amer., ii, 192, 1887.

3815. *abjectarius* HULST, Ent. Amer., ii, 192, 1887. So. Atl.
States.

EXELIS Guenée.

GUENÉE, Spec. Gén., ix, 323, 1857; *Patridira* WALKER, Cat. Brit. Mus., xxvi, 1688, 1862.

3816. *pyrolaria* GUENÉE, Spec. Gén., ix, 324, 1857; So. Atl.
PACKARD, C. 565; HULST, Ent. News, vi, 103, States.
1895; Ent. Amer., iv, 50, 1888.

syn. *tensaria* WALKER, Cat. Brit. Mus., xxvi,
1689, 1862; *approximaria* PACKARD, C. 215;
HULST, Ent. Amer., iii, 11, 1887; *infumata*
GROTE, Can. Ent., ix, 90, 1877.

SYNGLOCHIS Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 351, 1896.

- *3817. *perumbraria* HULST, Trans. Am. Ent. Soc., xxiii, Cal.
352, 1896.

GLAUCINA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 352, 1896.

3818. *pygmeolaria* GROTE, Can. Ent., xv, 24, 1883; Ariz.
HULST, Ent. Amer., iii, 11, 1887.

3819. *escaria* GROTE, Can. Ent., xv, 24, 1883; HULST, Col.,
Ent. Amer., iii, 11, 1887. Ariz.

- *3820. *incopriata* HULST, Ent. Amer., ii, 210, 1887. Cal., Ariz.

HOLOCHROA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 352, 1896.

3821. *dissociaria* HULST, Ent. Amer., ii, 192, 1887. Tex., Cal.

CŒNOCHARIS Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 353, 1896.

- *3822. *eupitheciaria* GROTE, Can. Ent., xv, 24, 1883. Ariz.

3823. *elongata* HULST, Trans. Am. Ent. Soc., xxiii, 353, Tex.,
1896. Ariz.
3824. *interruptaria* GROTE, Can. Ent., xiv, 185, 1883; Col., Ariz.,
HULST, Ent. Amer., iii, 11, 1887; iv, 49, 1888. Cal.
- *3825. *ochrofuscaria* GROTE, Can. Ent., xiv, 186, 1883; Ariz.
HULST, Ent. Amer., iii, 11, 1887.

ÆTHALODES Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 354, 1896.

- *3826. *packardaria* HULST, Ent. Amer., iii, 217, 1888. Cal.

CHESIADODES Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 354, 1896.

- *3827. *morosata* HULST, Trans. Am. Ent. Soc., xxiii, Cal.
354, 1896.

SELIDOSEMA Hübner.

HÜBNER, Verz. bek. Schmett., 299, 1818; LEDERER, Verh. zool.-bot. Ges. Wien, 232, 1853; PACKARD, C. 240; MEYRICK, Trans. Ent. Soc. Lond., 105, 1892; HULST, Trans. Am. Ent. Soc., xxiii, 354, 1896; *Aductylotis* HÜBNER, Verz. bek. Schmett., 303, 1818.

- *3828. *muricolor* HULST, Trans. Am. Ent. Soc., xxiii, Pa.
355, 1896.
3829. *wrightiarium* HULST, Ent. Amer., iii, 215, 1888. Cal.
- *3830. *fuliginarium* HULST, Ent. Amer., iii, 215, 1888. Ill., Tex.
- *3831. *delicatum* HULST, Can. Ent., xxxii, 106, 1900. Cal.
3832. *lachrymosum* HULST, Can. Ent., xxx, 194, 1898. Cal.
syn. *homopteroides* HULST, Jn. N. Y. Ent.
Soc., viii, 219, 1901.
- *3833. *pulmonarium* GROTE, Pap., i, 167, 1881. Col., Ariz.,
N. Mex.
- *3834. *elvinarium* GUENÉE, Spec. Gén., ix, 245, 1857; Cal.
PACKARD, C. 455; HULST, Ent. News, vi, 105,
1895.
- *3835. *separatarium* GROTE, Can. Ent., xv, 124, 1883. Ariz.
3836. *nigrescens* HULST, Can. Ent., xxx, 214, 1898. Tex.
- *3837. *laminarium* STRECKER, Lep. Rhop. Het., suppl. Cal.
2, 10, 1899.

3838. **humarium** GUENÉE, Spec. Gén., ix, 246, 1857; PACKARD, C. 435; HULST, Ent. News, vi, 41, 72, 1895. Atl. States, N. Mex., Cal.
 syn. *intrarium* GUENÉE, Spec. Gén., ix, 246, 1857; *defectorium* GUENÉE, Spec. Gén., ix, 247, 1857; *moniarium* WALKER, Cat. Brit. Mus., xxi, 345, 1860; *transfixarium* WALKER, Cat. Brit. Mus., xxi, 347, 1860; *albiginatum* WALKER, Cat. Brit. Mus., xxi, 348, 1860; *ephyrarium* WALKER, Cat. Brit. Mus., xxi, 349, 1860; *intractarium* WALKER, Cat. Brit. Mus., xxi, 349, 1860; *erosiatum* WALKER, Cat. Brit. Mus., xxvi, 1719, 1862; *illandatum* WALKER, Cat. Brit. Mus., xxi, 397, 1860; *ejectarium* WALKER, Cat. Brit. Mus., xxii, 489, 1861; *expressarium* WALKER, Cat. Brit. Mus., xxvi, 1657, 1862.
3839. **umbrosarium** HÜBNER, Samml. exot. Schmett., i, 1806; PACKARD, C. 439. Atl. States.
 syn. *!porcellarium* GUENÉE, Spec. Gén., ix, 252, 1857; WALKER, Cat. Brit. Mus., xxi, 350, 1860; PACKARD, C. 455; HULST, Ent. News, vi, 42, 105, 1895.
- a. **gnophosarium** GUENÉE, Spec. Gén., ix, 251, 1857; WALKER, Cat. Brit. Mus., xx, 350, 1860.
- *3840. **excelsarium** STRECKER, Lep. Rhop. Het., suppl. 2, 10, 1899. Wash.
- *3841. **albescens** HULST, Trans. Am. Ent. Soc., xxiii, 355, 1896. Wash.

MERICISCA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 356, 1896.

3842. **gracea** HULST, Trans. Am. Ent. Soc., xxiii, 356, 1896. Col.

CLEORA Curtis.

CURTIS, Brit. Ent., ii, 88, 1825; PACKARD, C. 450; MEYRICK, Trans. Ent. Soc. Lond., 105, 1892; WARREN, Nov. Zool., i, 434, 1894; HULST, Trans. Am. Ent. Soc., xxiii, 356, 1896; *Boarmia* TREITSCHKE, Schmett. Eur., vi, 1, 87, 1827; DUPONCHEL, Hist. Nat., vii, 4, 327, 1829; HERRICH-SCHAFFER, Schm. Eur., iii, 76, 1847; LEDERER, Verh. zool.-bot. Ges. Wien, 177, 1853; MEYRICK, Trans. New Zeal. Ins., 99, 1883; 65, 1884; Trans. Ent. Soc. Lond., 211, 1886.

3843. **furfuraria** HULST, Ent. Amer., iii, 214, 1888. Col.
 3844. **dataria** GROTE, Can. Ent., xiv, 173, 1882. Rocky Mts.
 *3845. **opacaria** HULST, Bull. Brook. Ent. Soc., iv, 27, 1881. Col., N. Mex.
 *3846. **lixaria** GROTE, Trans. Kans. Acad. Sci., viii, 52, 1882. Rocky Mts.

3847. *cibrataria* GUENÉE, Spec. Gén., ix, 260, 1857; PACKARD, C. 424. Atl. States.
3848. *indicataria* WALKER, Cat. Brit. Mus., xxi, 346, 1860; HULST, Ent. News, vi, 41, 1895. Atl. States.
syn. *filaria* WALKER, Cat. Brit. Mus., xxi, 347, 1860; PACKARD, C. 456; *polygrammatria* PACKARD, C. 439.
- *3849. *rufaria* GROTE, Can. Ent., xv, 125, 1883. Ariz.
3850. *pampinaria* GUENÉE, Spec. Gén., ix, 245, 1857; PACKARD, C. 432; FRENCH, Pap., i, 82, 1881; HULST, Ent. News, vi, 41, 1895. Atl. States.
syn. *sublunaria* GUENÉE, Spec. Gén., ix, 248, 1857; PACKARD, C. 442; *frungillaria* GUENÉE, Spec. Gén., ix, 246, 1857; WALKER, Cat. Brit. Mus., xxi, 342, 1860; *collecta* WALKER, Cat. Brit. Mus., xxi, 397, 1860; *tinctaria* WALKER, Cat. Brit. Mus., xxi, 486, 1860; *fraudulenta* ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 492, 1872; PACKARD, C. 432.
- *3851. *configurata* HULST, Can. Ent., xxx, 195, 1898. Col.
3852. *formosata* HULST, Trans. Am. Ent. Soc., xxiii, 357, 1896. Col., Cal.
3853. *correllatum* HULST, Trans. Am. Ent. Soc., xxiii, 355, 1896. Col., Cal., Oreg.
3854. *vellivolata* HULST, Bull. Brook. Ent. Soc., iv, 34, 1881; Ent. Amer., ii, 223, 1887. Fla., Tex.
3855. *larvaria* GUENÉE, Spec. Gén., ix, 247, 1857; PACKARD, C. 437; HULST, Ent. News, vi, 34, 1895. Miss., Oreg., Wash., Man.
syn. ? *convergaria* WALKER, Cat. Brit. Mus., xxi, 488, 1860 (type lost); *plumosaria* PACKARD, Sixth Rept. Peab. Acad. Sci., 51, 1874; C. 431.
3856. *subaustralis* HULST, Can. Ent., xxx, 194, 1898. Fla.
3857. *pedicellata* HULST, Can. Ent., xxx, 194, 1898. Fla.

MELANOLOPHIA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 357, 1896.

3858. *canadaria* GUENÉE, Spec. Gén., ix, 263, 1857; PACKARD, C. 425; HULST, Ent. News, vi, 42, 1895. U. S.
syn. *signataria* WALKER, Cat. Brit. Mus., xxi, 350, 1860; *imperfectaria* WALKER, Cat. Brit. Mus., xxi, 407, 1860; *contribuaria* WALKER, Cat. Brit. Mus., xxi, 407, 1860.

ÆTHALOPTERA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 358, 1896.

3859. *intextata* WALKER, Cat. Brit. Mus., xxi, 398, 1860; HULST, Ent. News, vi, 42, 1895. Atl. States.
 syn. *anticaria* WALKER, Cat. Brit. Mus., xxi, 406, 1860; PACKARD, C. 423; HULST, Ent. News, vi, 42, 1895; *submurruria* WALKER, Cat. Brit. Mus., xxi, 406, 1860.

GLENA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 358, 1896.

- *3860. *cognataria* HÜBNER, Zutr. exot. Schmett., f. 549, 1825; PACKARD, C. 421; HULST, Ent. News, vi, 42, 1895. Atl. States.
 syn. *acidaliaria* WALKER, Cat. Brit. Mus., xxvi, 1684, 1862; *infiraria* WALKER, Cat. Brit. Mus., xxvi, 1685, 1862.

3861. *texanaria* HULST, Ent. Amer., iii, 46, 1888. Fla., Tex.
 syn. *tminimaria* GUENÉE, Spec. Gén., ix, 279, 1857.

ECTROPIS Hübner.

HÜBNER, Verz. bek. Schmett., 316, 1818; MEYRICK, Trans. Ent. Soc. Lond., 104, 1892; HULST, Trans. Am. Ent. Soc., xxiii, 358, 1896; *Tephrosia* GUENÉE, Ind. Gén., 198, 1840; PACKARD, C. 420.

3862. *crepuscularia* DENIS & SCHIFFERMÜLLER, Syst. Verz. Wien, 101, 1776; PACKARD, C. 428; STAUDINGER & REBEL, Cat. Lep. Eur., i, no. 3903, 1901; GOODELL, Can. Ent., x, 67, 1878; MÖSCHLER, Verh. zool.-bot. Ges. Wien, 300, 1884; DIMMOCK, Psyche, iv, 271, 1885; HULST, Ent. News, vi, 41, 72, 1895. U. S., Eur.
 syn. *consonaria* HAWORTH, *defessaria* FREY, *occiduaria* GUENÉE, *signaria* WALKER, *spatiosaria* WALKER, *intratoria* WALKER, *eineraria* WALKER, Cat. Brit. Mus., xxi, 488, 1860; *fumataria* MINOT.
a. abraxaria WALKER, Cat. Brit. Mus., xxi, 403, 1860; HULST, Ent. News, vi, 72, 1895.
 syn. *divisaria* WALKER, Cat. Brit. Mus., xxi, 489, 1860; PACKARD, C. 458; BOWLES, Can. Ent., xv, 166, 1883; *fernallaria* HULST, Ent. Amer., iii, 215, 1888.
 *3863. *grisearia* GROTE, Can. Ent., xv, 124, 1883. Ariz.

EPIMECIS Hübner.

HÜBNER, Verz. bek. Schmitt., 315, 1818; GROTE, Can. Ent., viii, 206, 1876; HULST, Trans. Am. Ent. Soc., xxiii, 359, 1896; *Brouchelia* GUENÉE, Spec. Gén., ix, 286, 1857; WALKER, Cat. Brit. Mus., xxi, 450, 1860.

3864. *virginaria* CRAMER, Pap. Exot., iii, pl. 275, f. Atl.
G, 1782; HULST, Ent. News, vi, 106, 1895. States.
syn. *hortaria* FABRICIUS, Syst. Ent., iii, (2),
138, 31, 1793; PACKARD, C. 443; HULST, Ent.
News, vi, 104, 1895; *Uroidendraria* SMITH
& ABBOT, Lep. Ins. Ga., pl. 102, 1797;
dissertaria WALKER, Cat. Brit. Mus., xxi,
451, 1860; *amplaria* WALKER, Cat. Brit.
Mus., xxi, 405, 1860.
a. dendraria GUENÉE, Spec. Gén., ix, 289, 1857;
WALKER, Cat. Brit. Mus., xxi, 451, 1860.
syn. *gravilinaria* ANDREWS, Can. Ent., x, 108,
1878.

LYCIA Hübner.

HÜBNER, Verz. bek. Schmitt., 319, 1818; HULST, Trans. Am. Ent. Soc., xxiii, 359, 1896; *Amphidasis* TREITSCHKE, Schm. Eur., vi, 1, 229, 1827; DUPONCHEL, Hist. Nat., vii, 4, 268, 1829; HERRICH-SCHAFFER, Eur. Schmitt., iii, 99, 1847; LEDERER, Verh. zool.-bot. Ges. Wien, 218, 1853; KIRBY, Eur. Butt., 332, 1882; *Amphidasis* GUENÉE, Spec. Gén., ix, 206, 1857; WALKER, Cat. Brit. Mus., xxi, 305, 1860; HOFMANN, Gr. Schm. Eur., 179, 1894.

3865. *ursaria* WALKER, Can. Nat., v, 261, 1860; PACK- Atl.
ARD, C. 414; Bull. U. S. Ent. Comm., vii, 121, States.
1881; MÖSCHLER, Verh. zool.-bot. Ges. Wien,
300, 1884; BOWLES, Can. Ent., viii, 7, 1876.
3866. *virginaria* GROTE, Can. Ent., xii, 220, 1880; Col.
HULST, Ent. News, vi, 41, 1895.
3867. *cognataria* GUENÉE, Spec. Gén., ix, 208, 1857; Atl.
PACKARD, C. 413; BOWLES, Can. Ent., iii, 11, States.
1871; EDWARDS & ELLIOT, Pap., iii, 136, 1883;
GOODELL, Can. Ent., x, 67, 1878; PUTNAM-
CRAMER, Bull. Brook. Ent. Soc., vi, 48, 1885;
LINTNER, Ann. Rept. N. Y. Sta. Ent., 98, 1885;
SAUNDERS, Ins. Inj. Fru., 349, 1883; DIMMOCK,
Psyche, iv, 271, 1885; HULST, Ent. News, vi,
41, 1895.
syn. *sperataria* WALKER, Cat. Brit. Mus., xxi,
307, 1860.

PHÆOURA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 359, 1896.

3868. *mexicanaria* GROTE, Trans. Kans. Acad. Sci., Col.
viii, 51, 1882; HULST, Ent. News, vi, 41, 1895.
*3869. *eristifera* HULST, Trans. Am. Ent. Soc., xxiii, Col.
360, 1896.

NACOPHORA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 360, 1896.

- *3870. **minima** HULST, Trans. Am. Ent. Soc., xxiii, 360, 1896. Col.
- *3871. **ypsilona** FORBES, Rept. Ent. Ill., xiv, 95, 1885; LUGGER, Rept. Ent. Minn., 189, 1898. Atl. States
syn. *carolotta* HULST, Trans. Am. Ent. Soc., xxiii, 361, 1896.
- *3872. **phigaliaria** GUENÉE, Spec. Gén., ix, 225, 1857; PACKARD, C. 328; HULST, Ent. News, vi, 41, 1895. Atl. States
syn. *pænulataria* GROTE, Proc. Ent. Soc. Phil., ii, 31, 1864; Can. Ent., viii, 153, 1876.
3873. **quernaria** SMITH & ABBOT, Lep. Ins. Ga., ii, 205, pl. 103, 1797; PACKARD, C. 411; EMMONS, Nat. Hist. N. Y. Agr., v, 245, 1854; HULST, Ent. Amer., iv, 50, 1888; Ent. News, vi, 41, 1895.
a. atrescens HULST, Can. Ent., xxx, 162, 1898. Atl. States
- *3874. **cupidaria** GROTE, Proc. Ent. Soc. Phil., iii, 534, 1864; PACKARD, C. 412; HULST, Ent. Amer., iv, 50, 1888; Ent. News, vi, 41, 1895. Fla.

CERATONYX Guenée.

GUENÉE, Spec. Gén., ix, 193, 1857; WALKER, Cat. Brit. Mus., xxi, 296, 1860.

- *3875. **satanaria** GUENÉE, Spec. Gén., ix, 194, 1857; PACKARD, C. 565. Ga.

APOCHEIMA Hübner.

HÜBNER, Verz. bek. Schmett., 319, 1818; GUENÉE, Spec. Gén., ix, 203, 1857; MEYRICK, Trans. Ent. Soc. Lond., 121, 1892; HULST, Trans. Am. Ent. Soc., xxiii, 361, 1896; *Apochima* HERRICH-SCHAEFFER, Eur. Schmett., iii, 98, 1847; LEDERER, Verh. zool.-bot. Ges. Wien, 218, 1853; *Ithusia* HÜBNER, Verz. bek. Schmett., 319, 1818; *Nyssia* DUPONCHEL, Hist. Nat., vii, 283, 1829; GUENÉE, Spec. Gén., ix, 198, 1857.

3876. **rachelæ** HULST, Trans. Am. Ent. Soc., xxiii, 362, 1896. Col., Alaska.

CONIODES Hulst.

HULST, Trans. Am. Ent. Amer., xxiii, 353, 1896.

3877. **plumigeraria** HULST, Ent. Amer., iii, 216, 1888; COQUILLETT, Bull. U. S. Dept. Agr., n. s., vii, 64, 1897; HULST, Can. Ent., xxx, 214, 1898. Col., Cal., Brit. Col.

JUBARELLA Hulst.

HULST, Can. Ent., xxx, 192, 1898.

- *3878. *danbyi* HULST, Can. Ent., xxx, 192, 1898. Brit. Col.

PHIGALIA Duponchel.

DUPONCHEL, Hist. Nat., vii, 296, 1829; LEDERER, Verh. zool.-bot. Ges. Wien, 177, 1853; GUENÉE, Spec. Gén., ix, 195, 1857; PACKARD, C. 406; *Raphidodemas* HULST, Trans. Am. Ent. Soc., xxiii, 362, 1896.

- *3879. *nevadaria* HULST, Trans. Am. Ent. Soc., xxiii, Nev.,
362, 1896. Col.

3880. *olivaceaaria* MORRISON, Proc. Bost. Soc. Nat. Hist., xvi, 200, 1874; HULST, Ent. Amer., iv, 51, Atl. States. 1888.

3881. *titea* CRAMER, Pap. Exot., iii, 275, f. C, 1782; PACKARD, C. 442; HULST, Ent. News, vi, 41, 1896. Atl. States.

syn. *titearia* GUENÉE, Spec. Gén., ix, 248, 1857; WALKER, Cat. Brit. Mus., xxi, 345, 1860; *revocata* WALKER, Cat. Brit. Mus., xxvi, 1527, 1862; *strigataria* MINOT, Proc. Bost. Soc. Nat. Hist., xiii, 84, 1869; PACKARD, C. 407; BRUCE, Pap., ii, 81, 1882; FRENCH, Trans. Dept. Agr. Ill., xv, 241, 1877; *?cinctaria* FRENCH, Can. Ent., x, 157, 1878; HULST, Ent. Amer., iv, 51, 1888.

- *3882. *denticulata* HULST, Jn. N. Y. Ent. Soc., viii, 219, 1901.

ERANNIS Hübner.

HÜBNER, Verz. bek. Schmett., 320, 1818; MEYRICK, Trans. Ent. Soc. Lond., 81, 1892; HULST, Trans. Am. Ent. Soc., xxiii, 363, 1896; *Agriopis* HÜBNER, Verz. bek. Schmett., 320, 1818; *Hybneria* LATREILLE, Fam. Nat., 477, 1825; PACKARD, C. 408; MEYRICK, Trans. Ent. Soc. Lond., 120, 1892; *Hibernia* DUPONCHEL, Hist. Nat., vii, 4, 301, 1829; HERRICH-SCHAFFER, Eur. Schmett., iii, 58, 1847; LEDERER, Verh. zool.-bot. Ges. Wien, 213, 1853; HOFMANN, Gr. Schm. Eur., 176, 1894.

3883. *defoliaria* CLERCK, Icones, 7, 4, 1764; STAUDINGER & REBEL, Cat. Lep. Eur., i, no. 3802, 1901. Eur.,
a. vancouverensis HULST, Trans. Am. Ent. Soc., B. C. xxiii, 363, 1896.

3884. *tiliaria* HARRIS, Inj. Ins. Mass., 341, 1841; PACKARD, C. 409; SAUNDERS, Can. Ent., xiv, 282, 1882; Ins. Inj. Fruits, 111, 1883; FITCH, Third Rept. Ins. N. Y., 343, 1856; JAEGER, N. Am. Ins., 175, 1871; COQUILLET, Rept. Ent. Ill., x, 149, 1880; xi, 25, 1881. Atl. States, Rocky Mts.

- *3885. *coloradata* HULST, Trans. Am. Ent. Soc., xxiii, 363, 1896. Col.

CINGILIA Walker.

WALKER, Trans. Ent. Soc. Lond., (3), i, 76, 1862; DYAR, Can. Ent., xxvi, 69, 1894; HULST, Trans. Am. Ent. Soc., xxiii, 364, 1896; *Caterra* GROTE, Can. Ent., viii, 205, 1876; *Vestigifera* v. GUMPPENBERG, Nov. Act. Halle, iii, 369, 1888.

3886. *catenaria* DRURY, Ill. Exot. Ent., i, 17, 1770; ATL.
CRAMER, Pap. Exot., iii, 61, pl. 228, f. E, 1782; STATES,
EMMONS, Nat. Hist. N. Y. Agr., v, 249, 1854; COL.
PACKARD, C. 217; COMSTOCK, Rept. Dept. Agr.,
274, 1880; COQUILLETT, Pap., i, 56, 1881; HARRIS,
Ins. Inj. Mass., 459, 1852; DYAR, Psyche, ix,
250, 1901.

syn. *humeralis* WALKER, Trans. Ent. Soc.
Lond., (3), i, 76, 1862; *t. devinctaria* GUENÉE,
Spec. Gén., x, 222, 1857; WALKER, Cat.
Brit. Mus., xxiv, 1437, 1862.

EUCATERVA Grote.

GROTE, Pap., ii, 80, 1882; HULST, Trans. Am. Ent. Soc., xxiii, 364, 1896.

3887. *vararia* GROTE, Pap., ii, 80, 1882; CAN. ENT., ARIZ.
xiv, 109, 1882; HAY, Bull. Geol. Surv., vi, 564,
1882; DYAR, Ent. News, v, 63, 1894.
a. sabesaria GROTE, Pap., ii, 143, 1882.

PHILTRÆA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 364, 1896.

3888. *elegantaria* HY. EDWARDS, Pap., i, 121, 1881. TENN., LA.,
TEX., ARIZ.,
a. sabesaria Hulst, Cal.

ACANTHOPHORA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 365, 1896.

- *3889. *graefii* HULST, Trans. Am. Ent. Soc., xxiii, 365, TEX.
1896.

TRACHEOPS Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 365, 1896.

- *3890. *bolteri* HULST, Trans. Am. Ent. Soc., xxiii, 366, N. MEX.
1896.

DYSCIA Hübner.

HÜBNER, Verz. bek. Schmett., 314, 1818; HULST, Trans. Am. Ent. Soc., xxiii, 366, 1896; *Pseudothrix* HÜBNER, Verz. bek. Schmett., 319, 1818, *Scotiona* BOISDUVAL, Ind. Méth., 185, 1840; LEDERER, Verh. zool.-bot. Ges. Wien, 235, 1853; GUENÉE, Spec. Gén., x, 139, 1857; WALKER, Cat. Brit. Mus., xxiv, 1021, 1862; *Napuca* WALKER, Cat. Brit. Mus., xxvi, 1693, 1862; *Pseudosiona* BUTLER, Ann. Mag. Nat. Hist., (6), xii, 18, 1893.

3891. *orciferata* WALKER, Cat. Brit. Mus., xxvi, 1693, No.
1862; PACKARD, C., pl. 13, f. 57; HULST, Ent. U. S.
Amer., ii, 223, 1887; Ent. News, vi, 14, 1895.
a. labradoriata MÖSCHLER, Stett. ent. Zeit., 118,
1883; STAUDINGER & REBEL, Cat. Lep. Eur., i,
no. 3786, 1901.
syn. *aberrata* HY. EDWARDS, Pap., iv, 47, 1887;
taylori BUTLER, Ann. Mag. Nat. Hist., (6),
xii, 18, 1893.

LYCHNOSEA Grote.

GROTE, Trans. Kans. Acad. Sci., viii, 52, 1882; HULST, Trans. Am. Ent. Soc., xxiii, 367, 1896.

3892. *helviolaria* HULST, Bull. Brook. Ent. Soc., iv, 33, Col., N. Mex.,
1881; Ent. Amer., ii, 50, 1882. Ariz.
syn. *aulularia* GROTE, Trans. Kans. Acad. Sci.,
viii, 52, 1882.
3893. *intermicata* WALKER, Cat. Brit. Mus., xxiv, 1076, So. Atl.
1862; HULST, Ent. News, vi, 42, 105, 1895. States.
syn. *perraria* PACKARD, Fifth Rept. Peab. Acad.
Sci., 62, 1873; C. 206.
a. interminaria GROTE, Can. Ent., ix, 90, 1877.
*3894. *runcinaria* STRECKER, Lep. Rhop. Het., suppl. 2, Col.
7, 1899.

STERGAMMATAEA Hulst.

HULST, Trans. Am. Ent. Soc., xxxiii, 368, 1896.

- *3895. *inornata* HULST, Trans. Am. Ent. Soc., xxiii, 368, Col.
1896.

MELEMÆA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 368, 1896.

- *3896. *magdalena* HULST, Trans. Am. Ent. Soc., xxiii, Col.
368, 1896.
*3897. *morsicaria* HULST, Ent. Amer., i, 203, 1896. Tex.

ANAGOGA Hübner.

HÜBNER, Verz. bek. Schmett., 294, 1818; PACKARD, C. 486; HULST, Trans. Am. Ent. Soc., xxiiij, 369, 1896; *Azinophora* STEPHENS, Cat. 126, 1829; *Numeria* DUPONCHEL, Hist. Nat., vii, 4, 107, 1829; WESTWOOD & HUMPHREYS, Brit. Moths, ii, 24, 1849; HOFMANN, Gr. Schm. Eur., 170, 1892.

3898. *pulveraria* LINNÆUS, Syst. Nat., 521, 1758; GUENÉE, Spec. Gén., x, 137, 1857; STAUDINGER & REBEL, Cat. Lep. Eur., i, no. 3715, 1901. Eur.,
No.
a. occiduaria WALKER, Cat. Brit. Mus., xxiii, 1016, 1861; PACKARD, C. 487; HULST, Ent. Amer., ii, 51, 1886; Ent. News, vi, 12, 1895. U. S.
syn. *plagifasciata* WALKER, Cat. Brit. Mus., xxvi, 1508, 1862; PACKARD, C. 487.

NEOTERPES Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 369, 1896.

3899. *ephelidaria* HULST, Ent. Amer., ii, 120, 1886. Rocky Mts.
a. kunzei HULST, Can. Ent., xxx, 215, 1898.
- *3900. *snowiaria* HULST, Ent. Amer., iii, 213, 1887. Rocky Mts.
3901. *edwardsata* PACKARD, Proc. Bost. Soc. Nat. Hist., xiii, 383, 1871; C. 478; STRECKER, Surv. Dept. Mo., Ruffner, app. SS, 1863, 1878. Cal., Ariz., Alaska.

SICYA Guenée.

GUENÉE, Spec. Gén., ix, 104, 1857; PACKARD, C. 479; HULST, Trans. Am. Ent. Soc., xxiii, 370, 1896.

3902. *macularia* HARRIS, Lake Superior, Agassiz, 392, 1850; PACKARD, C. 480; HULST, Ent. News, vi, 14, 1895. U. S.
syn. *solfataria* GUENÉE, Spec. Gén., ix, 104, 1857; WALKER, Cat. Brit. Mus., xx, 134, 1860; *sublimaria* GUENÉE, Spec. Gén., ix, 105, 1857; *calipusaria* WALKER, Cat. Brit. Mus., xx, 120, 1860.
a. truncataria GUENÉE, Spec. Gén., ix, 104, 1857.
syn. *argyllaria* WALKER, Cat. Brit. Mus., xx, 121, 1860; *crocearia* PACKARD, Proc. Bost. Soc. Nat. Hist., xvi, 36, 1874.
b. faustinaria STRECKER, Lep. Rhop. Het., suppl. 2, 7, 1899.

THERINA Hübner.

- HÜBNER, Verz. bek. Schmett., 283, 1818; PACKARD, C. 492; HULST, Trans. Am. Ent. Soc., xxiii, 370, 1896; *Hydria* HÜBNER (not^a), Tentamen, 1810; *Ellopia* TREITSCHKE, Schmett. Eur., vi, 1, 89, 1827; PACKARD, C. 492.
3903. *vitraria* GROTE, Trans. Kans. Acad. Sci., viii, 51, 1882. Rocky Mts.
- *3904. *punctata* HULST, Can. Ent., xxx, 215, 1899. Col.
- *3905. *fatuaria* STRECKER, Lep. Rhop. Het., suppl. 2, 8, 1899. Can.
- *3906. *læta* HULST, Can. Ent., xxxii, 107, 1900. N. Mex.
3907. *pellucidaria* GROTE & ROBINSON, Ann. N. Y. Lyc. Nat. Hist., viii, 25, 1867; PACKARD, C. 495; GROTE, Can. Ent., xiv, 108, 1882; HULST, Ent. Amer., ii, 51, 1886; Ent. News, vi, 14, 1895; DYAR, Psyche, ix, 21, 1900. Atl. States.
3908. *endropiaria* GROTE & ROBINSON, Ann. N. Y. Lyc. Nat. Hist., viii, 26, 1867; PACKARD, C. 495; GOODELL, Can. Ent., xi, 194, 1879; GROTE, Can. Ent., xiv, 109, 1882; HULST, Ent. Amer., ii, 51, 1886; DYAR, Psyche, viii, 407, 1899. Atl. States.
3909. *athasiaria* WALKER, Cat. Brit. Mus., xx, 163, 1860; HULST, Ent. News, vi, 14, 1895; DYAR, Psyche, ix, 10, 1900. Atl. States.
- syn. *siccaria* WALKER, Cat. Brit. Mus., xxvi, 1547, 1866; *semimundata* WALKER, Cat. Brit. Mus., xxvi, 1508, 1862; *seminudaria* PACKARD, C. 495; *bibularia* GROTE & ROBINSON, Ann. Lyc. Nat. Hist. N. Y., viii, 24, 1867.
3910. *fiscellaria* GUENÉE, Spec. Gén., ix, 133, 1857; WALKER, Cat. Brit. Mus., xx, 161, 1860; HULST, Ent. Amer., ii, 50, 1886; Ent. News, vi, 14, 1895. Atl. States, Col.
- syn. *flagitiaria* GUENÉE, Spec. Gén., ix, 133, 1857; *panisaria* WALKER, Cat. Brit. Mus., xx, 163, 1860; *aqualiaria* WALKER, Cat. Brit. Mus., xx, 164, 1860.
3911. *fervidaria* HÜBNER, Zutr. exot. Schmett., f. 409, 1818; PACKARD, C. 493; HULST, Ent. Amer., ii, 50, 1886; Ent. News, vi, 14, 1895. Atl. States.
- syn. *pultaria* GUENÉE, Spec. Gén., ix, 131, 1857; PACKARD, C. 496; *sciata* WALKER, Cat. Brit. Mus., xxvi, 1510, 1862; *inverata* WALKER, Cat. Brit. Mus., xxvi, 1512, 1862.
- a.* *sonniaria* HULST, Ent. Amer., i, 308, 1886; FLETCHER, Rept. Exp. Farms Can., 176, 1891; RILEY, Ins. Life, iii, 360, 1891.

^a Preoccupied, according to Hulst's manuscript, but I can not find by what.

3912. *lugubrosa* HULST, Can. Ent., xxxii, 106, 1900. B. C.
 *3912. 1. *cavillaria* HULST, Ent. Amer., i, 203, 1886. Ariz.

METROCAMPA Latreille.

LATREILLE, Cons. Gen., 366, 1810; Fam. Nat., 477, 1825; PACKARD, C. 490; MEYRICK, Trans. Ent. Soc. Lond., 111, 1892; HULST, Trans. Am. Ent. Soc., xxiii, 370, 1896; *Campaea* LAMARCK, Hist. Nat., iii, 568, 1817.

3913. *prægrandaria* GUENÉE, Spec. Gén., ix, 128, 1857; No.
 WALKER, Cat. Brit. Mus., xx, 157, 1860; HULST, U. S.
 Ent. News, vi, 104, 1895.
 syn. *perlata* GUENÉE, Spec. Gén., ix, 128, 1857; STRECKER, Surv. Dept. Mo., Ruffner, app. SS, 1863, 1878; BUTLER, Pap., ii, 21, 1881; MÖSCHLER, Verh. zool.-bot. Ges. Wien, 298, 1884; *perlaria* PACKARD, C. 491; *viridoperlata* PACKARD, Proc. Bost. Soc. Nat. Hist., xvi, 38, 1874.

SLOSSONIA Hulst.

HULST, Can. Ent., xxx, 216, 1898.

3914. *rubrotincta* HULST, Can. Ent., xxx, 217, 1898. Cal.
 3915. *latipennis* HULST, Can. Ent., xxx, 217, 1898. Fla.

EUGONOBAPTA Warren.

WARREN, Nov. Zool., i, 405, 1894; HULST, Trans. Am. Ent. Soc., xxiii, 371, 1896.

3916. *nivosaria* GUENÉE, Spec. Gén., ix, 499, 1857. Atl. States.
 syn. *nivosata* PACKARD, C. 338; HULST, Ent. News, v, 304, 1894.
 *3917. *constans* HULST, Can. Ent., xxx, 216, 1898. Ariz.
 *3918. *ochreata* HULST, Can. Ent., xxx, 216, 1898. Ariz.
 *3919. *brunneolineata* HULST, Jn. N. Y. Ent. Soc., viii, 218, 1901. Fla.

RIPULA Guenée.

GUENÉE, Spec. Gén., ix, 34, 1857; HULST, Trans. Am. Ent. Soc., xxiii, 371, 1896.

3920. *vestalis* HULST, Can. Ent., xxx, 215, 1898. Fla.
 *3921. *virginaria* HULST, Ent. Amer., i, 202, 1886. Fla.

ENNOMOS Treitschke.

TREITSCHKE, Schm. Eur., vi, 1, 3, 1827; DUPONCHEL, Hist. Nat., vii, 4, 126, 1829; BOISDUVAL, Ind. Gén., 182, 1840; DUPONCHEL, Cat., 218, 1844; WESTWOOD & HUMPHREYS, Brit. Moths, 2, 81, 1849; GUENÉE, Spec. Gén., ix, 173, 1857; WALKER, Cat. Brit. Mus., xx, 204, 1860; HOFMANN, Gr. Schm. Eur., 171, 1894; HULST, Trans. Am. Ent. Soc., xxiii, 371, 1896; *Eugonia* HÜBNER (not ^a), Verz. bek. Schmett., 291, 1818; PACKARD, C. 527; KIRBY, Eur. Butt., 298, 1882; *Odoptera* SODOFFSKY, Bull. Imp. Soc. Mose., 125, 1837; STEPHENS, Cat. Brit. Ins., 165, 1850.

3922. *subsignarius* HÜBNER, Samml. exot. Schmett., ii, 1806; GRAEF, Rept. Brook. Hort. Soc., —, 1862; PACKARD, C. 528; Am. Nat., ii, 333, 1868; Bull. U. S. Ent. Comm., vii, 62, 1881; GRETE, Bull. Geol. Surv. Terr., Hayden, vi, 588, 1882; DODGE, Can. Ent., xiv, 30, 1882; FRENCH, Trans. Dept. Agr. Ill., xv, 243, 1877; SAUNDERS, Ins. Inj. Fruits, 111, 1883; WALSH, Pract. Ent., i, 57, 1866.
syn. *nireosericeata* JONES, Proc. Ent. Soc. Phil., i, 31, 1861.

Atl.
States,
Col.

3923. *magnarius* GUENÉE, Spec. Gén., ix, 174, 1857; WALKER, Cat. Brit. Mus., xx, 205, 1860; HULST, Ent. Amer., ii, 49, 1884; iv, 49, 1886; DIMMOCK, Psyche, iv, 272, 1885; SNELLEN, Neder. Ent. Ver., xxix, 137, 1874.
syn. *alniaria* PACKARD (not LINNÆUS), C. 529; Bull. U. S. Ent. Comm., vii, 92, 1881; *autumnaria* MÖSCHLER (not WERNEBURG), Verh. zool.-bot. Ges. Wien, 299, 1884; *tutaria* WALKER, Cat. Brit. Mus., xxxv, 1552, 1866; PACKARD, C. 531.

No.
U. S.

- *3924. *ochreatus* HULST, Can. Ent., xxx, 218, 1898.

Col.

XANTHOTYPE Warren.

WARREN, Nov. Zool., i, 463, 1894; HULST, Trans. Am. Ent. Soc., xxiii, 372, 1896.

3925. *crocataria* FABRICIUS, Ent. Syst., suppl., 146, 1794; PACKARD, C. 474; Rept. Geol. Surv. Terr., v, 554, 1873; SAUNDERS, Rept. Ent. Soc. Ont., ii, 87, 1870; Ins. Inj. Fruits, 348, 1883; FRENCH, Trans. Dept. Agr. Ill., xv, 243, 1877; FORBES, Trans. Dept. Agr. Ill., xxi, 80, 1883; DYAR, Ent. News, v, 62, 1894; v. GUMPPENBERG, Nov. Act. Halle, xlvi, 396, 1887; DYAR, Psyche, ix, 226, 1901.

Atl.
States.

syn. *citrina* HÜBNER, Zutr. exot. Schmett., f. 499, 1825.

a. cælaria HULST, Ent. Amer., i, 208, 1886.

PLAGODIS Hübner.

HÜBNER, Verz. bek. Schmett., 294, 1818; PACKARD, C. 465; HULST, Trans. Am. Ent. Soc., xxiii, 372, 1896; *Eurymene* DUPONCHEL, Hist. Nat., vii, 185, 1829; KIRBY, Eur. Butt., 302, 1882; HOFMANN, Gr. Schm. Eur., 173, 1894.

- *3926. *kempii* HULST, Jn. N. Y. Ent. Soc., viii, 220, 1901.

^a Preoccupied, according to Hulst's manuscript.

3927. *serinaria* HERRICH-SCHAEFFER, Ausser. Schmett., f. 365, 1855; PACKARD, C. 469; HULST, Ent. Amer., ii, 52, 1886; Ent. News, vi, 14, 1895.
 syn. *subprivata* WALKER, Cat. Brit. Mus., xxvi, 1509, 1862; *floscularia* GROTE, Pap., i, 40, 1881; Can. Ent., xiv, 109, 1889; Pap., ii, 83, 1882.
a. rosaria GROTE, Bull. Buff. Soc., iii, 131, 1876.
3928. *keutzingi* GROTE, Can. Ent., viii, 112, 1876; viii, 154, 1876.
 syn. *keutzingaria* PACKARD, C. 468.
a. nigrescaria HULST, Ent. Amer., ii, 212, 1887; PACKARD, C. pl. 13, f. 54.
3929. *fervidaria* HERRICH-SCHAEFFER, Ausser. Schmett., f. 203, 1855; PACKARD, C. 467; Rept. U. S. Ent. Comm., 328, 1886; HULST, Ent. News, vi, 104, 1895.
 syn. *excavaria* MORRISON, Bull. Buff. Soc., i, 189, 1873.
3930. *alcoolaria* GUENÉE, Spec. Gén., ix, 146, 1857; PACKARD, C. 469.
3931. *phlogosaria* GUENÉE, Spec. Gén., ix, 146, 1857; PACKARD, C. 466.
3932. *emargataria* GUENÉE, Spec. Gén., ix, 145, 1857; HULST, Ent. News, vi, 104, 1896.
 syn. *arrogaria* HULST, Ent. Amer., i, 208, 1886.
3933. *approximaria* DYAR, Can. Ent., xxxi, 266, 1899.
 No. Pac States.

HYPERITIS Guenée.

GUENÉE, Spec. Gén., ix, 117, 1857; PACKARD, C. 460; HULST, Trans. Am. Ent. Soc., xxiii, 373, 1896; *Probola* HERRICH-SCHAEFFER (not WESMAEL), Ausser. Schmett., 83, 1855.

3934. *amicaria* HERRICH-SCHAEFFER, Ausser. Schm., f. 361, 1855; HULST, Ent. Amer., ii, 52, 1886; iii, 114, 1887; Ent. News, vi, 40, 1895; DYAR, Ent. News, v, 62, 1894.
 syn. *nyssaria* GUENÉE, Spec. Gén., ix, 118, 1857; PACKARD, C. 461; *exsimaria* GUENÉE, Spec. Gén., ix, 118, 1857; *persinaria* GUENÉE, *insinuaria* GUENÉE, *subsinuaria* GUENÉE, *laticineta* WALKER, Cat. Brit. Mus., xxi, 295, 1860; *neoninaria* WALKER, Cat. Brit. Mus., xx, 186, 1860; *neonaria* PACKARD, C. 461; *vasionaria* WALKER, Cat. Brit. Mus., xx, 183, 1860.

- a. alienaria* HERRICH-SCHAEFFER, Ausser. Schm., f. 364, 1855; PACKARD, C. pl. 11, f. 38.
b. nepiasaria WALKER, Cat. Brit. Mus., xx, 146, 1860; PACKARD, C. pl. 13, f. 42.

- *3935. *mollicularia* ZELLER, Verh. zool.-bot. Ges. Wien, xxxviii, 481, 1872; PACKARD, C. 485. Tex.
3936. *triangulifera* PACKARD, Proc. Bost. Soc. Nat. Hist., xiii, 384, 1871; C. 549; FRENCH, Can. Ent., xviii, 105, 1886. Pac. States, Col.
3937. *notataria* HULST, Ent. Amer., i, 203, 1886. Col., Cal., Alberta.
- *3938. *indiscretata* HY. EDWARDS, Pap., iv, 48, 1884. N. Mex.
- ANIA Stephens.
- STEPHENS, Ill., iii, 321, 1831; WESTWOOD & HUMPHREYS, Brit. Moths, ii, 80, 1849; HULST, Trans. Am. Ent. Soc., xxiii, 373, 1896; *Micrognatha* HERRICH-SCHAFFER, Ausser. Schmett., 28, 1855; *Nematochoma* GUENÉE, Spec. Gén., ix, 120, 1857; PACKARD, C. 471.
3939. *limbata* HAWORTH, Lep. Brit., 346, 1829; HULST, Ent. Amer., ii, 52, 1886. Atl. States.
- syn. *vestitaria* HERRICH-SCHAFFER, Ausser. Schmett., f. 368, 1855; *resistaria* HERRICH-SCHAFFER, Ausser. Schmett., 41, 1855; GUENÉE, Spec. Gén., ix, 121, 1857; WALKER, Cat. Brit. Mus., xx, 147, 1860; *filamentaria* GUENÉE, Spec. Gén., ix, 120, 1857; PACKARD, C. 471; FRENCH, Trans. Dept. Agr. Ill., xv, 242, 1877; COQUILLETT, Trans. Dept. Agr. Ill., xviii, 148, 1880.
- a. expunctaria* GROTE, Can. Ent., iv, 101, 1872; xiv, 110, 1882.

GONODONTIS Hübner.

- HÜBNER, Verz. bek. Schmett., 287, 1818; MEYRICK, Trans. Ent. Soc. Lond., 115, 1892; HULST, Trans. Am. Ent. Soc., xxiii, 373, 1896; *Epirranthis* HÜBNER, Verz. bek. Schmett., 296, 1818; PACKARD, C. 498; *Odontoptera* STEPHENS, Ill., iii, 162, 1831; GUENÉE, Spec. Gén., ix, 164, 1857; LEDERER, Verh. zool.-bot. Ges. Wien, 204, 1853; WESTWOOD & HUMPHREYS, Brit. Moths, ii, 11, 1849; KIRBY, Eur. Butt., 298, 1882; *Metarranthis* WARREN, Nov. Zool., i, 436, 1894.
- *3940. *hilumaria* HULST, Ent. Amer., i, 206, 1886. Rocky Mts.
3941. *hypochraria* HERRICH-SCHAFFER, Ausser. Schmett., f. 207, 1855; PACKARD, C. 504; HULST, Ent. News, vi, 15, 1896; BUTLER, Ann. Mag. Nat. Hist., (5), viii, 30, 1881; DYAR, Ent. News, v, 61, 1894; PSYCHE, viii, 415, 1899.
- syn. *refractaria* GUENÉE, Spec. Gén., ix, 125, 1857; WALKER, Cat. Brit. Mus., xx, 151, 1860; *mestusata* WALKER, Cat. Brit. Mus., xx, 154, 1860.
- a. lateritiaria* GUENÉE, Spec. Gén., ix, 125, 1857; WALKER, Cat. Brit. Mus., xx, 151, 1860.
- syn. *fudaria* WALKER, Cat. Brit. Mus., xxxv, 1548, 1866; PACKARD, C. 523; *indeclinata* WALKER, Cat. Brit. Mus., xxiii, 888, 1861.
- b. homuraria* GROTE, Trans. Am. Ent. Soc., ii, 80, 1875; Pap., ii, 100, 1882; Can. Ent., ix, 89, 1877.
- Atl. States.

3943. *warneri* HARVEY, Bull. Buff. Soc., ii, 121, 1874; GROTE, Cat. Ent., xiv, 106, 1881; HULST, Ent. News, vi, 40, 1895; Ent. Amer., ii, 50, 1886; Ent. News, vi, 15, 1895.
syn. *apiciaria* PACKARD, C. 502.
No.
Atl.
States.
3944. *duaria* GUENÉE, Spec. Gén., ix, 135, 1857; PACKARD, C. 502; HULST, Ent. News, vi, 15, 1895; DYAR, Psyche, ix, 371, 1902.
syn. *humaria* GUENÉE, Spec. Gén., ix, 136, 1857; *agreasaria* WALKER, Cat. Brit. Mus., xx, 252, 1860; PACKARD, C. 537; *adustaria* WALKER, Cat. Brit. Mus., xxxv, 1545, 1866.
a. pilosaria PACKARD, C. 501, 1876.
Atl.
States,
Col.
- *3945. *barnesii* HULST, Trans. Am. Ent. Soc., xxiii, 374, 1896.
Col.
3946. *formosa* HULST, Trans. Am. Ent. Soc., xxiii, 375, 1896.
Col.,
Cal., Nev.
3947. *obfirmaria* HÜBNER, Samml. exot. Schmett., ii, 1806; PACKARD, C. 499.
Atl.
States.
3948. *distycharia* GUENÉE, Spec. Gén., ix, 83, 1857; WALKER, Cat. Brit. Mus., xx, 104, 1860; HULST, Ent. News, vi, 13, 1895.
syn. *cayennaria* PACKARD (not Guenée), C. 533.
Tex.
- *3949. *antidiscaria* WALKER, Cat. Brit. Mus., xxvi, 1513, 1862; PACKARD, C. pl. 13, f. 54; HULST, Ent. Amer., iii, 113, 1887; Ent. News, vi, 14, 1895.
syn. *lentaria* HULST, Ent. Amer., i, 257, 1886.
Fla.

EUCHLÆNA Hübner.

HÜBNER, Verz. bek. Schmett., 293, 1818; MEYRICK, Trans. Ent. Soc. Lond., 112, 1892; HULST, Trans. Am. Ent. Soc., xxiii, 275, 1896; *Endropia* GUENÉE, Spec. Gén., ix, 122, 1857; PACKARD, C. 499.

- *3950. *geniculata* HULST, Ent. Amer., i, 204, 1886.
Col.
- *3951. *argillaria* HULST, Ent. Amer., i, 204, 1886.
Ariz., Cal.
- *3952. *galbanaria* HULST, Ent. Amer., i, 204, 1886.
Ariz.
- *3953. *manubriaria* HULST, Ent. Amer., i, 207, 1886.
Col.
3954. *serrata* DRURY, Ill. Exot. Ent., ii, pl. 20, f. 4, 1770; EMMONS, Nat. Hist. N. Y. Agr., v, pl. 40, f. 6, 1854; GROTE, Can. Ent., viii, 152, 1876; HULST, Ent. News, vi, 105, 1895; DYAR, Psyche, ix, 130, 1900.
syn. *serrataria* PACKARD, C. 517; *concisaria* WALKER, Cat. Brit. Mus., xxvi, 1551, 1862; PACKARD, C. 530.
Atl.
States.

3956. *obtusaria* HÜBNER, Schm. Eur., f. 390, 1835?; PACKARD, C. 516; HULST, Ent. News, vi, 40, 1895. Atl. States.
 syn. *propriaria* WALKER, Cat. Brit. Mus., xx, 249, 1860; *decisaria* WALKER, Cat. Brit. Mus., xx, 47, 1860.
a. tigrinaria GUENÉE, Spec. Gén., ix, 123, 157; WALKER, Cat. Brit. Mus., xx, 149, 1860.
3957. *effectaria* WALKER, Can. Nat., v, 260, 1860; Cat. Brit. Mus., xxvi, 1504, 1862; PACKARD, C. 514; BUTLER, Pap., i, 220, 1881; HULST, Ent. News, vi, 40, 1895. Atl. States.
a. muzaria WALKER, Cat. Brit. Mus., xx, 154, 1860; PACKARD, C. 516.
- *3958. *occantaria* HULST, Ent. Amer., i, 207, 1886. Nev., Wash.
- *3959. *amethystaria* STRECKER, Lep. Rhop. Het., suppl. 2, 6, 1899. Fla.
3960. *johsonaria* FITCH, Trans. N. Y. Agr. Soc., xiii, 530, 1853; HULST, Ent. News, vi, 106, 1895. Atl. States.
 syn. *bilinearia* PACKARD, New and Little Known Ins., 13, 1870; C. 511; EMMONS, Nat. Hist. N. Y. Agr., v, 249, 1854; FRENCH, Trans. Dept. Agr. Ill., xv, 243, 1877; BRUCE, Ent. Amer., iii, 47, 1887.
a. mollisaria HULST, Ent. Amer., i, 206, 1886.
b. minoraria HULST, Ent. Amer., i, 206, 1886.
3961. *amoenaria* GUENÉE, Spec. Gén., ix, 124, 1857; PACKARD, C. 509; GROTE, Can. Ent., xiv, 108, 1882; HULST, Ent. Amer., ii, 50, 1886. Atl. States.
 syn. *deplanaria* WALKER, Cat. Brit. Mus., xxvi, 1510, 1862; PACKARD, C. 498; *orefactaria* GROTE & ROBINSON, Ann. N. Y. Lyc. Nat. Hist., viii, 13, 1867.
- *3962. *vinulentaria* GROTE & ROBINSON, Ann. N. Y. Lyc. Nat. Hist., viii, 15, 1867; PACKARD, C. 506; HULST, Ent. News, vi, 40, 1895. Atl. States.
3963. *astylusaria* WALKER, Cat. Brit. Mus., xx, 152, 1860; HULST, Ent. News, vi, 40, 1895. Atl. States.
 syn. *madusaria* WALKER, Cat. Brit. Mus., xx, 153, 1860; PACKARD, C. 508; BUTLER, Pap., i, 220, 1881; GROTE & ROBINSON, Trans. Am. Ent. Soc., ii, 81, 1868; Can. Ent., xiv, 108, 1882; *oponearia* WALKER, Cat. Brit. Mus., xx, 153, 1860; *vinosaria* GROTE & ROBINSON, Ann. N. Y. Lyc. Nat. Hist., viii, 17, 1867.
a. tiviaria WALKER, Cat. Brit. Mus., xx, 250, 1860,

3964. *marginata* MINOT, Proc. Bost. Soc. Nat. Hist., xi, 169, 1869; PACKARD, C. 505. Atl. States.
3965. *pectinaria* DENIS & SCHIFFERMÜLLER, Syst. Verz. Wien., 103, 6, 1776; PACKARD, C. 513; DYAR, Psyche, ix, 344, 1902 (*paectinaria*). Atl. States.
syn. *deductaria* WALKER, Cat. Brit. Mus., xx, 151, 1860.
- *3966. *sirenaria* STRECKER, Lep. Rhop. Het., suppl. 2, 7, 1899. Atl. States.
3967. *sesquilinearia* GROTE, Can. Ent., xv, 125, 1883. Ariz.
3968. *falcata* PACKARD, Proc. Bost. Soc. Nat. Hist., xvi, 39, 1874; C. 557; BUTLER, Pap., i, 220, 1881. Cal.
- *3969. *abnormalis* HULST, Jn. N. Y. Ent. Soc., viii, 220, 1901. Man.

EUTRAPELA Hübner.

HÜBNER, Tentamen, 1810; *Selenia* HÜBNER, Verz. bek. Schmett., 292, 1818; PACKARD, C. 524; MEYRICK, Trans. Ent. Soc. Lond., 113, 1892; HOFMANN, Gr. Schm. Eur., 171, 1894; HULST, Trans. Am. Ent. Soc., xxiii, 376, 1896; KIRBY, Eur. Butt., 300, 1882.

3970. *alcipharia* WALKER, Cat. Brit. Mus., xx, 184, 1860; HULST, Ent. Amer., iii, 113, 1887; DYAR, Psyche, viii, 395, 1899. No. U. S.
3971. *kentaria* GROTE, Trans. Am. Ent. Soc., i, 359, 1865; iv, 1, 1867; Pap., ii, 100, 1882; HULST, Ent. Amer., ii, 162, 1886; iii, 113, 1887; BRUCE, Ent. Amer., iii, 47, 1887; Pap., ii, 81, 1882. Atl. States.
- *3972. *perangulata* HULST, Trans. Am. Ent. Soc., xxiii, 376, 1896. Col.

EPIPLATYMETRA Grote.

GROTE, Can. Ent., v, 145, 1873; viii, 153, 1876; HULST, Trans. Am. Ent. Soc., xxiii, 376, 1896.

3973. *coloradaria* GROTE & ROBINSON, Ann. Lyce. Nat. Hist. N. Y., viii, 12, 1867; Can. Ent., xiv, 107, 1882; PACKARD, C. 550; STRECKER, Surv. Dept. Mo., Ruffner, App. SS, 1863, 1878. Col.

- *3974. *grotearia* PACKARD, C. 553, 1876; GROTE, Can. Ent., xv, 125, 1883. Rocky Mts.
syn. *vidularia* GROTE, Can. Ent., xiv, 173, 1882; xv, 25, 1883; HULST, Ent. Amer., ii, 49, 1886.

SYNAXIS Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 377, 1896.

- *3975. *fuscata* HULST, Can. Ent., xxx, 217, 1898. Col.
- *3976. *pallulata* HULST, Ent. Amer., ii, 211, 1887. Oreg.
- *3977. *oblentaria* GROTE, Can. Ent., xv, 126, 1883. Cal., Ariz.

PHERNE Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 377, 1896.

3978. *parallelia* PACKARD, Proc. Bost. Soc. Nat. Hist., xvi, 38, 1874. Cal.
 syn. *parallelaria* PACKARD, C. 551; HULST, Ent. Amer., i, 202, 1886; ii, 48, 1886.
- *3979. *jubararia* HULST, Ent. Amer., ii, 120, 1886. Wash.
3980. *placearia* GUENÉE, Spec. Gén., i, 132, 1857; PACKARD, C. 497; HULST, Ent. News, vi, 104, 1895. Cal.
 syn. *mellittularia* HULST, Ent. Amer., i, 202, 1896.

METANEMA Guenée.

- GUENÉE, Spec. Gén., ix, 171, 1857; PACKARD, C. 542; HULST, Trans. Am. Ent. Soc., xxiii, 378, 1896.
3981. *inatomaria* GUENÉE, Spec. Gén., ix, 171, 1857; PACKARD, C. 543; BRUCE, Ent. Amer., iii, 47, 1887. U. S.
3982. *determinata* WALKER, Cat. Brit. Mus., xxxv, 1551, 1866; HULST, Ent. News, vi, 14, 1895. No. Atl. States.
 syn. *carnaria* PACKARD, Fifth Rept. Peab. Acad. Sci., 80, 1873; C. 542.
- *3983. *subpunctata* HULST, Can. Ent., xxx, 218, 1898. Cal.
3984. *excelsa* STRECKER, Surv. Dept. Mo., Ruffner, App. SS, 1863, 1878. Rocky Mts.
a. simpliciaria GROTE, Can. Ent., xv, 127, 1883; HULST, Ent. Amer., ii, 48, 1886.
- *3985. *vanusaria* STRECKER, Lep. Rhop. Het., suppl. 2, 6, 1899. N. Mex.
3986. *quercivoraria* GUENÉE, Spec. Gén., ix, 172, 1857; PACKARD, C. 544; Ins. Inj. For. Trees, 51, 1881; HULST, Ent. News, vi, 14, 1895. Atl. States.
 syn. *aelaria* WALKER, Cat. Brit. Mus., xx, 260, 1860; *trilinearia* PACKARD, C. 542.
- *3987. *incongruaria* HULST, Ent. Amer., ii, 212, 1887. Ont.
3988. *textrinaria* GROTE & ROBINSON, Ann. N. Y. Lye. Nat. Hist., viii, 15, 1867; PACKARD, C. 507; Am. Nat., xviii, 934, 1884; GROTE, Pap., ii, 100, 1882; HULST, Ent. Amer., ii, 49, 1896. Atl. States.
- *3989. *forficularia* GUENÉE, Spec. Gén., ix, 172, 1857 (type lost). Cal.

PRIOCYCLA Guenée.

GUENÉE, Spec. Gén., ix, 90, 1857; WALKER, Cat. Brit. Mus., xx, 114, 1860; *Pryocyla*
HULST, Trans. Am. Ent. Soc., xxiii, 378, 1896.

3990. **armantaria** HERRICH-SCHAFFER, Ausser.
Schmett., f. 373, 1855; PACKARD, C. 510; Rept.
Dept. Agr. 83, 1871; SAUNDERS, Can. Ent., iii,
130, 1871; Ins. Inj. Fruits, 354, 1883; FITCH,
Rept. Ins. N. Y., xiii, 522, 1869. Atl. States.
- *3991. **decoloraria** HULST, Ent. Amer., i, 207, 1886. Atl. States.
- *3992. **jucundaria** STRECKER, Lep. Rhop. Het., suppl.
2, 7, 1899. Md.

SNOWIA Neumoegen.

- NEUMOEGEN, Pap., iv, 95, 1884; HULST, Trans. Am. Ent. Soc., xxiii, 379, 1896.
- *3993. **montanaria** NEUMOEGEN, Pap., iv, 96, 1884. Col.

STENASPILATES Packard.

- PACKARD, C. 212, 1876; HULST, Trans. Am. Ent. Soc., xxiii, 379, 1896.
3994. **zalissaria** WALKER, Cat. Brit. Mus., xx, 187,
1860; PACKARD, C. 522; HULST, Ent. Amer.,
iii, 113, 1888. Fla.
- *3995. **inviolata** HULST, Can. Ent., xxx, 218, 1898. Ariz.
- *3996. **radiosaria** HULST, Ent. Amer., i, 206, 1886. Ariz.
- *3997. **muricolor** HULST, Trans. Am. Ent. Soc., xxiii,
379, 1896. Tex.
3998. **meskearia** PACKARD, C. 213, 1876; HULST, Ent.
Amer., ii, 141, 1887.
syn. *arizonaria* HY. EDWARDS, Pap., ii, 130,
1882.
- a. albomacularia* HY. EDWARDS, Pap., ii, 130,
1882.
3999. **albidula** HULST, Can. Ent., xxiii, 107, 1900. Rocky Mts., Col., N. Mex.

MARMAREA Hulst.

- HULST, Trans. Am. Ent. Soc., xxiii, 379, 1896.
- *4000. **occidentalis** HULST, Trans. Am. Ent. Soc., xxiii,
380, 1896. Cal., Ariz.
- a. peplariooides* HULST, Can. Ent., xxx, 218, 1898.

AZELINA Guenée.

GUENÉE, Spec. Gén., ix, 156, 1857; PACKARD, C. 520; MEYRICK, Trans. N. Zeal. Inst., 106, 1883; HULST, Trans. Am. Ent. Soc., xxiii, 380, 1896.

4001. *ancetaria* HÜBNER, Samml. exot. Schmett., ii, U. S.
1806.

syn. *hubneraria* GUENÉE, Spec. Gén., ix, 159, 1857; PACKARD, Proc. Bost. Soc. Nat. Hist., xiii, 386, 1871; BUTLER, Ann. Mag. Nat. Hist., (5), viii, 33, 1881; *hubnerata* PACKARD, C. 520; *homestaria* WALKER, Cat. Brit. Mus., xx, 258, 1860.

a. peplaria HÜBNER, Zutr. exot. Schmett., f. 709, 1832; HULST, Ent. Amer., ii, 49, 1886; Ent. News, vi, 14, 1895.

syn. *stygiaaria* WALKER, Cat. Brit. Mus., xxxv, 1548, 1866; *atrocolorata* HULST, Ent. Amer., i, 205, 1885.

b. morrisonata HY. EDWARDS, Pap., i, 121, 1881; HULST, Ent. Amer., ii, 249, 1886.

4002. *behrensata* PACKARD, Proc. Bost. Soc. Nat. Hist., Cal.
xiii, 386, 1871; C. 521.

SYSSAURA Hübner.

HÜBNER, Verz. bek. Schmett., 150, 1818; WARREN, Nov. Zool., i, 458, 1894; *Patalene* HERRICH-SCHAEFFER, Ausser. Schmett., 80, 1855; *Microsemia* HERRICH-SCHAEFFER, Ausser. Schmett., 83, 1855; *Hypertha* GUENÉE, Spec. Gén., i, 99, 1857; WALKER, Cat. Brit. Mus., xx, 124, 1860; *Hypsoridra* BUTLER, Proc. Zool. Soc. Lond., 492, 1878; *Drepanodes* PACKARD, C. 537.

4003. *sieulata* GUENÉE, Spec. Gén., ix, 67, 1857; HULST, Va., Mont.,
Ent. News, vi, 103, 1895. Ariz.

syn. *perizomaria* HULST, Ent. Amer., i, 205,
1886.

*4004. *syzygyaria* HULST, Ent. Amer., ii, 121, 1886. Fla.

4005. *infensata* GUENÉE, Spec. Gén., ix, 68, 1857; So. Atl.
HULST, Ent. News, vi, 12, 1895. States.

syn. *cphyra* GUENÉE, Spec. Gén., ix, 69, 1857;
olyzonaria WALKER, Cat. Brit. Mus., xx,
69, 1860; *equosus* GROTE & ROBINSON, Ann.
Lyc. Nat. Hist. N. Y., viii, 22, 1867;
sesquilinea GROTE, Can. Ent., ii, 114, 1870.

a. bialaria WALKER, Cat. Brit. Mus., xx, 73,
1860.

syn. *amearia* WALKER, Cat. Brit. Mus., xx,
73, 1860; *puber* GROTE & ROBINSON, Ann.
Lyc. Nat. Hist. N. Y., viii, 20, 1867; GROTE,
Can. Ent., xiv, 107, 1882; *varus* GROTE &
ROBINSON, Ann. Lyc. Nat. Hist. N. Y., viii,
21, 1867; PACKARD, C. 538; *jumperaria*
PACKARD, First Rept. Ins. Mass., 22, 1871.

CABEROODES Guenée

GUENÉE, Spec. Gén., ix, 135, 1857; PACKARD, C. 531; WARREN, Nov. Zool., i, 487, 1894; HULST, Trans. Am. Ent. Soc., xxiii, 381, 1896.

- *4006. *juncturaria* GUENÉE, Spec. Gén., ix, 88, 1857; S.-E.
WALKER, Cat. Brit. Mus., xx, 102, 1860; HULST, U. S.
Ent. News, vi, 103, 1895.

syn. *incopularia* GUENÉE, Spec. Gén., ix, 89, 1857; WALKER, Cat. Brit. Mus., xx, 112, 1860; *effusinaria* HULST, Ent. Amer., i, 204, 1886.

4007. *confusaria* HÜBNER, Samml. exot. Schmett., i, U. S.
1806; PACKARD, C. 534; BRUCE, Ent. Amer., iii, 47, 1887; HULST, Ent. News, vi, 13, 1895; FRENCH, Trans. Dept. Agr. Ill., xv, 244, 1877.

syn. *remissaria* GUENÉE, *imbraria* GUENÉE,
superaria GUENÉE, *ineffusaria* GUENÉE,
floridaria GUENÉE, *phasianaria* GUENÉE, *interlinearia* GUENÉE, Spec. Gén., ix, 137-140, 1857; *varadaria* WALKER, Cat. Brit. Mus., xx, 251, 1860; *urburaria* WALKER, Cat. Brit. Mus., xx, 102, 1860; *amyrisaria* WALKER, *myandaria* WALKER, Cat. Brit. Mus., xx, 164, 1860.

- a. *metrocamparia* GUENÉE, Spec. Gén., ix, 137, 1857.

syn. *eldunaria* WALKER, Cat. Brit. Mus., xx, 170, 1860.

- b. *minima* HULST, Can. Ent., xxx, 219, 1898.

4008. *majoraria* GUENÉE, Spec. Gén., ix, 138, 1857; Atl. States,
PACKARD, C. 536; HULST, Ent. News, vi, 13, 1895. Col.

syn. *pandaria* WALKER, Cat. Brit. Mus., xx, 173, 1860; PACKARD, C. 534.

- *4008.1. *subochrearia* HULST, Can. Ent., xxxii, 107, 1900. N. J.

OXYDIA Guenée.

GUENÉE, Spec. Gén., ix, 52, 1857; HULST, Trans. Am. Ent. Soc., xxiii, 382, 1896.

- *4009. *zonulata* HULST, Ent. Amer., i, 201, 1886. Tex.

4010. *vesulia* CRAMER, Pap. Exot., iii, pl. 240, f. B, Fla.
1782; WALKER, Cat. Brit. Mus., xx, 53, 1860;
HULST, Ent. News, vi, 13, 1895.

syn. *resulata* GUENÉE, Spec. Gén., ix, 60, 1857; HULST, Ent. Amer., ii, 47, 1886;
prosinata GUENÉE, *distichata* GUENÉE, *nimbata* GUENÉE, Spec. Gén., ix, 59, 1857;
saturniata GUENÉE, *agliata* GUENÉE, *gastro-pachata* GUENÉE, Spec. Gén., ix, 62, 1857;
WALKER, Cat. Brit. Mus., xx, 55, 1860;
transponens WALKER, Cat. Brit. Mus., xx, 20, 1860; *vitiligata* FELDER, Reise Nov., Lep., pl. 122, f. 17, 1873.

TETRACIS Guenée.

GUENÉE, Spec. Gén., ix, 140, 1857; PACKARD, C. 546; HULST, Trans. Am. Ent. Soc., xxiii, 382, 1896.

4011. *crocallata* GUENÉE, Spec. Gén., ix, 141, 1857; Atl.
PACKARD, C. 548; GOODELL, Can. Ent., xi, 193,
1879; MINOT, Can. Ent., ii, 28, 1869; BRUCE,
Ent. Amer., iii, 47, 1887; HULST, Ent. News,
vi, 13, 1895.
syn. *allediusaria* WALKER, Cat. Brit. Mus.,
xx, 253, 1860.
a. aspilata GUENÉE, Spec. Gén., ix, 141, 1857;
WALKER, Cat. Brit. Mus., xx, 173, 1860.
4012. *hyperborea* HULST, Proc. Wash. Acad. Sci., ii, Alaska.
496, 1900; Journ. N. Y. Ent. Soc., viii, 220, 1901.

SABULODES Guenée.

GUENÉE, Spec. Gén., ix, 42, 1857; HULST, Trans. Am. Ent. Soc., xxiii, 382, 1896;
Charodes GUENÉE (not WHITE), Spec. Gén., ix, 35, 1857; *Antepione* PACKARD,
C. 484; *Procharodes* GROTE, Ann. Mag. Nat. Hist., (5), xi, 55, 1883.

4013. *sulphurata* PACKARD, Fifth Rept. Peab. Acad. Atl.
Sci., 79, 1873; C. 484.
a. imitata HY. EDWARDS, Pap., iv, 48, 1884.
4014. *arcasaria* WALKER, Cat. Brit. Mus., xx, 131, 1860. Atl. States.
syn. *depontanata* GROTE, Proc. Ent. Soc. Phil.,
iii, 90, 1864; PACKARD, C. 483.
4015. *novellata* HULST, Ent. Amer., i, 204, 1886. Ariz.
4016. *lorata* GROTE, Proc. Ent. Soc. Phil., iii, 91, 1864;
Can. Ent., xiv, 107, 1882; MINOT, Can. Ent., ii,
28, 1869; PACKARD, C. 547; GOODELL, Can. Ent.,
ix, 62, 1876; BRUCE, Ent. Amer., iii, 47, 1887.
4017. *truxaliata* GUENÉE, Spec. Gén., ix, 142, 1857; Col.,
PACKARD, C. 554; HULST, Ent. Amer., ii, 47, 1886. Cal.
4018. *cervinaria* PACKARD, Proc. Bost. Soc. Nat. Hist., Cal.
xiii, 386, 1871; C. 552; HULST, Ent. Amer., ii,
47, 1886.
4019. *aurantiacaria* PACKARD, Proc. Bost. Soc. Nat. Cal., Nev.,
Hist., xvi, 34, 1874; C. 551; HULST, Ent. Amer., B. C.
ii, 47, 1886.
4020. *caberata* GUENÉE, Spec. Gén., ix, 45, 1857; Cal.
WALKER, Cat. Brit. Mus., xx, 34, 1860; HULST,
Ent. News, v, 303, 1894; vi, 13, 1895.

syn. *aegetata* GUENÉE, Spec. Gén., ix, 141,
1857; PACKARD, C. 555; BUTLER, Pap., i,
221, 1881; *?forficaria* GUENÉE, Spec. Gén.,
ix, 172, 1857; PACKARD, C. 545 (type lost);
arsenaria WALKER, Cat. Brit. Mus., xx, 260,
1860.

- *4021. *nonangulata* STRECKER, Lep. Rhop. Het., suppl. Tex.
2, 6, 1899.
4022. *anfractata* HULST, Ent. Amer., i, 202, 1886. Rocky Mts.,
Cal.
4023. *catenulata* GROTE, Trans. Kans. Acad. Sci., viii, 56, 1883; Ann. Mag. Nat. Hist., (5), xi, 55, 1883. Rocky Mts.,
Cal.
4024. *nubilata* PACKARD, Proc. Bost. Soc. Nat. Hist., Cal.
xiii, 381, 1871; C. 558.
- *4025. *furciferata* PACKARD, Fifth Rept. Peab. Acad. Atl.
Sci., 68, 1873; C. 559. States.
4026. *transversata* DRURY, Ill. Exot. Ent., i, 16, 1770;
PACKARD, C. 559; Bull. U. S. Ent. Comm., vii, 112, 1881; FRENCH, Trans. Dept. Agr. Ill., xv, 244, 1877; GOODELL, Can. Ent., xii, 236, 1880;
EMMONS, Nat. Hist. N. Y. Agr., v, 249, 1854; BRUCE, Ent. Amer., iii, 47, 1887; HULST, Ent. News, vi, 13, 1895; DYAR, Psyche, ix, 273, 1901.
syn. *transmutans* WALKER, Cat. Brit. Mus., xx, 17, 1860; *contingens* WALKER, Cat. Brit. Mus., xx, 18, 1860; *transfindens* WALKER, Cat. Brit. Mus., xx, 26, 1860.
a. goniata GUENÉE, Spec. Gén., ix, 38, 1857.
syn. *transvertens* WALKER, Cat. Brit. Mus., xx, 16, 1860.
b. transposita WALKER, Cat. Brit. Mus., xx, 15, 1860.
c. incurvata GUENÉE, Spec. Gén., ix, 37, 1857;
WALKER, Cat. Brit. Mus., xx, 15, 1860.
4027. *politia* CRAMER, Pap. Exot., ii, pl. 140, f. E, Fla.
1776; FABRICIUS, Sp. Ins., ii, 253, 64, 1781;
Mant. Ins., ii, 96, 100, 1787; Ent. Syst., iii, 2, 163, 123, 1794; LEACH, Zool. Miss., 80, 1817;
GUENÉE, Spec. Gén., ix, 30, 1857; WALKER,
Cat. Brit. Mus., xx, 7, 1860; HULST, Ent. Amer.,
ii, 47, 1886; Ent. News, v, 303, 1894; WARREN,
Nov. Zool., i, 399, 1894.
syn. *politiata* GUENÉE, Spec. Gén., ix, 30, 1857;
complicata GUENÉE, Spec. Gén., ix, 30, 1857;
WALKER, Cat. Brit. Mus., xx, 7, 1860; *illiturbata* GUENÉE, Spec. Gén., ix, 130, 1857;
illiturata WALKER, Cat. Brit. Mus., xx, 8, 1860; *floridata* GROTE, Can. Ent., xv, 6, 1883.

ABBOTANA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 383, 1896.

4028. *clemataria* SMITH & ABBOT, Lep. Ins. Ga., ii, 201, 1797; PACKARD, C. 561; BRUCE, Ent. Amer., iii, 47, 1887; HULST, Ent. Amer., ii, 47, 1886; DYAR, Psyche, ix, 142, 1900.
 syn. *transferens* WALKER, Cat. Brit. Mus., xx, 19, 1860.
a. transducens WALKER, Cat. Brit. Mus., xx, 18, 1860.

Atl.
States.

Subfamily MECOCERATINÆ

MECOCERAS Guenée.

GUENÉE, Spec. Gén., ix, 388, 1857; WALKER, Cat. Brit. Mus., xxii, 606, 1861; HULST, Trans. Am. Ent. Soc., xxiii, 385, 1896.

4029. *nitoris* CRAMER, Pap. Exot., iii, pl. 275, f. A, 1776; WALKER, Cat. Brit. Mus., xxii, 606, 1860; DYAR, Psyche, ix, 69, 1900.
 syn. *nitocraria* HÜBNER, Samml. exot. Schmett., ii, 1806; GUENÉE, Spec. Gén., ix, 389, 1857; *peninsularia* GROTE, Pap., iii, 79, 1883.

Fla.

ALMODES Guenée.

GUENÉE, Spec. Gén., ix, 389, 1857; WALKER, Cat. Brit. Mus., xxii, 607, 1861; HULST, Trans. Am. Ent. Soc., xxiii, 385, 1896.

- *4030. *terraria* GUENÉE, Spec. Gén., ix, 390, 1857; WALKER, Cat. Brit. Mus., xxii, 608, 1861; HULST, Ent. News, vi, 73, 1896; WARREN, Nov. Zool., i, 376, 1894.
 syn. *stellidaria* GUENÉE, Spec. Gén., x, 450, 1857; *squamigera* FELDER, Reise Novara, pl. 126, f. 11, 1874; *balteolata* HERRICH-SCHAFFER, Corr.-Blatt. Reg., xxiv, 190, 1870; MÖSCHLER, Abh. Senek. Ges., xvi, 272, 1890; *assecomia* DRUCE, Biol. Cent. Am., Lep. Het., ii, 79, 1892; *calvina* DRUCE, Biol. Cent. Am., Lep. Het., ii, 79, 1892; *virularia* GROTE, Pap., iii, 79, 1883.

Fla.

Subfamily PALYADINA

PALYAS Guenée.

GUENÉE, Spec. Gén., ix, 395, 1857; WALKER, Cat. Brit. Mus., xxiii, 612, 1861; WARREN, Nov. Zool., i, 402, 1894; HULST, Trans. Am. Ent. Soc., xxiii, 384, 1896.

- *4031. *auriferaria* HULST, Ent. Amer., ii, 188, 1887. Fla.

PHRYGIONIS Hübner.

HÜBNER, Verz. bek. Schmett., 307, 1818; WARREN, Nov. Zool., i, 394, 1894; HULST, Trans. Am. Ent. Soc., xxiii, 384, 1896; *Byssodes* GUENÉE, Spec. Gén., ix, 399, 1857; WALKER, Cat. Brit. Mus., xxii, 617, 1861; HULST, Trans. Am. Ent. Soc., xxiii, 384, 1896.

4032. *argenteostriata* STRECKER, Proc. Acad. Nat. Sci. Phil., 152, 1876; HULST, Ent. Amer., ii, 222, 1886; DYAR, Proc. Ent. Soc. Wash., iv, 458, 1901.
 syn. *cerussata* GROTE, Pap., ii, 101, 1882;
obrussata GROTE, Can. Ent., xiv, 111, 1882;
 xv, 6, 1883.

Subfamily SPHÆCŒLODINÆ.

SPHÆCŒLODES Guenée.

GUENÉE, Spec. Gén., x, 116, 1857; WALKER, Cat. Brit. Mus., xx, 213, 1860; HULST, Trans. Am. Ent. Soc., xxiii, 367, 1896; *Brotis* HÜBNER (not ^a), Verz. bek. Schmett., 303, 1818.

4033. *vulneraria* HÜBNER, Zutr. exot. Schmett., f. 319, 1825; GUENÉE, Spec. Gén., x, 117, 1857; WALKER, Cat. Brit. Mus., xx, 214, 1860; GROTE, Can. Ent., viii, 154, 1876; xii, 116, 1880; HULST, Can. Ent., xviii, 136, 1886.
 syn. *floridensis* HOLLAND, Pap., iv, 72, 1884.

Subfamily MELANCHROIINÆ.

MELANCHROIA Hübner.

HÜBNER, Verz. bek. Schmett., 173, 1818.

4034. *regnatrix* GROTE, Ann. N. Y. Lyc. Nat. Hist., viii, 441, 1867.

4035. *cephise* CRAMER, Pap. Exot., iv, pl. 381, f. E, 1782; GROTE, Proc. Ent. Soc. Phil., vi, 306, 1867; HY. EDWARDS, Ent. Amer., ii, 9, 1886; COCKERELL, Can. Ent., xxv, 26, 1893.

4036. *geometroides* WALKER, Cat. Brit. Mus., ii, 387, 1854; GROTE, Proc. Ent. Soc. Phil., vi, 307, 1867.
 syn. *mors* LUCAS, Hist. Nat. Cnba, 663, 1857.

Subfamily BREPHINÆ.

BREPHOS Ochsenheimer.

OCHSENHEIMER, Schmett. Eur., iv, 96, 1816.

4037. *infans* MÖSCHLER, Wien. ent. Mon., vi, 134, 1862; SMITH, Bull. 44, U. S. Nat. Mus., 396, 1893; BRAINERD, Can. Ent., xxix, 272, 1897; LYMAN, Can. Ent., xxx, 49, 1898; STAUDINGER & REBEL, Cat. Lep. Eur., i, no. 2855, 1901.
 syn. *hamadryas* HARRIS.

No. Atl. States.

^a Preoccupied, according to Hulst's manuscript.

- *4038. *melanis* BOISDUVAL, Ann. Soc. Ent. Belg., xii, 88, 1868; SMITH, Bull. 44, U. S. Nat. Mus., 396, 1893. Cal.
- *4039. *californicus* BOISDUVAL, Ann. Soc. Ent. Belg., xii, 88, 1868; SMITH, Bull. 44, U. S. Nat. Mus., 396, 1893. Cal.

LEUCOBREPHOS Grote.

GROTE, Bull. Buff. Soc. Nat. Sci., ii, 53, 1874.

- *4040. *brepoides* WALKER, Cat. Brit. Mus., xi, 702, 1857; SMITH, Bull. 44, U. S. Nat. Mus., 397, 1893. No. U. S.
syn. *noyi* GROTE, *resoluta* ZELLER.
- *4041. *middendorfi* MÉNÉTRIES, Schrenk's Reise, 66, 1859; SMITH, Bull. 44, U. S. Nat. Mus., 397, 1893; STAUDINGER & REBEL Cat. Lep. Eur., i, no. 2857, 1901. Canada.

Family EPIPLEMIDÆ.

PHILAGRAULA Hulst.

HULST, Trans. Am. Ent. Soc., xxiii, 310, 1896.

- *4042. *slossoniæ* HULST, Trans. Am. Ent. Soc., xxiii, 310, 1896. Fla.

CALLIZZIA Packard.

PACKARD, Rept. Geol. Surv. Terr., Hayden, x, 314, 1876; HULST, Trans. Am. Ent. Soc., xxiii, 309, 1896.

4043. *amorata* PACKARD, Rept. Geol. Surv. Terr., Hayden, x, 315, 1876. No. U. S., Ariz., Col.

CALLEDAPTERYX Grote.

GROTE, Trans. Am. Ent. Soc., ii, 119, 1868; HULST, Trans. Am. Ent. Soc., xxiii, 310, 1896.

4044. *dryopterata* GROTE, Trans. Am. Ent. Soc., ii, 120, 1868; PACKARD, Rept. Geol. Surv. Terr., Hayden, x, 313, 1876. Atl. States.

syn. *erosiata* PACKARD, Rept. Geol. Surv. Terr., Hayden, x, pl. 3, f. 14, 1876.

SCHIDAX Hübner.

HÜBNER, Verz. bek. Schmiedt, 315, 1818; GUENÉE, Spec. Gén., x, 39, 1857; WALKER, Cat. Brit. Mus., xxiii, 853, 1861.

- *4045. *coronaria* STRECKER, Lep. Rhop. Het., suppl. 2, 8, 1899. Fla.

Superfamily TINEOIDEA.

Family NOLIDÆ.

(C.=HAMPSON Cat. Lep. Phal. Brit. Mus., ii, 1900.)

CELAMA Walker.

WALKER, Cat. Brit. Mus., xxxii, 500, 1865; HAMPSON, C. 5.

4046. *triquetrana* FITCH, First Rept. Ins. N. Y., 244, 1856; SMITH, Bull. 44, U. S. Nat. Mus., 193, 1893; DYAR, Jn. N. Y. Ent. Soc., vi, 42, 1898; HAMPSON, C. no. 34.
syn. *trinotata* WALKER, *sermoculata* GROTE.
4047. *minna* BUTLER, Ann. Mag. Nat. Hist., (5), viii, 315, 1881; HAMPSON, C. no. 36.
syn. *hyemalis* STRETCH.
4048. *sorghicella* RILEY, Rept. Dept. Agr., 188, 1882; HAMPSON, C. no. 33.
4049. *pustulata* WALKER, Cat. Brit. Mus., xxxiii, 795, 1865; HAMPSON, C. no. 26.
syn. *nigrofasciata* ZELLER, *obsoleta* MORRISON.
4050. *cilicoides* GROTE, Bull. Buff. Soc., i, 175, 1873; HAMPSON, C. no. 27.
- *4051. *anfracta* HY. EDWARDS, Pap., i, 12, 1881; HAMPSON, C. no. 152.
- *4051. 1. *aphyla* HAMPSON, C. no. 15, 1900.

NOLA Leach.

LEACH, Edinb. Encycl., ix, 135, 1815; SNELLEN, Tidj. voor Ent., xviii, 61, 1874; HAMPSON, C. 31.

4052. *clethræ* DYAR, Can. Ent., xxxi, 62, 1899; HAMPSON, C. no. 46.
4053. *ovilla* GROTE, Can. Ent., vii, 221, 1875; HAMPSON, C. no. 45.
4054. *apera* DRUCE, Biol. Cent. Am., Lep. Het., ii, 404, 1897; HAMPSON, C. no. 76.
syn. *inroluta* DYAR, Jn. N. Y. Ent. Soc., vi, 42, 1898.
- a. exposita* DYAR, Jn. N. Y. Ent. Soc., vi, 43, 1898.
- b. lagunculariæ* DYAR, Proc. Ent. Soc. Wash., iv, 465, 1901.

RŒSELIA Hübner.

HÜBNER, Verz. bek. Schmett., 397, 1827; HAMPSHON, C. 51.

4055. *minuscula* ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 455, 1872; HAMPSHON, C. no. 142. Atl. States.
 syn. *minor* DYAR, Can. Ent., xxxi, 64, 1899.
a. phylla DYAR, Jn. N. Y. Ent. Soc., vi, 43, 1898; Can. Ent., xxxi, 61, 1899.
4056. *fuscula* GROTE, Pap., i, 76, 1881. Col.
 syn. *conspicua* DYAR, Jn. N. Y. Ent. Soc., vi, 43, 1898.
4057. *dentata* DYAR, Can. Ent., xxxi, 64, 1899; HAMPSHON, C. no. 133. Ariz.

NIGETIA Walker.

WALKER, Cat. Brit. Mus., xxxiv, 1505, 1865; HAMPSHON, C. 50.

4058. *formosalis* WALKER, Cat. Brit. Mus., xxxiv, 1506, 1865; HAMPSHON, C. no. 104; Proc. Zool. Soc. Lond., 290, 1899. Atl. States.
 syn. *melanopta* ZELLER.

Family LACOSOMIDÆ.

(C.=NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., ii, 120, 1894.)

CICINNUS Blanchard.

- BLANCHARD, Gay's Hist. Chile, Zool., vii, 66, 1852; NEUMOEGEN & DYAR, C. 120.
4059. *melsheimeri* HARRIS, Rep. Ins. Mass., 290, 1841; NEUMOEGEN & DYAR, C. 120. Atl. States.
 syn. *eugenaria* WALKER.

LACOSOMA Grote.

- GROTE, Proc. Ent. Soc. Phil., iii, 77, 1864; NEUMOEGEN & DYAR, C. 120.
4060. *chiridota* GROTE, Proc. Ent. Soc. Phil., iii, 78, 1864; NEUMOEGEN & DYAR, C. 120. Atl. States.
4061. *arizonicum* DYAR, Jn. N. Y. Ent. Soc., vi, 44, 1898. Ariz.

Family PSYCHIDÆ.

(C.=NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., ii, 111-120, 1894.)

OIKETICUS Guilding.

- GUILDING, Trans. Ent. Soc. Lond., xv, 375, 1837; NEUMOEGEN & DYAR, C. 118.
4062. *abbotii* GROTE, No. Am. Ent., i, 52, 1880; NEUMOEGEN & DYAR, C. 118. Fla.

4063. *townsendi* COCKERELL, Ann. Mag. Nat. Hist., (6), xv, 208, 1895; DYAR, Can. Ent., xxvii, 242, 1895. N. Mex.
 *4064. *davidsoni* HY. EDWARDS, Proc. Cal. Acad. Sci., vii, 142, 1877; DYAR, Ent. News, iv, 320, 1893. Cal.

THYRIDOPTERYX Stephens.

STEPHENS, Ill. Brit. Ent., Haust., iv, 387, 1834; NEUMOEGEN & DYAR, C. 418.

4065. *ephemeræformis* HAWORTH, Lep. Brit., 72, 1803; NEUMOEGEN & DYAR, C. 118. Atl. States.
 syn. *coniferarum* PACKARD.
 4066. *meadii* HY. EDWARDS, Pap., i, 116, 1881; NEUMOEGEN & DYAR, C. 119. So. Cal.

PLATŒCETICUS Packard.

PACKARD, Guide Stud. Ins., 291, 1869; NEUMOEGEN & DYAR, C. 119.

4067. *gloveri* PACKARD, Guide Stud. Ins., 291, 1869; NEUMOEGEN & DYAR, C. 119. Fla.
 syn. *edwardsii* HEYLAERTS.

EURYCYTTARUS Hampson.

HAMPSION, Ill. Lep. Het. Brit. Mus., viii, 66, 1891; NEUMOEGEN & DYAR, C. 119.

4068. *confederata* GROTE & ROBINSON, Trans. Am. Ent. Soc., ii, 191, 1868; NEUMOEGEN & DYAR, C. 119. Atl. States.
 4069. *carbonaria* PACKARD, Ent. Amer., iii, 51, 1887; NEUMOEGEN & DYAR, C. 119. Tex.

CHALIA Moore.

MOORE, Ann. Mag. Nat. Hist., (4), xx, 345, 1877; NEUMOEGEN & DYAR, C. 120.

- *4070. *rileyi* HEYLAERTS, Ann. Soc. Ent. Belg., xxviii, 208, 1884; NEUMOEGEN & DYAR, C. 120. Atl. States.
 4071. *fragmentella* HY. EDWARDS, Proc. Cal. Acad. Sci., vii, 142, 1877; DYAR, Ent. News, iv, 320, 1893. Pac. States.
 syn. *coniferella* HY. EDWARDS.

SOLENOBIA Zeller.

ZELLER, Linn. Ent., vii, 332, 1852; CLEMENS, Tim. Nor. Am., 181, 1872.

4072. *walshella* CLEMENS, Proc. Ent. Soc. Phil., i, 132, 1862; PACKARD, Guide Stud. Ins., 346, 1869; CHAMBERS, Can. Ent., v, 74, 1873; vii, 125, 1875; viii, 19, 1876. Atl. States.

HYALOSCOTES Butler.

BUTLER, Ann. Mag. Nat. Hist., (5), viii, 314, 1881.

- *4073. *fumosa* BUTLER, Ann. Mag. Nat. Hist., (5), viii, 314, 1881; NEUMOEGEN & DYAR, C. i, 114. Cal.

OEDONIA Kirby.

KIRBY, Cat. Lep. Het., i, 524, 1892; DYAR, Can. Ent., xxv, 301, 1893.

- *4074. *exigua* HY. EDWARDS, Pap., ii, 125, 1882; DYAR, Ariz. Can. Ent., xxv, 301, 1893.

Family COCHLIDIIDÆ.

(C. = NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., ii, 64-76, 109, 1894.)

SIBINE Herrich-Schaeffer.

HERRICH-SCHAFFER, Samml. ausser. Schmett., i, 7, 1855.

4075. *stimulea* CLEMENS, Proc. Acad. Nat. Sci. Phil., xi, 158, 1860; NEUMOEGEN & DYAR, C. 72; DYAR & MORTON, Jn. N. Y. Ent. Soc., iv, 1, 1896. Atl. States.

syn. *ephippiatus* HARRIS.

EUCLEA Hübner.

HÜBNER, Verz. bek. Schmett., 149, 1822.

4076. *nanina* DYAR, Jn. N. Y. Ent. Soc., vii, 247, 1899. Fla.

syn. *nana* DYAR (not HERRICH-SCHAFFER), Ent. News, ii, 61, 1891; NEUMOEGEN & DYAR, C. 67.

4077. *delphinii* BOISDUVAL, Cuvier An. King., pl. ciii, f. 6, 1832; NEUMOEGEN & DYAR, C. 67; DYAR, Jn. N. Y. Ent. Soc., v, 57, 1897. Atl. States

syn. *strigata* BOISDUVAL, *quercicola* HERRICH-SCHAFFER, *turdigrada* CLEMENS, *ferruginea* PACKARD, *argentatus* WETHERBY, Cin. Quart. Jn. Sci., ii, 366, 1875.a. *querceti* HERRICH-SCHAFFER, Samml. ausser. Schmett., f. 174, 1854.syn. *bifida* PACKARD.b. *interjecta* DYAR, Ent. News, ii, 61, 1891.c. *viridilavata* WALKER, Cat. Brit. Mus., v, 1154, 1855.syn. *monitor* PACKARD.d. *elliottii* PEARSALL, Ent. Amer., i, 209, 1887.e. *pænulata* CLEMENS, Proc. Acad. Nat. Sci. Phil., xii, 159, 1860.

4078. *inceisa* HARVEY, Can. Ent., viii, 5, 1876; NEUMOEGEN & DYAR, C. 68. Tex.
4079. *indetermina* BOISDUVAL, Cuv. An. King., pl. ciii, f. 1, 1832; NEUMOEGEN & DYAR, C. 68; DYAR, Jn. N. Y. Ent. Soc., v, 10, 1897.
syn. *vernata* PACKARD. Atl. States.
4080. *chloris* HERRICH-SCHAEFFER, Samml. ausser. Schmett., i, f. 146, 1854; NEUMOEGEN & DYAR, C. 72; DYAR, Jn. N. Y. Ent. Soc., v, 61, 1897.
syn. *viridis* REAKIRT, *fraterna* GROTE. Atl. States.

MONOLEUCA Grote & Robinson.

- GROTE & ROBINSON, Trans. Am. Ent. Soc., ii, 187, 1869; NEUMOEGEN & DYAR, C. 69.
4081. *subdentosa* DYAR, Trans. Am. Ent. Soc., xviii, 156, 1891; NEUMOEGEN & DYAR, C. 69. Fla.
4082. *semifascia* WALKER, Cat. Brit. Mus., v, 1151, 1855; NEUMOEGEN & DYAR, C. 69. So. Atl. States.
4083. *sulfurea* GROTE, No. Am. Ent., i, 60, 1880; NEUMOEGEN & DYAR, C. 69. Fla.
- *4084. *obliqua* HY. EDWARDS, Ent. Amer., ii, 10, 1886; NEUMOEGEN & DYAR, C. 69. Fla.

ADONETA Clemens.

CLEMENS, Proc. Acad. Nat. Sci. Phil., xii, 158, 1860.

4085. *spinuloides* HERRICH-SCHAEFFER, Samml. ausser. Schmett., i, f. 187, 1854; NEUMOEGEN & DYAR, C. 71; DYAR, Jn. N. Y. Ent. Soc., v, 5, 1897.
syn. *roluta* CLEMENS, *ferrigerata* WALKER,
nebulosus WETHERBY, Cin. Quart. Jn. Sci., ii, 370, 1875.
a. leucosigma PACKARD, Proc. Ent. Soc. Phil., iii, 345, 1864; NEUMOEGEN & DYAR, C. 72.
4086. *pygmæa* GROTE & ROBINSON, Trans. Am. Ent. Soc., ii, 189, 1868; NEUMOEGEN & DYAR, C. 71. Tex.

SISYROSEA Grote.

GROTE, Can. Ent., viii, 112, 1876; NEUMOEGEN & DYAR, C. 69.

4087. *textula* HERRICH-SCHAEFFER, Ausser. Schmett., f. 184, 1854; DYAR, Jn. N. Y. Ent. Soc., iv, 185, 1896.
syn. *inornata* GROTE & ROBINSON. Atl. States.

NATADA Walker.

WALKER, Cat. Brit. Mus., v, 1108, 1855.

4088. *nasoni* GROTE, Can. Ent., viii, 112, 1876; DYAR, Jn. N. Y. Ent. Soc., vii, 61, 1899. Atl. States.
syn. *daonae* DRUCE, *rude* HY. EDWARDS.

PHOBETRON Hübner.

HÜBNER, Verz. bek. Schmett., 398, 1827; NEUMOEGEN & DYAR, C. 70.

4089. *pithecium* SMITH & ABBOT, Lep. Ins. Ga., ii, 74, 1897; NEUMOEGEN & DYAR, C. 70; DYAR, Jn. N. Y. Ent. Soc., iv, 178, 1896. Atl. States.
syn. *abbotana* HÜBNER, *nigricans* PACKARD, *hyalinus* WALSH, *tetradactylus* WALSH, *nondescriptus* WETHERBY, Cin. Quart. Jn. Sci., ii, 371, 1875.

ISOCHÆTES Dyar.

DYAR, Jn. N. Y. Ent. Soc., vii, 208, 1899.

4090. *beutenmülleri* HY. EDWARDS, Can. Ent., xix, 145 1887; NEUMOEGEN & DYAR, C. 71. Atl. States.

ALARODIA Möschler.

MÖSCHLER, Abhl. Sencken. Ges., xiv, 3 Heft, 35, 1886.

4091. *slossoniæ* PACKARD, Ent. News, iv, 169, 1893; NEUMOEGEN & DYAR, C. 111; DYAR, Jn. N. Y. Ent. Soc., v, 122, 1897; vi, 158, 1898. Fla.

PROLIMACODES Schaus.

SCHAUS, Jn. N. Y. Ent. Soc., iv, 56, 1896.

4092. *scapha* HARRIS, Rep. Ins. Mass., 303, 1841; NEUMOEGEN & DYAR, C. 73; DYAR, Jn. N. Y. Ent. Soc., iv, 172, 1896.
syn. *undifera* WALKER.

- *4093. *trigona* HY. EDWARDS, Pap., ii, 12, 1882; NEUMOEGEN & DYAR, C. 73. Ariz.
syn. *telligii* BARNES, Can. Ent., xxiii, 46, 1900.

COCHLIDION Hübner.

HÜBNER, Tentamen, 1806; *Apoda* NEUMOEGEN & DYAR, C. 73.

4094. *biguttata* PACKARD, Proc. Ent. Soc. Phil., iii, 341, 1864; NEUMOEGEN & DYAR, C. 73; DYAR, Jn. N. Y. Ent. Soc., v, 167, 1897.
syn. *tetraspilaris* WALKER.

4095. *rectilinea* GROTE & ROBINSON, Trans. Am. Ent. Soc., ii, 188, 1868; NEUMOEGEN & DYAR, C. 73.
a. latomia HARVEY, Can. Ent., ix, 75, 1875; NEUMOEGEN & DYAR, C. 74.
 Atl. States.
4096. *y-inversa* PACKARD, Proc. Ent. Soc. Phil., iii, 461, 1864; NEUMOEGEN & DYAR, C. 74; DYAR & MORTON, Jn. N. Y. Ent. Soc., iii, 151, 1895.
a. parallela HY. EDWARDS, Ent. Amer., ii, 10, 1886.
 Atl. States.

LITHACODES Packard.

PACKARD, Proc. Ent. Soc. Phil., iii, 345, 1864.

4097. *fasciola* HERRICH-SCHAEFFER, Ausser. Schmett., i, f. 186, 1854; NEUMOEGEN & DYAR, C. 76; DYAR, Jn. N. Y. Ent. Soc., v, 1, 1897.
 syn. *divergens* WALKER, Trans. Ent. Soc. Lond., 82, 1862; SCHAUS, Proc. Zool. Soc. Lond., 650, 1896.
a. latielavia CLEMENS, Proc. Acad. Nat. Sci. Phil., xii, 157, 1860.

PACKARDIA Grote & Robinson.

GROTE & ROBINSON, Ann. Lyc. Nat. Hist. N. Y., viii, 373, 1866; NEUMOEGEN & DYAR, C. 76.

4098. *elegans* PACKARD, Proc. Ent. Soc. Phil., iii, 342, 1864; NEUMOEGEN & DYAR, C. 76; DYAR, Jn. N. Y. Ent. Soc., vi, 5, 1898.
 syn. *nigripunctata* GOODELL.
a. fusca PACKARD, Proc. Ent. Soc. Phil., iii, 343, 1864.
 Atl. States.
4099. *geminata* PACKARD, Proc. Ent. Soc. Phil., iii, 343, 1864; NEUMOEGEN & DYAR, C. 109; DYAR, Jn. N. Y. Ent. Soc., vi, 2, 1898.
 Atl. States.
4100. *albipunctata* PACKARD, Proc. Ent. Soc. Phil., iii, 344, 1864; NEUMOEGEN & DYAR, C. 109.
 syn. *goodelli* GROTE.
a. ocellata GROTE, Proc. Ent. Soc. Phil., iv, 322, 1864.
 Atl. States.

HETEROGENEA Knoch.

KNOCH, Beitr. Ins., iii, 60, 1793; NEUMOEGEN & DYAR, C. 74.

4101. *shurtleffii* PACKARD, Proc. Ent. Soc. Phil., iii, 346, 1864; NEUMOEGEN & DYAR, C. 74; DYAR, Jn. N. Y. Ent. Soc., vi, 241, 1898.
 Atl. States.

KRONÆA Reakirt.

- REAKIRT, Proc. Ent. Soc. Phil., iii, 347, 1864; NEUMOEGEN & DYAR, C. 75.
***4102. minuta** REAKIRT, Proc. Ent. Soc. Phil., iii, 251, Atl. States.
 1864; NEUMOEGEN & DYAR, C. 75.

TORTRICIDIA Packard.

- PACKARD, Proc. Ent. Soc. Phil., iii, 347, 1864; NEUMOEGEN & DYAR, C. 75.
4103. fiskeana DYAR, Ent. News, x, 333, 1900. Atl. States.
4104. græfii PACKARD, Ent. Amer., iii, 52, 1887. Tex.
4105. flexuosa GROTE, No. Am. Ent., i, 60, 1880; DYAR, Jn. N. Y. Ent. Soc., vi, 94, 1898. Atl. States.
a. cæsonia GROTE, No. Am. Ent., i, 60, 1880; NEUMOEGEN & DYAR, C. 74.
4106. testacea PACKARD, Proc. Ent. Soc. Phil., iii, 348, 1864; NEUMOEGEN & DYAR, C. 75; DYAR, Jn. N. Y. Ent. Soc., vi, 151, 1898. Atl. States.
a. erypta DYAR, Proc. U. S. Nat. Mus., xxv, 395, 1902. Col.
4107. pallida HERRICH-SCHAEFFER, Ausser. Schmett., f. 183, 1854; NEUMOEGEN & DYAR, C. 75; DYAR, Jn. N. Y. Ent. Soc., vi, 155, 1898. Atl. States.
a. flavula HERRICH-SCHAEFFER, Ausser. Schmett., f. 185, 1854.

Family MEGALOPYGIDÆ.

(C.=NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., ii, 109-110, 1894.)

CARAMA Walker.

WALKER, Cat. Brit. Mus., iv, 843, 1855; NEUMOEGEN & DYAR, C. 109.

- 4108. cretata** GROTE, Proc. Ent. Soc. Phil., iii, 524, Atl. States.
 1864; NEUMOEGEN & DYAR, C. 110; DYAR, Jn. N. Y. Ent. Soc., x, 54, 1902.
 syn. *pura* BUTLER, Trans. Ent. Soc. Lond., 64, 1878; DYAR, Can. Ent., xxvii, 14, 1895.

MEGALOPYGE Hübner.

HÜBNER, Verz. bek. Schmett., 185, 1822; NEUMOEGEN & DYAR, C. 110.

- 4109. opercularis** SMITH & ABBOT, Lep. Ins. Ga., ii, 53, So. Atl. 1797; NEUMOEGEN & DYAR, C. 110.
 syn. *lanuginosa* CLEMENS, *subcitrina* WALKER

LAGOA Harris.

- HARRIS, Rep. Ins. Mass., 205, 1841; DYAR, Can. Ent., xxix, 67, 1897.
4110. *crispata* PACKARD, Proc. Ent. Soc. Phil., iii, 335, Atl.
1864; NEUMOEGEN & DYAR, C. 110. States.
4111. *pyxidifera* SMITH & ABBOT, Lep. Ins. Ga., ii, pl. So. Atl.
54, 1797; NEUMOEGEN & DYAR, C. 110. States.

TROSIA Hübner.

- HÜBNER, Verz. bek. Schmett., 196, 1822; DYAR, Jn. N. Y. Ent. Soc., vii, 173, 1899.
4112. *obsoletes* DYAR, Jn. N. Y. Ent. Soc., vii, 173, Ariz.
1899.

Family DALCERIDÆ.

DALCERIDES Neumoegen & Dyar.

- NEUMOEGEN & DYAR, Can. Ent., xxv, 121, 1893; DYAR, Jn. N. Y. Ent. Soc., vi, 232, 1898.
- *4113. *ingenita* HY. EDWARDS, Pap., ii, 12, 1882; NEU- Ariz.
MOEGEN & DYAR, Jn. N. Y. Ent. Soc., ii, 111, 1894.

Family EPIPYROPIDÆ.

EPIPYROPS Westwood.

- WESTWOOD, Trans. Ent. Soc. Lond., 522, 1876; KIRBY, Cat. Lep. Het., i, 490, 1892.
4114. *barberiana* DYAR, Proc. Ent. Soc. Wash., v, 43, N. Mex.
1902.

Family PYROMORPHIDÆ.

(C.=NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., ii, 63, 1894.)

ACOLOITHUS Clemens.

- CLEMENS, Proc. Acad. Nat. Soc. Phil., 539, 1860; NEUMOEGEN & DYAR, C. 63.
4115. *falsarius* CLEMENS, Proc. Acad. Nat. Sci. Phil., Atl.
540, 1860; NEUMOEGEN & DYAR, C. 63. States.
syn. *setibornii* PACKARD.
4116. *rectarius* DYAR, Jn. N. Y. Ent. Soc., vi, 44, 1898. Ariz.

PYROMORPHA Herrich-Schaeffer.

- HERRICH-SCHAEFFER, Ausser. Schmett., i, p. 6, 1854; NEUMOEGEN & DYAR, C. 63.
4117. *dimidiata* HERRICH-SCHAEFFER, Ausser. Atl.
Schmett., f. 222, 1855; NEUMOEGEN & DYAR, States.
C. 63.
syn. *perlucidula* CLEMENS.

- *4118. *centralis* WALKER, Cat. Brit. Mus., ii, 288, 1854. Mex., Fla.?
 syn. *notha* HY. EDWARDS, Ent. Amer., i, 128,
 1885.

TRIPROCRIS Grote.

- GROTE, Bull. Buff. Soc., i, 35, 1873; NEUMOEGEN & DYAR, C. 63.
4119. *fusca* HY. EDWARDS, Pap., iv, 43, 1884; NEUMOEGEN & DYAR, C. 64. Ariz.
4120. *rata* HY. EDWARDS, Pap., ii, 124, 1882; NEUMOEGEN & DYAR, C. 64. Ariz.
4121. *latercula* HY. EDWARDS, Pap., ii, 124, 1882; NEUMOEGEN & DYAR, C. 64. Ariz.
4122. *constans* HY. EDWARDS, Pap., i, 81, 1881; NEUMOEGEN & DYAR, C. 64. Ariz.
- a. saneta* NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., ii, 64, 1894. N. Mex.
4123. *smithsonianus* CLEMENS, Proc. Acad. Nat. Sci. Phil., 540, 1860; NEUMOEGEN & DYAR, C. 64; DYAR, Proc. Ent. Soc. Wash., v, 33, 1902. Rocky Mts., Tex.
4124. *martensi* FRENCH, Pap., iii, 191, 1883; NEUMOEGEN & DYAR, C. 65. Rocky Mts.
- *4125. *aversus* HY. EDWARDS, Pap., iv, 13, 1884. Mex., Ariz.
4126. *lustrans* BEUTENMÜLLER, Bull. Am. Mus. Nat. Hist., vi, 367, 1894; NEUMOEGEN & DYAR, C. 172. Col., Mex.

HARRISINA Packard.

- PACKARD, Proc. Essex Ins., iv, 31, 1864; NEUMOEGEN & DYAR, C. 65.
4127. *coracina* CLEMENS, Proc. Acad. Nat. Sci. Phil., 539, 1860; NEUMOEGEN & DYAR, C. 65. Tex., Ariz.
 syn. *nigrina* GRAEF.
4128. *metallica* STRETCH, Ent. Amer., i, 102, 1885; NEUMOEGEN & DYAR, C. 66. Tex., Ariz.
4129. *americana* GUÉRIN-MÉNEVILLE, Icon. Rég. An. Ins., 500, 1829; NEUMOEGEN & DYAR, C. 65. Atl. States
 syn. *texana* STRETCH.
a. australis STRETCH, Ent. Amer., i, 102, 1885; NEUMOEGEN & DYAR, C. 65.

Family CHALCOSIDÆ.

GINGLA Walker.

- WALKER, Cat. Brit. Mus., xxxi, 128, 1864.
4130. *laterculæ* DYAR, Jn. N. Y. Ent. Soc., viii, 32, 1900. Ariz.

Family THYRID.E.

(C.=HAMPSON, Proc. Zool. Soc. Lond., 603-633, 1897.)

THYRIS Laspeyres.

LASPEYRES, Ill. Mag., ii, 39, 1803; HAMPSON, C. 606.

4131. *maculata* HARRIS, Am. Jn. Sci., xxxvi, 313, 1836; HAMPSON, C. 607. Atl. States.
 syn. *perspicua* WALKER.
4132. *lugubris* BOISDUVAL, Spec. Gén., pl. 14, f. 11, 1852; i, 490, 1874; HAMPSON, C. 607. Atl. States.
 syn. *sepulchralis* BOISDUVAL, *nerudae* OBER THUR.

DYSODIA Clemens.

CLEMENS, Proc. Acad. Nat. Sci. Phil., 389, 1860; HAMPSON, C. 608.

- *4133. *vitrina* BOISDUVAL, Mon. Zyg., pl. 1, f. 5, 1829; HAMPSON, C. 609. U. S.
4134. *oculatana* CLEMENS, Proc. Acad. Nat. Sci. Phil., 349, 1860; HAMPSON, C. 609. U. S.
 syn. *plena* WALKER, *fasciata* GROTE & ROBINSON, *montana* HY. EDWARDS, *aura* PAGENSTECHER.
- *4135. *granulata* NEUMOEGEN, Pap., iii, 137, 1883. Ariz.
- *4136. *speculifera* SEPP, Surin. Vlind., iii, pl. 135, 1830; HAMPSON, 609. Fla., So. Am.
 syn. *aqualis* WALKER, *flagrata* WALKER, *thyridina* FELDER, *floridana* HULST.

HEXERIS Grote.

GROTE, Can. Ent., vii, 176, 1875; HAMPSON, C. 627.

4137. *enhydris* GROTE, Can. Ent., vii, 176, 1875; HAMPSON, C. 627. Fla., Cal.
 syn. *reticulina* BEUTENMÜLLER.

BELNOPTERA Herrich-Schaeffer.

HERRICH-SCHAEFFER, Ausser. Schmett., 76, 1858; HAMPSON, C. 628.

- *4138. *fratercula* PAGENSTECHER, Iris, v, 95, 1892; HAMPSON, C. 629. Cal.

MESKEA Grote.

GROTE, Can. Ent., ix, 114, 1877; HAMPSON, C. 631.

4139. *dyspteraria* GROTE, Can. Ent., ix, 115, 1877; HAMPSON, C. 632. Fla.

THYRIDOPYRALIS Dyar.

DYAR, Jn. N. Y. Ent. Soc., ix, 23, 1901.

4140. *gallærondialis* DYAR. Jn. N. Y. Ent. Soc., ix, 23, 1901. Fla.

Family COSSIDÆ.

(C. = NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., ii, 160-166, 1894.)

ZEUZERA Latreille.

LATREILLE, Dict. Hist. Nat., xxiv, 186, 1804; NEUMOEGEN & DYAR, C. 160.

4141. *pyrina* LINNÆUS, Faun. Suec., 306, 1701; NEU- Atl. States,
MOEGEN & DYAR, C. 160. Eur.
syn. *hypocastrina* PODA, *æsculi* LINNÆUS,
hilaris FOURCROY *decipiens* KIRBY.

COSSUS Fabricius.

FABRICIUS, Ent. Syst., iii, (2), 8, 1794; NEUMOEGEN & DYAR, C. 161.

4142. *centerensis* LINTNER, Can. Ent., ix, 129, 1877; Atl.
NEUMOEGEN & DYAR, C. 161. States.
4143. *undosus* LINTNER, Rept. N. Y. Sta. Mus., xxx, Rocky
243, 1878; NEUMOEGEN & DYAR, C. 161. Mts.
syn. *brucei* FRENCH.
4144. *populi* WALKER, Cat. Brit. Mus., vii, 1515, 1856; Can., Nev.,
NEUMOEGEN & DYAR, C. 162. Pac. States.
syn. *angrenzi* BAILEY.
a. ore STRECKER, Proc. Acad. Nat. Sci. Phil., 282, 1893; NEUMOEGEN & DYAR, C. 162.
*4145. *perplexus* NEUMOEGEN & DYAR, Jn. N. Y. Ent. Col.
Soc., i, 31, 1893.
*4146. *mucidus* HY. EDWARDS, Pap., ii, 126, 1882; NEU- Ariz.
MOEGEN & DYAR, C. 162.

PRIONOXYSTUS Grote.

GROTE, Check List, 63, 1882; NEUMOEGEN & DYAR, C. 163.

4147. *robiniæ* PECK, Mass. Agr. Rept., v, 67, 1818; U. S.
NEUMOEGEN & DYAR, C. 163.
syn. *plagiatus* WALKER, *crepera* GROTE, *reticulatus* LINTNER, *zaboliens* STRECKER, Lep.
Rhop. Het., suppl. 1, 5, 1898.
a. quercus EHRMAN, Can. Ent., xxv, 251, 1893.

4148. *macmurtrei* GUÉRIN-MÉNEVILLE, Icon. Règ. An. Ins., pl. 85, f. 2, 1829; NEUMOEGEN & DYAR, C. 163.
syn. *quereiperda* FITCH.

INGUROMORPHA Hy. Edwards.

Hy. EDWARDS, Ent. Amer., iii, 182, 1887.

4149. *basalis* WALKER, Cat. Brit. Mus., vii, 1523, 1856; NEUMOEGEN & DYAR, C. 163.
syn. *slossoni* HY. EDWARDS.

4150. *arbeloides* DYAR, Ent. News, x, 129, 1899. Ariz.

COSSULA Bailey.

BAILEY, Pap., ii, 93, 1882; NEUMOEGEN & DYAR, C. 163.

4151. *magnifica* STRECKER, Proc. Acad. Nat. Sci. Phil., 151, 1876; NEUMOEGEN & DYAR, C. 163.
syn. *magnifica* BAILEY, *nordic* DRUCE, Biol. Cent. Am., Lep. Het., ii, 450, pl. 89, f. 6, 1891.

HYPOPTA Hübner.

HÜBNER, Verz. bek. Schmett., 195, 1822; NEUMOEGEN & DYAR, C. 164.

4152. *manfredi* NEUMOEGEN, Pap., iii, 139, 1884. Ariz., N. Mex.

4153. *theodori* DYAR, Cat. Ent., xxv, 220, 1893. Ariz., N. Mex.

4154. *bertholdi* GROTE, Bull. Brook. Ent. Soc., iii, 45, 1880; RIVERS & DYAR, Psyche, viii, 10, 1897. Col., Cal.

- *4155. *ethela* NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., i, 32, 1893. Col.

4156. *henrici* GROTE, Pap., ii, 131, 1882. Ariz., N. Mex.

- *4157. *cornelia* NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., i, 32, 1893. Col.

- *4158. *edwardi* NEUMOEGEN & DYAR, Jn. N. Y. Ent. Soc., i, 32, 1893. Col.

- *4159. *nanus* STRECKER, Proc. Acad. Nat. Sci. Phil., 151, 1876; NEUMOEGEN & DYAR, C. 166. Col.

4160. *anna* DYAR, Ent. News, ix, 214, 1898. Fla.

- *4161. *itzalana* STRECKER, Lep. Rhop. Het., suppl. 3, 30, 1900. Ariz.

Family SESHDE.

(C.=BEUTENMÜLLER, Mon. Ses. No. Am., Mem. Am. Mus. Nat. Hist. N. Y., i, 217-352, 1901.)

MELITTIA Hübner.

- HÜBNER, Verz. bek. Schmett., 128, 1816; BEUTENMÜLLER, C. 231.
4162. *satyriniformis* HÜBNER, Zutr. exot. Schmett., f. U. S.
453, 1825; BEUTENMÜLLER, C. 232.
syn. *cucurbitae* HARRIS, *ceto* WESTWOOD, *amana*
HY. EDWARDS.
4163. *snowii* HY. EDWARDS, Pap., ii, 53, 1882; BEUTEN- Kans.
MÜLLER, C. 234.
4164. *gloriosa* HY. EDWARDS, Bull. Brook. Ent. Soc., So. Cal.,
iii, 71, 1880; BEUTENMÜLLER, C. 235. Ariz.
- *4165. *grandis* STRECKER, Can. Ent., xiii, 156, 1881; Ariz.,
BEUTENMÜLLER, C. 235. Tex.
- *4166. *magnifica* BEUTENMÜLLER, Bull. Am. Nat. Hist., Tex.,
xii, 151, 1899; C. 236.

GÆA Beutenmüller.

- BEUTENMÜLLER, Bull. Am. Mus. Nat. Hist., viii, 115, 1896; C. 236.
- *4167. *emphytiformis* WALKER, Cat. Brit. Mus., viii, 43, (Unknown.)
1856; BEUTENMÜLLER, C. 237.
- *4168. *solituda* HY. EDWARDS, Pap., i, 182, 1881; Tex.,
BEUTENMÜLLER, C. 238. Kans.

EUHAGENA Hy. Edwards.

- Hy. EDWARDS, Pap., i, 181, 1881; BEUTENMÜLLER, C. 238.
4169. *nebraskæ* HY. EDWARDS, Pap., i, 181, 1881; Nebr.,
BEUTENMÜLLER, C. 239. Col.

ALCOTHOE Hy. Edwards.

- Hy. EDWARDS, Pap., ii, 53, 1882; BEUTENMÜLLER, C. 239.
4170. *caudata* HARRIS, Am. Jn. Arts & Sci., xxxvi, 311, Atl.
1839; BEUTENMÜLLER, C. 240. States.
- a. walkeri* NEUMOEGEN, Ent. News, v, 331, 1894.
4171. *korites* DRUCE, Biol. Cent. Am., Lep. Het., i, 34, Col.,
1884; BEUTENMÜLLER, C. 241. Mex.

SANNINA Walker.

WALKER, Cat. Brit. Mus., viii, 64, 1856; BEUTENMÜLLER, C. 242.

4172. *uroceriformis* WALKER, Cat. Brit. Mus., viii, 64, So. Atl.
259, 1856; BEUTENMÜLLER, C. 242. States.
syn. *quinquecaudata* RIDINGS.

PODOSESIA Möschler.

MÖSCHLER, Stett. ent. Zeit., xxxvii, 312, 1876; BEUTENMÜLLER, C. 243.

4173. *syringæ* HARRIS, Am. Jn. Arts & Sci., xxxvi, Atl.
311, 1838; BEUTENMÜLLER, C. 244. States
syn. *longipes* MÖSCHLER.
4174. *fraxini* LUGGER, Psyche, vi, 109, 1891; BEUTEN- Mont.,
MÜLLER, C. 245. Dak.

MEMYTHRUS Newman.

NEWMAN, Sphinx Vespa., Ess., 1832; BEUTENMÜLLER, C. 245.

- *4175. *tricinctus* HARRIS, Am. Jn. Arts & Sci., xxx, Atl.
310, 1839; BEUTENMÜLLER, C. 247. States.
- *4176. *denotatus* HY. EDWARDS, Pap., ii, 55, 1882; Rocky
BEUTENMÜLLER, C. 248. Mts.
4177. *robiniæ* HY. EDWARDS, Bull. Brook. Ent. Soc., Nev., Cal.,
iii, 72, 1880; BEUTENMÜLLER, C. 248. Wash.
4178. *cupressi* HY. EDWARDS, Pap., i, 183, 1881; Utah, Col.,
BEUTENMÜLLER, C. 249. Ariz.
- *4179. *polistiformis* HARRIS, Am. Pom. Soc., 10, 1854; Atl.
BEUTENMÜLLER, C. 249. States.
- *4180. *sepsiformis* HY. EDWARDS, Pap., i, 183, 1881; So. Atl.
BEUTENMÜLLER, C. 250. States.
- *4181. *simulans* GROTE, Bull. Brook. Ent. Soc., iii, 78, Atl.
1881; BEUTENMÜLLER, C. 250. States.
- *4182. *palmii* HY. EDWARDS, Can. Ent., ix., 145, 1887; Fla.
BEUTENMÜLLER, C. 251.
4183. *asilipennis* BOISDUVAL, Guér. Règ. An., ii, 496, Atl.
1829; BEUTENMÜLLER, C. 252. States.
syn. *respiperne* HERRICH-SCHAFFER, *denudatum* HARRIS, *bombyciformis* WALKER.
4184. *dollii* NEUMOEGEN, Ent. News, v, 330, 1894; BEU- Atl.
TENMÜLLER, C. 252. States.
a. castaneum BEUTENMÜLLER, Bull. Am. Mus. Nat Hist., ix, 213, 1897.

- *4185. *seminole* NEUMOEGEN, Ent. News, v, 330, 1894; BEUTENMÜLLER, C. 253. Fla.
 *4186. *admirandus* HY. EDWARDS, Pap., ii, 54, 1882; BEUTENMÜLLER, C. 254. Tex.

PALMIA Beutenmüller.

- BEUTENMÜLLER, Bull. Am. Mus. Nat. Hist., viii, 123, 1896; C. 254.
 *4187. *præcedens* HY. EDWARDS, Pap., iii, 155, 1883; BEUTENMÜLLER, C. 255. N. C.

ÆGERIA Fabricius.

- FABRICIUS, Ill. Mag., vi, 288, 1807; BEUTENMÜLLER, C. 255.
 4188. *apiformis* CLERCK, Icon., pl. 4, f. 2, 1759; BEUTENMÜLLER, C. 256. No. U. S., Eur.
 syn. *respiiformis* HUFNAGEL, *erabroniformis*
 DENIS & SCHIFFERMÜLLER.
 *4189. *pacifica* HY. EDWARDS, Pap., i, 180, 1881; BEUTENMÜLLER, C. 259. Pac. States, Mont.
 4190. *tibialis* HARRIS, Am. Jn. Arts & Sci., xxxvi, 306, 1839; BEUTENMÜLLER, C. 259. No. U. S.
 syn. *flavitibia* WALKER, *minimum* NEUMOEGEN.

BEMBECIA Hübner.

- HÜBNER, Verz. bek. Schmett., I28, 1816; BEUTENMÜLLER, C. 260.
 4191. *marginata* HARRIS, Am. Jn. Arts & Sci., xxxvi, 309, 1839; BEUTENMÜLLER, C. 260. No. U. S.
 syn. *pleciaformis* WALKER, *odysseipennis*
 WALKER, *rubi* RILEY, *duripes* HULST.
 a. albicoma HULST, Bull. Brook. Ent. Soc., vi, 8, 1883.

VESPAMIMA Beutenmüller.

- BEUTENMÜLLER, Bull. Am. Mus. Nat. Hist., vi, 87, 1894; C. 262.
 4192. *sequoiae* HY. EDWARDS, Pap., i, 181, 1881; BEUTENMÜLLER, C. 263. Cal., Wash.
 syn. *pinorum* BEHRENS.

PARHAMONIA Beutenmüller.

- BEUTENMÜLLER, Bull. Am. Mus. Nat. Hist., viii, 124, 1896; C. 264.
 4193. *pini* KELLICOTT, Can. Ent., xiii, 5, 1881; BEUTENMÜLLER, C. 264. No. Atl. States.

SANNINOIDEA Beutenmüller.

BEUTENMÜLLER, Bull. Am. Mus. Nat. Hist., viii, 126, 1896; C. 265.

4194. *exitiosa* SAY, Jn. Acad. Nat. Sci. Phil., iii, 216, 1823; BEUTENMÜLLER, C. 266. Atl. States.
 syn. *persica* THOMAS, *pepsidiformis* HÜBNER,
siphieformis BOISDUVAL.
a. fitchii HY. EDWARDS, Pap., ii, 55, 1882.
b. edwardsii BEUTENMÜLLER, Bull. Am. Mus. Nat. Hist., xii, 160, 1899.
c. luminosa NEUMOEGEN, Ent. News, v, 331, 1894.
4195. *opalescens* HY. EDWARDS, Pap., i, 199, 1881; BEUTENMÜLLER, C. 271. Pac. States.
 syn. *pacificus* RILEY.
4196. *græfii* HY. EDWARDS, Pap., i, 183, 1881; BEUTENMÜLLER, C. 271. Col., Nev., Wash.
a. barnesii BEUTENMÜLLER, C. 272, 1901.

ALBUNA Hy. Edwards.

HY. EDWARDS, Pap., i, 186, 1881; BEUTENMÜLLER, C. 272.

4197. *pyramidalis* WALKER, Cat. Brit. Mus., viii, 40, 1856; BEUTENMÜLLER, C. 273. U. S.
 syn. *hylocomiformis* WALKER, *vancouverensis* HY. EDWARDS.
a. montana HY. EDWARDS, Pap., i, 188, 1881.
 syn. *tanacetif* HY. EDWARDS.
b. rubescens HULST, Bull. Brook. Ent. Soc., iii, 76, 1881.
c. coloradensis HY. EDWARDS, Pap., i, 189, 1881.
 syn. *torra* HY. EDWARDS.
4198. *fraxini* HY. EDWARDS, Pap., i, 185, 1881; BEUTENMÜLLER, C. 275. Wash.
 syn. *morrisonii* HY. EDWARDS.

SESSIA Fabricius.

FABRICIUS, Syst. Ent., 549, 1775; BEUTENMÜLLER, C. 275.

4199. *mellinipennis* BOISDUVAL, Spec. Gén., ii, pl. 14, f. 12, 1836; BEUTENMÜLLER, C. 279. Cal., Col.
 syn. *resplendens* HY. EDWARDS, *artemisiae* HY. EDWARDS, *seneciooides* HY. EDWARDS.
- *4200. *giliæ* HY. EDWARDS, Pap., i, 200, 1881; BEUTENMÜLLER, C. 279. Rocky Mts.
 syn. *vitrina* NEUMOEGEN, *deceptiva* BEUTENMÜLLER.

4201. *rileyana* HY. EDWARDS, Pap., i, 187, 1881; BEUTENMÜLLER, C. 280. Atl. & Pac. States, Mont.
 syn. *brunneipennis* HY. EDWARDS, *hyperici* HY. EDWARDS.
- *4202. *mimuli* HY. EDWARDS, Pap., i, 200, 1881; BEUTENMÜLLER, C. 281. Col.
4203. *rutilans* HY. EDWARDS, Pap., i, 186, 1881; BEUTENMÜLLER, C. 281. U. S.
- syn. *auricola* HY. EDWARDS, *hemizoniae* HY. EDWARDS, *lupini* HY. EDWARDS, *perplexa* HY. EDWARDS, *impropria* HY. EDWARDS, *washingtonia* HY. EDWARDS, *maderiae* HY. EDWARDS.
4204. *arctica* BEUTENMÜLLER, Can. Ent., xxxii, 277, 1900; C. 283. Alaska.
- *4205. *neglecta* HY. EDWARDS, Pap., i, 197, 1881; BEUTENMÜLLER, C. 283. Cal., Wash.
- *4206. *refulgens* HY. EDWARDS, Pap., i, 199, 1881; BEUTENMÜLLER, C. 283. Ga.
4207. *bassiformis* WALKER, Cat. Brit. Mus., viii, 39, 1856; BEUTENMÜLLER, C. 284. Atl. States, Col.
 syn. *lustriens* GROTE, *consimilis* HY. EDWARDS, *bollii* HY. EDWARDS, *cupatorii* HY. EDWARDS, *sexfasciata* HY. EDWARDS, *infirma* HY. EDWARDS, *imitata* HY. EDWARDS.
4208. *tipuliformis* CLERCK, Icones, pl. 4, f. 1, 1759; BEUTENMÜLLER, C. 285. U. S., Eur., etc.
4209. *arizoneæ* BEUTENMÜLLER, Jn. N. Y. Ent. Soc., vi, 240, 1898; C. 288. Tex., Ariz.
- *4210. *morula* HY. EDWARDS, Pap., i, 196, 1881; BEUTENMÜLLER, C. 288. Tex.
- *4211. *novaroensis* HY. EDWARDS, Pap., i, 199, 1881; BEUTENMÜLLER, C. 289. Cal., Wash.
- *4212. *rubrofascia* HY. EDWARDS, Pap., i, 191, 1881; BEUTENMÜLLER, C. 289. Ga.
- *4213. *bolteri* HY. EDWARDS, Pap., iii, 155, 1883; BEUTENMÜLLER, C. 290. Atl. States.
- *4214. *fulvipes* HARRIS, Am. Jn. Arts & Sci., xxxvi, 312, 1839; BEUTENMÜLLER, C. 290. No. Atl. States.
- *4215. *saxifragæ* HY. EDWARDS, Pap., i, 190, 1881; BEUTENMÜLLER, C. 291. Lab., Col.
 syn. *henshawii* HY. EDWARDS.

4216. <i>pictipes</i> GROTE & ROBINSON, Trans. Am. Ent. Soc., ii, 182, 1868; BEUTENMÜLLER, C. 291. syn. <i>inusitata</i> HY. EDWARDS.	U. S.
4217. <i>albicornis</i> HY. EDWARDS, Pap., i, 201, 1881; BEUTENMÜLLER, C. 292. syn. <i>proxima</i> HY. EDWARDS, <i>modesta</i> KELLICOTT, BEUTENMÜLLER, C. 344.	U. S.
*4218. <i>americana</i> BEUTENMÜLLER, Bull. Am. Mus. Nat. Hist., viii, 136, 1896; C. 293.	Nev., B. C.
4219. <i>culiciformis</i> LINNEUS, Syst. Nat., 493, 1758; BEUTENMÜLLER, C. 294.	Alaska, Eur.
*4220. <i>tepperi</i> HY. EDWARDS, Pap., i, 203, 1881; BEUTENMÜLLER, C. 294.	Ga.
4221. <i>acerni</i> CLEMENS, Proc. Acad. Nat. Sci. Phil., 14, 1860; BEUTENMÜLLER, C. 294. syn. <i>acericolum</i> GERMAR.	Atl. States.
4222. <i>corni</i> HY. EDWARDS, Pap., i, 190, 1881; BEUTENMÜLLER, C. 296.	Atl. States.
*4223. <i>aureopurpurea</i> HY. EDWARDS, Bull. Brook. Ent. Soc., iii, 72, 1880; BEUTENMÜLLER, C. 296.	Tex.
4224. <i>pyri</i> HARRIS, N. E. Farmer, ix, 2, 1830; BEUTENMÜLLER, C. 297. syn. <i>koebelei</i> HY. EDWARDS.	Atl. States.
4225. <i>scitula</i> HARRIS, Am. Jn. Arts & Sci., xxxvi, 313, 1839; BEUTENMÜLLER, C. 298. syn. <i>gallivorum</i> WESTWOOD, <i>hospes</i> WALSH, <i>æmula</i> HY. EDWARDS.	Atl. States.
*4226. <i>ithacæ</i> BEUTENMÜLLER, Bull. Am. Mus. Nat. Hist., ix, 215, 1897; C. 299.	N. Y.
4227. <i>corusca</i> HY. EDWARDS, Pap., i, 193, 1881; BEUTENMÜLLER, C. 299.	Tex.
4228. <i>decipiens</i> HY. EDWARDS, Pap., i, 197, 1881; BEUTENMÜLLER, C. 300. syn. <i>imperfecta</i> HY. EDWARDS, <i>nicotianæ</i> HY. EDWARDS.	Col., Tex.
4229. <i>rubristigma</i> KELLICOTT, Can. Ent., xxiv, 211, 1892; BEUTENMÜLLER, C. 301.	Atl. States.
4230. <i>quersei</i> HY. EDWARDS, Pap., ii, 98, 1882; BEUTENMÜLLER, C. 301. syn. <i>quercus</i> HY. EDWARDS.	Ariz.
*4231. <i>prosopis</i> HY. EDWARDS, Pap., ii, 99, 1882; BEUTENMÜLLER, C. 302.	Ariz.

- *4232. *tecta* HY. EDWARDS, Pap., ii, 56, 1882; BEUTENMÜLLER, C. 302. Ariz.
- *4233. *candescens* HY. EDWARDS, Pap., ii, 123, 1882; BEUTENMÜLLER, C. 303. Ariz.
- *4234. *sigmoidea* HY. EDWARDS, Pap., ii, 56, 1882; BEUTENMÜLLER, C. 303. N. H., Mass.
4235. *tacoma* BEUTENMÜLLER, Jn. N. Y. Ent. Soc., vi, 240, 1898; C. 304. Wyo., Wash.
- *4236. *texana* HY. EDWARDS, Pap., i, 204, 1881; BEUTENMÜLLER, C. 304. Fla., Tex.
syn. *wittfeldii* HY. EDWARDS.
4237. *seminole* BEUTENMÜLLER, Jn. N. Y. Ent. Soc., viii, 255, 1899; C. 305. Fla.
- *4238. *palmii* BEUTENMÜLLER, Jn. N. Y. Ent. Soc., x, 126, 1902. Ariz.
- *4239. *marcia* BEUTENMÜLLER, Jn. N. Y. Ent. Soc., vii, 254, 1889; C. 305. Fla.
4240. *præstans* HY. EDWARDS, Pap., ii, 98, 1882; BEUTENMÜLLER, C. 306. Wash.
4241. *fragariæ* HY. EDWARDS, Pap., i, 202, 1881; BEUTENMÜLLER, C. 307. Rocky Mts.
syn. *orthocarpi* HY. EDWARDS.
- *4242. *behrensi* HY. EDWARDS, Pap., ii, 123, 1882; BEUTENMÜLLER, C. 307. Cal.
syn. *elata* HY. EDWARDS. *helianthi* HY. EDWARDS.
- *4243. *mariona* BEUTENMÜLLER, C. 308, 1901. Col.
4244. *polygoni* HY. EDWARDS, Pap., i, 202, 1881; BEUTENMÜLLER, C. 308. Cal.
- *4245. *achillæ* HY. EDWARDS, Pap., i, 203, 1881; BEUTENMÜLLER, C. 308. Cal.
syn. *eremocarpi* HY. EDWARDS.
- *4246. *floridensis* GROTE, Can. Ent., vii, 174, 1875; BEUTENMÜLLER, C. 309. Fla.
4247. *geliformis* WALKER, Cat. Brit. Mus., viii, 46, 1856; BEUTENMÜLLER, C. 309. Fla., Antilles.
4248. *sapygæformis* WALKER, Cat. Brit. Mus., viii, 45, 1856; BEUTENMÜLLER, C. 310. Fla.
4249. *animosa* HY. EDWARDS, Pap., iii, 156, 1883; BEUTENMÜLLER, C. 310. Ariz.
- *4250. *pyralidiformis* WALKER, Cat. Brit. Mus., viii, 44, 1856; BEUTENMÜLLER, C. 310. Atl. States.
syn. *nigella* HULST.

- *4251. *sanborni* HY. EDWARDS, Pap., i, 185, 1881; BEUTENMÜLLER, C. 311. Mass.
4252. *ruficornis* HY. EDWARDS, Pap., i, 184, 1881; BEUTENMÜLLER, C. 311. So. States.
- *4253. *subærea* HY. EDWARDS, Pap., iii, 156, 1883; BEUTENMÜLLER, C. 312. Ariz.
- *4254. *nigra* BEUTENMÜLLER, Bull. Am. Mus. Nat. Hist., vi, 95, 1894; C. 312. Col., Utah.
- *4255. *vereunda* HY. EDWARDS, Pap., i, 190, 1881; BEUTENMÜLLER, C. 312. Col.
- *4256. *edwardsii* BEUTENMÜLLER, Bull. Am. Mus. Nat. Hist., vi, 92, 1894; C. 313. Col.

CALESE SIA Beutenmüller.

BEUTENMÜLLER, Jn. N. Y. Ent. Soc., vii, 256, 1899; C. 314.

4257. *coccinea* BEUTENMÜLLER, Jn. N. Y. Ent. Soc., vi, 241, 1898; C. 314. N. Mex.

PARANTHRENE Hübner.

HÜBNER, Verz. bek. Schmett., 128, 1816; BEUTENMÜLLER, C. 314.

- *4258. *maculipes* GROTE & ROBINSON, Trans. Am. Ent. Soc., ii, 184, 1868; BEUTENMÜLLER, C. 315. Tex.
- *4259. *heucheræ* HY. EDWARDS, Pap., i, 205, 1881; BEUTENMÜLLER, C. 315. Cal., Tex.
syn. *potentillæ* HY. EDWARDS.
4260. *palmii* NEUMOEGEN, Ent. News, ii, 108, 1891; BEUTENMÜLLER, C. 316. Ariz.
4261. *canescens* HY. EDWARDS, Pap., i, 205, 1881; BEUTENMÜLLER, C. 316. Kans., Col.
- *4262. *mexicanus* BEUTENMÜLLER, Bull. Am. Mus. Nat. Hist., ix, 216, 1897; C. 316. N. Mex.

Family PYRALIDÆ.

Subfamily PYRAUSTINÆ

By C. H. FERNALD.

GLAPHRIA Hübner.

HÜBNER, Zutr. exot. Schmett., ii, 29, 1823; DRECE, Biol. Cent. Ann., Lep. Het., ii, 267, 1895; *Homophysa* GUENÉE, Spec. Gén., viii, 364, 1854; LEDERER, Wien. ent. Mon., vii, 454, 1863; HAMPSON, Proc. Zool. Soc. Lond., 607, 1898.

4263. *glaphyralis* GUENÉE, Spec. Gén., viii, 366, 1854. No. Atl.
syn. *stipatalis* WALKER, Cat. Brit. Mus., xxxiv, 1460, 1865; *albolineata* GROTE & ROBINSON, Tr. Am. Ent. Soc., i, 28, 1867. States.

4264. *sesquistrialis* HÜBNER, Zutr. exot. Schm., ii, 29, Mo., Kans.,
1823. Tex.
syn. *dimotalis* WALKER, Cat. Brit. Mus.,
xxxiv, 1346, 1865.
- *4265. *invisalis* GUENÉE, Spec. Gén., viii, 361, 1854. So. States,
syn. *lentiflualis* ZELLER, Verh. zool.-bot. Ges. So. Am.
Wien, xxii, 525, 1872.
- *4266. *psychicalis* HULST, Tr. Am. Ent. Soc., xiii, 149, Atl.
1886. States.
4267. *reluetalis* HULST, Tr. Am. Ent. Soc., xiii, 156, Ariz.
1886.
4268. *fulminalis* LEDERER, Wien. ent. Mon., vii, 487, Atl.
1863. States.
- *4269. *peremptalis* GROTE, Can. Ent., x, 28, 1878. Mass.

SCYBALISTA Lederer.

- LEDERER, Wien. ent. Mon., vii, 455, 1863; HAMPSON, Proc. Zool. Soc. Lond., 608, 1898; *Eupoca* WARREN, Ann. Mag. Nat. Hist., (6), viii, 63, 1891.
- *4270. *restionalis* LEDERER, Wien. ent. Mon., vii, 455, U. S.,
1863. So. Am.

SYMPHYSIA Hampson.

HAMPSON, Proc. Zool. Soc. Lond., 609, 1898.

- *4271. *reniculalis* ZELLER, Verh. zool.-bot. Ges. Wien, Mo.,
xxii, 526, 1872. Tex.
4272. *eripalis* GROTE, Can. Ent., x, 29, 1878. Iowa, Tex.,
syn. *salutalis* HULST, Trans. Am. Ent. Soc., Oreg., Cal.
xiii, 150, 1886.

LIPOCOSMA Lederer.

LEDERER, Wien. ent. Mon., vii, 448, 1863.

4273. *sicalis* WALKER, Cat. Brit. Mus., xix, 942, 1859. Atl. States.
syn. *perfusalis* WALKER, Cat. Brit. Mus.,
xxxiv, 1226, 1865.
- *4274. *fuliginosalis* FERNALD, Ent. Am., iv, 37, 1888. Atl. States.

HYMENIA Hübner.

HÜBNER, Verz. bek. Schmitt., 360, 1826; MEYRICK, Tr. Ent. Soc. Lond., 441, 1890;
Zinekenia ZELLER, Lep. Caffr., 55, 1852; HAMPSON, Proc. Zool. Soc. Lond., 623, 1898; *Spoladea* GUENÉE, Spec. Gén., viii, 224, 1854.

4275. *perspectalis* HÜBNER, Schm. Eur., Pyr., f. 101, U. S., So. Am.,
1796; GUENÉE, Spec. Gén., viii, 226, So. Afr.,
syn. *animalis* GUENÉE, Spec. Gén., viii, 226, Austr.,
1854; *exportalis* GUENÉE, Spec. Gén., viii, 227, 1854; *primordialis* ZELLER, Lep. Caffr., 56, 1852; *rhinthonalis* WALKER, Cat. Brit. Mus., xix, 932, 1859; *phrasiusalis* WALKER, Cat. Brit. Mus., xix, 944, 1859.

4276. *fascialis* CRAMER, Pap. Exot., iv, 236, 1782. U. S., So. Am.,
 syn. *angustalis* FABRICIUS, Mant. Ins., ii, 222, So. Eur.,
 1787; *recurralis* FABRICIUS, Ent. Syst., iii, 2, 237, 1794; *diffascialis* HÜBNER, Verz. bek. So. Afr.,
 Schmett., 361, 1826; *albifascialis* BOISDU- Austr.
 VAL, Faun. Ent. Mad., 119, 1834.

DESMIA Westwood.

WESTWOOD, Mag. Zool., ix, 1832; GUENÉE, Spec. Gén., viii, 188, 1854; CLEMENS, Proc. Acad. Nat. Sci. Phil., 215, 1860; LEDERER, Wien. ent. Mon., vii, 433, 1863.

4277. *funeralis* HÜBNER, Schm. Eur., Pyr., f. 103, Atl. 1796. States.

syn. *maculalis* WESTWOOD, Mag. Zool., ix, pl. 2, 1832; CLEMENS, Proc. Acad. Nat. Sci. Phil., 215, 1860.

a. subdivisalis GROTE, Can. Ent., iii, 126, 1871.

4278. *tages* CRAMER, Pap. Exot., ii, 2, 1777; DYAR, Fla., W. I., Journ. N. Y. Ent. Soc., ix, 22, 1901. So. Am.

syn. *tagesalis* GUENÉE, Spec. Gén., viii, 291, 1854; *propinqualis* MÖSCHLER, Verh. zool.-bot. Ges. Wien, xxxi, 430, 1881.

SYNCLERA Lederer.

LEDERER, Wien. ent. Mon., vii, 444, 1863; MOORE, Lep. Cey., iii, 315, 1866.

4279. *traduealis* ZELLER, Lep. Caffr., 54, 1852; MOORE, Fla., W. I., Lep. Cey., iii, 316, 1866. So. Am.,

syn. *retinalis* LEDERER, Wien. ent. Mon., i, 100, 1857; *jarbusalis* WALKER, Cat. Brit. Mus., xvii, 352, 1859; *univocalis* WALKER, Cat. Brit. Mus., xvii, 499, 1859; *coitalis* WALKER, Cat. Brit. Mus., xix, 964, 1859; *chlorophasma* BUTLER, Proc. Zool. Soc. Lond., 493, 1878.

ERCTA Walker.

WALKER, Cat. Brit. Mus., xvii, 425, 1859; HAMPSON, Proc. Zool. Soc. Lond., 636, 1898; *Spanista* LEDERER (not FÖRSTER), Wien. ent. Mon., vii, 445, 1863; *Hydriris* MEYRICK, Tr. Ent. Soc. Lond., 443, 1885.

- *4280. *ornatalis* DUPONCHEL, Hist. Nat. Lép. Fr., viii, 2, 207, 1831. Fla., W. I., So. Am.,

syn. *saturnalis* TREITSCHKE, Schm. Eur., x, 3, 29, 1835; *deciusalis* WALKER, Cat. Brit. Mus., xix, 905, 1859; *invenustalis* WALKER, Cat. Brit. Mus., xxxiv, 1431, 1865; *fraterna* BUTLER, Ann. Mag. Nat. Hist., (4), xvi, 415, 1875.

So. Eur.,
 So. Afr.,
 Austr.

MARASMIA Lederer.

LEDERER, Wien. ent. Mon., vii, 385, 1863; HAMPSHIRE, Proc. Zool. Soc. Lond., 638, 1898; *Dolichosticha* MEYRICK, Tr. Ent. Soc. Lond., 304, 1884; *Epimima* MEYRICK, Tr. Ent. Soc. Lond., 235, 1886; *Lasiacme* WARREN, Ann. Mag. Nat. Hist., (6), xvii., 176, 1896.

*4281. *cochrusalis* WALKER, Cat. Brit. Mus., xix, 959, 1859. Fla., W. I., So. Am.

syn. *azionalis* WALKER, Cat. Brit. Mus., xix, 985, 1859; *ruptalis* WALKER, Cat. Brit. Mus., xxxiv, 1391, 1865.

4282. *trapezalis* GUENÉE, Spec. Gén., viii, 200, 1854. Fla., Tex., W. I., So. Am., So. Afr., So. Asia.
syn. *ermonalis* WALKER, Cat. Brit. Mus., xviii, 579, 1859; *neoclesalis* WALKER, Cat. Brit. Mus., xviii, 635, 1859; *suspicalis* WALKER, Cat. Brit. Mus., xviii, 667, 1859; *conrectalis* WALKER, Cat. Brit. Mus., xxxiv, 141, 1865; *bifurcalis* SNELLEN, Tijds. v. Ent., 219, 1880.

4283. *floridalis* FERNALD, Journ. N. Y. Ent. Soc., ix, 49, 1901. Fla.

ANANIA Hübner.

HÜBNER, Zutr. exot. Schmett., iii, 27, 1823; *Syngamia* GUENÉE, Spec. Gén., viii, 187, 1854; LEDERER, Wien. ent. Mon., vii, 434, 1863.

4284. *florella* CRAMER, Pap. Exot., iv, pl. 348, f. L. 1781. Fla., W. I., So. Am.

SAMEA Guenée.

GUENÉE, Spec. Gén., viii, 193, 1854; LEDERER, Wien. ent. Mon., vii, 379, 1863; HAMPSHIRE, Proc. Zool. Soc. Lond., 647, 1898.

4285. *ecclesiialis* GUENÉE, Spec. Gén., viii, 194, 1854. Fla., W. I., So. Am.
syn. *castellalis* GUENÉE, Spec. Gén., viii, 195, 1854; *lucensalis* WALKER, Cat. Brit. Mus., xix, 937, 1859; *disertalis* WALKER, Cat. Brit. Mus., xxxiv, 1302, 1865.

*4286. *multiplicalis* GUENÉE, Spec. Gén., viii, 227, 1854. Fla., W. I., So. Am.
syn. *discessalis* WALKER, Cat. Brit. Mus., xxxiv, 1302, 1865; *nicausalis* WALKER, Cat. Brit. Mus., xvii, 464, 1859.

DIASTICTIS Hübner.

HÜBNER, Zutr. exot. Schmett., i, 21, 1818; *Bocchoris* MOORE, Lep. Cey., iii, 271, 1886; HAMPSHIRE, Proc. Zool. Soc. Lond., 649, 1898.

4287. *argyralis* HÜBNER, Zutr. exot. Schmett., i, 21, fig. 113, 1818. Atl. States.

a. ventralis GROTE & ROBINSON, Tr. Am. Ent. Soc., i, 21, 1867.

4288. *fracturalis* ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 509, 1872. Tex., Ariz.

- *4289. *cæcalis* WARREN, Ann. Mag. Nat. Hist., (6), ix, 434, 1892. Cal.
 *4290. *talis* GROTE, Can. Ent., x, 26, 1878. Ala.

PILOCROCIS Lederer.

- LEDERER, Wien. ent. Mon., 430, 1863; HAMPSON, Proc. Zool. Soc. Lond., 655, 1898;
Ceratoclasis LEDERER, Wien. ent. Mon., vii, 430, 1863.
4291. *raimentalis* LEDERER, Wien. ent. Mon., vii, 430, N. Y., Fla.,
 1863. So. Am.
 syn. *perfuscalis* HULST, Tr. Am. Ent. Soc.,
 xiii, 159, 1886.
- *4292. *tripunctata* FABRICIUS, Ent. Syst., iii, 2, 217, Fla.,
 1794. Tex., W. I.
 syn. *campalis* GUENÉE, Spec. Gén., viii, 345,
 1854; *cubatalis* GUENÉE, Spec. Gén., viii,
 345, 1854; *memminialis* WALKER, Cat. Brit.
 Mus., xviii, 731, 1859.
- *4393. *plumbicostalis* GROTE, Can. Ent., iii, 103, 1871. Ala., Fla.
4294. *inguinalis* GUENÉE Spec. Gén., viii, 346, 1854. Ala.,
 syn. *thoasalis* WALKER, Cat. Brit. Mus., xviii,
 610, 1859; *anticostalis* GROTE, Can. Ent.,
 iii, 104, 1871; *levalis* HULST, Tr. Am. Ent.
 Soc., xiii, 152, 1896. Fla., So. Am.
- *4295. *tristigmalis* HAMPSON, Proc. Zool. Soc. Lond., Fla.
 '59, 1898.

CONCHYLODES Guenée.

- GUENÉE, Spec. Gén., viii, 288, 1854; LEDERER, Wien. ent. Mon., vii, 442, 1863;
 HAMPSON, Proc. Zool. Soc. Lond., 674, 1898; *Ledereria* SNELLEN, Tijd. v. Ent., 256,
 1875.
- *4296. *diphteralis* GEYER, Zutr. exot. Schmett., iv, 24, Fla., Tex.,
 f. 691, 1832. W. I.
4297. *platinalis* GUENÉE, Spec. Gén., viii, 282, 1854. So. Atl.
 syn. *orulalis* GUENÉE, Spec. Gén., viii, 283, States,
 1854; *erinalis* WALKER, Cat. Brit. Mus., W. I.,
 xvii, 474, 1859; *magicalis* FELDER, Reise
 Nov., pl. 135, f. 6, 1874; *concinnalis* HAMP- So. Am.
 SON, Proc. Zool. Soc. Lond., 675, 1898.

DICHOGAMA Lederer.

- LEDERER, Wien. ent. Mon., vii, 396, 1863; HAMPSON, Proc. Zool. Soc. Lond., 676,
 1898; *Curbacha* WALKER, Cat. Brit. Mus., xxiv, 1379, 1865; *Pleurasymptia* Mösch-
 ler, Abb. Senck. Ges., 146, 1890.
4297. 1. *redtenbacheri* LEDERER, Wien. ent. Mon., vii, Fla.,
 396, 1863; DYAR, Can. Ent., xxii, 271, 1900. W. I.

4297. 2. *amabilis* MÖSCHLER, Abh. Senck. Ges., 296, 1890; DYAR, Jb. N. Y. Ent. Soc., ix, 20, 1901.
 4297. 3. *bergii* MÖSCHLER, Abh. Senck. Ges., 297, 1890; DYAR, Jb. N. Y. Ent. Soc., ix, 21, 1901.

Fla.,
W. I.
Fla.,
W. I.

LAMPROSEMA Hübner.

- HÜBNER, Zutr. exot. Schmett., ii, 21, 1823.
 *4298. *lunulalis* HÜBNER, Zutr. exot. Schmett., ii, 21, 1823; GUENÉE, Spec. Gén., viii, 205, 1854.

Tex.,
N. Mex.

HEDYLEPTA Lederer.

LEDERER, Wien. ent. Mon., vii, 409, 1863.

- *4299. *indicata* FABRICIUS, Syst. Ent., 640, 1775.
 syn. *vulgaris* GUENÉE, Spec. Gén., viii, 202, 1854; *sabalis* WALKER, Cat. Brit. Mus., xviii, 631, 1859; *maliusalis* WALKER, Cat. Brit. Mus., xviii, 703, 1859; *conneralis* WALKER, Cat. Brit. Mus., xxxiv, 1394, 1865; *reductalis* WALKER, Cat. Brit. Mus., xxxiv, 1412, 1865.

Fla., W. I.,
So. Am.,
So. Africa,
So. Asia.

BLEPHAROMASTIX Lederer.

LEDERER, Wien. ent. Mon., vii, 422, 1863.

4300. *ebulealis* GUENÉE, Spec. Gén., viii, 196, 1854.

Fla., W. I.

4301. *apicalis* GUENÉE, Spec. Gén., viii, 229, 1854.
 syn. *xeniolalis* HULST, Trans. Am. Ent. Soc., xiii, 159, 1886.

Tex., W. I.

4302. *ranalis* GUENÉE, Spec. Gén., viii, 243, 1854.
 syn. *archasialis* WALKER, Cat. Brit. Mus., xvii, 365, 1859; *ofellusalis* WALKER, Cat. Brit. Mus., xviii, 732, 1859; *ollinsalis* WALKER, Cat. Brit. Mus., xix, 982, 1859; *strictalis* WALKER, Cat. Brit. Mus., xxxiv, 1392, 1865; *gracilis* GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 25, 1867; *datialis* DRUCE, Biol. Cent. Am., Lep. Het., ii, 269, 1895.

U. S., W. I.,
So. Am.

4303. *magnalis* GUENÉE, Spec. Gén., viii, 230, pl. ix, f. 6, 1854.

Fla., Tex.,
W. I.

- syn. *medialis* WALKER, Cat. Brit. Mus., xvii, 353, 1859; *belusalis* WALKER, Cat. Brit. Mus., xviii, 582, 1859; *curlalis* WALKER, Cat. Brit. Mus., xxxiv, 1305, 1865.

4304. *stenialis* GUENÉE, Spec. Gén., viii, 231, 1854.
 syn. *acestalis* WALKER, Cat. Brit. Mus., xvii, 352, 1859; *pharusalis* WALKER, Cat. Brit. Mus., xvii, 368, 1859; *sagitalis* DRUCE, Biol. Cent. Am., Lep. Het., ii, 270, 1895.
 So. Atl.
 States,
 W. I., Mex.,
 So. Am.

ASCIODES Guenée.

GUENÉE, Spec. Gén., viii, 374, 1854.

4305. *gordialis* GUENÉE, Spec. Gén., viii, 374, 1854; DYAR, Journ. N. Y. Ent. Soc., ix, 20, 1901.
 syn. *quietalis* WALKER, Cat. Brit. Mus., xix, 825, 1859; *confusalis* HULST, Trans. Am. Ent. Soc., xiii, 158, 1886.
 Fla., W. I.,
 So. Am.
4306. *anormalis* GUENÉE, Spec. Gén., viii, 352, 1854; DYAR, Journ. N. Y. Ent. Soc., ix, 20, 1901.
 syn. *alvinalis* GUENÉE, Spec. Gén., viii, 352, 1854; *heleitalis* WALKER, Cat. Brit. Mus., xviii, 574, 1859; *orphnealis* WALKER, Cat. Brit. Mus., xviii, 736, 1859; *dracusalis* WALKER, Cat. Brit. Mus., xix, 983, 1859; *subaequalis* WALKER, Cat. Brit. Mus., xxxiv, 1394, 1865.
 Fla., W. I.,
 So. Am.

PANTOGRAPHA Lederer.

LEDERER, Wien. ent. Mon., vii, 387, 1863.

4307. *limata* GROTE & ROBINSON, Ann. Lyc. Nat. Hist. N. Y., viii, 464, 1867; FERNALD, Can. Ent., xvi, 26, 1884.
 Me., Mass.,
 Va., Minn.,
 Mex., So. Am.
- syn. *suffusalis* DRUCE, Biol. Cent. Am., Lep. Het., ii, 240, 1895.

SYLEPTA Hübner.

HÜBNER, Verz. bek. Schmett., 356, 1826.

- *4308. *penumbralis* GROTE, Can. Ent., ix, 106, 1877.
 Ohio, Fla.
4308. 1. *fluctuosalis* LEDERER, Wien. ent. Mon., vii, 473, 1863; DYAR, Proc. Ent. Soc. Wash., iv, 460, 1901.
 Fla.,
 So. Am.
4309. *obscuralis* LEDERER, Wien. ent. Mon., vii, 472, 1863.
 Fla.
- *4310. *elevata* FABRICIUS, Ent. Syst., iii, 2, 216, 1794.
 syn. *elevalis* GUENÉE, Spec. Gén., viii, 319, 1854.
 Fla., W. I.,
 So. Am.

LYGROPIA Lederer.

LEDERER, Wien. ent. Mon., vii, 381, 1863.

- *4311. *rivulalis* HAMPSON, Proc. Zool. Soc. Lond., 727, U. S.
1898.
- *4312. *chromalis* GUENÉE, Spec. Gén., viii, 204, 1854. Fla., So. Am.
syn. *principalis* LEDERER, Wien. ent. Mon., vii, 471, 1863.

AGATHODES Guenée.

GUENÉE, Spec. Gén., viii, 207, 1854; HAMPSHIRE, Proc. Zool. Soc. Lond., 730, 1898;
Stenurus LEDERER, Wien. ent. Mon., vii, 416, 1863.

4313. *monstralis* GUENÉE, Spec. Gén., viii, 209, 1854. Fla., W. I.,
syn. *designalis* GUENÉE, Spec. Gén., viii, 209, Mex., So. Am.
1854; *floridalis* HULST, Trans. Am. Ent. Soc., xiii, 156, 1886.

PARADOSIS Zeller.

ZELLER, Lep. Caffr., 58, 1854.

4314. *flegia* CRAMER, Pap. Exot., ii, 66, 1777; DYAR, Can. Ent., xxxii, 117, 1900. Fla., W. I.,
So. Am.
- syn. *flegialis* POEY, Cent. Lep. Cuba, Dec. i, 1832; *phantasmalis* GUENÉE, Spec. Gén., viii, 310, 1854; *vilosalis* ZELLER, Lep. Caffr., 58, 1854.

DIAPHANIA Hübner.

HÜBNER, Zutr. exot. Schmett., i, 20, 1818; *Eudiopsis* HÜBNER, Zutr. exot. Schmett., ii, 24, 1823; *Margaronia* HÜBNER, Verz. bek. Schmett., 358, 1826; *Phakellura* GULDING, Phil. Mag., vii, 206, 1830; *Glyphodes* GUENÉE, Spec. Gén., viii, 292, 1854.

- *4315. *olealis* FELDER, Reise Nov., pl. 135, f. 35, 1874. Fla., So. Am.

4316. *nitidalis* STOLL, Pap. Exot., iv, 160, 1781; suppl., 110, 1790; GUENÉE, Spec. Gén., viii, 299, 1854; RILEY, Mo. Rep., ii, 64, 1870; SAUNDERS, Ins. Inj. to Fruits, 367, 1889; LINTNER, N. Y. Rep., xi, 126, 1896; CHITTENDEN, Bull. no. 19, n. s., U. S. Dept. Ag., 41, 1899.
- syn. *vitralis* HÜBNER, Zutr. exot. Schmett., 20, 1818; *fumosalis* GUENÉE, Spec. Gén., viii, 300, 1854; *prarialis* DRUCE, Biol. Cent. Am., Lep. Het., ii, 231, 1895.

4317. *infimalis* GUENÉE, Spec. Gén., viii, 298, 1854; DYAR, Jn. N. Y. Ent. Soc., ix, 20, 1901. Fla.

- *4318. *arguta* LEDERER, Wien. ent. Mon., vii, 478, 1863. No. Am., ? So. Am.

4319. *niveocilia* HAMPSON, Proc. Zool. Soc. Lond., 728, 1898. Fla., W. I., So. Am.

4320. *hyalinata* LINNÆUS, Syst. Nat., ed. 12, i, 874, 1767; FABRICIUS, Ent. Syst., iii, 2, 213, 1794; SAUNDERS, Can. Ent., xv, 56, 1883; ASHMEAD, Bull. U. S. Dept. Ag., 26, 1887; SAUNDERS, Ins. Inj. to Fruits, 365, 1889; LINTNER, N. Y. Rep., xi, 134, 1896; COMSTOCK, Man., 231, 1895.
 syn. *marginalis* STOLL, Pap. Exot., iv, 160, 1781; *lucernalis* HÜBNER, Schm. Eur., Pyr., 20, pl. 17, f. 108, 1796; *hyalinatalis* GUENÉE, Spec. Gén., viii, 296, 1854; COMSTOCK, Rep. U. S. Dept. Ag., 218, 1879.
4321. *quadristigmalis* GUENÉE, Spec. Gén., viii, 304, 1854; RILEY, Ins. Life, i, 22, 1888. Atl. States, W. I., So. Am.
4322. *sibillalis* WALKER, Cat. Brit. Mus., xvii, 506, 1859; DYAR, Journ. N. Y. Ent. Soc., ix, 19, 1901.
 syn. *batesi* FELDER, Reise Nov., pl. 135, f. 29, 1874; *alitalis* HULST, Trans. Am. Ent. Soc., xiii, 157, 1886. Fla., Tex., W. I., So. Am.

METREA Grote.

GROTE, Pap., ii, 73, 1882; HAMPSION, Proc. Zool. Soc. Lond., 757, 1898.

4323. *ostreonalis* GROTE, Pap., ii, 73, 1882. Can., Me., Mass., Pa.
 syn. *urticaloides* FYLES, Can. Ent., xxvi, 184, 1894.

OMMATOSPILA Lederer.

LEDERER, Wien. ent. Mon., vii, 443, 1863; HAMPSION, Proc. Zool. Soc. Lond., 759, 1898; *Thelida* WALKER, Cat. Brit. Mus., xxxiv, 1221, 1865.

- *4324. *narcæusalis* WALKER, Cat. Brit. Mus., xix, 972, Tex., W. I., 1859. So. Am.
 syn. *nummularis* LEDERER, Wien. ent. Mon., vii, 444, 1863.

HELLULA Guenée.

GUENÉE, Spec. Gén., viii, 415, 1854; LEDERER, Wien. ent. Mon., vii, 351, 1863; HEINEMANN, Kleinschm., i, 2, 44, 1865; HAMPSION, Proc. Zool. Soc. Lond., 760, 1898.

4325. *undalis* FABRICIUS, Ent. Syst., iii, 2, 226, 1794; HÜBNER, Schm. Eur., Pyr., 19, pl. 14, f. 93, 1796; TREITSCHKE, Schm. Eur., vii, 128, 1829; DUPONCHEL, Hist. Nat. Lép. Fr., viii, 160, 1831; HEINEMANN, Kleinschm., i, 2, 45, 1865; HAMPSION, Proc. Zool. Soc. Lond., 760, 1898; CHITTENDEN, Bull. no. 19, n. ser., U. S. Dept. Agr., 54, 1899; Bull. no. 23, n. ser., U. S. Dept. Agr., 53, 1900.

syn. *alconalis* WALKER, Cat. Brit. Mus., xix, 827, 1859; *exemptalis* WALKER, Cat. Brit. Mus., xxxiv, 1313, 1865; *rogatalis* HULST, Tr. Am. Ent. Soc., xiii, 149, 1886.

U. S., Antilles, So. Am.

Atl. States, W. I., So. Am.

Fla., Tex., W. I., So. Am.

MIMORISTA Warren.

WARREN, Ann. Mag. Nat. Hist., (6), vi, 476, 1890.

4326. *flavidissimalis* GROTE, Can. Ent., ix, 105, 1877. Tex.

TERASTIA Guenée.

GUENÉE, Spec. Gén., viii, 211, 1854; HAMPSHIRE, Proc. Zool. Soc. Lond., 181, 1899.

4327. *meticulosalis* GUENÉE, Spec. Gén., viii, 212, 1854; Fl., W. I.,
DYAR, Jn. N. Y. ent. soc., ix, 21, 1901. Ceylon, Java,
syn. *subjectalis* LEDERER, Wien. ent. Mon., P. I.
vii, 480, 1863; *quadratalis* WALKER, Cat.
Brit. Mus., xxxiv, 1527, 1865; *caligenalis*
HULST, Tr. Am. Ent. Soc., xiii, 156, 1886.

LANIFERA Hampson.

HAMPSHIRE, Proc. Zool. Soc. Lond., 184, 1899.

- *4328. *cyclades* DRUCE, Biol. Cent. Am., Lep. Het., ii, Ariz.,
220, 1895. Mex.

EVERGESTIS Hübner.

HÜBNER, Verz. bek. Schmett., 354, 1826; HAMPSHIRE, Proc. Zool. Soc. Lond., 185, 1899;
Mesographa HÜBNER, Verz. bek. Schmett., 354, 1826; *Homochroa* HÜBNER, Verz. bek.
Schmett., 358, 1826; *Scopula* HÜBNER, Verz. bek. Schmett., 368, 1826; *Orobaea*
GUENÉE, Spec. Gén., viii, 376, 1854; *Paridis* GROTE, Check List, 51, 1882.

4329. *funalis* GROTE, Bull. U. S. Geol. Surv., iv, 670, N. Mex.,
1878; COCKERELL, Ent. News, x, 68, 1899. Cal.
- *4330. *obliqualis* GROTE, Ann. Mag. Nat. Hist., (5), xi, N. Mex.,
56, 1883; Proc. Kans. Ac. Sci., viii, 56, 1883.
- *4331. *simulatilis* GROTE, No. Am. Ent., 94, 1880. Ariz., Col.,
syn. *brunneogrisea* HY. EDWARDS, Ent. Am.,
ii, 171, 1886.
4332. *napæalis* HULST, Tr. Am. Ent. Soc., xiii, 145, Cal.,
1886.
4333. *dyarialis* FERNALD, Jn. N. Y. Ent. Soc., ix, 49, Fla.,
1901; DYAR, Proc. Ent. Soc. Wash., iv, 460, 1901. So. Am.
4334. *rimosalis* GUENÉE, Spec. Gén., viii, 371, 1854; Va., Cal.,
THOMAS, Ill. Rep., iv, 37, 1880; RILEY, Rep. Wash.
U. S. Dep. Agr., 126, 1883.
4335. *extimalis* SCOPOLI, Ent. Carn., 241, 1763; MEY- Ariz.,
RICK, Handb. Brit. Lep., 424, 1895. N. Mex.
- syn. *margaritalis* DENIS & SCHIFFERMÜLLER,
Syst. Verz. Wien, 123, 1776; *erucalis* HÜBNER, Eur. Schm., Pyr., 28, pl. 9, f. 55,
1796; *consimilis* WARREN, Ann. Mag. Nat. Hist., (6), ix, 433, 1892.

4336. *straminalis* HÜBNER, Vög. & Schm., 82, 1792;
MEYRICK, Handb. Brit. Lep., 424, 1895.

U. S.,
Eur.

syn. *alutalis* HÜBNER, Eur. Schm., Pyr., 26,
pl. 10, f. 62, 1796; *stramentalis* HÜBNER,
Verz. bek. Schmett., 354, 1826; TREITSCHKE,
Schm. Eur., vii, 76, 1829; DUPONCHEL,
Hist. Nat. Lép. Fr., viii, 2, 102, 1831;
HEINEMANN, Kleinschm., i, 2, 95, 1865;
cunusalis WALKER, Cat. Brit. Mus., xviii,
756, 1859.

CROCIDOPHORA Lederer.

LEDERER, Wien. ent. Mon., vii, 386, 1863.

4337. *serratissimalis* ZELLER, Verh. zool.-bot. Ges.
Wien, xxii, 521, 1872.

Atl.
States.

syn. *subdentalis* GROTE, Bull. Buff. Soc., i, 173,
1873.

- *4338. *pustuliferalis* LEDERER, Wien. ent. Mon., vii,
477, 1863.

Fla.

4339. *tuberculalis* LEDERER, Wien. ent. Mon., vii,
476, 1863.

Va.,
Tex.

STENOPHYES Lederer.

LEDERER, Wien. ent. Mon., vii, 388, 1863.

4340. *huronalis* GUENÉE, Spec. Gén., viii, 198, 1854. U.S., So. Am.

syn. *zinghalis* WALKER, Cat. Brit. Mus., xvii,
355, 1859; *serinalis* WALKER, Cat. Brit.
Mus., xvii, 468, 1859.

POLYGRAMMODES Guenée.

GUENÉE, Spec. Gén., viii, 344, 1854; HAMPSHOR, Proc. Zool. Soc. Lond., 196, 1899.

- *4341. *hirtalis* GUENÉE, Spec. Gén., viii, 344, 1854. Tex., So. Am.

syn. *lybialis* WALKER, Cat. Brit. Mus., xviii,
624, 1859; *amatalis* WALKER, Cat. Brit.
Mus., xviii, 625, 1859; *capitalis* GROTE,
Bull. U. S. Geol. Surv., vi, 272, 1881.

NOMOPHILA Hübner.

HÜBNER, Verz. bek. Schmett., 368, 1826; MEYRICK, Handb. Brit. Lep., 410, 1895;
HAMPSHOR, Proc. Zool. Soc. Lond., 201, 1899.

4342. *noctuella* DENIS & SCHIFFERMÜLLER, Syst. Verz.
Wien, 136, 1776; FELT, Can. Ent., xxv, 129,
1893; MEYRICK, Handb. Br. Lep., 410, 1895;
HAMPSHOR, Proc. Zool. Soc. Lond., 201, 1899.

U. S.,
Eur., Asia,
So. Am.

syn. *hybridalis* HÜBNER, Schm. Eur., Pyr., 29,
pl. 17, f. 114, 1796; *indistinctalis* WALKER,
Cat. Brit. Mus., xxvii, 59, 1863; *helvolalis*
MAASSEN, Stübel's Reise, 170, 1890.

PACHYZANCLA Meyrick.

MEYRICK, Tr. Ent. Soc. Lond., 315, 1884.

- *4343. *periusalis* WALKER, Cat. Brit. Mus., xviii, 623, 1859. U. S., Brazil.
4344. *bipunctalis* FABRICIUS, Ent. Syst., iii, 2, 232, 1794. Ga., Fla., W. I., So. Am., So. Afr.
- syn. *aeerotatis* ZELLER, Lep. Caffr., 38, 1852; *mutualis* ZELLER, Lep. Caffr., 40, 1852; *terminalis* GUENÉE, Spec. Gén., viii, 348, 1854; *detritalis* GUENÉE, Spec. Gén., viii, 347, 1854; *lycialis* WALKER, Cat. Brit. Mus., xviii, 572, 1859; *philealis* WALKER, Cat. Brit. Mus., xviii, 596, 1859; *repetitalis* GROTE, Rep. U. S. Dept. Agr., 270, 1880; HAMPSHIRE, Proc. Zool. Soc. Lond., 204, 1899.

LOXOSTEGE Hübner.

HÜBNER, Verz. bek. Schmett., 352, 1826; MEYRICK, Tr. Ent. Soc. Lond., 452, 1890; Handb. Brit. Lep., 418, 1895; *Emmelia* GEYER, Zutr. exot. Schmett., v, 8, 1837; *Phyletaurus* GUENÉE, Spec. Gén., viii, 173, 1854; HAMPSHIRE, Proc. Zool. Soc. Lond., 207, 1899; *Spilodes* GUENÉE, Spec. Gén., viii, 379, 1854; *Dosara* WALKER, Cat. Brit. Mus., xix, 828, 1859; *Ephelis* LEDERER, Wien. ent. Mon., vii, 356, 1863; *Eurycreon* LEDERER, Wien. ent. Mon., vii, 376, 1863.

4345. *dasonalis* WALKER, Cat. Brit. Mus., xviii, 773, 1859. N. Y., Ill., Tex., Col.
- *4346. *coloradensis* GROTE & ROBINSON, Tr. Am. Ent. Soc., i, 25, 1867. Tex., Col., Ariz.
- syn. *pergilialis* HULST, Tr. Am. Ent. Soc., xiii, 151, 1886.
4347. *chortalis* GROTE, Bull. Buff. Soc., i, 89, 1873. Me. to Cal.
4348. *aureolalis* HULST, Tr. Am. Ent. Soc., xiii, 156, 1886. Col., Ariz., Mex
- syn. *cyralis* DRUCE, Biol. Cent. Am., Lep. Het., ii, 204, 1895.
4349. *obliteralis* WALKER, Cat. Brit. Mus., xxxiv, 1392, 1865; CHITTENDEN, Bull. no. 27, n. ser., U. S. Dept. Agr., 102, 1901. Can., Mass., N. Y., Ill.
- syn. *marculenta* GROTE & ROBINSON, Tr. Am. Ent. Soc., i, 23, 1867.
- *4350. *mancalis* LEDERER, Wien. ent. Mon., vii, 464, 1863. Va., Fla., Mo.
- syn. *marculenta* ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 507, 1872.
4351. *helvialis* WALKER, Cat. Brit. Mus., xviii, 772, 1859. Atl. States.
- syn. *thyrsalis* WALKER, Cat. Brit. Mus., xix, 981, 1859; *aportalis* WALKER, Cat. Brit. Mus., xxxiv, 1393, 1865; *citrina* GROTE & ROBINSON, Tr. Am. Ent. Soc., i, 23, 1867.

- *4352. *bifidalis* FABRICIUS, Ent. Syst., iii, 2, 232, 1794.
 syn. *inornatalis* WALKER, Cat. Brit. Mus., xxiv, 1456, 1865; *eranialis* BERGSTRASSER, Deutsche ent. Zeits., xix, 134, 1875; *obsoletalis* BERGSTRASSER, Deutsche ent. Zeits., xix, 135, 1875; *orbitalis* FELDER, Reise Nov., pl. 134, f. 32, 1874.
 N. Mex.,
 W. I.,
 So. Am.
4353. *flavalis* FERNALD, Ins. Life, vi, 255, 1894. Cal.
4354. *similalis* GUENÉE, Spec. Gén., viii, 405, 1854. U.S., So. Am.
 syn. *crinisalis* WALKER, Cat. Brit. Mus., xviii, 798, 1859; *siriusalis* WALKER, Cat. Brit. Mus., xviii, 563, 1859; *diotimalis* WALKER, Cat. Brit. Mus., xviii, 785, 1859; *erinitalis* LEDERER, Wien. ent. Mon., vii, 376, 1863; ZELLER, Verh. zool.-bot. Ges. Wien, 519, 1872; *communis* GROTE, Can. Ent., viii, 99, 1876.
a. rantalidis GUENÉE, Spec. Gén., viii, 405, 1855; ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 519, 1872; BERGSTRASSER, Deutsche ent. Zeits., xix, 132, 1875; SNOW, Psyche, iii, 127, 1880.
 syn. *mourcialis* WALKER, Cat. Brit. Mus., xviii, 746, 1859; *liccalis* WALKER, Cat. Brit. Mus., xviii, 563, 1859; *nustusalis* WALKER, Cat. Brit. Mus., xviii, 784, 1859; *thoonalis* WALKER, Cat. Brit. Mus., xviii, 785, 1859; *intractella* WALKER, Cat. Brit. Mus., xxvii, 55, 1863; *posticata* GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 22, 1867; *occidentalis* PACKARD, Ann. Lyc. Nat. Hist. N. Y., x, 260, 1873.
 Tex.
4355. *allectalis* GROTE, Can. Ent., ix, 107, 1877.
 syn. *perplexalis* FERNALD, Can. Ent., xvii, 57, 1885. Tex.
4356. *lepidalis* HULST, Trans. Am. Ent. Soc., xiii, 146, 1886. Mont., Col.
- *4357. *baccatalis* HULST, Can. Ent., xxiv, 63, 1892. Tex.
4358. *sticticalis* LINNÆUS, Faun. Suec., 352, 1761; TREITSCHKE, Schm. Eur., vii, 64, 1829; DUPONCHEL, Hist. Nat. Lép. Fr., viii, 96, 1831; HERICH-SCHAFFER, Schm. Eur., iv, 34, 1848; HEINEMANN, Kleinschm., i, 2, 90, 1865; ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 518, 1872; MEYRICK, Handb. Brit. Lep., 418, 1895.
 syn. *fuscalis* HÜBNER, Eur. Schmett., Pyr., 29, pl. 7, f. 45, 1796; *tetragonalis* HAWORTH, Lep. Brit., 385, 1811; *sordida* BUTLER, Tr. Ent. Soc. Lond., 432, 1886. Rocky Mts.,
 Cal., Eur.

4359. *commixtalis* WALKER, Cat. Brit. Mus., xxxiv, 1759, 1865. Eur.,
No. Am.
- syn. *indotatellus* WALKER, Cat. Brit. Mus., xxv, 1752, 1866; *septentrionalis* TENGSTRÖM, Cat., 358, 1869; *cerealis* ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 517, 1872.
4360. *offumalis* HULST, Trans. Am. Ent. Soc., xiii, 150, Cal.
1886.
- *4361. *indentalis* GROTE, Ann. Mag. Nat. Hist., (5), xi, N. Mex.
57, 1883.
- *4362. *albiceralis* GROTE, Bull. U. S. Geol. Surv., iv, 678, Col.
1878.
4363. *oberthuralis* FERNALD, Ins. Life, vi, 255, 1894. Ariz., Cal.
- *4364. *labecularis* HULST, Trans. Am. Ent. Soc., xiii, 152, Ariz.
1886.
- *4365. *thallophilalis* HULST, Trans. Am. Ent. Soc., xiii, Mont.,
154, 1886. Cal.
- *4366. *annaphilalis* GROTE, Can. Ent., xiii, 34, 1881. Cal.
- *4367. *anartalis* GROTE, Can. Ent., x, 27, 1878. Cal.
syn. *Juluialis* HULST, Trans. Am. Ent. Soc., xiii, 150, 1886.
4368. *linealis* FERNALD, Ins. Life, vi, 255, 1894. Cal.
4369. *macluræ* RILEY, Ins. Life, v, 155, 1893. Mo., Tex.
- *4370. *flavifimbrialis* WARREN, Ann. Mag. Nat. Hist., Cal.
(6), ix, 174, 1892.
- *4371. *succandidalis* HULST, Trans. Am. Ent. Soc., xiii, Dak.
153, 1886.
- *4372. *oblectalis* HULST, Trans. Am. Ent. Soc., xiii, 154, Ariz.
1886.
- *4373. *ophionalis* WALKER, Cat. Brit. Mus., xvii, 316, Tex.
1859.
4374. *nasonialis* ZELLER, Verh. zool.-bot. Ges. Wien, Tex.
xxiii, 209, 1873.
4375. *sesqualteralis* ZELLER, Verh. zool.-bot. Ges. Tex.
Wien, xxiii, 209, 1873.
4376. *vibicalis* ZELLER, Verh. zool.-bot. Ges. Wien, Tex.
xxiii, 208, 1873.

DIASEMIA Hübner.

HÜBNER, Verz. bek. Schmett., 348, 1826; STEPHENS, Ill. Brit. Ent., Haust., iv, 37, 1834; GUENÉE, Spec. Gén., viii, 233, 1854; LEDERER, Wien. ent. Mon., vii, 418, 1863; HEINEMANN, Kleinschm., i, 2, 98, 1865; MEYRICK, Handb. Brit. Lep., 404, 1895; HAMPSOM, Proc. Zool. Soc. Lond., 213, 1899.

- *4377. *ramburialis* DUPONCHEL, Hist. Nat. Lép. Fr., viii, 2, 343, 1831; FISCHER v. RÖSLERSTAMM, Mierolep., 281, 1841; HERRICH-SCHAEFFER, Schm. Eur., iv, 26, 1848; GUENÉE, Spec. Gén., viii, 234, 1854; HEINEMANN, Kleinschm., i, 2, 98, 1865; LEECH, Brit. Pyr., 45, 1886; MEYRICK, Handb. Brit. Lep., 404, 1895; HAMPSOM, Ind. Moths, iv, 411, 1896.
 syn. *melaleucalis* WALKER, Cat. Brit. Mus., xvii, 402, 1859; *leodocusalis* WALKER, Cat. Brit. Mus., xix, 947, 1859; *reconditalis* WALKER, Cat. Brit. Mus., xxxiv, 1325, 1865; *leucophæalis* WALKER, Cat. Brit. Mus., xxxiv, 1326, 1865.
4378. *nigralis* FERNALD, Can. Ent., xxiv, 178, 1892. Fla.
- *4379. *janassialis* WALKER, Cat. Brit. Mus., xvii, 337, 1859. Fla.
- syn. *hariolalis* HULST, Trans. Am. Ent. Soc., xiii, 149, 1886.
- *4380. *plumbosignalis* FERNALD, Ent. Am., iv, 37, 1888. Can., Col.,
4381. *roseopennalis* HULST, Trans. Am. Ent. Soc., xiii, 148, 1886. Va., N. C., Ariz.
- *4382. *elegantalis* WARREN, Ann. Mag. Nat. Hist., (6), ix, 440, 1892. Cal.
- *4383. *magdalena* FERNALD, Can. Ent., xxiv, 122, 1892. Fla., Tex.

LIOPASIA Möschler.

MÖSCHLER, Verh. zool.-bot. Ges. Wien, xxxi, 426, 1881; HAMPSOM, Proc. Zool. Soc. Lond., 215, 1899.

- *4384. *teneralis* LEDERER, Wien. ent. Mon., vii, 462, 1863. Cal.

CONDYLORRHIZA Lederer.

LEDERER, Wien. ent. Mon., vii, 393, 1863; HAMPSOM, Proc. Zool. Soc. Lond., 218, 1899.

- *4385. *vestigialis* GUENÉE, Spec. Gén., viii, 321, 1854. La., Tex.
 syn. *tritedalis* WALKER, Cat. Brit. Mus., xviii, 597, 1859; *mestoralis* WALKER, Cat. Brit. Mus., xviii, 729, 1859; *oratalis* HULST, Trans. Am. Ent. Soc., xiii, 158, 1886.

THOLERIA Hübner.

HÜBNER, Zutr. exot. Schmett., ii, 27, 1823; Verz. bek. Schmett., 354, 1826; *Mecyna* GUENÉE, Spec. Gén., viii, 406, 1854; MEYRICK, Trans. Ent. Soc. Lond., 451, 1890; Handb. Brit. Lep., 417, 1895; HAMPSON, Proc. Zool. Soc. Lond., 223, 1899.

4386. *reversalis* GUENÉE, Spec. Gén., viii, 409, 1854; Atl. States,
DYAR, Proc. Ent. Soc. Wash., iv, 461, 1901. W. I.

CALAMOCHROUS Lederer.

LEDERER, Wien. ent. Mon., vii, 386, 1863.

- *4387. *straminea* WARREN, Ann. Mag. Nat. Hist., (6), ix, 393, 1892. Cal.

CYBALOMIA Lederer.

LEDERER, Wien. ent. Mon., vii, 420, 1863; HAMPSON, Proc. Zool. Soc. Lond., 229, 1899; *Hypolais* GUENÉE (not KAUP), Spec. Gén., viii, 239, 1854.

- *4388. *extorris* WARREN, Ann. Mag. Nat. Hist., (6), ix, 395, 1892. West.
U. S.

4388. 1. *belialis* DRUCE, Biol. Cent. Am., Lep. Het., ii, 557, 1899; DYAR, Proc. U. S. Nat. Mus., xxv, 397, 1902. Col., Mex.

MONOCONA Warren.

WARREN, Ann. Mag. Nat. Hist., (6), ix, 173, 1892; HAMPSON, Proc. Zool. Soc. Lond., 232, 1899.

- *4389. *rubralis* WARREN, Ann. Mag. Nat. Hist., (6), ix, 174, 1892. Cal.

AUTOCOSMIA Warren.

WARREN, Ann. Mag. Nat. Hist., (6), ix, 432, 1892; HAMPSON, Proc. Zool. Soc. Lond., 233, 1899.

- *4390. *nexalis* HULST, Tr. Am. Ent. Soc., xiii, 150, 1886. Tex., Col., Cal.

syn. *concinna* WARREN, Ann. Mag. Nat. Hist., (6), ix, 433, 1892.

TITANIO Hübner.

HÜBNER, Verz. bek. Schmett., 350, 1826; MEYRICK, Tr. Ent. Soc. Lond., 453, 1890; HAMPSON, Proc. Zool. Soc. Lond., 235, 1899.

4391. *pollinalis* DENIS & SCHIFFERMÜLLER, Syst. Verz. Wien, 124, 1776; TREITSCHKE, Schm. Eur., vii, 202, 1829; DUPONCHEL, Hist. Nat. Lép. Fr., viii, 2, 250, 1831; HERRICH-SCHAFFER, Schm. Eur., iv, 16, 1848; GUENÉE, Spec. Gén., viii, 149, 1854; HEINEMANN, Kleinschm., i, 2, 52, 1865.

syn. *biquitta* ESPER, Eur. Schmett., iv, 163, 5, 1786; *melissalis* WALKER, Cat. Brit. Mus., xvii, 331, 1859; *flavonotalis* GROTE, Can. Ent., xiii, 34, 1881.

Pa.,
S. Eur.,
Australia.

4392. *ephippialis* ZETTERSTEDT, Ins. Lap., 972, 1840; Lab.,
MÖSCHLER, Wien. ent. Mon., iv, 377, 1860; N. Greenl.,
WOCKE, Stett. ent. Zeit., xxiii, 34, 1862; xxv, N. Eur.
191, 1864.
syn. *frigidalis* GUENÉE, Spec. Gén., viii, 157,
1854; *scandinarialis* GUENÉE, Spec. Gén.,
viii, 156, 1854.
- *4393. *dapalis* GROTE, Can. Ent., xiii, 17, 1881. Cal.
4394. *proximalis* FERNALD, Ins. Life, vi, 256, 1894. Cal.
- *4395. *immerens* HARVEY, Can. Ent., vii, 160, 1875. Cal.
- *4396. *bububattalis* HULST, Tr. Am. Ent. Soc., xiii,
149, 1886. Col.
4397. *helianthiales* MURTFELDT, Can. Ent., xxix, 71, Mo., Tex.
1897.

METASIA Guenée.

- GUENÉE, Spec. Gén., viii, 251, 1854; HAMPSON, Proc. Zool. Soc. Lond., 236, 1899.
4398. *argalis* FERNALD, Ins. Life, vi, 256, 1894. Cal.
4399. *quadristrigalis* FERNALD, Ins. Life, vi, 257, 1894. Cal.

PERISPASTA Zeller.

ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 333, 1875.

4400. *cæcalis* ZELLER, Verh. zool.-bot. Ges. Wien,
xxv, 333, 1875. So. Atl.
syn. *immixtalis* GROTE, Can. Ent., xiii, 232,
1881. States.

PHLYCTÆNIA Hübner.

HÜBNER, Verz. bek. Schmett., 359, 1826; STEPHENS, III. Brit. Ent., Haust., iv, 42, 1834;
MEYRICK, Trans. Ent. Soc. Lond., 446, 1890; Handb. Brit. Lep., 408, 1895.

4401. *ferrugalis* HÜBNER, Eur. Schmett., Pyr., 27, pl.
9, f. 54, 1796; TREITSCHKE, Schm. Eur., vii,
94, 1829; DUPONCHEL, Hist. Nat. Lép. Fr., viii,
138, 1831; STEPHENS, III. Brit. Ent., Haust., iv,
53, 1834; HERRICH-SCHAEFFER, Schm. Eur.,
iv, 39, 1848; GUENÉE, Spec. Gén., viii, 398,
1854; HEINEMANN, Kleinschm., i, 2, 76, 1865;
MEYRICK, Handb. Brit. Lep., 409, 1895.
syn. *rubicardalis* GUENÉE, Spec. Gén., viii, 398,
1854; CHITTENDEN, Bull. no. 27, n. ser.,
U. S. Dept. Agr., 7, 1901; *martialis* GUENÉE,
Spec. Gén., viii, 398, 1854; *hypatialis*
WALKER, Cat. Brit. Mus., xix, 1014, 1859;
oblunalis LEDERER, Wien. ent. Mon., vii,
469, 1863; *harveyana* GROTE, Can. Ent., ix,
104, 1877.

- *4402. *profundalis* PACKARD, Ann. Lyc. Nat. Hist. N. Y., x, 261, 1873. Cal.,
B. C.
4403. *inquinatalis* ZELLER, Isis, xiii, 205, 1846; Lab.,
HERRICH-SCHAEFFER, Schm. Eur., iv, 41, 1848; N. Eur.,
GUENÉE, Spec. Gén., viii, 395, 1854. Alps.
syn. *glacialis* PACKARD, Proc. Bost. Soc. Nat. Hist., xi, 52, 1866.
4404. *itysalis* WALKER, Cat. Brit. Mus., xix, 828, Lab., Can.,
1859. Col.
- syn. *variegata* WALKER, Cat. Brit. Mus., xxvii, 76, 1863; *turmalis* GROTE, Can. Ent., xiii, 33, 1881; *hyperborealis* MÖSCHLER, Stett. ent. Zeit., xxxv, 163, 1874.
- *4405. *radiosalis* MÖSCHLER, Stett. ent. Zeit., xliv, 123, S. Lab., 1883.
4406. *washingtonalis* GROTE, Bull. U. S. Geol. Surv., vi, 578, 1882. Wash.
- syn. *irvinetalis* HULST, Tr. Am. Ent. Soc., xiii, 152, 1886.
- *4407. *externalis* WARREN, Ann. Mag. Nat. Hist., (6), ix, 296, 1892. U. S.
- *4408. *indistinctalis* WARREN, Ann. Mag. Nat. Hist., (6), ix, 394, 1892. U. S.
4409. *acutella* WALKER, Cat. Brit. Mus., xxxv, 1753, No. Atl. 1866.
syn. *renalis* GROTE, Can. Ent., x, 24, 1878.
4410. *terrealis* TREITSCHKE, Schm. Eur., vii, 110, 1829; No. U. S., HEINEMANN, Kleinschm., i, 2, 69, 1865; MEY- Eur.
RICK, Handb. Brit. Lep., 409, 1895.
syn. *mississippiensis* WALKER, Cat. Brit. Mus., xviii, 564, 1859; *humilalis* LEDERER, Wien. ent. Mon., vii, 464, 1863.
4411. *extricalis* GUENÉE, Spec. Gén., viii, 338, 1854. Atl. States.
syn. *dionalis* WALKER, Cat. Brit. Mus., xviii, 758, 1859; *nivealis* WALKER, Cat. Brit. Mus., xviii, 771, 1859; *intricatalis* LEDERER, Wien. ent. Mon., vii, 469, 1863; *oppilalis* GROTE, Can. Ent., xii, 36, 1880.
4412. *helvalis* WALKER, Cat. Brit. Mus., xviii, 757, No. Atl. 1859.
syn. *oscitalis* GROTE, Can. Ent., xii, 36, 1880; States. Col.
gyralis HULST, Tr. Am. Ent. Soc., xiii, 152, 1886.
4413. *tertialis* GUENÉE, Spec. Gén., viii, 364, 1854. Atl. States.
syn. *plectilis* GROTE & ROBINSON, Tr. Am. Ent. Soc., i, 27, 1867; *syringicola* PACKARD, Rep. Mass. Bd. Agr., 250, 1870.

CINDAPHIA Lederer.

LEDERER, Wien. ent. Mon., vii, 438, 1863.

- 4414. bicoloralis** GUENÉE, Spec. Gén., viii, 205, 1854. Atl. States,
 syn. *julialis* WALKER, Cat. Brit. Mus., xvii, So. Am.
 389, 1859; *incensalis* LEDERER, Wien. ent. Mon., vii, 439, 1863; *amiculatalis* BERG, Stett. ent. Zeit., xxxvii, 343, 1876; *pulchrifictalis* HAMPSON, Ann. Mag. Nat. Hist., (6), xvi, 341, 1895.

EPICORSIA Hübner.

HÜBNER, Zutr. exot. Schmett., i, 24, 1818; Verz. bek. Schmett., 355, 1826.

- 4415. mellinalis** HÜBNER, Zutr. exot. Schmett., i, 24, Fla., W. I.,
 f. 137, 138, 1818; DYAR, Journ. N. Y. Ent. Soc., So. Am.
 ix, 21, 1901.
 syn. *adipodalis* GUENÉE, Spec. Gén., viii, 336, 1854; *butyrosa* BUTLER, Proc. Zool. Soc. Lond., 493, 1878.

PYRAUSTA Schrank.

SCHRANK, Faun. Boica, ii, 2, 1802; TREITSCHKE, Schm. Eur., vii, 162, 1829; DUPONCHEL, Hist. Nat. Lép. Fr., viii, 2, 209, 1831; STEPHENS, Ill. Brit. Ent., Haust., iv, 33, 1834; MEYRICK, Trans. Ent. Soc. Lond., 449, 1890; Handb. Brit. Lep., 411, 1895; HAMPSON, Proc. Zool. Soc. Lond., 252, 1899.

- ***4416. vacunalis** GROTE, Can. Ent., xiii, 33, 1881. Cal.
4417. pertextalis LEDERER, Wien. ent. Mon., vii, 466, Me. to Tex.
 syn. *gentilis* GROTE, Bull. Buff. Soc., i, 173, 1873; *thescalis* ZELLER, Verh. zool.-bot. Ges. Wien, 514, 1872.
4418. fissalis GROTE, Bull. U. S. Geol. Surv., vi, 273, No. Atl. States.
4419. æglealis WALKER, Cat. Brit. Mus., xviii, 565, 1859. No. Atl. States.
 syn. *quinqulinalis* GROTE, Bull. Buff. Soc., ii, 231, 1875.
4420. thestealis WALKER, Cat. Brit. Mus., xviii, 733, No. Atl. States.
 1859.
 syn. *magistralis* GROTE, Bull. Buff. Soc., i, 173, 1873; *gulosalis* HULST, Trans. Am. Ent. Soc., xiii, 155, 1886.
4421. theseusalis WALKER, Cat. Brit. Mus., xviii, 562, Atl. States.
 1859.
 syn. *feudalis* GROTE, Bull. Buff. Soc., ii, 231, 1875.
4422. langdonalis GROTE, Can. Ent., ix, 10, 1877. Ohio.

- *4423. *oxydalis* GUENÉE, Spec. Gén., viii, 328, 1854. Atl. States,
 syn. *flavidalis* GUENÉE, Spec. Gén., viii, 329, So. Am.
 1854; *lacoalis* WALKER, Cat. Brit. Mus.,
 xviii, 733, 1859; *cinctipedalis* WALKER, Cat.
 Brit. Mus., xxxiv, 1391, 1865.
- *4424. *phyllialis* WALKER, Cat. Brit. Mus., xix, 936, Tex.
 1859.
- *4425. *elealis* WALKER, Cat. Brit. Mus., xvii, 351, 1859. Pa.
 syn. *tadialis* WALKER, Cat. Brit. Mus., xviii,
 732, 1859.
- *4426. *orphisalis* WALKER, Cat. Brit. Mus., xvii, 310, No. Atl.
 1859. States.
- syn. *adipaloides* GROTE & ROBINSON, Trans.
 Am. Ent. Soc., i, 27, 1867.
- *4427. *fuscimaculalis* GROTE, Can. Ent., x, 25, 1878. Tex.
 syn. *flavicoloralis* GROTE, Can. Ent., x, 25, 1878;
conforvalis HULST, Trans. Am. Ent. Soc.,
 xiii, 151, 1886.
4428. *trimaculalis* GROTE, Can. Ent., x, 24, 1878. Tex.
4429. *gracilalis* HULST, Tr. Am. Ent. Soc., xiii, 151, Tex., Ariz.,
 1886. Cal.
- *4430. *haedulalis* HULST, Tr. Am. Ent. Soc., xiii, 152, Tex.
 1886.
- *4431. *submedialis* GROTE, Can. Ent., viii, 111, 1876. Can.,
 syn. *dissectalis* GROTE, Can. Ent., xii, 36, Ill.,
 1880; *pilalis* HULST, Tr. Am. Ent. Soc., Fla.,
 xiii, 151, 1886. Ariz.
- *4432. *venalalis* HULST, Tr. Am. Ent. Soc., xiii, 151, N. Y.
 1886.
- *4433. *obumbratalis* LEDERER, Wien. ent. Mon., vii, No. Am.
 467, 1863.
4434. *mustelinalis* PACKARD, Ann. Lyc. Nat. Hist. Cal.
 N. Y., x, 262, 1873.
 syn. *cotenulalis* GROTE, Can. Ent., ix, 105,
 1877; *monulalis* HULST, Tr. Am. Ent. Soc.,
 xiii, 154, 1886.
- *4435. *singularis* LEDERER, Wien. ent. Mon., vii, 475, No. Am.?,
 1863. Brazil.
4436. *fumalis* GUENÉE, Spec. Gén., viii, 358, 1854. Atl. States.
 syn. *oratusalis* WALKER, Cat. Brit. Mus.,
 xviii, 784, 1859; *badiopennis* GROTE, Bull.
 Buff. Soc., i, 88, 1873.

4437. *illibalis* HÜBNER, Zutr. exot. Schmett., i, 19, f. 95, 96, 1818.
 syn. *arsaltealis* WALKER, Cat. Brit. Mus., xviii, 564, 1859; *euphasalis* WALKER, Cat. Brit. Mus., xix, 1008, 1859; *guttulosa* WALKER, Cat. Brit. Mus., xxvii, 78, 1863; *fascialis* WALKER, Tr. Ent. Soc. Lond., (3), i, 127, 1862; *subjectalis* LEDERER, Wien. ent. Mon., vii, 480, 1863; *magniferalis* WALKER, Can. Nat. & Geol., vi, 41, 1861.
- *4438. *octosignalis* HULST, Tr. Am. Ent. Soc., xiii, 153, 1886. Tex., Cal.
4439. *penitalis* GROTE, Can. Ent., viii, 98, 1876. So. Atl. States.
 syn. *nelumbialis* SMITH, Ent. Am., vi, 89, 1890.
4440. *ineconcinnalis* LEDERER, Wien. ent. Mon., vii, 467, 1863.
 syn. *crocotalis* GROTE, Pap., i, 167, 1881; *festalis* HULST, Tr. Am. Ent. Soc., xiii, 153, 1886.
4441. *futilalis* LEDERER, Wien. ent. Mon., vii, 467, 1863.
 syn. *erectalis* GROTE, Can. Ent., viii, 99, 1876.
4442. *fumoferalis* HULST, Tr. Am. Ent. Soc., xiii, 154, 1886. No. U. S., Cal.
4443. *unifascialis* PACKARD, Ann. Lyc. Nat. Hist. N. Y., x, 261, 1873.
 syn. *subolivalis* PACKARD, Ann. Lyc. Nat. Hist. N. Y., x, 261, 1873; *hircinalis* GROTE, Bull. Buff. Soc., ii, 232, 1875; *obnigralis* HULST, Tr. Am. Ent. Soc., xiii, 153, 1886.
- *4444. *torvalis* MÖSCHLER, Wien. ent. Mon., viii, 198, 1864.
 syn. *gelida* McLACHLAN, Jn. Linn. Soc., xiv, 115, 1880. Lab., No. Greenl.
4445. *fodinalis* LEDERER, Wien. ent. Mon., vii, 461, 1863.
 syn. *socialis* GROTE, Can. Ent., ix, 107, 1877.
4446. *semirubralis* PACKARD, Ann. Lyc. Nat. Hist. N. Y., x, 263, 1873. Cal.
4447. *perrubralis* PACKARD, Ann. Lyc. Nat. Hist. N. Y., x, 264, 1873.
 syn. *scurralis* HULST, Tr. Am. Ent. Soc., xiii, 155, 1886; *postrubralis* HAMPSON, Proc. Zool. Soc. Lond., 262, 1899. Manitoba, Ariz., Cal.

4448. *phœnicealis* HÜBNER, Zutr. exot. Schmett., i, 22, f. 115, 116, 1818.
 syn. *opalizalis* GUENÉE, Spec. Gén., viii, 172, 1854; *insignitalis* GUENÉE, Spec. Gén., viii, 173, 1854; *flegialis* WALKER, Cat. Brit. Mus., xvii, 316, 1859; *panopealis* WALKER, Cat. Brit. Mus., xvii, 318, 1859; *eratalis* WALKER, Cat. Brit. Mus., xviii, 578, 1859; *onythesalis* WALKER, Cat. Brit. Mus., xviii, 734, 1859.
 Atl. States,
 W. I.,
 So. Am.,
 India, China,
 Australia.
- *4449. *toralis* GROTE, Pap., i, 178, 1881.
 N. Mex.
4450. *acrimonialis* WALKER, Cat. Brit. Mus., xix, 925, 1859.
 syn. *acuphisalis* WALKER, Cat. Brit. Mus., xix, 926, 1859; *proceralis* LEDERER, Wien. ent. Mon., vii, 460, 1863; *sumptuosalis* WALKER, Cat. Brit. Mus., xxxiv, 1281, 1865; *harpispica* GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 19, 1867.
 Atl. States.
- a. rufifimbrialis* GROTE, Can. Ent., xiii, 34, 1881.
4451. *rubricalis* HÜBNER, Schm. Eur., Pyr., 22, pl. 16, f. 106, 1796.
 syn. *similialis* LEDERER, Wien. ent. Mon., vii, 460, 1863; *nescalis* WALKER, Cat. Brit. Mus., xvii, 315, 1859; *californicalis* PACKARD, Ann. Lyc. Nat. Hist. N. Y., x, 260, 1873.
 Cal.
- *4452. *tatalis* GROTE, Can. Ent., ix, 106, 1877.
 Tex.
4453. *borealis* PACKARD, Proc. Bost. Soc. Nat. Hist., xi, 53, 1867.
 syn. *matronalis* GROTE, Bull. Buff. Soc., ii, 231, 1875.
 Lab.,
 Can., Me.
4454. *insequalis* GUENÉE, Spec. Gén., viii, 447, 1854.
 syn. *subsequalis* GUENÉE (not HERRICH-SCHAEFFER), Spec. Gén., viii, 177, 1854; *madetosalis* WALKER, Cat. Brit. Mus., xix, 946, 1859; *repletalis* WALKER, Cat. Brit. Mus., xxxiv, 1285, 1865; *efficitalis* WALKER, Cat. Brit. Mus., xxxiv, 1287, 1865.
 Atl. States.
4455. *generosa* GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 20, 1867.
 Pa.,
 Ill.
- *4456. *flavofascialis* GROTE, Bull. U. S. Geol. Surv., vi, 577, 1882.
 N. Mex.
4457. *laticlavia* GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 17, 1867.
 Pa., Tex.,
 Cal.
- a. cinerosa* GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 18, 1867.

4458. *tyralis* GUENÉE, Spec. Gén., viii, 169, 1854. Ill., Fla., Tex.
 syn. *erosnealis* WALKER, Cat. Brit. Mus., xvii, 311, 1859; *difissa* GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 19, 1867; *bellulalis* HULST, Trans. Am. Ent. Soc., xiii, 149, 1886.
- *4459. *coccinea* WARREN, Ann. Mag. Nat. Hist., (6), ix, 176, 1892. Cal.
4460. *costimaculalis* FERNALD, Journ. N. Y. Ent. Soc., ix, 50, 1901. Fla.
4461. *inornatalis* FERNALD, Can. Ent., xvii, 57, 1885. Fla., Tex., Mex.
 syn. *rosa* DRUCE, Biol. Cent. Am., Lep. Het., ii, 206, 1895.
4461. 1. *signatalis* WALKER, Cat. Brit. Mus., xxxiv, 1282, 1865. Ill., Mo., Ala., Tex.
 syn. *vinulentu* GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 17, 1867.
4462. *volupialis* GROTE, Bull. U. S. Geol. Surv., iii, 799, 1877. Col.
4463. *augustalis* GROTE, Bull. U. S. Geol. Surv., vi, 273, 1881. Col., Ariz., Cal.
- *4464. *subnicalis* WARREN, Ann. Mag. Nat. Hist., (6), ix, 177, 1892. U. S.
4465. *atropurpurialis* GROTE, Can. Ent., ix, 104, 1877. Tex.
4466. *lethalis* GROTE, Can. Ent., xiii, 33, 1881. Cal.
- *4467. *nicalis* GROTE, Bull. U. S. Geol. Surv., iv, 671, 1878. Manitoba, Nev., Col., Cal.
 syn. *uroreutalis* HULST, Trans. Am. Ent. Soc., xiii, 153, 1886.
- *4468. *marginalis* WALKER, Cat. Brit. Mus., xxxiv, 1459, 1865. Manitoba, Me.
 syn. *stenopteralis* GROTE, Can. Ent., x, 26, 1878.
4469. *unimacula* GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 14, 1867. Pa.
- *4470. *commortalis* GROTE, Can. Ent., xiii, 233, 1881. Cal.
- *4471. *versicolor* WARREN, Ann. Mag. Nat. Hist., (6), ix, 175, 1892. U. S.
4472. *funebris* STRÖM, Kgl. Norske Vid. Selsk. Skr., iv, 339, 1768; SCHÖYEN, Stett. ent. Zeit., xl, 399, 1879. No. Am., Eur.
 syn. *octomaculata* LINNÆUS, Mant. Plant. Alt., 540, 1771; *glomeralis* WALKER, Cat. Brit. Mus., xvii, 330, 1859.

4473. *niveicilialis* GROTE, Bull. Buff. Soc., ii, 232, 1875. Mass., N. Y.
 *4473. 1. *abdominalis* ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 515, 1872; HAMPSON, Proc. Zool. Soc. Lond., 273, 1899 (type probably lost). No. Am.

EUSTIXIA Hübner.

HÜBNER, Zutr. exot. Schmett., ii, 24, 1823; *Theclateria* LEDERER, Wien. ent. Mon., vii, 350, 1863; HAMPSON, Proc. Zool. Soc. Lond., 275, 1899.

4474. *pupula* HÜBNER, Zutr. exot. Schmett., ii, 24, f. 327, 328, 1823. Atl. States.
 4475. *octonalis* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 211, 1873. Atl. States.
 syn. *seemaculalis* GROTE, Can. Ent., viii, 98, 1876.

CORNIFRONS Lederer.

LEDERER, Wien. ent. Mon., ii, 147, 1858; HAMPSON, Proc. Zool. Soc. Lond., 276, 1899.

4476. *simalis* GROTE, Bull. U. S. Geol. Surv., iv, 670, 1876. Mont., - Oreg.
 *4477. *pulveralis* WARREN, Ann. Mag. Nat. Hist., (6), ix, 435, 1892. Nev.

NOCTUELIA Guenée.

GUENÉE, Spec. Gén., viii, 113, 1854; HAMPSON, Proc. Zool. Soc. Lond., 278, 1899.

4478. *thalialis* WALKER, Cat. Brit. Mus., xviii, 582, 1859. Tex., W. I., So. Am.
 syn. *peruriana* WALKER, Cat. Brit. Mus., xxxiii, 804, 1865; *gelidalis* WALKER, Cat. Brit. Mus., xxxiv, 1229, 1865; *noralis* GROTE, Can. Ent., viii, 156, 1876; *costaeamericulalis* SNELLEN, Tijd.v. Ent., xxx, 54, 1887.
 4479. *castanealis* HULST, Tr. Am. Ent. Soc., xiii, 157, 1886. Tex.
 *4480. *nuchalis* GROTE, Bull. U. S. Geol. Surv., iv, 675, 1878. Cal.
 4481. *elautalis* GROTE, Pap., i, 168, 1881. Ariz.
 syn. *magnalis* HULST, Tr. Am. Ent. Soc., xiii, 147, 1886.
 *4482. *simplex* WARREN, Ann. Mag. Nat. Hist., (6), xvi, 474, 1895. U. S.

LINEODES Guenée.

GUENÉE, Spec. Gén., viii, 234, 1854; HAMPSON, Proc. Zool. Soc. Lond., 283, 1899; *Scoptonoma* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 328, 1873.

4483. *contortalis* GUENÉE, Spec. Gén., viii, 236, 1854. Tex., Fla., So. Am.

4484. *integra* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 328, 1873; DYAR, Jn. N. Y. Ent. Soc., ix, 22, 1901. Mo., Tex., Cal., So. Am.

*4485. *interrupta* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 329, 1873. Tex.

4486. *triangulalis* MÖSCHLER, Abn. Senck. Ges., xv, 305, 1889; DYAR, Jn. N. Y. Ent. Soc., ix, 22, 1901. Fla., W. I.

Subfamily NYMPHULINAE.

By C. H. FERNALD.

NYMPHULA Schrank.

SCHRANK, Faun. Boica, ii, 2, 162, 1802; TREITSCHKE, Schm. Eur., vii, 127, 1829; DUPONCHEL, Hist. Nat. Lép. Fr., viii, 158, 1831; HERRICH-SCHAFFER, Schm. Eur., iv, 10, 1848; MEYRICK, Handb. Brit. Lep., 402, 1895; HAMPSHON, Trans. Ent. Soc. Lond., 138, 1897; *Hydrocampa* LATREILLE, Fam. Nat. Rég. Ab., 478, 1825; *Paraponyx* HÜBNER, Verz. bek. Schmett., 362, 1826; *Syntita* LEDERER, Wien. ent. Mon., vii, 448, 1863; *Nymphula* GROTE, No. Am. Ent., i, 97, 1880.

4487. *icciusalis* WALKER, Cat. Brit. Mus., xix, 971, 1859. Atl. States, So. Am.

syn. *faulalis* WALKER, Cat. Brit. Mus., xix, 973, 1859; *formosalis* CLEMENS, Proc. Acad. Nat. Sci. Phil., 217, 1860; PACKARD, Am. Nat., xviii, 824, 1884; *genualis* LEDERER, Wien. ent. Mon., vii, 451, 1863; *patalis* GROTE, Pap., i, 17, 1881.

4488. *nebulosalis* FERNALD, Ent. Amer., iii, 127, 1887. Fla.

*4489. *gyralis* HULST, Trans. Am. Ent. Soc., xiii, 159, 1886. Atl. States.

syn. *dentilinea* HAMPSHON, Trans. Ent. Soc. Lond., 139, 1897.

4490. *ekthipsis* GROTE, Can. Ent., viii, 111, 1876. Me., Mass., N. Y., Can.

4491. *allionealis* WALKER, Cat. Brit. Mus., xvii, 453, 1859. Ga., Fla., Wis.

syn. *itealis* WALKER, Cat. Brit. Mus., xvii, 458, 1859; *cretacealis* LEDERER, Wien. ent. Mon., vii, 484, 1863; *aptalis* LEDERER, Wien. ent. Mon., vii, 485, 1863; *plenilinatlis* GROTE, Pap., i, 17, 1881.

4492. *badiusalis* WALKER, Cat. Brit. Mus., xix, 955, 1859. Atl. States.

syn. *curviferalis* WALKER, Cat. Brit. Mus., xxxiv, 1331, 1865; *albalis* ROBINSON, Ann. Lyc. Nat. Hist. N. Y., ix, 153, 1869.

4493. *obsecuralis* GROTE, Pap., i, 18, 1881. Me., Mass.,
syn. ? *edyscongalis* CLEMENS, Proc. Acad. N. Y., Pa.,
Nat. Sci. Phil., 216, 1860. Wis.
4494. *cannalis* QUAINTANCE, Bull. Fla. Ex. Sta., no. 45, Fla.
68, 1898.
4495. *maculalis* CLEMENS, Proc. Acad. Nat. Sci. Phil., Atl.
218, 1860. States.
- syn. *seminivella* WALKER, Cat. Brit. Mus., xxxv, 1717, 1866; *dipsar* GROTE, No. Am. Ent., i, 97, 1880.
4496. *obliteralis* WALKER, Cat. Brit. Mus., xvii, 399, Fla.
1859.
syn. *obsecuralis* MÖSCHLER, Verh. zool.-bot. Ges. Wien, 432, 1876; *proprialis* FERNALD, Ent. Am., iv, 37, 1888.

ELOPHILA Hübner.

HÜBNER, Tent., 2, 1806; *Cataclysta* HÜBNER, Verz. bek. Schmett., 363, 1826; STEPHENS, Ill. Brit. Ent., Haust., iv, 39, 1834; HERRICH-SCHAFFER, Schm. Eur., iv, 7, 1848; GUENÉE, Spec. Gén., viii, 263, 1854; LEDERER, Wien. ent. Mon., vii, 453, 1863; HEINEMANN, Kleinsehni., i, 2, 106, 1865; MEYRICK, Handb. Brit. Lep., 402, 1895; HAMPSHOR, Trans. Ent. Soc. Lond., 147, 1897; *Chrysundeton* GROTE, Pap., i, 16, 1881; *Anydrona* MEYRICK, Trans. Ent. Soc. Lond., 427, 1885.

- *4497. *magnicalis* HÜBNER, Eur. Schmett., Pyr., f. Mid.
104, 1796. States.
syn. *tomialis* WALKER, Cat. Brit. Mus., xvii, 436, 1859; *helopalis* CLEMENS, Proc. Acad. Nat. Sci. Phil., 218, 1860.
4498. *claudialis* WALKER, Cat. Brit. Mus., xvii, 437, Fla.
1859.
syn. *medicinalis* GROTE, Pap., i, 15, 1881.
4499. *bifascialis* ROBINSON, Ann. Lyc. Nat. Hist. N. Y., Tex.
ix, 154, 1869.
4500. *fulicalis* CLEMENS, Proc. Acad. Nat. Sci. Phil., Me., Mass.,
217, 1860. Pa., N. Mex.
syn. *angulatalis* LEDERER, Wien. ent. Mon., vii, 486, 1863; *confusalis* WALKER, Cat. Brit. Mus., xxxiv, 1334, 1865.
- *4501. *avernalis* GROTE, Trans. Kans. Acad. Sci., viii, 53, N. Mex.
1853.

OLIGOSTIGMA Guenée.

- GUENÉE, Spec. Gén., viii, 260, 1854; HAMPSHOR, Tr. Ent. Soc. Lond., 167, 1897.
4502. *juncealis* GUENÉE, Spec. Gén., viii, 261, 1854. Fla.
syn. *seminealis* WALKER, Cat. Brit. Mus., xvii, 430, 1859.

DIATHRAUSTA Lederer.

LEDERER, Wien. ent. Mon., 438, 1863; HAMPSON, Tr. Ent. Soc. Lond., 205, 1897.

*4503. *reconditalis* WALKER, Cat. Brit. Mus., xix, 943, Mass., N. Y., Pa.
1859.

syn. *minualis* WALKER, Cat. Brit. Mus., xxxiv, 1297, 1865; *octomaculalis* FERNALD, Ent. Amer., iii, 127, 1887.

Subfamily SCOPARIINÆ.

By C. H. FERNALD.

SCOPARIA Haworth.

HAWORTH, Lep. Brit., iii, 498, 1811; HEINEMANN, Kleinschm., i, 2, 20, 1865; MEYRICK, Handb. Brit. Lep., 419, 1895; HAMPSON, Tr. Ent. Soc. Lond., 229, 1897; *Eudorea* CURTIS, Brit. Ent., vi, 170, 1825; STEPHENS, Ill. Brit. Ent., Haust., iv, 298, 1834; ZELLER, Linn. Ent., i, 265, 1846.

*4504. *lugubralis* WALKER, Cat. Brit. Mus., xxxiv, 1498, Can.
1865.

*4505. *nominatalis* HULST, Tr. Am. Ent. Soc., xiii, 148, Vancouver.
1886.

*4506. *atropicta* HAMPSON, Tr. Ent. Soc. Lond., 233, 1897. U. S.

4507. *basalis* WALKER, Cat. Brit. Mus., xxxiv, 1497, Can., N. E.,
1865. Mid., & W.

syn. *biplagialis* WALKER, Cat. Brit. Mus., xxxiv, 1499, 1865; *libella* GROTE, Bull. U. S. States.
Geol. Surv., iv, 675, 1878.

*4508. *rectilinea* ZELLER, Verh. zool.-bot. Ges. Wien, Cal.,
xxiv, 5, 1874. Vancouver.

syn. *refugalis* HULST, Tr. Am. Ent. Soc., xiii, 148, 1886.

*4509. *delphusa* DRUCE, Biol. Cent. Am., Lep. Het., ii, W. States,
279, 1895. Mex.

4510. *centuriella* DENIS & SCHIFFERMÜLLER, Syst. Verz. Eur., Lab.,
Wien., 319, 1776. Can., U. S.

syn. *borealis* LEFÈBRE, Ann. Soc. Ent. Fr., 400, 1835; *numeralis* ZETTERSTEDT, Ins. Lap., 971, 1840; *quadratella* ZETTERSTEDT, Ins. Lap., 997, 1840; *cæcalis* WALKER, Cat. Brit. Mus., xvi, 36, 1858; *caliginosalis* WALKER, Cat. Brit. Mus., xxxiv, 1460, 1865; *ninguidalis* HULST, Tr. Am. Ent. Soc., xiii, 147, 1886.

Subfamily PYRALINÆ.

By C. H. FERNALD.

AGLOSSA Latreille.

LATREILLE, Précis Char. Gén. Ins., 145, 1796; Hist. Nat. Crust. Ins., iii, 414, 1802; v, 323, 1803; xiv, 229, 1805; DUPONCHEL, Hist. Nat. Lép. Fr., viii, 2, 61, 1831; STEPHENS, Ill. Brit. Ent., Haust., iv, 22, 1834; HERRICH-SCHAEFFER, Schm. Eur., i, 119, 1848; GUENÉE, Spec. Gén., viii, 125, 1854; HEINEMANN, Kleinschm., i, 2, 13, 1865; MEYRICK, Handb. Brit. Lep., 428, 1895; HAMPSON, Trans. Ent. Soc. Lond., 505, 1896.

4511. *cuprealis* HÜBNER, Verz. bek. Schmett., 348, U. S.,
1826; TREITSCHKE, Schm. Eur., vii, 38, 1829; Eur.
DUPONCHEL, Hist. Nat. Lép. Fr., viii, 2, 61,
1831; STEPHENS, Ill. Brit. Ent., Haust., iv, 23,
1834; HERRICH-SCHAEFFER, Schm. Eur., iv, 119,
1848; HEINEMANN, Kleinschm., i, 2, 14, 1865;
MEYRICK, Handb. Brit. Lep., 428, 1895.
syn. *cuprealis* HÜBNER, Schmett. Eur., Pyr. f.
153, 1800; *domalis* GUENÉE, Spec. Gén., viii,
128, 1854; *enthealis* HULST, Trans. Am. Ent.
Soc., xiii, 160, 1886.

4512. *cestalis* HULST, Trans. Am. Ent. Soc., xiii, 164, Col.
1886.

HYPSONYGIA Hübner.

HÜBNER, Verz. bek. Schmett., 348, 1826; STEPHENS, Ill. Brit. Ent., Haust., iv, 26,
1834; HAMPSON, Trans. Ent. Soc. Lond., 507, 1896.

4513. *costalis* FABRICIUS, Syst. Ent., 644, 1775; STE- Eur..
PHENS, Ill. Brit. Ent., Haust., iv, 27, 1834; ATL. STATES.
HEINEMANN, Kleinschm., i, 2, 15, 1865; MEY-
RICK, Handb. Brit. Lep., 427, 1895.
syn. *fimbrialis* DENIS & SCHIFFERMÜLLER,
Syst. Verz. Wien, 124, 1776.
a. hyllalis WALKER, Cat. Brit. Mus., xvii, 265,
1859.

PYRALIS Linnaeus.

LINNÆUS, Syst. Nat., i, 533, 1758; STEPHENS, Ill. Brit. Ent., Haust., iv, 24, 1834;
MEYRICK, Handb. Brit. Lep., 426, 1895; HAMPSON, Trans. Ent. Soc. Lond., 507,
1896; *Isopia* TREITSCHKE, Schm. Eur., vi, 2, 316, 1828.

- *4514. *euprina* ZELLER, Verh. zool.-bot. Ges. Wien, Mo.,
xxii, 497, 1872. Tex.
*4514. 1. *costiferalis* WALKER, Cat. Brit. Mus., xxxv, Me., N. J.,
1977, 1866. N. C.
syn. *costigeralis* WALKER (not WALKER), Cat.
Brit. Mus., xxxiv, 1226, 1865.
*4515. *electalis* HULST, Trans. Am. Ent. Soc., xiii, 146, Ariz.
1886.

4516. **farinalis** LINNÆUS, Syst. Nat., i, 533, 1758; U. S., Eur.,
 STEPHENS, Ill. Brit. Ent., Haust., iv, 25, 1834; Asia.
 HÜBNER, Pyr., f. 95, 1796; TREITSCHKE, Schm.
 Eur., vii, 147, 1829; DUPONCHEL, Hist. Nat.
Lép. Fr., viii, 193, 1831; HERRICH-SCHAEFFER,
 Schm. Eur., iv, 121, 1848; GUENÉE, Spec. Gén.,
 viii, 119, 1854; HEINEMANN, Kleinschm., i, 2,
 16, 1865; MEYRICK, Handb. Brit. Lep., 427,
 1895.

HERCULIA Walker.

WALKER, Cat. Brit. Mus., xix, 807, 1859; HAMPSHIRE, Trans. Ent. Soc. Lond., 517,
 1896; *Cisse* WALKER, Cat. Brit. Mus., xxvii, 125, 1863; *Buzala* WALKER, Cat. Brit.
 Mus., xxvii, 129, 1863; *Oerasa* WALKER, Cat. Brit. Mus., xxxiv, 1212, 1865; *Lira*
 WALKER, Cat. Brit. Mus., xxxiv, 1254, 1865; *Bejuda* WALKER, Cat. Brit. Mus.,
 xxxiv, 1273, 1865; *Pseudasopia* GROTE, Bull. Buff. Soc., i, 172, 1873.

- *4517. **binodulalis** ZELLER, Verh. zool.-bot. Ges. Wien, Tex.
 xxii, 501, 1872.

4518. **thymetusalis** WALKER, Cat. Brit. Mus., xviii, Can., Mass.,
 565, 1859. N. Y.
 syn. *devialis* GROTE, Bull. Buff. Soc., ii, 229,
 1875.

- *4519. **cohortalis** GROTE, Can. Ent., x, 233, 1878. Col.

4520. **intermedialis** WALKER, Trans. Ent. Soc. Lond., N. E., N. Y.,
 (3), i, 118, 1862. West. States.
 syn. *sodalis* WALKER, Char. Lep. Het., 60,
 1869; *squamalis* GROTE, Bull. Buff. Soc.,
 i, 172, 1873.

4521. **olinalis** GUENÉE, Spec. Gén., viii, 118, 1854; U. S.,
 ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 499, Can.
 1872.
 syn. *trentonalis* LEDERER, Wien. ent. Mon.,
 vii, 458, 1863.

- *4522. **planalis** GROTE, No. Am. Ent., i, 95, 1880. Col.
 syn. *enniculalis* HULST, Tr. Am. Ent. Soc.,
 xiii, 147, 1886; *occidentalis* HULST, Tr. Am.
 Ent. Soc., xiii, 147, 1886.

4523. **himonialis** ZELLER, Verh. zool.-bot. Ges. Wien, Mass.
 xxii, 500, 1872.

OMPHALOCERA Lederer.

LEDERER, Wien. ent. Mon., vii, 339, 1863.

4524. **cariosa** LEDERER, Wien. ent. Mon., vii, 339, So. Atl. Sta.,
 1863. So. Am.

4525. **dentosa** GROTE, Bull. U. S. Geol. Surv., vi, 272, U. S.
 1881.

Subfamily CHRYSAUGINAE.

By C. H. FERNALD.

SALOBRANA Walker.

WALKER, Cat. Brit. Mus., xxviii, 446, 1863; HAMPSH., Proc. Zool. Soc. Lond., 649, 1897; *Clydonopteron* RILEY, Am. Ent., iii, 287, 1880.

4526. *tecomæ* RILEY, Am. Ent., iii, 288, 1880.Mo., W. I.,
So. Am.

ŒCTOPERIA Zeller.

ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 331, 1875; RAGONOT, Ann. Soc. Ent. Fr., 494, 1891.

4527. *sincera* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 332, 1875.

Tex.

TOSALE Walker.

WALKER, Cat. Brit. Mus., xxviii, 447, 1863; RAGONOT, Ann. Soc. Ent. Fr., 499, 1891; HAMPSH., Proc. Zool. Soc. Lond., 652, 1897; *Fabatana* WALKER, Cat. Brit. Mus., xxxiv, 1265, 1865; *Siparocera* GROTE, Ann. Lyc. Nat. Hist. N. Y., xi, 128, 1875.

4528. *oviplagalis* WALKER, Cat. Brit. Mus., xxxiv, 1265, 1865.Atl. States,
Tex., W. I.,
So. Am.

syn. *nobilis* GROTE, Ann. Lyc. Nat. Hist. N. Y., xi, 128, 1875; *anthacioides* GROTE & ROBINSON, Trans. Am. Ent. Soc., i, 15, 1867.

PARACHMA Walker.

WALKER, Cat. Brit. Mus., xxxiv, 1263, 1865; HAMPSH., Proc. Zool. Soc. Lond., 659, 1897; *Zazaea* WALKER, Cat. Brit. Mus., xxxiv, 1269, 1865; *Perseis* RAGONOT, Ann. Soc. Ent. Fr., 534, 1891.

*4529. *ochracealis* WALKER, Cat. Brit. Mus., xxxiv, 1263, 1865.

Fla., Tex.

syn. *auratalis* WALKER, Cat. Brit. Mus., xxxiv, 1269, 1865; *culiculalis* HULST, Tr. Am. Ent. Soc., xiii, 147, 1886.

ARTA Grote.

GROTE, Bull. Buff. Soc., ii, 229, 1875; HAMPSH., Proc. Zool. Soc. Lond., 669, 1897; *Heliades* RAGONOT, Ann. Soc. Ent. Fr., 534, 1891.

4530. *statalis* GROTE, Bull. Buff. Soc., ii, 230, 1875.N.Y., Ariz.,
Fla.

syn. *epicanalis* RAGONOT, Ann. Soc. Ent. Fr., 536, 1891; *mulleolella* HULST, Ent. Am., iii, 133, 1887.

4531. *olivalis* GROTE, Can. Ent., x, 24, 1878.

Tex.

CONDYLOLOMIA Grote.

GROTE, Bull. Buff. Soc., i, 176, 1873; RAGONOT, Ann. Soc. Ent. Fr., 510, 1891; HAMPSHON, Proc. Zool. Soc. Lond., 673, 1897.

*4532. *participialis* GROTE, Bull. Buff. Soc., i, 177, 1873. Mass., Pa.

GALASA Walker.

WALKER, Cat. Brit. Mus., xxxv, 1801, 1866; HAMPSHON, Proc. Zool. Soc. Lond., 674, 1897; *Cordylopeza* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 206, 1873.

4533. *rubidana* WALKER, Cat. Brit. Mus., xxxv, 1802, Atl. States, 1866. W. I.

syn. *nigrinodis* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 206, 1873.

ACALLIS Ragonot.

RAGONOT, Ann. Soc. Ent. Fr., 540, 1891; HAMPSHON, Proc. Zool. Soc. Lond., 677, 1897.

*4534. *grifhalis* HULST, Trans. Am. Ent. Soc., xiii, 146, Tex., Ariz., 1886. Col.

syn. *fernaldi* RAGONOT, Ann. Soc. Ent. Fr., 540, 1891; *angustipennis* WARREN, Ann. Mag. Nat. Hist., (6), vii, 494, 1891.

CHALINITIS Ragonot.

RAGONOT, Ann. Soc. Ent. Fr., 528, 1891; HAMPSHON, Proc. Zool. Soc. Lond., 684, 1897.

*4535. *olealis* RAGONOT, Ann. Soc. Ent. Fr., 529, 1891. Fla.

Subfamily SCHENOBINÆ.

By C. H. FERNALD.

AMESTRIA Ragonot.

RAGONOT, Ann. Soc. Ent. Fr., 545, 1891; HAMPSHON, Proc. Zool. Soc. Lond., 904, 1895.

*4536. *oculiferalis* RAGONOT, Ann. Soc. Ent. Fr., 546, Tex. 1891.

PATISSA Moore.

MOORE, Lep. Ceyl., iii, 388, 1886; HAMPSHON, Proc. Zool. Soc. Lond., 910, 1895.

4537. *xantholeucalis* GUENÉE, Spec. Gén., viii, 253, 1854. Ga., Fla.
syn. *fasciella* FERNALD, Ent. Am., iii, 38, 1887.

*4538. *flavicostella* FERNALD, Ent. Am., iii, 38, 1887. Fla.

*4539. *vestaliella* ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 532, 1872. Fla., Tex.

SCIRPOPHAGA Treitschke.

TREITSCHKE, Schm. Eur., ix, 1, 55, 1832; HERRICH-SCHAFFER, Schm. Eur., iv, 52, 1848; ZELLER, Chil. et Cram., i, 1863; HEINEMANN, Kleinschm., i, 2, 110, 1865; HAMPSHON, Proc. Zool. Soc. Lond., 912, 1895.

- *4540. *albinella* CRAMER, Pap. Exot., iv, pl. 372, f. D, 1781. So. Am., Fla.
 syn. *nivata* WALKER, Cat. Brit. Mus., xxviii, 524, 1863.
4541. *perstrialis* HÜBNER, Zutr. exot. Schmett., iii, 18, 1825. Fla.
 syn. *serviradiellus* WALKER, Cat. Brit. Mus., xxvii, 161, 1863; *matrinellus* ZELLER, Stett. ent. Zeit., xxvii, 152, 1866; Hor. Soc. Ent. Ross., xiii, 10, 1877.
- SCHÖENOBIUS Duponchel.
- DUPONCHEL, Cat. Lép. Eur., 312, 1844; ZELLER, Chil. et Cram., 3, 1863; HEINEMANN, Kleinschm., i, 2, 111, 1865; FERNALD, Ent. Am., iv, 135, 1888; MEYRICK, Handb. Brit. Lep., 400, 1895; HAMPSHON, Proc. Zool. Soc. Lond., 915, 1895.
4542. *sordidellus* ZINCKEN, Germ. Mag., iv, 247, 1821; HÜBNER, Zutr. exot. Schmett., iii, 18, 1825. Ga., Fla., Ill.
4543. *unipunctellus* ROBINSON, Ann. Lyc. Nat. Hist. N. Y., ix, 314, 1870; FERNALD, Ent. Am., iv, 136, 1888. Fla., Ill., Tex.
4544. *tripunctellus* ROBINSON, Ann. Lyc. Nat. Hist. N. Y., ix, 314, 1870; FERNALD, Ent. Am., iv, 136, 1888. Tex.
4545. *melinellus* CLEMENS, Proc. Acad. Nat. Sci. Phil., 205, 1860; ROBINSON, Ann. Lyc. Nat. Hist. N. Y., ix, 313, 1870; FERNALD, Ent. Am., iv, 137, 1888.
a. dispersellus ROBINSON, Ann. Lyc. Nat. Hist. N. Y., ix, 313, 1870; FERNALD, Ent. Am., iv, 138, 1888.
b. albicostellus FERNALD, Ent. Am., iv, 138, 1888. Me. to Tex.
- *4546. *clemensellus* ROBINSON, Ann. Lyc. Nat. Hist. N. Y., ix, 313, 1870; FERNALD, Ent. Am., iv, 138, 1888. Atl. States.
- syn. *auquilellus* CLEMENS (not HÜBNER), Proc. Acad. Nat. Sci. Phil., 205, 1860.
4547. *forficellus* THUNBERG, Diss., v, 98, 1794; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 188, 1901.
 syn. *longirostrellus* CLEMENS, Proc. Acad. Nat. Sci. Phil., 205, 1860; ROBINSON, Ann. Lyc. Nat. Hist. N. Y., ix, 312, 1870; FERNALD, Ent. Am., iv, 139, 1888. Eur., Eastern States.
- *4548. *maximellus* FERNALD, Can. Ent., xxiii, 30, 1891. Tex.

Subfamily CRAMBIINAE.

(C.=FERNALD, The Crambidae of No. Am., Sp. Bull. Mass. Agr. Coll., Jan., 1896.)

UINTA Hulst.

HULST, Ent. Am., iv, 116, 1888; FERNALD, C. 12, 1896.

- *4549. *oreadella* HULST, Ent. Am., iv, 116, 1888; FERNALD, C. 13, 1896. Col.

MESOLIA Ragonot.

RAGONOT, Ann. Soc. Ent. Fr., 282, 1888; HAMPSON, Proc. Zool. Soc. Lond., 962, 1895.

- *4550. *incertella* ZINCKEN, Germ. Mag., iv, 253, 1821; N. C.,
ZELLER, Chil. et Cram., 14, 1863; ROBINSON, Ga.,
Ann. Lyc. Nat. Hist. N. Y., ix, 315, 1870; FERNALD, C. III,
C. 15, 1896.

syn. *olivella* GROTE, Bull. U. S. Geol. Surv.,
vi, 274, 1881.

PRIONAPTERYX Stephens.

STEPHENS, Ill. Brit. Ent., Haust., iv, 316, 1834; ZELLER, Chil. et Cram., 13, 1863;
HAMPSON, Proc. Zool. Soc. Lond., 963, 1895; FERNALD, C. 13, 1896; *Nuetrae* WALKER,
Cat. Brit. Mus., xxvii, 188, 1863.

4551. *nebulifera* STEPHENS, Ill. Brit. Ent., Haust., iv, Tex.,
317, 1834; WOOD, Ind. Ent., f. 1484, 1854;
ZELLER, Chil. et Cram., 13, 1863; FERNALD, C.
14, 1896.

4552. *achatina* ZELLER, Chil. et Cram., 13, 1863; Tex.,
FERNALD, C. 14, 1896. Ariz.

- *4552. 1. *cuneolalis* HULST, Tr. Am. Ent. Soc., xiii, 166, Tex.,
1886; FERNALD, C. 15, 1896.

EUGROTEA Fernald.

FERNALD, C. 16, 1896.

- *4553. *dentella* FERNALD, C. 16, 1896. Fla.

PSEUDOSCHÖENOBIUS Fernald.

FERNALD, Smith's List Lep. Bor. Am., 85, 1891; C. 17, 1896.

4554. *opalescalis* HULST, Trans. Am. Ent. Soc., xiii, Ariz.,
167, 1886; FERNALD, C. 18, 1896. Cal.
syn. *griseosparsa* HAMPSON, Proc. Zool. Soc.
Lond., 964, 1895.

RAPHIPTERA Hampson.

HAMPSON, Proc. Zool. Soc. Lond., 962, 1895.

4555. *minimella* ROBINSON, Ann. Lyc. Nat. Hist. N. Y., ix, 315, 1870; FELT, Gr.-Eat. Ins., 88, 1894; FERNALD, C. 23, 1896. N. Y., Pa., Ill., Tex.
- *4556. *argillaceëlla* PACKARD, Proc. Bost. Soc. Nat. Hist., xi, 54, 1867; FERNALD, C. 24, 1896. Lab.

CRAMBUS Fabricius.

FABRICIUS, Ent. Syst., suppl., 464, 1798; LATREILLE, Hist. Nat. Crust. Ins., iii, 416, 1802; xiv, 247, 1805; LEACH, Ed. Eney., ix, 135, 1815; CURTIS, Brit. Ent., iii, 109, 1826; STEPHENS, Ill. Brit. Ent., Haust., iv, 317, 1834; HERRICH-SCHAEFFER, Schm. Eur., iv, 52, 1848; ZELLER, Chil. et Cram., 14, 1863; HEINEMANN, Kleinschm., i, 2, 117, 1865; MEYRICK, Trabs. Ent. Soc. Lond., 481, 1890; Handb. Brit. Lep., 388, 1895; FERNALD, C. 18, 1896; *Tetrachila* HÜBNER, Tent., 1806; *Palparia* HAWORTH, Lep. Brit., 481, 1811; *Argyrotenechia* HÜBNER, Verz. bek. Schmett., 364, 1826; *Eucarphia* HÜBNER, Verz. bek. Schmett., 364, 1826; *Citoptria* HÜBNER, Verz. bek. Schmett., 364, 1826; *Chrysoteuchia* HÜBNER, Verz. bek. Schmett., 366, 1826; *Thisanotia* HÜBNER, Verz. bek. Schmett., 467, 1826; *Exoria* HÜBNER, Verz. bek. Schmett., 467, 1826; *Carranca* WALKER, Cat. Brit. Mus., ix, 119, 1856; *Myza* WALKER, Cat. Brit. Mus., xxvii, 190, 1863; *Arequipa* WALKER, Cat. Brit. Mus., xxvii, 195, 1863; *Calamotropha* ZELLER, Chil. et Cram., 8, 1863.

4557. *satrapellus* ZINCKEN, Germ. Mag., iv, 247, 1821; ZELLER, Chil. et Cram., 16, 1863; FELT, Gr.-Eat. Ins., 89, 1894; FERNALD, C. 22, 1896. Ga., Fla., Tex.
- syn. *aculeidellus* WALKER, Cat. Brit. Mus., xxvii, 158, 1863; *elegantellus* WALKER, Cat. Brit. Mus., xxvii, 179, 1863.
4558. *hastiferellus* WALKER, Cat. Brit. Mus., xxvii, 155, 1863; FERNALD, C. 22, 1896. N. S., Pa., Fla., La.
- syn. *quinqutreatus* ZELLER, Hor. Soc. Ent. Ross., xiii, 38, 1877; *extorralis* HULST, Trans. Am. Ent. Soc., xiii, 165, 1886.
- *4559. *occidentalis* GROTE, Can. Ent., xii, 16, 1880; Can. Ent., xiii, 66, 1881; FERNALD, C. 28, 1896. Cal.
4560. *hamellus* THUNBERG, Diss. Ent., 97, 1794; HERRICH-SCHAEFFER, Schm. Eur., iv, 53, 1848; WOOD, Ind. Ent., f. 1491, 1854; STAINTON, Man., ii, 181, 1859; ZELLER, Chil. et Cram., 17, 1863; HEINEMANN, Kleinschm., i, 2, 119, 1865; MEYRICK, Handb. Brit. Lep., 389, 1895; FERNALD, C. 25, 1896. Eur., Me.
- syn. *cusigerella* HÜBNER, Schm. Eur., Tineæ, pl. liv, f. 367 (false 667), 1803?; ZINCKEN, Germ. Mag., ii, 53, 1817; TREITSCHKE, Schm. Eur., ix, 1, 79, 1832; DUPONCHEL, Hist. Nat. Lép., x, 57, 1836.
4561. *cypridalis* HULST, Trans. Am. Ent. Soc., xiii, 165, 1886; FERNALD, C. 26, 1896. Utah.

- *4562. *carpenterellus* PACKARD, Rep. Hayd. Surv., 548, 1873; FERNALD, C. 26, 1896. Mts. of Col.
4563. *pascuellus* LINNÆUS, Syst. Nat., 535, 1758; Faun. Suec., 355, 1761; FABRICIUS, Syst. Ent., 658, 1775; HÜBNER, Schm. Eur., Tineæ, pl. v, f. 51, 1796; ZINCKEN, Germ. Mag., ii, 49, 1817; TREITSCHKE, Schm. Eur., ix, 1, 75, 1832; STEPHENS, Ill. Brit. Ent., Haust., iv, 320, 1834; HERRICH-SCHAFFER, Schm. Eur., iv, 53, 1848; ZELLER, Chil. et Cram., 20, 1863; HEINEMANN, Kleinschm., i, 2, 120, 1865; MEYRICK, Handb. Brit. Lep., 390, 1895; FERNALD, C. 27, 1896.
syn. *floridus* ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 537, 1872; FELT, Gr.-Eat. Ins., 78, 86, 1894. Eur., Atl. States, Cal.
4564. *girardellus* CLEMENS, Proc. Acad. Nat. Sci. Phil., 204, 1860; FELT, Gr.-Eat. Ins., 73, 86, 1894; FERNALD, C. 28, 1896. Can., Atl. States.
- syn. *nirihumellus* WALKER, Cat. Brit. Mus., xxvii, 159, 1863.
4565. *leachellus* ZINCKEN, Germ. Mag., iii, 114, 1818; FELT, Gr.-Eat. Ins., 71, 85, 1894; FERNALD, C. 29, 1896. Me. to Cal.
- syn. *palchellus* ZELLER, Chil. et Cram., 18, 1863; Verh. zool.-bot. Ges. Wien, xxii, 535, 1872.
4566. *unistriatellus* PACKARD, Proc. Bost. Soc. Nat. Hist., xi, 54, 1867; FELT, Gr.-Eat. Ins., 85, 1894; FERNALD, C. 30, 1896. Labr., Atl. States, Minn., Cal.
- syn. *exesus* GROTE, Can. Ent., xii, 16, 1880; No. Am. Ent., i, 68, 1880.
4567. *præfectellus* ZINCKEN, Germ. Mag., iv, 249, 1821; FERNALD, C. 31, 1896. Can., Atl. States, Col.
- syn. *involutellus* CLEMENS, Proc. Acad. Nat. Sci. Phil., 203, 1860.
- *4568. *dissectus* GROTE, Can. Ent., xii, 16, 1880; FERNALD, C. 31, 1896. Me., N. Y.
4569. *bidens* ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 535, 1872; FERNALD, C. 32, 1896. Mass., N. Y.
4570. *labradoriensis* CHRISTOPH, Stett. ent. Zeit., xix, 314, 1858; MÖSCHLER, Wien. ent. Mon., iv, 379, 1860; ZELLER, Chil. et Cram., 21, 1863; FERNALD, C. 32, 1896. Labr., Ont., Oreg.

4571. *dumetellus* HÜBNER, Eur. Schmett., Tineæ, pl. lviii, f. 389, 390, 1803; TREITSCHKE, Schmett. Eur., ix, 1, 80, 1832; STEPHENS, Ill. Brit. Ent., Haust., iv, 321, 1834; HERRICH-SCHAEFFER, Schmett. Eur., iv, 54, 1848; ZELLER, Chil. et Cram., 24, 1863; HEINEMANN, Kleinschm., i, 2, 122, 1865; MEYRICK, Handb. Brit. Lep., 391, 1895; FERNALD, C. 33, 1896.
 syn. *pratella* HÜBNER, Eur. Schmett., Tineæ, pl. v, f. 29, 1796; *trichosalis* HULST, Trans. Am. Ent. Soc., xiii, 165, 1886.
- *4572. *gausapalis* HULST, Trans. Am. Ent. Soc., xiii, 167, 1886; FERNALD, C. 34, 1896.
4573. *laqueatellus* CLEMENS, Proc. Acad. Nat. Sci. Phil., 203, 1860; ZELLER, Chil. et Cram., 24, 1863; Verh. zool.-bot. Ges. Wien, xxii, 538, 1872; FELT, Gr.-Eat. Ins., 79, 89, 1894; FERNALD, C. 35, 1896.
 syn. *semifusellus* WALKER, Cat. Brit. Mus., xxvii, 159, 1863.
- *4574. *alboclavellus* ZELLER, Chil. et Cram., 19, 1863; Verh. zool.-bot. Ges. Wien, xxii, 538, 1872; FELT, Gr.-Eat. Ins., 77, 88, 1894; FERNALD, C. 36, 1896.
4575. *agitatellus* CLEMENS, Proc. Acad. Nat. Sci. Phil., 203, 1860; FELT, Gr.-Eat. Ins., 88, 1894; FERNALD, C. 37, 1896.
 syn. *saltuellus* ZELLER, Chil. et Cram., 22, 1863.
4576. *multilinellus* FERNALD, Ent. Am., iii, 37, 1887.
 syn. *multilineellus* FERNALD, C. 37, 1896.
4577. *albellus* CLEMENS, Proc. Acad. Nat. Sci. Phil., 204, 1860; FELT, Gr.-Eat. Ins., 76, 88, 1894; FERNALD, C. 38, 1896.
4578. *pusionellus* ZELLER, Chil. et Cram., 16, 1863; Stett. ent. Zeit., xxxiii, 470, 1872; Hor. Soc. Ent. Ross., xiii, 33, 1877; FERNALD, C. 39, 1896.
4579. *hortuellus* HÜBNER, Eur. Schm., Tineæ, 29, pl. vii, f. 46, 1796; ZINCKEN, Germ. Mag., ii, 62, 1817; TREITSCHKE, Schm. Eur., ix, 1, 84, 1832; STEPHENS, Ill. Brit. Ent., Haust., iv, 322, 1834; HERRICH-SCHAEFFER, Schm. Eur., iv, 59, 1848; ZELLER, Chil. et Cram., 24, 1863; HEINEMANN, Kleinschm., i, 2, 125, 1865; MEYRICK, Handb. Brit. Lep., 391, 1895; FERNALD, C. 40, 1896.
 syn. *vespitalia* HÜBNER, Eur. Schm., Tineæ, 29, pl. vii, f. 45, 1796; *topiarius* ZELLER, Stett. ent. Zeit., xxvii, 155, 1866; GROTE, Can. Ent., xii, 17, 1880; FELT, Gr.-Eat. Ins., 75, 87, 1894; SCUDDER, Ins. Life, vii, 1, 1894.

Sierra Nev.
Mts., Cal.Me., Mass.,
N. Y., Ohio,
Ill., Ky.,
La., Tex.Atl.
States.No. Atl.
States,
Tex.

Fla.

N. Atl.
States.

Cal.

Eur., Me.,
Mass.,
N. Y., Cal.

4580. *perrellus* SCOPOLI, Ent. Carn., 243, 1763; FABRICIUS, Ent. Syst., iii, 2, 292, 1794; HÜBNER, Schm. Eur., Tineæ, pl. vi, f. 40, 1796; ZINCKEN, Germ. Mag., ii, 97, 1817; TREITSCHKE, Schm. Eur., ix, 1, 129, 1832; HERRICH-SCHAFFER, Schm. Eur., iv, 66, 1848; ZELLER, Stett. ent. Zeit., ix, 313, 1849; Chil. et Cram., 49, 1863; HEINEMANN, Kleinschm., i, 2, 143, 1865; MEYRICK, Hand. Brit. Lep., 393, 1895; FERNALD, C. 43, 1896.
 syn. *argentella* FABRICIUS, Syst. Ent., 658, 1775; Ent. Syst., iii, 2, 296, 1794; Ent. Syst., suppl., 471, 1798; STEPHENS, Ill. Brit. Ent., Haust., iv, 319, 1834; *argyreus* STEPHENS, Ill. Brit. Ent., Haust., iv, 318, 1834; *arbustorum* STEPHENS, Ill. Brit. Ent., Haust., iv, 319, 1834; *innotellus* WALKER, Cat. Brit. Mus., xxvii, 156, 1863; FELT, Gr.-Eat. Ins., 74, 87, 1894; *sericinellus* ZELLER, Chil. et Cram., 49, 1863; GROTE, Can. Ent., xiii, 66, 1881; *inornatellus* CLEMENS, Proc. Ent. Soc. Phil., ii, 418, 1864.
4581. *turbatellus* WALKER, Cat. Brit. Mus., xxvii, 196, 1863; FELT, Gr.-Eat. Ins., 86, 1894; FERNALD, C. 44, 1896.
 syn. *bipunctellus* ZELLER, Chil. et Cram., 23, 1863; ROBINSON, Lyc. Nat. Hist. N. Y., ix, 316, 1870.
4582. *elegans* CLEMENS, Proc. Acad. Nat. Sci. Phil., 204, 1860; ZELLER, Stett. ent. Zeit., xxxiii, 473, 1872; FELT, Gr.-Eat. Ins., 74, 86, 1894; FERNALD, C. 45, 1896.
4583. *myellus* HÜBNER, Eur. Schm., Tineæ, pl. vi, f. 37, 1796; HERRICH-SCHAFFER, Schm. Eur., iv, 64, 1848; HEINEMANN, Kleinschm., i, 2, 133, 1865; MEYRICK, Handb. Brit. Lep., 392, 1895; FERNALD, C. 46, 1896.
 syn. *conchellus* TREITSCHKE, Schm. Eur., ix, 1, 97, 1832; *latiradiellus* WALKER, Cat. Brit. Mus., xxvii, 157, 1863; *interruptus* GROTE, Can. Ent., ix, 101, 1877.
- *4584. *luctuellus* HERRICH-SCHAFFER, Schm. Eur., vi, 145, 1852; FERNALD, C. 47, 1896.
4585. *vulgivagellus* CLEMENS, Proc. Ac. Nat. Sci. Phil., 204, 1860; SAUNDERS, Can. Ent., xiii, 199, 1881; RILEY, Rept. Dept. Agr., 179, 1881-82; LINTNER, Rep. Ins. N. Y., i, 127, 1882; FERNALD, Stand. Nat. Hist., ii, 433, 1884; FELT, Gr.-Eat. Ins., 69, 85, 1894; FERNALD, C. 47, 1896.
 syn. *aurifimbrialis* WALKER, Cat. Brit. Mus., xxvii, 157, 1863; *chalybirostris* ZELLER, Chil. et Cram., 40, 1863.
- | | | | | | |
|--------------------------------|------------------------------------|-----------------|---------------------|-----------------------|--------------------|
| No.
Atl.
States,
Cal. | Can., N. Y.,
Pa., Ohio,
Ill. | Atl.
States. | Eur., N. S.,
Me. | Eur., Labr.,
Wash. | No. U. S.,
Cal. |
|--------------------------------|------------------------------------|-----------------|---------------------|-----------------------|--------------------|

4586. *biothanatalis* HULST, Trans. Am. Ent. Soc., xiii, 166, 1886; FERNALD, C. 49, 1896.
syn. *behrensellus* FERNALD, Ent. Am., iii, 37, 1887.
4587. *ruricolellus* ZELLER, Chil. et Cram., 40, 1863; FELT, Gr.-Ent. Ins., 67, 1894; FERNALD, C. 49, 1896. No. Atl. States.
- *4588. *anceps* GROTE, Can. Ent., xii, 18, 1880; FERNALD, C. 50, 1896. Cal.
4589. *teterellus* ZINCKEN, Germ. Mag., iv, 252, 1821; MURTFELDT, Bull. U. S. Dept. Agr., no. 30, 53, 1893; FELT, Gr.-Ent. Ins., 66, 84, 1894; FERNALD, C. 51, 1896. Atl. States.
syn. *cumurellus* CLEMENS, Proc. Ae. Nat. Sci. Phil., 203, 1860; *terrellus* ZELLER, Chil. et Cram., 27, 1863.
4590. *decorellus* ZINCKEN, Germ. Mag., iv, 250, 1821; ZELLER, Chil. et Cram., 27, 1863; Verh. zool.-bot. Ges. Wien, xxii, 538, 1872; FERNALD, Ent. Amer., iv, 44, 1888; FELT, Gr.-Ent. Ins., 84, 1894; FERNALD, C. 52, 1896. Atl. States.
syn. *polyactinellus* ZELLER, Chil. et Cram., 25, 1863; *goodelliatus* GROTE, Can. Ent., xii, 17, 1880; *bonuscinalis* HULST, Tr. Am. Ent. Soc., xiii, 167, 1886.
- *4591. *coloradellus* FERNALD, Can. Ent., xxv, 95, 1893; C. 52, 1896. Col.
- *4592. *bolterellus* FERNALD, Ent. Amer., iii, 37, 1887; C. 53, 1896. Tex.
- *4593. *hulstellus* FERNALD, Can. Ent., xvii, 56, 1885; FELT, Gr.-Ent. Ins., 83, 1894; FERNALD, C. 53, 1896. Tex.
4594. *attenuatus* GROTE, Can. Ent., xii, 18, 1880; FERNALD, C. 54, 1896. Br. Col., Cal.
- *4595. *abilineellus* FERNALD, Can. Ent., xxv, 94, 1893; C. 55, 1896. So. Cal.
4596. *haytiellus* ZINCKEN, Germ. Mag., iv, 254, 1821; FERNALD, C. 55, 1896. Tex., Haiti.
- *4597. *trichostomus* CHRISTOPH, Stett. ent. Zeit., xix, 313, 1858; MÖSCHLER, Wien. ent. Mon., iv, 379, 1860; ZELLER, Chil. et Cram., 28, 1863; FERNALD, C. 56, 1896. Labr.
syn. *albisinuatella* PACKARD, Proc. Bost. Soc. Nat. Hist., xi, 53, 1867.

4598. *truncatellus* ZETTERSTEDT, Ins. Lap., 995, 1840;
 ZELLER, Chil. et Cram., 28, 1863; HEINEMANN,
 Kleinschm., i, 2, 128, 1865.
 syn. *lienigieillus* ZELLER, Stett. ent. Zeit., iv,
 139, 1843; *abstrusellus* WALKER, Cat. Brit.
 Mus., xxvii, 158, 1863; *rufinalis* WALKER,
 Cat. Brit. Mus., xxxiv, 1133, 1865.
- *4599. *oregonicus* GROTE, Can. Ent., xii, 17, 1880;
 FERNALD, C. 56, 1896. Oreg.
4600. *bonifatellus* HULST, Ent. Am., iii, 135, 1887;
 FERNALD, C. 57, 1896. Col.
4601. *mutabilis* CLEMENS, Proc. Acad. Nat. Sci. Phil.,
 204, 1860; FELT, Gr.-Eat. Ins., 64, 83, 1894;
 FERNALD, C. 57, 1896. Can. to Tex.
- syn. *fuscicostellus* ZELLER, Chil. et Cram., 44,
 1863.
4602. *hemiochrellus* ZELLER, Hor. Soc. Ent. Ross., xiii,
 49, 1877; FERNALD, C. 58, 1896. Tex.
- *4603. *undatus* GROTE, Can. Ent., xiii, 35, 1881; FERNALD, C. 58, 1896. Cal.
4604. *trisectus* WALKER, Cat. Brit. Mus., ix, 119, 1856;
 FERNALD, C. 59, 1896. Atl. States,
 Col., B. C.
- syn. *interminellus* WALKER, Cat. Brit. Mus.,
 xxvii, 156, 1863; FELT, Gr.-Eat. Ins., 62, 83,
 1894; *exsectatus* ZELLER, Chil. et Cram., 37,
 1863; LINTNER, Rep. Ins. N. Y., i, 149, 1882;
 OSBORN, Rep. Dept. Agr., 154, 1887; *bilitturellus* ZELLER, Verh. zool.-bot. Ges. Wien,
 xxiv, 7, 1874.
- *4605. *laciniellus* GROTE, Can. Ent., xii, 18, 1880;
 FERNALD, C. 60, 1896. Me.
- *4606. *dimidiatellus* GROTE, Ann. Mag. Nat. Hist., (5), ii,
 57, 1883; FERNALD, C. 61, 1896. Col., N. Mex.
4607. *caliginosellus* CLEMENS, Proc. Acad. Nat. Sci. Phil., 204, 1860; FELT, Gr.-Eat. Ins., 61, 82, 1894;
 FERNALD, C. 61, 1896. Atl. States.
4608. *zeëllus* FERNALD, Can. Ent., xvii, 55, 1885;
 FORBES, Third Ill. Rep., 12, 15, 1885; FERNALD,
 C. 62, 1896. Atl. States,
 Col.
- syn. *refotalis* HULST, Tr. Am. Ent. Soc., xiii,
 166, 1886.
4609. *luteolellus* CLEMENS, Proc. Acad. Nat. Sci. Phil.,
 203, 1860; FELT, Gr.-Eat. Ins., 61, 82, 1894;
 FERNALD, C. 64, 1896. Me. to Cal.
- syn. *duplicatus* GROTE, Can. Ent., xii, 79,
 1880.
- a. ulæ* COCKERELL, Ent. Mon. Mag., xxiv, 272,
 1885; FERNALD, C. 65, 1896. Ariz.,
 Col.

- *4610. *inornatellus* WALKER, Cat. Brit. Mus., xxiv, 157, 1863. Nova Scotia.

THAUMATOPSIS Morrison.

MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 161, 1874; *Propeurus* GROTE, Can. Ent., xii, 79, 1880.

- *4611. *magnifica* FERNALD, Can. Ent., xxiii, 30, 1891; Col. C. 66, 1896.
4612. *pexella* ZELLER, Chil. et Cram., 48, 1863; FERNALD, C. 66, 1896.
syn. *macropterellus* ZELLER, Chil. et Cram., 48, 1863; *longipalpus* MORRISON, Proc. Bost. Soc. Nat. Hist., xvii, 161, 1874.
4613. *edonis* GROTE, Can. Ent., xii, 19, 1880; FERNALD, C. 67, 1896. N. C., Kans.
4614. *repanda* GROTE, Can. Ent., xii, 79, 1880; FERNALD, C. 67, 1896. Tex., Ariz., Kans., Col.
- *4615. *striatella* FERNALD, C. 68, 1896. No. Ill.
4616. *pectinifer* ZELLER, Hor. Soc. Ent. Ross., xiii, 51 1877; FERNALD, C. 68, 1896. Tex.

EUFERNALDIA Hulst.

HULST, Jn. N. Y. Ent. Soc., viii, 224, 1901.

4617. *argenteonervella* HULST, Jn. N. Y. Ent. Soc., viii, 224, 1901. Ariz.

OMMATOPTERYX Kirby.

KIRBY, Handb. Lep., 274, 1897; *Eromene* HÜBNER (not HÜBNER, Verz. bek. Schm., 256), Verz. bek. Schm., 366, 1826; ZELLER, Chil. et Cram., 52, 1863; LEECH, Brit. Pyr., 87, 1886; HAMPSON, Proc. Zool. Soc. Lond., 948, 1895; *Euchromius* GUENÉE (not *Euchromia* HÜBNER), Ind. Méth., 86, 1845; MEYRICK, Trans. Ent. Soc. Lond., 479, 1890; Handb. Brit. Lep., 396, 1895; FERNALD, C. 68, 1896.

4618. *ocellea* HAWORTH, Lep. Brit., 486, 1811; Eur., STEPHENS, Ill. Brit. Ent., Haust., iv, 316, 1834; No. Africa, ZELLER, Chil. et Cram., 54, 1863; LEECH, Brit. So. Asia, Pyr., 87, 1886; MEYRICK, Handb. Brit. Lep., 396, 1895; HAMPSON, Moths Ind., iv, 24, 1896; Australia, FERNALD, C. 69, 1896. Hawaii, Tex., Ariz., Cal.
syn. *funiculella* TREITSCHKE, Schm. Eur., ix, 1, 200, 1832; ZELLER, Isis, vi, 175, 1839; *cyrilla* COSTA, Faun. Nap. Lep., 2, 1832-36; *cyrilli* ZELLER, Isis, xiv, 760, 1847; HERICH-SCHAFFER, Schm. Eur., iv, 67, 1848; *terana* ROBINSON, Ann. Lyc. Nat. Hist. N. Y., ix, 155, 1870; *californialis* PACKARD, Ann. Lyc. Nat. Hist. N. Y., x, 264, 1873.

4619. *virescens* HULST, Jn. N. Y. Ent. Soc., viii, 225, 1901. Ariz.

ARGYRIA Hübner.

HÜBNER, Zutr. exot. Schmett., i, 28, 1818; Verz. bek. Schmett., 372, 1826; WALKER, Cat. Brit. Mus., xxx, 976, 1864; FERNALD, C. 70, 1896; *Urola* WALKER, Cat. Brit. Mus., xxvii, 181, 1863; *Catharylla* ZELLER, Chil. et Cram., 50, 1863; *Ptychopscustis* MEYRICK, Trans. Ent. Soc. Lond., 521, 1889.

4620. *nivalis* DRURY, Ill. Exot. Ent., ii, 25, 1773; FERNALD, No. Am. Ent., 100, 1880; FELT, Can. Ent., xxvii, 96, 1894; FERNALD, C. 71, 1896.

syn. *argentata* EMMONS, Nat. Hist. N. Y. Agr., v, pl. 40, 1854; *microchysella* WALKER, Cat. Brit. Mus., xxvii, 181, 1863; *nummulalis* ZELLER, Chil. et Cram., 51, 1863.

4621. *argentana* MARTYN, Psyche, pl. xxxii, f. 95, 1797; FERNALD, C. 71, 1896.

syn. *nummulalis* HÜBNER, Zutr. exot. Schmett., i, 30, f. 185, 186, 1818; FERNALD, No. Am. Ent., 101, 1880; *subfuscans* WALKER, Cat. Brit. Mus., xxvii, 182, 1863; *fusciipes* ZELLER, Chil. et Cram., 51, 1863.

4622. *auratella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 204, 1860; FERNALD, C. 72, 1896.

syn. *pulchella* WALKER, Cat. Brit. Mus., xxvii, 183, 1863; ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 541, 1872.

4623. *lacteella* FABRICIUS, Ent. Syst., iii, 2, 313, 1794; HEDEMANN, Stett. ent. Zeit., iv, 300, 1894; FERNALD, C. 72, 1896.

syn. *albana* FABRICIUS, Ent. Syst., Suppl., 476, 1798; HEDEMANN, Stett. ent. Zeit., iv, 300, 1894; *pussillalis* HÜBNER, Zutr. exot. Schm., i, 28, 1818; *abronalis* WALKER, Cat. Brit. Mus., xix, 969, 1859; *lusella* ZELLER, Chil. et Cram., 51, 1863; *rufisignella* ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 542, 1872; *ponticella* ZELLER, Hor. Soc. Ent. Ross., xiii, 59, 1877.

DIATRÆA Guilding.

GULDING, Trans. Soc. Enc. Arts, xlvi, 143, 1832; ZELLER, Hor. Soc. Ent. Ross., xvi, 8, 1881; FERNALD, Ent. Am., iv, 119, 1888; HAMPSON, Proc. Zool. Soc. Lond., 953, 1895; FERNALD, C. 73, 1896.

4624. *saccharalis* FABRICIUS, Ent. Syst., iii, 2, 238, 1794; COMSTOCK, Rept. Dept. Agr., 1880, 240, 1881; RILEY & HOWARD, Ins. Life, iii, 64, 1890; HOWARD, Ins. Life, iv, 95, 1891; BRUNER, Rep. Neb. St. Bd. Ag., 262, 1891; FERNALD, C. 74, 1896.

syn. *leucaniellus* WALKER, Cat. Brit. Mus., xxvii, 161, 1863; *lineosellus* WALKER, Cat. Brit. Mus., xxvii, 162, 1863; *obliteratellus* ZELLER, Chil. et Cram., 8, 1863; *crambidoides* GROTE, Can. Ent., xii, 15, 1880.

Atl.
States.

Pa., Ga.,
Fla., Ill.

Me. to
Cal.

Fla., Tex.,
W. I., So.
Am.

So. States.
W. I.,
Cent. & So.
Am.,
Hawaii.

- *4625. *allenii* FERNALD, Ent. Am., iv, 120, 1888; C. 75, 1896. Me.
 *4626. *differentialis* FERNALD, Ent. Am., iv, 120, 1888; C. 76, 1896. Fla.
 4627. *idalis* FERNALD, C. 76, 1896. N. J., Ga.

CHILO Zincken.

ZINCKEN, Germ. Mag., ii, 33, 1817; STEPHENS, Ill. Brit. Ent., Haust., iv, 330, 1834; TREITSCHKE, Schm. Eur., ix, 1, 60, 1832; WESTWOOD, Syn. Gen. Brit. Ins., 114, 1839; HERRICH-SCHAFFER, Schm. Eur., iv, 50, 1848; ZELLER, Chil. et Cram., 6, 1863; HEINEMANN, Kleinschm., i, 2, 112, 1865; MEYRICK, Trans. Ent. Soc. Lond., 480, 1890; Handb. Brit. Lep., 397, 1895; HAMPSHIRE, Proc. Zool. Soc. Lond., 954, 1895; FERNALD, C. 77, 1896; *Epinia* WALKER, Cat. Brit. Mus., xxxv, 1707, 1866; *Domacoscoptes* ZELLER, Hor. Soc. Ent. Ross., xiv, 1877; *Diphrys* GROTE, Bull. U. S. Geol. Surv., vi, 273, 1881.

4628. *plejadellus* ZINCKEN, Germ. Mag., iv, 251, 1821; ZELLER, Chil. et Cram., 26, 1863; FERNALD, C. 78, 1896. Pa., Ga., La., Wis.
 syn. *sabulifera* WALKER, Cat. Brit. Mus., xxvii, 185, 1863; *prolatella* GROTE, Bull. U. S. Geol. Surv., vi, 273, 1881; *oryzaellus* RILEY, Rep. Dep. Agr., 1 5, 1882.
 4629. *densellus* ZELLER, Hor. Soc. Ent. Ross., xvi, 5, 1881; FERNALD, C. 79, 1896. Fla., Tex., Ill.
 syn. *multilineatella* HULST, Ent. Am., iii, 134, 1887.
 4630. *squamulellus* ZELLER, Hor. Soc. Ent. Ross., xvi, 5, 1881; FERNALD, C. 79, 1896. Tex.
 4631. *comptulatalis* HULST, Tr. Am. Ent. Soc., xiii, 167, 1886; FERNALD, C. 80, 1896. Ill., Mo., Col., Neb., Vane. Id.
 4632. *forbesellus* FERNALD, C. 80, 1896. N. Y., Ill.

CHALCOËLA Zeller.

ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 528, 1872; HAMPSHIRE, Proc. Zool. Soc. Lond., 958, 1895.

4633. *iphalialis* WALKER, Cat. Brit. Mus., xvii, 444, 1859. So. States.
 syn. *aurifera* ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 529, 1872.

DICYMOLOMIA Zeller.

ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 530, 1872; HAMPSHIRE, Proc. Zool. Soc. Lond., 959, 1895.

4634. *julianalis* WALKER, Cat. Brit. Mus., xvii, 438, 1859. So. States.
 syn. *decora* ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 531, 1872.

4635. *metalliferalis* PACKARD, Ann. Lyc. Nat. Hist. Cal.
N. Y., x, 265, 1873.
syn. *sauberi* HEDEMANN, Verh. Ver. Hamb., v,
Anhang, 3, 1880.
4636. *pegasalis* WALKER, Cat. Brit. Mus., xvii, 438, So. States,
1859. W. I.
syn. *principalis* WALKER, Cat. Brit. Mus.,
xxxiv, 1333, 1865; *egressalis* WALKER, Cat.
Brit. Mus., xxxiv, 1335, 1865; *robinsonii*
GROTE, Can. Ent., iii, 181, 1871.

Subfamily GALLERIINAE.

MELISSOBLAPTES Zeller.

ZELLER, Isis, 180, 1839.

- *4636. 1. *fuscolimbellus* RAGONOT, Diag. Nouv. Phye. (Unknown.)
Gall., 20, 1887.

GALLERIA Fabricius.

FABRICIUS, Suppl. Ent., 419, 1798.

4636. 2. *mellonella* LINNÆUS, Syst. Nat., 537, 1758; Eur.,
STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 11, U. S.
1901.
syn. *cereana* LINNÆUS, *cerella* FABRICIUS,
obliquella WALKER.

PARALIPSA Butler.

BUTLER, Ann. Mag. Nat. Hist., (5), iv, 454, 1879.

4636. 3. *fulminalis* ZELLER, Verh. zool.-bot. Ges. Wien, Tex.
xxiii, 560, 1872.

- *4636. 4. *furellus* ZELLER, Verh. zool.-bot. Ges. Wien, N. Y.
xxiii, 212, 1873.

- *4636. 5. *decorella* HULST, Can. Ent., xxiv, 63, 1892. N. Y., Can.

APHOMIA Hübner.

HÜBNER, Verz. bek. Schmett., 369, 1816.

4636. 6. *sociella* LINNÆUS, Syst. Nat., 534, 1758; STAUV- Eur.,
DINGER & REBEL, Cat. Lep. Eur., ii, no. 8, 1901. U. S.
syn. *colonella* LINNÆUS, *tribunella* SCHIFFER-
MÜLLER.

ACHROIA Hübner.

HÜBNER, Verz. bek. Schmett., 163, 1816.

4636. 7. *grisella* FABRICIUS, Ent. Syst., iii, 2, 289, 1794; Eur.,
STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 3, U. S.
1901.

Subfamily EPIPASCHIINAE.

By GEORGE D. HULST.

EPIPASCHIA Clemens.

CLEMENS, Proc. Acad. Sci. Phil., 14, 1860; GROTE, Proc. Bost. Soc. Nat. Hist., xix, 262, 1877; Bull. Geol. Surv. Terr., iv, 685, 1878; N. Am. Ent., i, 9, 1879; MEYRICK, Trans. Ent. Soc. Lond., 62, 1884; 187, 1887; HULST, Ent. Amer., v, 50, 1889; HAMPSHIRE, Trans. Ent. Soc. Lond., 463, 465, 1896; *Mochlocera* GROTE, Can. Ent., viii, 151, 1876; Bull. Geol. Surv. Terr., iv, 686, 1878; N. Am. Ent., i, 9, pl. 2, f. 2, 1879; MEYRICK, Trans. Ent. Soc. Lond., 187, 1887; *Catamota* MEYRICK, Trans. Ent. Soc. Lond., 63, 280, 1884; 187, 1887; *Astropomutis* MEYRICK, Trans. Ent. Soc. Lond., 67, 1884; 187, 1887.

4637. *superatalis* CLEMENS, Proc. Acad. Sci. Phil., 14, 1860; GROTE, Proc. Bost. Soc. Nat. Hist., xix, 262, 1877; Bull. Geol. Surv. Terr., iv, 686, 1878; N. Am. Ent., i, 9, pl. 1, f. 1, 1879; HULST, Ent. Amer., v, 51, 1889.

syn. *borealis* GROTE, Bull. Buff. Soc., i, 177, 1873; ii, 77, 1874; Proc. Bost. Soc. Nat. Hist., xix, 262, 1877; *olivalis* HULST, Trans. Am. Ent. Soc., xiii, 160, 1886.

*4638. *interruptella* RAGONOT, Ann. Soc. Ent. Fr., Séances, Oct. 10, p. cl, 1888. Ariz.

4639. *zelleri* GROTE, Can. Ent., viii, 157, 1876; Proc. Bost. Soc. Nat. Hist., xix, 264, 1877; Bull. Geol. Surv. Terr., iv, 686, 1878; No. Am. Ent., i, pl. 2, f. 2, 1879; HULST, Ent. Amer., v, 52, 1889.

CACOZELIA Grote.

GROTE, Proc. Bost. Soc. Nat. Hist., xix, 264, 1887; Bull. Geol. Surv. Terr., iv, 687, 1878; No. Am. Ent., i, 10, pl. 2, f. 3, 1879; MEYRICK, Trans. Ent. Soc. Lond., 65, 1884; 187, 1887; HULST, Ent. Amer., v, 63, 1889.

4640. *basiochrealis* GROTE, Proc. Bost. Soc. Nat. Hist., xix, 264, 1877; Bull. Geol. Surv. Terr., iv, 687, 1878; No. Am. Ent., i, 10, pl. 2, f. 3, 1879; HULST, Ent. Amer., v, 62, 1889.

JOCARA Walker.

WALKER, Cat. Brit. Mus., xxvii, 115, 1863; HAMPSHIRE, Trans. Ent. Soc. Lond., 460, 1896; *Toripalpus* GROTE, Proc. Bost. Soc. Nat. Hist., xix, 265, 1877; HULST, Ent. Amer., v, 62, 1889; HAMPSHIRE, Trans. Ent. Soc. Lond., 460, 1896; *Titanoecros* MEYRICK, Trans. Ent. Soc. Lond., 62, 1884; HAMPSHIRE, Trans. Ent. Soc. Lond., 460, 1896; *Winona* HULST, Ent. Amer., iv, 113, 1887.

4641. *inerustalis* HULST, Ent. Amer., iii, 130, 1887; v, 62, 1889; DYAR, Proc. U. S. Nat. Mus., xxiii, 283, 1900.

4642. *breviornatalis* GROTE, Proc. Bost. Soc. Nat. Hist., xix, 265, 1877; Bull. Geol. Surv. Terr., iv, 688, 1878; No. Am. Ent., i, 10, pl. 2, f. 4, 1879; HULST, Ent. Amer., v, 63, 1889.

4643. *dentilineella* HULST, Jn. N. Y. Ent. Soc., viii, 221, 1900.

U. S., east
of plains,
Ont., Col.

Mo., Tex.,
N. Mex.

Tex.,
Col.

Gulf
States,
Col.

Ariz.

ONEIDA Hulst.

HULST, Ent. Amer., v, 63, 1889; HAMPSHIRE, Tr. Ent. Soc. Lond., 455, 1896.

4644. *lunulalis* HULST, Ent. Amer., iii, 130, 1887; v, 64, 1889. N. Y.,
Out.

- *4645. *luniferella* HULST, Can. Ent., xxvii, 53, 1895. Col.

YUMA Hulst.

HULST, Ent. Amer., v, 65, 1889.

4646. *trabalis* GROTE, Pap., i, 18, 1881; HULST, Ent. Amer., v, 63, 1889; RAGONOT, Mon. Phyc., pl. 3, f. 23, 1893. Tex., Col.

syn. *adulatalis* HULST, Ent. Amer., iii, 129, 1887; v, 65, 1889.

TALLULA Hulst.

HULST, Ent. Amer., iv, 114, 1888; v, 72, 1889; HAMPSHIRE, Trans. Ent. Soc. Lond., 458, 1896.

4647. *atrifascialis* HULST, Trans. Am. Ent. Soc., xiii, 160, 1886; Ent. Amer., iv, 115, 1888; v, 73, 1889; HAMPSHIRE, Trans. Ent. Soc. Lond., 456, 1896. Gulf States, Col.

BENTA Walker.

WALKER, Cat. Brit. Mus., xxvii, 112, 1863; HAMPSHIRE, Trans. Ent. Soc. Lond., 456, 1896; *Sulada* HULST, Ent. Amer., iv, 113, 1888; v, 66, 1889; HAMPSHIRE, Trans. Ent. Soc. Lond., 456, 1896.

4648. *asperatella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 207, 1860; GROTE, Bull. Geol. Surv. Terr., iv, 691, 1878; HULST, Ent. Amer., iv, 113, 1888; v, 67, 1889. Ont., Eastern & Gulf States, Tex., Col., Wis., Ariz.

syn. *expandens* WALKER, Cat. Brit. Mus., xxvii, 112, 1863; HULST, Trans. Am. Ent. Soc., xvii, 221, 1890; *fuscolotella* RAGONOT, Ann. Soc. Ent. Fr., Séances, cl, Oct. 10, 1888.

4649. *malanogrammos* ZELLER, Ver. zool.-bot. Ges. Wien, xxii, 546, pl. 3, f. 24a, b, 1872; GROTE, Bull. Geol. Surv. Terr., iv, 689, 1877; HULST, Ent. Amer., v, 67, 1889. N. Y., Fla., Tex., Col.

a. *diluculella* GROTE, No. Am. Ent., i, 60, 68, pl. 5, f. 10, 1880; Rep. Dept. Agr., 263, 1880.

syn. *talleolalis* HULST, Trans. Am. Ent. Soc., xiii, 160, 1886; Ent. Amer., iii, 22, 1887; v, 67, 1889.

4650. *floridella* HULST, Jn. N. Y. Ent. Soc., viii, 221, 1901. Fla.

4651. *speciosella* HULST, Jn. N. Y. Ent. Soc., viii, 222, 1901. Fla.

LANTHAPE Clemens.

CLEMENS, Proc. Acad. Sci. Phil., 207, 1860; HULST, Ent. Amer., v, 66, 1889; HAMPSON, Trans. Ent. Soc. Lond., 456, 1896.

4652. *platanella* CLEMENS, Proc. Acad. Sci. Phil., 207, Eastern
1860; GROTE, Bull. Geol. Surv. Terr., iv, 691, U. S., Col.
1878; HULST, Ent. Amer., iv, 114, 1888; v, 66,
1889.

TIOGA Hulst.

HULST, Ent. Amer., iv, 113, 1888; v, 69, 1889; HAMPSON, Trans. Ent. Soc. Lond., 455, 1896.

4653. *aplastella* HULST, Ent. Amer., iv, 113, 1888; Tex., Col.,
v, 69, 1889. Fla.

WANDA Hulst.

HULST, Ent. Amer., iv, 114, 1888; v, 69, 1889; HAMPSON, Trans. Ent. Soc. Lond., 456, 1896.

4654. *baptisiella* FERNALD, Ent. Amer., iii, 128, 1887; N. Y.,
HULST, Ent. Amer., iv, 114, 1888; v, 70, 1889. Mo.

4655. *tiltella* HULST, Ent. Amer., iv, 114, 1888; v, 70, Tex.
1889.

TETRALOPHA Zeller.

ZELLER, Isis, 880, 1848; GROTE, Bull. Geol. Surv. Terr., iv, 688, 1878; No. Am. Ent., i, 10, pl. 2, t. 5, 1879; HULST, Ent. Amer., v, 69, 1889; HAMPSON, Trans. Ent. Soc. Lond., 456, 1896; *Katona* HULST, Ent. Amer., iv, 113, 1888; v, 69, 1889; *Loma* HULST, Ent. Amer., iv, 114, 1888; v, 69, 1889.

- *4656. *nephelotella* HULST, Ent. Amer., iv, 114, 1888; Pa.,
v, 70, 1889. Tex.

4657. *robustella* ZELLER, Isis, 881, 1848; GROTE, Bull. Tex.,
Geol. Surv. Terr., iv, 690, 1878; HULST, Ent. Col.
Amer., v, 71, 1889.

4658. *militella* ZELLER, Isis, 880, 1848; GROTE, Bull. Tex.
Geol. Surv. Terr., iv, 689, 1878; HULST, Ent.
Amer., v, 71, 1889.

- *4659. *formosella* HULST, Can. Ent., xxxii, 169, 1900. Tex.

- *4660. *slossonii* HULST, Can. Ent., xxvii, 53, 1895. Fla.

4661. *euphemella* HULST, Ent. Amer., iv, 113, 1888; v, Tex.
71, 1889.

4662. *humera* RAGONOT, Ann. Soc. Ent. Fr., Séances, Tex.
cli, Oct. 10, 1888.

POCOCERA Zeller.

ZELLER, Isis, 874, 1848; HAMPSON, Tr. Ent. Soc. Lond., 456, 1896.

4663. *variella* RAGONOT, Ann. Soc. Ent. Fr., Séances, Tex.
cli, Oct. 10, 1888.

syn. *melanographella* RAGONOT, Ann. Soc. Ent.
Fr., Séances, clii, Oct. 10, 1888.

4664. *subcanalis* WALKER, Cat. Brit. Mus., xxvii, 56, Tex.
1863.

syn. *texanella* RAGONOT, Ann. Soc. Ent. Fr.,
Séances, clii, Oct. 10, 1888.

ATTACAPA Hulst.

HULST, Ent. Amer., v, 71, 1889; HAMPSHOR, Trans. Ent. Soc. Lond., 456, 1896.

4665. *callipeplella* HULST, Ent. Amer., iv, 114, 1888; v, Tex.,
71, 1889. Cal.

DYARIA Neumoegen.

NEUMOEGEN, Can. Ent., xxv, 214, 1893.

4666. *singularis* NEUMOEGEN, Can. Ent., xxv, 214, 1893; Me.?
DYAR, Can. Ent., xxxii, 284, 1900. (= *Canodolumus hockingii* WALSHINGHAM?)

Subfamily PHYCITINAE.

By GEORGE D. HULST.

(C.=RAGONOT, Mon. Phyc. Gall., Romanoff, Méni. Lép., vii, 1893.)

TRACHYCERA Ragonot.

RAGONOT, C. 2, 1893.

*4667. *pallicornella* RAGONOT, Diag. N. Am. Phyc., 119, Tex.
1890; C. 2.

SARASOTA Hulst.

HULST, Jb. N. Y. Ent. Soc., vii, 222, 1901.

4668. *plumigerella* HULST, Jb. N. Y. Ent. Soc., vii, 222, Fla.
1901.

MYELOIS Hübner.

HÜBNER, Verz. bek. Schmett., 371, 1818; ZELLER, Isis, 176, 1839; 729, 1843; 585, 681,
1848; HERRICH-SCHAFFER, Eur. Schm., iv, 95, 1849; HEINEMANN, Pyr., 178, 1865;
MEYRICK, Proc. Linn. Soc. N. S. Wales, iii, 211, 1878; vii, 155, 1882; RAGONOT, Ent.
Mon. Mag., xxii, 19, 1885; HULST, Trans. Am. Ent. Soc., xvii, 116, 1890; RAGONOT,
C. 25.

*4669. *transitella* WALKER, Cat. Brit. Mus., xxvii, 54, Fla.
1863; HULST, Trans. Am. Ent. Soc., xvii, 218,
1890; RAGONOT, C. 42.

syn. *notatalis* WALKER.

*4670. *subtetricella* RAGONOT, Ent. Amer., v, 113, 1889; No. Am.
C. 47.

4671. *obnupsella* HULST, Trans. Am. Ent. Soc., xvii, Ont., Fla.,
118, 1890; RAGONOT, C. 48. Pa.

- *4672. *minutulella* HULST, Ent. Amer., iii, 136, 1887; RAGONOT, C. 48. Tex.
- *4673. *texanella* HULST, Can. Ent., xxiv, 60, 1892. Tex.
- *4674. *zonulella* RAGONOT, Ent. Amer., v, 117, 1889; C. 49. Ill.
4675. *leucophælla* HULST, Can. Ent., xxiv, 60, 1892. Col.
4676. *bistriatella* HULST, Ent. Amer., iii, 136, 1887; RAGONOT, C. 51. N. Y., D. C., Iowa, Fla., Wis., Col.
syn. *bilineatella* RAGONOT, Diag. N. Am. Phyc., 3, 1887; C. 48; *immundella* HULST, Trans. Am. Ent. Soc., xvii, 117, 1890; RAGONOT, C. 49.
- *4677. *grossipunctella* RAGONOT, Diag. Nov. Gen. Sp. Phyc., 8, 1887; C. 51. Cal.
- *4678. *alatella* HULST, Ent. Amer., iii, 135, 1887; RAGONOT, C. 52. N. J., N. Mex., Ariz., Cal.
syn. *rectistrigella* RAGONOT.
- *4679. *dulciella* HULST, Can. Ent., xxxii, 176, 1900. Fla.
- *4680. *corniella* RAGONOT, Diag. N. Am. Phyc., 2, 1887; C. 53. Nev., Cal., Ariz.
syn. *comella* HULST, Sim. List. Lep. Bor. Amer., no. 4254, 1891.
- *4681. *duplipunctella* RAGONOT, Diag. N. Am. Phyc., 2, 1887; C. 56. Fla.

RHODOPHÆA Guenée.

- GUENÉE, Ann. Soc. Ent. Fr., 312, 1845; Index Méth., 74, 1845; RAGONOT, Ent. Mon. Mag., xxii, 19, 1885; HULST, Trans. Am. Ent. Soc., xvii, 119, 1890; C. 68.
4682. *hystriculella* HULST, Ent. Amer., iii, 135, 1887; RAGONOT, C. 73. Tex.
- *4683. *exsulella* ZELLER, Isis, 868, 1848; HULST, Trans. Am. Ent. Soc., xvii, 120, 1890; RAGONOT, C. 80. N. C., Ga.

ACROCAULA Hulst.

HULST, Can. Ent., xxxii, 169, 1900.

- *4684. *comacornella* HULST, Can. Ent., xxxii, 170, 1900. Tex.

ACROBASIS Zeller.

ZELLER, Isis, 176, 1839; 731, 1846; 585, 606, 1848; HERRICH-SCHAEFFER, Eur. Schm., iv, 99, 1849; HEINEMANN, Pyc., 175, 1865; GROTE, Bull. Geol. Surv. Terr., iv, 692, 1878; No. Am. Ent., i, 10, 1879; RAGONOT, Ent. Mon. Mag., xxii, 19, 1885; HULST, Trans. Am. Ent. Soc., xvii, 120, 1890; RAGONOT, C. 85.

4685. *palliolella* RAGONOT, Diag. N. Am. Phyc., 4, 1887; C. 92. Ont.
syn. *albocapitella* HULST.

- *4686. *demotella* GROTE, Pap., i, 14, 1881; Bull. Geol. Surv. Terr., vi, 590, 1882; RAGONOT, C. 103. Ont. to N. Y.
4687. *angusella* GROTE, No. Am. Ent., i, 51, 1880; Bull. Geol. Surv. Terr., vi, 590, 1880; RAGONOT, C. 104. Ont., N. Y.
4688. *caryæ* GROTE, Pap., i, 13, 1881; HULST, Trans. Am. Ent. Soc., xvii, 122, 1890; RAGONOT, C. 105. Mass., N. Y., Ill., Tex.
syn. *minimella* RAGONOT.
- *4689. *nigrosignella* HULST, Trans. Am. Ent. Soc., xvii, 123, 1890; RAGONOT, C. 105. Tex.
- *4690. *caryivorella* RAGONOT, Diag. N. Am. Phye., 4, 1887; C. 108. Mo.
syn. *caryivorella* HULST, Trans. Am. Ent. Soc., xvii, 121, 1890; *cunjiarella* HULST, Sm. List Lep. Bor.-Amer., no. 4262, 1891.
- *4691. *cirroferella* HULST, Can. Ent., xxiv, 60, 1892. Tex., Col.
4692. *rubrifasciella* PACKARD, Ann. Lyc. Nat. Hist. N. Y., x, 267, 1873; RAGONOT, C. 106. N. Eng., N. Y., Col.
4693. *betulella* HULST, Trans. Am. Ent. Soc., xvii, 125, 1890; RAGONOT, C. 107. N. Y., N. H., Col.
4694. *comptoniella* HULST, Trans. Am. Ent. Soc., xvii, 125, 1890; RAGONOT, C. 108. N. Eng., N. Y.
4695. *hebescella* HULST, Trans. Am. Ent. Soc., xvii, 126, 1890; RAGONOT, C. 109. N. J., Tex., Ill., Wis.
- *4696. *fructetella* HULST, Can. Ent., xxiv, 59, 1892. Tex., Ariz., Col.

MINEOLA Hulst.

HULST, Trans. Am. Ent. Soc., xvii, 126, 1890; RAGONOT, C. 86.

- *4697. *scitulella* HULST, Can. Ent., xxxii, 169, 1900. Col.
4698. *tricolorella* GROTE, Bull. Geol. Surv. Terr., iv, 694, 1878; RAGONOT, C. 93. Cal., Nev., Me.
4699. *rubescentella* HULST, Can. Ent., xxxii, 169, 1900. Tenn.
4700. *amplexella* RAGONOT, Diag. N. Am. Phye., 3, 1887; C. 97. Atl. States.
- *4701. *caliginella* HULST, Ent. Amer., iii, 131, 1887; v, 156, 1889; RAGONOT, C. 115. Cal., Ariz., N. Mex.
syn. *comptella* RAGONOT.
4702. *juglandis* LE BARON, Ins. Ills., ii, 123, 1872; RAGONOT, C. 120. Atl. States.
4703. *vaccinii* RILEY, Can. Ent., xvi, 237, 1884; RAGONOT, C. 121. N. Eng., N. J., Tex.

4704. *indigenella* ZELLER, Isis, 651, 1848; RAGONOT, Atl. States, C. 118.
 syn. *nebulosa* WALSH, *zelatella* HULST.
a. nebulella RILEY, Ins. Mo., iv, 41, 1872; RAGONOT, C. 118.

ULOPHORA Ragonot.

RAGONOT, Ann. Soc. Ent. Fr., Séances, 7, 1890; HULST, Trans. Am. Ent. Soc., xvii, 222, 1890; RAGONOT, C. 155.

- *4705. *grotei* RAGONOT, Ann. Soc. Ent. Fr., Séances, p. N. C.
 vii, 1890; HULST, Trans. Am. Ent. Soc., xvii, 222, 1890; RAGONOT, C. 156.

PIESMOPODA Zeller.

ZELLER, Isis, 606, 683, 1848; HULST, Trans. Am. Ent. Soc., xvii, 132, 1890; RAGONOT, C. 158.

- *4706. *subrufella* HULST, Ent. Amer., iii, 132, 1887; Fla.
 RAGONOT, C. 166.

- *4707. *filiola* HULST, Ent. Amer., iv, 117, 1888; Fla.,
 RAGONOT, C. 166. Tex.

PHYCITOPSIS Ragonot.

RAGONOT, Diag. No. Am. Phye., 4, 1887; HULST, Trans. Am. Ent. Soc., xvii, 133, 1890;
 RAGONOT, C. 185.

- *4708. *flavicornella* RAGONOT, Diag. No. Am. Phye., 4, Tex.
 1887; C. 185.

DIORYCTRIA Zeller.

ZELLER, Isis, 732, 1846; 585, 1848; HEINEMANN, Pyr., 148, 1865; RAGONOT, Ent. Mon. Mag., xxii, 52, 1885; C. 187.

- *4709. *clarioralis* WALKER, Cat. Brit. Mus., xxvii, 54, U. S.,
 1863; HULST, Trans. Am. Ent. Soc., xvii, 136, Fla.? 1890; RAGONOT, C. 193.

- *4710. *aurantiacella* GROTE, Trans. Kans. Acad. Sci., Col., N. Mex., viii, 57, 1883; Ann. Mag. Nat. Hist., (5), xi, 57, Ariz.
 1883; RAGONOT, C. 194.
 syn. *miniatella* RAGONOT.

4711. *abietella* DENIS & SCHIFFERMÜLLER, Syst. Verz. Wien, x, 138, 1776; STAUDINGER & REBEL, Cat. Lep. Eur. ii, no. 700, 1901; RAGONOT, C. 198. Atl. States, Col., Wash., Europe.
 syn. *decurvella* HÜBNER, *sylvestrella* RATZEBURG, *abieticorolla* GROTE.

- *4712. *reniculella* GROTE, No. Am. Ent., i, 67, 1880; Atl. States.
 RAGONOT, C. 200.

MONOPTILOTA Hulst.

HULST, Can. Ent., xxxii, 13, 1900.

4713. *nubilella* HULST, Can. Ent., xxxii, 13, 1900. Md., Fla.,
Ala.

4714. *actualis* HULST, Trans. Am. Ent. Soc., xiii, 161, Col.
1886; RAGONOT, C. 203.

PINIPESTIS Grote.

GROTE, Can. Ent., x, 19, 1878; Bull. Geol. Surv. Terr., iv, 699, 1878; HULST, Trans. Am. Ent. Soc., xvii, 136, 1890.

4715. *zimmermanni* GROTE, Can. Ent., ix, 161, 1877; x, N. Y.,
19, 1878; PACKARD, Ins. Inj. to Shade Trees, Pa.
182, 1881; GROTE, No. Am. Ent., i, 11, pl. 2, f.
10, 1879; ZIMMERMANN, Can. Ent., x, 20, 1878;
RAGONOT, C. 190.

- *4716. *amatella* HULST, Ent. Amer., iii, 131, 1887; Fla.
RAGONOT, C. 191.

- *4717. *pygmæella* RAGONOT, Diag. No. Am. Phyc., 5, N. C.,
1887; C. 192. Fla.

- *4718. *albovittella* HULST, Trans. Am. Ent. Soc., xvii, N. Mex.,
138, 1890; RAGONOT, C. 193. Col.
- syn. *gulosella* HULST, Trans. Am. Ent. Soc., xvii, 126, 1890; RAGONOT, C. 109; *elegantella*
HULST, Can. Ent., xxvii, 59, 1895.

- *4719. *umbripennis* HULST, Can. Ent., xxvii, 57, 1895. Col.

TACOMA Hulst.

HULST, Ent. Amer., iv, 115, 1888; Trans. Am. Ent. Soc., xvii, 139, 1890; RAGONOT,
C. 205.

4720. *feriella* HULST, Ent. Amer., iv, 115, 1888; RAGO- Tex.
NOT, C. 205.

DASYPYGA Ragonot.

RAGONOT, Diag. No. Am. Phyc., 5, 1887; HULST, Trans. Am. Ent. Soc., xvii, 138,
1890; RAGONOT, C. 206.

- *4721. *alternosquamella* RAGONOT, Diag. No. Am. Phyc., Cal.,
5, 1887; C. 206. Ariz.

- a. stictophorella* RAGONOT, Diag. No. Am. Phyc.,
5, 1887; C. 206.

PROMYLEA Ragonot.

RAGONOT, Diag. No. Am. Phyc., 5, 1887; HULST, Trans. Am. Ent. Soc., xvii, 139, 1890;
RAGONOT, C. 207.

- *4722. *lunigerella* RAGONOT, Diag. No. Am. Phyc., 5, Vancouver
1887; C. 208. Id.

GLYPTOCERA Ragonot.

RAGONOT, Ent. Amer., v, 114, 1889; Ann. Soc. Ent. Fr., Séances, Jan. 8, vii, 1890; HULST, Trans. Am. Ent. Soc., xvii, 140, 1890; RAGONOT, C. 209.

*4723. consobrinella ZELLER, Verh. zool.-bot. Ges. Wien, 528, 1872; RAGONOT, C. 210. Fla., Tex.

ORTHOLEPIS Ragonot.

RAGONOT, Diag. No. Am. Phyc., 6, 1887; HULST, Trans. Am. Ent. Soc., xvii, 140, 1890; RAGONOT, C. 214.

*4724. jugosella RAGONOT, Diag. No. Am. Phyc., 6, 1887; C. 214. Cal.?

POLOPEUSTIS Ragonot.

RAGONOT, C. 232, 1893.

*4725. annulatella ZETTERSTEDT, Ins. Lap., 997, 1840; RAGONOT, C. 233. Lab., Eur.

syn. *altensis* WOCKE; MÖSCHLER, Verh. zool.-bot. Ges. Wien, 309, 1884.

AMBESA Grote.

GROTE, No. Am. Ent., i, 98, 1880; HULST, Trans. Am. Ent. Soc., xvii, 141, 1890; RAGONOT, C. 237; *Pristophora* RAGONOT, Ann. Soc. Ent. Fr., 229, 1887; C. 242.

*4726. walsinghami RAGONOT, Diag. No. Am. Phyc., 6, 1887; C. 239. Col., Ariz.

4727. lætella GROTE, No. Am. Ent., i, 98, 1880; RAGONOT, C. 240. Col.

*4728. lallatalis HULST, Trans. Am. Ent. Soc., xiii, 161, 1885; RAGONOT, C. 241. Col., Nev.

syn. *denticulata* RAGONOT, *brucei* HULST, Can. Ent., xxvii, 55, 1895.

*4729. niviella HULST, Ent. Amer., iv, 117, 1888; RAGONOT, C. 241. Col.

NEPHOPTERYX Hübner.

HÜBNER, Verz. bek. Schmett., 370, 1818; ZELLER, Isis, 731, 732, 1846; 585, 1848; HERICH-SCHAFFER, Eur. Schmet., iv, 78, 1849; HEINEMANN, Pyr., 149, 1865; GROTE, Bull. Geol. Surv. Terr., iv, 695, 1878; No. Am. Ent., i, 11, 1879; MEYRICK, Proc. Linn. Soc. N. S. Wales, iii, 201, 1878; RAGONOT, Ent. Mon. Mag., xxii, 19, 1885; HULST, Trans. Am. Ent. Soc., xvii, 142, 1890; RAGONOT, C. 241.

4730. scobiella GROTE, No. Am. Ent., i, 51, 1880; RAGONOT, C. 266. Tex., N. Mex.

syn. *decimerella* HULST.

4731. pergratialis HULST, Trans. Am. Ent. Soc., xiii, 162, 1886; RAGONOT, C. 267. Ga., Fla.

syn. *grotella* RAGONOT.

*4732. modestella HULST, Can. Ent., xxxii, 170, 1900. Mass.

- *4733. *furfurella* HULST, Ent. Amer., iii, 131, 1887; RAGONOT, C. 269. Fla., Tex.
- *4734. *ovalis* PACKARD, Ann. N. Y. Lyc. Nat. Hist., x, 269, 1873; GROTE, No. Am. Ent., i, 11, pl. 2, f. 9, 1880; RAGONOT, C. 269. East. U. S., Col., Cal., Tex.
syn. *latifasciella* PACKARD.
- a. geminipunctella* RAGONOT, Diag. No. Amer. Phyc., 7, 1887; C. 269.
- *4735. *rhypodella* HULST, Ent. Amer., iii, 137, 1887; RAGONOT, C. 270. Ill., Cal., Tex.
syn. *curratella* RAGONOT.
- *4736. *fasciolalis* HULST, Trans. Am. Ent. Soc., xiii, 162, 1886; RAGONOT, C. 271. Cal., Nev., Brit. Col.
- *4737. *hypochalciella* RAGONOT, Diag. No. Am. Phyc., 7, 1887; C. 272. Wash.
- *4738. *rubrisparsella* RAGONOT, Diag. No. Am. Phyc., 6, 1887; C. 284. Tex.
syn. *rufibasella* RAGONOT; *croceella* HULST.
- *4739. *crassifasciella* RAGONOT, Diag. No. Am. Phyc., 8, 1887; C. 285. Cal.
- *4740. *inquilinella* RAGONOT, Diag. No. Am. Phyc., 8, 1887; C. 290. Wis.
- *4741. *gilyvibasella* HULST, Trans. Am. Ent. Soc., xvii, 145, 1890; C. 289. Tex.
- *4742. *subtinctella* RAGONOT, Diag. No. Am. Phyc., 7, 1887; C. 302. Cal.

TLASCALA Hulst.

HULST, Trans. Am. Ent. Soc., xvii, 146, 1890; RAGONOT, C. 255.

- *4743. *finitella* WALKER, Cat. Brit. Mus., xxvii, 53, 1863; RAGONOT, C. 282. N. Sc., Fla., Col.
4744. *reductella* WALKER, Cat. Brit. Mus., xxvii, 62, 1863; RAGONOT, C. 283. S. C., Ohio, N. Y.
syn. *gleditschiella* FERNALD.

MEROPTERA Grote.

GROTE, Can. Ent., xiv, 29, 1882; HULST, Trans. Am. Ent. Soc., xvii, 148, 1890; RAGONOT, C. 321; *Oreana* HULST, Ent. Amer., iv, 115, 1888.

- *4745. *mirandella* RAGONOT, Mon. Phyc. Gall., i, 313, 1893. Col.
4746. *pravella* GROTE, Bull. Geol. Surv. Terr., iv, 694, 1878; RAGONOT, C. 314. East. U. S., Col., Ont.
- *4747. *uvinella* RAGONOT, Diag. No. Am. Phyc., 8, 1887; C. 315. U. S.?

- *4748. *unicolorella* HULST, Ent. Amer., iii, 136, 1887; C. 315. Ont., Wash.
- *4749. *canescentella* HULST, Trans. Am. Ent. Soc., xvii, 149, 1890; RAGONOT, C. 319. Tex.
- SALEBRIA Zeller.
- ZELLER, Isis, 733, 1846; 779, 1848; HEINEMANN, Pyr., 155, 1865; GROTE, Bull. Geol. Surv. Terr., iv, 695, 1878; No. Am. Ent., i, 11, 1879; RAGONOT, Ent. Mon. Mag., xxii, 19, 1885; HULST, Trans. Am. Ent. Soc., xvii, 149, 1893; RAGONOT, C. 327.
- *4750. *pumilella* RAGONOT, Diag. No. Am. Phyc., 8, 1887; C. 344. Col., Tex., N. Mex., Ariz.
4751. *nubiferella* RAGONOT, Diag. No. Am. Phyc., 8, 1887; C. 344. Tex., Col.
- *4752. *turpidella* RAGONOT, Mon. Phyc. Gall., i, 346, pl. 13, f. 24, 1893. Mass., Col.
4753. *annulosella* RAGONOT, Diag. No. Am. Phyc., 7, 1887; C. 346. Mass., Tex., Col.
- *4754. *tenebrosella* HULST, Ent. Amer., iii, 136, 1887; RAGONOT, C. 347.
syn. *quericorella* RAGONOT. S. C., Tex.
- *4755. *delectella* HULST, Can. Ent., xxvii, 57, 1895. Col.
4756. *lævigatella* HULST, Can. Ent., xxiv, 61, 1892. Col.
- *4757. *afflictella* HULST, Can. Ent., xxxii, 170, 1900. N. J.
- *4758. *nigricans* HULST, Can. Ent., xxxii, 171, 1900. Ariz.
4759. *contatella* GROTE, No. Am. Ent., i, 49, 1880; RAGONOT, C. 348.
syn. *tubecasiella* CLEMENS, Proc. Acad. Sci. Phil., 206, 1860.
a. quinquepunctella GROTE, No. Am. Ent., i, 50, 68, pl. 5, f. 6, 1880; RAGONOT, C. 348.
syn. *teviratella* CLEMENS, Proc. Acad. Sci. Phil., 206, 1860.
b. inconditella RAGONOT, Mon. Phyc. Gall., i, 348, pl. 15, f. 2, 1893. East. U. S., Col., Can.
4760. *celtidella* HULST, Trans. Am. Ent. Soc., xvii, 155, 1890; RAGONOT, C. 354. N. Eng., N. Y., Fla.
- *4761. *pudibundella* RAGONOT, Mon. Phyc. Gall., i, 350, 1893. Col.
4762. *georgiella* HULST, Can. Ent., xxvii, 57, 1895. Fla.
- *4763. *subfuscella* RAGONOT, Diag. No. Am. Phyc., 8, 1887; C. 351. Tex.
- *4764. *slossonella* HULST, Can. Ent., xxxii, 170, 1900. Fla.
- *4765. *lacteella* HULST, Can. Ent., xxxii, 171, 1900. Tex.

4766. *semiobscurella* HULST, Trans. Am. Ent. Soc., xvii, 151, 1890; RAGONOT, C. 352. N. Y., Tex., Col.
4767. *basilaris* ZELLER, Ver. zool.-bot. Ges. Wien, xxii, 548, pl. 3, f. 23, 1872; GROTE, No. Am. Ent., i, 51, 1880; RAGONOT, C. 353. Mass., Col., Tex.
- *4768. *alicuella* HULST, Ent. Amer., iii, 135, 1887; RAGONOT, C. 367. Ariz.
syn. *oberthurella* RAGONOT.
- *4769. *bifasciella* HULST, Ent. Amer., iii, 132, 1887; RAGONOT, C. 366. Ariz.
- *4770. *odiosella* HULST, Ent. Amer., iii, 132, 1887; RAGONOT, C. 366. Tex., Col.
- *4771. *carneella* HULST, Ent. Amer., iii, 131, 1887; RAGONOT, C. 367. Me., Mass.
- *4772. *purpurella* HULST, Can. Ent., xxiv, 61, 1892. Ill.

PASSADENA Hulst.

HULST, Can. Ent., xxxii, 171, 1900.

4773. *constantella* HULST, Can. Ent., xxxii, 171, 1900. S. C.

MYRLÆA Ragonot.

RAGONOT, Mon. Phyc. Gall., i, 394, 1893.

- *4774. *tarmitalis* HULST, Trans. Am. Ent. Soc., xiii, 163, 1886; RAGONOT, C. 401. Col.
4775. *delassalis* HULST, Trans. Am. Ent. Soc., xiii, 161, 1886; RAGONOT, C. 402. Col., Ariz., N. Mex.
syn. *fernaldi* RAGONOT.

LAODAMIA Ragonot.

RAGONOT, Nouv. Gén. Spec. Phyc., 22, 1888; HULST, Trans. Am. Ent. Soc., xvii, 156, 1890; RAGONOT, C. 403.

4776. *fusca* HAWORTH, Lep. Brit., 493, 1828; WESTWOOD & HUMPHREYS, Brit. Moths, ii, 232, pl. 115, f. 29, 1849; WALLENGREN, Pyr., 1036, 1859; GROTE, No. Am. Ent., i, 11, pl. 2, f. 7, 1879; MÖSCHLER, Stett. ent. Zeit., 393, 1880; Ver. zool.-bot. Ges. Wien, 309, 1884; FREY, Lep. Schw., 274, 1880; RAGONOT, C. 408. Arctic Am., Eur.
syn. *spadaceella* ZINCKEN, *carbonariella* FISCHER, *posticella* ZETTERSTEDT, *janthinella* DUPONCHEL, *mastella* WALKER, *undulatella* WALKER, Cat. Brit. Mus., xxxv, 171i, 1866; *cucabella* HULST.
a. frigidella PACKARD, Proc. Bost. Soc. Nat. Hist., 53, 1866; RAGONOT, C. 408.

ELASMOPALPUS Blanchard.

BLANCHARD, Gay, Hist. Chili, Zool., vii, 104, 1852; HULST, Trans. Am. Ent. Soc., xvii, 157, 1890; RAGONOT, C. 418.

- *4777. *decoralis* WALKER, Cat. Brit. Mus., xxvii, 42, 1863; RAGONOT, C. 420.
 syn. *metagrammalis* WALKER, *decorellus* HULST, Sm. List Lep. Bor. Am., no. 4341, 1902.
4778. *petrellus* ZELLER, Isis, 771, 1846; RAGONOT, C. 421.
 syn. *erectalis* WALKER, *ruginella* WALKER, *rufinalis* WALKER, *hapsella* HULST, *obsipella* HULST.
- *4779. *floridellus* HULST, Trans. Am. Ent. Soc., xvii, 158, 1890; RAGONOT, C. 422.
 Fla., Ariz.
- *4780. *melanellus* HULST, Trans. Am. Ent. Soc., xvii, 157, 1890; RAGONOT, C. 424.
 Fla.
4781. *lignosellus* ZELLER, Isis, 883, 1848; RAGONOT, C. 425.
 Atl. States, So. Am.
 syn. *angustellus* BLANCHARD.
a. incautellus ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 544, 1872; RAGONOT, C. 425.
b. tartarellus ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 544, 1872; RAGONOT, C. 425.
 syn. *carbonellus* HULST.

SELAGIA Hübner.

HÜBNER, Verz. bek. Schmett., 371, 1818; ZELLER, Isis, 732, 1846; 752, 1848; HEINEMANN, Pyr., 153, 1865; RAGONOT, Ent. Mon. Mag., xxii, 19, 1885; HULST, Trans. Am. Ent. Soc., xvii, 159, 1890; RAGONOT, C. 467.

- *4782. *australella* HULST, Can. Ent., xxxii, 174, 1900. Tex.
 *4783. *lithosella* RAGONOT, Diag. No. Am. Phyc., 9, 1887; C. 474. Ariz.

PYLA Grote.

GROTE, Check List, 55, 66, 1882; Pap., i, 18, 1881; RAGONOT, Diag. No. Am. Phyc., 9, 1887; HULST, Trans. Am. Ent. Soc., xvii, 161, 1890; RAGONOT, C. 481.

4784. *scintillans* GROTE, Pap., i, 18, 1881; RAGONOT, C. 482. Cal., Nev.
 *4785. *metalicella* HULST, Can. Ent., xxvii, 54, 1895. Col.
 *4786. *bistriatella* HULST, Can. Ent., xxvii, 54, 1895. Cal.
 *4787. *incorrucella* HULST, Can. Ent., xxvii, 55, 1895. Col.
 *4788. *aeneella* HULST, Can. Ent., xxvii, 55, 1895. Col.
 *4789. *aeneoviridella* RAGONOT, Diag. No. Am. Phyc., 8, 1887; C. 482. N. Y.

ANORISTIA Ragonot.

RAGONOT, Ann. Soc. Ent. Fr., 236, 1887; C. 486.

- *4790. *olivella* HULST, Ent. Am., iv, 117, 1888; RAGONOT, C. 487. Cal.

EPISCHNIA Hübner.

HÜBNER, Verz. bek. Schmett., 370, 1818; ZELLER, Isis, 178, 1839; 585, 644, 737, 1848; HERRICH-SCHAFFER, Eur. Schm., iv, 89, 1849; HEINEMANN, Pyr., 171, 1865; MEYRICK, Proc. Linn. Soc. N. S. Wales, iv, 229, 1879; RAGONOT, Ent. Mon. Mag., xxii, 19, 1885; HULST, Trans. Am. Ent. Soc., xvii, 162, 1890; RAGONOT, C. 493; *Pima* HULST, Ent. Amer., iv, 114, 1888; Trans. Am. Ent. Soc., xvii, 164, 1890.

- *4791. *ruderella* RAGONOT, Diag. No. Am. Phyc., 9, 1887; C. 514. Cal.

- *4792. *albiplagiarella* PACKARD, Ann. N. Y. Lyc. Nat. Hist., x, 269, 1873; RAGONOT, C. 518. Col.
syn. *fosterella* HULST.

4793. *boisduvaliella* GUENÉE, Ann. Soc. Ent. Fr., 318, 1845; RAGONOT, C. 518. Mass.,
Mont., Col., Tex., Cal.
syn. *farrella* CURTIS, Ann. Soc. Nat. Hist., iv, 114, 1850; RAGONOT, C. 518; *lafauriella* COMSTOCK, *leucoloma* SNELLEN.

- a. tabulella* RAGONOT, Mon. Phyc. Gall., 519, 1893.

- *4794. *albocostalis* HULST, Trans. Am. Ent. Soc., xiii, 164, 1886; RAGONOT, C. 519. Cal.

- *4795. *subcostella* RAGONOT, Diag. No. Am. Phyc., 10, 1887; C. 520. Utah.

- *4796. *fulvirugella* RAGONOT, Diag. No. Am. Phyc., 10, 1887; C. 521. Col., Cal.

- *4797. *incanella* HULST, Can. Ent., xxvii, 56, 1895. Col.

- *4798. *granitella* RAGONOT, Diag. No. Am. Phyc., 9, 1887; C. 523. Col., Cal.

GETULIA Ragonot.

RAGONOT, Nouv. Gén. Spec. Phyc., 26, 1888; C. 527.

- *4799. *flavidorsella* RAGONOT, Diag. No. Am. Phyc., 9, 1887; C. 528. Ariz., Mex.

MEGASIS Guenée.

GUENÉE, Ann. Soc. Ent. Fr., 309, 1845; HEINEMANN, Pyr., 170, 1865; HULST, Trans. Am. Ent. Soc., xvii, 164, 1890; RAGONOT, C. 537.

- *4800. *edwardsialis* HULST, Trans. Am. Ent. Soc., xiii, 163, 1886; RAGONOT, C. 545. Cal., Nev., Col.
syn. *polyphemella* RAGONOT.

- *4801. *excantalis* HULST, Trans. Am. Ent. Soc., xiii, 1886; C. 547. Cal.
syn. *pullatella* RAGONOT.

- *4802. *atrella* HULST, Trans. Am. Ent. Soc., xvii, 166, 1890; RAGONOT, C. 548. Col.

- *4803. *cinctella* HULST, Can. Ent., xxxii, 172, 1900. Cal.

LIPOGRAPHIS Ragonot.

RAGONOT, Diag. No. Am. Phyc., 10, 1887; HULST, Trans. Am. Ent. Soc., xvii, 166, 1890; RAGONOT, C. 562.

- *4804. *humilis* RAGONOT, Diag. No. Am. Phyc., 11, 1887; C. 563. Cal.

- *4805. *fenestrella* PACKARD, Ann. N. Y. Lyc. Nat. Hist., x, 259, 1873; RAGONOT, C. 564. Cal.

- *4806. *leonicella* PACKARD, Ann. N. Y. Lyc. Nat. Hist., x, 259, 1873; RAGONOT, C. 565. Cal., Col., Nebr.

ETIELLA Zeller.

ZELLER, Isis, 179, 1839; 733, 1846; HEINEMANN, Pyr., 154, 1865; MEYRICK, Proc. Linn. Soc. N. S. Wales, iii, 203, 1878; vii, 156, 1882; HULST, Trans. Am. Ent. Soc., xvii, 169, 1890; RAGONOT, C. 569; *Ramphodes* GUENÉE, Ann. Soc. Ent. France, 319, 1845; ZELLER, Hor. Soc. Ent. Ross., xvi, 177, 1880; *Mella* WALKER, Cat. Brit. Mus., xix, 1017, 1859; *Asara* WALKER, Cat. Brit. Mus., xxvii, 79, 1863; *Modiatura* WALKER, Cat. Brit. Mus., xxvii, 83, 1863; *Alata* WALKER, Cat. Brit. Mus., xxvii, 108, 1863; *Arucha* WALKER, Cat. Brit. Mus., xxvii, 201, 1863.

4807. *zinckenella* TREITSCHKE, Schm. Eur., ix, 1, 201, 1832; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 510, 1901; RAGONOT, C. 572. Can., U. S., Eur.

syn. *etiella* TREITSCHKE, *majorella* COSTA,
colonellus COSTA, *dymnusalis* WALKER,
albocostalis WALKER, *scittiritalis* WALKER,
anticalis WALKER, *indicatalis* WALKER,
hastiferella WALKER, *heraldella* GUENÉE,
madagascariensis SAALMÜLLER, *sabulinus*
BUTLER, *spartiella* BOND.

- *4808. *schisticolor* ZELLER, Hor. Soc. Ent. Ross., xvi, 178, 1881; RAGONOT, C. 574. Cal., Col., Ariz.

syn. *villosella* HULST.

- *4809. *rubribasella* HULST, Trans. Am. Ent. Soc., xvii, 170, 1890; RAGONOT, C. 572. Fla., Col.

HYPOTHALCIA Hübner.

HÜBNER, Verz. bek. Schmett., 367, 1818; ZELLER, Isis, 585, 1848; HERRICH-SCHAFFER, Eur. Schm., iv, 85, 1849; HEINEMANN, Pyr., 165, 1865; RAGONOT, Ent. Mon. Mag., xxii, 18, 1885; HULST, Trans. Am. Ent. Soc., xvii, 168, 1890; RAGONOT, C. 578.

- *4810. *hulstiella* RAGONOT, Diag. No. Am. Phyc., ii, 1887; C. 603. Tex.

SARATA Ragonot.

RAGONOT, Diag. No. Am. Phyc., 11, 1887; C. 614.

- *4811. *nigrofasciella* RAGONOT, Diag. No. Am. Phyc., 11, 1887; C. 615. Col., Ariz.

- *4812. *tephrella* RAGONOT, C. 616, 1893. Wash.
 *4813. *perfuscalis* HULST, Trans. Am. Ent. Soc., xiii, 161. Cal.
 1886; RAGONOT, C. 616.
 syn. *duoposella* RAGONOT.
 *4814. *cinereella* HULST, Can. Ent., xxxii, 172, 1900. Col.

MELITARA Walker.

WALKER, Cat. Brit. Mus., xxvii, 136, 1863; HULST, Trans. Am. Ent. Soc., xvii, 171, 1890; *Megaphyeis* GROTE, Can. Ent., xiv, 29, 1882.

4816. *prodentalis* WALKER, Cat. Brit. Mus., xxvii, 137. Fla., Tex.,
 1863; HULST, Trans. Am. Ent. Soc., xvii, 171. Col., W. I.
 1890.
 syn. *bollii* ZELLER, Verh. zool.-bot. Ges. Wien,
 55, pl. 3, f. 21, 1872; GROTE, Can. Ent.,
 xiv, 29, 1882; SNELLEN, Tidsk. Ent., xxx,
 64, pl. 5, f. 64, 6, 6a, 1886.
 4817. *dentata* GROTE, Can. Ent., viii, 158, 1876; xiv, 29. Col.
 1882; HULST, Trans. Am. Ent. Soc., xvii, 172,
 1890; KELLOGG, Kans. Univ. Quar., i, 40, pl. 8,
 1892.
 4818. *junctolineella* HULST, Can. Ent., xxxii, 173, 1900. Tex., Col.
 4819. *fernaldialis* HULST, Trans. Am. Ent. Soc., xiii, Ariz.
 163, 1886; xvii, 172, 1890. Mex.

YOSEMETIA Ragonot.

New generic name proposed by Ragonot in manuscript for *graciella* HULST.

4820. *graciella* HULST, Ent. Amer., iii, 134, 1887; Trans. Tex., Col.,
 Am. Ent. Soc., xvii, 173, 1890. Ariz.
a. longipennella HULST, Ent. Amer., iv, 117, 1888.

ZOPHODIA Hübner.

HÜBNER, Verz. bek. Schmett., 370, 1818; ZELLER, Isis, 176, 1839; 679, 1848; HERICH-SCHAFFER, Eur. Sehn., iv, 90, 1849; HEINEMANN, Pyr., 189, 1865; MEYRICK, Trans. Linn. Soc. N. S. Wales, vii, 156, 1882; RAGONOT, Ent. Mon. Mag., xxii, 19, 1885; HULST, Trans. Am. Ent. Soc., xvii, 172, 1890; *Dakrana* GROTE, Bull. Geol. Surv. Terr., iv, 702, 1878; No. Am. Ent., i, 11, 1879; Pap., i, 152, 1882; RILEY, Pap., i, 108, 1882.

4821. *grossulariæ* RILEY, Rept. Ins. Mo., i, 140, 1869; N.-E.
 Pap., i, 108, 1881; PACKARD, Guide Stud. Ins., U. S.,
 331, 1869; FRENCH, Rept. Dept. Agr. Ill., vii, Can.
 251, 1877; GROTE, No. Am. Ent., i, 11, pl. 2, f.
 12, 1880; i, 68, 1880; Pap., i, 142, 1881; HULST,
 Trans. Am. Ent. Soc., xvii, 173, 1890.

syn. *turbitella* GROTE, Bull. Geol. Surv. Terr.,
 iv, 702, 703, 1878.

- *4822. *dilatifasciella* RAGONOT, Diag. No. Am. Phyc., Ariz.,
 13, 1887; HULST, Trans. Am. Ent. Soc., xvii, Mex.
 174, 1890.

- *4823. *packardella* RAGONOT, Diag. No. Am. Phyc., 12, 1887; HULST, Trans. Am. Ent. Soc., xvii, 173, 1890. Cal.
4824. *glaucatella* HULST, Ent. Amer., iv, 117, 1888; Trans. Am. Ent. Soc., xvii, 174, 1890. Tex., N. Mex.
4825. *bella* HULST, Can. Ent., xxiv, 61, 1892. Mass.
4826. *fuscatella* HULST, Can. Ent., xxxii, 173, 1900. Cal.
4827. *epischnioides* HULST, Can. Ent., xxxii, 173, 1900. N. Mex.

ECCOPSIA Ragonot.

New generic name proposed by Ragonot in manuscript for *serratilineella* RAGONOT.

4828. *serratilineella* RAGONOT, Diag. No. Am. Phyc., 15, 1887; HULST, Trans. Am. Ent. Soc. xvii, 179, 1890. Cal.

EUZOPHERA Zeller.

ZELLER, Stett. ent. Zeit., xxviii, 377, 1867; RAGONOT, Ent. Mon. Mag., xxii, 30, 1885; MEYRICK, Proc. Linn. Soc. N. S. Wales, iv, 239, 1879; vii, 156, 1882; HULST, Trans. Am. Ent. Soc., xvii, 174, 1890; *Stenoptyla* ZELLER (not AGASSIZ), Stett. ent. Zeit., 154, 1863; HEINEMANN, Pyr., 190, 1865; *Melia* HEINEMANN (not BILLBERG), Pyr., 209, 1865.

- *4829. *ostricolorella* HULST, Trans. Am. Ent. Soc., xvii, 175, 1890. N. Y.

4830. *nigricantella* RAGONOT, Diag. No. Am. Phyc., 14, 1887; HULST, Trans. Am. Ent. Soc., xvii, 177, 1890. Ariz.

- *4831. *franconiella* HULST, Trans. Am. Ent. Soc., xvii, 177, 1890. N. H.

4832. *semifuneralis* WALKER, Cat. Brit. Mus., xxvii, 57, 1863; HULST, Trans. Am. Ent. Soc., xvii, 175, 1890. U. S.

syn. *impletella* ZELLER, Hor. Soc. Ent. Ross., xvi, 234, pl. 12, f. 37, 1881; *pallidella* HULST, Trans. Am. Ent. Soc., xvii, 175, 1890.

- *4833. *aeglaeella* RAGONOT, Diag. No. Am. Phyc., 14, 1887; HULST, Trans. Am. Ent. Soc., xvii, 177, 1890. Utah.

syn. *aglaeella* HULST, Sm. List Lep. Bor. Am., no. 4379, 1891.

- *4834. *inornatella* HULST, Can. Ent., xxxii, 173, 1900. N. J.

4835. *ochrifrontella* ZELLER, Verh. zool.-bot. Ges. Wien, 337, 1875; HULST, Trans. Am. Ent. Soc., 177, 1890. East. U. S., Tex.

syn. *ferruginella* RAGONOT, Diag. No. Am. Phyc., 14, 1887.

SENECA Hulst.

HULST, Trans. Am. Ent. Soc., xvii, 177, 1890.

- *4836. *tumidulella* RAGONOT, Diag. No. Am. Phyc., 13, 1887; HULST, Trans. Am. Ent. Soc., xvii, 178, 1890.

Fla.

VITULA Ragonot.

RAGONOT, Diag. No. Am. Phyc., 14, 1887; HULST, Trans. Am. Ent. Soc., xvii, 178, 1890.

4838. *edmandsii* PACKARD, Proc. Essex Inst., iv, 120, 1864; Guide Stud. Ins., 331, pl. 3, f. 2, 1869; HULST, Ent. Amer., v, 156, 1889; Trans. Am. Ent. Soc., xvii, 178, 1890.

East. U. S.,
Tex.

syn. *dentosella* RAGONOT, Diag. No. Am. Phyc., 14, 1887.

4839. *basimaculella* RAGONOT, Diag. No. Am. Phyc., 15, 1887; HULST, Trans. Am. Ent. Soc., xvii, 179, 1890.

Col.

LAOSTICHA Ragonot.

New generic name proposed by Ragonot in manuscript for *ephestiella* RAGONOT.

- *4841. *ephestiella* RAGONOT, Diag. No. Am. Phyc., 13, 1887; HULST, Trans. Am. Ent. Soc., xvii, 185, 1890.

Ariz.

LÆTILIA Ragonot.

RAGONOT, Ann. Soc. Ent. Fr., Séances, Jan. 8, p. viii, 1890; HULST, Trans. Am. Ent. Soc., xvii, 182, 1890.

4842. *coccidivora* COMSTOCK, No. Am. Ent., i, 25, pl. 4, 1879; Rept. U. S. Dept. Agr., 241, 1880; PACKARD, Ins. Inj. to Shade Trees, 54, 1881; HULST, Trans. Am. Ent. Soc., xvii, 182, 1890.

East. U. S.,
Tex.,
N. Mex.,
Ariz.

syn. *pallida* COMSTOCK, Rept. U. S. Dept. Agr., 243, 1880.

- a.* *hulstii* COCKERELL, Am. Nat., xxxi, 588, 1897.

N. Mex.

CANARSIA Hulst.

HULST, Trans. Am. Ent. Soc., xvii, 179, 1880.

4843. *ulmiarrosorella* CLEMENS, Proc. Acad. Sci. Phil., 205, 1860; GROTE, Bull. Geol. Surv. Terr., iv, 698, 1878; HULST, Trans. Am. Ent. Soc., xvii, 180, 1890.

East. U. S.,
Tex.,
Ont.

syn. *pneumatella* HULST, Ent. Amer., iii, 137, 1887; *ulmella* RAGONOT, Diag. No. Am. Phyc., 13, 1887; *fuscatella* HULST, Ent. Amer., iv, 118, 1888.

- *4844. *gracilella* HULST, Can. Ent., xxxii, 174, 1900.

N. J.

4845. *hammondi* RILEY, Rept. Ins. Mo., iv, 46, f. 21, East. U. S.,
1872; Index Repts. Ins. Mo., 80, 1881; FRENCH, Tex.,
Rept. Dept. Agr. Ill., xv, 252, 1877; HULST, Ont.
Trans. Am. Ent. Soc., xvii, 181, 1890.

STAUDINGERIA Ragonot.

RAGONOT, Ann. Soc. Ent. Fr., 249, 1887; HULST, Trans. Am. Ent. Soc., xvii, 185, 1890.

4846. *albibennella* HULST, Ent. Amer., iii, 133, 1887; Cal.,
Trans. Am. Ent. Soc., xvii, 186, 1890. Ariz.

HETEROGRAPHIS Ragonot.

RAGONOT, Ent. Mon. Mag., xxii, 31, 1885; HULST, Trans. Am. Ent. Soc., xvii, 186,
1890; *Mona* HULST, Ent. Amer., iv, 115, 1888.

4847. *morrisonella* RAGONOT, Diag. No. Am. Phyc., 11, Tex., Col.,
1887; HULST, Trans. Am. Ent. Soc., xvii, 186, N. Mex.,
1890. Ariz.

a. coloradensis RAGONOT, Diag. No. Am. Phyc.,
12, 1887; HULST, Trans. Am. Ent. Soc., xvii,
186, 1890.

b. olbiella HULST, Ent. Amer., iv, 116, 1888;
Trans. Am. Ent. Soc., xvii, 186, 1890.

4848. *arizonella* HULST, Jn. N. Y. Ent. Soc., viii, 222, Ariz.
1901.

HULSTEA Ragonot.

New generic name proposed by Ragonot in manuscript for *undulatella* CLEMENS.

- *4849. *undulatella* CLEMENS, Proc. Acad. Sci. Phil., U. S.,
205, 1860; GROTE, Bull. Geol. Surv. Terr., iv, Ont.,
698, 1878; PACKARD, Ins. Inj. to Shade Trees, Queb.
69, 1881; HULST, Trans. Am. Ent. Soc., xvii,
187, 1890.
syn. *propriella* WALKER, Cat. Brit. Mus.,
xxxv, 1716, 1866.

- *4850. *texanella* HULST, Can. Ent., xxxii, 174, 1900. Tex.

HONORA Grote.

GROTE, Bull. Geol. Surv. Terr., iv, 702, 1878; No. Am. Ent., i, 11, 1879; HULST,
Trans. Am. Ent. Soc., xvii, 187, 1890.

4851. *mellinella* GROTE, Bull. Geol. Surv. Terr., iv, Tex., Col.,
702, 1878; No. Am. Ent., i, 11, pl. 2, f. 11, 1879; N. Mex.,
HULST, Trans. Am. Ent. Soc., xvii, 188, 1890. Cal.
syn. *ochrimaculella* RAGONOT, Diag. No. Am.
Phyc., 12, 1887; HULST, Trans. Am. Ent.
Soc., xvii, 189, 1890.

- *4852. *sciurella* RAGONOT, Diag. No. Am. Phyc., 12, Cal.
1887; HULST, Trans. Am. Ent. Soc., xvii, 189,
1890.

- *4853. *subsciurella* RAGONOT, Diag. No. Am. Phyc., 12, 1887; HULST, Trans. Am. Ent. Soc., xvii, 189, 1890.
Col.
4854. *luteella* HULST, Jn. N. Y. Ent. Soc., viii, 223, 1901.
Ariz.
4855. *cinerella* HULST, Jn. N. Y. Ent. Soc., viii, 223, 1901.
Ariz.
4856. *dulciella* HULST, Jn. N. Y. Ent. Soc., viii, 223, 1901.
Fla.
- *4857. *montinatatella* HULST, Ent. Amer., iii, 134, 1887; v, 156, 1889; Trans. Am. Ent. Soc., xvii, 189, 1890.
Cal., Nev.
syn. *canicostella* RAGONOT, Diag. No. Am. Phyc., 12, 1887.
- *4858. *fumosella* HULST, Can. Ent., xxxii, 174, 1900.
N. J.

DOLICHORHINIA Ragonot.

RAGONOT, Nouv. Gén. Spec. Phyc., 28, 1888; HULST, Trans. Am. Ent. Soc., xvii, 190, 1890; *Macrorrhinia* RAGONOT (not *Macrorhinus* LATREILLE), Diag. No. Am. Phyc., 13, 1887.

4859. *aureofasciella* RAGONOT, Diag. No. Am. Phyc., 13, 1887; HULST, Trans. Am. Ent. Soc., xvii, 190, 1890.
Tex., Cal., Ariz., Col.

DIVIANA Ragonot.

RAGONOT, Nouv. Gén. Spec. Phyc., 27, 1888; HULST, Trans. Am. Ent. Soc., xvii, 190, 1890.

- *4860. *eudoriella* RAGONOT, Nouv. Gén. Spec. Phyc., 27, 1888; C. pl. 23, f. 12, 1893; HULST, Trans. Am. Ent. Soc., xvii, 190, 1890.
N. C.

OCALA Hulst.

HULST, Can. Ent., xxiv, 61, 1892.

- *4861. *dryadella* HULST, Can. Ent., xxiv, 61, 1892.
Fla.

PALATKA Hulst.

HULST, Can. Ent., xxiv, 62, 1892.

- *4862. *nymphæella* HULST, Can. Ent., xxiv, 62, 1892.
Fla.

EURYTHMIDIA Ragonot.

New generic name proposed by Ragonot in manuscript for *ignidorsella* RAGONOT.

- *4863. *ignidorsella* RAGONOT, Diag. No. Am. Phyc., 16, 1887; HULST, Trans. Am. Ent. Soc., xvii, 196, 1890.
Ariz.

HOMOEOSOMA Curtis.

CURTIS, Brit. Ent., iv, 311, 1834; STEPHENS, Ills., iv, 311, 1834; ZELLER, Isis, 585, 599, 1848; Hor. Soc. Ent. Ross., xvi, 237, 1881; WESTWOOD & HUMPHREYS, Brit. Moths, ii, 233, 1849; HERRICH-SCHAFFER, Eur. Schm., iv, 103, 1849; HEINEMANN, Pyr., 196, 1865; GROTE, Bull. Geol. Surv. Terr., iv, 703, 1878; No. Am. Ent., i, 12, 1879; MEYRICK, Proc. Linn. Soc. N. S. Wales, iii, 214, 1878; vii, 159, 1882; RAGONOT, Ent. Mon. Mag., xxii, 26, 1885; HULST, Trans. Am. Ent. Soc., xvii, 191, 1890; *Phycidea* ZELLER, Isis, 178, 1839; *Lotria* GUENÉE, Ann. Soc. Ent. Fr., 320, 1845.

4864. *impressale* HULST, Trans. Am. Ent. Soc., xiii, 163, 1886; xvii, 191, 1890. Cal., Ariz.
4865. *electellum* HULST, Ent. Amer., iii, 137, 1887; Trans. Am. Ent. Soc., xvii, 193, 1890. Tex., Iowa, N. Mex., Col.
- syn. *texanellum* RAGONOT, Diag. No. Am. Phyc., 15, 1887.
- *4866. *opalescellum* HULST, Ent. Amer., iii, 138, 1887; Trans. Am. Ent. Soc., xvii, 192, 1890. Tex., Cal.
- syn. *tenuipunctellum* RAGONOT, Diag. No. Am. Phyc., 15, 1887.
4867. *illuvellum* RAGONOT, Nouv. Gén. Spec. Phyc., 33, 1888; HULST, Ent. Amer., v, 155, 1889; Trans. Am. Ent. Soc., xvii, 192, 1890. Col., Ariz., Mex.
- syn. *candidellum* HULST, Ent. Amer., iv, 118, 1888.
4868. *uncanale* HULST, Trans. Am. Ent. Soc., xiii, 162, 1886; xvii, 192, 1890. Fla., Col., Nev.
- *4869. *albiscentellum* RAGONOT, Diag. No. Am. Phyc., 15, 1887; HULST, Trans. Am. Ent. Soc., xvii, 192, 1890. Cal.
4870. *stypicellum* GROTE, Bull. Geol. Surv. Terr., iv, 703, 1878; No. Am. Ent., i, 12, pl. 2, f. 13, 1879; HULST, Trans. Am. Ent. Soc., xvii, 193, 1890. N.-E. U. S., Tex.
4871. *mucidellum* RAGONOT, Diag. No. Am. Phyc., 15, 1887; HULST, Trans. Am. Ent. Soc., xvii, 193, 1890. Tex., Col., N. Mex., Cal.
- *4872. *anguliferellum* RAGONOT, Diag. No. Am. Phyc., 16, 1887; HULST, Trans. Am. Ent. Soc., xvii, 192, 1890. No. Am.

EPHESTIA Guenée.

GUENÉE, Ann. Soc. Ent. Fr., 319, 1845; ZELLER, Isis, 588, 592, 1848; HERRICH-SCHAFFER, Eur. Schm., iv, 110, 1849; HEINEMANN, Pyr., 201, 1865; MEYRICK, Proc. Linn. Soc. N. S. Wales, iii, 215, 1878; iv, 234, 1879; vii, 160, 1882; HULST, Trans. Am. Ent. Soc., xvii, 197, 1890.

4873. *fuscofasciella* RAGONOT, Diag. No. Am. Phyc., 17, 1887; HULST, Trans. Am. Ent. Soc., xvii, 198, 1890. Mo., Tex., Col., N. Mex.

4874. *kuehniella* ZELLER, Stett. ent. Zeit., 476, 1879; N. S., Ont.,
 SNELLEN, Tidsk. Ent., xxviii, 237, pl. 8, 1885; Quebec
 THOMPSON, Ent., xx, 66, 1887; BARRETT, Ent., Eur.
 xxiii, 255, 1887; RILEY, Ins. Life, i, 315, 1888;
 ii, 166, 1889; v, 141, 276, 1892; vi, 44, 290, 1893;
 OMEROD, Ins. Life, i, 314, 1889; FLETCHER, Ins.
 Life, ii, 187, 1889; Can. Ent., xxii, 41, 1890;
 BELL, Am. Nat., 200, 1890; HULST, Trans. Am.
 Ent. Soc., xvii, 198, 1890; DANYOZ, Mem. Lab.
 Par. Veg., 1, 1893; HOWARD, Ins. Life, vii,
 417, 1895; JOHNSON, Rep. Ent. Ill., xix, app.,
 1896; CHITTENDEN, Dept. Agr., Farm. Bull., 45,
 8, f. 4, 5, 1896; RAGONOT, C., pl. 2, f. 19, 1893;
 STAUDINGER & REBEL, Cat. Lep. Eur., ii, no.
 254, 1901.
- syn. *gitonella* DRUCE; *tsericarium* SCOTT, Proc.
 Zool. Soc. Lond., 207, 1859.
- *4875. *cautella* WALKER, Cat. Brit. Mus., xxvii, 73, 1863; Eur.,
 STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 271, U. S.
 1901.
- syn. *cahiritella* ZELLER, *passulella* BARR.
desmetella WALKER.
- *4876. *figulilella* GREGSON, Ent., v, 385, 1865; STA- Eur.,
 DINGER & REBEL, Cat. Lep. Eur., ii, no. 258, U. S.?
 1901.
- syn. *ficulella* BARRETT, *milleri* ZELLER.
4877. *rileyella* RAGONOT, Diag. No. Am. Phyc., 17, 1887; Utah,
 HULST, Trans. Am. Ent. Soc., xvii, 198, 1890. N. Mex.
4878. *nigrella* HULST, Trans. Am. Ent. Soc., xvii, 200, Tex., Ariz.,
 1890. Cal.
4879. *elutella* HÜBNER, Eur. Schm., pl. 24, 163, 1820; U. S.,
 ZINCKEN, Germ. Mag., iii, 175, 1818; TREITSCHKE, Eur.
 Schm., ix, 1, 194, 1832; DUPONCHEL, Hist. Nat., x, 279, 1836; STEPHENS, Ills., iv, 304, 1834;
 WOOD, Ind. Ent., 1454, 1839; ZELLER, Isis, 592, 1848; HERRICH-SCHAFFER, Eur. Schm., iv, 110, 1849; WESTWOOD & HUMPHREYS, Brit. Moths, ii, 229, pl. 115, f. 7, 1849; HEINEMANN, Pyr., 201, 1865; MORRIS, Brit. Moths, iii, pl. 79, f. 18, 1872; MEYRICK, Proc. Linn. Soc. N. S. Wales, iii, 215, 1878; Trans. Ent. Soc. Lond., 261, 1887; ZELLER, Verh. zool.-bot. Ges. Wien, 338, 1876; MÖSCHLER, Stett. ent. Zeit., 393, 1880; Verh. zool.-bot. Ges. Wien, 310, 1884; WALLENGREN, Skand. Pyr., 1053, 1872; SNELLEN, Vlind. Neth., ii, 1, 162, 1882; FREY, Lep. Schw., 279, 1880; CHRISTOPH, Hor. Soc. Ent. Ross., xii, 224, 1876; HULST, Trans. Am. Ent. Soc., xvii, 200, 1890; RAGONOT, C., pl. 2, f. 20, 1893; STAUDINGER & REBEL, Cat. Lep. Eur. ii, no. 283, 1901.
- syn. *rufa* HAWORTH, *clutea* HAWORTH, *angusta*
 HAWORTH.

EPHESTIODES Ragonot.

RAGONOT, Diag. No. Am. Phyc., 16, 1887; HULST, Trans. Am. Ent. Soc., xvii, 194, 1890

4880. *gilvescentella* RAGONOT, Diag. No. Am. Phyc., 16, 1887; HULST, Trans. Am. Ent. Soc., xvii, 194, 1890. Cal., Ariz.

4881. *infimella* RAGONOT, Diag. No. Am. Phyc., 16, 1887; HULST, Trans. Am. Ent. Soc., xvii, 194, 1890. N. C.

4882. *nigrella* HULST, Journ. N. Y. Ent. Soc., viii, 224, 1901. Cal.

- *4883. *erythrella* RAGONOT, Diag. No. Am. Phyc., 16, 1887; HULST, Trans. Am. Ent. Soc., xvii, 195, 1890. Cal.

EURYTHMIA Ragonot.

RAGONOT, Diag. No. Am. Phyc., 16, 1887; HULST, Trans. Am. Ent. Soc., xvii, 195, 1890.

4884. *hospitella* ZELLER, Verh. zool.-bot. Ges. Wien, Tex., N. Mex., xxii, 338, 1872; HULST, Trans. Am. Ent. Soc., xvii, 196, 1890. Ariz., Col.

syn. *quatuorrella* HULST, Ent. Am., iii, 134, 1887.

- *4885. *coloradella* HULST, Can. Ent., xxxii, 175, 1900. Cal.

MANHATTA Hulst

HULST, Trans. Am. Ent. Soc., xvii, 196, 1890; *Hornigia* RAGONOT (not ^a), Diag. No. Am. Phyc., 16, 1887.

4886. *ostrinella* CLEMENS, Proc. Acad. Sci. Phil., 206, 1860. Pa., Tex.

syn. *obtusangulella* RAGONOT, Diag. No. Am. Phyc., 16, 1887; HULST, Trans. Ent. Soc., xvii, 197, 1890.

MOODNA Hulst.

HULST, Trans. Am. Ent. Soc., xvii, 193, 1890.

- *4887. *lugubrella* RAGONOT, Diag. No. Am. Phyc., 17, 1887; HULST, Trans. Am. Ent. Soc., xvii, 197, 1890. Cal.

4888. *peliculella* HULST, Trans. Am. Ent. Soc., xvii, 194, 1890. N. Y., Pa.

UNADILLA Hulst.

HULST, Trans. Am. Ent. Soc., xvii, 197, 1890.

- *4889. *erronella* ZELLER, Hor. Soc. Ent. Ross., xvi, 238, pl. 12, f. 42, 1881. N. Mex., Cal.

syn. *notatella* HULST, Trans. Am. Ent. Soc., xvii, 197, 1890.

^a Preoccupied, according to Hulst's manuscript.

PLODIA Guenée.

GUENÉE, Ann. Soc. Ent. Fr., 322, 1845; HEINEMANN, Pyr., 202, 1865; RAGONOT, Ent. Mon. Mag., xxii, 25, 1885; HULST, Trans. Am. Ent. Soc., xvii, 200, 1890.

- *4890. *interpunctella* HÜBNER, Eur. Schm., 310, 1827; U. S.,
TREITSCHKE, Schm. Eur., ix, 1, 106, 1832; Can.
DUPONCHEL, Hist. Nat., x, 280, 5, 1834; Suppl.,
iv, 121, pl. 60, f. 6, 1842; ZELLER, Isis, 598, 1848;
HERRICH-SCHAEFFER, Eur. Schm., iv, 110, 1855;
STAINTON, Man., ii, 169, 1859; HEINEMANN,
Pyr., 202, 1865; ZELLER, Verh. zool.-bot. Ges.
Wien, 336, 1875; MÖSCHLER, Verh. zool.-bot.
Ges. Wien, 310, 1884; SNELLEN, Vlind. Neth.
Micro., i, 163, 1882; FREY, Lep. Schw., 279,
1880; RAGONOT, Ent. Mon. Mag., xxii, 25, 1885;
RILEY & HOWARD, Ins. Life, v, 2, 277, 1890;
HULST, Trans. Am. Ent. Soc., xvii, 201, 1890;
STEVENS, Rept. Ent. Soc. Ont., xxv, 57, 1894;
CHITTENDEN, U. S. Dept. Agr., Farmers' Bull.,
xxxix, 9, f. 6, 1897; STAUDINGER & REBEL, Cat.
Lep. Eur., ii, no. 253, 1901.
syn. *zebe* FITCH, Rep. Ins. N. Y., 320, pl. 4,
f. 1, 1858; CLEMENS, Proc. Acad. Sci. Phil.,
206, 1860.

Subfamily ANERASTINAE.

By GEORGE D. HULST.

RAGONOTIA Grote.

GROTE, Can. Ent., xxii, 75, 1888; HULST, Trans. Am. Ent. Soc., xvii, 204, 1890; *cov.*
RAGONOT (not GROTE), Diag. No. Am. Phyc., 17, 1887.

- *4891. *dotalis* HULST, Trans. Am. Ent. Soc., xiii, 164, Cal.,
1886; xvii, 205, 1890; RAGONOT, Mon. Phyc., i, Ariz.,
pl. 2, f. 22, 1890.
syn. *discigerella* RAGONOT, Diag. No. Am.
Phyc., 17, 1887.

- *4892. *saganella* HULST, Trans. Am. Ent. Soc., xvii, Col.,
205, 1890.

URULA Hulst.

HULST, Can. Ent., xxxii, 175, 1900.

4893. *incongruella* HULST, Can. Ent., xxxii, 175, 1900. Col.,
Ariz.

AURORA Ragonot.

RAGONOT, Diag. No. Am. Phyc., 18, 1887; HULST, Trans. Am. Ent. Soc., xvii, 209, 1890.

- *4894. *longipalpella* RAGONOT, Diag. No. Am. Phyc., No. Am.,
18, 1887; HULST, Trans. Am. Ent. Soc., xvii, 210, 1890.

*4895. *nigrocinereella* HULST, Can. Ent., xxxii, 176, Tex.
1900.

*4896. *nigromaculella* HULST, Journ. N. Y. Ent. Soc., Ariz.
viii, 224, 1901.

ALTOONA Hulst.

HULST, Ent. Amer., iv, 116, 1888; Trans. Am. Ent. Soc., xvii, 206, 1890.

*4897. *opacella* HULST, Ent. Amer., iii, 138, 1887; Trans. Tex.
Am. Ent. Soc., xvii, 207, 1890.

ATASCOSA Hulst.

HULST, Trans. Am. Ent. Soc., xvii, 210, 1890.

*4898. *glareosella* ZELLER, Verh. zool.-bot. Ges. Wien, Tex.
553, 1872; HULST, Trans. Am. Ent. Soc., xvii,
211, 1890.

syn. *bicolorella* HULST, Trans. Am. Ent. Soc.,
xvii, 210, 1890.

*4899. *floscella* HULST, Trans. Am. Ent. Soc., xvii, 210, Tex.
1890.

CAYUGA Hulst.

HULST, Ent. Amer., iv, 116, 1888; Trans. Am. Ent. Soc., xvii, 208, 1890.

4900. *gemmatella* HULST, Ent. Amer., iii, 134, 1887; Ill., Col.,
Trans. Am. Ent. Soc., xvii, 209, 1890. Cal.

a. bistratella HULST, Trans. Am. Ent. Soc., xvii,
209, 1890.

MARICOPA Hulst.

HULST, Trans. Am. Ent. Soc., xvii, 205, 1890.

*4901. *lativittella* RAGONOT, Diag. No. Am. Phyc., 18, Ariz.
1887; HULST, Trans. Am. Ent. Soc., xvii, 206,
1890.

*4902. *albocostella* HULST, Can. Ent., xxxii, 176, 1900. N. J.

TRIVOLUSIA Dyar.

Volusia HULST (not DESVOUDY), Trans. Am. Ent. Soc., xvii, 206, 1890.—H. G. DYAR.

*4903. *roseopennella* HULST, Trans. Am. Ent. Soc., xvii, Fla.
206, 1890.

*4903. 1. *pallidipennata* HULST, Can. Ent., xxvii, 56, Col.
1895.

SALURIA Ragonot.

RAGONOT, Ann. Soc. Ent. Fr., 258, 1887; HULST, Trans. Am. Ent. Soc., xvii, 211, 1890

*4904. *ostreella* RAGONOT, Diag. No. Am. Phyc., 18, Ariz.
1887; HULST, Trans. Am. Ent. Soc., xvii, 211,
1890.

- *4905. *tetradella* ZELLER, Verh. zool.-bot. Ges. Wien, 552, 1872; HULST, Trans. Ent. Soc., xvii, 207, 1890. Tex., Col.
- *4906. *rostrella* RAGONOT, Diag. No. Am. Phyc., 18, 1887; Mon. Phyc., i, pl. 1, f. 3, 1893; HULST, Trans. Am. Ent. Soc., xvii, 211, 1890. Cal.
- *4907. *dichrocella* RAGONOT, Ent. Amer., v, 113, 1889; HULST, Trans. Am. Ent. Soc., xvii, 207, 1890. Cal.
4908. *ardiferella* HULST, Ent. Amer., iv, 118, 1888; Trans. Am. Ent. Soc., xvii, 208, 1890. Tex., Col., N. Mex., Cal.

MARTIA Ragonot.

RAGONOT, Diag. No. Am. Phyc., 18, 1887; HULST, Trans. Am. Ent. Soc., xviii, 209, 1890.

- *4909. *arizoneilla* RAGONOT, Diag. No. Am. Phyc., 18, 1887; HULST, Trans. Am. Ent. Soc., xvii, 209, 1890. Ariz.

NAVASOTA Ragonot.

RAGONOT, Diag. No. Am. Phyc., 18, 1887; HULST, Trans. Am. Ent. Soc., xvii, 212, 1890.

- *4910. *hebetella* RAGONOT, Diag. No. Am. Phyc., 18, 1887; HULST, Trans. Am. Ent. Soc., xvii, 212, 1890. Tex.

PEORIA Ragonot.

RAGONOT, Diag. No. Am. Phyc., 19, 1887; HULST, Trans. Am. Ent. Soc., xvii, 213, 1890.

4911. *approximella* WALKER, Cat. Brit. Mus., xxxv, 1722, 1866. East. U. S., Tex., Col., Ont.
syn. *haemata* ZELLER, Verh. zool.-bot. Ges. Wien, 555, 1872; HULST, Trans. Am. Ent. Soc., xvii, 218, 1890; *roseatella* PACKARD, Ann. N. Y. Lyc. Nat. Hist., x, 270, 1873; GROTE, Bull. Geol. Surv. Terr., iv, 704, 1878; No. Am. Ent., i, 12, pl. ii, f. 14, 1879.
4912. *bipartitella* RAGONOT, Diag. No. Am. Phyc., 19, 1887; HULST, Trans. Am. Ent. Soc., xvii, 214, 1890. N. C.
- *4913. *albidella* HULST, Can. Ent., xxxiii, 175, 1900. Cal.

HYPNOTROPA Zeller.

ZELLER, Isis, 591, 1848; HEINEMANN, Pyr., 200, 1865; HULST, Trans. Am. Ent. Soc., xvii, 212, 1890.

- *4914. *luteicostella* RAGONOT, Diag. No. Am. Phyc., 19, 1887; HULST, Trans. Am. Ent. Soc., xvii, 212, 1890. Fla.

WEKIVA Hulst.

HULST, Trans. Am. Ent. Soc., xvii, 215, 1890.

- *4915. *nodosella* HULST, Trans. Am. Ent. Soc., xvii, 215, 1890. Fla.

HOMOSASSA Hulst.

HULST, Trans. Am. Ent. Soc., xvii, 214, 1890.

4916. *ella* HULST, Ent. Amer., iii, 138, 1887; Trans. Am. Ent. Soc., xvii, 214, 1890. Fla.

DANNEMORA Hulst.

HULST, Trans. Am. Ent. Soc., xvii, 212, 1890.

- *4917. *edentella* HULST, Trans. Am. Ent. Soc., xvii, 213, 1890. Fla.

BANDERA Ragonot.

RAGONOT, Diag. No. Am. Phye., 19, 1887; HULST, Trans. Am. Ent. Soc., xvii, 202, 1890.

- *4918. *binotella* ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 554, 1872; HULST, Trans. Am. Ent. Soc., xvii, 202, 1890. Tex., N. Mex.

- *4919. *cupidinella* HULST, Ent. Amer., iv, 118, 1888; Trans. Am. Ent. Soc., xvii, 203, 1890. Col., N. Mex.

- *4920. *subluteella* RAGONOT, Diag. No. Am. Phye., 19, 1887; HULST, Trans. Am. Ent. Soc., xvii, 202, 1890. N. Mex., Cal.

TAMPA Ragonot.

RAGONOT, Diag. No. Am. Phye., 19, 1887; HULST, Trans. Am. Ent. Soc., xvii, 203, 1890.

4921. *dimediatella* RAGONOT, Diag. No. Am. Phye., 20, 1887; HULST, Trans. Am. Ent. Soc., xvii, 203, 1890. Fla., Tex.

STATINA Ragonot.

RAGONOT, Diag. No. Am. Phye., 19, 1887; HULST, Trans. Am. Ent. Soc., xvii, 216, 1890.

- *4922. *roseotinctella* RAGONOT, Diag. No. Am. Phye., 19, 1887; HULST, Trans. Am. Ent. Soc., xvii, 216, 1890. Fla., Tex.

- *4923. *gaudiella* HULST, Trans. Am. Ent. Soc., xvii, 216, 1890. Tex.

PETALUMA Hulst.

HULST, Ent. Amer., iv, 116, 1888; Trans. Am. Ent. Soc., xvii, 215, 1890.

4924. *illibella* HULST, Ent. Amer., iii, 138, 1887; Trans. Am. Ent. Soc., xvii, 216, 1890. Tex.

syn. *puricostella* RAGONOT, Diag. No. Am. Phye., 20, 1887.

4925. *inspergella* RAGONOT, Diag. No. Am. Phye., 20, 1887; HULST, Trans. Am. Ent. Soc., xvii, 216, 1890. Tex., Col., Ariz.

CALERA Ragonot.

RAGONOT, Nouv. Gén. Spec. Phyc., 50, 1888; HULST, Trans. Am. Ent. Soc., xvii, 217, 1890.

- *4926. *punctilimbella* RAGONOT, Nouv. Gén. Spec. Phyc., N. C.,
50, 1888; HULST, Trans. Am. Ent. Soc., xvii, 217, Iowa.
1890.

CŒNOCHROA Ragonot.

RAGONOT, Diag. No. Am. Phyc., 20, 1887; HULST, Trans. Am. Ent. Soc., xvii, 217, 1890.

- *4927. *californiella* RAGONOT, Diag. No. Am. Phyc., 20, Cal.,
1887; Mon. Phyc. Gall., pl. 3, f. 3, 1893; HULST, Ariz.,
Trans. Am. Ent. Soc., xvii, 217, 1890. Col.

CHIPOTA Hulst.

HULST, Can. Ent., xxiv, 62, 1892; *Oscelota* HULST (not BAIRD), Sm. List Lep., 85, 1891.

- *4928. *perlepidella* HULST, Can. Ent., xxiv, 62, 1892. Fla.

Family PTEROPHORIDÆ.

(C.=FERNALD, Pter. No. Am., Spec. Bull. Hatch. Exp. Sta., Mass. Agr. Coll., 1898.)

TRICHOPTILUS Walsingham.

WALSINGHAM, Pter. Cal. & Oreg., 62, 1880; TUTT, Mon. Pter. Brit., 77, 1891; MEYRICK,
Handb. Brit. Lep., 430, 1895; HOFMANN, Pteroph., 121, 1895; FERNALD, C. 13, 1898.

- *4929. *pygmæus* WALSINGHAM, Pter. Cal. & Oreg., 64, Cal.
1880; FERNALD, C. 14, 1898.

- *4930. *ochroductylus* FISH, Can. Ent., xiii, 142, 1881; Tex
FERNALD, C. 15, 1898.

4931. *lobidactylus* FITCH, Trans. N. Y. Agr. Soc., xiv, N. Eng.,
847, 1854; FERNALD, C. 15, 1898; DYAR, Psyche, N. Y., Col.,
viii, 249, 1898. Cal.

syn. *californicus* WALSINGHAM, Pter. Cal. &
Oreg., 60, 1880.

OXYPTILUS Zeller.

ZELLER, Isis, viii, 765, 1841; LINN. Ent. vi, 342, 1852; HERRICH-SCHAFFER, Schm.
Eur., v, 370, 1854; WALLENGREN, Fjäderm., 14, 1859; HEINEMANN & WOCKE,
Kleinschm., ii, 2, 789, 1876; MEYRICK, Trans. Ent. Soc. Lond., 8, 1886; 485, 1890;
TUTT, Mon. Pter. Brit., 60, 1891; MEYRICK, Handb. Brit. Lep., 431, 1895; HOFMANN,
Pteroph., 95, 1895; FERNALD, C. 16, 1898.

4932. *periscelidactylus* FITCH, Trans. N. Y. Agr. Soc., Atl.
xiv, 843, 1854; RILEY, Rep. Jns. Mo., i, 137, States.
1869; Am. Ent., ii, 234, 1870; ZELLER, Stett.
ent. Zeit., xxii, 178, 1871; PACKARD, Guide,
356, 1872; ZELLER, Verh. zool.-bot. Ges. Wien,
xxiii, 319, 1873; SAUNDERS, Can. Ent., v, 99,
1873; WALSINGHAM, Pter. Cal. & Oreg., 25, 1880;
SAUNDERS, Ins. Inj. Fruits, 268, 1889; COMSTOCK,
Man., 238, 1895; SMITH, Econ. Ent., 318, 1896;
FERNALD, C. 17, 1898.

4933. *delawaricus* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 320, 1873; WALSINGHAM, Pter. Cal. & Oreg., 29, 1880; FERNALD, C. 19, 1898; DYAR, Proc. U. S. Nat. Mus., xxv, 397, 1902. No. Atl.
States,
Col., Cal.
- *4934. *ningoris* WALSINGHAM, Pter. Cal. & Oreg., 26, 1880; FERNALD, C. 20, 1898. Cal.,
Oreg.
4935. *tenuidactylus* FITCH, Trans. N. Y. Agr. Soc., xiv, 848, 1854; FERNALD, C. 20, 1898; DYAR, Psyche, viii, 249, 1898.
syn. *nigrociliatus* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 322, 1873; WALSINGHAM, Pter. Cal. & Oreg., 31, 1880; SAUNDERS, Ins. Inj. Fruits, 314, 1889; *delararius* FORBES, Rep. Ent. Ill., xiv, 91, 1885. Atl.
States,
Col., Cal.

PLATYPTILIA Hübner.

HÜBNER, Verz. bek. Schmett., 429, 1826; HEINEMANN & WOCKE, Kleinschm., ii, 2, 783, 1876; MEYRICK, Trans. Ent. Soc. Lond., 9, 1886; 485, 1890; TUTT, Mon. Pter. Brit., 22, 1891; MEYRICK, Handb. Brit. Lep., 432, 1895; HOFMANN, Pteroph., 36, 1895; FERNALD, C. 22, 1898; *Platyptilus* ZELLER, Isis, viii, 764, 1841; LINN. Ent., vi, 326, 1852; HERRICH-SCHAFFER, Schm. Eur., v, 366, 1854; WALLENGREN, Fjäderm., 11, 1859.

- *4936. *pica* WALSINGHAM, Pter. Cal. & Oreg., 21, 1880;
FERNALD, C. 24, 1898. Cal.,
Vanc. Id.

4937. *cosmodactyla* HÜBNER, Schm. Eur., Alue., pl.vii, f. 35, 36, 1823; TREITSCHKE, Schm. Eur., ix, 2, 235, 1833; STEPHENS, Ill. Brit. Ent., Haust., iv, 377, 1834; WOOD, Ind. Ent., f. 1649, 1854; HERRICH-SCHAFFER, Schm. Eur., v, 369, 1854; HEINEMANN & WOCKE, Kleinschm., ii, 2, 788, 1876; WALSINGHAM, Pter. Cal. & Oreg., 23, 1880; JORDAN, Ent. Mon. Mag., xviii, 117, 1881; LEECH, Brit. Pyr., 56, 1886; MEYRICK, Handb. Brit. Lep., 433, 1895; HOFMANN, Pteroph., 65, 1895; FERNALD, C. 25, 1898; TUTT, Ent. Rec., xi, 238, 1899; DYAR, Proc. U. S. Nat. Mus., xxv, 399, 1902.
syn. *punctidactyla* HAWORTH, Lep. Brit., iii, 479, 1811; WOOD, Ind. Ent., f. 1648, 1854;
ulodactyla ZETTERSTEDT, Ins. Lap., 1012, 1840.

4938. *marmorodactyla* DYAR (near *cosmodactyla*, but smaller, expanse 17-18 mm., fore wing smooth, even gray, reddish tinted, a rounded orange and whitish patch covering basal half of first feather and resting on fissure; scale tuft on third feather of hind wing not triangular). Cal.,
N. Mex.

4939. *acanthodactyla* HÜBNER, Eur. Schmett., Aluc., pl. v, f. 23, 24, 1818; TREITSCHKE, Schm. Eur., ix, 2, 234, 1833; HERRICH-SCHAFFER, Schm. Eur., v, 369, 1854; HEINEMANN & WOCKE, Kleinschma., ii, 2, 788, 1876; SNELLEN, Vlind. Nederl., ii, 2, 1023, 1882; LEECH, Brit. Pyr., 56, 1886; HOFMANN, Pteroph., 61, 1895; MEYRICK, Handb. Brit. Lep., 433, 1895; FERNALD, C. 25, 1898; WALSINGHAM, Ent. Mon. Mag., xxxiv, 192, 1898; TUTT, Ent. Rec., xi, 238, 1899.
 N. Y., Cal., Oreg.
- *4940. *edwardsii* FISH, Can. Ent., xiii, 72, 1881; FERNALD, C. 25, 1898.
 Me., Mass.
4941. *carduidactyla* RILEY, Rep. Ins. Mo., i, 180, 1869; FERNALD, C. 26, 1898.
 syn. *cardui* ZELLER, Stett. ent. Zeit., xxxii, 179, 1871; Verh. zool.-bot. Ges. Wien, xxiii, 318, 1873; WALSINGHAM, Pter. Cal. & Oreg., 7, 1880; RILEY, Gen. Ind., 83, 1881; WALSINGHAM, Ent. Mon. Mag., xxxiv, 192, 1898.
 U. S.
4942. *perenodactyla* WALSINGHAM, Pter. Cal. & Oreg., 8, 1880; FERNALD, C. 27, 1898.
 Cal.
- *4943. *shastæ* WALSINGHAM, Pter. Cal. & Oreg., 14, 1880; FERNALD, C. 28, 1898.
 Cal.
4944. *fragilis* WALSINGHAM, Pter. Cal. & Oreg., 16, 1880; FERNALD, C. 28, 1898.
 Cal.
4945. *orthocarpi* WALSINGHAM, Pter. Cal. & Oreg., 11, 1880; FERNALD, C. 29, 1898.
 Oreg.
4946. *albida* WALSINGHAM, Pter. Cal. & Oreg., 10, 1880; FERNALD, C. 29, 1898.
 Cal., Oreg.
- *4947. *albidorsella* WALSINGHAM, Pter. Cal. & Oreg., 13, 1880; FERNALD, C. 30, 1898.
 Cal.
- *4948. *grandis* WALSINGHAM, Pter. Cal. & Oreg., 6, 1880; FERNALD, C. 30, 1898.
 Cal.
4949. *cooleyi* FERNALD, Pter. No. Am., 30, 1898.
 Col., Cal.
4950. *modesta* WALSINGHAM, Pter. Cal. & Oreg., 18, 1880; FERNALD, C. 31, 1898.
 Ariz., Cal.
4951. *petroductyla* WALKER, Cat. Brit. Mus., xxx, 940, 1864; WALSINGHAM, Pter. Cal. & Oreg., 20, 1880; FERNALD, C. 31, 1898.
 Arctic Am.
- *4952. *adusta* WALSINGHAM, Pter. Cal. & Oreg., 5, 1880; FERNALD, C. 32, 1898.
 Cal.
- *4953. *albiciliata* WALSINGHAM, Pter. Cal. & Oreg., 17, 1880; FERNALD, C. 32, 1898.
 Cal.
- *4954. *albicans* FISH, Can. Ent., xiii, 71, 1881; FERNALD, C. 32, 1898.
 Nev.

4955. *tesseradactyla* LINNÆUS, Faun. Suec., 370, 1761; HEINEMANN & WOCKE, Kleinschm., ii, 2, 787, 1876; ZELLER, Stett. ent. Zeit., xxxix, 162, 1878; BARRETT, Ent. Mon. Mag., xxxiii, 25, 1897; FERNALD, C. 33, 1898.
 syn. *fischeri* ZELLER, Isis, viii, 781, 1841; TENGSTRÖM, Bidr., 155, 1847; ZELLER, Linn. Ent., vi, 337, 1852; HERRICH-SCHAEFFER, Schm. Eur., v, 369, 1854.
4956. *marginidactyla* FITCH, Trans. N. Y. Agr. Soc., xiv, 848, 1854; FERNALD, C. 34, 1898.
 syn. *nebulodactylus* FITCH, Trans. N. Y. Agr. Soc., xiv, 849, 1854; *bertrami* ROESSLER, Wien. ent. Mon., viii, 54, 1864; ZELLER, Stett. ent. Zeit., xxxiv, 135, 1873; HEINEMANN & WOCKE, Kleinschm., ii, 2, 784, 1876; WALSINGHAM, Pter. Cal. & Oreg., 3, 1880; SNELLEN, Vlind. Nederl., ii, 2, 1017, 1882; PORRITT, Ent. Mon. Mag., xxii, 103, 1885; xxiii, 163, 1886; LEECH, Brit. Pyr., 52, 1886; TUTT, Mon. Pter. Brit., 31, 1891; MEYRICK, Handb. Brit. Lep., 434, 1895; HOFMANN, Pteroph., 55, 1895; *bischoffi* ZELLER, Stett. ent. Zeit., xxviii, 333, 1867; Verh. zool.-bot. Ges. Wien, xxiii, 317, 1873; *verrinidactylus* PACKARD, Ann. Lyc. Nat. Hist. N. Y., x, 266, 1873.

ALUCITA Linnaeus.

LINNÆUS, Syst. Nat., 542, 1758; WALSINGHAM, Ent. Mon. Mag., 33, 41, 1897; FERNALD, C. 36, 1898; *Acipitilia* HÜBNER, Verz. bek. Schmett., 430, 1826; *Acipitus* ZELLER, Isis, viii, 768, 1841; WALLENGREN, Fjäderm., 23, 1859; *Pterophorus* MEYRICK, Trans. Ent. Soc. Lond., 10, 1885; 489, 1890; Handb. Brit. Lep., 435, 1895.

4957. *walsinghami* FERNALD, Pter. No. Am., 36, 1898. Col.
 *4958. *belfragei* FISH, Can. Ent., xiii, 142, 1881; FERNALD, C. 37, 1898. Tex.
 4959. *montana* WALSINGHAM, Pter. Cal. & Oreg., 59, 1880; FERNALD, C. 37, 1898. Cal., N. Y.
 4960. *cinerascens* WALSINGHAM, Pter. Cal. & Oreg., 57, 1880; FERNALD, C. 39, 1898; DYAR, Proc. U. S. Nat. Mus., xxv, 399, 1902. Cal., Col.

PTEROPHORUS Geoffroy.

GEOFFROY, Hist. Abr. Ins., ii, 90, 1762; WALLENGREN, Fjäderm., 20, 1859; TUTT, Mon. Pter. Brit., 110, 1891; HOFMANN, Pteroph., 131, 1895; FERNALD, C. 39, 1898; *Oidematophorus* WALLENGREN, Fjäderm., 19, 1859; *Leiopilus* WALLENGREN, Fjäderm., 21, 1859; *Leiopilus* MEYRICK, Trans. Ent. Soc. Lond., 10, 1886; *Alneita* MEYRICK, Trans. Ent. Soc. Lond., 487, 1890; Handb. Brit. Lep., 438, 1895.

- *4961. *fishii* FERNALD, Can. Ent., xxv, 95, 1893; C. 40, 1898. Nev.

4962. *homodactylus* WALKER, Cat. Brit. Mus., xxx, 941, 1864; WALSINGHAM, Pter. Cal. & Oreg., 50, 1880; COQUILLETT, Pap., ii, 62, 1882; FERNALD, C. 41, 1898. Cal., Oreg.
4963. *brucei* FERNALD, Pter. No. Am., 42, 1898. Col.
4964. *elliottii* FERNALD, Can. Ent., xxv, 95, 1893; C. 42, 1898; DYAR, Psyche, viii, 250, 1898. N. Y.
- *4965. *subochraceus* WALSINGHAM, Pter. Cal. & Oreg., 53, 1880; FERNALD, C. 43, 1898. Mass., Cal.
- *4966. *lacteodactylus* CHAMBERS, Can. Ent., v, 72, 1873. Ky.
- *4967. *helianthi* WALSINGHAM, Pter. Cal. & Oreg., 54, 1880; FERNALD, C. 43, 1898. So. Oreg.
- *4968. *bipunctatus* MÖSCHLER, Ab. Senck. nat. Ges., xv, 346, 354, 1890; WALSINGHAM, Proc. Zool. Soc. Lond., 496, 1891; 61, 1897. Fla.
syn. *microdactylus* HEDEMANN, Stett. ent. Zeit., lvii, 9, 1896.
- *4969. *stramineus* WALSINGHAM, Pter. Cal. & Oreg., 41, 1880; FERNALD, C. 44, 1898. So. Oreg.
- *4970. *angustus* WALSINGHAM, Pter. Cal. & Oreg., 43, 1880; FERNALD, C. 44, 1898. Cal.
4971. *sulphureodactylus* PACKARD, Ann. Lyc. Nat. Hist. N. Y., x, 266, 1873; FERNALD, C. 44, 1898; DYAR, Proc. U. S. Nat. Mus., xxv, 398, 1902. Cal., Col.
syn. *sulphureus* WALSINGHAM, Pter. Cal. & Oreg., 48, 1880.
- *4972. *mathewianus* ZELLER, Verh. zool.-bot. Ges. Wien, xxiv, 23, 1874; FERNALD, C. 45, 1898. Vanc., Id.
4973. *paleaceus* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 326, 1873; WALSINGHAM, Pter. Cal. & Oreg., 41, 1880; MÖSCHLER, Ab. Senck. Ges., xv, 346, 354, 1890; WALSINGHAM, Proc. Zool. Soc. Lond., 495, 1891; FERNALD, C. 45, 1898. W. I., Ohio, Ill., Mo., Tex., Oreg., Cal.
syn. *sericidactylus* MURTFELDT, Am. Ent., iii, 235, 1880.
- *4974. *agraphodactylus* WALKER, Cat. Brit. Mus., xxx, 941, 1864; WALSINGHAM, Pter. Cal. & Oreg., 46, 1880; Proc. Zool. Soc. Lond., 496, 1891; Proc. Zool. Soc. Lond., 6, 1897; FERNALD, C. 47, 1898. W. I., So. Oreg.
syn. *aspilodactylus* WALKER, Cat. Brit. Mus., xxx, 941, 1864; BUTLER, Proc. Zool. Soc. Lond., 495, 1878; WALSINGHAM, Proc. Zool. Soc. Lond., 496, 1891.

- *4975. *inconditus* WALSINGHAM, Pter. Cal. & Oreg., 44, 1880; FERNALD, C. 47, 1898. Cal., D. C.
- *4976. *parvus* WALSINGHAM, Pter. Cal. & Oreg., 55, 1880; FERNALD, C. 48, 1898. Ariz., Cal.
4977. *kellicottii* FISH, Can. Ent., xiii, 141, 1881; FERNALD, C. 49, 1898. N. Y.
4978. *rhynchosiae* DYAR, Psyche, viii, 249, 1898. Fla.
4979. *grandis* FISH, Can. Ent., xiii, 141, 1881; FERNALD, C. 50, 1898. Cal.
4980. *rileyi* FERNALD, Pter. No. Am., 50, 1898. Cal.
4981. *monodactylus* LINNÆUS, Syst. Nat., i, 542, 1758; WALLENGREN, Fjäderm., 20, 1859; HEINEMANN & WOCKE, Kleinschm., ii, 2, 801, 1876; WALSINGHAM, Pter. Cal. & Oreg., 39, 1880; SNELLEN, Vlind. Nederl., ii, 1048, 1882; SOUTH, Ent., xviii, 277, 1885; TUTT, Mon. Pter. Brit., 111, 1891; MEYRICK, Handb. Brit. Lep., 439, 1895; HOFMANN, Pteroph., 133, 1895; FERNALD, C. 51, 1898. Eur., No. Africa, W. Asia, Maine to Cal.
- syn. *pterodactyla* HÜBNER, Eur. Schmett., Alue., pl. 1, f. 4, 1803; TREITSCHKE, Schm. Eur., ix, 2, 246, 1833; ZELLER, Isis, viii, 846, 1841; Linn. Ent., vi, 377, 1852; HERRICH-SCHAEFFER, Schm. Eur., v, 379, 1854; *cineridactylus* FITCH, Trans. N. Y. Agr. Soc., xiv, 848, 1854; *nærosidactylus* FITCH, Trans. N. Y. Agr. Soc., xiv, 849, 1854; *pergracilidactylus* PACKARD, Ann. Lyc. Nat. Hist. N. Y., x, 265, 1873.
4982. *cretidactylus* FITCH, Trans. N. Y. Agr. Soc., xiv, 849, 1854; FERNALD, Can. Ent., xxv, 96, 1893; C. 52, 1898; DYAR, Psyche, viii, 250, 1898. N. Y., Cal.
- syn. *occidentalis* WALSINGHAM, Pter. Cal. & Oreg., 37, 1880.
4983. *eupatorii* FERNALD, Can. Ent., xxv, 96, 1893; C. 52, 1898; DYAR, Psyche, viii, 250, 1898. N. Y., Cal., Vanc. Id.
- syn. *cretidactylus* ZELLER, Verh. zool.-bot. Ges. Wien, xxiv, 22, 1874; WALSINGHAM, Pter. Cal. & Oreg., 35, 1880; KELLICOTT, Bull. Buff. Soc., iv, 2, 1882.
- *4984. *guttatus* WALSINGHAM, Pter. Cal. & Oreg., 36, 1880; FERNALD, C. 53, 1898. Cal.
- *4985. *cineraceus* FISH, Can. Ent., xiii, 73, 1881; FERNALD, C. 54, 1898. Wash.
- *4986. *baroni* FISH, Can. Ent., xiii, 73, 1881; FERNALD, C. 54, 1898. Cal.

- *4987. *gratiosus* FISH, Can. Ent., xiii, 73, 1881; FERNALD, C. 54, 1898. Cal.
- *4988. *lugubris* FISH, Can. Ent., xiii, 140, 1881; FERNALD, C. 55, 1898. Cal.
4989. *grisescens* WALSINGHAM, Pter. Cal. & Oreg., 34, 1880; FERNALD, C. 55, 1898. So. Oreg.
4990. *inquinatus* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 325, 1873; COQUILLETT, Pap., ii, 61, 1882; HEDEMANN, Stett. ent. Zeit., lvii, 9, 1896; WALSINGHAM, Proc. Zool. Soc. Lond., 59, 1897; FERNALD, C. 56, 1898. Ala., Tex., Mo., Col., Ariz., W. I.
- syn. *ambrosiae* MURTFELDT, Am. Ent., iii, 236, 1880.

STENOPTILIA Hübner.

HÜBNER, Verz. bek. Schmett., 430, 1826; ZELLER, Isis, viii, 766, 1841; MEYRICK, Trans. Ent. Soc. Lond., 487, 1890; Handb. Brit. Lep., 440, 1895; HOFMANN, Pteroph., 68, 1895; FERNALD, C. 57, 1898.

- *4991. *pumilio* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 324, 1873; WALSINGHAM, Proc. Zool. Soc. Lond., 495, 1891; 58, 1897; FERNALD, C. 58, 1898. Tex.
- syn. *gilvidorsis* (part) HEDEMANN, Stett. ent. Zeit., lvii, 8, 1896.
4992. *pterodactyla* LINNÆUS, Faun. Suec., 371, 1761; WALLENGREN, Fjäderm., 18, 1859; HEINEMANN & WOCKE, Kleinschm., ii, 2, 797, 1876; SNELLEN, Vlind. Nederl., ii, 1040, 1882; LEECH, Brit. Pyr., 61, 1886; TUTT, Mon. Pter. Brit., 100, 1891; MEYRICK, Handb. Brit. Lep., 440, 1895; FERNALD, C. 58, 1898. Eur., N. Y.
- syn. *fuscus* RETZIUS, Gen. et Spec., 35, 1783; ZELLER, Isis, viii, 841, 1841; LINN. ENT., vi, 371, 1852; HERRICH-SCHAEFFER, Schm. Eur., v, 375, 1854; HOFMANN, Pter., 82, 1895; *ptilodactyla* HÜBNER, Eur. Schmett., Aluc., pl. 3, f. 16, 1803; TREITSCHKE, Schm. Eur., ix, 2, 244, 1833; *fuscodactyla* HAWORTH, Lep. Brit., 476, 1811.
4993. *exclamationis* WALSINGHAM, Pter. Cal. & Oreg., 32, 1880; FERNALD, C. 59, 1898. Cal., Oreg.
- *4994. *mengeli* FERNALD, No. Am. Pter., 60, 1898. No. Greenland.
- *4995. *semicostata* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 323, 1873; FERNALD, C. 60, 1898. Tex.
4996. *coloradensis* FERNALD, No. Am. Pter., 61, 1898. Col.

Family ORNEODIDÆ.

ORNEODES Latreille.

LATREILLE, Préc. Gén. Ins., 148, 1796; Hist. Nat. Crust. Ins., iii, 48, 1802; TREITSCHKE, Schm. Eur., ix, 2, 254, 1833; MEYRICK, Trans. Ent. Soc. Lond., 490, 1890; Handb. Brit. Lep., 442, 1895; FERNALD, C. 61, 1898; *Alucita* (part) LINNEUS, Syst. Nat., 542, 1758; STEPHENS, Ill. Brit. Ent., Haust., iv, 334, 1834; ZELLER, Isis, viii, 867, 1841; HERRICH-SCHAFFER, Schm. Eur., v, 386, 1854; WALLENGREN, Fjäderm., 25, 1859; HEINEMANN & WOCKE, Kleinschm., ii, 2, 811, 1876; *Ripidophora* HÜBNER, Tentamen, 1806; *Euchiralia* HÜBNER, Verz. bek. Schm., 431, 1826.

4997. *hexadactyla* LINNÆUS, Syst. Nat., 542, 1758; EUR.,
WOOD, Ind. Ent., f. 1653, 1854; HEINEMANN & N. Y.,
WOCKE, Kleinschm., ii, 2, 813, 1876; WALSING- Mo.,
HAM, Pter. Cal. & Oreg., 66, 1880; SNELLEN, Cal.,
Vlind. Nederl., ii, 2, 1060, 1882; SOUTH, Ent., xvi, Col.,
74, 1883; LEECH, Brit. Pyr., 69, 1886; TUTT, Oreg.,
Mon. Pter. Brit., 158, 1891; MEYRICK, Handb. Can.,
Brit. Lep., 442, 1895; FERNALD, C. 62, 1898. Manitoba.
syn. *polydactyla* HÜBNER, Eur. Schmett., Alue.,
pl. vi, f. 28, 1816; TREITSCHKE, Schm. Eur.,
ix, 2, 257, 1833; *montana* COCKERELL, Ent.
Mon. Mag., xxv, 213, 1889.

Family TORTRICIDÆ.

By C. H. FERNALD.

Subfamily OLETHREUTINÆ.

EVETRIA Hübner.

HÜBNER, Verz. bek. Schmett., 378, 1826; MEYRICK, Handb. Brit. Lep., 470, 1895; *Retinia* GUENÉE, Ann. Soc. Ent. Fr., (2), iii, 180, 1845; HEINEMANN, Kleinschm., i, 1, 93, 1863.

4998. *frustrana* COMSTOCK, Rept. Dept. Agr., 1879, 236, Mass.,
1880; SCUDDER, Pine Moth of Nantucket, 4, N. Y.,
1883. Va.
*4999. *rigidana* FERNALD, Rept. Dept. Agr., 1879, 237, N. Y.,
1880.
5000. *comstockiana* FERNALD, Can. Ent., xi, 157, 1879; N. Y.,
COMSTOCK, Rept. Dept. Agr., 1879, 235, 1880. Md.
*5001. *turionana* HÜBNER, Eur. Schmett., Tort., ff. 220, Eur.,
221, 1818; FRÖLICH, En. Tort. Würt., 69, 1828; Nev.
TREITSCHKE, Schm. Eur., viii, 137, 1830; DUPON-
CHEL, Hist. Nat. Lép. Fr., ix, 233, 1834;
RATZEBURG, Forst. Ins., i, 207, 1839; HERRICH-
SCHAFFER, Schm. Eur., iv, 222, 1851; HEINE-
MANN, Kleinschm., i, 1, 94, 1863.
syn. *turionella* WILKINSON, Brit. Tort., 222,
1859.

- *5002. *sylvestrana* CURTIS, Ann. Mag. Nat. Hist., (2), v, 3, 1850; WILKINSON, Brit. Tort., 220, 1859.
- *5003. *pinivorana* ZELLER, Isis, 225, 1846; WILKINSON, Brit. Tort., 219, 1859; HEINEMANN, Kleinschm., i, 1, 95, 1863; MEYRICK, Handb. Brit. Lep., 471, 1895.
syn. *pudendana* HERRICH-SCHAEFFER, Schm. Eur., iv, 222, 1851.
- *5004. *subcervinana* WALSINGHAM, Ill. Lep. Het. Brit. Mus., iv, 25, 1879.

Eur.,
Oreg.
Eur.,
Oreg.

POLYCHROSIS Ragonot.

RAGONOT, Ann. Soc. Ent. Fr., lxiii, 208, 1894.

5005. *botrana* SCHIFFERMÜLLER, Syst. Verz. Wien, 131, 1776; HERRICH-SCHAEFFER, Schm. Eur., iv, 225, 1851.
syn. *vitisana* JACQUIN, Coll., ii, 97, 1788; *reliquana* HÜBNER, Verz. bek. Schmett., 381, 1816; TREITSCHKE, Schm. Eur., x, 3, 146, 1835; WILKINSON, Brit. Tort., 280, 1859; *vitaeana* CLEMENS, Proc. Acad. Nat. Sci. Phil., 359, 1860; *vitivorana* PACKARD, Guide Stud. Ins., 336, 1869; RILEY, Rep. Ins. Mo., i, 133, 1869; WALSH & RILEY, Am. Ent., i, 177, 1869.

Atl.
States,
Eur.

BACTRA Stephens.

STEPHENS, Ill. Brit. Ent., Haust., iv, 124, 1834; WILKINSON, Brit. Tort., 144, 1859;
MEYRICK, Handb. Brit. Lep., 456, 1895.

5006. *lanceolana* HÜBNER, Schm. Eur., Tort., f. 80, 1800; TREITSCHKE, Schm. Eur., viii, 324, 1830; DUPONCHEL, Hist. Nat. Lép. Fr., ix, 239, 1834; HERRICH-SCHAEFFER, Schm. Eur., iv, 243, 1851; WILKINSON, Brit. Tort., 145, 1859; HEINEMANN, Kleinschm., i, 1, 134, 1863.
syn. *dibeliana* HÜBNER, Schm. Eur., Tort., f. 272, 1823; *lanceana* FRÖLICH, En. Tort. Würt., 98, 1828.

U. S., W. I.,
Eur., Asia,
Africa,
Australia,
N. Z.

- a. *verutana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 247, 1875.

5007. *furfurana* HAWORTH, Lep. Brit., 466, 1811; WILKINSON, Brit. Tort., 147, 1859; HEINEMANN, Kleinschm., i, 1, 135, 1863; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 247, 1875.

Eur.,
Mass.

- syn. *acutana* EVERSMANN, Faun. Volg. Ural., 529, 1844; *lamana* ZELLER, Isis, 257, 1846; *scirpana* HERRICH-SCHAEFFER, Schm. Eur., iv, 243, 1851.

- *5008. *inquadrana* WALSINGHAM, Trans. Ent. Soc. Lond., 134, 1884.

Ariz.

EXARTEMA Clemens.

- CLEMENS, Proc. Acad. Nat. Sci. Phil., 356, 1860; MEYRICK, Handb. Brit. Lep., 457, 1895.
- *5009. *fagigemmeanum* CHAMBERS, Can. Ent., x, 74, 1878. Pa., Ky.
- *5010. *nitidanum* CLEMENS, Proc. Acad. Nat. Sci. Phil., 356, 1860; Proc. Ent. Soc. Phil., v, 133, 1865. Pa.
5011. *ferrugineanum* RILEY, Trans. St. Louis Acad. Sci., iv, 317, 1881. Mo.
5012. *monetiferanum* RILEY, Trans. St. Louis Acad. Sci., iv, 317, 1881. Ala.
- *5013. *sericoranum* WALSINGHAM, Ill. Lep. Het. Brit. Mus., iv, 36, 1879. Pa.
- *5014. *zellerianum* FERNALD, Trans. Am. Ent. Soc., x, 29, 1882. Me., Mass.
- syn. *nitidanum* ZELLER (not CLEMENS), Verh. zool.-bot. Ges. Wien, xxv, 270, 1875.
5015. *permundanum* CLEMENS, Proc. Acad. Nat. Sci. Phil., 356, 1860; Proc. Ent. Soc. Phil., v, 134, 1865; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 273, 1875. Atl. States.
- syn. *meanderana* WALKER, Cat. Brit. Mus., xxviii, 341, 1863.
- *5016. *olivaceanum* FERNALD, Trans. Am. Ent. Soc., x, 71, 1882. Mass., Pa.
5017. *concinnanum* CLEMENS, Proc. Ent. Soc. Phil., v, 134, 1865. Va.
- syn. *faviana* CLEMENS, Proc. Ent. Soc. Phil., v, 135, 1865.
- *5018. *versicoloranum* CLEMENS, Proc. Acad. Nat. Sci. Phil., 357, 1860. Mass., Pa.
- syn. *appendicatum* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 275, 1875.
- *5019. *punctanum* WALSINGHAM, Ill. Lep. Het. Brit. Mus., iv, 87, 1879. Mass. to Cal.
- syn. *versicolorana* CLEMENS (part), Proc. Ent. Soc. Phil., v, 136, 1865.
- *5020. *atrodentanum* FERNALD, Trans. Am. Ent. Soc., x, 71, 1882. Ohio, Ill., Tex.
5021. *fascianum* CLEMENS, Proc. Acad. Nat. Sci. Phil., 357, 1860; Proc. Ent. Soc. Phil., v, 134, 1865. No. Atl. States.
- syn. *devisana* WALKER, Cat. Brit. Mus., xxviii, 340, 1863; *albofasciatum* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 272, 1875.

- *5022. *corylanum* FERNALD, Trans. Am. Ent. Soc., x, 71, 1882. Atl. States.
5023. *exoletum* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 270, 1875. Mass., N. Y.
5024. *inornatum* CLEMENS, Proc. Acad. Nat. Sci. Phil., 357, 1860; Proc. Ent. Soc. Phil., 134, 1865.
syn. *clarana* WALKER, Cat. Brit. Mus., xxviii, 395, 1863; *quadriguttatum* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 268, 1875. Atl. States.
- *5025. *malanum* FERNALD, Trans. Am. Ent. Soc., x, 72, 1882. N. Y., Ill.
5026. *footianum* FERNALD, Bull. Buff. Soc., iv, 53, 1882. N. Y.
5027. *ferriferanum* WALKER, Cat. Brit. Mus., xxviii, 343, 1863; WALSINGHAM, Ill. Lep. Het. Brit. Mus., iv, 37, 1879.
syn. *gratiosana* CLEMENS, Proc. Ent. Soc. Phil., v, 134, 1865; *usticana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 293, 1875. Va.

OLETHREUTES Hübner.

HÜBNER, Tent., 2, 1806; *Penthina* TREITSCHKE, Schm. Eur., viii, 21, 1830; *Sericoris* TREITSCHKE, Schm. Eur., viii, 142, 1830.

- *5028. *intermistana* CLEMENS, Proc. Ent. Soc. Phil., v, 140, 1865. Lab.
- syn. *tessellata* PACKARD, Proc. Bost. Soc. Nat. Hist., xi, 58, 1867.
- *5029. *septentrionana* CURTIS, App. Ross Second Voyage N.-W. Pass., 77, 1831. Arctic Am., Lab.
syn. *primaria* WALKER, Cat. Brit. Mus., xxviii, 336, 1863; *fulrifrontana* PACKARD, Proc. Bost. Soc. Nat. Hist., xi, 59, 1867.
- *5030. *frigidana* PACKARD, Bost. Soc. Nat. Hist., xi, 57, 1867. Lab., N. H.
5031. *nimbata* CLEMENS, Proc. Acad. Nat. Sci. Phil., 346, 1860. No. Atl. States.
syn. *contraria* WALKER, Cat. Brit. Mus., xxviii, 374, 1863.
5032. *consanguinana* WALSINGHAM, Ill. Lep. Het. Brit. Mus., iv, 30, 1879. Cal.
5033. *capreana* HÜBNER, Eur. Schmett., Tort., f. 250, 1818; TREITSCHKE, Schm. Eur., viii, 27, 1830; HEINEMANN, Kleinschm., i, 1, 106, 1863.
syn. *capraea* WILKINSON, Brit. Tort., 23, 1859; *mastana* WOCKE, Stett. ent. Zeit., xxiii, 52, 1862. Eur., Lab.

5034. *dimidiana* SODOFFSKY, Bull. Mosc., 73, 1830; TREITSCHKE, Schm. Eur., x, 3, 46, 1835; HERRICH-SCHAFFER, Schm. Eur., iv, 228, 1851; WILKINSON, Brit. Tort., 28, 1859; HEINEMANN, Kleinschm., i, 1, 109, 1863.
 syn. *atropunctata* ZETTERSTEDT, Ins. Lap., 977, 1840; *ochromelana* GUENÉE, Ann. Soc. Ent. Fr., (2), iii, 152, 1845.
5035. *hartmanniana* LINNÆUS, Faun. Suec., 345, 1761; TREITSCHKE, Schm. Eur., viii, 91, 1830; DUPONCIEL, Hist. Nat. Lép. Fr., ix, 201, 1834; HERRICH-SCHAFFER, Schm. Eur., iv, 227, 1851; WILKINSON, Brit. Tort., 19, 1859; HEINEMANN, Kleinschm., i, 1, 106, 1863.
 syn. *lineana* SCHIFFERMÜLLER, Syst. Verz. Wien, 131, 1776; *scriptaria* HÜBNER, Schm. Eur., Tort., f. 110, 1800; FRÖLICH, En. Tort. Würt., 57, 1828; STEPHENS, Ill. Brit. Ent., Haust., iv, 86, 1834.
- a. albeolana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 262, 1875.
- *5036. *griseoalbana* WALSINGHAM, Ill. Lep. Het., iv, 38, 1879.
- *5037. *conditana* WALSINGHAM, Ill. Lep. Het., iv, 31, 1879.
5038. *hebesana* WALKER, Cat. Brit. Mus., xxviii, 342, 1863; WALSINGHAM, Ill. Lep. Het. Brit. Mus., iv, 31, 1879.
 syn. *inexplicata* WALKER, Cat. Brit. Mus., xxviii, 394, 1863; *fullera* RILEY, Am. Ent., ii, 204, 371, 1870.
5039. *cyanana* MURTFELDT, Am. Ent., iii, 14, 1880.
- *5040. *interruptolineana* FERNALD, Trans. Am. Ent. Soc., x, 70, 1882.
- *5041. *hemidesma* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 261, 1875.
- *5042. *murina* PACKARD, Proc. Bost. Soc. Nat. Hist., xi, 60, 1867.
5043. *osmundana* FERNALD, Can. Ent., xi, 156, 1879.
5044. *malachitana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 292, 1875.
5045. *roseomaculana* HERRICH-SCHAFFER, Schm. Eur., iv, 229, 1851.
 syn. *lignigera* HEINEMANN, Kleinschm., i, 1, 111, 1863.

Eur.,
Mo.

Eur.

No. Atl.
States.Atl.
States.

Cal.

No.
U. S.

Pa. to Kans.

Mass.,
N. H.Me., Mass.,
Cal.

Labrador.

Me., Mass.,
Pa.Pa., Mo.,
Tex.,
So. Am.?Eur.,
Labrador.

*5046. <i>costimaculana</i> FERNALD, Trans. Am. Ent. Soc., x, 70, 1882.	Me., Mass.
5047. <i>chionosema</i> ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 265, 1875.	Atl. States.
*5048. <i>melanosticta</i> WALSINGHAM, Trans. Ent. Soc. Lond., 500, 1895.	Col.
5049. <i>duplex</i> WALSINGHAM, Trans. Ent. Soc. Lond., 501, 1895.	Col.
5050. <i>nubilana</i> CLEMENS, Proc. Ent. Soc. Phil., v, 140, 1865; PACKARD, Guide Stud. Ins., 333, 1869.	Pa., Wis.
*5051. <i>vetulana</i> WALSINGHAM, Ill. Lep. Het., iv, 32, 1879.	Tex., Cal.
*5052. <i>auricapitana</i> WALSINGHAM, Ill. Lep. Het., iv, 33, 1879.	Pa., N. Y.
5053. <i>agilana</i> CLEMENS, Proc. Acad. Nat. Sci. Phil., 359, 1860.	Pa.
*5054. <i>albiciliiana</i> FERNALD, Trans. Am. Ent. Soc., x, 70, 1882.	Me.
*5055. <i>chalybeana</i> WALSINGHAM, Ill. Lep. Het., iv, 34, 1879.	Oreg., Cal.
5056. <i>coruscana</i> CLEMENS, Proc. Acad. Nat. Sci. Phil., 346, 1860. syn. <i>ferrolineana</i> WALKER, Cat. Brit. Mus., xxviii, 395, 1863; <i>argyralana</i> ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 277, 1875.	Me., N. Y., Pa.
5057. <i>constellatana</i> ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 279, 1875.	Me. to Wis.
*5058. <i>major</i> WALSINGHAM, Trans. Ent. Soc. Lond., 502, 1895.	Col.
*5059. <i>mengelana</i> FERNALD, Ent. News, v, 131, 1894.	Greenl.
5060. <i>rivulana</i> SCOPOLI, Ent. Carn., 237, 1763; SCHIFFERMÜLLER, Syst. Verz. Wien, 131, 1776; HEINEMANN, Kleinschl., i, 1, 123, 1863. syn. <i>riuellana</i> FABRICIUS, Syst. Ent., 654, 1775; FRÖLICH, En. Tort. Würt., 62, 1828; <i>conchana</i> HÜBNER, Schm. Eur., Tort., f. 106, 1800; HAWORTH, Lep. Brit., 460, 1811; TREITSCHKE, Schm. Eur., viii, 148, 1830; DUPONCHEL, Hist. Nat. Lép. Fr., ix, 208, 1834; HERRICH-SCHAEFFER, Schm. Eur., iv, 213, 1851; WILKINSON, Brit. Tort., 266, 1859.	Eur., Cal., Oreg.

- *5061. *articana* HÜBNER, Schm. Eur., Tort., f. 65, 1800; HAWORTH, Lep. Brit., 460, 1811; TREITSCHKE, Schm. Eur., viii, 145, 1830; HERRICH-SCHAEFFER, Schm. Eur., iv, 215, 1851; WILKINSON, Brit. Tort., 267, 1859; HEINEMANN, Kleinschm., i, 1, 126, 1863. Eur., Cal.
- *5062. *astrologana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 281, 1875. Tex.
- *5063. *puncticostana* WALKER, Cat. Brit. Mus., xxviii, 339, 1863; WALSINGHAM, Ill. Lep. Het., iv, 33, 1879. Nova Scotia, Cal.
5064. *instrutana* CLEMENS, Proc. Ent. Soc. Phil., v, 135, 1865. No. Atl. States.
syn. *punctata* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 282, 1875.
5065. *turfosana* HERRICH-SCHAEFFER, Schm. Eur., iv, 217, 1851; HEINEMANN, Kleinschm., i, 1, 114, 1863. Eur., Lab., Me.
- *5066. *campestrana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 282, 1875. Me., Mass.
5067. *fuscalbana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 284, 1875. Me., Mass., Ohio.
- *5068. *glaciana* MÖSCHLER, Wien. ent. Mon., iv, 380, 1860. Lab., Out.
- *5069. *dealbana* WALKER, Cat. Brit. Mus., xxviii, 374, 1863; WALSINGHAM, Ill. Lep. Het., iv, 34, 1879. Me., Mo.
- *5070. *dilutifuscana* WALSINGHAM, Ill. Lep. Het. Brit. Mus., iv, 33, 1879. Oreg.
5071. *bipartitana* CLEMENS, Proc. Acad. Nat. Sci. Phil., 346, 1860; PACKARD, Guide Stud. Ins., 333, 1869.
syn. *caesiubana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 285, 1875. No. U. S.
- *5072. *similisana* WALKER, Cat. Brit. Mus., xxviii, 373, 1863. No. Atl. States.
- *5073. *impudens* WALSINGHAM, Trans. Ent. Soc. Lond., 135, 1884. Mass., N. C.
- *5074. *inquietana* WALKER, Cat. Brit. Mus., xxviii, 378, 1863. Arctic Am.
5075. *niveiguttana* GROTE, Bull. Buff. Soc., i, 91, 1873. Mass., N. Y., Pa., Mo.

5076. **schulziana** FABRICIUS, Gen. Ins., 293, 1777; ZETERSTEDT, Ins. Lap., 983, 1840; WILKINSON, Brit. Tort., 276, 1859; HEINEMANN, Kleinschm., i, 1, 120, 1863.

syn. *pinetana* HÜBNER, Schm. Eur., Tort., f. 57, 1800; *ahrensiaria* GEYER, Eur. Schm., Tort., ff. 337, 338, 1834; *bentleyana* DONOVAN, Nat. Hist. Brit. Ins., x, pl. 357, f. 1, 1801; *zinckeniana* FRÖLICH, En. Tort. Würt., 71, 1828; TREITSCHKE, Schm. Eur., viii, 143, 1830; DUPONCHEL, Hist. Nat. Lép. Fr., ix, 225, 1834; HERRICH-SCHAFFER, Schm. Eur., iv, 210, 1851.

Eur.,
Arctic
Am.

PHÆCASIOPHORA Grote.

GROTE, Bull. Buff. Soc., i, 90, 1873.

5077. **confixana** WALKER, Cat. Brit. Mus., xxviii, 340, 1863; WALSINGHAM, Ill. Lep. Het., iv, 36, 1879.

Atl. States.

syn. *perductana* WALKER, Cat. Brit. Mus., xxviii, 341, 1863; *mutabilana* CLEMENS, Proc. Ent. Soc. Phil., v, 135, 1865; GROTE, Bull. Buff. Soc., i, 90, 1873; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 276, 1875.

PSEUDOGALLERIA Ragonot.

RAGONOT, Ann. Soc. Ent. Fr., (6), iv, Bull. I, 1885.

5078. **inimicella** ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 559, 1872.

Atl. States.

EUCOSMA Hübner.

HÜBNER, Zutr. exot. Schm., ii, 28, 1823; *Padisea* TREITSCHKE, Schm., Eur., viii, 188, 1830; HEINEMANN, Kleinschm., i, 1, 142, 1863.

5079. **circulana** HÜBNER, Zutr. exot. Schm., ii, ff. 363, 364, 1823.

So. Atl.
States.

syn. *scintillana* CLEMENS, Proc. Ent. Soc. Phil., v, 142, 1865; PACKARD, Guide Stud. Ins., 337, 1869; *dodecania* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 311, 1875.

- *5080. **quinquemaculana** ROBINSON, Trans. Am. Ent. Soc., ii, 284, 1869.

So. Atl.
States.

syn. *robinsonana* GROTE, Can. Ent., iv, 101, 1872; *quintana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 304, 1875.

5081. **bolanderana** WALSINGHAM, Ill. Lep. Het., iv, 42, 1879.

Cal.

- *5082. **agassizii** ROBINSON, Trans. Am. Ent. Soc., ii, 284, 1869.

Tex.

5083. *ridingsana* ROBINSON, Trans. Am. Ent. Soc., ii, 285, 1869.
a. argentifurcatana GROTE, Can. Ent., viii, 206, 1876.
b. hipeana GROTE, Can. Ent., viii, 207, 1876.
- *5084. *fernaldana* GROTE, No. Am. Ent., 98, 1880. Ky., Col.
5085. *erambitana* WALSINGHAM, Ill. Lep. Het., iv, 43, 1879. Cal.
5086. *monogrammana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 313, 1875. Tex.
- *5087. *larana* WALSINGHAM, Ill. Lep. Het., iv, 43, 1879. Cal.
- *5088. *luridana* WALSINGHAM, Ill. Lep. Het., iv, 44, 1879. Cal.
- *5089. *argentialbana* WALSINGHAM, Ill. Lep. Het., iv, 44, 1879. Tex.
5090. *albiguttana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 313, 1875. Tex.
- *5091. *atomosana* WALSINGHAM, Ill. Lep. Het., iv, 42, 1879. Cal.
- *5092. *agricolana* WALSINGHAM, Ill. Lep. Het., iv, 42, 1879. Cal., Oreg., Ariz.
- *5093. *basipunctana* WALSINGHAM, Ill. Lep. Het., iv, 40, 1879. Cal.
- *5094. *subplicana* WALSINGHAM, Ill. Lep. Het., iv, 41, 1879. Cal., Oreg.
- *5095. *primulana* WALSINGHAM, Ill. Lep. Het., iv, 45, 1879. Cal.
5096. *cataclystiana* WALKER, Cat. Brit. Mus., xxviii, 378, 1863; WALSINGHAM, Ill. Lep. Het., iv, 46, 1879. Me., Va., Tex., Cal.
- syn. *ochreana* CLEMENS, Proc. Ent. Soc. Phil., iii, 520, 1864; PACKARD, Guide, 337, 1869.
5097. *ochraceana* FERNALD, Jn. N. Y. Ent. Soc., ix, 51, 1901. Fla.
- *5098. *comatulana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 316, 1875. Tex.
- *5099. *occipitana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 315, 1875. Tex.
- *5100. *numerosana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 317, 1875. Tex.
5101. *giganteana* RILEY, Trans. St. Louis Acad. Sci., iv, 318, 1881. N. H., Ill., Iowa, Kans.

- *5102. *perdricana* WALSINGHAM, Ill. Lep. Het., iv, 49,
1879. Cal.
- *5103. *glomarana* WALSINGHAM, Ill. Lep. Het., iv, 49,
1879. Tex.
- *5104. *fulminana* WALSINGHAM, Ill. Lep. Het., iv, 50,
1879. Tex., Ill.,
Cal.
- *5105. *irroratana* WALSINGHAM, Ill. Lep. Het., iv, 48,
1879. Cal.
5106. *bipunctella* WALKER, Cat. Brit. Mus., xxvii, 202,
1863; WALSINGHAM, Ill. Lep. Het., iv, 47, 1879.
syn. *worthingtoniana* FERNALD, Can. Ent., x,
83, 1878. Ill.
- *5107. *grandiflavana* WALSINGHAM, Ill. Lep. Het., iv,
47, 1879. Cal.
- *5108. *subflavana* WALSINGHAM, Ill. Lep. Het., iv, 48,
1879. Oreg.
- *5109. *shastana* WALSINGHAM, Ill. Lep. Het., iv, 46,
1879. Cal.
- *5110. *biquadrana* WALSINGHAM, Ill. Lep. Het., iv, 45,
1879. Cal.
- *5111. *maculatana* WALSINGHAM, Ill. Lep. Het., iv, 48,
1879. Cal.
- *5112. *palpana* WALSINGHAM, Ill. Lep. Het., iv, 54, 1879. Cal.
- *5113. *radicana* WALSINGHAM, Ill. Lep. Het., iv, 53,
1879. Oreg.
- *5114. *passerana* WALSINGHAM, Ill. Lep. Het., iv, 49,
1879. Cal.
- *5115. *canana* WALSINGHAM, Ill. Lep. Het., iv, 50, 1879. Cal., Ariz.
5116. *lineana* FERNALD, Journ. N. Y. Ent. Soc., ix, 50,
1901. Fla.
- *5117. *culminana* WALSINGHAM, Ill. Lep. Het., iv, 38,
1879. Cal.
5118. *rectiplicana* WALSINGHAM, Ill. Lep. Het., iv, 40,
1879. Cal.
- *5119. *terracoctana* WALSINGHAM, Ill. Lep. Het., iv, 39,
1879. Cal.
- *5120. *albangulana* WALSINGHAM, Ill. Lep. Het., iv, 40,
1879. Cal.
5121. *juncticiliana* WALSINGHAM, Ill. Lep. Het., iv, 75,
1879. Me. to Cal.
- *5122. *pulveratana* WALSINGHAM, Ill. Lep. Het., iv, 45,
1879. Tex., Cal.,
Ariz.

- *5123. *nigralbana* WALSINGHAM, Ill. Lep. Het., iv, 41, 1879. Me., Cal.
5124. *abbreviatana* WALSINGHAM, Ill. Lep. Het., iv, 54, 1879. Mass., Pa., D. C.
- *5125. *constrictana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 305, 1875. Fla., Tex.
5126. *abruptana* WALSINGHAM, Ill. Lep. Het., iv, 53, 1879. Va., Tex.
5127. *solicitana* WALKER, Cat. Brit. Mus., xxviii, 387, 1863; WALSINGHAM, Ill. Lep. Het., iv, 55, 1879. No. Atl. States.
syn. *packardiana* CLEMENS, Proc. Ent. Soc. Phil., ii, 417, 1864; *tephritisana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 309, 1875.
- *5128. *transmissana* WALKER, Cat. Brit. Mus., xxviii, 375, 1863; WALSINGHAM, Ill. Lep. Het., iv, 52, 1879. No. Atl. States.
5129. *strenuana* WALKER, Cat. Brit. Mus., xxviii, 383, 1863; WALSINGHAM, Ill. Lep. Het., iv, 52, 1879. Atl. States.
syn. *exagana* WALKER, Cat. Brit. Mus., xxviii, 383, 1863; *flavocellana* CLEMENS, Proc. Ent. Soc. Phil., v, 138, 1865; *subeversana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 318, 1875.
5130. *perplexana* FERNALD, Jn. N. Y. Ent. Soc., ix, 51, 1901. Fla.
5131. *nisella* CLERCK, Ieon., pl. 12, f. 6, 1759; LINNEUS, Faun. Suec., 357, 1761; WILKINSON, Brit. Tort., 78, 1859; HEINEMANN, Kleinschm., i, 1, 158, 1863; MEYRICK, Handb. Brit. Lep., 493, 1895. Eur., Can.
- *5132. *hirsutana* WALSINGHAM, Ill. Lep. Het., iv, 50, 1879. Cal., Oreg.
- *5133. *improbana* WALKER, Cat. Brit. Mus., xxviii, 337, 1863; WALSINGHAM, Ill. Lep. Het., iv, 51, 1879. Hudson Bay.
syn. *difflana* WALKER, Cat. Brit. Mus., xxviii, 378, 1863.
- *5134. *trigeminana* STEPHENS, Ill. Brit. Ent., Haust., iv, 94, 1834; WILKINSON, Brit. Tort., 94, 1859.
syn. *argyrata* STEPHENS, Ill. Brit. Ent., Haust., iv, 95, 1834; *pacilana* GUENÉE, Ann. Soc. Ent. Fr., (2), iii, 177, 1845; HERRICH-SCHAFFER, Schm. Eur., iv, 241, 1851; HEINEMANN, Kleinschm., i, 1, 152, 1863. Eur., Cal., Oreg.
- *5135. *vertumnana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 310, 1875. N. Y., Tex.

5136. *celtisana* RILEY, Trans. St. Louis Acad. Sci., iv, 319, 1881. Tex.
- *5137. *matutina* GROTE, Bull. Buff. Soc., i, 92, 1873. Tex.
5138. *illotana* WALSINGHAM, Ill. Lep. Het., iv, 39, 1879. Oreg.
5139. *scudderiana* CLEMENS, Proc. Acad. Nat. Sci. Phil., 358, 1860. No. Atl. States.
syn. *saligineana* CLEMENS, Proc. Ent. Soc. Phil., v, 141, 1865; PACKARD, Guide Stud. Ins., 337, 1869; RILEY, Rep. Ins. Mo., ii, 134, 1870; *affusana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 307, 1875.
5140. *desertana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 306, 1875. Tex., N. Y.
5140. 1. *obfuscana* RILEY, Proc. Ent. Soc. Wash., i, 33, 1888.* Atl. States.
- *5141. *tripartitana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 308, 1875. Tex.
5142. *otiosana* CLEMENS, Proc. Acad. Nat. Sci. Phil., 354, 1860. So. Atl. States.
syn. *inclinana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 301, 1875.
5143. *similana* HÜBNER, Vög. & Schm., f. 71, 1792; Eur. Schm., Tort., f. 41, 1800; FRÖLICH, En. Tort. Würt., 47, 1828. Eur., Me., Mass.
syn. *bimaculana* DONOVAN, Nat. Hist. Brit. Ins., xiii, pl. 459, 1808; HEINEMANN, Kleinschm., i, 1, 145, 1863; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 302, 1875; *dis-similana* TREITSCHKE, Schm. Eur., x, 3, 103, 1835; F. v. RÖSLERSTAMM, Ber. Sch., 170, 1839; HERRICH-SCHAFFER, Schm. Eur., iv, 239, 1851; *errana* EVERSMANN, Faun. Volg. Ural., 507, 1844.
5144. *dorsisignatana* CLEMENS, Proc. Acad. Nat. Sci. Phil., 353, 1860. Atl. States.
syn. *similana* CLEMENS, Proc. Acad. Nat. Sci. Phil., 353, 1860; *distigma* WALKER, Cat. Brit. Mus., xviii, 384, 1863; *clarana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 303, 1875; *graduatana* WALSINGHAM, Ill. Lep. Het., iv, 54, 1879.
- *5145. *adamantana* GUENÉE, Ann. Soc. Ent. Fr., (2), iii, 303, 1845. N. J.

* Riley's type specimen closely resembles *desertana* Zeller, but the dark marks are more diffuse, especially the patch near tornus, which is gray, showing no black scales.—HARRISON G. DYAR.

- *5146. *argenteana* WALSINGHAM, Trans. Ent. Soc. Lond., 504, 1895. Col.
- *5147. *aspidana* WALSINGHAM, Trans. Ent. Soc. Lond., 140, 1884. Ariz.
- *5148. *biplagata* WALSINGHAM, Trans. Ent. Soc. Lond., 507, 1895. Col.
- *5149. *caniceps* WALSINGHAM, Trans. Ent. Soc. Lond., 137, 1884. Mont.
- *5150. *carolinana* WALSINGHAM, Trans. Ent. Soc. Lond., 509, 1895. N. C.
- *5151. *castaneana* WALSINGHAM, Trans. Ent. Soc. Lond., 511, 1895. Col.
5152. *corosana* WALSINGHAM, Trans. Ent. Soc. Lond., 139, 1884. Mont.
- *5153. *dilatana* WALSINGHAM, Trans. Ent. Soc. Lond., 510, 1895. Ariz.
- *5154. *emaciata* WALSINGHAM, Trans. Ent. Soc. Lond., 137, 1884. Ariz.
- *5155. *fuscosparsa* WALSINGHAM, Trans. Ent. Soc. Lond., 507, 1895. Col.
- *5156. *hyponomeutana* WALSINGHAM, Trans. Ent. Soc. Lond., 502, 1895. Col.
- *5157. *invicta* WALSINGHAM, Trans. Ent. Soc. Lond., 509, 1895. Col.
- *5158. *mediostriata* WALSINGHAM, Trans. Ent. Soc. Lond., 508, 1895. Col.
5159. *morrisoni* WALSINGHAM, Trans. Ent. Soc. Lond., 138, 1884. Mont.
- *5160. *ragonoti* WALSINGHAM, Trans. Ent. Soc. Lond., 503, 1895. Col.
- *5161. *serpentana* WALSINGHAM, Trans. Ent. Soc. Lond., 504, 1895. Cal.
- *5162. *smithiana* WALSINGHAM, Trans. Ent. Soc. Lond., 506, 1895. Col.

THIODIA Hübner.

- HÜBNER, Verz. bek. Schmett., 391, 1826; WALSINGHAM, Proc. Zool. Soc. Lond., 125, 1897; *Semasia* HERRICH-SCHAEFFER, Schm. Eur., iv, 244, 1851; HEINEMANN, Kleinschm., i, 1, 166, 1863.
5163. *radiatana* WALSINGHAM, Ill. Lep. Het., iv, 55, 1879. Nova Scotia, Me., N. Y.
5164. *olivaceana* RILEY, Trans. St. Louis Acad. Sci., iv, 320, 1881. Ill.

5165. <i>formosana</i> CLEMENS, Proc. Acad. Nat. Sci. Phil., 360, 1860; PACKARD, Guide Stud. Ins., 338, 1869.	No. Atl. States.
syn. <i>sagittana</i> WALKER, Cat. Brit. Mus., xxviii, 386, 1863; <i>stereoreana</i> ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 290, 1875.	
*5166. <i>corculana</i> ZELLER, Verh. zool.-bot. Ges. Wien, xxiv, 11, 1874.	Vancouver Island.
5167. <i>aspidiscana</i> HÜBNER, Eur. Schmett., Tort., f. 256, 1818; FRÖLICH, En. Tort. Würt., 96, 1828; TREITSCHKE, Schm. Eur., viii, 210, 1830; STEPHENS, Ill. Brit. Ent., Haust., iv, 120, 1834; DUPONCHEL, Hist. Nat. Lép. Fr., ix, 275, 1834; HERRICH-SCHAFFER, Schm. Eur., iv, 247, 1851; HEINEMANN, Kleinschm., i, 1, 120, 1863.	Eur., Oreg.
syn. <i>dahlbomiana</i> ZETTERSTEDT, Ins. Lap., 897, 1840.	
*5168. <i>ferruginana</i> FERNALD, Trans. Am. Ent. Soc., x, 72, 1882.	No. Atl. States.
5169. <i>succedana</i> SCHIFFERMÜLLER, Syst. Verz. Wien, 129, 1776; FRÖLICH, En. Tort. Würt., 95, 1828; TREITSCHKE, Schm. Eur., viii, 211, 1830; DUPONCHEL, Hist. Nat. Lép. Fr., ix, 302, 1834; HERRICH-SCHAFFER, Schm. Eur., iv, 252, 1851; HEINEMANN, Kleinschm., i, 1, 193, 1863.	Eur., Oreg.
syn. <i>asseclana</i> HÜBNER, Schm. Eur., Tort., f. 194, 1800; <i>decorana</i> HAWORTH, Lep. Brit., 437, 1811; <i>ulicetana</i> HAWORTH, Lep. Brit., 458, 1811; <i>lanceolana</i> STEPHENS, Ill. Brit. Ent., Haust., iv, 121, 1834.	
<i>a.</i> <i>gallicana</i> HERRICH-SCHAFFER, Schm. Eur., iv, 252, 1851.	
<i>b.</i> <i>conjugentana</i> MÖSCHLER, Berl. ent. Zeit., 140, 1866.	
*5170. <i>rössleri</i> ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 291, 1875.	Cal.
5171. <i>vestaliana</i> ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 286, 1875.	Tex., Col., Mont.
*5172. <i>elongana</i> WALSINGHAM, Ill. Lep. Het., iv, 56, 1879.	Oreg.
*5173. <i>tarandana</i> MÖSCHLER, Stett. ent. Zeit., xxiv, 165, 1874.	Lab., Oreg.
*5174. <i>artemisiana</i> WALSINGHAM, Ill. Lep. Het., iv, 56, 1879.	Cal.
*5175. <i>argenticostana</i> WALSINGHAM, Ill. Lep. Het., iv, 61, 1879.	Ariz., Oreg.

- *5176. *spiculana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 289, 1875. Tex.
5177. *striatana* CLEMENS, Proc. Acad. Nat. Sci. Phil., 349, 1860. Atl. States.
syn. *albicepsana* WALKER, Cat. Brit. Mus., xxviii, 379, 1863; *trivittata* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 287, 1875.
5178. *tenuiana* WALSINGHAM, Ill. Lep. Het., iv, 59, 1879. Cal., Nev.
- *5179. *clavana* FERNALD, Trans. Am. Ent. Soc., x, 72, 1882. Mass.
- *5180. *pallidicostana* WALSINGHAM, Ill. Lep. Het., iv, 62, 1879. Cal.
- *5181. *griseocapitana* WALSINGHAM, Ill. Lep. Het., iv, 61, 1879. Cal.
- *5182. *taleana* GROTE, Can. Ent., x, 54, 1878. Ill.
- *5183. *perangustana* WALSINGHAM, Ill. Lep. Het., iv, 58, 1879. Cal.
5184. *amphorana* WALSINGHAM, Ill. Lep. Het., iv, 63, 1879. Oreg., Col.
- *5185. *dececpunctana* WALSINGHAM, Ill. Lep. Het., iv, 58, 1879. Oreg.
5186. *helianthana* RILEY, Trans. St. Louis Acad. Sci., iv, 319, 1881. Md., Tex.
- *5187. *columbiana* WALSINGHAM, Ill. Lep. Het., iv, 57, 1879. Oreg.
5188. *scalana* WALSINGHAM, Ill. Lep. Het., iv, 57, 1879. Cal., Oreg.
- *5189. *signatana* CLEMENS, Proc. Ent. Soc. Phil., iii, 514, 1864. Atl. States.
syn. *variata* CLEMENS, Proc. Ent. Soc. Phil., iii, 520, 1864; *acerella* CLEMENS, Tin., No. Am. 178, 1872; *subnigra* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 294, 1875.
5190. *lapidana* WALSINGHAM, Ill. Lep. Het., iv, 58, 1879. Oreg.
- *5191. *sublapidana* WALSINGHAM, Ill. Lep. Het., iv, 59, 1879. Oreg.
- *5192. *parvana* WALSINGHAM, Ill. Lep. Het., iv, 60, 1879. Oreg.
- *5193. *stramineana* WALSINGHAM, Ill. Lep. Het., iv, 60, 1879. Col.
- *5194. *minimana* WALSINGHAM, Ill. Lep. Het., iv, 60, 1879. Cal.

5195. *infuscana* WALSINGHAM, Ill. Lep. Het., iv, 62, Cal.
1879.
- *5196. *refusana* WALKER, Cat. Brit. Mus., xxviii, 382, Can.
1863; WALSINGHAM, Ill. Lep. Het. Brit. Mus., iv, 63, 1879.
- *5197. *perstructana* WALKER, Cat. Brit. Mus., xxviii, Hudson Bay.
343, 1863; WALSINGHAM, Ill. Lep. Het. Brit. Mus., iv, 64, 1879.
- *5198. *offectalis* HULST, Trans. Am. Ent. Soc., xiii, 166, Col., N. Mex.,
1886. Cal.
- syn. *bucephaloides* WALSINGHAM, Ins. Life, iii,
465, 1891.
5199. *apacheana* WALSINGHAM, Trans. Ent. Soc. Lond., Ariz.
149, 1884.
- *5200. *montanana* WALSINGHAM, Trans. Ent. Soc. Lond., Mont.
143, 1884.
- *5201. *obliterana* WALSINGHAM, Trans. Ent. Soc. Lond., Ariz.,
513, 1895. Col.
5202. *ochreicostana* WALSINGHAM, Trans. Ent. Soc. Lond., Mont.
141, 1884.
- *5203. *ochrocephala* WALSINGHAM, Trans. Ent. Soc. Lond., Col.
513, 1895.
- *5204. *octopunctana* WALSINGHAM, Trans. Ent. Soc. Lond., Col.
512, 1895.
- *5205. *transversa* WALSINGHAM, Trans. Ent. Soc. Lond., Col.
514, 1895.

EPISIMUS Walsingham.

WALSINGHAM, Proc. Zool. Soc. Lond., 501, 1891; 122, 1897.

5206. *augmentanus* ZELLER, Hor. Soc. Ent. Ross., xiii, Fla.,
158, 1877; WALSINGHAM, Proc. Zool. Soc. Lond., W. I.
502, 1891; 123, 1897; DYAR, Proc. Ent. Soc. Wash., iv., 468, 1901.
5207. *argutana* CLEMENS, Proc. Acad. Nat. Sci. Phil., Can. to Fla.,
358, 1860; DYAR, Proc. Ent. Soc. Wash., iv, Tex., W. I.
469, 1901.
syn. *allutana* ZELLER, Verh. zool.-bot. Ges.
Wien, xxv, 295, 1875.

EXENTERA Grote.

GROTE, Can. Ent., ix, 227, 1877.

5208. *apriliana* GROTE, Can. Ent., ix, 227, 1877. N. Y., Pa.,
Col.

HYSTRICOPHORA Walsingham.

WALSINGHAM, Ill. Lep. Het., iv, 64, 1879.

- *5209. *leonana* WALSINGHAM, Ill. Lep. Het. Brit. Mus., iv, 65, 1879. Cal.
a. aurantiana WALSINGHAM, Ill. Lep. Het., iv, 65, 1879.

PROTEOPTERYX Walsingham.

WALSINGHAM, Ill. Lep. Het., iv, 68, 1879.

5210. *emarginana* WALSINGHAM, Ill. Lep. Het. Brit. Mus., iv, 68, 1879. Cal., Ariz.
*5211. *oregona* WALSINGHAM, Ill. Lep. Het. Brit. Mus., iv, 62, 1879. Oreg.
5212. *cressoniana* CLEMENS, Proc. Ent. Soc. Phil., iii, 514, 1864. N. Y., Va.
5213. *deludana* CLEMENS, Proc. Ent. Soc. Phil., iii, 513, 1864. So. Atl. States.
5214. *spoliana* CLEMENS, Proc. Ent. Soc. Phil., iii, 513, 1864. So. Atl. States.
*5215. *resuptana* WALKER, Cat. Brit. Mus., xxviii, 376, 1863; WALSINGHAM, Ill. Lep. Het., iv, 44, 1879. Nova Scotia, Pa.
*5216. *virginiana* CLEMENS, Proc. Ent. Soc. Phil., iii, 512, 1864. Va.
5217. *costomaculana* CLEMENS, Proc. Acad. Nat. Sci. Phil., 349, 1860. Me., Pa.
syn. *bipustulana* WALKER, Cat. Brit. Mus., xxviii, 316, 1863.
*5218. *pulchellana* CLEMENS, Proc. Ent. Soc. Phil., iii, 511, 1864. Va.

PROTEOTERAS Riley.

RILEY, Trans. St. Louis Acad. Sci., iv, 321, 1881.

5219. *aesculanum* RILEY, Trans. St. Louis Acad. Sci., iv, 321, 1881. N. Y., Mo., Tex.

EPINOTIA Hübner.

HÜBNER, Verz. bek. Schmett., 377, 1826.

5220. *incarnana* HAWORTH, Lep. Brit., 435, 1811; STEPHENS, Ill. Brit. Ent., Haust., iv, 120, 1834. Eur., Cal.
syn. *dealbana* FRÖLICH, En. Tort. Würt., 51, 1828; HERRICH-SCHAEFFER, Schm. Eur., iv, 232, 1851; WILKINSON, Brit. Tort., 120, 1859; HEINEMANN, Kleinschin., i, 1, 207, 1863; *minorana* TREITSCHKE, Schm. Eur., viii, 48, 1830; DUPONCHEL, Hist. Nat. Lép. Fr., ix, 573, 1834.

- *5221. *fasciolana* CLEMENS, Proc. Ent. Soc. Phil., iii, 511, 1864. Me., Mass., N. Y., Pa.
syn. *blakeana* GROTE, Bull. Buff. Soc., i, 91, 1873.
5222. *lagopana* WALSINGHAM, Ill. Lep. Het., iv, 71, 1879. Cal., Ariz., Mont.
- *5223. *liturana* WALSINGHAM, Ill. Lep. Het., iv, 71, 1879. Cal.
- *5224. *purpuriciliana* WALSINGHAM, Ill. Lep. Het., iv, 72, 1879. Cal.
5225. *salicicolana* CLEMENS, Proc. Ent. Soc. Phil., iii, 514, 1864. Ill.
5226. *salicihana* CLEMENS, Proc. Ent. Soc. Phil., iii, 515, 1864. Ill.
5227. *crispana* CLEMENS, Proc. Ent. Soc. Phil., v, 137 1865. No. Atl. States.
5228. *augustana* HÜBNER, Schm. Eur., Tort., f. 205, 1818; TREITSCHKE, Schm. Eur., viii, 221, 1830; DUPONCHEL, Hist. Nat. Lép. Fr., ix, 486, 1834; ZELLER, Isis, 247, 1846; HERRICH-SCHAFFER, Schm. Eur., iv, 272, 1851; HEINEMANN, Kleinschm., i, 1, 219, 1863.
syn. *cruciana* ZETTERSTEDT, Ins. Lap., 981, 1840; *pullana* EVERSMANN, Faun. Volg. Ural., 512, 1844; *direptana* WALKER, Cat. Brit. Mus., xxviii, 338, 1863; *rilihana* WALKER, Cat. Brit. Mus., xxviii, 338, 1863.
5229. *pinicolana* ZELLER, Isis, 242, 1846; HERRICH-SCHAFFER, Schm. Eur., iv, 207, 1851; HEINEMANN, Kleinschm., i, 1, 210, 1863.
syn. *occultana* WILKINSON, Brit. Tort., 223, 1859.
- *5230. *biangulana* WALSINGHAM, Ill. Lep. Het., iv, 71, 1879. Oreg.
- *5231. *nebulosana* PACKARD, Proc. Bost. Soc. Nat. Hist., xi, 61, 1866. Lab.
5232. *claypoleana* RILEY, Psyche, iii, 364, 1882; Am. Nat., xvi, 913, 1882; Pap., iii, 191, 1883; PACKARD, Rept. U. S. Ent. Com., v, 654, 1890; LINTNER, Rept. N. Y. St. Ent., xii, 214, 1897.
syn. *instructana* CLAYPOLE (not CLEMENS), Proc. Am. Assoc. Adv. Sci., 269, 1882; RILEY, Am. Nat., xv, 1009, 1881.
5233. *ratzeburgiana* SAXESEN, Forst-Ins., ii, 227, 1840; FERNALD, Rept. Dept. Agr., 378, 1884; PACKARD, Rept. U. S. Ent. Com., v, 845, 1890.

- *5234. *pyricolana* MURTFELDT, Bull. no. 23, U. S. Dept. Mo.
Agr., 52, 1891.
5235. *lindana* FERNALD, Can. Ent., xxiv, 178, 1892. Can., Mass.
- *5236. *medioplagata* WALSHAM, Trans. Ent. Soc. Col.
Lond., 516, 1895.

TMETOCERA Lederer.

LEDERER, Wien. ent. Mon., iii, 367, 1859; HEINEMANN, Kleinschm., i, 1, 206, 1863;
MEYRICK, Handb. Brit. Lep., 476, 1895.

5237. *ocellana* SCHIFFERMÜLLER, Syst. Verz. Wien,
130, 1776; FABRICIUS, Mant. Ins. ii, 228, 1787;
TREITSCHKE, Schm. Eur., viii, 40, 1830; HER-
RICH-SCHAFFER, Schm. Eur., iv, 233, 1851;
WILKINSON, Brit. Tort., 118, 1859; LEDERER,
Wien. ent. Mon., iii, 368, 1859; HEINEMANN,
Kleinschm., i, 1, 206, 1863; ZELLER, Verh. zool.-
bot. Ges. Wien, xxv, 267, 1875.

syn. *luscania* FABRICIUS, Ent. Syst., 255, 1793;
FRÖLICH, Eb. Tort. Würt., 50, 1828; DUPON-
CHEL, Hist. Nat. Lép. Fr., ix, 203, 1834;
comitana HÜBNER, Schm. Eur., Tort., f. 16,
1800; *pyrifoliana* CLEMENS, Proc. Acad.
Nat. Sci. Phil., 357, 1860; *oculana* HARRIS,
Inj. Ins., 482, 1862; SAUNDERS, Can. Ent.,
iii, 13, 1871.

EUDEMIS Hübner.

HÜBNER, Verz. bek. Schmett., 382, 1826; MEYRICK, Handb. Brit. Lep., 476, 1895.

5238. *vacciniana* PACKARD, Guide Stud. Ins., 338, 1869;
GLOVER, Rept. U. S. Dept. Agr., 85, 1870; SMITH,
Bull. no. 4, U. S. Dept. Agr., 10, 1884; SAUN-
DERS, Inj. Ins., 369, 1889.
- syn. *luctiferana* WALKER, Cat. Brit. Mus.,
xxviii, 342, 1863.

ANCYLIS Hübner.

HÜBNER, Verz. bek. Schmett., 376, 1826; MEYRICK, Handb. Brit. Lep., 477, 1895;
Phoxopteris TREITSCHKE, Schm. Eur., vii, 232, 1829; DUPONCHEL, Hist. Nat. Lép.
Fr., ix, 22, 1834.

5239. *mediofasciana* CLEMENS, Proc. Ent. Soc. Phil.,
iii, 511, 1864; ZELLER, Verh. zool.-bot. Ges.
Wien, xxv, 248, 1875.
5240. *nubeculana* CLEMENS, Proc. Acad. Nat. Sci. Phil.,
349, 1860; ZELLER, Verh. zool.-bot. Ges. Wien,
xxv, 249, 1875; RILEY, Rept. U. S. Dept. Agr.,
239, 1878.
- *5241. *subæquana* ZELLER, Verh. zool.-bot. Ges. Wien,
xxv, 254, 1875.

Mo.

Can., Mass.

Col.

No.
U. S.,
Eur.No.
U. S.,
Cal.Me.,
Mass.,
N. Y.No. Atl.
States.Me.,
Mass.

*5242. <i>discigerana</i> WALKER, Cat. Brit. Mus., xxviii, 384, 1863.	No. Atl. States.
5243. <i>semiovana</i> ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 250, 1875.	Me., N. Y.
5244. <i>murtfeldtiana</i> RILEY, Trans. St. Louis Acad. Sci., iv, 323, 1881.	Mo.
5245. <i>lundana</i> FABRICIUS, Gen. Ins., 294, 1777; DONOVAN, Nat. Hist. Brit. Ins., xi, pl. 374, f. 1, 1804; HAWORTH, Lep. Brit., 452, 1811; FRÖLICH, En. Tort. Würt., 99, 1828; WILKINSON, Brit. Tort., 138, 1859. syn. <i>badiana</i> SCHIFFERMÜLLER, Syst. Verz. Wien, 126, 1776; TREITSCHKE, Schm. Eur., viii, 243, 1830; DUPONCHEL, Hist. Nat. Lép. Fr., ix, 343, 1834; HERRICH-SCHAFFER, Schm. Eur., iv, 285, 1851; HEINEMANN, Kleinschm., i, 1, 225, 1863; <i>corylana</i> HÜBNER, Vög. & Schm., f. 63, 1792; Schm. Eur., Tort., f. 53, 1800.	Eur., Oreg.
*5246. <i>spiræifoliana</i> CLEMENS, Proc. Acad. Nat. Sci. Phil., 348, 1860.	Pa.
syn. <i>metamelana</i> WALKER, Cat. Brit. Mus., xxviii, 385, 1863; <i>discoferana</i> WALKER, Cat. Brit. Mus., xxviii, 386, 1863.	
5247. <i>laciniana</i> ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 253, 1875.	Mass.
5248. <i>burgessiana</i> ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 252, 1875.	Me., Mass.
*5249. <i>dubiana</i> CLEMENS, Proc. Ent. Soc. Phil., iii, 512, 1864.	Va.
*5250. <i>floridana</i> ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 258, 1875.	Ohio.
*5251. <i>amblygona</i> ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 259, 1875.	D. C.
5252. <i>comptana</i> FRÖLICH, En. Tort. Würt., 99, 1828; DUPONCHEL, Lép. Fr., suppl., 187, 1844; HERRICH-SCHAFFER, Schm. Eur., iv, 286, 1851; WILKINSON, Brit. Tort., 141, 1859; HEINEMANN, Kleinschm., i, 1, 225, 1863; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 257, 1875. syn. <i>conflexana</i> WALKER, Cat. Brit. Mus., xxviii, 384, 1863; <i>fragariæ</i> WALSH & RILEY, Am. Ent., i, 89, 1869; RILEY, Rep. Ins. Mo., i, 142, 1869; PACKARD, Guide Stud. Ins., 340, 1869.	Can., Ill., Mo.
*5253. <i>angulifasciana</i> ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 256, 1875.	Me., Mass., Ohio.

5254. *platanana* CLEMENS, Proc. Acad. Nat. Sci. Phil., ii, 349, 1860. Pa., Mo., Tex.
syn. *mareidana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 260, 1875.
5255. *divisana* WALKER, Cat. Brit. Mus., xxviii, 385, 1863; WALSINGHAM, Ill. Lep. Het., iv, 74, 1879. Nova Scotia, Mass.
5256. *apicana* WALKER, Cat. Brit. Mus., xxxv, 1795, 1866; WALSINGHAM, Ill. Lep. Het., iv, 73, 1879. Nova Scotia, Mass., Oreg.
5257. *cornifoliana* RILEY, Trans. St. Louis Acad. Sci., iv, 324, 1881. Mass., Pa., Kans.
- *5258. *muricana* WALSINGHAM, Ill. Lep. Het., iv, 74, 1879. D. C.
5259. *uncana* HÜBNER, Schmett. Eur., Tort., f. 76, 1800; HAWORTH, Lep. Brit., 451, 1811; FRÖLICH, Ent. Tort. Würt., 101, 1828; TREITSCHKE, Schm. Eur., viii, 237, 1830; DUPONCHEL, Hist. Nat. Lép. Fr., ix, 335, 1834; HERRICH-SCHAFFER, Schm. Eur., iv, 286, 1851; WILKINSON, Brit. Tort., 137, 1859. Eur., N. H.
syn. *geminana* DONOVAN, Nat. Hist. Brit. Ins., xi, 29, 1804; *uncella* HEINEMANN, Klein-schm., i, 1, 224, 1863.
5260. *biareuana* STEPHENS, Cat., ii, 178, 1829; WILKINSON, Brit. Tort., 136, 1859; HEINEMANN, Klein-schm., i, 1, 223, 1863. Eur., Cal.
- syn. *cuspidana* STEPHENS, Ill. Brit. Ent., Haust., iv, 113, 1834; *crenata* DUPONCHEL, Hist. Nat. Lép. Fr., ix, 334, 518, 1834; *fluctigerana* HERRICH-SCHAFFER, Schm. Eur., iv, 286, 1851.
- *5261. *goodelliana* FERNALD, Trans. Am. Ent. Soc., x, 69, 1882. N. Eng.
- *5262. *plagosana* CLEMENS, Proc. Ent. Soc. Phil., ii, 417, 1864. Lab.
5263. *pacificana* WALSINGHAM, Ill. Lep. Het., iv, 73, 1879. Cal., Oreg.
- *5264. *cometana* WALSINGHAM, Ill. Lep. Het., iv, 74, 1879. Cal.
- *5265. *loricana* GROTE, Can. Ent., xii, 218, 1880. Ohio.
- *5266. *tineana* HÜBNER, Schm. Eur., Tort., f. 81, 1800; HERRICH-SCHAFFER, Schm. Eur., iv, 284, 1851; HEINEMANN, Klein-schm., i, 1, 223, 1863. Eur., Lab., Me., Mass.
syn. *ocellana* CLEMENS, Proc. Ent. Soc. Phil., iii, 510, 1864; *leucophaleratana* PACKARD, Proc. Bost. Soc. Nat. Hist., xi, 56, 1866.
5267. *kincaidiana* FERNALD, Proc. Wash. Acad. Sci., ii, 500, 1900. Alaska.

ENARMONIA Hübner.

HÜBNER, Verz. bek. Schmett., 375, 1826; MEYRICK, Handb. Brit. Lep., 472, 1895; *Grapholita* TREITSCHKE, Schm. Eur., vii, 232, 1829; *Grapholitha* HERRICH-SCHAFFER, Schm. Eur., iv, 253, 1851; LEDERER, Wien. ent. Mon., iii, 330, 1859; HEINEMANN, Kleinschm., i, 1, 177, 1863.

- | | |
|--|------------------|
| 5268. <i>caryana</i> FITCH, N. Y. Agr. Rept., xvi, 459, 1856. | Atl. States. |
| syn. <i>carya</i> SHIMER, Trans. Am. Ent. Soc., ii, 394, 1869. | |
| 5269. <i>prunivora</i> WALSH, Rept. Ent. Ill., i, 80, 1868. | Ill., Mo., Minn. |
| 5270. <i>interstinctana</i> CLEMENS, Proc. Acad. Nat. Sci. Phil., 351, 1860; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 296, 1875. | Atl. States. |
| syn. <i>scitana</i> WALKER, Cat. Brit. Mus., xxviii, 413, 1863; <i>distema</i> GROTE, Bull. Buff. Soc., i, 92, 1873. | |
| 5271. <i>bracteatana</i> FERNALD, Rept. U. S. Dept. Agr., 1880, 265, 1881. | Cal. |
| *5272. <i>conversana</i> WALSINGHAM, Ill. Lep. Het., iv, 66, 1879. | Oreg. |
| 5273. <i>albimaculana</i> FERNALD, Can. Ent., xi, 157, 1879. | Me. |
| 5274. <i>lunatana</i> WALSINGHAM, Ill. Lep. Het., iv, 66, 1879. | Oreg. |
| *5275. <i>tristrigana</i> CLEMENS, Proc. Ent. Soc. Phil., v, 133, 1865. | Mass., Va. |
| 5276. <i>americana</i> WALSINGHAM, Ill. Lep. Het., iv, 67, 1879. | Cal. |
| *5277. <i>cæruleana</i> WALSINGHAM, Ill. Lep. Het., iv, 66, 1879. | Oreg. |
| *5278. <i>vitrana</i> WALSINGHAM, Ill. Lep. Het., iv, 65, 1879. | Oreg. |
| *5279. <i>lautana</i> CLEMENS, Proc. Ent. Soc. Phil., v, 139, 1865 (as <i>tantana</i> , typ. err.). | Va., Tex. |
| syn. <i>perfluana</i> ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 299, 1875. | |
| 5280. <i>gallæsaliciana</i> RILEY, Trans. St. Louis Acad. Sci., iv, 320, 1881. | N. Y., Mo., Tex. |
| *5281. <i>trossulana</i> WALSINGHAM, Ill. Lep. Het., iv, 67, 1879. | Cal. |
| *5282. <i>packardi</i> ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 300, 1875. | Tex. |

- *5283. *parmatana* CLEMENS, Proc. Acad. Nat. Sci. Phil., 352, 1860. Pa.
- *5284. *duodecemstriata* WALSINGHAM, Trans. Ent. Soc. Lond., 146, 1884. Ariz.
- *5285. *sebastianiae* RILEY, Proc. Ent. Soc. Wash., ii, 214, 1892. N. Mex.
- *5286. *larimana* WALSINGHAM, Trans. Ent. Soc. Lond., 518, 1895. Cal.

ECDYTOLOPHA Zeller.

ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 266, 1875.

5287. *insiticana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 266, 1875. Mass. to Col.

HEMIMENE Hübner.

HÜBNER, Verz. bek. Schmett., 378, 1826; MEYRICK, Handb. Brit. Lep., 499, 1895; *Dichrorampha* GUENÉE, Ann. Soc. Ent. Fr., (2), iii, 185, 1845; LEDERER, Wien. ent. Mon., iii, 369, 1859; HEINEMANN, Kleinschm., i, 1, 229, 1863.

- *5288. *incanana* CLEMENS, Proc. Acad. Nat. Sci. Phil., 351, 1860. Pa.
- *5289. *simulana* CLEMENS, Proc. Acad. Nat. Sci. Phil., 351, 1860; PACKARD, Guide Stud. Ins., 337, 1869. syn. *aurisignana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 319, 1875. So. Atl. States.
5290. *alpinana* TREITSCHKE, Schm. Eur., viii, 230, 1830; DUPONCHEL, Hist. Nat. Lép. Fr., ix, 322, 1834; HERRICH-SCHAEFFER, Schm. Eur., iv, 271, 1851; WILKINSON, Brit. Tort., 105, 1859; HEINEMANN, Kleinschm., i, 1, 230, 1863. Eur., Oreg.
syn. *politana* GUENÉE, Ann. Soc. Ent. Fr., (2), iii, 185, 1845; WILKINSON, Brit. Tort., 104, 1859.
5291. *plumbana* SCOPOLI, Ent. Carn., no. 592, 1763; HEINEMANN, Kleinschm., i, 1, 239, 1863. Eur., Cal.
syn. *petiverella* SCHIFFERMÜLLER, Syst. Verz. Wien, 136, 1776; *zachuna* TREITSCHKE, Schm. Eur., viii, 217, 1830; DUPONCHEL, Hist. Nat. Lép. Fr., ix, 282, 1834; *ulicana* GUENÉE, Ann. Soc. Ent. Fr., (2), iii, 185, 1845; WILKINSON, Brit. Tort., 228, 1859; *blepharana* HERRICH-SCHAEFFER, Schm. Eur., iv, 254, 1851.
5292. *radicolana* WALSINGHAM, Ill. Lep. Het., iv, 75, 1879. Oreg.

LIPOPTYCHA Lederer.

LEDERER, Wien. ent. Mon., iii, 370, 1859; MEYRICK, Handb. Brit. Lep., 503, 1895.

5293. *maculana* FERNALD, Jn. N. Y. Ent. Soc., ix, 51, Fla.
1901.

PAMMENE Hübner.

HÜBNER, Verz. bek. Schmett., 378, 1826; MEYRICK, Handb. Brit. Lep., 505, 1895
Phthoroblastis LEDERER, Wien. ent. Mon., iii, 370, 1859.

- *5294. *texanana* WALSINGHAM, Ill. Lep. Het., iv, 70, 1879. Tex.

MELISSOPUS Riley.

RILEY, Trans. St. Louis Acad. Sci., iv, 322, 1881.

5295. *latiferreanus* WALSINGHAM, Ill. Lep. Het., iv, 70, Me. to
1879; RILEY, Trans. St. Louis Acad. Sci., iv, Cal.
322, 1881.

CYDIA Hübner.

HÜBNER, Verz. bek. Schmett., 375, 1826; WALSINGHAM, Proc. Zool. Soc. Lond., 130,
1897; *Carpocapsa* TREITSCHKE, Schm. Eur., vii, 231, 1829; LEDERER, Wien. ent.
Mon., iii, 368, 1859; HEINEMANN, Kleinschm., i, 1, 193, 1863.

5296. *pomonella* LINNÆUS, Syst. Nat., x, 538, 1758; U. S.,
STEPHENS, Ill. Brit. Ent., Haust., iv, 119, 1834; Eur.
WILKINSON, Brit. Tort., 236, 1859; HARRIS, Inj.
Ins., 484, 1862; HEINEMANN, Kleinschm., i, 1,
194, 1863.

syn. *pomana* SCHIFFERMÜLLER, Syst. Verz.
Wien, 126, 1776; HÜBNER, Schm. Eur., Tort.,
f. 30, 1800; HAWORTH, Lep. Brit., 457,
1811; FRÖLICH, En. Tor. Würt., 78, 1828;
TREITSCHKE, Schm. Eur., viii, 161, 1830;
DUPONCHEL, Hist. Nat. Lép. Fr., ix, 248,
1834; HERRICH-SCHAEFFER, Schm. Eur., iv,
251, 1851; *pomana* FABRICIUS, Ent. Syst., iii,
279, 1793.

5297. *saltitans* WESTWOOD, Proc. Ashmol. Soc., iii, Mex.
137, 1857.

syn. *deshaisiana* LUCAS, Ann. Soc. Ent. Fr.,
pl. 16, 1858.

- *5298. *toreuta* GROTE, Bull. Buff. Soc., i, 92, 1873. Pa., Va.,

5298. 1. *ninana* RILEY, Sm. List Lep. Bor. Am., no. Ariz.
5025, 1891.^a

^aIn Riley's types the fore wings are leaden gray with a pale carneous ray in cell and a narrower bent one on submedian fold. Transverse posterior line black and shining plumbeous, from middle of costa bent at middle almost at right angles ending above tornus. Space beyond bright rose pink, costal edge carneous white with several bent brown-black bars, fringe shining plumbeous. Hind wings blackish, fringe pale.—HARRISON G. DYAR.

Subfamily TORTRICINAE.

ALCERIS Hübner.

HÜBNER, Verz. bek. Schmett., 384, 1826; *Teras* TREITSCHKE, Schm. Eur., vii, 233, 1829; LEDERER, Wien. ent. Mon., iii, 149, 1859; HEINEMANN, Kleinschm., i, 1, 10, 1863.

5299. **effractana** FRÖLICH, En. Tort. Würt., 27, 1828; EUR.,
TREITSCHKE, Schm. Eur., viii, 249, 1830; F. v. VANC. ID.
RÖSLERSTAMM, Ber. Sch., 144, 1839; HERRICH-SCHAEFFER, Schm. Eur., iv, 154, 1849; HEINEMANN, Kleinschm., i, 1, 12, 1863.
syn. *sebrana* FABRICIUS (not SCHIFFERMÜLLER), Sp. Ins., no. 54, 1781; *candana* HAWORTH (not FABRICIUS), Lep. Brit., no. 46, 1811; HÜBNER, Schm. Eur., Tort., f. 232, 1818; *indecorana* ZETTERSTEDT, Ins. Lap., 989, 1840.
- *5300. **peculiana** ZELLER, Verh. zool.-bot. Ges. Wien, XXV, 210, 1875. TEX.
- *5301. **subnivana** WALKER, Cat. Brit. Mus., xxviii, 376, 1863; WALSHINGHAM, Ill. Lep. Het., iv, 1, 1879. ATL. STATES.
syn. *deflectana* ROBINSON, Trans. Am. Ent. Soc., ii, 283, 1869; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 211, 1875.
5302. **trisignana** ROBINSON, Trans. Am. Ent. Soc., ii, 282, 1869. N. Y., VA.
5303. **boscana** FABRICIUS, Ent. Syst., iii, 2, 269, 1794; DUPONCHEL, Hist. Nat. Lép. Fr., ix, 131, 1834; HERRICH-SCHAEFFER, Schm. Eur., iv, 147, 1849; WILKINSON, Brit. Tort., 163, 1859; HEINEMANN, Kleinschm., i, 1, 20, 1863; MEYRICK, Handb. Brit. Lep., 523, 1895.
syn. *cerusana* HÜBNER, Schm. Eur., Tort., f. 63, 1800; TREITSCHKE, Schm. Eur., viii, 182, 1830.
- a. parisiana* GUENÉE, Ann. Soc. Ent. Fr., (2), iii, 145, 1845; HERRICH-SCHAEFFER, Schm. Eur., iv, 147, 1849; *placidana* ROBINSON, Trans. Am. Ent. Soc., ii, 282, 1869.
5304. **niveana** FABRICIUS, Mant. Ins., ii, 233, 1787; FRÖLICH, En. Tort. Würt., 19, 1828; HEINEMANN, Kleinschm., i, 1, 22, 1863.
syn. *trenieriana* HÜBNER, Schm. Eur., Tort., f. 100, 1800; TREITSCHKE, Schm. Eur., viii, 93, 1830; FISCHER v. RÖSLERSTAMM, Ber. Sch., 43, 1838; *treveriana* DUPONCHEL, Hist. Nat. Lép. Fr., ix, 135, 1834; HERRICH-SCHAEFFER, Schm. Eur., iv, 151, 1849; *cerusana* DUPONCHEL, Hist. Nat. Lép. Fr., ix, 532, 1834. EUR., CAN.

- *5305. *nigrolinea* ROBINSON, Trans. Am. Ent. Soc., ii, 281, 1869.
 syn. *schaefferi* ZELLER, Verh. zool.-bot. Ges. Wien, xxiv, 9, 1874.
- *5306. *ferruginiguttana* FERNALD, Trans. Am. Ent. Soc., x, 65, 1882. Col.
- *5307. *brewsteriana* ROBINSON, Trans. Am. Ent. Soc., ii, 283, 1869. Me., N. Y.
- *5308. *celiana* ROBINSON, Trans. Am. Ent. Soc., ii, 283, 1869. Mass., N. Y.
5309. *hastiana* LINNEUS, Syst. Nat., x, 532, 1758; Faun. Suec., no. 1328, 1761; FABRICIUS, Syst. Ent., 650, 1775; FRÖLICH, En. Tort. Würt., 23, 1828; WILKINSON, Brit. Tort., 171, 1859; HEINEMANN, Kleinschl., i, 1, 14, 1863.
 syn. *logiana* FABRICIUS, Syst. Ent., 651, 1775;
scabriana SCHIFFERMÜLLER, Syst. Verz. Wien, 130, 1776; TREITSCHKE, Schm. Eur., viii, 255, 1830; *devana* FABRICIUS, Ent. Syst., 269, 1793.
- a. divisana* HÜBNER, Eur. Schmett., Tort., f. 198, 1800; ROBINSON, Trans. Am. Ent. Soc., ii, 280, 1869.
- b. flavivittana* CLEMENS, Proc. Ent. Soc. Phil., iii, 516, 1864; ROBINSON, Trans. Am. Ent. Soc., ii, 280, 1869.
- c. perspicuana* ROBINSON, Trans. Am. Ent. Soc., ii, 280, 1869.
- d. maculidorsana* CLEMENS, Proc. Ent. Soc. Phil., iii, 516, 1864; ROBINSON, Trans. Am. Ent. Soc., ii, 281, 1869.
- e. inana* ROBINSON, Trans. Am. Ent. Soc., ii, 281, 1869.
- f. albistriana* WOOD, Ind. Ent., 1069, 1854.
- g. ptychogrammos* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 213, 1875.
- h. hudsoniana* WALKER, Cat. Brit. Mus., xxviii, 290, 1863.
- i. caliginosana* WALKER, Cat. Brit. Mus., xxviii, 309, 1863.
- *5310. *pulverosana* WALKER, Cat. Brit. Mus., xxviii, 291, 1863; WALSHINGHAM, Ill. Lep. Het., iv, 3, 1879. Hudson Bay.
 syn. *implexana* WALKER, Cat. Brit. Mus., xxviii, 338, 1863.

5311. *maccana* TREITSCHKE, Schm. Eur., suppl., x, 3, 133, 1835; HERRICH-SCHAEFFER, Schm. Eur., iv, 149, 1849; WILKINSON, Brit. Tort., 171, 1859; HEINEMANN, Kleinschm., i, 1, 16, 1863.
 syn. *erebana* GUENÉE, Ann. Soc. Ent. Fr., (2), iii, 146, 1845.
5312. *logiana* SCHIFFERMÜLLER, Syst. Verz. Wien, 130, 1776; HÜBNER, Schm. Eur., Tort., f. 64, 1800; HERRICH-SCHAEFFER, Schm. Eur., iv, 143, 1849.
 syn. *tristana* HÜBNER, Schm. Eur., Tort., f. 50, 1800; HERRICH-SCHAEFFER, Schm. Eur., iv, 142, 1849; WILKINSON, Brit. Tort., 167, 1859; HEINEMANN, Kleinschm., i, 1, 17, 1863; *trigonana* STEPHENS, Ill. Brit. Ent., Haust., iv, 1834.
- a. *viburnana* CLEMENS, Proc. Acad. Nat. Sci. Phil., 347, 1860; ROBINSON, Trans. Am. Ent. Soc., ii, 281, 1869.
- b. *fatula* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 214, 1875.
- *5313. *permutana* DUPONCHEL, Hist. Nat. Lép. Fr., ix, 449, 1834; HERRICH-SCHAEFFER, Schm. Eur., iv, 141, 1849; WILKINSON, Br. Tort., 174, 1859; HEINEMANN, Kleinschm., i, 1, 19, 1863.
- *5314. *nivisellana* WALSINGHAM, Ill. Lep. Het., iv, 2, 1879.
5315. *schalleriana* LINNÆUS, Faun. Suec., no. 1339, 1761; HAWORTH, Lep. Brit., no. 73, 1811; HÜBNER, Eur. Schm., Tort., ff. 288, 289, 1823; TREITSCHKE, Schm. Eur., viii, 265, 1830; DUPONCHEL, Hist. Nat. Lép. Fr., ix, 152, 1834; HERRICH-SCHAEFFER, Schm. Eur., iv, 144, 1849; WILKINSON, Brit. Tort., 165, 1859; HEINEMANN, Kleinschm., i, 1, 19, 1863.
 syn. *latifasciana* HAWORTH, Lep. Br., no. 65, 1811; STEPHENS, Ill. Brit. Ent., Haust., iv, 159, 1834; *erutana* HERRICH-SCHAEFFER, Schm. Eur., iv, 143, 1849.
5316. *ferrugana* SCHIFFERMÜLLER, Syst. Verz. Wien, 128, 1776; TREITSCHKE, Schm. Eur., viii, 263, 1830; HEINEMANN, Kleinschm., i, 1, 25, 1863; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 212, 1875.
 syn. *gallicolana* CLEMENS, Proc. Ent. Soc. Phil., iii, 516, 1864; *semiannula* ROBINSON, Trans. Am. Ent. Soc., ii, 282, 1869.

Eur..
Me..
Oreg.Eur..
Mass..
N. Y..
Pa.Eur., Me.,
Ill., Cal.Me., N. Y.,
Cal., Oreg.Eur.,
Me.Eur.,
Atl.
States.

5317. <i>simpliciana</i> WALSINGHAM, Ill. Lep. Het., iv, 2, 1879.	N. H., Oreg.
*5318. <i>oxyccocana</i> PACKARD, Guide Stud. Ins., 334, 1869.	Me., Mass.
5319. <i>minuta</i> ROBINSON, Trans. Am. Ent. Soc., ii, 276, 1869.	So. Atl. States.
syn. <i>malivorana</i> LE BARON, Rept. Ins. Ill., i, 16, 1870; <i>vacciniivorana</i> PACKARD, New or Little Known Insects, 1870; Rept. Agr. Mass., 241, 1870; <i>variolana</i> ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 212, 1875.	
<i>a. cinderella</i> RILEY, Rept. Ins. Mo., iv, 46, 1872.	
5320. <i>foliana</i> WALSINGHAM, Ill. Lep. Het., iv, 3, 1879; DYAR, Proc. U. S. Nat. Mus., xxv, 399, 1902.	Cal., Col., Ariz.
*5321. <i>fishiana</i> FERNALD, Trans. Am. Ent. Soc., x, 66, 1882.	Me.
*5322. <i>chalybeana</i> FERNALD, Trans. Am. Ent. Soc., x, 65, 1882.	Me., N. Y.
5323. <i>cervinana</i> FERNALD, Trans. Am. Ent. Soc., x, 65, 1882.	Mass., Ga.
5324. <i>americana</i> FERNALD, Trans. Am. Ent. Soc., x, 66, 1882.	Mass., Cal.
*5325. <i>angusana</i> FERNALD, Can. Ent., xxiv, 178, 1892.	Me.
*5326. <i>comandrana</i> FERNALD, Can. Ent., xxiv, 121, 1892.	Mass., Pa., Tex.
5327. <i>variana</i> FERNALD, Rept. U. S. Ent. Com., v, 847, 1890.	Me.

SYNNOMA Walsingham.

WALSINGHAM, Ill. Lep. Het., iv, 24, 1879.

*5328. <i>lynosyrana</i> WALSINGHAM, Ill. Lep. Het., iv, 24, 1879.	Cal.
---	------

EPAGOGÉ Hübner.

HÜBNER, Verz. bek. Schmett., 389, 1826; MEYRICK, Handb. Brit. Lep., 527, 1895; <i>Dichelia</i> GUENÉE, Ann. Soc. Ent. Fr., (2), iii, 141, 1845; HEINEMANN, Kleinschm., i, 1, 50, 1863.	
5329. <i>pulcherrimana</i> WALSINGHAM, Ill. Lep. Het., iv, 19, 1879.	Tex.
5330. <i>caryaæ</i> ROBINSON, Trans. Am. Ent. Soc., ii, 270, 1869.	Pa., Ill., Tex.

5331. **sulfureana** CLEMENS, Proc. Acad. Nat. Sci. Phil., 353, 1860; ROBINSON, Trans. Am. Ent. Soc., ii, 273, 1869; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 230, 1875.
 syn. *gratiana* WALKER, Cat. Brit. Mus., xxviii, 359, 1863; *fulvoroseana* CLEMENS, Proc. Ent. Soc. Phil., iii, 516, 1864; *virginiana* CLEMENS, Proc. Ent. Soc. Phil., iii, 517, 1864; *gallivirana* CLEMENS, Proc. Ent. Soc. Phil., iii, 517, 1864; *gracilana* WALSINGHAM, Ill. Lep. Het., iv, 18, 1879.
a. belfrageana ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 232, 1875. Tex.
- *5332. **demissana** WALSINGHAM, Ill. Lep. Het., iv, 19, 1879. Tex.
- *5333. **californiana** WALSINGHAM, Ill. Lep. Het., iv, 21, 1879. Cal.
5334. **tunicana** WALSINGHAM, Ill. Lep. Het., iv, 20, 1879. Cal.

CENOPIS Zeller.

ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 239, 1875.

5335. **reticulatana** CLEMENS, Proc. Acad. Nat. Sci. Phil., 353, 1860; ROBINSON, Trans. Am. Ent. Soc., ii, 272, 1869; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 233, 1875.
 syn. *subauratana* WALKER, Cat. Brit. Mus., xxviii, 289, 1863; *directana* WALKER, Cat. Brit. Mus., xxviii, 309, 1863.
a. mesospila ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 233, 1875. Atl. States.
5336. **pettitana** ROBINSON, Trans. Am. Ent. Soc., ii, 269, 1869; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 240, 1875. Atl. States.
5337. **diluticostana** WALSINGHAM, Ill. Lep. Het., iv, 18, 1879. Atl. States.
 syn. *quercana* FERNALD, Trans. Am. Ent. Soc., x, 69, 1882.
- *5338. **niveana** WALSINGHAM, Ill. Lep. Het., iv, 19, 1879. Can.
- *5339. **groteana** FERNALD, Trans. Am. Ent. Soc., x, 69, 1882. Ohio.
5340. **testulana** ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 241, 1875. Tex.
- *5341. **cana** ROBINSON, Trans. Am. Ent. Soc., ii, 276, 1869. N. Y., Pa.

CAPUA Stephens.

STEPHENS, Ill. Brit. Ent., Haust., iv, 171, 1834; WESTWOOD, Intr. Class. Ins., i, 109, 1839; WILKINSON, Brit. Tort., 112, 1859; MEYRICK, Handb. Brit. Lep., 527, 1895.

5342. *fureatana* WALKER, Cat. Brit. Mus., xxviii, 319, N. Y., Pa.,
1863; ROBINSON, Trans. Am. Ent. Soc., ii, 270, Ohio.
1869; ZELLER, Verh. zool.-bot. Ges. Wien, xxv,
232, 1875; WALSINGHAM, Ill. Lep. Het., iv, 21,
1879.
5343. *lentiginosana* WALSINGHAM, Ill. Lep. Het., iv, Tex.
22, 1879.

CŒLOSTATHMA Clemens.

CLEMENS, Proc. Acad. Nat. Sci. Phil., 355, 1860.

5344. *discopunctana* CLEMENS, Proc. Acad. Nat. Sci. Phil., 355, 1860; ROBINSON, Trans. Am. Ent. Soc., Atl.
ii, 276, 1869; ZELLER, Verh. zool.-bot. Ges. States.
Wien, xxv, 234, 1875.

SPARGANOTHIS Hübner.

HÜBNER, Verz. bek. Schmett., 386, 1826; MEYRICK, Handb. Brit. Lep., 528, 1895;
Enectra GUENÉE, Ann. Soc. Ent. Fr., (2), iii, 142, 1845; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 228, 1885.

5345. *pilleriana* SCHIFFERMÜLLER, Syst. Verz. Wien, Eur.,
126, 1776; FABRICIUS, Mant. Ins., ii, 227, 1877; Tex.,
Ent. Syst., iii, 2, 251, 1794; HÜBNER, Schm. Cal.
Eur., Tort., f. 172, 1800; TREITSCHKE, Schm.
Eur., viii, 83, 1830; DUPONCHEL, Hist. Nat.
Lép. Fr., ix, 91, 1834; GUENÉE, Ann. Soc. Ent.
Fr., (2), iii, 142, 1845; DUPONCHEL, Cat. Méth.,
1845; HERRICH-SCHAFFER, Schm. Eur., iv,
162, 1849; WILKINSON, Brit. Tort., 40, 1859;
HEINEMANN, Kleinschm., i, 1, 50, 1863.
- syn. *vitana* FABRICIUS, Ent. Syst., iii, 2, 249,
1794; *luteolana* HÜBNER, Eur. Schmett.,
Tort., f. 136, 1800.

5346. *rudana* WALSINGHAM, Ill. Lep. Het., iv, 16, 1879. Cal., Oreg.

5347. *senencionana* WALSINGHAM, Ill. Lep. Het., iv, 17, Cal., Oreg.
1879.

5348. *puritana* ROBINSON, Trans. Amer. Ent. Soc., ii, No. Atl.
271, 1869; ZELLER, Verh. zool.-bot. Ges. Wien, States.
xxv, 229, 1875.

syn. *unifasciata* CLEMENS (not DUPONCHEL),
Proc. Ent. Soc. Phil., iii, 516, 1864.

5349. **xanthoides** WALKER, Cat. Brit. Mus., xxvii, 190, 1863; xxviii, 290, 1863; WALSINGHAM, Ill. Lep. Het., iv, 20, 1879.
 syn. *breviornatana* CLEMENS, Proc. Ent. Soc. Phil., v, 140, 1865; ROBINSON, Trans. Am. Ent. Soc., ii, 269, 1869.
5350. **irrorea** ROBINSON, Trans. Am. Ent. Soc., ii, 274, 1869.
5351. **inconditana** WALSINGHAM Ill. Lep. Het., iv, 16, 1879.
5352. **violaceana** ROBINSON, Trans. Am. Ent. Soc., ii, 271, 1869; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 229, 1875.
- *5353. **flavibasana** FERNALD, Trans. Am. Ent. Soc., x, 69, 1882.
5354. **distincta** WALSINGHAM, Trans. Ent. Soc. Lond., 126, 1884.
- *5355. **striata** WALSINGHAM, Trans. Ent. Soc. Lond., 126, 1884.

ARCHIPS Hübner.

HÜBNER, Tent., 2, 1806; WALSINGHAM, Proc. Zool. Soc. Lond., 133, 1897; *Cacacia*
 HÜBNER, Verz. bek. Schmett., 388, 1826; HEINEMANN, Kleinschm., i, 1, 32, 1863.

5356. **rosaceana** HARRIS, Inj. Ins., 1st ed., 348, 1841;
 3d ed., 481, 1862; FITCH, Rep. Ins. N. Y., iii, 28, 1859; CLEMENS, Proc. Acad. Nat. Sci. Phil., 347, 1860; ROBINSON, Trans. Am. Ent. Soc., ii, 262, 1869; PACKARD, Guide Stud. Ins., 335, 1869; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 215, 1875.
 syn. *vicariana* WALKER, Cat. Brit. Mus., xxviii, 287, 1863; *gossypiana* PACKARD, Guide Stud. Ins., 335, 1869; *arcticana* MÖSCHLER, Stett. ent. Zeit., xxxv, 164, 1874.
5357. **purpurana** CLEMENS, Proc. Ent. Soc. Phil., 136, 1865; ROBINSON, Trans. Am. Ent. Soc., ii, 263, 1869; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 215, 1875.
 syn. *gurgitana* ROBINSON, Trans. Am. Ent. Soc., ii, 263, 1869; *linteriana* GROTE, Trans. Am. Ent. Soc., iv, 424, 1873.
5358. **infumatana** ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 216, 1875.

Atl. States,
B. C.Me., Mass.,
N. Y., Col.Cal.,
Oreg.Me., Mass.,
N. Y., Wis.Tex.,
III.

Ariz.

Mont.

No. U. S.,
Col.No. Atl.
States.Wis.,
Mo.

5359. **rosana** LINNÆUS, Syst. Nat., x, 530, 1758; HAWORTH, Lep. Brit., no. 96, 1811; GEYER, Schm. Eur., Tort., f. 302, 1830; WILKINSON, Brit. Tort., 63, 1859; HEINEMANN, Kleinschm., i, 1, 34, 1863.
 syn. *ameriana* LINNÆUS, Syst. Nat., x, 531, 1758; FABRICIUS, Syst. Ent., 647, 1775; *laevigata* SCHIFFERMÜLLER, Syst. Verz. Wien, 129, 1776; FABRICIUS, Ent. Syst., 253, 1793; TREITSCHKE, Schm. Eur., viii, 62, 1830; STEPHENS, Ill. Brit. Ent., Haust., iv, 74, 1834; FISCHER v. RÖSLERSTAMM, Ber. Schm., 17, 1838; HERRICH-SCHAFFER, Schm. Eur., iv, 159, 1849; *variana* FABRICIUS, Mant. Ins., ii, 231, 1787; *oxyacantha* HÜBNER, Schm. Eur., Tort., f. 117, 1800; HAWORTH, Lep. Brit., no. 97, 1811; DUPONCHEL, Hist. Nat. Lép. Fr., ix, 74, 1834; *acerana* HÜBNER, Schm. Eur., Tort., f. 118, 1800; FRÖLICH, En. Tort. Würt., 31, 1828; DUPONCHEL, Hist. Nat. Lép. Fr., ix, 76, 1834; *branderiana* HAWORTH, Lep. Brit., no. 94, 1811; *fusca* HAWORTH, Lep. Brit., no. 95, 1811; *nebulana* STEPHENS, Ill. Brit. Ent., Haust., iv, 74, 1834.
5360. **cerasivorana** FITCH, N. Y. Agr. Rep., 382, 1856; ROBINSON, Trans. Am. Ent. Soc., ii, 275, 1869; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 217, 1875. No. U. S., Cal.
5361. **rileyana** GROTE, Trans. Am. Ent. Soc., ii, 121, 1868; ROBINSON, Trans. Am. Ent. Soc., ii, 271, 1869; RILEY, Rep. Ins. Mo., i, 153, 1869; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 221, 1875.
 syn. *fervidana* WALKER (not CLEMENS), Cat. Brit. Mus., xxviii, 313, 1863. Ga., Tex., Mo.
5362. **parallela** ROBINSON, Trans. Am. Ent. Soc., ii, 267, 1869. Me. to Ill.
5363. **zapulata** ROBINSON, Trans. Am. Ent. Soc., ii, 264, 1869. Ill., Mo.
5364. **obsoletana** WALKER, Cat. Brit. Mus., xxviii, 288, 1863; WALSINGHAM, Ill. Lep. Het., iv, 11, 1879.
 syn. *transiturana* WALKER, Cat. Brit. Mus., xxviii, 312, 1863; WALSINGHAM, Ill. Lep. Het., iv, 8, 1879; *vesperana* CLEMENS, Proc. Ent. Soc. Phil., v, 136, 1865; ROBINSON, Trans. Am. Ent. Soc., ii, 266, 1869; *sambornana* ROBINSON, Trans. Am. Ent. Soc., ii, 265, 1869. Atl. States.

5365. *argyrospila* WALKER, Cat. Brit. Mus., xxviii, 373, 1863; WALSINGHAM, Ill. Lep. Het., iv, 8, 1873.
 syn. *furrana* ROBINSON, Trans. Am. Ent. Soc., ii, 265, 1869; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 13, 1875; *v-signatana* PACKARD, Rept. Agr. Mass., 238, 1870.
a. vividana DYAR, Proc. Ent. Soc. Wash., v, 78, 1902; Proc. U. S. Nat. Mus., xxv, 400, 1902.
5366. *semiferana* WALKER, Cat. Brit. Mus., xxviii, 336, 1863; WALSINGHAM, Ill. Lep. Het., iv, 7, 1879.
 syn. *fluccidana* ROBINSON, Trans. Am. Ent. Soc., ii, 277, 1869; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 13, 1875.
5367. *negundana* DYAR, Proc. Ent. Soc. Wash., v, 78, 1902; Proc. U. S. Nat. Mus., xxv, 401, 1902. Atl. States, Col.
5368. *fervidana* CLEMENS, Proc. Acad. Nat. Sci. Phil., 347, 1860.
 syn. *paludana* ROBINSON, Trans. Am. Ent. Soc., ii, 275, 1869. Mass., N. Y., Pa.
- *5369. *magnoliana* FERNALD, Can. Ent., xxiv, 121, 1892. N. Y.
5370. *georgiana* WALKER, Cat. Brit. Mus., xxviii, 372, 1863; GROTE, Bull. Buff. Soc., i, 15, 1873; WALSINGHAM, Ill. Lep. Het., iv, 9, 1879. So. Atl. States, Brazil?
5371. *fractivittana* CLEMENS, Proc. Ent. Soc. Phil., v, 136, 1865; ROBINSON, Trans. Am. Ent. Soc., ii, 265, 1869.
 syn. *fumosa* ROBINSON, Trans. Am. Ent. Soc., ii, 268, 1869. So. Atl. States.
5372. *grisea* ROBINSON, Trans. Am. Ent. Soc., ii, 268, 1869. Tex., Ohio, Mo.
5373. *affictana* WALKER, Cat. Brit. Mus., xxviii, 337, 1863; WALSINGHAM, Ill. Lep. Het., iv, 14, 1879.
 syn. *fusco-lineana* CLEMENS, Proc. Ent. Soc. Phil., v, 137, 1865; ROBINSON, Trans. Am. Ent. Soc., ii, 266, 1869. No. U. S., Cal.
5374. *musculana* HÜBNER, Schm. Eur., Tort., f. 98, 1800; FRÖLICH, En. Tort. Würt., 34, 1828; TREITSCHKE, Schm. Eur., viii, 175, 1830; DUPONCHEL, Hist. Nat. Lép. Fr., ix, 381, 1834; HERRICH-SCHAFFER, Schm. Eur., iv, 168, 1849; WILKINSON, Brit. Tort., 56, 1859; HEINEMANN, Kleinschm., i, 1, 39, 1863.
 syn. *trifasciata* HAWORTH, Lep. Brit., no. 100, 1811. Eur., Oreg.

5375. *virescana* CLEMENS, Proc. Ent. Soc. Phil., v, 140, 1865. Me. to Cal., Ariz.
 syn. *sescuplana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 220, 1875.
- *5376. *glaucana* WALSINGHAM, Ill. Lep. Het., iv, 13, 1879. So. Oreg.
5377. *clemensiana* FERNALD, Can. Ent., xi, 155, 1879. Me., Mass., N. Y., Wis.
- *5378. *retiniana* WALSINGHAM, Ill. Lep. Het., iv, 12, 1879. Cal.
5379. *persicana* FITCH, N. Y. Agr. Rept., 357, 1856. No. Atl. States.
 syn. *blandula* CLEMENS, Proc. Ent. Soc. Phil., iii, 515, 1864; *fragariana* PACKARD, Guide Stud. Ins., 335, 1869; *conigerana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 227, 1875.
5380. *melaleucana* WALKER, Cat. Brit. Mus., xxviii, 335, 1863; ROBINSON, Trans. Am. Ent. Soc., ii, 271, 1869; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 223, 1875; WALSINGHAM, Ill. Lep. Het., iv, 10, 1879. No. Atl. States.
 syn. *inxerata* WALKER, Cat. Brit. Mus., xxviii, 358, 1863; *semifuscata* CLEMENS, Proc. Ent. Soc. Phil., iii, 519, 1864.
- *5381. *dissitana* GROTE, No. Am. Ent., i, 29, 1879. Me. to Ohio.

PLATYNOTA Clemens.

- CLEMENS, Proc. Acad. Nat. Sci. Phil., 347, 1860; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 235, 1875.
5382. *flavedana* CLEMENS, Proc. Acad. Nat. Sci. Phil., 348, 1860; ROBINSON, Trans. Am. Ent. Soc., ii, 278, 1869; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 236, 1875. Atl. States.
 syn. *concurvata* WALKER, Cat. Brit. Mus., xxviii, 324, 1863; *laterata* ROBINSON, Trans. Am. Ent. Soc., ii, 278, 1869.
5383. *rostrana* WALKER, Cat. Brit. Mus., xxviii, 290, 1863; WALSINGHAM, Ill. Lep. Het., iv, 5, 1879. Fla., Santo Dom., Venezuela.
 syn. *restitutana* WALKER, Cat. Brit. Mus., xxviii, 292, 1863; *connexana* WALKER, Cat. Brit. Mus., xxviii, 293, 1863.
- *5384. *tinetana* WALKER, Cat. Brit. Mus., xxviii, 289, 1863. Tex.
5385. *labiosana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 237, 1875; DYAR, Proc. U. S. Nat. Mus., xxv, 402, 1902. Tex., Col.

5386. *exasperatana* ZELLER, Verh. zool.-bot. Ges. Wien, Me., N. Y.,
xxv, 238, 1875. Tex.
- *5387. *sentana* CLEMENS, Proc. Acad. Nat. Sci. Phil., Me. to
348, 1860; ROBINSON, Trans. Am. Ent. Soc., ii, Tex.
277, 1869; ZELLER, Verh. zool.-bot. Ges. Wien,
xxv, 235, 1875.
- *5388. *metallicana* WALSINGHAM, Trans. Ent. Soc. Fla.
Lond., 497, 1895.
- *5389. *nigrocervina* WALSINGHAM, Trans. Ent. Soc. Col.
Lond., 495, 1895.
- *5390. *semiustana* WALSINGHAM, Trans. Ent. Soc. Lond., N. C.
128, 1884.

PANDEMIS Hübner.

HÜBNER, Verz. bek. Schmett., 388, 1826; HEINEMANN, Kleinsehm., i, 1, 35, 1863;
MEYRICK, Handb. Brit. Lep., 533, 1895.

5391. *limitata* ROBINSON, Trans. Am. Ent. Soc., ii, Pa.,
264, 1869. Mo.
- *5392. *lamprosana* ROBINSON, Trans. Am. Ent. Soc., ii, Atl.
264, 1869. States.
- *5393. *albaniana* WALKER, Cat. Brit. Mus., xxviii, 288, Hudson Bay,
1863; WALSINGHAM, Ill. Lep. Het., iv, 11, 1879. Cal.

TORTRIX Linnæus.

LINNEUS, Syst. Nat., x, 1, 530, 1758; MEYRICK, Handb. Brit. Lep., 534, 1895.

5394. *alleniana* FERNALD, Trans. Am. Ent. Soc., x, 68, Me.
1882.
5395. *citrana* FERNALD, Ent. Amer., v, 18, 1889; Bull. Cal.
no. 18, n. ser., U. S. Dept. Agr., 99, 1898.
5396. *pallorana* ROBINSON, Trans. Am. Ent. Soc., ii, Atl. States,
266, 1869. Mont.
- *5397. *lata* ROBINSON, Trans. Am. Ent. Soc., ii, 266, Mass., Pa.,
1869. Ill.
- *5398. *houstonana* GROTE, Bull. Buff. Soc., i, 18, 1873. Tex.
syn. *retusa* WALSINGHAM, Ill. Lep. Het., iv,
13, 1879.
5399. *quercifoliana* FITCH, N. Y. Agr. Rep., 826, 1858. N. Y., Tex.
syn. *trifurculana* ZELLER, Verh. zool.-bot.
Ges. Wien, xxv, 226, 1875.
5400. *albicomana* CLEMENS, Proc. Ent. Soc. Phil., v, Atl. States.
137, 1865; ROBINSON, Trans. Am. Ent. Soc., ii,
273, 1869; ZELLER, Verh. zool.-bot. Ges. Wien,
xxv, 227, 1875.

5401. *bergmanniana* LINNÆUS, Syst. Nat., x, 531, 1758; SCHIFFERMÜLLER, Syst. Verz. Wien, 126, 1776; FABRICIUS, Ent. Syst., iii, 273, 1793; FRÖLICH, En. Tort. Würt., 76, 1828; TREITSCHKE, Schm. Eur., viii, 121, 1830; GEYER, Schm. Eur., Tort., f, 340, 1834; DUPONCHEL, Hist. Nat. Lép. Fr., ix, 114, 1834; STEPHENS, Ill. Brit. Ent., Haust., iv, 173, 1834; HERRICH-SCHAEFFER, Schm. Eur., iv, 170, 1849; WILKINSON, Brit. Tort., 153, 1859; HEINEMANN, Kleinschm., i, 1, 48, 1863; ZELLER, Verh. zool.-bot. Ges. Wien, xxiv, 11, 1874.
syn. *rosana* HÜBNER, Schm. Eur., Tort., f. 137, 1800.
5402. *peritana* CLEMENS, Proc. Acad. Nat. Sci. Phil., 356, 1860; ROBINSON, Trans. Am. Ent. Soc., ii, 277, 1869.
syn. *inconclusata* WALKER, Cat. Brit. Mus., xxviii, 318, 1863.
- *5403. *franciscana* WALSINGHAM, Ill. Lep. Het., iv, 13, 1879. Cal.
- *5404. *fucana* WALSINGHAM, Ill. Lep. Het., iv, 12, 1879. Oreg.
5405. *ivana* FERNALD, Jn. N. Y. Ent. Soc., ix, 51, 1901. Fla.
- *5405. 1. *semicirculana* FERNALD, Trans. Am. Ent. Soc., x, 68, 1882. Col.
5406. *fumiferana* CLEMENS, Proc. Ent. Soc. Phil., v, 139, 1865. No. U. S.
- syn. *nigridia* ROBINSON, Trans. Am. Ent. Soc., ii, 268, 1869.
5407. *packardiana* FERNALD, Rept. U. S. Ent. Com., v, 849, 1890; Bull. no. 12, U. S. Dept. Agr., 20, 1886. Me.
5408. *conflictana* WALKER, Cat. Brit. Mus., xxviii, 323, 1863; WALSINGHAM, Ill. Lep. Het., iv, 10, 1879. No. Atl. States.
5409. *osseana* SCOPOLI, Ent. Carn., 238, 1763; HEINEMANN, Kleinschm., i, 1, 54, 1863.
syn. *quadripunctana* HAWORTH, Lep. Brit., no. 237, 1811; *pratana* HÜBNER, Schm. Eur., Tort., ff. 227, 228, 1818; FRÖLICH, En. Tort. Würt., 67, 1828; TREITSCHKE, Schm. Eur., viii, 101, 1830; DUPONCHEL, Hist. Nat. Lép. Fr., ix, 446, 1834; HERRICH-SCHAEFFER, Schm. Eur., iv, 178, 1849; WILKINSON, Br. Tort., 257, 1859; *boreana* ZETTERSTEDT, Ins. Lap., 980, 1840. Eur., Lab., Alaska.
- *5410. *niveosana* PACKARD, Proc. Bost. Soc. Nat. Hist., xi, 55, 1866. Lab.

5411. *argentana* CLERCK, Icon., pl. 11, f. 14, 1759; SCHIFFERMÜLLER, Syst. Verz. Wien, 127, 1776; HÜBNER, Schm. Eur., Tort., f. 86, 1800.
 syn. *goiana* LINNÆUS, Faun. Suec., 349, 1761;
gouana LINNÆUS, Syst. Nat., xii, 879, 1767;
 FABRICIUS, Sp. Ins., 283, 1781; FRÖLICH, En. Tort. Würt., 67, 1828; TREITSCHKE, Schm. Eur., viii, 102, 1830; DUPONCHEL, Hist. Nat. Lép. Fr., ix, 444, 1834; HERRICH-SCHAFFER, Schm. Eur., iv, 177, 1849; HEINEMANN, Kleinschm., i, 1, 54, 1863;
gorana FABRICIUS, Syst. Ent., 651, 1775;
magnana HÜBNER, Schm. Eur., Tort., ff. 225, 226, 1818; *margaratalis* HÜBNER, Schm. Eur., Pyr., f. 48, 1796; *georgiella* HULST, Ent. Am., iii, 136, 1887.
- *5412. *basiplagana* WALSINGHAM, Ill. Lep. Het., iv, 23, 1879. Tex.
5413. *trigonana* WALSINGHAM, Ill. Lep. Het., iv, 22, 1879. Cal.
5414. *horariana* WALSINGHAM, Ill. Lep. Het., iv, 22, 1879. Oreg.
5415. *möschleriana* WOCKE, Stett. ent. Zeit., 45, 1862.
 syn. *alydiana* MöSCHLER, Wien. ent. Mon., vi, 138, 1862; ROBINSON, Trans. Am. Ent. Soc., ii, 272, 1869; PACKARD, Guide Stud. Ins., 334, 1869. Lab., White Mts., Alaska.
- *5416. *arizonana* WALSINGHAM, Trans. Ent. Soc. Lond., 124, 1884. Ariz.
- *5417. *indivisana* WALKER, Cat. Brit. Mus., xxviii, 344, 985, 1863. Hudson Bay.

EULIA Hübner.

- HÜBNER, Verz. bek. Schmett., 392, 1826; *Lophodera* STEPHENS, Cat. Brit. Ins., ii, 184, 1829; Ill. Brit. Ent., Haust., iv, 143, 1834; WESTWOOD, Class. Ins., i, 108, 1839; HEINEMANN, Kleinschm., i, 1, 41, 1863.
5418. *ministrana* LINNÆUS, Syst. Nat., x, 531, 1758;
 SCHIFFERMÜLLER, Syst. Verz. Wien, 128, 1776;
 HAWORTH, Lep. Brit., no. 10, 1811; FRÖLICH, En. Tort. Würt., 42, 1828; TREITSCHKE, Schm. Eur., viii, 89, 1830; DUPONCHEL, Hist. Nat. Lép. Fr., ix, 46, 1834; HERRICH-SCHAFFER, Schm. Eur., iv, 175, 1849; WILKINSON, Brit. Tort., 17, 1859; HEINEMANN, Kleinschm., i, 1, 43, 1863.
 syn. *firrugata* HÜBNER, Eur. Schmett., Tort., f. 56, 1800; DUPONCHEL, Hist. Nat. Lép. Fr., ix, 478, 1834; *subfuscianus* STEPHENS, Ill. Brit. Ent., Haust., iv, 144, 1834.
- No. Atl. States., Eur.

5419. <i>quadrifasciana</i> FERNALD, Trans. Am. Ent. Soc., x, 67, 1882.	No. Atl. States.
*5420. <i>juglandana</i> FERNALD, Can. Ent., xi, 155, 1879.	Mass. to Minn.
5421. <i>triferana</i> WALKER, Cat. Brit. Mus., xxviii, 314, 1863; WALSINGHAM, Ill. Lep. Het., iv, 15, 1879. syn. <i>incertana</i> CLEMENS, Proc. Ent. Soc. Phil., v, 138, 1865; ROBINSON, Trans. Am. Ent. Soc., ii, 278, 1869.	Atl. States.
5422. <i>amatana</i> DYAR, Jn. N. Y. Ent. Soc., ix, 24, 1901.	Fla.
5423. <i>politana</i> HAWORTH, Lep. Brit., no. 229, 1811; WILKINSON, Brit. Tort., 271, 1859; HEINEMANN, Kleinschm., i, 1, 41, 1863; FERNALD, Rept. U. S. Dept. Agr., 1880, 264, 1881. syn. <i>sylvana</i> TREITSCHKE, Schm. Eur., viii, 109, 1830; FISCHER v. RÖSLERSTAMM, Ber. Schm., 40, 1838; HERRICH-SCHAEFFER, Schm. Eur., iv, 162, 1849; <i>pulchellana</i> STEPHENS, Ill. Brit. Ent., Haust., iv, 135, 1834.	Eur., No. Atl. States.
5424. <i>velutinana</i> WALKER, Cat. Brit. Mus., xxviii, 313, 1863. syn. <i>lutosana</i> CLEMENS, Proc. Ent. Soc. Phil., v, 138, 1865; ROBINSON, Trans. Am. Ent. Soc., ii, 279, 1869.	Atl. States.
*5425. <i>gloverana</i> WALSINGHAM, Ill. Lep. Het., iv, 14, 1879.	N. Y., Cal.
5426. <i>coloradana</i> FERNALD, Trans. Am. Ent. Soc., x, 67, 1882.	Col.
*5427. <i>mariana</i> FERNALD, Trans. Am. Ent. Soc., x, 67, 1882.	Fla.
5428. <i>alisellana</i> ROBINSON, Trans. Am. Ent. Soc., ii, 267, 1869.	Ohio.

AMORBIA Clemens.

CLEMENS, Proc. Acad. Nat. Sci. Phil., 352, 1860; *Hendecastema* WALSINGHAM, Ill. Lep. Het., iv, 4, 1879.

5429. <i>humerosana</i> CLEMENS, Proc. Acad. Nat. Sci. Phil., 352, 1860; ROBINSON, Trans. Am. Ent. Soc., ii, 275, 1869.	No. Atl. States.
5430. <i>cuneana</i> WALSINGHAM, Ill. Lep. Het., iv, 4, 1879. <i>a. abumbrana</i> WALSINGHAM, Ill. Lep. Het., iv, 5, 1879.	Cal.

Subfamily PHALONIINAE.

PHALONIA Hübner.

- HÜBNER, Verz. bek. Schmett., 393, 1826; MEYRICK, Handb. Brit. Lep., 545, 1895; *Cochylis* TREITSCHKE, Schm. Eur., vii, 233, 1829; viii, 272, 1830; DUPONCHEL, Hist. Nat. Lép. Fr., ix, 23, 1834; STEPHENS, Ill. Brit. Ent., Houst., iv, 185, 1834; *Cochylis* SODOFFSKY, Bull. Imp. Soc. Mosc. (Sep.), 20, 1837; LEDERER, Wien. ent. Mon., iii, 273, 1859; HEINEMANN, Kleinschm., i, 1, 68, 1863.
- *5431. *floccosana* WALKER, Cat. Brit. Mus., xxviii, 358, 1863; WALSINGHAM, Ill. Lep. Het., iv, 27, 1879. Nova Scotia, Pa.
syn. *confusa* ROBINSON, Trans. Am. Ent. Soc., ii, 274, 1869.
- *5432. *vitellinana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 243, 1875. Me., N. H., Mass.
- *5433. *straminoides* GROTE, Bull. Buff. Soc., i, 16, 1873. N. Y.
- *5434. *scissana* WALKER, Cat. Brit. Mus., xxviii, 360, 1863; WALSINGHAM, Ill. Lep. Het., iv, 28, 1879. Nova Scotia.
5435. *smeathmanniana* FABRICIUS, Sp. Ins., 278, 1781; FRÖLICH, En. Tort. Würt., 39, 1828; TREITSCHKE, Schm. Eur., viii, 274, 1830; DUPONCHEL, Hist. Nat. Lép. Fr., ix, 413, 1834; HERRICH-SCHAEFFER, Schm. Eur., iv, 185, 1851; WILKINSON, Brit. Tort., 313, 1859; HEINEMANN, Kleinschm., i, 1, 80, 1863.
syn. *fabriciana* HÜBNER, Schm. Eur., Tort., f. 149, 1800; HAWORTH, Lep. Brit., 401, 1811; *stachydana* HERRICH-SCHAEFFER, Schm. Eur., iv, 185, 1851.
Eur., Me., Cal.
5436. *kindermanniana* TREITSCHKE, Schm. Eur., viii, 276, 1830; DUPONCHEL, Hist. Nat. Lép. Fr., ix, 415, 1834; F. v. RÖSLERSTAMM, Ber. Schm., 18, 1838; HERRICH-SCHAEFFER, Schm. Eur., 184, 1851; HEINEMANN, Kleinschm., i, 1, 80, 1863.
Eur., Cal.
5437. *deutschiana* ZETTERSTEDT, Ins. Lap., 981, 1840; WOCKE, Stett. ent. Zeit., 48, 1862; 204, 1864.
syn. *luteolentana* HERRICH-SCHAEFFER, Neu. Schm., p. 5, f. 35, 1856; LAHARPE, Tort., 40, 1857; *fuscostrigata* CLEMENS, Proc. Ent. Soc. Phil., ii, 417, 1864; *chalcana* PACKARD, Proc. Bost. Soc. Nat. Hist., xi, 56, 1866.
Eur., Lab.
- *5438. *felix* WALSINGHAM, Trans. Ent. Soc. Lond., 498, 1895. Col.
5439. *rutilana* HÜBNER, Schm. Eur., Tort., f. 249, 1818; FRÖLICH, En. Tort. Würt., 74, 1828; HERRICH-SCHAEFFER, Schm. Eur., iv, 182, 1851; WILKINSON, Brit. Tort., 318, 1859; HEINEMANN, Kleinschm., i, 1, 78, 1863; RILEY, Rep. U. S. Dept. Agr., 1878, 247, 1879.
Eur., Me., N. Y.

5440. <i>dorsimacula</i> ROBINSON, Trans. Am. Ent. Soc., ii, 285, 1869.	Pa., Tex.
syn. <i>angustana</i> CLEMENS (not HÜBNER), Proc. Acad. Nat. Sci. Phil., 354, 1860.	
*5441. <i>promptana</i> ROBINSON, Trans. Am. Ent. Soc., ii, 286, 1869.	Pa., Tex.
*5442. <i>fernaldana</i> WALSINGHAM, Ill. Lep. Het., iv, 27, 1879.	Cal., Oreg.
*5443. <i>seriatana</i> ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 244, 1875.	Tex.
*5444. <i>intactana</i> WALSINGHAM, Ill. Lep. Het., iv, 27, 1879.	Cal.
*5445. <i>angulatana</i> ROBINSON, Trans. Am. Ent. Soc., ii, 286, 1869.	Pa. to Tex.
5446. <i>argentilimitana</i> ROBINSON, Trans. Am. Ent. Soc., ii, 287, 1869; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 242, 1875.	Mass., Pa., Tex.
*5447. <i>parallelana</i> WALSINGHAM, Ill. Lep. Het., iv, 28, 1879.	Cal.
*5448. <i>transversana</i> WALSINGHAM, Ill. Lep. Het., iv, 28, 1879.	Cal.
*5449. <i>labeculana</i> ROBINSON, Trans. Am. Ent. Soc., ii, 287, 1869.	Pa.
*5450. <i>lepidana</i> CLEMENS, Proc. Acad. Nat. Sci. Phil., 355, 1860; ROBINSON, Trans. Am. Ent. Soc., ii, 287, 1869.	Pa.
*5451. <i>interruptofasciata</i> ROBINSON, Trans. Am. Ent. Soc., ii, 287, 1869.	Pa.
5452. <i>bunteana</i> ROBINSON, Trans. Am. Ent. Soc., ii, 288, 1869; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 245, 1875.	Atl. States.
5453. <i>cenotherana</i> RILEY, Trans. St. Louis Acad. Sci., iv, 316, 1881.	Atl. States.
5454. <i>erigeronana</i> RILEY, Trans. St. Louis Acad. Sci., iv, 316, 1881.	Tex.
*5455. <i>hospes</i> WALSINGHAM, Trans. Ent. Soc. Lond., 131, 1884.	N. C.
*5456. <i>latipunctana</i> WALSINGHAM, Ill. Lep. Het., iv, 29, 1879.	Cal.
*5457. <i>dilutana</i> WALSINGHAM, Ill. Lep. Het., iv, 29, 1879.	Oreg.
*5458. <i>nana</i> HAWORTH, Lep. Brit., 439, 1811; STEPHENS, Ill. Brit. Ent. Haust., iv, 182, 1834.	Eur., Nova Scotia.
syn. <i>carneana</i> GUENÉE, Ann. Soc. Ent. Fr., (2), iii, 298, 1845; <i>ochreolaubana</i> WALKER, Cat. Brit. Mus., xxviii, 375, 1863.	

- *5459. *campicolana* WALSINGHAM, Ill. Lep. Het., iv, 29, 1879. Cal.
- *5460. *parvimaculana* WALSINGHAM, Ill. Lep. Het., iv, 30, 1879. Oreg.
- *5461. *glaucofuscana* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 245, 1875. Tex.
5462. *dubitana* HÜBNER, Schm. Eur., Tort., f. 82, 1800; FRÖLICH, En. Fort. Würt., 52, 1828; TREITSCHKE, Schm. Eur., viii, 283, 1830; DUPONCHEL, Hist. Nat. Lép. Fr., ix, 420, 1834; STEPHIENS, Ill. Brit. Ent., Haust., iv, 183, 1834; HERRICH-SCHAEFFER, Schm. Eur., iv, 192, 1851; WILKINSON, Brit. Tort., 298, 1859; HEINEMANN, Kleinschm., i, 1, 90, 1863.
syn. *albidana* WALKER, Cat. Brit. Mus., xxxv, 1807, 1866.
5463. *comes* WALSINGHAM, Trans. Ent. Soc. Lond., 129, 1884. Ariz.
- *5464. *dorsistriatana* WALSINGHAM, Trans. Ent. Soc. Lond., 132, 1884. Ariz.
- *5465. *edwardsiana* WALSINGHAM, Trans. Ent. Soc. Lond., 128, 1884. Ariz.
- *5466. *fulvotinctana* WALSINGHAM, Trans. Ent. Soc. Lond., 132, 1884. Ariz.

COMMOPHILA Hübner.

HÜBNER, Verz. bek. Schmett., 392, 1826; MEYRICK, Handb. Brit. Lep., 555, 1895; *Phtheochroa* STEPHENS, Cat. Brit. Ins., ii, 191, 1829; Ill. Brit. Ent., Haust., iv, 184, 1834; LEDERER, Wien. ent. Mon., iii, 279, 1859; WILKINSON, Brit. Tort., 280, 1859; HEINEMANN, Kleinschm., i, 1, 90, 1863.

5467. *macrocarpana* WALSINGHAM, Trans. Ent. Soc. Lond., 499, 1895. Cal.
- *5468. *saxicolana* WALSINGHAM, Ill. Lep. Het., iv, 29, 1879. Oreg.

PSEUDOCONCHYLIS Walsingham.

WALSINGHAM, Trans. Ent. Soc. Lond., 133, 1884.

5469. *laticapitana* WALSINGHAM, Trans. Ent. Soc. Lond., 133, 1884. Cal.

PHARMACIS Hübner.

HÜBNER, Zutr. exot. Schmett., ii, 111, 1823.

5470. *sartana* HÜBNER, Zutr. exot. Schmett., ii, 111, 1823. Pa. to Fla.

- *5471. *bimaculana* ROBINSON, Trans. Am. Ent. Soc., ii, 285, 1869; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 243, 1875. Tex., Mo.

HYSTEROSSIA Stephens.

STEPHENS, List Brit. Mus., x, 85, 1852; WALSINGHAM, Trans. Ent. Soc. Lond., 498, 1895; *Idiographis* LEDERER, Wien. ent. Mon., iii, 242, 1859.

5472. *inopiana* HAWORTH, Lep. Brit., 469, 1811; STEPHENS, Ill. Brit. Ent., Haust., iv, 192, 1834; WILKINSON, Brit. Tort., 100, 1859; NOLCKEN, Stett. ent. Zeit., xxx, 283, 1869.
 syn. *centrana* HERRICH-SCHAEFFER, Schm. Eur., iv, 205, 1851; LEDERER, Wien. ent. Mon., iii, 246, 1859; HEINEMANN, Kleinschm., i, 1, 38, 1863.

*5473. *fulviplicana* WALSINGHAM, Ill. Lep. Het., iv, 25, 1879. Cal.

*5474. *aegrana* WALSINGHAM, Ill. Lep. Het., iv, 26, 1879. Oreg.

*5475. *aureocalbida* WALSINGHAM, Trans. Ent. Soc. Lond., 498, 1895. Col.

CARPOSINA Herrich-Schaeffer.

HERRICH-SCHAEFFER, Enr. Schmett., v, 38, 1855; FERNALD, Can. Ent., xxv, 96, 1893.

*5475. 1. *crescentella* WALSINGHAM, Trans. Am. Ent. (Unknown.) Soc., x, 189, 1882.

Family YPONOMEUTIDÆ.

(C.=DYAR, Can. Ent., xxxii, 37-41, 84-86, 1900.)

MARTYRINGA Busck.

BUSCK, Jn. N. Y. Ent. Soc., x, 96, 1902.

5476. *latipennis* WALSINGHAM, Trans. Am. Ent. Soc., x, 190, 1882; BUSCK, Jn. N. Y. Ent. Soc., x, 96, 1902. Atl. States.

YPONOMEUTA Latreille.

LATREILLE, Gen. Crust. Ins., iv, 222, 1796; DYAR, C. 38.

5477. *multipunctella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 8, 1860; TIN. NO. AM., 95, 1872; CHAMBERS, Can. Ent., iv, 42, 1872; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 228, 1873; RILEY, Proc. Am. Ass. Adv. Sci., 617, 1880; DYAR, C. 38. Atl. States.

syn. *ordinatellus* WALKER, *euonymella* CHAMBERS, *orbimaculella* CHAMBERS, *wakarusa* GAUMER.

MIEZA Walker.

WALKER, Cat. Brit. Mus., ii, 527, 1854; DYAR, C. 39.

5478. *subfervens* WALKER, Cat. Brit. Mus., ii, 528, 1854; DYAR, C. 39. Tex.

5479. *psammitis* ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 562, 1872; DYAR, C. 39. Tex.
 5480. *igninix* WALKER, Cat. Brit. Mus., ii, 527, 1854; DYAR, C. 39. Fla.
 syn. *crassimurrella* ZELLER.

ATTEVA Walker.

WALKER, Cat. Brit. Mus., ii, 526, 1854; *Ela* GROTE, Proc. Ent. Soc. Phil., v, 230, 1865; DYAR, C. 39.

5481. *aurea* FITCH, Third Rept. Ins. N. Y., 168, 1856; DYAR, C. 39. So. States.
 syn. *compta* CLEMENS.

5482. *gemmata* GROTE, Bull. Buff. Soc., i, 93, 1873; CHAPMAN, Jn. N. Y. Ent. Soc., v, 127, 1897; DYAR, C. 39. Fla.
 syn. *fastuosa* ZELLER, Hor. Soc. Ent. Ross., xiii, 225, 1877; WALSINGHAM, Proc. Zool. Soc. Lond., 113, 1897; *floridana* NEUMOEGEN.

TRICHOSTIBAS Zeller.

ZELLER, Stett. ent. Zeit., 150, 1863; DYAR, C. 39.

5483. *calligera* ZELLER, Hor. Soc. Ent. Ross., xiii, 231, 1877; DYAR, C. 40. Fla.
 syn. *parvula* HY. EDWARDS.

EUCERATIA Walsingham.

WALSINGHAM, Proc. Zool. Soc. Lond., 310, 1881.

5484. *securella* WALSINGHAM, Proc. Zool. Soc. Lond., 311, 1881. Cal.
 5485. *castella* WALSINGHAM, Proc. Zool. Soc. Lond., 310, 1881. Cal.

ARÆOLEPIA Walsingham.

WALSINGHAM, Proc. Zool. Soc. Lond., 303, 1881.

5486. *subfasciella* WALSINGHAM, Proc. Zool. Soc. Lond., 303, 1881. Cal.

PERICLYMENOBIA Wallengren.

WALLENGREN, Edit. Tidsk., i, 63, 1880.

5487. *frustellus* WALSINGHAM, Proc. Zool. Soc. Lond., 309, 1881. Cal.
 5488. *canariellus* WALSINGHAM, Proc. Zool. Soc. Lond., 309, 1881. Cal.
 5489. *dentiferellus* WALSINGHAM, Proc. Zool. Soc. Lond., 308, 1881. Cal.

TRACHOMA Wallengren.

WALLENGREN, Ent. Tidsk., i, 61, 1880.

5490. *instabilella* MANN, Verh. zool.-bot. Ges. Wien, v, 351, 1866, pl. 1, f. 5; WALSINGHAM, Proc. Zool. Soc. Lond., 301, 1881. Cal.

5491. *falciferella* WALSINGHAM, Proc. Zool. Soc. Lond., 307, 1881. Cal.

- *5492. *senex* WALSINGHAM, Ins. Life, i, 288, 1889. Col.

CALANTICA Zeller.

ZELLER, Isis, 801, 1847.

5493. *politella* WALSINGHAM, Proc. Zool. Soc. Lond., 302, 1881. Cal.

PTEROLONCHE Zeller.

ZELLER, Isis, 845, 1847; HERRICH-SCHAEFFER, Syst. Bearb. Schmett. Eur., v, 40, 1855.

- *5494. *lineata* WALSINGHAM, Ins. Life, i, 288, 1889. Ariz.

CEROSTOMA Latreille.

LATREILLE, Nat. Hist. Ins., iii, 416, 1802; MEYRICK, Handb. Brit. Lep., 697, 1895; DYAR, C. 41; *Phlecoptera* CHAMBERS, Jn. Cin. Soc. Nat. Hist., ii, 181, 1879.

5495. *sublucella* WALSINGHAM, Proc. Zool. Soc. Lond., 308, 1881. Cal.

5496. *cervella* WALSINGHAM, Proc. Zool. Soc. Lond., 307, 1881. Cal.

5497. *subsylyella* WALSINGHAM, Ins. Life, i, 287, 1889. Pac. States.

5498. *aleutianella* BEUTENMÜLLER, Can. Ent., xxi, 27, 1889. Alaska.

5499. *koebelella* DYAR, Cat. Ent., xxxii, 40, 1900. Cal.

5500. *radiatella* DONOVAN, Nat. Hist. Brit. Ins., iii, 77, 1816; WOCKE, Cat. Lep. Eur. ii, no. 1639, 1871; WALSINGHAM, Proc. Zool. Soc. Lond., 307, 1881; Ins. Life, i, 287, 1889. Oreg., Eur.

syn. *ochrella* CHAMBERS, Jn. Cin. Soc. Nat. Hist., ii, 181, 1880; *variella* HÜBNER, *fissella* HÜBNER, *laturella* HÜBNER, *byssinella* HÜBNER, *petratella* PANZER, *radiatus* HAWORTH, *fissus* HAWORTH, *quinquepunctatus* HAWORTH, *tutosus* HAWORTH, *flaviciliatus* HAWORTH, *unitella* TREITSCHKE, *fulvella* DUPONCHEL, *rufimacellus* STEPHENS.

5501. *rubrella* DYAR, Proc. U. S. Nat. Mus., xxv, 404, 1902. Col.

EIDO Chambers.

CHAMBERS, Can. Ent., v, 72, 1873; Jn. Cim. Soc. Nat. Hist., ii, 202, f. 18, 1879; *Venilia*
CHAMBERS (not DUPONCHEL), Can. Ent., iv, 207, 1872.

*5502. *albopalpella* CHAMBERS, Can. Ent., iv, 208, 1872; Atl.
v, 72, 1873. States.

syn. *albopalpella* RILEY, Sm. List Lep. Bor.
Am., no. 5543, 1891.

PLUTELLA Schrank.

SCHRANK, Fauna Boica, ii, 2, 169, 1802.

5503. *maeulipennis* CURTIS, Brit. Ent., pl. 420, 1832; U. S.,
WALSINGHAM & DURRANT, Ent. Mo. Mag., xxxiii, Eur.
173, 1897.

syn. *eruciferarum* ZELLER, Stett. ent. Zeit.,
281, 1843; CHAMBERS, Bull. Geol. Surv.
Terr., iv, 161, 1878; WALSINGHAM, Proc.
Zool. Soc. Lond., 304, 1881; FLETCHER,
Rept. Ex. Far. Can., 165, 1890; ORMEROD,
Jn. Roy. Agr. Soc. Engl., 1891; *limbidin-*
penella CLEMENS, *mollipedella* CLEMENS,
brasiliella FITCH, *xylostella* PACKARD, *zylo-*
stella CHAMBERS, *dubiosella* BEUTENMÜLLER,
Can. Ent., xxi, 27, 1889; DYAR, C. 40.

5504. *porrectella* LINNEUS, Syst. Nat., 546, 1758;
WOCHE, Cat. Lep. Eur., ii, no. 1624, 1871;
CHAMBERS, Bull. Geol. Surv. Terr., iv, 161,
1878; WALSINGHAM, Proc. Zool. Soc. Lond., 305,
1881.

syn. *hesperidella* HÜBNER, *vittatus* FABRICIUS,
hesperidis HAWORTH, *vigilacella* CLEMENS.

5505. *omissa* WALSINGHAM, Ins. Life, i, 258, 1889. Cal.

5506. *vanella* WALSINGHAM, Proc. Zool. Soc. Lond., Cal.
305, 1881.

*5507. *albidorsella* WALSINGHAM, Proc. Zool. Soc. Cal.
Lond., 305, 1881.

5508. *interrupta* WALSINGHAM, Proc. Zool. Soc. Lond., Oreg.
304, 1881.

*5509. *multimaculella* CHAMBERS, Bull. Geol. Surv.
Terr., iv, 89, 1878; HAGEN, Pap., iv, 99, 1884;
BUSCK, Jn. N. Y. Ent. Soc., x, 97, 1902. Tex.

GLYPHIPTERYX Hübner.

HÜBNER, Verz. bek. Schmett., 421, 1816; DYAR, C. 84.

5510. *bifasciata* WALSINGHAM, Proc. Zool. Soc. Lond., Cal.
321, 1881.

- *5511. *unifasciata* WALSINGHAM, Proc. Zool. Soc. Lond., 322, 1881. Cal.
5512. *quinqueferella* WALSINGHAM, Proc. Zool. Soc. Lond., 322, 1881. Cal.
5513. *impigritella* CLEMENS, Proc. Ent. Soc. Phil., ii, 9, 1862; Tin. No. Am., 214, 1872. Tex.
syn. *croptatella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 234, 1875; CHAMBERS, Can. Ent., xiii, 193, 1881.
5514. *circumscripella* CHAMBERS, Jn. Cin. Soc. Nat. Hist., iii, 291, 1880. Atl. States.
5515. *californiae* WALSINGHAM, Proc. Zool. Soc. Lond., 320, 1881; CHAMBERS, Can. Ent., xiii, 193, 1881. Cal.
5516. *regalis* WALSINGHAM, Proc. Zool. Soc. Lond., 319, 1881. Cal.
5517. *quadragintapunctata* DYAR, Can. Ent., xxxii, 84, 1900. Miss. Valley.
- *5518. *montisella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 292, 1875; Bull. Geol. Surv. Terr., iv, 148, 1878.
syn. *montinella* CHAMBERS, Can. Ent., ix, 14, 1877. Col.

CHOREUTIS Hübner.

HÜBNER, Verz. bek. Schmett., 373, 1816; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 320, 1875; FERNALD, Can. Ent., xxxii, 240, 1900; KEARFOTT, Jn. N. Y. Ent. Soc., x, 106, 1902.

5519. *inflatella* CLEMENS, Proc. Ent. Soc. Phil., ii, 5, 1863; DYAR, C. 85; FERNALD, Can. Ent., xxxii, 242, 1900. Atl. States.
- a. virginella* CLEMENS, Proc. Ent. Soc. Phil., iii, 505, 1864; FERNALD, Can. Ent., xxxii, 243, 1900. Atl. States.
5520. *dyarella* KEARFOTT, Jn. N. Y. Ent. Soc., x, 112, 1902. Cal.
5521. *onustana* WALKER, Cat. Brit. Mus., xxx, 996, 1864.
syn. *ohioensis* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 220, 1875. No. Atl. States.
5522. *gnaphaliella* KEARFOTT, Journ. N. Y. Ent. Soc., x, 113, 1902. U. S.
5523. *carduiella* KEARFOTT, Journ. N. Y. Ent. Soc., x, 116, 1902.
a. busekiella KEARFOTT, Journ. N. Y. Ent. Soc., x, 120, 1902. N. J., Fla.

5524. *silphiella* GROTE, Pap., i, 40, 1881. Cal., Col.
 syn. *gemmalis* HULST, Trans. Am. Ent. Soc.,
 xiii, 148, 1886.
5525. *sororculella* DYAR, Can. Ent., xxxii, 86, 1900. Col.
5526. *occidentella* DYAR, Can. Ent., xxxii, 86, 1900. Cal.
5527. *coloradella* KEARFOTT, Journ. N. Y. Ent. Soc., Col.,
 x, 123, 1902. Alaska.
5528. *extrincicella* DYAR, Can. Ent., xxxii, 86, 1900. Wis.
5529. *leucobasis* FERNALD, Can. Ent., xxxii, 242, 1900. No. Atl. States.

HEMEROPHILA Hübner.

HÜBNER, Tent., 1806; FERNALD, Can. Ent., xxxii, 239, 1900.

- *5530. *vicarilis* ZELIER, Verh. zool.-bot. Ges. Wien, Tex.
 xxv, 322, 1875.
5531. *dyari* BUSCK, Journ. N. Y. Ent. Soc., vii, 242 Fl.
 1900.

BRENTHIA Clemens.

CLEMENS, Proc. Acad. Nat. Sci. Phil., 172, 1860; FERNALD, Can. Ent., xxxii, 32, 1900

5532. *pavonacella* CLEMENS, Proc. Acad. Nat. Sci. Atl.
 Phil., 172, 1860; Tin. No. Am., 134, 1872; ZEL- States.
 LER, Verh. zool.-bot. Ges. Wien, xxv, 323, 1875;
 CHAMBERS, Can. Ent., x, 76, 1878; WALSING-
 HAM, Proc. Zool. Soc. Lond., 529, 1891; 120,
 1897; FERNALD, Can. Ent., xxxii, 243, 1900.
 syn. *amphicarpeana* CHAMBERS.

WALSINGHAMIA Riley.

RILEY, Proc. Ent. Soc. Wash., i, 157, 1889; FERNALD, Can. Ent., xxxii, 244, 1900.

5533. *diva* RILEY, Proc. Ent. Soc. Wash., i, 158, 1889. Fla.
 *5534. *slossonia* FERNALD, Can. Ent., xxxii, 244, 1900. Fla.

SETIOSTOMA Zeller.

ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 324, 1875; FERNALD, Can. Ent., xxxii, 244, 1900.

5535. *xanthobasis* ZELLER, Verh. zool.-bot. Ges. Wien, Atl.
 xxv, 324, 1875. States.
5536. *fernaldella* RILEY, Proc. Ent. Soc. Wash., i, 155, Cal.
 1889.

ORCHEMIA Guenée.

GUENÉE, Ind. Méth., 58, 1845; FERNALD, Can. Ent., xxxii, 238, 1900.

5537. *diana* HÜBNER, Eur. Schmett., Tort., pl. 44, f. 247, 1823; FERNALD, Can. Ent., xxxii, 238, 1900.
 syn. *decorana* ZETTERSTEDT, *juridana* WALKER.
a. betuliperda DYAR, Proc. U. S. Nat. Mus., xxv, 403, 1902.

THELETHIA Dyar.

DYAR, Can. Ent., xxv, 301, 1893; C. 86.

- *5538. *extranea* HY. EDWARDS, Ent. Amer., iii, 181, 1888; DYAR, C. 86.

Family GELECHIIDÆ.

By AUGUST BUSCK.

METZNERIA Zeller.

ZELLER, Isis, 197, 1839.

5539. *lappella* LINNÆUS, Syst. Nat., 537, 1758; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 2491, 1901.

Atl. States,
Eur.

PAL TODORA Meyrick.

MEYRICK, Handb. Brit. Lep., 571, 1895.

5540. *striatella* HÜBNER, Eur. Schmett., 288, 1820;
 WALSINGHAM, Ins. Life, i, 82, 1888; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 2935, 1901.

Cal.,
Eur.

5541. *pallidistrigella* CHAMBERS, Can. Ent., vi, 244, 1874;
 Bull. Geol. Surv. Terr., iv, 92, 1878; WALSINGHAM, Ins. Life, i, 81, 1888.

Tex.

5542. *magnella* BUSCK, Proc. U. S. Nat. Mus., xxv, 776, 1903.

Col.

5543. *cilia lineella* CHAMBERS, Can. Ent., vi, 242, 1874;
 Bull. Geol. Surv. Terr., iv, 91, 1878.

Tex.

5544. *dietziella* BUSCK, Proc. U. S. Nat. Mus., xxv, 777, 1903.

Col.

5545. *canicostella* WALSINGHAM, Ins. Life, i, 82, 1888.

Cal.

5546. *anteliella* BUSCK, Proc. U. S. Nat. Mus., xxv, 778, 1903.

N. J.

5547. *sabulella* WALSINGHAM, Ins. Life, i, 83, 1888.

Cal.

5548. *similiella* CHAMBERS, Can. Ent., iv, 193, 1872;
 vi, 242, 1873.

Atl.

States.

syn. *piscipellis* ZELLER, Verh. zool.-bot. Ges.
 Wien, xxiii, 277, 1873.

5549. *tophella* WALSINGHAM, Ins. Life, i, 83, 1888. Cal.
 5550. *pallidella* CHAMBERS, Can. Ent., vi, 245, 1874; Col.
 Bull. Geol. Surv. Terr., iv, 92, 1878; WALSINGHAM, Ins. Life, i, 81, 1888.
 5551. *modesta* WALSINGHAM, Ins. Life, i, 82, 1888. Cal.

SITOTROGA Heinemann.

HEINEMANN, Schmett. Deut. u. Schweiz, 287, 1870.

5552. *cerealella* OLIVIER, Encl. Méth., Ent., i, 121, 1819; U. S.,
 GLOVER, Rept. Dept. Agr., 67, 1854; CLEMENS, Eur.
 Proc. Acad. Nat. Sci. Phil., 168, 1860; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 2902,
 1901.

AUTONEDA Busck.

Neda CHAMBERS (not MULSANT), Can. Ent., vi, 243, 1874.

5553. *plutella* CHAMBERS, Can. Ent., vi, 244, 1874; vii, Ky.
 105, 1875; Bull. U. S. Geol. Surv. Terr., iii, 157,
 1878.

TELPHUSA Chambers.

CHAMBERS, Can. Ent., iv, 182, 1872; *Xenolechia* MEYRICK, Handb. Brit. Lep., 583, 1895.

- *5554. *longifasciella* CLEMENS, Proc. Ent. Soc. Phil., ii, Atl.
 12, 121, 1863; CHAMBERS, Can. Ent., iv, 174, 1872. States.
 syn. *curvistrigella* CHAMBERS, Can. Ent., iv,
 133, 1872; *obliquifasciella* CHAMBERS, Jn.
 Cin. Soc. Nat. Hist., ii, 182, 1879.

5555. *quinquecristatella* CHAMBERS, Bull. Geol. Surv. Ky.?
 Terr., iv, 88, 146, 1878.

5556. *latifasciella* CHAMBERS, Cin. Quart. Jn. Sci., ii, Ky., Mo.
 251, 1875.

5557. *quercinigracella* CHAMBERS, Can. Ent., iv, 170, Atl.
 1872.
 syn. *fragmentella* ZELLER, Verh. zool.-bot.
 Ges. Wien, xxiii, 71, 1873; *quercinigracella*
 CHAMBERS, Bull. U. S. Geol. Surv. Terr., iv, 146, 1878.

5558. *palliderosacella* CHAMBERS, Bull. U. S. Geol. Atl.
 Surv. Terr., iv, 90, 1878. States.

5559. *querciella* CHAMBERS, Can. Ent., iv, 127, 147, Atl.
 207, 1872; BUSCK, Proc. U. S. Nat. Mus., xxv,
 787, 1903.

- *5560. *basistrigella* ZELLER, Verh. zool.-bot. Ges. Tex.
 Wien, xxiii, 270, 1873.

5561. *basifasciella* ZELLER, Verh. zool.-bot. Ges. Tex., N. J.,
 Wien, xxiii, 269, 1873.

5562. *betulella* BUSCK, Proc. U. S. Nat. Mus., xxv, 787, 1903. Va., D. C.
5563. *belangerella* CHAMBERS, Can. Ent., vii, 210, 1875. Atl. States.
syn. *oronella* WALSINGHAM, Trans. Am. Ent. Soc., x, 179, 1882; PACKARD, Fifth Rept. U. S. Ent. Comm., 630, 1890; *orella* DIETZ, Smith's List Ins. N. J., 474, 1900.
5564. *glandiferella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 275, 1873; WALSINGHAM, Proc. Zool. Soc. Lond., 72, 1897. Tex.
syn. *sella* CHAMBERS, Can. Ent., vi, 238, 1874; *glandifera* CHAMBERS, Can. Ent., ix, 14, 1877.
- *5565. *alexandriælla* CHAMBERS, Can. Ent., iv, 149, 1872. Ky.
- *5566. *fasciella* CHAMBERS, Can. Ent., vi, 149, 1872. Ky.

AGNIPPE Chambers.

CHAMBERS, Can. Ent., iv, 194, 1872.

5567. *bicolorrella* CHAMBERS, Can. Ent., iv, 195, 1872; v, 106, 1875; ix, 231, 1877. Ky.
568. *fuscopulvella* CHAMBERS, Can. Ent., iv, 195, 1872. Ky.
syn. *bicolorrella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 128, 1878.

NEALYDA Dietz.

DIETZ, Ent. News, xi, 350, 1900.

5569. *pisoniae* BUSCK, Proc. U. S. Nat. Mus., xxiii, 229, 1900; DYAR, Proc. Ent. Soc. Wash., iv, 470, 1901. Fla.
5570. *bifidella* DIETZ, Ent. News, xi, 351, 1900; DYAR, Proc. U. S. Nat. Mus., xxv, 406, 1902. Col.
5571. *kinzelella* BUSCK, Proc. U. S. Nat. Mus., xxiii, 230, 1900; DYAR, Proc. Ent. Soc. Wash., iv, 471, 1901. Fla.

CHRYSTOPORA Clemens.

CLEMENS, Proc. Acad. Nat. Sci. Phil., 362, 1860; *Nomia* CLEMENS, Proc. Acad. Nat. Sci. Phil., 167, 1860; *Nannodia* HEINEMANN, Schmett. Deut. u. Schw., 284, 1870.

5572. *lingulacella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 167, 1860; Tin. No. Am., 124, 1872. Atl. States.
syn. *hermanella* CHAMBERS, Can. Ent., iv, 67, 169, 1872; x, 52, 1878; *armeniella* FREY & BOLL, Stett. ent. Zeit., xxxix, 249, 1878.

5573. *hermanella* FABRICIUS, Spec. Ins., ii, 509, 1781; Can.,
STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. Eur.
2896, 1901.

LEUCE Chambers.

CHAMBERS, Can. Ent., vii, 9, 51, 1875; *Narra* CHAMBERS (not SOWERBY), Can. Ent., vii, 9, 1875.

5574. *fuscochristatella* CHAMBERS, Can. Ent., vii, 9, 34, Tex.
51, 1875.
syn. *belfrageella* CHAMBERS, Jn. Cin. Soc. Nat.
Hist., ii, 183, 1879.

ARISTOTELIA Hübner.

HÜBNER, Verz. bek. Schmett., 424, 1816; *Eucatoptus* WALSINGHAM, Proc. Zool. Soc. Lond., 69, 1897.

5575. *roseosuffusella* CLEMENS, Proc. Acad. Nat. Sci. Phil., xii, 162, 434, 1860; Proc. Ent. Soc. Phil., ii, 121, 1863; iii, 508, 1864; CHAMBERS, Can. Ent., iv, 69, 148, 169, 193, 1872; Bull. U. S. Geol. Surv. Terr., iii, 125, 141, 1877; Can. Ent., ix, 14, 1877; Bull. Geol. Surv. Terr., iv, 110, 1878; Jn. Cin. Soc. Nat. Hist., ii, 183, 1880; MURTFELDT, Can. Ent., vi, 222, 1874; U. S. Dept. Agr., Div. Ent., Bull. 23, 53, 1891; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 272, 1873; WALSINGHAM, Trans. Am. Ent. Soc., x, 180, 1882; Proc. Zool. Soc. Lond., 66, 1897; DIETZ, Smith's List Ins. N. J., 474, 1900; BUSCK, Proc. U. S. Nat. Mus., xxiii, 226, 1900.
syn. *roseosuffusella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 290, 1875; *bellela* WALKER, Cat. Brit. Mus., xxix, 595, 1864.

5576. *pudibundella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 273, 1873; WALSINGHAM, Trans. Am. Ent. Soc., x, 181, 1882; Proc. Zool. Soc. Lond., 66, 1897; BUSCK, Proc. U. S. Nat. Mus., xxiii, 226, 1900.
syn. *intermediella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 89, 1878; WALSINGHAM, Trans. Ent. Soc. Lond., x, 180, 1882; MURTFELDT, U. S. Dept. Agr., Div. Ent., Bull. 23, 53, 1891; DIETZ, Smith's List Ins. N. J., 475, 1900.

5577. *molestella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 274, 1873. Tex.

5578. **rubidella** CLEMENS, Proc. Acad. Nat. Sci. Phil., xii, 163, 434, 1860; Proc. Ent. Soc. Phil., ii, 121, 1863; WALSINGHAM, Trans. Am. Ent. Soc., x, 180, 1882; Proc. Zool. Soc. Lond., 70, 1897; DIETZ, Smith's List Ins. N. J., 475, 1900.
 syn. *rubensella* CHAMBERS, Can. Ent., iv, 193, 1872; MURTFELDT, Can. Ent., vi, 222, 1874; U. S. Dept. Agr., Div. Ent., Bull. 23, 54, 1891; *pudibundella* CHAMBERS, Can. Ent., ix, 23, 1877.
5579. **fungivorella** CLEMENS, Proc. Ent. Soc. Phil., iii, 507, 1874; WALSH, Proc. Ent. Soc. Phil., vi, 273, 1866; PACKARD, Guide Stud. Ins., 350, 1869.
- *5579.1 **salicifungiella** CLEMENS, Proc. Ent. Soc. Phil. iii, 508, 1864.
5580. **ivæ** BUSCK, Proc. U. S. Nat. Mus., xxiii, 225, 1900; DYAR, Proc. Ent. Soc. Wash., iv, 470, 1901.
5581. **bifasciella** BUSCK, Proc. U. S. Nat. Mus., xxv, 799, 1903.
5582. **elegantella** CHAMBERS, Can. Ent., vi, 239, 1872; ix, 23, 1877.
 syn. *superbella* CHAMBERS, Can. Ent., vii, 32, 1875.
5583. **argentifera** BUSCK, Proc. U. S. Nat. Mus., xxv, 800, 1903.
5584. **cockerella** BUSCK, Proc. U. S. Nat. Mus., xxv, 800, 1903.
5585. **absconditella** WALKER, Cat. Brit. Mus., xxix, 595, 1864; WALSINGHAM, Trans. Am. Ent. Soc., x, 181, 1882; DIETZ, Smith's List Ins. N. J., 475, 1900.
 syn. *palpiannulella* CHAMBERS, Can. Ent., iv, 68, 1872.
5586. **minimella** CHAMBERS, Can. Ent., vi, 243, 1874.
5587. **physaliella** CHAMBERS, Can. Ent., iv, 173, 1872; Cin. Quart. Jn. Sci., ii, 238, 1875; Bull. Geol. Surv. Terr., iii, 128, 1877.
5588. **disconotella** CHAMBERS, Bull. Geol. Surv. Terr., iv, 86, 1878.
5589. **gilvolinella** CLEMENS, Proc. Ent. Soc. Phil., ii, 119, 1863; Tin. No. Am., 223, 1872.
5590. **kearfottella** BUSCK, Proc. U. S. Nat. Mus., xxv, 803, 1903.
5591. **quinquepunctella** BUSCK, Proc. U. S. Nat. Mus., xxv, 804, 1903.

Atl.
States.Atl.
States.

Ill.

Fla.

Ariz.

Tex.,
Mo.

Cal.

N. Mex.

Atl.
States.

Tex.

Ky.

Ky.

Pa.

Pa., N. J.

Pa.

HELICE Chambers.

CHAMBERS, Can. Ent., v, 187, 1873.

5592. *pallidochrella* CHAMBERS, Can. Ent., v, 188, 230, 1873; vii, 105, 1875; ix, 231, 1877; BUSCK, Jn. N. Y. Ent. Soc., x, 89, 1902.

Ky.

syn. *pallidochrella* CHAMBERS, Can. Ent., ix, 15, 1877; *gleditschiælla* CHAMBERS, Can. Ent., ix, 232, 1877.

EVIPPE Chambers.

CHAMBERS, Can. Ent., v, 185, 1873; *Phatusa* CHAMBERS, Can. Ent., vii, 106, 1875.

5593. *prunifoliella* CHAMBERS, Can. Ent., v, 186, 1873; vii, 105, 1875; ix, 23, 1877; WALSINGHAM, Trans. Am. Ent. Soc., x, 177, 1882; MURTFELDT, Can. Ent., xv, 94, 1883.

Ky.

5594. *leuconota* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 268, 1873.

Tex., Ky.,
Atl. States.

syn. *platella* CHAMBERS, Can. Ent., vii, 106, 1875; WALSINGHAM, Trans. Am. Ent. Soc., x, 177, 1882; MURTFELDT, Can. Ent., xv, 94, 1883.

EUCORDYLEA Dietz.

DIETZ, Ent. News, xi, 349, 1900.

5595. *atrupictella* DIETZ, Ent. News, xi, 350, 1900.

Pa., Can.

RECURVARIA Haworth.

HAWORTH, Lep. Brit., 547, 1829; *Eragora* CLEMENS, Proc. Acad. Nat. Sci. Phil., 135, 1860; *Eidothoa* CHAMBERS, Can. Ent., v, 186, 1873; *Sinor* CHAMBERS, Can. Ent., v, 231, 1873; *Aphanaula* MEYRICK, Handb. Brit. Lep., 579, 1895.

5596. *apicitripunctella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 165, 1860; WALSINGHAM, Trans. Am. Ent. Soc., x, 182, 1882.

Atl.
States.

syn. *abietisella* PACKARD, Rept. Dept. Agr., 150, 1883; Fifth Rept. U. S. Ent. Comm., 876, 1890.

5597. *variella* CHAMBERS, Can. Ent., iv, 174, 1872; vi, 241, 1874.

Ky.,
D. C.

5598. *colubrinæ* BUSCK, Proc. U. S. Nat. Mus., xxv, 810, 1903.

Tex.

5599. *obliquestrigella* CHAMBERS, Can. Ent., iv, 65, 1872.

Ky.

syn. *obliquistrigella* CHAMBERS, Can. Ent., iv, 145, 1872; vii, 106, 1875; ix, 24, 1877; x, 50, 1878.

5600. *eratægella* BUSCK, Proc. U. S. Nat. Mus., xxv, 811, 1903.

Pa.

5601. *robiniella* FITCH, Rept. Ins. N. Y., v, 334, 1859; CHAMBERS, Can. Ent., iii, 55, 163, 183, 1871. Atl. States.
 syn. *fuscopallidella* CHAMBERS, Can. Ent., vii, 105, 1875; ix, 24, 1877; Rept. Dept. Agr., 225, 1879; *robiniefoliella* CHAMBERS, Rept. Dept. Agr., 224, 1879.
5602. *quercivorella* CHAMBERS, Can. Ent., iv, 173, 1872. Ky., Tex.,
 syn. *gilvoscopella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 266, 1873; *gilvoscopella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 144, 1878. Atl. States.
5603. *dorsivittella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 267, 1873; WALSINGHAM, Proc. Zool. Soc. Lond., 66, 1897; DIETZ, Smith's List Ins. N. J., 475, 1900. Ky., Tex.,
 syn. *rugatiorella* CHAMBERS, Can. Ent., v, 187, 229, 1873; vii, 105, 1875. Atl. States, W. I.
5604. *cristatella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 241, 1875; WALSINGHAM, Trans. Am. Ent. Soc., x, 179, 1882. Ky.
5605. *nigra* BUSCK, Proc. U. S. Nat. Mus., xxv, 814, 1903. D. C.
- TRYPANISMA Clemens.
- CLEMENS, Proc. Acad. Nat. Sci. Phil., 168, 1860.
5606. *prudens* CLEMENS, Proc. Acad. Nat. Sci. Phil., 168, 1860. Atl. States.
 syn. *quinqueannulella* CHAMBERS, Can. Ent., iv, 191, 1872.
5607. *fagella* BUSCK, Proc. U. S. Nat. Mus., xxv, 816, 1903. D. C.
- EPITHECTIS Meyrick.
- MEYRICK, Handb. Brit. Lep., 580, 1895; *Taygete* CHAMBERS (not *Taygetis* HÜBNER), Can. Ent., v, 231, 1873.
5608. *attributella* WALKER, Cat. Brit. Mus., xxix, 593, 1864; WALSINGHAM, Trans. Am. Ent. Soc., x, 182, 1882. Atl. States.
 syn. *difficilisella* CHAMBERS, Can. Ent., iv, 65, 1872; v, 187, 231, 1873; vii, 105, 1875; viii, 19, 1876; Cin. Quart. Jn. Sci., ii, 289, 1875.
5609. *bicostomaculella* CHAMBERS, Bull. Geol. Surv. Terr., iii, 127, 1877. Col.
5610. *sylviolella* BUSCK, Proc. U. S. Nat. Mus., xxv, 818, 1903. N. Y.
5611. *subsimella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 173, 1860. Pa.
5612. *saundersella* CHAMBERS, Can. Ent., viii, 173, 1876. Ky.

5613. *gallægenitella* CLEMENS, Proc. Ent. Soc. Phil., ii, 420, 1864; iii, 506, 1865; CHAMBERS, Bull. Geol. Surv. Terr., iv, 143, 1878.
 syn. *geminella* RILEY, Can. Ent., iii, 195, 1871.

PARALECHIA Busck.

BUSCK, Proc. U. S. Nat. Mus., xxv, 820, 1903.

5614. *pinifoliella* CHAMBERS, Jn. Cin. Soc. Nat. Hist., ii, 181, 1880; COMSTOCK, Fifth Rept. U. S. Ent. Comm., 793, 1890; DIETZ, Smith's List Ins. N. J., 475, 1900.
 5615. *cristifasciella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 87, 1878.
 syn. *inscripta* WALSINGHAM, Trans. Am. Ent. Soc., x, 180, 1882; DIETZ, Smith's List Ins. N. J., 474, 1900.

PHTHORIMÆA Meyrick.

MEYRICK, Ent. Mon. Mag., xxxviii, 103, 1902.

5616. *operculella* ZEELER, Verh. zool.-bot. Ges. Wien, xxiii, 262, 1873; HOWARD, U. S. Dept. Agr., Farmer's Bull., 120, 23, 1900.
 syn. *terrella* WALKER (not FISCHER v. RÖSLER-STAMM), Cat. Brit. Mus., xxx, 1024, 1864; *solanella* BOISDUVAL, Jn. Soc. Cent. Hort. Fr., (2), viii, 713, 1874; *tabaella* RAGONOT, Bull. Soc. Ent. Fr., 147, 1879; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 2636, 1901.
 5617. *glochinella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 263, 1873; CHAMBERS, Bull. Geol. Surv. Terr., iv, 144, 1878.
 syn. *solanella* CHAMBERS, Can. Ent., v, 176, 1873; Cin. Quart. Jn. Sci., ii, 239, 1875; *cinerella* MURTFELDT, Can. Ent., xiii, 244, 1881; *inconspicuella* MURTFELDT, Can. Ent., xv, 139, 1883.
 5618. *striatella* MURTFELDT, Can. Ent., xxxii, 163, 1900.
 *5619. *marmorella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 239, 1875.

GNORIMOSCHEMA Busck.

BUSCK, Proc. U. S. Nat. Mus., xxiii, 227, 1900.

5620. *gallæsolidaginis* RILEY, Rept. Ins. Mo., i, 173, 1869; ii, 20, 132, 134, 1870; CHAMBERS, Can. Ent., viii, 19, 1876; ix, 14, 1877; Cin. Quart. Jn. Sci., ii, 289, 1875; Bull. Geol. Surv. Terr., iii, 1, 28, 141, 1877; KELLICOTT, Can. Ent., x, 201, 1878; DIETZ, Smith's List Ins. N. J., 474, 1900.

III.

Atl.
States.Ky.,
Atl. States.So. States,
Eur.Tex.,
Mo.Mo., Cal.
Ky.Atl.
States.

5621. <i>gallæasteriella</i> KELLICOTT, Can. Ent., x, 203, 1878.	Atl. States, Can.
syn. <i>gallediplopappi</i> FYLES, Can. Ent., xxii, 248, 1890.	
5622. <i>baccharisella</i> BUSCK, Proc. U. S. Nat. Mus., xxv, 825, 1903.	Cal.
5623. <i>coquillettella</i> BUSCK, Proc. U. S. Nat. Mus., xxv, 405, 1902.	Cal., Col.
*5624. <i>albimarginella</i> CHAMBERS, Cin. Quart. Jn. Sci., ii, 291, 1875.	Col.
syn. <i>albomarginella</i> CHAMBERS, Bull. Geol. Surv. Terr., iv, 141, 1878.	
5625. <i>semieyclionella</i> BUSCK, Proc. U. S. Nat. Mus., xxv, 828, 1903.	N. Mex.
*5626. <i>pallidochrella</i> CHAMBERS, Can. Ent., iv, 126, 129, 147, 1872; BUSCK, Proc. U. S. Nat. Mus., xxv, 828, 1903; Jn. N. Y. Ent. Soc., x, 90 note, 1902.	Ky.
5627. <i>dudiella</i> BUSCK, Proc. U. S. Nat. Mus., xxv, 828, 1903.	Col.
5628. <i>serratipalpella</i> CHAMBERS, Bull. Geol. Surv. Terr., iii, 123, 1877.	Col., N. Mex.
5629. <i>pedmontella</i> CHAMBERS, Bull. Geol. Surv. Terr., iii, 123, 1877.	Col.
5630. <i>triocellella</i> CHAMBERS, Bull. Geol. Surv. Terr., iii, 127, 1877.	Col.
syn. <i>trioecella</i> CHAMBERS, Bull. Geol. Surv. Terr., iv, 87, 1878.	
5631. <i>octomaculella</i> CHAMBERS, Cin. Quart. Jn. Sci., ii, 291, 1875; Bull. Geol. Surv. Terr., iii, 128, 1877.	Cal., Col.
5632. <i>ochreostrigella</i> CHAMBERS, Bull. Geol. Surv. Terr., iii, 126, 1877.	Col.
*5633. <i>collinusella</i> CHAMBERS, Bull. Geol. Surv. Terr., iii, 128, 1877.	Col.
5634. <i>saphirinella</i> CHAMBERS, Cin. Quart. Jn. Sci., ii, 250, 1875.	Col., D. C.
syn. <i>sapharinella</i> CHAMBERS, Bull. Geol. Surv. Terr., iv, 147, 1878.	
5635. <i>florella</i> BUSCK, Proc. U. S. Nat. Mus., xxv, 832, 1903.	Ariz.
5636. <i>banksiella</i> BUSCK, Proc. U. S. Nat. Mus., xxv, 832, 1903.	N. Y.
5637. <i>batanella</i> BUSCK, Proc. U. S. Nat. Mus., xxv, 833, 1903.	N. J.

5638. *lavernella* CHAMBERS, Can. Ent., vi, 242, 1874. Atl. States.
 syn. *physalivorella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 238, 1878.
- *5639. *scutellariælla* CHAMBERS, Can. Ent., v, 175, 1873. Ky.
5640. *tetradymiella* BUSCK, Proc. U. S. Nat. Mus., xxv, 834, 1903. Cal.
5641. *terracottella* BUSCK, Proc. U. S. Nat. Mus., xxiii, 227, 1900; DYAR, Proc. Ent. Soc. Wash., iv, 471, 1901. Fla.

GLAUCE Chambers.

CHAMBERS, Can. Ent., vii, 11, 1875.

- *5642. *pectenalælla* CHAMBERS, Can. Ent., vii, 12, 1875; BUSCK, Proc. U. S. Nat. Mus., xxv, 783, 1903. Tex., Ky.

NEODACTYLOTA Busck.

BUSCK, Proc. U. S. Nat. Mus., xxv, 835, 1903.

5643. *snellenella* WALSINGHAM, Ins. Life, i, 83, 1888; Proc. Zool. Soc. Lond., 522, 1891; 523, 1897; BUSCK, Proc. U. S. Nat. Mus., xxiii, 228, 1900.
5644. *barberella* BUSCK, Proc. U. S. Nat. Mus., xxv, 836, 1903. Col.

DEOCLONA Busck.

BUSCK, Proc. U. S. Nat. Mus., xxv, 837, 1903.

5645. *yuccasella* BUSCK, Proc. U. S. Nat. Mus., xxv, 837, 1903. Cal.

PROSTOMEUS Busck.

BUSCK, Proc. U. S. Nat. Mus., xxv, 837, 1903.

5646. *brunneus* BUSCK, Proc. U. S. Nat. Mus., xxv, 838, 1903. Fla.

POLYHYMNO Chambers.

CHAMBERS, Can. Ent., vi, 246, 1874.

5647. *luteostrigella* CHAMBERS, Can. Ent., vi, 247, 1874; Jn. Cin. Soc. Nat. Hist., ii, 203, 1880; BEUTENMÜLLER, Ent. Amer., v, 37, 1889; WALSINGHAM, Trans. Ent. Soc. Lond., pl. 7, f. 78, 1891; Proc. Zool. Soc. Lond., 77, 1897; BUSCK, Jn. N. Y. Ent. Soc., viii, 236, 1900.

syn. *fuscostrigella* CHAMBERS, Can. Ent., viii, 30, 1876.

5648. *acaciella* BUSCK, Jn. N. Y. Ent. Soc., viii, 235, 1900. Tex.
5649. *sexstrigella* CHAMBERS, Can. Ent., vi, 248, 1874; BUSCK, Jn. N. Y. Ent. Soc., viii, 236, 1900. Tex.

MENESTA Clemens.

CLEMENS, Proc. Acad. Nat. Sci. Phil., 213, 1860; *Hyale* CHAMBERS, Can. Quart. Jn. Sci., ii, 242, 1880.

5650. *tortriciformella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 213, 1860; WALSINGHAM, Proc. Zool. Soc. Lond., 319, 1881; Ins. Life, ii, 154, 1889.

syn. *liturella* WALKER, Cat. Brit. Mus., xxix, 591, 1864; *coryliella* CHAMBERS, Can. Quart. Jn. Sci., ii, 242, 1875.

5651. *melanella* MURTFELDT, Ins. Life, ii, 304, 1890. Mo.

- *5652. *albaciliælla* CHAMBERS, Can. Ent., x, 77, 1878. Ohio, N. J.
syn. *argenticiliælla* CHAMBERS, Bull. Geol. Surv. Terr., iv, 162, 1878.

STROBISIA Clemens.

CLEMENS, Proc. Acad. Nat. Sci. Phil., 164, 1860.

5653. *irridipennella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 165, 1860; CHAMBERS, Can. Ent., iv, 89, 1872; FREY & BOLL, Stett. ent. Zeit., xxxix, 251, 1878; DIETZ, Smith's List Ins. N. J., 474, 1900.
syn. *aphroditella* CHAMBERS, Can. Ent., iv, 88, 1872; *proserpinella* FREY & BOLL, Stett. ent. Zeit., xxxix, 251, 1878.

5654. *emblemella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 164, 1860; CHAMBERS, Can. Ent., iv, 89, 1872; FREY & BOLL, Stett. ent. Zeit., xxxix, 251, 1878.
syn. *renustella* CHAMBERS, Can. Ent., iv, 90, 1872.

TRICHOTAPHE Clemens.

CLEMENS, Proc. Acad. Nat. Sci. Phil., 166, 1860; *Begoe* CHAMBERS, Can. Ent., iv, 24, 1872; *Epicorthylis* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 248, 1873; *Mahacotricha* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 282, 1873.

5655. *flavocostella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 162, 1860; Proc. Ent. Soc. Phil., i, 131, 1862; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 279, 1873; COQUILLETT, Rept. State Ent. Ill., x, 153, 1881.
syn. *flavicostella* WALSINGHAM, Trans. Am. Ent. Soc., x, 184, 1882.

5656. *inserrata* WALSINGHAM, Trans. Am. Ent. Soc., x, 184, 1882. Atl. States.

5657. *serrativittella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 280, 1873; CHAMBERS, Can. Ent., ix, 24, 1877; WALSINGHAM, Trans. Am. Ent. Soc., x, 184, 1882.
syn. *plutella* CHAMBERS, Can. Ent., vi, 238, 1874.

5658. *costarufoella* CHAMBERS, Can. Ent., vi, 240, 1874. Tex.
 syn. *costorufoella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 142, 1878.
5659. *alacella* CLEMENS, Proc. Ent. Soc. Phil., i, 132, 1862; DIETZ, Smith's List Ins. N. J., 474, 1900. Atl. States.
 syn. *ochripalpella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 279, 1873; WALSINGHAM, Trans. Am. Ent. Soc., x, 183, 1882; *goodelli* CHAMBERS, Jn. Cin. Soc. Nat. Hist., iii, 289, 1881.
5660. *purpureofusca* WALSINGHAM, Trans. Am. Ent. Soc., x, 184, 1882. N. H.
5661. *nonstrigella* CHAMBERS, Bull. Geol. Surv. Terr. iv, 92, 1878. Ky.
5662. *juncidella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 166, 1860; WALSINGHAM, Trans. Am. Ent. Soc., x, 183, 1882. Atl. States.
 syn. *pallipalpis* WALKER, Cat. Brit. Mus., xxix, 596, 1864; *dubitella* CHAMBERS, Can. Ent., iv, 90, 128, 1872; MURTFELDT, Can. Ent., vi, 221, 1874; *hallipalpis* RILEY, Smith's List Lep. Bor. Am., no. 5394, 1891.
5663. *melantherella* BUSCK, Proc. U. S. Nat. Mus., xxiii, 232, 1900; DYAR, Proc. Ent. Soc. Wash., iv, 472, 1901. Fla.
5664. *setosella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 166, 1860; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 282, 1873. Atl. States.
 syn. *costolutella* CHAMBERS, Can. Ent., iv, 209, 1872; ix, 24, 1877; *bilobella* ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 280, 1873.
5665. *inversella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 248, 1873; CHAMBERS, Can. Ent., x, 54, 1878; Jn. Cin. Soc. Nat. Hist., ii, 198, 1880. Tex.
5666. *condaliavorella* BUSCK, Proc. U. S. Nat. Mus., xxiii, 232, 1900; DYAR, Proc. Ent. Soc. Wash., iv, 473, 1901. Fla.
5667. *chambersella* MURTFELDT, Can. Ent., vi, 222, 1874; xiii, 242, 1881; CHAMBERS, Cin. Quart. Jn. Sci., ii, 240, 1875. Mo., Atl. States.
 syn. *inaequipulvella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 239, 1875.
- *5668. *lactiflosella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 89, 1878. Tex.
5669. *trimaculella* CHAMBERS, Can. Ent., vi, 238, 1874. Tex.

- *5670. *bidiscomaculella* CHAMBERS, Can. Ent., vi, 241, 1874. Tex.
5671. *fernaldella* BUSCK, Proc. U. S. Nat. Mus., xxv, 915, 1903. Me.
- *5672. *georgiella* WALKER, Cat. Brit. Mus., xxxv, 1827, 1866; WALSINGHAM, Proc. Zool. Soc. Lond., 312, 1891; BUSCK, Jn. N. Y. Ent. Soc., x, 94, 1902. Ga.

GLYPHIDOCERA Walsingham.

WALSINGHAM, Proc. Zool. Soc. Lond., 531, 1891.

5673. *floridanella* BUSCK, Proc. Ent. Soc. Wash., iv, 474, 1901. Fla.

5674. *æquepulvella* CHAMBERS, Can. Ent., iv, 192, 1872; vi, 230, 1874; Cin. Quart. Jn. Sci., ii, 246, 1875; Bull. Geol. Surv. Terr., iii, 125, 141, 1877; BUSCK, Proc. Ent. Soc. Wash., iv, 475, 1901. Ky., Tex., Cal., Col.

ANORTHOSSIA Clemens.

- CLEMENS, Proc. Acad. Nat. Sci. Phil., 156, 1860; *Sugarithis* CHAMBERS, Can. Ent., iv, 225, 1874.

5675. *punctipennella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 161, 1860; CHAMBERS, Can. Ent., iv, 225, 1872; vi, 245, 1874; WALSINGHAM, Trans. Ent. Soc. Lond., 110, 1891. Atl. States.

- *5676. *gracilella* CHAMBERS, Can. Ent., iv, 226, 1874. Ky.

ENCHRYSA Zeller.

ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 82, 1873.

- *5677. *dissectella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 283, 1873. Ohio.

YPSOLOPHUS Fabricius.

FABRICIUS, Ent. Syst., suppl., 421, 1798.

5678. *ligulellus* HÜBNER, Zutr. exot. Schmett., f. 143, 1818. Atl. States.

syn. *pometella* HARRIS, Camb. Chron., Jul. 17, 1853; FITCH, Jn. N. Y. Agr. Soc., iv, 36, 1853; *contubernatellus* FITCH, Trans. N. Y. Agr. Soc., xiii, 178, 1854; *pancigutellus* CLEMENS, Proc. Ent. Soc. Phil., ii, 123, 1863; *flavirittellus* CLEMENS, Proc. Ent. Soc. Phil., ii, 429, 1864; *reodella* CHAMBERS, Can. Ent., iv, 222, 1872; *quercipomonella* CHAMBERS, Can. Ent., iv, 222, 1872; *ruderella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 167, 1878.

5679. *punctidiscellus* CLEMENS, Proc. Ent. Soc. Phil., ii, 123, 1863; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 285, 1873.
 syn. *stramineellus* CHAMBERS, Can. Ent., iv, 224, 1872.
5680. *touceyellus* BUSCK.
 syn. *trinotellus* CHAMBERS (not FITCH), Can. Ent., vi, 243, 1874; Bull. Geol. Surv. Terr., iv, 92 1878; WALSINGHAM, Proc. Zool. Soc. Lond., 526, 1891.
5681. *bipunctellus* WALSINGHAM, Trans. Am. Ent. Soc., x, 186, 1882.
- *5682. *trinotellus* COQUILLETT, Pap., iii, 81, 1883; PACKARD, Fifth Rept. U. S. Ent. Comm., 640, 1890.
5683. *citrifoliellus* CHAMBERS, Jn. Cin. Soc. Nat. Hist., ii, 184, 1880; COMSTOCK, Rept. U. S. Dept. Agr., 205, 1880.
5684. *caryæfoliellus* CHAMBERS, Can. Ent., iv, 224, 1872.
5685. *ventrellus* FITCH, Trans. N. Y. Agr. Soc., xiii, 234, 1853.
 syn. *unicipunctellus* CLEMENS, Proc. Ent. Soc. Phil., ii, 123, 1863; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 286, 1873; WALSINGHAM, Trans. Am. Ent. Soc., x, 186, 1882.
5686. *eupatoriellus* CHAMBERS, Can. Ent., iv, 221, 1872; ix, 23, 1877.
 syn. *dolabella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 288, 1873.
- *5687. *malifoliellus* FITCH, Trans. N. Y. State Agr. Soc., xiii, 233, 1853.
- *5688. *quercicellus* CHAMBERS, Can. Ent., iv, 223, 1872.
 syn. *quercicella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 83, 1878.
- *5689. *roseocostellus* WALSINGHAM, Trans. Am. Ent. Soc., x, 185, 1882.
- *5690. *bimaculellus* CHAMBERS, Bull. Geol. Surv. Terr., iii, 122, 1877; Jn. Cin. Soc. Nat. Hist., ii, 184, 1880.
- *5691. *grisseellus* CHAMBERS, Can. Ent., vi, 245, 1874.
- *5692. *rusticus* WALSINGHAM, Proc. Zool. Soc. Lond., 525, 1891; 86, 1897.

Atl.
States.

Tex., Ky.

Mass.

Ill.

Fla.

Ky., Tex.,
Mo.Atl.
States.Atl. States,
Ky., Tex.

N. Y.

Ky.

Mo.

Col.

Tex.

Tex.,
W. I.

ANARSIA Zeller.

ZELLER, Isis, 190, 1839.

5693. *lineatella* ZELLER, Isis, 190, 1839; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 2999, 1901; CHAMBERS, Can. Ent., iv, 208, 1872; DIETZ, Smith's List Ins. N. J., 475, 1900.

U. S.,
Eur.

syn. *prunella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 169, 1860; CHAMBERS, Can. Ent., iv, 208, 1872; vi, 243, 1874.

- *5694. *suffusella* CHAMBERS, Can. Ent., vi, 243, 1874. Tex.

APROÆREMA Durrant.

DURRANT, Ent. Mon. Mag., xxxiii, 221, 1897.

5695. *crotalariella* BUSCK, Proc. U. S. Nat. Mus., xxiii, 226, 1900; DYAR, Proc. Ent. Soc. Wash., iv, 471, 1901.

Fla.

5696. *palpilineella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 252, 1875; Bull. Geol. Surv. Terr., iv, 88, 1878.

Tex., Ky.,
Atl. States.

5697. *nigrella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 250, 1875.

Tex.,
Atl. States.

5698. *kearfottella* BUSCK, Proc. U. S. Nat. Mus., xxv, 842, 1903.

N. J.

5699. *nigratomella* CLEMENS, Proc. Ent. Soc. Phil., ii, 11, 121, 1863; iii, 507, 1864; Tin. No. Am., 217, 1872.

Atl. States.

syn. *apicilinella* CLEMENS, Proc. Ent. Soc. Phil., ii, 120, 1863; *apicilinella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 141, 1878; *apicistrigella* CHAMBERS, Can. Ent., iii, 66, 1872; iv, 175, 1872.

5700. *concinusella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 253, 1875.

Atl. States,
Col.

syn. *conciinnisella* CHAMBERS, Bull. Geol. Surv. Terr., iii, 127, 1877.

ANACAMPSIS Curtis.

- CURTIS, Brit. Ent., Expl. pl. 189, 1827; *Tachyptilia* HEINEMANN, Schm. Deut. u. Schw., ii, 321, 1870.

5701. *innocuella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 249, 1873; DYAR, Proc. U. S. Nat. Mus., xxv, 406, 1902.

Col.,
Tex.

5702. *rhoifructella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 163, 1860; Proc. Ent. Soc. Phil., ii, 121, 1863; CHAMBERS, Can. Ent., iii, 68, 1872; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 252, 1873; COQUILLET, Pap., iii, 99, 1883; DIETZ, Smith's List Ins. N. J., 474, 1900.
 syn. *consonella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 251, 1873; WALSINGHAM, Trans. Am. Ent. Soc., x, 183, 1882; *quadrinotella* CHAMBERS, Can. Ent., vi, 237, 1874; *ochreocostella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 91, 1878.
5703. *crescentifasciella* CHAMBERS, Can. Ent., vi, 237, 1874; Cin. Quart. Jn. Sci., ii, 255, 1875; Bull. Geol. Surv. Terr., iv, 90, 1878. Tex.
5704. *niveopulvella* CHAMBERS, Can. Ent., vii, 210, 1875. Can., Vanc. Id., Ariz.
5705. *argyrothamniella* BUSCK, Proc. U. S. Nat. Mus., xxiii, 231, 1900; DYAR, Proc. Ent. Soc. Wash., iv, 474, 1901. Fla.
5706. *lagunculariella* BUSCK, Proc. U. S. Nat. Mus., xxiii, 230, 1900; DYAR, Proc. Ent. Soc. Wash., iv, 474, 1901. Fla.
5707. *cyclella* BUSCK, Proc. U. S. Nat. Mus., xxv, 848, 1903. Ariz.
5708. *paltodoriella* BUSCK, Proc. U. S. Nat. Mus., xxv, 848, 1903. N. Mex.
5709. *fullonella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 276, 1873. Tex.
- syn. *rufusella* CHAMBERS, Can. Ent., vi, 240, 1874; *refusella* WALSINGHAM, Trans. Am. Ent. Soc., x, 184, 1882; *rubescens* WALSINGHAM, Proc. Zool. Soc. Lond., 319, 1884; *subrubecula* CHAMBERS, Can. Ent., vi, 240, 1874; Cin. Quart. Jn. Sci., ii, 254, 1875.
5710. *lupinella* BUSCK, Can. Ent., xxxiii, 14, 1901. Can.
5711. *agrimoniella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 162, 434, 1860; Proc. Ent. Soc. Phil., ii, 120, 1863; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 275, 1873; DIETZ, Smith's List Ins. N. J., 474, 1900; BUSCK, Can. Ent., xxxiii, 15, 1901.
 syn. *aduncella* ZELLER, Verh. zool.-bot. Ges. Wien, xviii, 614, 1868; *aderusella* RILEY, Smith's List Lep. Bor. Am., no. 5299, 1891.
5712. *tristrigella* WALSINGHAM, Trans. Am. Ent. Soc., x, 181, 1882; COQUILLET, Pap., iii, 91, 1883; COMSTOCK, Fifth Rept. U. S. Ent. Comm., 639, 1890; BUSCK, Can. Ent., xxxiii, 15, 1901. Ill., Kans.

5713. *levipedella* CLEMENS, Proc. Ent. Soc. Phil., ii, 4, 1863; FREY & BOLL, Stett. ent. Zeit., xxxix, 251, 1878; BUSCK, Can. Ent., xxxiii, 15, 1901. Atl. States.

GELECHIA Hübner.

HÜBNER, Verz. bek. Schmett., 415, 1816; *Catastega*^a CLEMENS, Proc. Ent. Soc. Phil., i, 87, 1861; *Cirrha* CHAMBERS, Can. Ent., iv, 146, 1872; *Oseis* CHAMBERS, Cin. Quart. Jn. Sci., ii, 255, 1875; *Pseudochelaria* DIETZ, Ent. News, xi, 252, 1900.

5714. *cercerisella* CHAMBERS, Can. Ent., iii, 108, 129, 147, 1872; WALSINGHAM, Trans. Am. Ent. Soc., x, 177, 1882. So. Atl. States.

syn. *olympiadella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 259, 1873; CHAMBERS, Can. Ent., ix, 24, 1877.

5715. *quinella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 260, 1873; CHAMBERS, Can. Ent., ix, 23, 1877. Tex.

5716. *arizonella* BUSCK, Proc. U. S. Nat. Mus., xxv, 856, 1903. Ariz.

5717. *coloradensis* BUSCK, Proc. U. S. Nat. Mus., xxv, 857, 1903. Col.

5718. *trialbamaculella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 250, 1875. Tex., Atl. States.

syn. *epigaeella* CHAMBERS, Jn. Cin. Soc. Nat. Hist., iii, 289, 1881.

5719. *confusella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 251, 1875. Mich.

syn. *persicella* MURTFELDT, Rept. Mich. State Agr. Col., 1899; Can. Ent., xxxii, 164, 1900.

5720. *bimaculella* CHAMBERS, Can. Ent., iv, 108, 129, 147, 1872. Tex., Ky., D. C.

syn. *ternariella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 264, 1873; *sylvaeella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 86, 1878.

5721. *continuella* ZELLER, Isis, 198, 1839; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 2597, 1901; MÖSCHLER, Wien. ent. Mon., 200, 1864; GROTE, Can. Ent., iv, 126, 1872. Lab., Can., Eur.

syn. *trimaculella* PACKARD, Proc. Bost. Soc. Nat. Hist., xi, 61, 1867; *albonmaculella* CHAMBERS, Can. Ent., vii, 209, 1875.

5722. *ribesella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 290, 1875; Bull. Geol. Surv. Terr., iii, 128, 1877; DYAR, Proc. U. S. Nat. Mus., xxv, 407, 1902. Col.

^aThis genus, with the species 5777, 5807, and 5830, are referable to the Tortricidae.—HARRISON G. DYAR.

5723. *trophella* BUSCK, Proc. U. S. Nat. Mus., xxv, 860, 1903. Col.
5724. *lugubrella* FABRICIUS, Ent. Syst., iii, 2, 299, 54, 1794; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 2617, 1901. Me., Eur.
5725. *albilorella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 261, 1873. Tex., Ariz.
syn. *trifasciella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 252, 1875; Can. Ent., ix, 24, 1877.
5726. *dentella* BUSCK, Proc. U. S. Nat. Mus., xxv, 862, 1903. Ariz.
5727. *sistrella* BUSCK, Proc. U. S. Nat. Mus., xxv, 862, 1903. Ariz.
5728. *abdominella* BUSCK, Proc. U. S. Nat. Mus., xxv, 863, 1903. Ariz.
5729. *basquella* CHAMBERS, Can. Ent., vii, 92, 124, 1875. Tex.,
syn. *bosquella* CHAMBERS, Bull. U. S. Geol. Surv. Terr., iv, 87, 1878; WALSINGHAM, Trans. Am. Ent. Soc., x, 178, 1882; Proc. Zool. Soc. Lond., 75, 1897; *costipunctella* MÖSCHLER, Abh. Senek. Ges., xvi, 344, 1889; WALSINGHAM, Proc. Zool. Soc. Lond., 519, 1892. Atl. States, W. I.
5730. *paurella* BUSCK, Proc. U. S. Nat. Mus., xxv, 865, 1903. Cal., Ariz.
5731. *unifasciella* BUSCK, Proc. U. S. Nat. Mus., xxv, 865, 1903. Ariz.
- *5732. *packardella* CHAMBERS, Bull. Geol. Surv. Terr., iii, 143, 1877. Col.
5733. *aristella* BUSCK, Proc. U. S. Nat. Mus., xxv, 866, 1903. Ariz.
5734. *thoracealbella* CHAMBERS, Can. Ent., vi, 255, 1874; Cin. Quart. Jn. Sci., ii, 252, 1875. Tex.
- *5735. *minimaculella* CHAMBERS, Can. Ent., vi, 235, 1874. Tex.
syn. *minimaculella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 145, 1878.
5736. *ochreosuffusella* CHAMBERS, Can. Ent., vi, 236, 1874; Cin. Quart. Jn. Sci., ii, 255, 1875. Tex., Col.
syn. *depressostrigella* CHAMBERS, Can. Ent., vi, 236, 1874; Bull. Geol. Surv. Terr., iii, 142, 1878; *depressostrigella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 255, 1875.
5737. *striatella* BUSCK, Proc. U. S. Nat. Mus., xxv, 868, 1903. Ariz.

5738. *ochreostrigella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 247, 1875; Can. Ent., x, 54, 1878. Cal.
5739. *hibiscella* BUSCK, Proc. U. S. Nat. Mus., xxv, 869, 1903. D. C.
5740. *cockerelli* BUSCK, Proc. U. S. Nat. Mus., xxv, 871, 1903. N. Mex., Ariz.
5741. *variabilis* BUSCK, Proc. U. S. Nat. Mus., xxv, 871, 1903. Col., Cal.
5742. *trilineella* CHAMBERS, Bull. Geol. Surv. Terr., iii, 125, 1877. Col.
5743. *bianulella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 225, 1875. Col.
- syn. *ocellata* CHAMBERS, Bull. Geol. Surv. Terr., iii, 126, 1877; *ocellata* CHAMBERS, Bull. Geol. Surv. Terr., iv, 145, 1878.
5744. *discoocellella* CHAMBERS, Can. Ent., iv, 194, 1872. Ky., Tex., Ill., Kans., Atl. States.
 syn. *discoocellella* CHAMBERS, Can. Ent., vi, 231, 1874; *discoocella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 237, 1875; *discoocella* COQUELLETT, Pap., iii, 98, 1883; *discoocella* DIETZ, Smith's List Ins. N. J., 474, 1900; *violaceofusca* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 258, 1873.
5745. *anarsiella* CHAMBERS, Bull. Geol. Surv. Terr., iii, 126, 1877; DYAR, Proc. U. S. Nat. Mus., xxv, 407, 1902. Col.
5746. *pravinominella* CHAMBERS, Can. Ent., x, 50, 1878; DYAR, Proc. U. S. Nat. Mus., xxv, 407, 1902. Col.
 syn. *quadrinotella* CHAMBERS (not CHAMBERS), Cin. Quart. Jn. Sci., ii, 290, 1875; Bull. Geol. Surv. Terr., iii, 128, 1877.
5747. *barnesiella* BUSCK, Proc. U. S. Nat. Mus., xxv, 875, 1903. Col.
5748. *lindenella* BUSCK, Proc. U. S. Nat. Mus., xxv, 876, 1903. Col.
5749. *dyariella* BUSCK, Proc. U. S. Nat. Mus., xxv, 877, 1903. Col.
5750. *albisparsella* CHAMBERS, Can. Ent., iv, 92, 128, 1872. Ky.
 syn. *platanella* CHAMBERS, Can. Ent., iv, 146, 1872.
5751. *unctulella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 257, 1873. Tex., Col., Ariz.

5752. *obscurocerella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 254, 1875. Tex., Ky.
 syn. *obscuracella* RILEY, Smith's List Lep. Bor. Am., no. 5424, 1891.
5753. *versutella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 253, 1873. Tex., Col., Wyo.
- *5754. *lynceella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 255, 1873. Tex.
5755. *bicostomaculella* CHAMBERS, Can. Ent., iv, 127, 147, 1872; DIETZ, Smith's List Ins. N. J., 474, 1900. Ky., Atl. States.
 syn. *quercifoliella* CHAMBERS, Can. Ent., iv, 206, 1872; v, 174, 1873; *gibbosella* CHAMBERS (not STAINTON), Can. Ent., v, 72, 1873.
5756. *nigrimaculella* BUSCK, Proc. U. S. Nat. Mus., xxv, 880, 1903. N. Y.
5757. *maculimarginella* CHAMBERS, Can. Ent., vi, 241, 1874. Tex., Atl. States.
 syn. *maculomarginella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 144, 1878.
5758. *biminimaculella* CHAMBERS, Cin. Jn. Nat. Hist., ii, 183, 1880. Tex., Mo.
5759. *pseudoacaciella* CHAMBERS, Can. Ent., iv, 9, 107, 129, 147, 1872; Cin. Quart. Jn. Sci., i, 208, 1874; Psyche, iii, 65, 1880. Atl. States, Tex., Ky.
 syn. *cecella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 252, 1873.
5760. *serotinella* BUSCK, Proc. U. S. Nat. Mus., xxv, 882, 1903. Atl. States, Col.
5761. *vernella* MURTFELDT, Can. Ent., xv, 139, 1883. Mo., Atl. States.
 syn. *formosella* MURTFELDT (not HÜBNER), Can. Ent., xiii, 243, 1881.
5762. *sequax* HAWORTH, Lep. Brit., 552, 1829; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 2741, 1901; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 265, 1873. Mass., Eur.
- *5763. *occidentella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 246, 1875. Cal.
5764. *mediofuscella* CLEMENS, Proc. Ent. Soc. Phil., ii, 11, 121, 1863. Tex., Ky., Atl. States.
 syn. *ragella* WALKER, Cat. Brit. Mus., xxix, 596, 1864; WALSINGHAM, Trans. Am. Ent. Soc., x, 178, 1882; *fuscoochrella* CHAMBERS, Can. Ent., iv, 106, 1872; *liturosella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 265, 1873.

5765. <i>walsinghami</i> DIETZ, Ent. News, xi, 352, 1900; WALSINGHAM & DURRANT, Ent. Mo. Mag., xxxviii, 28, 1902.	Pa.
*5766. <i>pennsylvanica</i> DIETZ, Ent. News, xi, 353, 1900; WALSINGHAM & DURRANT, Ent. Mo. Mag., xxxviii, 29, 1902.	Pa.
*5767. <i>tephriasesella</i> CHAMBERS, Can. Ent., iv, 68, 1872; Cin. Quart. Jn. Sci., ii, 253, 1875; WALSINGHAM, Trans. Am. Ent. Soc., x, 181, 1882.	Ky.
5768. <i>conclusella</i> WALKER, Cat. Brit. Mus., xxix, 593, 1864; WALSINGHAM, Trans. Am. Ent. Soc., x, 179, 1882. syn. <i>griseofasciella</i> CHAMBERS, Cin. Quart. Jn. Sci., ii, 253, 1875.	Atl. States.
5769. <i>rileyella</i> CHAMBERS, Can. Ent., iv, 106, 147, 1872; BUSCK, Proc. U. S. Nat. Mus., xxv, 887, 1903.	Ky.
5770. <i>nundinella</i> ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 256, 1873. syn. <i>beneficentella</i> MURTFELDT, Can. Ent., xiii, 245, 1881.	Tex., Mo., Atl. States.
5771. <i>monumentella</i> CHAMBERS, Bull. Geol. Surv. Terr., iii, 125, 1877.	Col.
5772. <i>obscurofusSELLA</i> CHAMBERS, Bull. Geol. Surv. Terr., iv, 90, 1878.	Tex.
5773. <i>petasitis</i> PFAFFENZELLER, Stett. ent. Zeit., xxviii, 79, 1867; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 2588, 1901; WALSINGHAM, Trans. Am. Ent. Soc., x, 178, 1882.	Atl. States, Eur.
5774. <i>panella</i> BUSCK, Proc. U. S. Nat. Mus., xxv, 889, 1903.	Ariz.
5775. <i>abella</i> BUSCK, Proc. U. S. Nat. Mus., xxv, 889, 1903.	Col.
5776. <i>fuscotæniaella</i> CHAMBERS, Bull. Geol. Surv. Terr., iv, 89, 1878. syn. <i>fuscotanniella</i> RILEY, Smith's List Lep. Bor. Am., no. 5473, 1891; <i>fuscoliniatella</i> RILEY, Smith's List Lep. Bor. Am., no. 5370, 1891.	Tex., Col.
*5777. <i>aceriella</i> CLEMENS, Proc. Ent. Soc. Phil., i, 87, 1861.	Pa.
*5778. <i>adaptella</i> WALKER, Cat. Brit. Mus., xxix, 590 1864.	Can.
*5779. <i>albistrigella</i> CHAMBERS, Can. Ent., iv, 171, 1872; HAGEN, Pap., iv, 98, 1884.	Ky.
*5780. <i>ambrosiæella</i> CHAMBERS, Cin. Quart. Jn. Sci., ii, 239, 1875.	Ky.

- *5781. *amorphælla* CHAMBERS, Bull. Geol. Surv. Terr., iii, 126, 1877. Col.
- *5782. *angustipennella* CLEMENS, Proc. Ent. Soc. Phil., ii, 119, 1863. Pa.?
- *5783. *argentialbella* CHAMBERS, Can. Ent., vi, 241, 1874. Tex.
- *5784. *attritella* WALKER, Cat. Brit. Mus., xxix, 592, 1864. Oreg.
- *5785. *aurimaculella* CHAMBERS, Can. Ent., iv, 172, 1872. Ky.
syn. *discomaculella* CHAMBERS, Can. Ent., iv, 172, 1872; Cin. Quart. Jn. Sci., ii, 239, 1875.
- *5786. *badiomaculella* CHAMBERS, Can. Ent., iv, 192, 1872. Ky.
- *5787. *bistrigella* CHAMBERS, Can. Ent., iv, 92, 147, 1872. Can.
- *5788. *brumella* CLEMENS, Proc. Ent. Soc. Phil., ii, 416, 1864. Lab.
- *5789. *canopulvella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 91, 1878. Tex.
- *5790. *capiteochrella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 252, 1875. (Unknown.)
- *5791. *caryævorella* PACKARD, Rept. Dept. Agr., 1885, 331, 1886. R. I.
- *5792. *cassella* WALKER, Cat. Brit. Mus., xxix, 594, 1864. No. Am.
- *5793. *decemmaculella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 290, 1875; Bull. Geol. Surv. Terr., iii, 128, 1877. Col.
- *5794. *brackenridgella* BUSCK. Pa.
syn. *detersella* CLEMENS (not ZELLER), Proc. Acad. Nat. Sci. Phil., 164, 1860.
- *5795. *discoannulella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 254, 1875. (Unknown.)
- *5796. *discostrigella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 248, 1875. Cal.
- *5797. *flavicorporella* WALSINGHAM, Trans. Am. Ent. Soc., x, 177, 1882. Mass.
- *5798. *flexurella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 163, 1860; Proc. Ent. Soc. Phil., ii, 122, 1863. Pa.
- *5799. *fuscoluteella* CHAMBERS, Can. Ent., iv, 106, 129, 147, 1872. Ky.
- *5800. *fuscomaculella* CHAMBERS, Can. Ent., iv, 170, 1872. Ky.
- *5801. *fuseopunctella* CLEMENS, Proc. Ent. Soc. Phil., ii, 12, 121, 1863. Pa.?

- *5802. *gilvomaculella* CLEMENS, Proc. Ent. Soc. Phil., ii, 121, 1863. Pa.?
- *5803. *glycyrrhizælla* CHAMBERS, Bull. Geol. Surv. Terr., iii, 124, 1877. Col.
- *5804. *grisella* CHAMBERS, Can. Ent., iv, 171, 1872. Ky.
- *5805. *griseaella* CHAMBERS, Can. Ent., iv, 88, 1872.
syn. *grisella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 144, 1878. Can.
- *5806. *griseochrella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 247, 1875. Cal.
- *5807. *hamameliella* CLEMENS, Proc. Ent. Soc. Phil., i, (Unknown.) 87, 1861.
- *5808. *labradorica* MÖSCHLER, Can. Ent., iv, 125, 1872. Lab.
- *5809. *labradoriella* CLEMENS, Proc. Ent. Soc. Phil., ii, 12, 120, 1863. Lab.
- *5810. *lacteusochrella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 244, 1875. Cal.
- *5811. *liturella* WALKER, Cat. Brit. Mus., xxix, 591, 1864. Nova Scotia.
- *5812. *maculatusella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 245, 1875. Cal.
- *5813. *milleriella* CHAMBERS, Cin. Quart. Jn. Sci., ii, (Unknown.) 253, 1875.
- *5814. *mimella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 163, 1860; Proc. Ent. Soc. Phil., ii, 121, 1863. Pa.?
- *5815. *obscurella* CHAMBERS, Can. Ent., iv, 170, 1872. Ky.
- *5816. *obscurusella* CHAMBERS, Can. Ent., iv, 106, 128, 148, 1872.
syn. *fuscopulvella* CHAMBERS, Can. Ent., iv, 170, 1872. Ky.
- *5817. *ocherfuscella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 249, 1875.
syn. *ochreofuscella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 145, 1878. Cal.
- *5818. *ornatifimbriella* CLEMENS, Proc. Ent. Soc. Phil., ii, 420, 1864. Ill.
- *5819. *pallidegrisseella* CHAMBERS, Can. Ent., vi, 237, 1875. Tex.
- *5820. *palpialbella* CHAMBERS, Cin. Quart. Jn. Sci., ii, (Unknown.) 253, 1875.
syn. *palpiadella* RILEY, Smith's List Lep. Bor. Am., no. 5441, 1891.

- *5821. *parvipulvella* CHAMBERS, Can. Ent., vi, 242, 1874. Tex,
- *5822. *pullifimbriella* CLEMENS, Proc. Ent. Soc. Phil., ii, 120, 1863. Pa.?
- *5823. *pullusella* CHAMBERS, Can. Ent., vi, 237, 1874. Tex.
- *5824. *punctiferella* CLEMENS, Proc. Ent. Soc. Phil., ii, 119, 1863. Pa.?
- *5825. *simpliciella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 238, 1875. Ky.
- *5826. *subalbusella* CHAMBERS, Can. Ent., vi, 242, 1874. Tex.
- *5827. *suffusella* CHAMBERS, Can. Ent., iv, 171, 1872. Ky.
- *5828. *thoraceochrella* CHAMBERS, Can. Ent., iv, 169, 1872. Ky.
- *5829. *thoracestrigella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 245, 1875. Cal.
- *5830. *timidella* CLEMENS, Proc. Ent. Soc. Phil., i, 87, 1861. Minn.
- *5831. *unistrigella* CHAMBERS, Can. Ent., v, 176, 1873. Ky.
- *5832. *versicolorella* CHAMBERS, Can. Ent., iv, 127, 147, 1872. Ky.
- *5833. *wacoella* CHAMBERS, Can. Ent., vi, 237, 1874. Tex.

Family XYLORICTIDÆ.

STENOMA Zeller.

ZELLER, Isis, 195, 1839.

- 5834. *schlægeri* ZELLER, Linn. Ent., ix, 372, 1854; x, 158, 1855; Verh. zool.-bot. Ges. Wien, xxiii, 246, 1873; WALSINGHAM, Ins. Life, ii, 152, 1889. Atl. States.
- 5835. *leucillana* ZELLER, Linn. Ent., ix, 370, 1854; WALSINGHAM, Ins. Life, ii, 153, 1889. Ga.
- 5836. *humilis* ZELLER, Linn. Ent., x, 156, 1855; WALSINGHAM, Ins. Life, ii, 154, 1889. N. C., Tex.
syn. *pubescens* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 245, 1873; WALSINGHAM, Trans. Am. Ent. Soc., x, 175, 1882; *cinnusella* CHAMBERS, Can. Ent., vi, 235, 1874.
- 5837. *crambitella* WALSINGHAM, Ins. Life, ii, 154, 1889. Ariz.
- 5838. *furcata* WALSINGHAM, Ins. Life, ii, 153, 1889. Ariz.
- *5839. *algidella* WALKER, Cat. Brit. Mus., xxix, 710, 1864; WALSINGHAM, Ins. Life, ii, 153, 1889. Nova Scotia.

IDE Chambers.

CHAMBERS, Jn. Cin. Soc. Nat. Hist., ii, 180, 1879; WALSINGHAM, Ins. Life, ii, 155, 1889.

*5840. *osseella* WALSINGHAM, Ins. Life, ii, 155, 1889. Cal.

5841. *vestalis* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 247, 1873; WALSINGHAM, Ins. Life, ii, 155, 1889. Tex., Fla., S. C.

syn. *albella* CHAMBERS, Can. Ent., vi, 234, 1874.

5842. *lithosina* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 244, 1873; WALSINGHAM, Ins. Life, ii, 155, 1889. Tex., Fla.

syn. *tortricella* CHAMBERS, Can. Ent., vi, 235, 1874; Bull. Geol. Surv. Terr., iii, 122, 141, 1877.

Family ECOPHORIDÆ.

EUMEYRICKIA Busck.

Busck, Jn. N. Y. Ent. Soc., x, 94, 1902.

5843. *trimaculella* FITCH, Rep. Ins. N. Y., ii, 233, 1856; BUSCK, Jn. N. Y. Ent. Soc., x, 94, 1902. No. Atl. States.

syn. *albapulrella* CHAMBERS, Can. Ent., vii, 147, 1875; *haustellata* WALSINGHAM, Trans. Am. Ent. Soc., x, 173, 1882.

CRYPTOLECHIA Zeller.

ZELLER, Lep. Mier., 106, 1852; WALSINGHAM, Ins. Life, ii, 150, 1889.

5844. *sparsiciliella* CLEMENS, Proc. Ent. Soc. Phil., ii, 430, 1863; Tin. No. Am., 255, 1872. Atl. States.

syn. *contrariella* WALKER, Cat. Brit. Mus., xxix, 771, 1864; WALSINGHAM, Proc. Zool. Soc. Lond., 85, 1880; *atropicta* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 343, 1875; *sparsicella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 129, 1878.

5845. *concolorella* BEUTENMÜLLER, Ent. Amer., iv, 30, 1888; WALSINGHAM, Ins. Life, ii, 152, 1889. Nev.

5846. *cretacea* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 243, 1873; WALSINGHAM, Trans. Am. Ent. Soc., x, 176, 1882. Tex.

*5847. *ferruginosa* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 243, 1873. Ohio.

*5848. *obscuromaculella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 86, 1878. Tex.

*5849. *obsoletella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 242, 1873. Ohio.

- *5850. *piperatella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 239, 1873. Tex.
5851. *quercicella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 212, 1860; Tin. No. Am., 159, 1872; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 240, 1873; WALSINGHAM, Ins. Life, ii, 151, 1889. Atl. States.
 syn. *cressonella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 85, 1878; *faginella* CHAMBERS, Can. Ent., iv, 131, 1872; vi, 231, 1874; Bull. Geol. Surv. Terr., iv, 84, 1878; *cryptolechilla* CHAMBERS, Can. Ent., iv, 91, 131, 1872; Bull. Geol. Surv. Terr., iv, 84, 1878; *dubitella* ZELLER, Hor. Soc. Ent. Ross., 262, 1887.
5852. *reflexella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 212, 1860; Tin. No. Am., 149, 1872; WALSINGHAM, Ins. Life, ii, 151, 1889. Pa.
 syn. *reflexa* CHAMBERS, Bull. Geol. Surv. Terr., iv, 137, 1878.

MACHIMIA Clemens.

CLEMENS, Proc. Acad. Nat. Sci. Phil., 211, 1860; Tin. No. Am., 147, 1872.

5853. *tentoriferella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 212, 1860; Tin. No. Am., 148, 1872; ZELLER, Verh. zool.-bot. Ges. Wien, 238, 1873; CHAMBERS, Bull. Geol. Surv. Terr., iv, 84, 1878. Atl. States.
 syn. *confertella* WALKER, Cat. Brit. Mus., xxix, 563, 1864; WALSINGHAM, Proc. Zool. Soc. Lond., 312, 1881; *fernaldella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 83, 1878.

DEPRESSARIA Haworth.

HAWORTH, Lep. Brit., 505, 1812; CLEMENS, Tin. No. Am., 229, 1872; BUSCK, Proc. U. S. Nat. Mus., xxiv, 731-749, 1902.

5854. *atrodorsella* CLEMENS, Proc. Ent. Soc. Phil., ii, 124, 1863; Tin. No. Am., 230, 1872; PACKARD, Guide Stud. Ins., 349, 1869; CHAMBERS, Can. Ent., iv, 91, 1872; ROBINSON, Ann. Lyce. Nat. Hist. N. Y., ix, 156, 1868; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 233, 1873. Atl. States.
 5855. *umbraticostella* WALSINGHAM, Proc. Zool. Soc. Lond., 318, 1881. Cal. Col.
 *5856. *thoracenigrælla* CHAMBERS, Cinn. Quart. Jn. Sci., ii, 246, 1875. Cal.
 5857. *gracilis* WALSINGHAM, Ins. Life, i, 257, 1899. Tex., Col.

5858. *pulpipennella*, CLEMENS, Proc. Ent. Soc. Phil., ii, 421, 1864; Tin. No. Am., 244, 1872; ROBINSON, Ann. Lyc. Nat. Hist. N. Y., ix, 157, 1868; CHAMBERS, Can. Ent., iv, 91, 1872.
 syn. *eupatoriella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 82, 1878; *solidaginis* WALSINGHAM, Ins. Life, i, 255, 1889.
5859. *arnicella* WALSINGHAM, Proc. Zool. Soc. Lond., 314, 1881. Cal.
5860. *argillacea* WALSINGHAM, Proc. Zool. Soc. Lond., 313, 1881. Cal.
5861. *sanguinella* BUSCK, Proc. U. S. Nat. Mus., xxiv, 739, 1902. Ariz.
5862. *applanata* FABRICIUS, Gen. Ins., 294, 1777; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 3233, 1901; WALSINGHAM, Trans. Am. Ent. Soc., x, 175, 1882.
 syn. *applanella* FISCHER v. RÖSLERSTAMM, *cinctella* HÜBNER, *clemensella* CHAMBERS, Can. Ent., ix, 103, 1877.
5863. *ciliella* STANTON, Cat. Brit. Ins., Tin., 17, 1849; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 3234, 1901; WALSINGHAM, Proc. Zool. Soc. Lond., 316, 1881. Cal., Eur.
5864. *fernaldella* WALSINGHAM, Ins. Life, i, 256, 1889. Mass., Can.
5865. *psoraliella* WALSINGHAM, Proc. Zool. Soc. Lond., 317, 1881. Cal.
5866. *novimundi* WALSINGHAM, Ins. Life, i, 256, 1889. Col., Cal.
- *5867. *thoracefasciella* CHAMBERS, Can. Ent., x, 50, 1878; Cin. Quart. Jn. Sci., ii, 246, 1875. Cal.
5868. *klamathiana* WALSINGHAM, Proc. Zool. Soc. Lond., 314, 1881. Cal.
5869. *ciniflonella* ZELLER, Isis, 280, 1846; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 3221, 1901. B. C., Eur.
5870. *nebulosa* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 237, 1873. Mass.
5871. *fulva* WALSINGHAM, Trans. Am. Ent. Soc., x, 175, 1882. (Unknown.)
5872. *amyrisella* BUSCK, Jn. N. Y. Ent. Soc., viii, 247, 1901. Fla.
5873. *muricolorella* BUSCK, Proc. U. S. Nat. Mus., xxiv, 741, 1902. Col.

5874. *curvilineella* BEUTENMÜLLER, Ent. Amer., v, 10, 1889. N. Y.,
Can.
5875. *senicionella* BUSCK, Proc. U. S. Nat. Mus., xxiv, 742, 1902. D. C.,
Va.
- syn. *seniciella* BUSCK, Proc. U. S. Nat. Mus., xxiv, 743, 1902.
- *5876. *sabulella* WALSINGHAM, Proc. Zool. Soc. Lond., 313, 1881. Cal.
- *5877. *arenella* DENIS & SCHIFFERMÜLLER, Syst. Verz. Wien, 137, 1776; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 3204, 1901. Cal.,
Eur.
- syn. *gilrella* HÜBNER.
5878. *canadensis* BUSCK, Proc. U. S. Nat. Mus., xxiv, 744, 1902. Can.
- *5879. *lythrella* WALSINGHAM, Ins. Life, i, 257, 1889. Ill.
5880. *posticella* WALSINGHAM, Proc. Zool. Soc. Lond., 315, 1881. Cal.,
Col.
5881. *nubiferella* WALSINGHAM, Proc. Zool. Soc. Lond., 316, 1881. Cal.
5882. *robiniella* PACKARD, Guide Stud. Ins., 349, 1869;
CHAMBERS, Can. Ent., iv, 107, 1874; Cin. Quart. Jn. Sci., ii, 208, 1875.
syn. *hilarella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 234, 1873. So. Atl.
States.
5883. *lecontella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 174, 1860; Tin. No. Am., 137, 1872; CHAMBERS, Can. Ent., iv, 146, 1874; ROBINSON, Ann. N. Y. Lyc. Nat. Hist., ix, 157, 1868. N. Y.,
Pa.
5884. *emeritella* STAINTON, Trans. Ent. Soc. Lond., v, 167, 1849; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 3283, 1901; WALSINGHAM, Proc. Zool. Soc. Lond., 318, 1881. Cal.,
Eur.
5885. *togata* WALSINGHAM, Ins. Life, i, 254, 1889. Cal., Oreg.
5886. *betulella* BUSCK, Proc. U. S. Nat. Mus., xxiv, 746, 1902. Pa.
5887. *nervosa* HAWORTH, Lep. Brit., 506, 1829; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 3306, 1901; WALSINGHAM, Proc. Zool. Soc. Lond., 317, 1881.
syn. *apiella* HÜBNER, *dauella* TREITSCHKE. Eur.
5888. *barberella* BUSCK, Proc. U. S. Nat. Mus., xxiv, 747, 1902. Ariz.

5889. *heracliana* DE GEER, Mém. Ins., ii, 407, 1771; ZELLER, Isis, 305, 1839; LINN. Ent., ix, 312, 1854; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 3280, 1901.
 syn. *heraclei* RETZIUS, Gen. Degeerii, 45, 1783; *umbellana* FABRICIUS, Ent. Syst., iii, 286, 1775; *umbellella* ZETTERSTEDT, Ins. Lap., 999, 1840; *pastinacella* DUPONCHEL, Hist. Nat., viii, 153, 1836; *ontariella* BETHUNE, Can. Ent., ii, 3, 19, 1870.
- *5890. *groteella* ROBINSON, Ann. Lyc. Nat. Hist. N. Y., ix, 157, 1868. Atl. States.
5891. *cinereocostella* CLEMENS, Proc. Acad. Nat. Sci. Phil., ii, 422, 1864; TIN. NO. AM., 245, 1872; CHAMBERS, Can. Ent., iv, 91, 1872; ROBINSON, Ann. Lyc. Nat. Hist. N. Y., ix, 155, 1868.
 syn. *elatusella* WALKER, Cat. Brit. Mus., xxix, 564, 1864; WALSINGHAM, Proc. Zool. Soc. Lond., 312, 1881; Ins. Life, i, 255, 1889.
- *5892. *scabella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 236, 1873. Ohio.

SEMIOSCOPSIS Hübner.

- HÜBNER, Verz. bek. Schmett., 402, 1816; *Enicostoma* STEPHENS, Cat. Brit. Ins., 296, 1829; *Epigraphia* STEPHENS, Cat. Brit. Ins., 304, 1829.
5893. *packardella* CLEMENS, Proc. Ent. Soc. Phil., ii, 125, 1863; TIN. NO. AM., 231, 1872; WALSINGHAM, Trans. Am. Ent. Soc., x, 174, 1882.
 syn. *eruditella* GROTE, No. Am. Ent., i, 53, 1880.
5894. *allenella* WALSINGHAM, Trans. Am. Ent. Soc., x, 174, 1882. No. Atl. States.
- *5895. *inornata* WALSINGHAM, Trans. Am. Ent. Soc., x, 174, 1882. (Unknown.)

ETHMIA Hübner.

- HÜBNER, Verz. bek. Schmett., 163, 1816; WALSINGHAM, Proc. Zool. Soc. Lond., 88, 1897; *Psecadia* HÜBNER, Verz. bek. Schmett., 412, 1816.
5896. *albicostella* BEUTENMÜLLER, Ent. Amer., v, 9, 1889. Col.
5897. *albistrigella* WALSINGHAM, Proc. Zool. Soc. Lond., 89, 1880. Cal., Col.
5898. *arctostaphylella* WALSINGHAM, Proc. Zool. Soc. Lond., 88, 1880. Cal.
5899. *discostrigella* CHAMBERS, Bull. Geol. Surv. Terr., iii, 122, 144, 1877; WALSINGHAM, Ins. Life, i, 149, 1888. Rocky Mts.

5900. *subcærulea* WALSINGHAM, Proc. Zool. Soc. Lond., 89, 1880. Cal.
5901. *hagenella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 80, 1878. Tex.
5902. *apicipunctella* CHAMBERS, Can. Ent., vii, 8, 1875. Tex.
5903. *marmorea* WALSINGHAM, Ins. Life, i, 149, 1888. Rocky Mts., Oreg.
5904. *mirusella* CHAMBERS, Can. Ent., vi, 233, 1874; Bull. Geol. Surv. Terr., iii, 121, 141, 1877. Tex.
5905. *monticola* WALSINGHAM, Proc. Zool. Soc. Lond., 87, 1880. Col.
5906. *obscurella* BEUTENMÜLLER, Ent. Amer., iv, 129, 1888. Cal.
5907. *semilugens* ZELLER, Verh. zool.-bot. Ges. Wien, xxii, 561, 1872; CHAMBERS, Cin. Quart. Jn. Sci., ii, 258, 1875.
syn. *multipunctella* CHAMBERS, Can. Ent., vi, 233, 1874. Tex.
5908. *semiopaca* GROTE, Bull. U. S. Geol. Surv., vi, 275, 1881. Ariz., Col.
5909. *plumbeella* BEUTENMÜLLER, Ent. Amer., v, 9, 1889. Tex.
- *5910. *chambersella* DYAR.
syn. *teranella* CHAMBERS (not CHAMBERS), Jn. Cin. Soc. Nat. Hist., ii, 179, 1880; WALSINGHAM, Ins. Life, i, 149, 1888. Tex.
- *5911. *trifurcella* CHAMBERS, Can. Ent., v, 12, 1873; Bull. Geol. Surv. Terr., iv, 80, 1878. Ky.
5912. *longimaculella* CHAMBERS, Can. Ent., iv, 43, 1872.
syn. *walsinghamella* BEUTENMÜLLER, Ent. Amer., v, 9, 1889. Ky., W. Va.
5913. *zelleriella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 80, 1878.
syn. *texanella* CHAMBERS, Jn. Cin. Soc. Nat. Hist., ii, 2, 1880; WALSINGHAM, Ins. Life, i, 149, 1888. Tex.
5914. *fuscipedella* WALSINGHAM, Ins. Life, i, 150, 1888. N. C., Iowa.
5915. *confusella* WALKER, Cat. Brit. Mus., xxviii, 531, 1863; WALSINGHAM, Proc. Zool. Soc. Lond., 88, 1897. Fla., Antilles.

TRICLONELLA Busck.

BUSCK, Jn. N. Y. Ent. Soc., viii, 236, 1901.

5916. **pergandeella** BUSCK, Jn. N. Y. Ent. Soc., viii, 237, 1901. D. C.
 5917. **villella** BUSCK, Jn. N. Y. Ent. Soc., viii, 238, 1901. Md.

EUCLEMENSIA Grote.

GROTE, Can. Ent., x, 69, 1878; *Hanadryas* CLEMENS (not HÜBNER), Tin. No. Am., 245, 1872.

5918. **bassettella** CLEMENS, Proc. Ent. Soc. Phil., ii, 423, 1864; Tin. No. Am., 246, 1872; CHAMBERS, Can. Ent., x, 53, 1878; vi, 231, 1874; Cin. Quart. Jn. Sci., ii, 115, 1875. Atl. States.
 5919. **schwarzella** BUSCK, Jn. N. Y. Ent. Soc., viii, 239, 1901. Ariz.

EPICALLIMA Dyar.

Callima CLEMENS (not *Kallima* WESTWOOD), Proc. Acad. Nat. Sci. Phil., 166, 1860.

5920. **argenticinctella** CLEMENS, Proc. Acad. Nat. Sci. Phil., 167, 1860; Tin. No. Am., 12, 46, 123, 1872; CHAMBERS, Can. Ent., v, 188, 1873; Cin. Quart. Jn. Sci., ii, 114, 1875. Atl. States.

ŒCOPHORA Latreille.

LATREILLE, Gen. Crust. Ins., iv, 222, 1796.

- *5921. **boreasella** CHAMBERS, Can. Ent., v, 189, 1873; Cin. Quart. Jn. Sci., ii, 114, 292, 1875; Bull. Geol. Surv. Terr., iii, 129, 141, 1877. Ky.
 *5922. **borkhausenii** ZELLER, Isis, 192, 1839; Verh. zool.-bot. Ges. Wien, xxiii, 290, 1873; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 3384, 1901. Eur., D. C.
 *5923. **coloradella** WALSINGHAM, Ins. Life, i, 148, 1888. Col.
 *5924. **determinatella** ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 289, 1873.
 syn. *australisella* CHAMBERS, Can. Ent., vii, 124, 1875; ix, 24, 1877; Cin. Quart. Jn. Sci., ii, 114, 1875.
 *5925. **dimidiella** WALSINGHAM, Ins. Life, i, 148, 1888. Col., Cal.
 5926. **pseudospretella** STAINTON, Cat. Brit. Ins., Tin., 14, 1849; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 3358, 1901; WALSINGHAM, Ins. Life, i, 149, 1888. Eur., Pac. States.

- *5927. *quadrimaculella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 292, 1875; Bull. Geol. Surv. Terr., iii, 129, 1877. Col.
- *5928. *shalleriella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 114, 1875. Ky.
- *5929. *thoracella* WALSINGHAM, Ins. Life, i, 147, 1888. Col.
- *5930. *constrictella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 291, 1873. Tex.

CHAMBERSIA Riley.

RILEY, Smith's List Lep. Bor. Am., 103, 1891; *Blepharocera* CHAMBERS (not BLANCHARD), Bull. Geol. Surv. Terr., iii, 144, 1877.

- *5931. *haydenella* CHAMBERS, Bull. Geol. Surv. Terr., iii, 145, 1877. Col.

DASYCERA Haworth.

HAWORTH, Lep. Brit., 524, 1829; STEPHENS, Cat. Brit. Ins., 297, 1829; CLEMENS, Proc. Ent. Soc. Phil., ii, 428, 1864.

- *5932. *newmanella* CLEMENS, Proc. Ent. Soc. Phil., ii, 428, 1864; Tin. No. Am., 252, 1872; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 289, 1873. Va.

- *5933. *nonstrigella* CHAMBERS, Bull. Geol. Surv., iv, 92, 1878. Ky.

BABAIAXA Busck.

Busck, Jn. N. Y. Ent. Soc., x, 95, 1902.

5935. *delliella* FERNALD, Can. Ent., xxiii, 29, 1891. Tex.

Family BLASTOBASIDÆ.

PLOIOPHORA Dietz.

DIETZ, Trans. Am. Ent. Soc., xxvii, 102, 1900.

5936. *ampla* DIETZ, Trans. Am. Ent. Soc., xxvii, 103, 1900. Pa.

5937. *fidella* DIETZ, Trans. Am. Ent. Soc., xxvii, 103, 1900. Pa.

PIGRITIA Clemens.

CLEMENS, Proc. Acad. Nat. Sci. Phil., 172, 1860; DIETZ, Trans. Am. Ent. Soc., xxvii, 104, 1900.

5938. *confusella* DIETZ, Trans. Am. Ent. Soc., xxvii, 104, 1900. Pa., N. J.

- *5939. *purpurella* DIETZ, Trans. Am. Ent. Soc., xxvii, 105, 1900. Atl. States.

- *5940. *basilarella* DIETZ, Trans. Am. Ent. Soc., xxvii, 105, 1900. Atl. States.

5941. *laticapitella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 173, 1860; Tin. No. Am., 41, 136, 1872; WALSHINGHAM, Trans. Am. Ent. Soc., x, 190, 1882; DIETZ, Trans. Am. Ent. Soc., xxvii, 106, 1900.
 syn. *aufugella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 300, 1873; *aufugella* DIETZ, Trans. Am. Ent. Soc., xxvii, 119, 1900; *Inteopulvella* CHAMBERS, Can. Ent., vii, 73, 1875.
5942. *mediofasciella* DIETZ, Trans. Am. Ent. Soc., xxvii, 107, 1900. Pa.
5943. *ornatella* DIETZ, Trans. Am. Ent. Soc., xxvii, 107, 1900. Pa.
5944. *angustipennella* DIETZ, Trans. Am. Ent. Soc., xxvii, 108, 1900. Pa.
5945. *tristella* DIETZ, Trans. Am. Ent. Soc., xxvii, 108, 1900. Pa.
5946. *spoliatella* DIETZ, Trans. Am. Ent. Soc., xxvii, 110, 1900. Pa.
- *5947. *arizonella* DIETZ, Trans. Am. Ent. Soc., xxvii, 109, 1900. Ariz.
5948. *obscurella* DIETZ, Trans. Am. Ent. Soc., xxvii, 110, 1900. Pa.

EPIGRITIA Dietz.

DIETZ, Trans. Am. Ent. Soc., xxvii, 110, 1900.

5949. *pallidotinctella* DIETZ, Trans. Am. Ent. Soc., xxvii, 111, 1900. Pa.
5950. *heidemannella* DIETZ, Trans. Am. Ent. Soc., xxvii, 111, 1900. Pa.

DRYOPE Chambers.

CHAMBERS, Can. Ent., vi, 49, 1874; DIETZ, Trans. Am. Ent. Soc., xxvii, 114, 1900.

- *5951. *occidentella* DIETZ, Trans. Am. Ent. Soc., xxvii, 115, 1900. Cal.
- *5952. *tenebrella* DIETZ, Trans. Am. Ent. Soc., xxvii, 116, 1900. Pa.
- *5953. *minnicella* DIETZ, Trans. Am. Ent. Soc., xxvii, 116, 1900. Ga.
5954. *grisella* DIETZ, Trans. Am. Ent. Soc., xxvii, 116, 1900. Pa., Mo., S. Dak.
- *5955. *fuscosuffusella* DIETZ, Trans. Am. Ent. Soc., xxvii, 117, 1900. Mo.

5956. *ochrocomella* CLEMENS, Proc. Ent. Soc. Phil., ii, 126, 1864; Tin. No. Am., 232, 1872; DIETZ, Trans. Am. Ent. Soc., xxvii, 117, 1900.
syn. *murfeldtella* CHAMBERS, Can. Ent., vi, 50, 1874; *ochrocomella* DIETZ.
- *5957. *canariella* DIETZ, Trans. Am. Ent. Soc., xxvii, 118, 1900. Cal.
- *5958. *discopunctella* DIETZ, Trans. Am. Ent. Soc., xxvii, 118, 1900. Pa.
- *5959. *ochreella* CLEMENS, Proc. Ent. Soc. Phil., ii, 126, 1864; Tin. No. Am., 232, 1872; DIETZ, Trans. Am. Ent. Soc., xxvii, 118, 1900. Atl. States.
- *5960. *fenesella* DIETZ, Trans. Am. Ent. Soc., xxvii, 119, 1900. Cal.

PSEUDOPIGRITIA Dietz.

- DIETZ, Trans. Am. Ent. Soc., xxvii, 112, 1900.
5961. *dorsomaculella* DIETZ, Trans. Am. Ent. Soc., xxvii, 112, 1900. Pa.
5962. *equitella* DIETZ, Trans. Am. Ent. Soc., xxvii, 112, 1900. Pa.
- *5963. *fraternella* DIETZ, Trans. Am. Ent. Soc., xxvii, 113, 1900. Pa.
- *5964. *argyreella* DIETZ, Trans. Am. Ent. Soc., xxvii, 113, 1900. Pa.

HYPATIMA Hübner.

- HÜBNER, Verz. bek. Schmett., 415, 1816.
- *5965. *subsenella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 302, 1873. Tex.
- *5966. *confectella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 303, 1873. Tex.

BLASTOBASIS Zeller.

- ZELLER, Linn. Ent., x, 171, 1855; Verh. zool.-bot. Ges. Wien, xxiii, 295, 1873;
WALSINGHAM, Proc. Zool. Soc. Lond., 91, 1897.
5967. *guilandinæ* BUSCK, Proc. U. S. Nat. Mus., xxiii, 234, 1900. Fla.
- *5968. *sciaphiella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 295, 1873; CHAMBERS, Can. Ent., ix, 71, 1877; BUSCK, Jn. N. Y. Ent. Soc., x, 96, 1902. Tex.
- *5969. *subtractella* WALKER, Cat. Brit. Mus., xxix, 592, 1864. Nova Scotia.

HOLCOCERA Clemens.

CLEMENS, Proc. Ent. Soc. Phil., ii, 121, 1863.

5970. *chalcocfrontella* CLEMENS, Proc. Ent. Soc. Phil., ii, 122, 1863; Tin. No. Am., 226, 1872; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 95, 1873; CHAMBERS, Can. Ent., iv, 65, 1872; vi, 246, 1874; Cin. Quart. Jn. Sci., ii, 256, 1875. Atl. States.
- *5971. *fluxella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 301, 1873. Tex.
5972. *gigantella* CHAMBERS, Can. Ent., viii, 219, 1876; Bull. Geol. Surv. Terr., iii, 149, 1877. Col.
- *5973. *gilbociliella* CLEMENS, Proc. Ent. Soc. Phil., ii, 122, 1863; Tin. No. Am., 227, 1872; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 95, 1873. Atl. States.
5974. *iceryælla* RILEY, Rept. Comm. Agr., 1886, 485, 1887. Australia.
- *5975. *modestella* CLEMENS, Proc. Ent. Soc. Phil., ii, 122, 1863; Tin. No. Am., 229, 1872. Atl. States.
- *5976. *purpurocomella* CLEMENS, Proc. Ent. Soc. Phil., ii, 122, 1863; Tin. No. Am., 229, 1872. Atl. States.
5977. *quisquiliella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 298, 1873. Tex.
- *5978. *rerectella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 297, 1873. Tex.
5979. *glandulella* RILEY, Can. Ent., iii, 18, 1871; iv, 17, 38, 62, 65, 1872; Rep. Ins. Mo., iv, 144, 1871; CHAMBERS, Cin. Quart. Jn. Sci., ii, 256, 1875. Atl. States.
- *5980. *nubilella* ZELLER, Verh. zool. bot. Ges. Wien, xxiii, 297, 1873; xxv, 345, 1875; WALSINGHAM, Trans. Am. Ent. Soc., x, 191, 1882. Tex.
- *5981. *triangularisella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 256, 1875; Can. Ent., ix, 71, 1877. Ky.
- *5982. *livorella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 299, 1873.
syn. *livolella* RILEY, Smith's List Lep. Bor. Am., 104, 1891. Tex.
- *5983. *fuscopulvella* CHAMBERS, Bull. U. S. Geol. Surv., iv, 132, 1878 (not described).^a (Unknown.)
- *5984. *fractilinea* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 298, 1873. Tex.

^a Chambers credits Clemens with this species, but I have not found it in his writings.

- *5985. *clemensella* CHAMBERS, Can. Ent., vi, 246, 1874. Tex.
 5986. *maligemmella* MURTFELDT, Mo. Agr. Exp. Sta., Bull. 42, 1898; STEDMAN, Can. Ent., xxx, 109, 1898; BUSCK, Jn. N. Y. Ent. Soc., x, 96, 1902. Mo., Kans.

Family ELACHISTIDÆ.

COLEOPHORA Hübner.

HÜBNER, Tent., 1806; CLEMENS, Tin. No. Am., 210, 1872.

- *5989. *accordella* WALSINGHAM, Trans. Ent. Soc. Lond., 436, 1882. Cal.
 *5990. *aeneusella* CHAMBERS, Can. Ent., vi, 128, 1874. Ky.
 syn. *aenusella* RILEY, Smith's List Lep. Bor. Am., 105, 1891; *aenusella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 135, 1878.
 *5991. *acutipennella* WALSINGHAM, Trans. Ent. Soc. Lond., 440, 1882. Cal.
 *5992. *albacostella* CHAMBERS, Can. Ent., vii, 95, 1875; Bull. Geol. Surv. Terr., iv, 93, 1878. Tex.
 *5993. *argentialbella* CHAMBERS, Can. Ent., vi, 128, 1874; x, 112, 1878. Ky.
 *5994. *chambersella* DYAR.
 syn. *artemisicolella* CHAMBERS (not BRUAND), Bull. Geol. Surv. Terr., iii, 133, 144, 1877.
 5995. *atriciplicivora* COCKERELL, Ann. Mag. Nat. Hist., (7), ii, 403, 1898. N. Mex.
 5996. *europurpurella* CHAMBERS, Can. Ent., vi, 130, 1874. Can.
 *5997. *basistrigella* CHAMBERS, Bull. Geol. Surv. Terr., iii, 133, 1877. Col.
 5998. *bella* WALSINGHAM, Trans. Ent. Soc. Lond., 439, 1882. Cal.
 *5999. *biminimaculella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 94, 1878. Tex.
 *6000. *bipunctella* WALSINGHAM, Trans. Ent. Soc. Lond., 440, 1882. Tex.
 6001. *bistrigella* CHAMBERS, Can. Ent., vii, 75, 1875; ix, 14, 72, 1877; x, 112, 1878; Jn. Cin. Soc. Nat. Hist., ii, 7, 1880; Bull. Geol. Surv. Terr., iii, 133, 1877. Tex., Col.
 *6002. *cœnosipennella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 5, 1860; Tin. No. Am., 88, 1872. Pa.

6003. *caryæfoliella* CLEMENS, Proc. Ent. Soc. Phil., i, 78, 1861; Tin. No. Am., 166, 1872; CHAMBERS, Can. Ent., x, 112, 1878.
 syn. *rufoluteella* CHAMBERS, Can. Ent., vi, 129, 1874.
- *6004. *castipennella* WALSINGHAM, Trans. Ent. Soc. Lond., 441, 1882. Cal.
- *6005. *cerasivorella* PACKARD, Seventeenth Ann. Rept. Mass. Bd. Agr., 239, 1870. Mass.
6006. *cæspititiella* ZELLER, Isis, 208, 1839; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 3845, 1901.
 syn. *sternipennella* ZETTERSTEDT, *lacunaeocella* DUPONCHEL, *cilirochrella* CHAMBERS, Can. Ent., vi, 129, 1874; *cispiticella* HULST, Ent. Amer., vi, 40, 1890; *cæspititiella* RILEY, Smith's List Lep. Bor. Am., 105, 1891. Eur., Ky.
6007. *cinerella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 93, 1878. Ky.
- *6008. *concolorella* CLEMENS, Proc. Ent. Soc. Phil., ii, 6, 1863; Tin. No. Am., 211, 1872; CHAMBERS, Can. Ent., vi, 129, 1874. Pa.
6009. *cornella* WALSINGHAM, Trans. Ent. Soc. Lond., 432, 1882. Cal.
6010. *spissicornis* HAWORTH, Lep. Brit., 537, 1829; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 3680, 1901.
 syn. *fabriciella* VILLIERS, *matyrella* ZELLER, *trochilipennella* COSTA, *corruscipennella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 4, 1860; Tin. No. Am., 88, 1872; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 311, 1873. Atl. States, Eur.
- *6011. *corylifoliella* CLEMENS, Proc. Ent. Soc. Phil., i, 79, 1863; Tin. No. Am., 166, 1872. Pa.
- *6012. *eratipennella* CLEMENS, Proc. Ent. Soc. Phil., iii, 506, 1864; Tin. No. Am., 258, 1872. Pa.
- *6013. *cretaticostella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 5, 1860; Tin. No. Am., 89, 1872; CHAMBERS, Can. Ent., vii, 124, 1875. Pa.
- *6014. *currucipennella* ZELLER, Isis, 207, 1839; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 3791, 1901; WALSINGHAM, Trans. Ent. Soc. Lond., 430, 1882.
 syn. *tristrigella* HEINEMANN & WOCKE. Eur., Atl. States.
- *6015. *discostriata* WALSINGHAM, Trans. Ent. Soc. Lond., 435, 1882. Cal.

- *6016. *fletcherella* FERNALD, Can. Ent., xxiv, 122, 1892; Can.
 FLETCHER, Rept. Exp. Farms, 1891, 196, 1892;
 SLINGERLAND, Bull. 92, Corn. Exp. Sta., 1895.
6017. *fagicosticella* CHAMBERS, Can. Ent., vi, 129, 1874; Ky.
 x, 111, 1878.
 syn. *fagicorticella* CHAMBERS, Bull. Geol. Surv., iv, 135, 1878; *fragicorticella* RILEY,
 Smith's List Lep. Bor. Am., 106, 1891.
- *6018. *fuscostrigella* CHAMBERS, Bull. Geol. Surv., iv, Tex.
 93, 1878.
6019. *gigantella* CHAMBERS, Can. Ent., vi, 128, 1874; Can.
 x, 110, 1878.
6020. *glaucella* WALSINGHAM, Trans. Ent. Soc. Lond., Cal.
 433, 1882.
- *6021. *infuscatella* CLEMENS, Proc. Acad. Nat. Sci. Phil., Pa.
 5, 1860; Tin. No. Am., 89, 1872.
- *6022. *inornatella* CHAMBERS, Jn. Cin. Soc. Nat. Hist., Tex.
 ii, 185, 1879.
- *6023. *irroratella* WALSINGHAM, Trans. Ent. Soc. Cal.
 Lond., 434, 1882.
- *6024. *laricella* HÜBNER, Schm. Eur., 427, 1827; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 3633, 1901.
 Eur., U. S.?
 syn. *laricinella* RATZEBURG.
- *6025. *laticornella* CLEMENS, Proc. Acad. Nat. Sci. Phil., Pa.
 5, 1860; Tin. No. Am., 88, 1872.
- *6026. *leucochrysella* CLEMENS, Proc. Ent. Soc. Phil., Pa.
 ii, 6, 1863; Tin. No. Am., 211, 1872; WALSINGHAM, Trans. Am. Ent. Soc., x, 194, 1882.
- *6027. *lineapulvella* CHAMBERS, Can. Ent., x, 111, 1878. Ky.
6028. *lynosyridella* WALSINGHAM, Trans. Ent. Soc. Lond., 437, 1882. Cal.
6029. *luteocostella* CHAMBERS, Cin. Quart. Jn. Sci., ii, Col.
 294, 1875; Bull. Geol. Surv. Terr., iii, 133, 1877.
 syn. *argentella* CHAMBERS, Can. Ent., x, 112, 1878; *argentialbella* CHAMBERS (not CHAMBERS), Can. Ent., vii, 75, 1875; Bull. Geol. Surv. Terr., iii, 133, 1877.
6030. *malivorella* RILEY, Rept. Comm. Agr., 48, 1878; Atl. States.
 WALSINGHAM, Trans. Am. Ent. Soc., x, 194, 1882.
 syn. *multipulvella* CHAMBERS, Bull. U. S. Geol. Surv. Terr., iv, 93, 1878.

- *6031. *nigralineella* CHAMBERS, Can. Ent., viii, 172, 1876. Ky.
 syn. *nigerlinella* CHAMBERS, Bull. Geol. Surv., iv, 136, 1878.
6032. *nigrostriata* WALSINGHAM, Trans. Ent. Soc. Lond., 438, 1882. Oreg.
- *6033. *ochrella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 94, 1878. Ky.
- *6034. *pruniella* CLEMENS, Proc. Ent. Soc. Phil., i, 79, 1861; Tin. No. Am., 167, 1872; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 309, 1873. Atl. States.
 syn. *occidentis* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 309, 1873; *occidentalis* RILEY, Smith's List Lep. Bor. Am., 106, 1891.
6035. *ochrostriata* WALSINGHAM, Trans. Ent. Soc. Lond., 437, 1882. Cal.
6036. *octagonella* WALSINGHAM, Trans. Ent. Soc. Lond., 431, 1882. Fla.
- *6037. *ostryæ* CLEMENS, Proc. Ent. Soc. Phil., i, 79, 1861; Tin. No. Am., 167, 1872. Atl. States.
6038. *portulacæ* COCKERELL, Ann. Mag. Nat. Hist., (7), ii, 328, 1898. N. Mex.
- *6039. *quadrilineella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 94, 1878. Ky.
- *6040. *querciella* CLEMENS, Proc. Ent. Soc. Phil., i, 80, 1861; Tin. No. Am., 168, 1872. Pa.
- *6041. *rosacella* CLEMENS, Proc. Ent. Soc. Phil., ii, 426, 1864; Tin. No. Am., 251, 1872; PACKARD, Guide Stud. Ins., 350, 1869. Pa.
- *6042. *rosæfoliella* CLEMENS, Proc. Ent. Soc. Phil., ii, 426, 1864; Tin. No. Am., 250, 1872; PACKARD, Guide Stud. Ins., 350, 1869. Atl. States.
- *6043. *shaleriella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 116, 1875. Ky.
- *6044. *sparsipulvella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 294, 1875; Bull. Geol. Surv. Terr., iii, 133, 1877. Col.
6045. *suædicola* COCKERELL, Ann. Mag. Nat. Hist., (7), ii, 403, 1898. N. Mex.
- *6046. *tenuis* WALSINGHAM, Trans. Ent. Soc. Lond., 436, 1882. Cal.
- *6047. *texanella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 93, 1878. Tex.

- *6048. *tiliaefoliella* CLEMENS, Proc. Ent. Soc. Phil., i, 79, 1861; Tin. No. Am., 168, 1872. Pa.
6049. *trilineella* CHAMBERS, Can. Ent., vii, 95, 1875. Ky.
- *6050. *unicolorella* CHAMBERS, Can. Ent., vi, 129, 1874; x, 111, 1878. Ky.
- *6051. *veroniælla* CHAMBERS, Can. Ent., x, 114, 1878. Ky., Mo.
- *6052. *viburnella* CLEMENS, Proc. Ent. Soc. Phil., i, 79, 1861; Tin. No. Am., 167, 1872. Pa.
- *6053. *viridicuprella* WALSINGHAM, Trans. Ent. Soc. Lond., 432, 1882. Cal., Oreg.
6054. *viscidiflorella* WALSINGHAM, Trans. Ent. Soc. Lond., 439, 1882. Cal.
- *6055. *wythiae* WALSINGHAM, Trans. Ent. Soc. Lond., 434, 1882. Cal.
- *6056. *zelleriella* CHAMBERS, Can. Ent., vi, 128, 1874. Ky.

COLEOTECHNISTES Chambers.

CHAMBERS, Rept. Dept. Agr., 206, 1879.

6057. *citriella* CHAMBERS, Rept. Dept. Agr., 206, 1879. Fla.

BATRACHETRA Stainton.

STAINTON, Ins. Brit., Tin., iii, 230, 1854; CLEMENS, Tin. No. Am., 264, 1872.

- *6058. *præangusta* HAWORTH, Ins. Brit., iii, 230, 1854; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 3460, 1901; CHAMBERS, Bull. Geol. Surv. Terr., iii, 134, 1877; Can. Ent., ix, 145, 1877. Eur.
6059. *rileyi* WALSINGHAM, Trans. Am. Ent. Soc., x, 198, 1882. Gulf States.
6060. *salicipomonella* CLEMENS, Proc. Ent. Soc. Phil., v, 142, 1867; vi, 273, 1868; Tin. No. Am., 265, 1872; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 313, 1873; PACKARD, Guide Stud. Ins., 352, 1869; CHAMBERS, Can. Ent., ix, 145, 1877. Atl. States.
6060. 1. *striolata* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 313, 1873. Tex.
- syn. *pulrella* CHAMBERS, Can. Ent., viii, 171, 1876; *clemensella* CHAMBERS, Bull. Geol. Surv. Terr., iii, 134, 1877; Can. Ent., ix, 146, 1877.

COSMOPTERYX Hübner.

HÜBNER, Verz. bek. Schmett., 424, 1816; CLEMENS, Tin. No. Am., 99, 1872.

- *6061. *chalybæella* WALSINGHAM, Ins. Life, i, 289, 1889. Tex.

- *6062. *clemensella* STAINTON, Tin. No. Am., 39, 100, 1872; Ent. Week. Int., ix, 31, 1860; FREY & BOLL, Stett. ent. Zeit., xxxvii, 214, 1876. Pa.?
- *6063. *delicatella* WALSINGHAM, Ins. Life, i, 290, 1889. N. C.
- *6064. *fernaldella* WALSINGHAM, Trans. Am. Ent. Soc., (Unknown.) x, 197, 1882.
6065. *floridanella* BEUTENMÜLLER, Ent. Amer., v, 10, 1889. Fla.
syn. *nigrapunctella* BUSCK, Proc. U. S. Nat. Mus., xxiii, 235, 1900.
6066. *gemmaferella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 10, 1860; Tin. No. Am., 99, 1872; CHAMBERS, Cin. Quart. Jn. Sci., ii, 231, 1875; FREY & BOLL, Stett. ent. Zeit., xxxvii, 214, 1876; WALSINGHAM, Proc. Zool. Soc. Lond., 536, 1891. Atl. States.
6067. *ipomœæ* BUSCK, Proc. U. S. Nat. Mus., xxiii, 235, 1900; DYAR, Proc. Ent. Soc. Wash., iv, 478, 1901. Fla.
6068. *attenuatella* WALKER, Cat. Brit. Mus., xxx, 1019, 1864; WALSINGHAM, Proc. Zool. Soc. Lond., 105, 1897. So. States.
syn. *lespedezæ* WALSINGHAM, Trans. Am. Ent. Soc., x, 198, 1882; Proc. Zool. Soc. Lond., 536, 1891.
6069. *minutella* BEUTENMÜLLER, Ent. Amer., v, 10, 1889. Fla.
- *6070. *montisella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 297, 1875; Bull. Geol. Surv. Terr., iii, 124, 1877. Col.
- *6071. *nitens* WALSINGHAM, Ins. Life, i, 289, 1889. Tex.
6072. *pulcherrimella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 231, 1875; WALSINGHAM, Ins. Life, i, 289, 1889. Ky.
- *6073. *quadrilineella* CHAMBERS, Bull. Geol. Sur. Terr., iv, 95, 1878; WALSINGHAM, Ins. Life, i, 290, 1889. Tex.
- *6074. *unicolorella* WALSINGHAM, Ins. Life, i, 291, 1889. Cal.

SCELORTHUS Busck.

BUSCK, Jn. N. Y. Ent. Soc., viii, 239, 1901.

6075. *pisoniella* BUSCK, Jn. N. Y. Ent. Soc., viii, 240, 1901. Fla.

ELACHISTA Treitschke.

TREITSCHKE, Schm. Eur., ix, 2, 177, 1833; CLEMENS, Tin. No. Am., 255, 1872; *Cosmoites* CLEMENS, Proc. Acad. Nat. Sci. Phil., 8, 1860.

- *6076. *albopalpella* CHAMBERS, Jn. Cin. Soc. Nat. Hist., iii, 294, 1880. Mass.

- *6077. *duplicatella* DYAR. Tex.
syn. *bicristatella* CHAMBERS (not CHAMBERS),
Jn. Cin. Soc. Nat. Hist., ii, 187, 1879.
- *6078. *brachyelytrifoliella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 425, 1860; Tin. No. Am., 248, 1872. Pa.
- 6079. *concolorella* CHAMBERS, Can. Ent., vii, 55, 1875. Ky.
- *6080. *cristatella* CHAMBERS, Can. Ent., viii, 172, 1876. Ky.
- *6081. *illicitella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 9, 1860; Tin. No. Am., 98, 1872; CHAMBERS, Bull. Geol. Surv. Terr., iv, 139, 1878. Pa.
- *6082. *inornatella* CHAMBERS, Can. Ent., vii, 93, 1875. Ky.
- *6083. *maculosella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 9, 1860; Tin. No. Am., 98, 1872; CHAMBERS, Bull. Geol. Surv., iv, 139, 1878. Pa.
- *6084. *madarella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 9, 1860; Tin. No. Am., 98, 1872; CHAMBERS, Bull. Geol. Surv. Terr., iv, 139, 1878. Pa.
- *6085. *metallifera* WALSINGHAM, Trans. Am. Ent. Soc., x, 200, 1882. Mass.?
- *6086. *orichalecella* CLEMENS, Proc. Ent. Soc. Phil., ii, 430, 1864; Tin. No. Am., 256, 1872; PACKARD, Guide Stud. Ins., 352, 1869. Pa.
- 6087. *parvipulvella* CHAMBERS, Can. Ent., vii, 56, 1875. Ky.
- 6088. *præmaturella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 172, 1860; Tin. No. Am., 133, 1872; CHAMBERS, Can. Ent., vi, 76, 1874; Bull. Geol. Surv. Terr., iii, 143, 1877. Pa.
- *6089. *pusilla* FREY & BOLL, Stett. ent. Zeit., xxxvii, 215, 1876. Tex.
- *6090. *stantonella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 96, 1878. Tex.
- *6091. *texanella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 96, 1878. Tex.
- *6092. *texanica* FREY & BOLL, Stett. ent. Zeit., xxxvii, 216, 1876. Tex.
- *6093. *unifasciella* CHAMBERS, Can. Ent., vii, 147, 1875. Ky.?
- *6094. *bicristatella* CHAMBERS, Can. Ent., vii, 210, 1875. Ky.
- *6095. *curvilineella* CHAMBERS, Can. Ent., iv, 172, 1872. Ky.

LYMNÆCIA Stainton.

STAINTON, Cat. Brit. Tin., suppl., 4, 1851.

6096. **phragmitiella** STAINTON, Cat. Brit. Tin., suppl., 4, 1851; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 3592, 1901; MEYRICK, Hand. Brit. Lep., 675, 1895; BUSCK, Proc. Ent. Soc. Wash., iv, 421, 1901.
- Atl.
States,
Eur.

LITHARIAPTERYX Chambers.

CHAMBERS, Can. Ent., viii, 217, 1876; Jn. Cin. Soc. Nat. Hist., ii, 203, 1880.

6097. **abroniælla** CHAMBERS, Can. Ent., viii, 217, 1876; Bull. Geol. Surv. Terr., iii, 124, 149, 1877; DYAR, Proc. U. S. Nat. Mus., xxv, 410, 1902.
- Col.

LAMPROLOPHUS Busck.

BUSCK, Jn. N. Y. Ent. Soc., viii, 241, 1900.

6098. **lithella** BUSCK, Jn. N. Y. Ent. Soc., viii, 241, 1900.
- Fla.

HELIODINES Stainton.

STAINTON, Ins. Brit. Lep., 243, 1854; WALSINGHAM, Ins. Life, iv, 384, 1892; Proc. Zool. Soc. Lond., 108, 1897.

6099. **bella** CHAMBERS, Can. Ent., vii, 73, 1875; ix, 72, 1877; Bull. Geol. Surv. Terr., iii, 114, 1877; WAL-
SINGHAM, Ins. Life, iv, 384, 1892.
- Ky.,
Tex., Col.,
Cal.
- *6100. **extraneella** WALSINGHAM, Proc. Zool. Soc. Lond., 323, 1881; Ins. Life, iv, 385, 1892.
- Cal.
- *6101. **sexpunctella** WALSINGHAM, Ins. Life, iv, 385, 1892.
- Ariz.
- *6102. **tripunctella** WALSINGHAM, Ins. Life, iv, 384, 1892.
- Tex.
- *6103. **unipunctella** WALSINGHAM, Ins. Life, iv, 385, 1892.
- Cal.

SCYTHRIS Hübner.

HÜBNER, Verz. bek. Schmett., 414, 1816; MEYRICK, Handb. Brit. Lep., 685, 1895;
Galanthia HÜBNER, Verz. bek. Schmett., 417, 1816; *Butalis* TREITSCHKE, Schm. Eur., ix, 2, 108, 1833.

6104. **albapennella** CHAMBERS, Can. Ent., vii, 11, 1875.
- Tex.
6105. **albilineata** WALSINGHAM, Ins. Life, i, 116, 1888.
- Ariz.
- *6106. **atterrimella** WALKER, Cat. Brit. Mus., xxix, 590, 1864.
- Can.

6107. **basilaris** ZELLER, Linn. Ent., x, 230, 1855; STANTON, Tin. No. Am., 40, 1872; WALSINGHAM, Ins. Life, i, 114, 1888.
 syn. *flavifrontella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 169, 1860; Tin. No. Am., 126, 1872; CHAMBERS, Can. Ent., vi, 8, 1874; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 292, 1873.
6108. **eboracensis** ZELLER, Linn. Ent., x, 205, 1855; Verh. zool.-bot. Ges. Wien, xxiii, 294, 1873. N. Y., Tex.
- *6109. **fuscicomella** CLEMENS, Proc. Acad. Nat. Sci. Phil., 169, 1860; Tin. No. Am., 126, 1872; CHAMBERS, Can. Ent., vi, 8, 1874; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 292, 1873. Pa.
6110. **impositella** ZELLER, Linn. Ent., x, 241, 1855; WALSINGHAM, Ins. Life, i, 113, 1888. Atl. States.
- syn. *matutella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 169, 1860; Tin. No. Am., 40, 127, 1872; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 292, 1873; WALSINGHAM, Ins. Life, i, 113, 1888; *monstratella* WALKER, Cat. Brit. Mus., xxix, 594, 1864; WALSINGHAM, Ins. Life, i, 113, 1888; *dorsipallidella* CHAMBERS, Can. Ent., vii, 10, 1875; *buristriga* CHAMBERS, Can. Ent., vii, 10, 1875; *brevistriiga* CHAMBERS, Bull. Geol. Surv. Terr., iv, 93, 133, 1878; *brevistrigella* CHAMBERS, Can. Ent., vii, 54, 1875; *immaculatella* CHAMBERS, Can. Ent., vii, 10, 1875; Bull. Geol. Surv. Terr., iii, 144, 1877.
6111. **ochristriata** WALSINGHAM, Ins. Life, i, 115, 1888. Cal.
6112. **perspicellella** WALSINGHAM, Ins. Life, i, 114, 1888. Cal.
- *6113. **pilosella** ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 293, 1873. Mass.
6114. **plausipennella** CHAMBERS, Can. Ent., vii, 10, 1875. Tex.
 syn. *planipennella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 134, 1878.
6115. **suffusa** WALSINGHAM, Ins. Life, i, 114, 1888. Cal.
6116. **trivinctella** ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 292, 1873; CHAMBERS, Bull. Geol. Surv. Terr., iv, 93, 1878. Tex.
- HELIOZELA Herrich-Schaeffer.
- HERRICH-SCHAEFFER, Schmett. Eur., v, 56, 1855.
6117. **aesella** CHAMBERS, Can. Ent., ix, 108, 1877. Ky.
- *6118. **gracilis** ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 314, 1873. Tex.

IDIOGLOSSA Walsingham.

WALSINGHAM, Proc. Zool. Soc. Lond., 272, 1881; *Iliostoma* MURTFELDT, Can. Ent., xv, 139, 1883; *Metamorpha* FREY & BOLL (not HÜBNER), Stett. ent. Zeit., xxxix, 277, 1878; WALSINGHAM, Can. Ent., xv, 239, 1883.

6119. *miraculosa* FREY & BOLL, Stett. ent. Zeit., Tex. xxxix, 278, 1878.

syn. *americiella* WALSINGHAM, Trans. Am. Ent. Soc., x, 199, 1882.

ANTISPILA Hübner.

HÜBNER, Verz. bek. Schmett., 419, 1816.

6120. *ampelopsiella* CHAMBERS, Can. Ent., vi, 168, 197, Ky. 1874; ix, 195, 1877; xi, 126, 1879.

- *6121. *cornifoliella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 11, 1860; Tin. No. Am., 103, 1872; CHAMBERS, Can. Ent., vi, 166, 170, 198, 1874; FREY & BOLL, Stett. ent. Zeit., xxxix, 253, 1878; CHAMBERS, Psyche, iii, 63, 1880.

6122. *eugeniella* BUSCK, Proc. U. S. Nat. Mus., xxiii, Fla. 236, 1900.

- *6123. *hydrangiæella* CHAMBERS, Can. Ent., vi, 170, Ky. 1874; ix, 195, 1877; xi, 126, 1879.

6124. *isabella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 209, 1860; Tin. No. Am., 142, 1872; CHAMBERS, Can. Ent., vi, 167, 198, 1874.

syn. *issabella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 129, 1878.

6125. *nyssæfoliella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 11, 1860; Tin. No. Am., 102, 1872; CHAMBERS, Psyche, iii, 63, 1880.

- *6126. *viticordifoliella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 209, 1860; Tin. No. Am., 142, 1872; CHAMBERS, Can. Ent., vi, 169, 198, 1874; FREY & BOLL, Stett. ent. Zeit., xxxix, 253, 1878; CHAMBERS, Psyche, iii, 63, 1880.

STILBOSIS Clemens.

CLEMENS, Proc. Acad. Nat. Sci. Phil., 170, 1860; Tin. No. Am., 40, 129, 1827.

6127. *tesquella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 170, 1860; WALSINGHAM, Trans. Am. Ent. Soc., x, 197, 1882.

syn. *quinquecristatella* CHAMBERS, Jn. Cin. Soc. Nat. Hist., iii, 293, 1880; *tesquatella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 162, 1878.

CYCLOPLASIS Clemens.

CLEMENS, Proc. Ent. Soc. Phil., ii, 420, 1864; Tin. No. Am., 246, 1872; WALSINGHAM, Proc. Zool. Soc. Lond., 143, 1897.

6128. *panicifoliella* CLEMENS, Proc. Ent. Soc. Phil., ii, 422, 1864; Tin. No. Am., 248, 1872; DYAR, Proc. Ent. Soc. Wash., iv, 479, 1901. Atl. States, Fla.

ÆTIA Chambers.

CHAMBERS, Jn. Cin. Soc. Nat. Hist., ii, 186, 1879.

- *6129. *bipunctella* CHAMBERS, Jn. Cin. Soc. Nat. Hist., iii, 187, 1879. Tex.

THEISOA Chambers.

CHAMBERS, Can. Ent., vi, 75, 1874.

- *6130. *constrictella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 291, 1873; CHAMBERS, Bull. Geol. Surv. Terr., iv, 165, 1878.
syn. *bifasciella* CHAMBERS, Can. Ent., vi, 75, 1874; vii, 93, 1875; ix, 24, 1877.

- *6131. *multifasciella* CHAMBERS, Can. Ent., vii, 93, 1875. Tex.

CHRYSOPELEIA Chambers.

CHAMBERS, Can. Ent., vi, 72, 1874; *Eva* CHAMBERS, Can. Ent., vi, 73, 1874.

- *6132. *ostryæella* CHAMBERS, Can. Ent., vi, 74, 1874; viii, 172, 1876; xi, 9, 1879. Ky.

- *6133. *purpurella* CHAMBERS, Can. Ent., vi, 73, 1874; xi, 9, 1879; Psyche, iii, 64, 1880. Ky.

- *6134. *quadrieristatella* CHAMBERS, Jn. Cin. Soc. Nat. Hist., ii, 186, 1879. Tex.

ERIPHIA Chambers.^a

Eriphia CHAMBERS (not LATREILLE), Can. Ent., vii, 55, 1875.

- *6135. *concolorella* CHAMBERS, Can. Ent., vii, 55, 94, 1875; Bull. Geol. Surv. Terr., iii, 137, 1877. Ky.

- *6136. *albalineella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 95, 1878. Tex.

- *6137. *nigrilineella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 96, 1878. Tex.

COPTODISCA Walsingham.

WALSINGHAM, Ent. Mo. Mag., xxxi, 41, 1895; Proc. Zool. Soc. Lond., 143, 1897; *Aspidiscus* CLEMENS (not EHRENBURG), Proc. Acad. Nat. Sci. Phil., 209, 1860; Tin. No. Am., 143, 1872.

6138. *diospyriella* CHAMBERS, Can. Ent., vi, 217, 1874. Ky.

^a Probably a synonym of *Mompha*.—AUG. BUSCK.

6139. *condaliae* BUSCK, Proc. U. S. Nat. Mus., xxiii, 242, 1900. Fla.
6140. *ella* CHAMBERS, Can. Ent., iii, 224, 1871; vi, 152, 218, 1874. Ky.
6141. *lucifluella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 209, 1860; Tin. No. Am., 143, 1872; CHAMBERS, Can. Ent., iii, 224, 1871; vi, 218, 1874; Psyche, iii, 64, 1880. Pa.
- *6142. *juglandiella* CHAMBERS, Can. Ent., vi, 151, 218, 1874. Ky.
- *6143. *ostryæfoliella* CLEMENS, Proc. Ent. Soc. Phil., i, 82, 1861; Tin. No. Am., 171, 1872. Pa.
6144. *saliciella* CHAMBERS, Proc. Ent. Soc. Phil., i, 82, 1861; Tin. No. Am., 171, 1872; CHAMBERS, Psyche, iii, 147, 1880. Pa.
6145. *splendoriferella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 12, 1860; Tin. No. Am., 105, 1872; CHAMBERS, Can. Ent., iii, 23, 1871; v, 50, 1873; vi, 149, 219, 1874; STAINTON, Ent. Mo. Mag., ix, 18, 1872.
syn. *pruniella* CLEMENS, Proc. Ent. Soc. Phil., i, 82, 1861; *saccatella* PACKARD, Guide Stud. Ins., 355, 1869; CHAMBERS, Can. Ent., iii, 223, 1871. Pa.

EPERMENIA Hübner.

- HÜBNER, Verz. bek. Schmett., 418, 1816; *Chauliodus* TREITSCHKE (not SCHNEIDER), Schm. Eur., ix, 2, 31, 1833.
- *6146. *canicinctella* CLEMENS, Proc. Ent. Soc. Phil., ii, 129, 1863; Tin. No. Am., 236, 1872. Pa.
6147. *pimpinella* MURTFELDT, Can. Ent., xxxii, 162, 1900. Mo.

MOMPHA Hübner.

- HÜBNER, Verz. bek. Schmett., 414, 1816; *Laverna* CURTIS, Brit. Ent., 16, 1839; *Wilsonia* CLEMENS, Proc. Ent. Soc. Phil., iii, 428, 1864.
- *6148. *albella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 295, 1875. Col.
- *6149. *albopalpella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 295, 1875. Col.
- *6150. *argentimaculella* MURTFELDT, Can. Ent., xxxii, 161, 1900. Mo.
- *6151. *bifasciella* CHAMBERS, Can. Ent., viii, 158, 1876. Cal.

6152. *brevivittella* CLEMENS, Proc. Ent. Soc. Phil., ii, 428, 1864; Tin. No. Am., 254, 1872. Atl. States.
 syn. *anothecorella* CHAMBERS, Jn. Cin. Soc. Nat. Hist., iii, 293, 1880; WALSINGHAM, Trans. Am. Ent. Soc., x, 169, 1882; *anothecoresemicella* CHAMBERS, Can. Ent., viii, 138, 1876; xi, 6, 1879.
- *6153. *circumscriptella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 312, 1873; CHAMBERS, Can. Ent., x, 239, 1878. Tex.
- *6154. *coloradella* CHAMBERS, Bull. Geol. Surv. Terr., iii, 136, 1877. Col.
6155. *decorella* STEPHENS, Ill. Brit. Ent., Haust., iv, 213, 1835; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 3580, 1901; WALSINGHAM, Trans. Am. Ent. Soc., x, 196, 1882. Eur., Cal.
 syn. *unifasciella* CHAMBERS, Can. Ent., viii, 159, 1876.
- *6156. *definitella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 311, 1873. Tex.
 syn. *unicristatella* CHAMBERS, Can. Ent., vii, 32, 1875; ix, 74, 1877.
6157. *eloisella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 171, 1860; Tin. No. Am., 131, 1872; CHAMBERS, Can. Ent., ix, 74, 1877; WALSINGHAM, Trans. Am. Ent. Soc., x, 195, 1882. Pa.
 syn. *magnatella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 315, 1873; CHAMBERS, Can. Ent., ix, 73, 1877; *anothecella* CHAMBERS, Can. Ent., vii, 30, 1875; *lyonetella* CHAMBERS, Can. Ent., vii, 30, 51, 1875.
6158. *erransella* CHAMBERS, Can. Ent., vi, 52, 1874; vii, 52, 1875; ix, 187, 1877. Ky.
 syn. *unomaculella* CHAMBERS, Can. Ent., vii, 94, 1875; xi, 9, 1879.
- *6159. *gleditschiælla* CHAMBERS, Can. Ent., viii, 135, 171, 1876; x, 232, 1878; xii, 173, 1881; Psyche, iii, 66, 1880. Ky.
- *6160. *grandisella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 296, 1875. Col.
- *6161. *ignobilisella* CHAMBERS, Can. Ent., vii, 33, 51, 1875; xi, 8, 1879. Tex.
6162. *luciferella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 171, 1860; Tin. No. Am., 130, 1872; WALSINGHAM, Trans. Am. Ent. Soc., x, 196, 1882. Pa., Ky.
 syn. *cephalonthiella* CHAMBERS, Can. Ent., iii, 221, 1871; vii, 53, 1875; xi, 10, 1879.

- *6163. *minimella* CHAMBERS, Jn. Cin. Soc. Nat. Hist., iii, 294, 1880. Mass.
6164. *murtfeldtella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 237, 1875; Can. Ent., viii, 159, 1876; ix, 13, 1877; xi, 5, 1879. Mo., Col., Tex.
- syn. *albocapitella* CHAMBERS, Can. Ent., vii, 33, 1875; Bull. Geol. Surv. Terr., iii, 144, 1877; *griseælla* CHAMBERS, Cin. Quart. Jn. Sci., ii, 295, 1875; Bull. Geol. Surv. Terr., iii, 141, 1877; *obscurusella* CHAMBERS, Can. Ent., vii, 53, 1875; *patriocristatella* CHAMBERS, Can. Ent., vii, 34, 1875.
6165. *rufocristatella* CHAMBERS, Can. Ent., vii, 33, 1875. Tex.
- *6166. *subiridescens* WALSINGHAM, Trans. Am. Ent. Soc., x, 194, 1882. Lab.
6167. *subbistrigella* HAWORTH, Lep. Brit., 581, 1829; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 3582, 1901; WALSINGHAM, Trans. Am. Ent. Soc., x, 196, 1882. Eur., Me., Cal.
6168. *sexnotella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 88, 1878; HAGEN, Pap., iv, 99, 1884; BUSCK, Jn. N. Y. Ent. Soc., x, 97, 1902. Tex.

HOMALEDRA Busck.

BUSCK, Proc. U. S. Nat. Mus., xxiii, 237, 1900.

6169. *heptathalama* BUSCK, Proc. U. S. Nat. Mus., xxiii, 237, 1900. Fla.
6169. 1. *sabalella* CHAMBERS, Jn. Cin. Soc. Nat. Hist., ii, 7, 1880. Fla.

ENDROSIS Hübner.

HÜBNER, Verz. bek. Schmett., 401, 1816.

6170. *lacteella* DENIS & SCHIFFERMÜLLER, Syst. Verz. Wien, 139, 1776; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 3051, 1901.
- syn. *kennicottella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 165, 1860; Tin. No. Am., 119, 1872; CHAMBERS, Cin. Quart. Jn. Sci., ii, 244, 1875.

LEUCOPHYRYNE Chambers.

CHAMBERS, Can. Ent., vii, 210, 1875.

6171. *trieristatella* CHAMBERS, Can. Ent., vii, 211, 1875. Can.

DOUGLASIA Stainton.

STAINTON, Ins. Brit., Lep. Tin., 179, 1854.

- *6172. *obscurofasciella* CHAMBERS, Jn. Cin. Soc. Nat. Hist., iii, 291, 1880. Mass.

AROTURA Walsingham.

WALSINGHAM, Ins. Life, i, 116, 1888.

- 6173.
- eburnea*
- WALSINGHAM, Ins. Life, i, 117, 1888.

Ariz.

APHIGALIA Dyar.

Phigalia CHAMBERS (not DUPONCHEL), Can. Ent., vii, 107, 1875.

- *6174.
- albella*
- CHAMBERS, Can. Ent., vii, 107, 1875.

Tex.

- *6175.
- ochreomaculella*
- CHAMBERS, Can. Ent., vii, 107, 1875.

Tex.

SCHRECKENSTEINIA Hübner.

HÜBNER, Verz. bek. Schmett., 419, 1816.

- 6176.
- felicella*
- WALSINGHAM, Pter. Cal. Oreg., 2, 1880.

Cal., Oreg.

- 6177.
- erythriella*
- CLEMENS, Proc. Acad. Nat. Sci. Phil., 171, 1860; Tin. No. Am., 40, 132, 1872; FREY & BOLL, Stett. ent. Zeit., xxxvii, 214, 1876.

Atl. States.

- 6178.
- festaliella*
- HÜBNER, Schm. Eur., 449, 1827; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 3405, 1901; WALSINGHAM, Pter. Cal. Oreg., 1, 1880; Trans. Am. Ent. Soc., x, 197, 1882; DYAR, Psyche, vii, 252, 1895 (as
- basilaris*
-).

No. U. S.,
Eur.

WALSHIA Clemens.

CLEMENS, Proc. Ent. Soc. Phil., ii, 418, 1864.

- 6179.
- amorphella*
- CLEMENS, Proc. Ent. Soc. Phil., ii, 419, 1864; Tin. No. Am., 241, 1872; RILEY, Rep. Ins. Mo., ii, 132, 1869; Proc. Ent. Soc. Wash., i, 30, 1886.

Atl. States.

syn. *miscecalonella* CHAMBERS, Can. Ent., vii, 34, 1875; *miscecolorella* CHAMBERS, Can. Ent., vii, 51, 1875; Bull. Geol. Surv. Terr., iii, 144, 1877; WALSINGHAM, Trans. Am. Ent. Soc., x, 197, 1882.

BRACHILOMA Clemens.

CLEMENS, Proc. Ent. Soc. Phil., ii, 126, 1863.

- *6180.
- unipunctella*
- CLEMENS, Proc. Ent. Soc. Phil., ii, 126, 1863; Tin. No. Am., 232, 1872.

Pa.

EULYONETIA Chambers.

CHAMBERS, Jn. Cin. Soc. Nat. Hist., ii, 188, 1879.

- *6181.
- inornatella*
- CHAMBERS, Jn. Cin. Soc. Nat. Hist., ii, 188, 1879.

Tex.

CACELICE Busck.

BUSCK, Jn. N. Y. Ent. Soc., x, 93, 1902.

6182. *permolestella* BUSCK, Jn. N. Y. Ent. Soc., x, Ky.
93, 1902.

Family TINEIDÆ.

NEPTICULA von Heyden.

VON HEYDEN, Berich. Vers. Naturf. Mainz, 201, 1842.

- *6183. *amelanchierella* CLEMENS, Proc. Ent. Soc. Phil., i, 84, 1861; Tin. No. Am., 174, 1872; PACKARD, Guide Stud. Ins., 356, 1869. No. Atl. States.
- *6184. *anguinella* CLEMENS, Proc. Ent. Soc. Phil., i, 85, 1861; Tin. No. Am., 175, 1872. Pa.
- *6185. *apicialbella* CHAMBERS, Can. Ent., v, 127, 1873; Cin. Quart. Jn. Sci., ii, 118, 1875. Ky.
- *6186. *badiocapitella* CHAMBERS, Can. Ent., viii, 160, 1876. Ky.
- *6187. *belfrageella* CHAMBERS, Can. Ent., vii, 75, 1875. Tex.
- *6188. *bifasciella* CLEMENS, Proc. Ent. Soc. Phil., i, 133, 1862; Tin. No. Am., 183, 1872; CHAMBERS, Can. Ent., v, 146, 1873. Pa.
- *6189. *castaneæfoliella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 117, 1875; Psyche, iii, 66, 1880; Jn. Cin. Soc. Nat. Hist., ii, 193, 1879. Ky.
- *6190. *caryæfoliella* CLEMENS, Proc. Ent. Soc. Phil., i, 84, 1861; Tin. No. Am., 174, 1872. Pa.
- *6191. *clemensella* CHAMBERS, Can. Ent., v, 125, 1873. Ky., Pa.
6192. *condaliafoliella* BUSCK, Proc. U. S. Nat. Mus., xxiii, 238, 1900. Fla.
- *6193. *corylifoliella* CLEMENS, Proc. Ent. Soc. Phil., i, 83, 1861; Tin. No. Am., 173, 1872; PACKARD, Guide Stud. Ins., 356, 1869. Pa.
- *6194. *cratægifoliella* CLEMENS, Proc. Ent. Soc. Phil., i, 83, 1861; Tin. No. Am., 173, 1872. Pa.
6195. *dallasiana* FREY & BOLL, Stett. ent. Zeit., xxxvii, 228, 1876. Tex.
- *6196. *fuscocapitella* CHAMBERS, Can. Ent., v, 128, 1873. Ky.

- *6197. *fuscotibiella* CLEMENS, Proc. Ent. Soc. Phil., i, 133, 1861; Tin. No. Am., 182, 1872; CHAMBERS, Can. Ent., v, 128, 1873; Cin. Quart. Jn. Sci., ii, 114, 1875.
syn. *elliptifuscella* CHAMBERS, Can. Ent., v, 128, 1873; Cin. Quart. Jn. Sci., ii, 117, 1875;
fureotibiella RILEY, Smith's List Lep. Bor. Am., 111, 1891.
- *6198. *grandisella* CHAMBERS, Jn. Cin. Soc. Nat. Hist., ii, 193, 1879. Tex.
- *6199. *juglandifoliella* CLEMENS, Proc. Ent. Soc. Phil., i, 84, 1861; Tin. No. Am., 173, 1872; Bull. Geol. Surv. Terr., iv, 105, 1878. Pa.
- *6200. *latifasciella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 106, 1878. Ky.
- *6201. *maculosella* CHAMBERS, Jn. Cin. Soc. Nat. Hist., ii, 193, 1879. Tex.
6202. *maximella* CHAMBERS, Can. Ent., v, 126, 1873. Ky.
- *6203. *minimella* CHAMBERS, Can. Ent., v, 127, 1873. Ky.
6204. *myricafoliella* BUSCK, Proc. U. S. Nat. Mus., xxiii, 238, 1900. Fla.
- *6205. *nigriverticella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 118, 1875. Ky.
- *6206. *nyssæfoliella* CHAMBERS, Psyche, iii, 66, 1880. Ky.
- *6207. *ochrefasciella* CHAMBERS, Can. Ent., v, 128, 1873. Ky.
- *6208. *ostryæfoliella* CLEMENS, Proc. Ent. Soc. Phil., i, 83, 1861. Pa.
6209. *platanella* CLEMENS, Proc. Ent. Soc. Phil., i, 173, 1861; v, 146, 1865; CHAMBERS, Can. Ent., v, 125, 1873; PACKARD, Guide Stud. Ins., 356, 1869. Pa.
- *6210. *platea* CLEMENS, Proc. Ent. Soc. Phil., i, 85, 1861; Tin. No. Am., 175, 1872. Pa.
- *6211. *pomivorella* PACKARD, Am. Nat., vi, 685, 1872; Rept. Mass. Agr. Soc., 238, 1870; WALSINGHAM, Proc. Zool. Soc. Lond., 83, 1880; BUSCK, Can. Ent., xxxiii, 52, 1901. Mass.
- *6212. *populetorum* FREY & BOLL. Stett. ent. Zeit., xxxix, 276, 1878. Tex.
6213. *prunifoliella* CLEMENS, Proc. Ent. Soc. Phil., i, 84, 1861; Tin. No. Am., 174, 1872; CHAMBERS, Can. Ent., v, 127, 1873. Pa.
- *6214. *pteliælla* CHAMBERS, Psyche, iii, 137, 1880; 276, 1881. Ky.

- *6215. *quercicastanella* CHAMBERS, Can. Ent., v, 127, 1873; x, 105, 1878; xi, 93, 1879; Psyche, iii, 66, 1880. Ky.
- *6216. *quercipulchrella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 105, 1878. Ky.
- *6217. *resplendensella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 118, 1875. Ky.
- *6218. *rosæfoliella* CLEMENS, Proc. Ent. Soc. Phil., i, 85, 1861; Tin. No. Am., 176, 1872. Pa.
- *6219. *rubifoliella* CLEMENS, Proc. Ent. Soc. Phil., v, 146, 1865; Tin. No. Am., 152, 1872. Pa.
6220. *saginella* CLEMENS, Proc. Ent. Soc. Phil., i, 85, 1861; Tin. No. Am., 175, 271, 1872; CHAMBERS, Can. Ent., xi, 93, 1879. Pa.
- *6221. *serotinælla* CHAMBERS, Can. Ent., v, 126, 1873. Ky.
- *6222. *thoracealbella* CHAMBERS, Can. Ent., v, 127, 1873. Ky.
- *6223. *unifasciella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 119, 1875. Ky.
- *6224. *vilosella* CLEMENS, Proc. Ent. Soc. Phil., i, 84, 1861; Tin. No. Am., 174, 1872. Pa.
- *6225. *virginiella* CLEMENS, Proc. Ent. Soc. Phil., i, 83, 1861; Tin. No. Am., 172, 1872. Pa.

TRIFURCULA Zeller.

ZELLER, Linn. Ent., iii, 330, 1848; *Trifurcella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 165, 1878.

- *6226. *obrutella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 316, 1873. Tex.

OPOSTEGA Zeller.

ZELLER, Isis, 214, 1839.

6227. *accessoriella* FREY & BOLL, Stett. ent. Zeit., xxxvii, 216, 1876. Tex.
- *6228. *albogallierella* CLEMENS, Proc. Ent. Soc. Phil., i, 131, 1862; Tin. No. Am., 180, 1872. Pa.
6229. *bosqueella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 106, 1878. Tex.
6230. *nonstrigella* CHAMBERS, Jn. Cin. Soc. Nat. Hist., iii, 296, 1880. Ky.
- *6231. *quadristrigella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 106, 1875. Ky.

BUCCULATRIX Zeller.

- ZELLER, Linn. Ent., iii, 286, 1848; CLEMENS, Tin. No. Am., 108, 1872.
6232. *albicapitella* CHAMBERS, Can. Ent., vii, 125, 1875. Can.
6233. *ambrosiaefoliella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 119, 1875; Can. Ent., xiv, 153, 1882. Ky.
- *6234. *agnella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 211, 1860; Tin. No. Am., 147, 1872. Pa.
- *6235. *angustata* FREY & BOLL, Stett. ent. Zeit., xxxvii, 218, 1876. Tex.
6236. *canadensisella* CHAMBERS, Can. Ent., vii, 146, 1875. Can.
6237. *capitalbella* CHAMBERS, Can. Ent., v, 150, 1873. Ky.
6238. *coronatella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 13, 1860; Tin. No. Am., 109, 1872; CHAMBERS, Can. Ent., v, 151, 1873. Pa.
- *6239. *immaculatella* CHAMBERS, Can. Ent., vii, 54, 1875. Tex.
6240. *ivella* BUSCK, Proc. U. S. Nat. Mus., xxiii, 243, 1900. Fla.
- *6241. *litigiosa* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 354, 1875. Tex.
6242. *luteella* CHAMBERS, Can. Ent., v, 151, 1873; xi, 93, 1879. Ky.
6243. *magnella* CHAMBERS, Can. Ent., vii, 54, 1875. Tex.
- *6244. *niveella* CHAMBERS, Can. Ent., vii, 54, 1875. Tex.
- *6245. *packardella* CHAMBERS, Can. Ent., v, 151, 1873; Cin. Quart. Jn. Sci., ii, 120, 1875. Ky.
6246. *pomifoliella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 211, 1860; Tin. No. Am., 146, 1872; CHAMBERS, Can. Ent., v, 150, 1873; RILEY, Rep. Ins. Mo., iv, 149, 1872; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 353, 1875; WALSINGHAM, Trans. Am. Ent. Soc., x, 204, 1882. Atl. States.
- syn. *pomona* PACKARD, Guide Stud. Ins., 7th ed., 354, 1880; *curvilineatella* PACKARD, Guide Stud. Ins., 354, 1869; CHAMBERS, Can. Ent., iii, 184, 1871.
- *6247. *quinquenotella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 120, 1875. Ky.
- *6248. *rileyi* FREY & BOLL, Stett. ent. Zeit., xxxvii, 219, 1876. Tex.

- *6249. *stantonella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 133, 1878.
 syn. *albella* CHAMBERS (not STAINTON), Bull. Geol. Surv. Terr., iii, 141, 1877.
6250. *thuiella* PACKARD, Am. Nat., v, 152, 1871; RILEY, Rep. Ins. Mo., iv, 51, 1872.
6251. *trifasciella* CLEMENS, Proc. Ent. Soc. Phil., v, 147, 1866; Tin. No. Am., 272, 1872; CHAMBERS, Can. Ent., v, 149, 1873; Cin. Quart. Jn. Sci., ii, 120, 1875.
 syn. *obscurofasciella* CHAMBERS, Can. Ent., v, 150, 1873.

LITHOCOLLETES Hübner.

HÜBNER, Verz. bek. Schmett., 423, 1816.

- *6252. *hageni* FREY & BOLL, Stett. ent. Zeit., xxxiv, 208, 1873; CHAMBERS, Cin. Quart. Jn. Sci., i, 201, 1874; Bull. Geol. Surv. Terr., iv, 100, 1878.
 syn. *necospinusella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 100, 1878.
6253. *fitchella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 207, 1860; Tin. No. Am., 139, 1872; CHAMBERS, Can. Ent., iii, 183, 1871; Cin. Quart. Jn. Sci., i, 207, 1874; PACKARD, Guide Stud. Ins., 353, 1869; CHAMBERS, Bull. Geol. Surv. Terr., iii, 139, 1877; Can. Ent., xi, 90, 1879; FREY & BOLL, Stett. ent. Zeit., xxxix, 26, 1878.
 syn. *quercifoliella* FITCH, Fifth Rept. Ins. N. Y., 327, 1859; *quercitorum* FREY & BOLL, Stett. ent. Zeit., xxxiv, 207, 1873; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 140, 1875; CHAMBERS, Cin. Quart. Jn. Sci., i, 201, 1874; ii, 229, 1875; Bull. Geol. Surv. Terr., iii, 139, 141, 1877.
6254. *rileyella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 236, 1875; WALSINGHAM, Ins. Life, ii, 25, 1889.
 syn. *tenuistrigata* FREY & BOLL, Stett. ent. Zeit., xxxvii, 225, 1876; xxxix, 26, 1878.
6255. *insignis* WALSINGHAM, Ins. Life, ii, 117, 1889.
6256. *clemensella* CHAMBERS, Can. Ent., xi, 91, 1879; WALSINGHAM, Ins. Life, ii, 25, 1889.
6257. *lucidicostella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 318, 1859; Tin. No. Am., 39, 64, 66, 1872; CHAMBERS, Cin. Quart. Jn. Sci., ii, 102, 1875; Can. Ent., iii, 57, 1871.
 syn. *ludicostella* RILEY, Smith's List Lep. Bor. Am., 109, 1891.

Col.

Atl.
States.

Pa.

Mass. ?

Pa.

Mo.

Cal.

Ky.

Pa.

6258. *argentifimbriella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 318, 321, 1859; Tin. No. Am., 39, 64, 70, 1872; CHAMBERS, Can. Ent., iii, 57, 85, 1871; Cin. Quart. Jn. Sci., i, 201, 1874; ii, 229, 1875; FREY & BOLL, Stett. ent. Zeit., xxxiv, 209, 1873; WALSINGHAM, Ins. Life, iii, 325, 1891.
 syn. *fusco-costella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 102, 1875; WALSINGHAM, Ins. Life, ii, 25, 1889.
6259. *quercialbella* FITCH, Rep. Ins. N. Y., v. 328, 1859; CHAMBERS, Can. Ent., iii, 57, 1871; WALSINGHAM, Ins. Life, ii, 25, 1890; iii, 325, 1891.
 syn. *longirostrata* FREY & BOLL, Stett. ent. Zeit., xxxiv, 209, 1873; CHAMBERS, Cin. Quart. Jn. Sci., ii, 229, 1875; WALSINGHAM, Ins. Life, ii, 25, 1891; *quercibella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 202, 1875; WALSINGHAM, Ins. Life, ii, 77, 1889; *quercipulchella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 120, 1878; PACKARD, Bull. Ent. Comm., vii, 53, 1881; WALSINGHAM, Ins. Life, ii, 77, 1889; *quercipulchrella* RILEY, Smith's List Lep. Bor. Am., 109, 1891.
- *6260. *subaureola* FREY & BOLL, Stett. ent. Zeit., xxxix, 262, 1878; WALSINGHAM, Ins. Life, ii, 25, 1889; iii, 325, 1891.
- *6261. *caryæalbella* CHAMBERS, Can. Ent., iii, 58, 85, 182, 206, 1871.
 syn. *carygalbella* WALSINGHAM, Ins. Life, iii, 328, 1891.
6262. *lucetiella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 319, 322, 1859; Tin. No. Am., 65, 73, 1872; CHAMBERS, Can. Ent., iii, 56, 1871; WALSINGHAM, Ins. Life, ii, 52, 1889.
 syn. *enigmatella* FREY & BOLL, Stett. ent. Zeit., xxxiv, 219, 1873; CHAMBERS, Cin. Quart. Jn. Sci., i, 206, 1874.
- *6263. *albanotella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 191, 1875.
6264. *alniella* ZELLER, Linn. Ent., i, 229, 1846; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 4118, 1901; FREY & BOLL, Stett. ent. Zeit., xxxiv, 210, 1873; CHAMBERS, Cin. Quart. Jn. Sci., i, 201, 1874; ii, 229, 1875

Pa.

Atl. States.

Tex.

Ky.

Pa.

Ky.

Eur., U. S.?

6265. *ostensackenella* FITCH, Rept. Ins. N. Y., v, 338, 1859; CHAMBERS, Can. Ent., iii, 183, 1871.
 syn. *ornatella* CHAMBERS, Can. Ent., iii, 161, 1871; iv, 107, 1872; xi, 91, 1879; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 347, 1875; FREY & BOLL, Stett. ent. Zeit., xxxiv, 217, 1873; WALSINGHAM, Ins. Life, ii, 53, 1889.
6266. *gemmea* FREY & BOLL, Stett. ent. Zeit., xxxiv, 218, 1873; CHAMBERS, Cin. Quart. Jn. Sci., i, 206, 339, 1874; ii, 227, 1875; WALSINGHAM, Ins. Life, ii, 53, 1889.
6267. *robiniella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 318, 1859; 209, 1860; Tin. No. Am., 66, 1872; CHAMBERS, Can. Ent., iii, 54, 87, 163, 183, 185, 1871; iv, 9, 117, 1872; Cin. Quart. Jn. Sci., ii, 228, 1875; Bull. Geol. Surv. Terr., iii, 137, 1877; Jn. Cin. Soc. Nat. Hist., ii, 91, 1879; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 348, 1875; FREY & BOLL, Stett. ent. Zeit., xxxix, 275, 1878.
 syn. *pseudacaciella* FITCH, Rept. Ins. N. Y., v, 335, 1859.
- *6268. *uhlerella* FITCH, Rept. Ins. N. Y., v, 337, 1859; WALSINGHAM, Ins. Life, ii, 53, 1889.
 syn. *amorphælla* CHAMBERS, Bull. Geol. Surv. Terr., iii, 132, 137, 1877; *amorphæ* FREY & BOLL, Stett. ent. Zeit., xxxix, 275, 1878.
6269. *morrisella* FITCH, Rept. Ins. N. Y., v, 336, 1859; WALSINGHAM, Ins. Life, ii, 52, 1889.
 syn. *texanella* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 349, 1875; FREY & BOLL, Stett. ent. Zeit., xxxix, 275, 1878; *amphicarpælla* CHAMBERS, Bull. Geol. Surv. Terr., iii, 137, 1877.
6270. *blancardella* FABRICIUS, Syst. Ent., iii, 327, 1775; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 4144, 1901.
 syn. *pomifoliella* ZELLER, Isis, 218, 1839; WALSINGHAM, Trans. Am. Ent. Soc., x, 202, 1882; *mespilella* HAWORTH, *eratægella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 324, 1859; *deceptusella* CHAMBERS, Can. Ent., xi, 73, 1879.
6271. *faginella* ZELLER, Linn. Ent., i, 204, 1846; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 4149, 1901; WALSINGHAM, Ins. Life, iii, 327, 1891.
 syn. *triguttella* STAINTON.

N. Y.

Mass.

Atl. States.

Atl. States.

Atl. States.

Atl. States, Eur.

Eur., U. S.

6272. *incanella* WALSINGHAM, Ins. Life, ii, 81, 1889. Cal.
6273. *alnicolella* WALSINGHAM, Ins. Life, ii, 80, 1889. Cal.
- *6274. *alni* WALSINGHAM, Ins. Life, iii, 326, 1891. Col.
- syn. *alnivorella* CHAMBERS (not RAGONOT).
Cin. Quart. Jn. Sci., ii, 302, 1875; Bull.
Geol. Surv. Terr., iii, 139, 1877.
- *6275. *ostryæfoliella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 322, 1859; Tin. No. Am., 67, 71, 1872; CHAMBERS, Can. Ent., iii, 85, 1871; Cin. Quart. Jn. Sci., i, 202, 1874; Can. Ent., xi, 91, 1879; WALSINGHAM, Ins. Life, ii, 53, 1889. Atl. States.
- syn. *mirifica* FREY & BOLL, Stett. ent. Zeit., xxxiv, 212, 1873.
- *6276. *minutella* FREY & BOLL, Stett. ent. Zeit., xxxix, 263, 1878. Tex.
6277. *diaphanella* FREY & BOLL, Stett. ent. Zeit., xxxix, 265, 1878. Tex.
- *6278. *scudderella* FREY & BOLL, Stett. ent. Zeit., xxxiv, 212, 1873; CHAMBERS, Cin. Quart. Jn. Sci., ii, 230, 1875; Bull. Geol. Surv. Terr., iv, 156, 1878; Can. Ent., xi, 72, 1879. Atl. States.
- *6279. *obsoleta* FREY & BOLL, Stett. ent. Zeit., xxxiv, 211, 1873; CHAMBERS, Cin. Quart. Jn. Sci., i, 202, 1874.
- syn. *obsoletella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 155, 1878. Mass.
- *6280. *obsecuricostella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 321, 1859; Tin. No. Am., 64, 71, 1872; CHAMBERS, Can. Ent., iii, 85, 1871; xi, 92, 1879.
- syn. *virginella* CHAMBERS, Can. Ent., iii, 84, 1871. Pa.
6281. *æriferella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 320, 1859; Tin. No. Am., 64, 68, 1872; CHAMBERS, Can. Ent., iii, 183, 1871; Cin. Quart. Jn. Sci., ii, 104, 1875. Pa.
- *6282. *sexnotella* CHAMBERS, Jn. Cin. Soc. Nat. Hist., ii, 189, 1879. Ky.
6283. *argentinotella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 321, 1859; Tin. No. Am., 66, 78, 1872; CHAMBERS, Can. Ent., iii, 148, 1871; xi, 89, 1879; FREY & BOLL, Stett. ent. Zeit., xxxiv, 214, 1873; CHAMBERS, Cin. Quart. Jn. Sci., i, 202, 1874; ii, 101, 1875. Pa.
- *6284. *occitanica* FREY & BOLL, Stett. ent. Zeit., xxxvii, 224, 1876; xxxix, 270, 1878. Tex.

- *6285. *amœna* FREY & BOLL, Stett. ent. Zeit., xxxix, 269, 1878. Tex.
6286. *celtifoliella* CHAMBERS, Can. Ent., iii, 128, 1871; WALSINGHAM, Ins. Life, ii, 52, 1889. Atl. States.
 syn. *nonfasciella* CHAMBERS, Can. Ent., iii, 108, 1871; Cin. Quart. Jn. Sci., i, 201, 1874; *celti-sella* CHAMBERS, Can. Ent., iii, 129, 1871; Cin. Quart. Jn. Sci., i, 201, 1874; FREY & BOLL, Stett. ent. Zeit., xxxix, 274, 1878; CHAMBERS, Jn. Cin. Soc. Nat. Hist., ii, 190, 1879; *pusili-foliella* FREY & BOLL, Stett. ent. Zeit., xxxix, 274, 1878.
6287. *cincinnatiella* CHAMBERS, Can. Ent., iii, 144, 149, 1871; Cin. Quart. Jn. Sci., i, 149, 1874; Bull. Geol. Surv. Terr., iii, 141, 1877. Ohio.
6288. *caryæfoliella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 323, 1859; Tin. No. Am., 65, 74, 1872; CHAMBERS, Can. Ent., iii, 109, 165, 1871; FREY & BOLL, Stett. ent. Zeit., xxxix, 273, 1878.
 syn. *juglandiella* CLEMENS, Proc. Ent. Soc. Phil., i, 81, 1861; Tin. No. Am., 170, 1872; CHAMBERS, Can. Ent., iii, 165, 1871; vii, 126, 1875; xi, 91, 1879; PACKARD, Guide Stud. Ins., 353, 1869.
- *6289. *macrocarpella* FREY & BOLL, Stett. ent. Zeit., xxxix, 261, 1878. Tex.
6290. *umbellulariæ* WALSINGHAM, Ins. Life, ii, 78, 1889. Cal.
6291. *gaultheriella* WALSINGHAM, Ins. Life, ii, 79, 1889. Oreg., Cal.
6292. *ledella* WALSINGHAM, Ins. Life, ii, 79, 1889. Cal.
6293. *nemoris* WALSINGHAM, Ins. Life, ii, 116, 1889. Cal.
6294. *ulmella* CHAMBERS, Can. Ent., iii, 148, 1871; Cin. Quart. Jn. Sci., i, 202, 1874; ii, 101, 1875; FREY & BOLL, Stett. ent. Zeit., xxxiv, 214, 1873; WALSINGHAM, Ins. Life, ii, 24, 1889.
 syn. *modesta* FREY & BOLL, Stett. ent. Zeit., xxxvii, 274, 1876; xxxix, 274, 1878. Atl. States.
- *6295. *conglomeratella* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 346, 1875; WALSINGHAM, Ins. Life, ii, 24, 1889.
 syn. *bicolorella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 103, 1878; *obtusilobæ* FREY & BOLL, Stett. ent. Zeit., xxxix, 265, 1878. Tex.
- *6296. *quercivorella* CHAMBERS, Can. Ent., xi, 145, 1879; WALSINGHAM, Ins. Life, ii, 24, 1889. Ky.
6297. *australisella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 103, 1878. Tex.

6298. *solidaginis* FREY & BOLL, Stett. ent. Zeit., Tex.
xxxvii, 223, 1876.
syn. *solidaginisella* CHAMBERS, Jn. Cin. Soc.
Nat. Hist., ii, 12, 1880.
6299. *grindeliella* WALSINGHAM, Ins. Life, iii, 327, 1891. Cal.
- *6300. *chambersella* WALSINGHAM, Ins. Life, ii, 78, 1889. Tex.
syn. *quinquenotella* CHAMBERS (not FREY),
Jn. Cin. Soc. Nat. Hist., ii, 189, 1879.
6301. *basistrigella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 321, 1859; Tin. No. Am., 39, 65, 69, 1872;
CHAMBERS, Can. Ent., iii, 48, 166, 182, 1871;
Cin. Quart. Jn. Sci., i, 205, 1874; WALSINGHAM,
Ins. Life, ii, 25, 1889.
syn. *intermedia* FREY & BOLL, Stett. ent.
Zeit., xxxiv, 210, 1873; CHAMBERS, Cin.
Quart. Jn. Sci., ii, 230, 1875.
- *6302. *auronitens* FREY & BOLL, Stett. ent. Zeit., Mass.
xxxiv, 216, 1873.
6303. *desmodiella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 220, 1859; Tin. No. Am., 65, 68, 1872; CHAM-
BERS, Can. Ent., iii, 127, 152, 1871; Jn. Cin.
Soc. Nat. Hist., ii, 189, 1879; WALSINGHAM,
Trans. Am. Ent. Soc., x, 202, 1882.
syn. *gregariella* MURTFELDT, Can. Ent., xiii,
245, 1881; xv, 139, 1883; WALSINGHAM,
Proc. Zool. Soc. Lond., 146, 1897.
6304. *toxicodendri* FREY & BOLL, Stett. ent. Zeit., Tex.
xxxix, 273, 1878.
6305. *aceriella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 325, 1859; Tin. No. Am., 65, 75, 1872; CHAM-
BERS, Can. Ent., iii, 130, 1871.
6306. *guttifinitella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 324, 1859; Tin. No. Am., 65, 76, 1872;
CHAMBERS, Can. Ent., iii, 110, 1871; Cin. Quart.
Jn. Sci., i, 201, 1874; Bull. Geol. Surv. Terr.,
iv, 102, 1878; Jn. Cin. Soc. Nat. Hist., ii, 82,
1879.
syn. *asculicella* CHAMBERS, Can. Ent., iii, 112,
1871; WALSINGHAM, Ins. Life, ii, 52, 1889;
esculella RILEY, Smith's List Lep. Bor. Am.,
109, 1891.
- *6307. *obstrictella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 322, 1859; Tin. No. Am., 64, 73, 1872; CHAM-
BERS, Can. Ent., iii, 83, 1871; Bull. Geol. Surv.
Terr., iv, 102, 1878. Pa.

6308. *corylisella* CHAMBERS, Can. Ent., iii, 111, 127, 1871.
 syn. *coryliella* CHAMBERS, Can. Ent., xi, 90, 1879.
- *6309. *oregonensis* WALSINGHAM, Ins. Life, ii, 117, 1889. Oreg.
6310. *tilieacella* CHAMBERS, Can. Ent., iii, 56, 1871.
 syn. *tiliella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 203, 1875; *tiliella* WALSINGHAM, Ins. Life, iii, 328, 1891. Ky.
- *6311. *symphoricarpella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 98, 1875. Ky.
- *6312. *bolliella* DYAR.
 syn. *symphoricarpella* FREY & BOLL (not CHAMBERS), Stett. ent. Zeit., xxxix, 271, 1878. Tex.
- *6313. *fragilella* FREY & BOLL, Stett. ent. Zeit., xxxix, 270, 1878; WALSINGHAM, Ins. Life, ii, 51, 1889.
 syn. *trifasciella* FREY & BOLL (not HAWORTH), Stett. ent. Zeit., xxxiv, 215, 1873; CHAMBERS, Cin. Quart. Jn. Sci., i, 205, 1874; WALSINGHAM, Ins. Life, iii, 326, 1891. Tex.
- *6314. *affinis* FREY & BOLL, Stett. ent. Zeit., xxxvii, 222, 1876; xxxix, 270, 1878; WALSINGHAM, Ins. Life, ii, 51, 1889. Tex.
6315. *mariæella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 99, 1875; Can. Ent., xi, 92, 1879; WALSINGHAM, Trans. Am. Ent. Soc., x, 201, 1882.
 syn. *mariella* RILEY, Smith's List Lep. Bor. Am., 109, 1891. Mo.
- *6316. *tritæniella* CHAMBERS, Can. Ent., iii, 110, 184, 1871; v, 48, 1873; xi, 89, 1879; WALSINGHAM, Ins. Life, ii, 53, 1889.
 syn. *consimilella* FREY & BOLL, Stett. ent. Zeit., xxxiv, 217, 1873; CHAMBERS, Cin. Quart. Jn. Sci., ii, 230, 1875; WALSINGHAM, Ins. Life, ii, 51, 1889. Atl. States.
- *6317. *fasciella* WALSINGHAM, Ins. Life, iii, 326, 1891. Ky.
 syn. *unifasciella* CHAMBERS (not TENGSTRÖM), Cin. Quart. Jn. Sci., ii, 103, 1875.
- *6318. *castaneælla* CHAMBERS, Cin. Quart. Jn. Sci., ii, 104, 1875.
 syn. *castanella* WALSINGHAM, Ins. Life, iii, 329, 1891. Ky.
- *6319. *bostonica* FREY & BOLL, Stett. ent. Zeit., xxxiv, 216, 1873; CHAMBERS, Cin. Quart. Jn. Sci., i, 206, 1874; ii, 230, 1875. Mass.

- *6320. *ignota* FREY & BOLL, Stett. ent. Zeit., xxxiv, 215, 1873; CHAMBERS, Cin. Quart. Jn. Sci., i, 206, 1874; ii, 230, 1875. Atl. States.
syn. *helianthisella* CHAMBERS, Cin. Quart. Jn. Sci., i, 205, 1874; *helianthivorella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 100, 1875.
6321. *ambrosiella* CHAMBERS, Can. Ent., iii, 127, 1871; Cin. Quart. Jn. Sci., ii, 100, 1875; FREY & BOLL, Stett. ent. Zeit., xxxvii, 221, 1876; xxxix, 267, 1878; WALSINGHAM, Ins. Life, ii, 54, 1889. Ky.
- *6322. *elephantopodella* FREY & BOLL, Stett. ent. Zeit., xxxix, 268, 1878. Tex.
6323. *verbesinella* BUSCK, Proc. U. S. Nat. Mus., xxiii, 247, 1900. Fla.
- *6324. *actinomeridis* FREY & BOLL, Stett. ent. Zeit., xxxix, 268, 1878. Tex.
- *6325. *eppelsheimii* FREY & BOLL, Stett. ent. Zeit., xxxix, 272, 1878. Tex.
6326. *bethuniella* CHAMBERS, Can. Ent., iii, 109, 1871; Cin. Quart. Jn. Sci., ii, 103, 1875; Can. Ent., xi, 89, 1879. Ky.
- *6327. *lebertella* FREY & BOLL, Stett. ent. Zeit., xxxix, 266, 1878. Tex.
- *6328. *betulivora* WALSINGHAM, Ins. Life, iii, 326, 1891. Atl. States.
- *6329. *bifasciella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 101, 1878. Ky.
- *6330. *tubiferella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 208, 1860; Tin. No. Am., 140, 1872; CHAMBERS, Can. Ent., iii, 165, 183, 1871; WALSINGHAM, Ins. Life, ii, 24, 77, 1889; iii, 329, 1891. Pa.
6331. *populiella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 101, 1878. Ohio, Ky.
6332. *atomariella* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 350, 1875; WALSINGHAM, Ins. Life, ii, 54, 1889. Mass.
6333. *salicifoliella* CLEMENS, Proc. Ent. Soc. Phil., i, 81, 1861; Tin. No. Am., 169, 1872; PACKARD, Guide Stud. Ins., 353, 1869; CHAMBERS, Can. Ent., iii, 163, 185, 1871; Cin. Quart. Jn. Sci., ii, 302, 1875; Bull. Geol. Surv. Terr., iii, 139, 1877; WALSINGHAM, Ins. Life, ii, 54, 1889. Atl. States.

6334. *hamadryella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 324, 1859; Tin. No. Am., 65, 77, 1872; CHAMBERS, Can. Ent., iii, 55, 164, 182, 1871; Cin. Quart. Jn. Sci., ii, 201, 1875; FREY & BOLL, Stett. ent. Zeit., xxxix, 62, 1878.
 syn. *alternatella* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 351, 1875; *alternata* CHAMBERS, Bull. Geol. Surv. Terr., iv, 153, 1878.
- *6335. *ostryarella* CHAMBERS, Can. Ent., iii, 111, 1871. Ky.
- *6336. *lysimachiælla* CHAMBERS, Cin. Quart. Jn. Sci., ii, 100, 1875; WALSINGHAM, Ins. Life, ii, 77, 1889. Ky.?

BEDELLIA Stainton.

STAINTON, Cat. Brit. Tin., 226, 1849.

6337. *somnulentella* ZELLER, Isis, 849, 1847; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 4107, 1901; CHAMBERS, Bull. Geol. Surv. Terr., iv, 131, 1878.
 syn. *staintonella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 8, 1860; Proc. Ent. Soc. Phil., i, 147, 1862; *convolvulella* FABRICIUS, *somnulatella* RILEY, Smith's List Lep. Bor. Am., 108, 1891.

6338. *minor* BUSCK, Proc. U. S. Nat. Mus., xxiii, 243, 1900. Fla.

CHILOCAMPYLA Busck.

BUSCK, Proc. U. S. Nat. Mus., xxiii, 248, 1900.

6339. *dyariella* BUSCK, Proc. U. S. Nat. Mus., xxiii, 249, 1900. Fla.

EUCOSMOPHORA Walsingham.

WALSINGHAM, Proc. Zool. Soc. Lond., 148, 1897.

6340. *sideroxyloniella* BUSCK, Proc. U. S. Nat. Mus., xxiii, 250, 1900. Fla.

GRACILARIA Haworth.

HAWORTH, Lep. Brit., 527, 1829; *Parectopa* CLEMENS, Tin. No. Am., 144, 1872.

6341. *aceriella* CHAMBERS, Jn. Cin. Soc. Nat. Hist., iii, 295, 1880. Mass.

6342. *acerifoliella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 299, 1875; Bull. Geol. Surv. Terr., iii, 132, 1877. Col.

6343. *alnicolella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 299, 1875; Bull. Geol. Surv. Terr., iii, 132, 1877. Col.

6344. *alnivorella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 298, 1875; Bull. Geol. Surv. Terr., iii, 132, 1877; Can. Ent., ix, 15, 1877. Col.
6345. *astericola* FREY & BOLL, Stett. ent. Zeit., xxxiv, 204, 1873; CHAMBERS, Cin. Quart. Jn. Sci., ii, 200, 1875. Mass.
6346. *atomosella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 309, 1873. Tex.
- *6347. *behrensellia* CHAMBERS, Can. Ent., viii, 32, 1876. Cal.
6348. *belfrageella* CHAMBERS, Can. Ent., vii, 92, 1875. Tex.
6349. *blandella* CLEMENS, Proc. Ent. Soc. Phil., iii, 505, 1864; Tin. No. Am., 257, 1872; CHAMBERS, Can. Ent., v, 13, 47, 1873. Pa.
- *6350. *bosquella* CHAMBERS, Can. Ent., viii, 33, 1876; Bull. Geol. Surv. Terr., iii, 132, 1877. Tex.
6351. *coroniella* CLEMENS, Proc. Ent. Soc. Phil., ii, 421, 1864; v, 145, 1866; Tin. No. Am., 243, 1872; WALSINGHAM, Trans. Am. Ent. Soc., x, 192, 1882. Pa.
6352. *violacella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 7, 1860; Tin. No. Am., 93, 1872; CHAMBERS, Can. Ent., iv, 26, 1872; v, 46, 1873; Cin. Quart. Jn. Sci., i, 208, 1874; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 108, 1873. Atl. States.
- syn. *desmodifolia* CLEMENS, Proc. Ent. Soc. Phil., v, 145, 1865; Tin. No. Am., 268, 1872; FREY & BOLL, Stett. ent. Zeit., xxxvii, 212, 1876.
6353. *plantaginisella* CHAMBERS, Can. Ent., iv, 10, 1872; v, 46, 1873. Ky.
- syn. *geiella* CHAMBERS, Cin. Quart. Jn. Sci., i, 200, 1874; *erigeronella* CHAMBERS, Can. Ent., ix, 127, 1877; Bull. Geol. Surv. Terr., iv, 148, 1878.
6354. *elongella* LINNÆUS, Faun. Suec., no. 1436, 1761; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 4056, 1901; WALSINGHAM, Trans. Am. Ent. Soc., x, 193, 1882. Pac. States, Eur.
- syn. *signipennella* HÜBNER, *roseipennella* TREITSCHKE, *inconstans* STANTON, *straminella* STANTON, *olongella* RILEY, Smith's List Lep. Bor. Am., 105, 1891.
6355. *falconipennella* HÜBNER, Schm. Eur., 317, 1827; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 4050, 1901; ZELLER, Linn. Ent., ii, 323, 1846; Verh. zool.-bot. Ges. Wien, xxiii, 307, 1873. Eur., Tex.

6356. *fasciella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 98, 1875; Can. Ent., vii, 93, 1875; ix, 123, 194, 1877; xi, 118, 1879; WALSINGHAM, Trans. Am. Ent. Soc., x, 201, 1882.
 syn. *quinquenotella* CHAMBERS, Can. Ent., ix, 126, 194, 1877. Ky.
- *6357. *fulgidella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 6, 1860; Proc. Ent. Soc. Phil., v, 145, 1865; Tin. No. Am., 92, 1872. Pa.
6358. *fuscochrella* BEUTENMÜLLER, Ent. Am., v, 10, 1889. Cal.
6359. *juglandiella* CHAMBERS, Can. Ent., iv, 28, 88, 1872; v, 15, 47, 1873.
 syn. *juglandisnigrælla* CHAMBERS, Bull. Geol. Surv. Terr., iv, 149, 1878. Ky.
6360. *negundella* CHAMBERS, Can. Ent., viii, 18, 1876; Bull. Geol. Surv. Terr., iii, 132, 1877; Psyche, iii, 66, 1880. Col.
6361. *nigristrigella* BEUTENMÜLLER, Ent. Am., iv, 30, 1888.
 syn. *ruptostrigella* BEUTENMÜLLER, Ent. Am., iv, 30, 1888. Cal.
6362. *stigmatella* FABRICIUS, Sp. Ins., ii, 295, 34, 1781; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 4044, 1901; CHAMBERS, Can. Ent., xi, 74, 119, 1879; xii, 24, 1880.
 syn. *upupæpennella* HÜBNER, *ochracea* HAWORTH, *purpuriella* CHAMBERS, Can. Ent., iv, 27, 1872; v, 46, 1873; ix, 126, 194, 1877. Atl. States, Eur.
6363. *rhoifoliella* CHAMBERS, Can. Ent., viii, 31, 1876. Atl. States.
6364. *lespedezæfoliella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 210, 1860; Tin. No. Am., 144, 1872; CHAMBERS, Can. Ent., iv, 7, 1872; v, 47, 1873; viii, 19, 1876; Bull. Geol. Surv. Terr., iii, 132, 1877.
 syn. *robiniella* CLEMENS, Proc. Ent. Soc. Phil., ii, 4, 1863; Tin. No. Am., 207, 1872; CHAMBERS, Can. Ent., iii, 87, 1871; iv, 7, 1872; v, 47, 1873; viii, 33, 1876; Bull. Geol. Surv. Terr., iii, 132, 1877; WALSINGHAM, Trans. Am. Ent. Soc., x, 193, 1882; *mirabilis* FREY & BOLL, Stett. ent. Zeit., xxxiv, 203, 1873; CHAMBERS, Cin. Quart. Jn. Sci., ii, 227, 1875. Atl. States.
6365. *salicifoliella* CHAMBERS, Can. Ent., iv, 25, 1872; v, 15, 46, 186, 1873; Cin. Quart. Jn. Sci., i, 340, 1874. Ky.
6366. *sauzalitoella* CHAMBERS, Can. Ent., viii, 32, 1876. Cal.

6367. *sassafrasella* CHAMBERS, Can. Ent., viii, 33, 1876. Ky.
6368. *sanguinella* BEUTENMÜLLER, Ent. Amer., iv, 30, 1888. Cal.
6369. *shastaella* BEUTENMÜLLER, Ent. Amer., iv, 30, 1888. Cal.
6370. *strigifinitella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 6, 1860; Proc. Ent. Soc. Phil., v, 145, 1865; Tin. No. Am., 92, 269, 1872. Pa.
6371. *duodecemlineella* CHAMBERS, Can. Ent., iv, 11, 1872; ix, 124, 1877. Ky.
6372. *alchimiella* SCOPOLI, Ent. Carn., no. 661, 1763; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 4040, 1901; WALSINGHAM, Trans. Am. Ent. Soc., x, 191, 1882. Atl. States, Eur.
- syn. *swederella* THUNBERG, *franckella* HÜBNER, *hilaripennella* TREITSCHKE, *superbifrontella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 5, 1861; Proc. Ent. Soc. Phil., v, 145, 1865; Tin. No. Am., 91, 269, 1872; FREY & BOLL, Stett. ent. Zeit., xxxiv, 202, 1873; CHAMBERS, Cin. Quart. Jn. Sci., i, 200, 1874; ii, 226, 1875; *packardella* CHAMBERS, Can. Ent., iv, 27, 1872; ix, 194, 1877; Cin. Quart. Jn. Sci., i, 200, 1874; *inornatella* CHAMBERS, Can. Ent., viii, 31, 1876; xi, 119, 1879; *elegantella* FREY & BOLL, Stett. ent. Zeit., xxxiv, 202, 1873; CHAMBERS, Cin. Quart. Jn. Sci., ii, 227, 1875.
- *6373. *populiella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 301, 1875; Bull. Geol. Surv. Terr., iii, 132, 1877. Col.
6374. *thermopsella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 300, 1875; Bull. Geol. Surv. Terr., iii, 132, 1877; DYAR, Proc. U. S. Nat. Mus., xxv, 409, 1902. Col.
6375. *venustella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 6, 1860; Proc. Ent. Soc. Phil., ii, 10, 1863; v, 145, 1865; Tin. No. Am., 92, 216, 269, 1872. Atl. States.
- syn. *cupatoriella* CHAMBERS, Can. Ent., iv, 9, 1872; v, 44, 46, 1873.
- *6376. *ribesella* CHAMBERS, Bull. Geol. Surv. Terr., iii, 132, 1877. Col.
6377. *pulchella* CHAMBERS, Can. Ent., vii, 186, 1875. Can.
6378. *burgessiella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 307, 1873. Mass.
- *6379. *auriferella* FREY & BOLL, Stett. ent. Zeit., xxxvii, 211, 1876. Tex.

- *6380. *consimilella* FREY & BOLL, Stett. ent. Zeit., xxxvii, 210, 1876. Tex.
- *6381. *interpositella* FREY & BOLL, Stett. ent. Zeit., xxxvii, 211, 1876. Tex.
- *6382. *obscuripennella* FREY & BOLL, Stett. ent. Zeit., xxxvii, 209, 1876. Tex.
6383. *burserella* BUSCK, Proc. U. S. Nat. Mus., xxiii, 251, 1900. Fla.
6384. *sebastianella* BUSCK, Proc. U. S. Nat. Mus., xxiii, 251, 1900. Fla.
6385. *pносmodiella* BUSCK, Proc. U. S. Nat. Mus., xxv, 409, 1902. Col.
- *6386. *strictella* WALKER, Cat. Brit. Mus., xxix, 591, 1864. Can.

ORNIX Treitschke.

TREITSCHKE, Schm. Eur., ix, 2, 192, 1833.

6387. *geminatella* PACKARD, Guide Stud. Ins., 353, 1869; CHAMBERS, Can. Ent., iii, 183, 1871. Atl. States.
syn. *prunivora* CHAMBERS, Can. Ent., v, 50, 1873; Cin. Quart. Jn. Sci., ii, 301, 1875; Bull. Geol. Surv. Terr., iii, 133, 141, 1877; Psyche, iii, 67, 1880; WALSHINGHAM, Trans. Am. Ent. Soc., x, 194, 1882.
6388. *erataegifoliella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 8, 1860; Tin. No. Am., 94, 1872; CHAMBERS, Can. Ent., v, 48, 1873. Pa.
- *6389. *boreasella* CLEMENS, Proc. Ent. Soc. Phil., ii, 415, 1864; Tin. No. Am., 237, 1872. Pa.
6390. *anglicella* STANTON, Trans. Ent. Soc. Lond., (2), i, 92, 1850; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 4097, 1901; WALSHINGHAM, Trans. Am. Ent. Soc., x, 193, 1882. Eur.,
syn. *fragariae* STANTON. Atl. States.?
- *6391. *festinella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 97, 1860; Tin. No. Am., 94, 1872. Pa.
- *6392. *inusitatumella* CHAMBERS, Can. Ent., v, 47, 1873; viii, 19, 1876. Ky.
- *6393. *quercifoliella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 116, 1875. Mo.
- *6394. *trepidella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 7, 1860; Tin. No. Am., 94, 1872. Pa.
- *6395. *quadripunctella* CLEMENS, Proc. Ent. Soc. Phil., i, 86, 1861; Tin. No. Am., 177, 1872. Pa.

CORISCUM Zeller.

ZELLER, Isis, 210, 1839.

6396. *albinatella* CHAMBERS, Can. Ent., iv, 25, 1872. Ky.
 syn. *albanotella* CHAMBERS, Can. Ent., ix, 123,
 1877; Cin. Quart. Jn. Sci., i, 200, 1874;
 Bull. Geol. Surv. Terr., iii, 132, 1877.
6397. *paradoxum* FREY & BOLL, Stett. ent. Zeit.,
 xxxiv, 205, 1873; xxxvii, 212, 1876; CHAMBERS,
 Cin. Quart. Jn. Sci., i, 200, 1874. Atl.
 States.
6398. *quiquestrigella* CHAMBERS, Can. Ent., vii, 75,
 1875; ix, 14, 124, 1877; x, 109, 1878. Tex.
6399. *randiella* BUSCK, Proc. U. S. Nat. Mus., xxiii,
 247, 1900. Fla.
6400. *rhombiferellum* FREY & BOLL, Stett. ent. Zeit.,
 xxxvii, 212, 1876. Tex.
6401. *cuculipenellum* HÜBNER, Ges. eur. Schmett.,
 viii, Tin., vi, Al. B, f. 2, 1831; STAUDINGER &
 REBEL, Cat. Lep. Eur., ii, no. 4083, 1901; FERNALD,
 Can. Ent., xxv, 96, 1893.
 syn. *cinerea* HAWORTH, *alantella* DUPONCHEL. Eur.,
 N. Y.

LEUCANTHIZA Clemens.

CLEMENS, Proc. Acad. Nat. Sci. Phil., 327, 1859.

6402. *amphicarpeæfoliella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 327, 1859; Tin. No. Am., 85, 87, 1872;
 CHAMBERS, Can. Ent., iii, 162, 1871.
 syn. *stundersella* CHAMBERS, Can. Ent., iii, 205,
 1871; xi, 93, 1879. No. Atl.
 States.

MARMARA Clemens.

CLEMENS, Proc. Ent. Soc. Phil., ii, 6, 1863.

- *6403. *salicella* CLEMENS, Proc. Ent. Soc. Phil., ii, 7,
 1863; Tin. No. Am., 212, 1872.
 syn. *salicella* CHAMBERS, Bull. Geol. Surv.
 Terr., iv, 156, 1878.

6404. *guilandinæ* BUSCK, Proc. U. S. Nat. Mus., xxiii,
 234, 1900. Fla.

LEUCOPTERA Hübner.

HÜBNER, Verz. bek. Schmett., 426, 1816; WALSINGHAM, Proc. Zool. Soc. Lond., 141,
 272, 1897; *Cemistoma* ZELLER, Linn. Ent., iii, 272, 1848.

6405. *erythrinella* BUSCK, Proc. U. S. Nat. Mus., xxiii,
 239, 1900. Fla.
6406. *guettardella* BUSCK, Proc. U. S. Nat. Mus., xxiii,
 239, 1900. Fla.

PROLEUCOPTERA Busck.

BUSCK, Jn. N. Y. Ent. Soc., x, 98, 1902.

6407. *albella* CHAMBERS, Can. Ent., iii, 23, 209, 1871; KY., Col.
DYAR, Proc. U. S. Nat. Mus., xxv, 410, 1902.

6408. *smilaciella* BUSCK, Jn. N. Y. Ent. Soc., viii, 244, PA.,
1901. D. C.

PHILONOME Chambers.

CHAMBERS, Can. Ent., vi, 96, 1874.

- *6409. *clemensella* CHAMBERS, Can. Ent., vi, 97, 1874; KY.
viii, 136, 1876; ix, 13, 1877; x, 238, 1878.

BUSCKIA Dyar.

Eury nome CHAMBERS (not LEACH), Cin. Quart. Jn. Sci., ii, 304, 1875; Bull. Geol. Surv. Terr., iii, 140, 1877; Jn. Cin. Soc. Nat. Hist., ii, 196, 1879.

- *6410. *albella* CHAMBERS, Bull. Geol. Surv. Terr., iii, COL.
140, 1877.

- *6411. *luteella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 304, COL.
1875; Bull. Geol. Surv. Terr., iii, 140, 1877.

CACONOME Dyar.

Acanthocnemis CHAMBERS (not *Acanthocnemis* HAWLE & CORDA), Bull. Geol. Surv. Terr., iv, 104, 1878.

- *6412. *fuscoseapulella* CHAMBERS, Bull. Geol. Surv. TEX.
Terr., iv, 104, 1878.

LYONETIA Hübner.

HÜBNER, Verz. bek. Schmett., 423, 1816; CLEMENS, Tid. No. Am., 183, 1872.

- *6413. *alniella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 303, COL.
1875; Bull. Geol. Surv. Terr., iii, 140, 1877.

- *6414. *apicistrigella* CHAMBERS, Cin. Quart. Jn. Sci., ii, KY.
105, 1875.

- *6415. *gracilella* CHAMBERS, Can. Ent., viii, 34, 1876. KY.

- *6416. *latistrigella* WALSINGHAM, Trans. Am. Ent. Soc., ATL.
x, 203, 1882. STATES.

- *6417. *nidificansella* PACKARD, Guide Stud. Ins., 354, ATL.
1869; CHAMBERS, Can. Ent., xi, 75, 1879. STATES.

- *6418. *speculella* CLEMENS, Proc. Ent. Soc. Phil., i, 134, PA.
1861; Tin. No. Am., 184, 1872.

PHYLLOCNISTIS Zeller.

ZELLER, Linn. Ent., iii, 264, 1848.

6419. *ampelopsiella* CHAMBERS, Can. Ent., iii, 207, 1871; KY.
Cin. Quart. Jn. Sci., ii, 107, 304, 1875; Jn. Cin. Soc. Nat. Hist., ii, 13, 1880; Bull. Geol. Surv. Terr., iii, 140, 1877.

6420. *populiella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 106,
303, 1875; Can. Ent., viii, 19, 1876; Bull. Geol.
Surv. Terr., iii, 140, 147, 1877. Ky.
6421. *vitifoliella* CHAMBERS, Can. Ent., iii, 206, 1871;
vi, 169, 1874; FREY & BOLL, Stett. ent. Zeit.,
xxxix, 26, 1878; CHAMBERS, Psyche, iii, 67, 1880. Ky.,
Wis.
6422. *vitigenella* CLEMENS, Proc. Acad. Nat. Sci. Phil.,
327, 1859; Tin. No. Am., 22, 39, 83, 1872; CHAM-
BERS, Can. Ent., iii, 206, 1871; vi, 169, 1874;
ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 314,
1873; CHAMBERS, Psyche, iii, 67, 1880. Pa.,
Mass.
- *6423. *liriodendrella* CLEMENS, Proc. Ent. Soc. Phil., ii,
13, 1863; Tin. No. Am., 220, 1872; CHAMBERS,
Can. Ent., iii, 185, 206, 1871. Pa.
- *6424. *magnoliella* CHAMBERS, Psyche, iii, 67, 1880. Ky.
- *6425. *liquidambarisella* CHAMBERS, Cin. Quart. Jn. Sci.,
ii, 106, 1875. Ky.
- *6426. *similiacicella* CHAMBERS, Cin. Quart. Jn. Sci., ii,
107, 1875. Ky.
6427. *intermediella* BUSCK, Proc. U. S. Nat. Mus., xxiii,
253, 1900. Fla.
6428. *erechtiisella* CHAMBERS, Bull. Geol. Surv. Terr.,
iv, 104, 1878.
syn. *insignis* FREY & BOLL, Stett. ent. Zeit.,
xxxvii, 217, 1876. Ky.,
Tex.
- *6429. *magnatella* ZELLER, Verh. zool.-bot. Ges. Wien,
xxiii, 315, 1873. Mass.

METRIOCHROA Busck.

BUSCK, Proc. U. S. Nat. Mus., xxiii, 244, 1900.

6430. *psychotriatella* BUSCK, Proc. U. S. Nat. Mus.,
xxiii, 245, 1900. Fla.

TISCHERIA Zeller.

ZELLER, Isis, 219, 1839.

- *6431. *sulphurea* FREY & BOLL, Stett. ent. Zeit., xxxix,
256, 1878; WALSINGHAM, Ins. Life, ii, 324, 1890;
iii, 387, 1891. Tex.
6432. *clemensella* CHAMBERS, Bull. Geol. Surv. Terr.,
iv, 99, 1878; WALSINGHAM, Ins. Life, ii, 323, 1890;
iii, 388, 1891.
syn. *bicolor* FREY & BOLL, Stett. ent. Zeit.,
xxxix, 255, 1878. Tex.

- *6433. *concolor* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 352, 1875; FREY & BOLL, Stett. ent. Zeit., xxxix, 255, 1878; WALSINGHAM, Ins. Life, ii, 324, 1890. Tex.
- *6434. *castaneælla* CHAMBERS, Cin. Quart. Jn. Sci., ii, 111, 1875; WALSINGHAM, Ins. Life, iii, 388, 1891. syn. *castanella* WALSINGHAM, Ins. Life, iii, 389, 1891. Ky.
- *6435. *citrinipennella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 324, 1859; Tin. No. Am., 39, 80, 82, 1872; CHAMBERS, Can. Ent., iii, 208, 1871; WALSINGHAM, Ins. Life, ii, 323, 1889. Atl. States.
- syn. *queretella* CLEMENS, Proc. Ent. Soc. Phil., ii, 13, 1863; CHAMBERS, Can. Ent., iii, 208, 1871; FREY & BOLL, Stett. ent. Zeit., xxxiv, 221, 1873; xxxix, 254, 1878; CHAMBERS, Cin. Quart. Jn. Sci., ii, 111, 1875; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 146, 1875; CHAMBERS, Bull. Geol. Surv. Terr., iv, 97, 1878; Psyche, iii, 68, 1880; WALSINGHAM, Ins. Life, ii, 324, 1890; *queretarella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 109, 1877; Bull. Geol. Surv. Terr., iv, 97, 1878. Ky.
6436. *badiella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 109, 111, 1875; WALSINGHAM, Ins. Life, iii, 387, 1891. syn. *bodicella* CHAMBERS, Can. Ent., vii, 124, 1875. Ky.
- *6437. *fuscomarginella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 110, 1875; WALSINGHAM, Ins. Life, ii, 324, 1890; iii, 388, 1891. Ky.
6438. *tinctoriella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 108, 1875; WALSINGHAM, Trans. Am. Ent. Soc., x, 202, 1882; Ins. Life, ii, 324, 1890; iii, 386, 1891. Ky.
- *6439. *helianthi* FREY & BOLL, Stett. ent. Zeit., xxxix, 258, 1878; WALSINGHAM, Ins. Life, ii, 324, 1890. Tex.
6440. *solidaginifoliella* CLEMENS, Proc. Acad. Nat. Sci., Phil., 326, 1859; Tin. No. Am., 180, 1872; CHAMBERS, Can. Ent., iii, 208, 1871; FREY & BOLL, Stett. ent. Zeit., xxxix, 257, 1878; WALSINGHAM, Ins. Life, ii, 324, 1890. Pa.
- *6441. *purinosella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 110, 1875. Ky.
- syn. *pruinosa* CHAMBERS, Bull. Geol. Surv. Terr., iv, 97, 1878; FREY & BOLL, Stett. ent. Zeit., xxxix, 257, 1878; WALSINGHAM, Ins. Life, ii, 324, 1890. Ky.

- *6442. *pulvella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 99, 1878. Tex.
- *6443. *heteroteræ* FREY & BOLL, Stett. ent. Zeit., xxxix, 257, 1878. Tex.
6444. *heliopsisella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 113, 1875; WALSINGHAM, Proc. Ent. Soc. Lond., 145, 1897; Ins. Life, ii, 325, 1890. Ky., Tex.
syn. *nolckenii* FREY & BOLL, Stett. ent. Zeit., xxxvii, 220, 1876; xxxix, 257, 1878.
- *6445. *longeciliata* FREY & BOLL, Stett. ent. Zeit., xxxix, 259, 1878. Tex.
6446. *ambrosiælla* CHAMBERS, Cin. Quart. Jn. Sci., ii, 112, 1875; WALSINGHAM, Ins. Life, ii, 325, 1890. Ky.
6447. *ceanothi* WALSINGHAM, Ins. Life, ii, 325, 1890. Cal.
6448. *malifoliella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 208, 1860; Tin. No. Am., 141, 1872; CHAMBERS, Can. Ent., iii, 208, 1871; v, 50, 1873; vi, 150, 1874; FREY & BOLL, Stett. ent. Zeit., xxxiv, 222, 1873; CHAMBERS, Cin. Quart. Jn. Sci., ii, 111, 1875; FREY & BOLL, Stett. ent. Zeit., xxxix, 254, 1878; WALSINGHAM, Ins. Life, ii, 326, 1890; CHAMBERS, Psyche, iii, 68, 1880. Atl. States.
6449. *aenea* FREY & BOLL, Stett. ent. Zeit., xxxiv, 222, 1873; CHAMBERS, Cin. Quart. Jn. Sci., i, 210, 1874; Bull. Geol. Surv. Terr., iv, 99, 1878; FREY & BOLL, Stett. ent. Zeit., xxxvii, 220, 1876; xxxix, 254, 1878; WALSINGHAM, Ins. Life, ii, 326, 1890. Atl. States.
- *6450. *roseticola* FREY & BOLL, Stett. ent. Zeit., xxxiv, 223, 1873; CHAMBERS, Cin. Quart. Jn. Sci., i, 210, 1874; ii, 112, 1875; WALSINGHAM, Ins. Life, ii, 326, 1890. Atl. States.

COPTOTRICHE Walsingham.

WALSINGHAM, Ins. Life, ii, 322, 1890.

6451. *zelleriella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 326, 1859; Tin. No. Am., 81, 1872; CHAMBERS, Can. Ent., iii, 208, 1871; Cin. Quart. Jn. Sci., ii, 109, 1875; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 147, 1875; CHAMBERS, Bull. Geol. Surv. Terr., iv, 98, 1878; WALSINGHAM, Ins. Life, iii, 387, 1891. Atl. States.
syn. *complanoides* FREY & BOLL, Stett. ent. Zeit., xxxiv, 220, 1873; CHAMBERS, Bull. Geol. Surv. Terr., iv, 99, 1878; *zellerella* FREY & BOLL, Stett. ent. Zeit., xxxiv, 220, 1873; *latipennella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 97, 1878.

PODIASA Busck.

BUSCK, Proc. U. S. Nat. Mus., xxiii, 240, 1900.

6452. *chiococcella* BUSCK, Proc. U. S. Nat. Mus., xxiii, 240, 1900. Fla.

ARGYRESTHIA Hübner.

HÜBNER, Verz. bek. Schmett., 422, 1816.

6453. *abdominalis* ZELLER, Linn. Ent., ii, 270, 1847; Verh. zool.-bot. Ges. Wien, xxiii, 306, 1873. Tex.

- *6454. *altissimella* CHAMBERS, Bull. Geol. Surv. Terr., iii, 130, 147, 1877. Col.

6455. *andereggia* DUPONCHEL, Hist. Nat., xi, 305, 9, 1838; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 2423, 1901; CLEMENS, Proc. Acad. Nat. Sci. Phil., 7, 1860; Tin. No. Am., 39, 93, 1872; CHAMBERS, Can. Ent., vi, 10, 1874; vii, 145, 1875; ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 304, 1875; CHAMBERS, Bull. Geol. Surv. Terr., iii, 131, 141, 1877.

syn. *oreasella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 7, 1860.

- *6456. *apicimaculella* CHAMBERS, Can. Ent., vi, 11, 1874. Ky.
syn. *visaliella* CHAMBERS, Can. Ent., vi, 145, 1874.

6457. *austerella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 305, 1873. Tex.

syn. *undulatella* CHAMBERS, Can. Ent., vi, 10, 1874; vii, 145, 1875; ix, 72, 1877.

6458. *goedertella* LINNÆUS, Syst. Nat., 541, 1758; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 2420, 1901; CHAMBERS, Can. Ent., vii, 144, 1875; viii, 19, 1876; Bull. Geol. Surv. Terr., iii, 131, 141, 147, 1877.

syn. *gadastella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 294, 1875.

6459. *mendica* HAWORTHI, Lep. Brit., 517, 1829; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 2397, 1901; WALSINGHAM, Ins. Life, iii, 118, 1891.

- *6460. *belangerella* CHAMBERS, Can. Ent., vii, 145, 1875. Can.

- *6461. *cupressella* WALSINGHAM, Ins. Life, iii, 118, 1890. Cal.

- *6462. *freyella* WALSINGHAM, Ins. Life, iii, 119, 1890. Tex.

- *6463. *deletella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 305, 1873. Tex.

- *6464. *montella* CHAMBERS, Bull. Geol. Surv. Terr., iii, 130, 1877. Col.
- *6465. *plicipunctella* WALSINGHAM, Ins. Life, iii, 119, 1890; 386, 1891. (Unknown.)
- *6466. *pedmontella* CHAMBERS, Bull. Geol. Surv. Terr., iii, 131, 1877. Col.
6467. *pygmælla* HÜBNER, Schm. Eur., 353, 1827; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 2419, 1901. Eur.
- *6468. *quadristrigella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 304, 1873; FREY & BOLL, Stett. ent. Zeit., xxxvii, 209, 1876. Tex.
- *6469. *quercicolella* CHAMBERS, Bull. Geol. Surv. Terr., iii, 130, 1877. Col.
- *6470. *subreticulata* WALSINGHAM, Trans. Am. Ent. Soc., x, 173, 1882. Atl. States. ?

ACROLEPIA Curtis.

CURTIS, Brit. Ent., xv, 1838; *Argiope* CHAMBERS, Can. Ent., v, 13, 1873.

- *6471. *incertella* CHAMBERS, Can. Ent., iv, 43, 1872. Ky.
 syn. *dorsimaculella* CHAMBERS, Can. Ent., v, 13, 174, 1873; WALSINGHAM, Trans. Am. Ent. Soc., x, 172, 1882.

EUCATAGMA Busck.

BUSCK, Jn. N. Y. Ent. Soc., viii, 247, 1901.

6472. *amyrisella* BUSCK, Jn. N. Y. Ent. Soc., viii, 247, 1901. Fla.

SCARDIA Treitschke.

TREITSCHKE, Schm. Eur., viii, 291, 1830; *Fernaldia* GROTE, Bull. Geol. Surv. Terr., vi, 274, 1882.

- *6473. *tessulatella* ZELLER, Stett. ent. Zeit., vii, 182, 1846; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 4521, 1901. Eur.
 syn. *tessalatella* RILEY, Smith's List Lep. Bor. Am., 95, 190, 1891.

6474. *anatomella* GROTE, Bull. Geol. Surv. Terr., vi, 274, 1882; WALSINGHAM, Trans. Am. Ent. Soc., x, 171, 1882. N. Y.

EUPLOCAMUS Latreille.

LATREILLE, Gen. Crust. Ins., iv, 223, 1796.

- *6475. *fuscofasciella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 257, 1875. Ky.

XYLESTIA Clemens.

CLEMENS, Proc. Acad. Nat. Sci. Phil., 256, 1859; WALSINGHAM, Proc. Zool. Soc. Lond., 166, 1897.

6476. *pruniramiella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 257, 1859; Tin. No. Am., 39, 54, 59, 1872.
 syn. *congeminatella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 218, 1873; *clemensella* CHAMBERS, Can. Ent., v, 174, 1873; ix, 208, 1877.

INCURVARIA Haworth.

HAWORTH, Lep. Brit., 559, 1829.

6477. *acerifoliella* FITCH, Rep. Ins. N. Y., i, 269, 1854;
 CLEMENS, Proc. Acad. Nat. Sci. Phil., 5, 1860;
 Tin. No. Am., 90, 1872; WALSINGHAM, Ins. Life, i, 147, 1888.
 syn. *iridella* CHAMBERS, Can. Ent., v, 86, 1873;
 WALSINGHAM, Trans. Am. Ent. Soc., x, 172, 1882.
6478. *aenescens* WALSINGHAM, Ins. Life, i, 147, 1888. Oreg.
6479. *humilis* WALSINGHAM, Ins. Life, i, 146, 1888. Cal.
- *6480. *labradoriella* CLEMENS, Proc. Ent. Soc. Phil., ii, 416, 1864; Tin. No. Am., 238, 1872; WALSINGHAM, Ins. Life, i, 147, 1888.
- *6481. *mediostriatella* CLEMENS, Proc. Ent. Soc. Phil., v, 147, 1866; Tin. No. Am., 273, 1872.
 syn. *flavistrigella* WALSINGHAM, Trans. Am. Ent. Soc., x, 189, 1882; Ins. Life, i, 147, 1888; *auristrigella* CHAMBERS, Can. Ent., v, 86, 1873; ix, 207, 1877.
6482. *politella* WALSINGHAM, Ins. Life, i, 146, 1888. Oreg.
6483. *punctiferella* WALSINGHAM, Ins. Life, i, 145, 1888. Oreg., Cal.
- *6484. *russatella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 5, 1860; Tin. No. Am., 89, 1872.
 syn. *tripunctella* WALSINGHAM, Proc. Zool. Soc. Lond., 92, 1880; Trans. Am. Ent. Soc., x, 172, 1882.
6485. *solenobiella* WALSINGHAM, Proc. Zool. Soc. Lond., 82, 1880; Ins. Life, i, 146, 1888. Cal.
- *6486. *oregonella* WALSINGHAM, Proc. Zool. Soc. Lond., 91, 1880; Trans. Am. Ent. Soc., x, 172, 1882. Oreg.

TINEOLA Herrich-Schaeffer.

HERRICH-SCHAEFFER, Syst. Bearb. Schmett. Eur., v, 23, 1853.

6487. *bisselliella* HUMMEL, Ess. Ent., iii, 13, 1829; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 4624, 1901; PACKARD, Am. Nat., i, 423, 1867; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 223, 1873; FERNALD, Can. Ent., xiv, 169, 1882; WALSINGHAM, Trans. Am. Ent. Soc., x, 82, 171, 1882.

syn. *crinella* TREITSCHKE, *destructor* STEPHENS.
biselliella ZELLER, Linn. Ent., vi, 166, 1852;
lanariella CLEMENS, Proc. Acad. Nat. Sci. Phil., 251, 258, 1859.

MONOPIS Hübner.

HÜBNER, Verz. bek. Schmett., 401, 1816.

6488. *ferruginella* HÜBNER, Schm. Eur., 348, 1827; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 4533, 1901.

syn. *crocicapitella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 257, 1859; WALSINGHAM, Trans. Am. Ent. Soc., x, 170, 1882.

6489. *rusticella* HÜBNER, Schm. Eur., 339, 1827; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 4537, 1901; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 220, 1873.

syn. *vestianella* STEPHENS; RILEY, Am. Ent. & Bot., ii, 90, 1870; Rep. Ins. Mo., iii, 10, 1870.

6490. *monachella* HÜBNER, Schm. Eur., 143, 1827; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 4536, 1901.

TINEA Linnæus.

LINNÆUS, Syst. Nat., 534, 1758.

6491. *acapnopennella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 257, 1859; Tin. No. Am., 233, 1872.

syn. *auropulrella* CHAMBERS, Can. Ent., v, 90, 1873; vii, 125, 1875; viii, 19, 1876; *avapus-penella* RILEY, Smith's List Lep. Bor. Am., 95, 1891.

- *6492. *apimaculella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 257, 1875.

- *6493. *aurosuffusella* CHAMBERS, Can. Ent., v, 87, 1873.

- *6494. *behrensellia* CHAMBERS, Cin. Quart. Jn. Sci., ii, 249, 1875.

- *6495. **biflavimaculella** CLEMENS, Proc. Acad. Nat. Sci. Phil., 257, 1859; Tin. No. Am., 50, 237, 1872; Proc. Ent. Soc. Phil., ii, 413, 1864; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 220, 1873; WALSINGHAM, Trans. Am. Ent. Soc., x, 170, 1882.
syn. *insignisella* WALKER, Cat. Brit. Mus., xxviii, 471, 1863. Atl. States.
6496. **bimaculella** CHAMBERS, Can. Ent., v, 87, 1873. Ky.
- *6497. **carnariella** CLEMENS, Proc. Acad. Nat. Sci. Phil., 256, 1859; Tin. No. Am., 51, 1872; CHAMBERS, Bull. Geol. Surv. Terr., iv, 166, 1878. Pa.
- *6498. **costosignella** CLEMENS, Proc. Ent. Soc. Phil., ii, 128, 1863; Tin. No. Am., 235, 1872. Pa.
- *6499. **costostrigella** CHAMBERS, Can. Ent., v, 87, 1873. Ky.
- *6500. **croceoverticella** CHAMBERS, Can. Ent., viii, 106, 1876. Ky.
- *6501. **defectella** ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 220, 1873. Cal.
6502. **dorsistrigella** CLEMENS, Proc. Acad. Nat. Sci. Phil., 257, 1859; Tin. No. Am., 50, 1872; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 220, 1873; xxv, 342, 1875.
syn. *subjunctella* WALKER, Cat. Brit. Mus., xxvii, 471, 1863; WALSINGHAM, Trans. Am. Ent. Soc., x, 170, 1882. Atl. States.
6503. **fuscipunctella** HAWORTH, Lep. Brit., 562, 1829; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 4583, 1901.
syn. *spretella* ZELLER, *nubilipennella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 257, 1859; Tin. No. Am., 58, 1872; *frigidella* PACKARD, Proc. Bost. Soc. Nat. Hist., xi, 61, 1867; WALSINGHAM, Trans. Am. Ent. Soc., x, 171, 1882. Eur., Lab.
- *6504. **fuscomaculella** CHAMBERS, Can. Ent., v, 90, 1873. Ky.
6505. **fuscopulvella** CHAMBERS, Can. Ent., v, 90, 1873. Ky.
6506. **granella** LINNAEUS, Syst. Nat., 537, 1758; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 4555, 1901; PACKARD, Guide Stud. Ins., 347, 1869; CHAMBERS, Bull. Geol. Surv. Terr., iv, 164, 1878; WALSINGHAM, Trans. Am. Ent. Soc., x, 171, 1882.
syn. *variatella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 257, 1859; CHAMBERS, Can. Ent., vii, 126, 1875. Eur., Atl. States.

6507. *grumella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 221, 1873. Mass.
- *6508. *imitatorella* CHAMBERS, Can. Ent., viii, 105, 1876. Ky.
- *6509. *maculabella* CHAMBERS, Can. Ent., v, 90, 1873. Ky.
6510. *marginimaculella* CHAMBERS, Can. Ent., vii, 212, 1875. Can.
- syn. *maculimarginella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 164, 1878.
- *6511. *marginistrigella* CHAMBERS, Can. Ent., v, 88, 1873. Ky.
6512. *marmorella* CHAMBERS, Can. Ent., vii, 212, 1875. Can.
6513. *minutipulvella* CHAMBERS, Can. Ent., vii, 212, 1875. Can.
6514. *misella* ZELLER, Isis, 184, 1839; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 4580, 1901; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 223, 1873. Tex., Eur.
- *6515. *misceella* CHAMBERS, Can. Ent., v, 86, 1873. Ky.
- *6516. *niveocapitella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 249, 1775. Cal.
- *6517. *obscurostrigella* CHAMBERS, Can. Ent., vi, 232, 1874. Tex.
6518. *oregonella* BUSCK, Jn. N. Y. Ent. Soc., viii, 246, 1900. Oreg.
- *6519. *orleansella* CHAMBERS, Can. Ent., v, 85, 1873. La.
6520. *pellionella* LINNÆUS, Syst. Nat., 536, 1758; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 4584, 1901; WALSINGHAM, Trans. Am. Ent. Soc., x, 170, 1882; FERNALD, Can. Ent., xiv, 169, 1882.
 syn. *flavescenella* HAWORTH, *merdella* ZELLER,
dubiella STANTON, *grisecella* CHAMBERS, Can. Ent., v, 88, 1873. Eur., U. S., Asia.
6521. *seminolella* BEUTENMÜLLER, Ent. Amer., v, 9, 1889. Fla.
- *6522. *septemstrigella* CHAMBERS, Bull. Geol. Surv. Terr., iv, 79, 1878. Tex.
- *6523. *thoracestrigella* CHAMBERS, Can. Ent., viii, 106, 1876. Ky.?
- *6524. *tricingulatella* CLEMENS, Proc. Ent. Soc. Phil., ii, 128, 1863; Tin. No. Am., 234, 1872. Pa.
- *6525. *trimaculella* CHAMBERS, Can. Ent., v, 88, 1873. Ky.

- *6526. *unomaculella* CHAMBERS, Cin. Quart. Jn. Sci., ii, 258, 1875. Tex.
6527. *cloacella* HAWORTH, Lep. Brit., 563, 1829; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 4556, 1901. Eur., U. S.?
- *6528. *straminella* CHAMBERS, Can. Ent., v, 86, 1873. Ky.
- *6529. *martinella* WALKER, Cat. Brit. Mus., xxviii, 472, 1863. Can.
- *6530. *afflictella* WALKER, Cat. Brit. Mus., xxx, 1002, 1864. Can.
6531. *arcella* FABRICIUS, Gen. Ins., 295, 1777; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 4543, 1901. Eur., U. S.?

TRICHOPHAGA Ragonot.

RAGONOT, Ann. Soc. Ent. Fr., Ixiii, 123, 1894.

6532. *tapetzella* LINNÆUS, Syst. Nat., 536, 1758; STAUDINGER & REBEL, Cat. Lep. Eur., ii, no. 4539, 1901; CLEMENS, Tin. No. Am., 258, 1872; CHAMBERS, Bull. Geol. Surv. Terr., iv, 164, 1878; FERNALD, Can. Ent., xiv, 169, 1882.
a. occidentella CHAMBERS, Jn. Cin. Soc. Nat. Sci. ii, 193, 1879.

AMADRYA Clemens.

CLEMENS, Proc. Acad. Nat. Sci. Phil., 260, 1859.

- *6533. *clemensella* CHAMBERS, Can. Ent., vi, 232, 1874; Cin. Quart. Jn. Sci., ii, 256, 1875. Tex.
- *6534. *effrenatella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 260, 1859; Tin. No. Am., 55, 1872; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 219, 1873; CHAMBERS, Cin. Quart. Jn. Sci., ii, 256, 1875. Pa., Mass.

CYANE Chambers.

CHAMBERS, Can. Ent., v, 112, 1873.

- *6535. *visaliella* CHAMBERS, Can. Ent., v, 113, 1873. Ky.

PHRYGANEOPSIS Walsingham.

WALSINGHAM, Proc. Zool. Soc. Lond., 301, 1881.

- *6536. *brunnea* WALSINGHAM, Proc. Zool. Soc. Lond., 302, 1881. Cal.

DIACHORISIA Clemens.

CLEMENS, Proc. Acad. Nat. Sci. Phil., 12, 1860.

- *6537. *velatella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 13, 1860; Tin. No. Am., 107, 1872. Pa.

EUDARCI A Clemens.

- CLEMENS, Proc. Acad. Nat. Sci. Phil., 10, 1860.
 6538. *simulatricella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 11, 1860; Tin. No. Am., 102, 1872; WAL-
 SINGHAM, Trans. Am. Ent. Soc., x, 171, 1882.
 syn. *caventariella* CHAMBERS, Can. Ent., v,
 85, 1873; viii, 105, 1876.

TENAGA Clemens.

- CLEMENS, Proc. Ent. Soc. Phil., i, 135, 1862.
 *6539. *pomiliella* CLEMENS, Proc. Ent. Soc. Phil., i, 136,
 1862; Tin. No. Am., 186, 1872. Pa.

HYBROMA Clemens.

- CLEMENS, Proc. Ent. Soc. Phil., i, 137, 1862.
 *6540. *servulella* CLEMENS, Proc. Ent. Soc. Phil., i, 137,
 1862; Tin. No. Am., 187, 1872. Pa.

PITYS Chambers.

- CHAMBERS, Can. Ent., v, 110, 1873.
 *6541. *fasciella* CHAMBERS, Can. Ent., v, 111, 1873; ix,
 207, 1877. Ky.
 *6542. *auricristatella* CHAMBERS, Can. Ent., v, 110, 1873. Ky.
 *6543. *fuscochristatella* CHAMBERS, Can. Ent., v, 111, 1873. Ky.
 *6544. *miscechristatella* CHAMBERS, Can. Ent., v, 111, 1873. Ky.

OENO E Chambers.

- CHAMBERS, Can. Ent., vi, 50, 1874.
 *6545. *hybromella* CHAMBERS, Can. Ent., vi, 51, 1874;
 Jn. Cin. Soc. Nat. Hist., ii, 186, 1879. Ky.

SEMELE Chambers.

- CHAMBERS, Cin. Quart. Jn. Sci., ii, 243, 1875.
 *6546. *argentistrigella* CHAMBERS, Can. Ent., v, 89, 1873;
 viii, 105, 1876. Ky.
 *6547. *argentinotella* CHAMBERS, Can. Ent., viii, 104,
 1876. Ky.
 *6548. *cristatella* CHAMBERS, Cin. Quart. Jn. Sci., ii,
 243, 1875; Can. Ent., ix, 208, 1877. Ky.
 syn. *bifasciella* CHAMBERS, Can. Ent., viii,
 105, 1876; ix, 208, 1877. -

SETOMORPHA Zeller.

ZELLER, Mier. Caffr., 93, 1853.

- *6549. *operosella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 223, 1873. Mass.?
- *6550. *inamœnella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 224, 1873. Mass.?
- *6551. *ruderella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 225, 1873. Mass.?

ADELA Latreille.

LATREILLE, Gen. Crust. Ins., iv, 224, 1796; CLEMENS, Tin. No. Am., 249, 1872.

6552. *æruginosella* WALSINGHAM, Ins. Life, ii, 285, 1890. La.
6553. *bella* CHAMBERS, Can. Ent., v, 73, 1873; ix, 207, 1877; xi, 125, 1879; WALSINGHAM, Ins. Life, ii, 285, 1890. Atl. States.
- syn. *chalybeis* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 226, 1873; WALSINGHAM, Proc. Zool. Soc. Lond., 79, 1880; *iochroa* ZELLER, Hor. Soc. Ent. Ross., xiii, 218, 1877.
- *6554. *bellella* WALKER, Cat. Brit. Mus., xxviii, 561, 1863; WALSINGHAM, Proc. Zool. Soc. Lond., 79, 1880; Ins. Life, ii, 284, 1890. Can.
6555. *flammeusella* CHAMBERS, Can. Ent., viii, 104, 1876; WALSINGHAM, Proc. Zool. Soc. Lond., 79, 1880. Cal.
- syn. *flamensella* WALSINGHAM, Ins. Life, ii, 284, 1890; *lactimaculella* WALSINGHAM, Proc. Zool. Soc. Lond., 80, 1880.
6556. *punctiferella* WALSINGHAM, Ins. Life, ii, 284, 1890. Cal.
6557. *purpura* WALKER, Cat. Brit. Mus., xxviii, 501, 1863; WALSINGHAM, Proc. Zool. Soc. Lond., 79, 1880; Ins. Life, ii, 285, 1890. No. Atl. States.
- syn. *bivella* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 226, 1873; CHAMBERS, Can. Ent., ix, 206, 1877; xi, 125, 1879.
6558. *ridingsella* CLEMENS, Proc. Ent. Soc. Phil., ii, 426, 1864; Tin. No. Am., 250, 1872; PACKARD, Guide Stud. Ins., 348, 1869; WALSINGHAM, Ins. Life, ii, 285, 1890. Atl. States.
- syn. *schlaegeri* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 227, 1873; WALSINGHAM, Trans. Am. Ent. Soc., x, 173, 1882; *corruscifusciella* CHAMBERS, Can. Ent., v, 74, 1873; ix, 207, 1877; xi, 125, 1879; WALSINGHAM, Proc. Zool. Soc. Lond., 79, 1880.

6559. *septentrionella* WALSINGHAM, Proc. Zool. Soc. Lond., 79, 1880. Oreg., Cal.
6560. *simpliciella* WALSINGHAM, Proc. Zool. Soc. Lond., 81, 1880; Ins. Life, ii, 284, 1890. Oreg.
6561. *singulella* WALSINGHAM, Proc. Zool. Soc. Lond., 80, 1880; Ins. Life, ii, 285, 1890. Cal.
- *6562. *trifasciella* CHAMBERS, Can. Ent., viii, 103, 1876. Cal.
6563. *trigrapha* ZELLER, Verh. zool.-bot. Ges. Wien, xxv, 342, 1875; WALSINGHAM, Proc. Zool. Soc. Lond., 79, 1880. Cal.
- syn. *fasciella* CHAMBERS, Can. Ent., viii, 103, 1876.
- PRODOXUS Riley.
- RILEY, Am. Ent., iii, 155, 1880.
6564. *quinquepunctella* CHAMBERS, Can. Ent., vii, 7, 1875; RILEY, Am. Ent., iii, 141, 1880. So. Atl. States.
- syn. *decipliens* RILEY, Amer. Ent., iii, 155, 1880; Proc. Am. Ass. Adv. Sci., 1880, 617, 1881; Am. Nat., xvi, 62, 1882; Ins. Life, iv, 371, 1892; *paradoreica* CHAMBERS, Jn. Cin. Soc. Nat. Hist., i, 149, 1878.
6565. *intermedius* RILEY, Proc. Am. Ass. Adv. Sci., 1880, 617, 1881. Tex.
6566. *marginatus* RILEY, Proc. Am. Ass. Adv. Sci., 1880, 617, 1881; Ins. Life, iv, 373, 1892. Cal.
6567. *y-inversa* RILEY, Proc. Ent. Soc. Wash., ii, 316, 1892; Ins. Life, iv, 373, 1892. Cal.
6568. *reticulata* RILEY, Proc. Ent. Soc. Wash., ii, 316; 1892; Ins. Life, iv, 374, 1892. Col.
6569. *coloradensis* RILEY, Proc. Ent. Soc. Wash., ii, 316, 1892; Ins. Life, iv, 374, 1892. Col.
- a. laetus* COCKERELL, Psyche, viii, 142, 1897.
- b. confluens* COCKERELL, Psyche, viii, 142, 1897.
6570. *pulverulentus* RILEY, Proc. Ent. Soc. Wash., ii, 315, 1892. Cal.
6571. *sordidus* RILEY, Proc. Ent. Soc. Wash., ii, 319 1892. Cal.
6572. *cinereus* RILEY, Proc. Am. Assoc. Adv. Sci., 1880, 617, 1881. Cal.
6573. *aenescens* RILEY, Proc. Am. Assoc. Adv. Sci., 1880, 617, 1881. Cal.

PRONUBA Riley.

RILEY, Fifth Rept. Ins. Mo., 150, 1873; Ins. Life, iv, 360, 1892.

6574. *yuccasella* RILEY, Fifth Rept. Ins. Mo., 150, 1873; CHAMBERS, Bull. Geol. Surv. Terr., iv, 161, 1878; RILEY, Nature, vi, 444, 1872; Trans. Acad. Nat. Sci. St. Louis, iii, 55, 1873; BOLL, Stett. ent. Zeit., xxxvii, 491, 1876; RILEY, Am. Ent., iii, 182, 293, 1880; Can. Ent., xii, 263, 1880; Proc. Am. Assoc. Adv. Sci., 1880, 617, 1881; Ins. Life, iv, 360, 1892.

syn. *alba* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 232, 1873; xxv, 340, 1885; HAGEN, Can. Ent., xii, 129, 1880.

6575. *maculata* RILEY, Proc. Am. Assoc. Adv. Sci., 1880, 617, 1881; Proc. Ent. Soc. Wash., ii, 315, 1892; Ins. Life, iv, 368, 1892.

a. apicella DYAR (spots pulverulent, confluent apically, the subbasal ones obsolete).

6576. *paradoxa* RILEY, Proc. Ent. Soc. Wash., i, 154, 1889.

syn. *synthetica* RILEY, Proc. Ent. Soc. Wash., ii, 312, 1892.

NEOLOPHUS Walsingham.

WALSINGHAM, Trans. Ent. Soc. Lond., 141, 1887.

6577. *fureatus* WALSINGHAM, Trans. Ent. Soc. Lond., 141, 1887.

6578. *persimplex* DYAR, Can. Ent., xxxii, 327, 1900.

Ariz.

EULEPISTE Walsingham.

WALSINGHAM, Trans. Am. Ent. Soc., x, 169, 1882; Trans. Ent. Soc. Lond., 142, 1887.

6579. *cressoni* WALSINGHAM, Trans. Am. Ent. Soc., x, 169, 1882; Trans. Ent. Soc. Lond., 142, 1887.

6580. *maculifer* WALSINGHAM, Trans. Ent. Soc. Lond., 143, 1887.

6581. *cockerelli* DYAR, Can. Ent., xxxii, 307, 1900.

N. Mex.

HYPOCOLPUS Walsingham.

WALSINGHAM, Trans. Ent. Soc. Lond., 144, 1887.

6582. *griseus* WALSINGHAM, Trans. Ent. Soc. Lond., 144, 1887.

D. C., Tex.,
Ariz.

6583. *mortipennellus* GROTE, Can. Ent., iv, 137, 1872; xviii, 199, 1886; WALSINGHAM, Trans. Am. Ent. Soc., x, 167, 1882; Trans. Ent. Soc. Lond., 150, 1887.
 syn. *quadripunctellus* DYAR, Can. Ent., xxxii, 307, 1900.

ACROLOPHUS Poey.

- POEY, Cent. Lep. Cuba, 1832; WALSINGHAM, Trans. Ent. Soc. Lond., 147, 1887.
6584. *plumifrontellus* CLEMENS, Proc. Acad. Nat. Sci. Phil., 261, 1859; Tin. No. Am., 57, 1872; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 218, 1873; WALSINGHAM, Proc. Zool. Soc. Lond., 513, 1891; BEUTENMÜLLER, Ent. Amer., v, 9, 1889.
 syn. *bombycinus* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 216, 1873; CHAMBERS, Bull. Geol. Surv. Terr., iv, 79, 1878; WALSINGHAM, Trans. Ent. Soc. Lond., 149, 1887.
6585. *cervinus* WALSINGHAM, Trans. Ent. Soc. Lond., 151, 1887; DYAR, Can. Ent., xxxii, 308, 1900.
 syn. *angustipennellus* BEUTENMÜLLER, Ent. Amer., iii, 140, 1887.
6586. *texanellus* CHAMBERS, Bull. Geol. Surv. Terr., iv, 79, 1878; WALSINGHAM, Trans. Ent. Soc. Lond., 152, 1887.
6587. *hulstellus* BEUTENMÜLLER, Ent. Amer., iii, 139, 1887.
6588. *arizonebellus* WALSINGHAM, Trans. Ent. Soc. Lond., 153, 1887; DYAR, Can. Ent., xxxii, 309, 1900.
6589. *simulatus* WALSINGHAM, Trans. Am. Ent. Soc., x, 168, 1882; Trans. Ent. Soc. Lond., 148, 1887.

ATOPOCERA Walsingham.

WALSINGHAM, Proc. Zool. Soc. Lond., 169, 1897.

6590. *barnesii* DYAR, Can. Ent., xxxii, 326, 1900. Tex.

ANAPHORA Clemens.

- CLEMENS, Proc. Acad. Nat. Sci. Phil., 260, 1859; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 214, 1873; WALSINGHAM, Trans. Ent. Soc. Lond., 155, 1887.
6591. *propinquua* WALSINGHAM, Trans. Ent. Soc. Lond., 157, 1887.
6592. *confusellus* DYAR, Can. Ent., xxxii, 309, 1900. So. Atl. States.
- *6593. *morrisoni* WALSINGHAM, Trans. Ent. Soc. Lond., 157, 1887. Fla.

6594. *popeanella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 261, 1859; TIN. NO. AM., 57, 1872; WALSINGHAM, Trans. Ent. Soc. Lond., 161, 1887; Proc. Zool. Soc. Lond., 515, 1891; 172, 1897; CHAMBERS, Can. Ent., iv, 137, 143, 1872; ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 215, 1873.
 syn. *agrotipennella* GROTE, Can. Ent., iv, 137, 1872; MURTFELDT, Can. Ent., viii, 185, 1876; *scardina* ZELLER, Verh. zool.-bot. Ges. Wien, xxiii, 215, 1873.

6595. *tenuis* WALSINGHAM, Trans. Ent. Soc. Lond., 164, 1887.
 syn. *violaceellus* BEUTENMÜLLER, Ent. Amer., iii, 139, 1887; DYAR, Can. Ent., xxxii, 309, 326, 1900.
6596. *macrogaster* WALSINGHAM, Trans. Ent. Soc. Lond., 165, 1887.

ORTHOLOPHUS Walsingham.

- WALSINGHAM, Trans. Ent. Soc. Lond., 169, 1887.
6597. *piger* DYAR, Can. Ent., xxxii, 327, 1900. Tex.
6598. *variabilis* WALSINGHAM, Trans. Ent. Soc. Lond., 169, 1887; DYAR, Can. Ent., xxxii, 310, 1900. Rocky Mts., Ariz.

FELDERIA Walsingham.

- WALSINGHAM, Trans. Ent. Soc. Lond., 165, 1887.
6599. *filicicornis* WALSINGHAM, Trans. Ent. Soc. Lond., 167, 1887.
 syn. *mexicanellus* BEUTENMÜLLER, Ent. Amer., iv, 29, 1888; *filicornis* DYAR, Can. Ent., xxxii, 310, 1900.

6600. *dorsimacula* DYAR, Can. Ent., xxxii, 328, 1900. Tex., Ariz.

PSEUDANAPHORA Walsingham.

- WALSINGHAM, Trans. Ent. Soc. Lond., 170, 1887.
6601. *davisellus* BEUTENMÜLLER, Ent. Amer., iii, 139, 1887.
a. minor DYAR (smaller, the pale marks grayer and more contrasted).
6602. *arcanella* CLEMENS, Proc. Acad. Nat. Sci. Phil., 262, 1859; WALSINGHAM, Trans. Ent. Soc. Lond., 170, 1887; DYAR, Can. Ent., xxxii, 310, 1900.
6603. *mora* GROTE, Bull. U. S. Geol. Surv. Terr., vi, 257, 1882; DYAR, Can. Ent., xxvii, 15, 1895; xxxii, 310, 1900; MERRICK, Proc. Ent. Soc. Wash., v, 40, 1902.

Atl.
States.
Rocky
Mts.

So. Atl.
States.

Ariz.

Tex.

Rocky Mts.,
Ariz.

Ariz.,
Mex.

Tex., Ariz.

Ariz.,
Tex.

Atl.
States.

Atl.
States.

Superfamily MICROPTERYGOIDEA.

Family HEPIALIDÆ.

(C. = NEUMOEGEN & DYAR, JN. N. Y. ENT. SOC., II, 166-170, 1894)

STHENOPIS Packard.

PACKARD, Proc. Ent. Soc. Phil., iii, 390, 1864; NEUMOEGEN & DYAR, C. 166.

6604. *argenteomaculatus* HARRIS, Rept. Ins. Mass., 295, No. Atl.
1841; NEUMOEGEN & DYAR, C. 166. States.
syn. *argentata* PACKARD, *alui* KELLICOTT.
a. purpurascens PACKARD, Bost. Jn. Nat. Hist., vii, 598, 1863.
b. los STRECKER, Proc. Acad. Nat. Sci. Phil., 282, 1893.
c. perdita DYAR, Can. Ent., xxv, 327, 1893.
6605. *quadriguttatus* GROTE, Proc. Ent. Soc. Phil., iii, No. Atl.
73, 1864; NEUMOEGEN & DYAR, C. 167. States.
syn. *seminauratus* NEUMOEGEN & DYAR.
6606. *thule* STRECKER, Lep. Rhop. Het., 105, pl. 12, Can.,
f. 6, 1875; NEUMOEGEN & DYAR, C. 167. Wis.
- *6607. *auratus* GROTE, Can. Ent., x, 18, 1878; NEU- N. Y.,
MOEGEN & DYAR, C. 167. N. H.

HEPIALUS Faoricius.

FABRICIUS, Syst. Ent., 589, 1775; NEUMOEGEN & DYAR, C. 167.

6608. *hyperboreus* MÖSCHLER, Wien. ent. Mon., vi, No. U. S.
129, 1862; NEUMOEGEN & DYAR, C. 168.
syn. *pulcher* GROTE, *meglashani* HY. EDWARDS.
a. matthewi HY. EDWARDS, Proc. Cal. Acad. Sci., v, 265, 1874.
b. confusus HY. EDWARDS, Pap., iv, 122, 1884.
syn. *roseicaput* NEUMOEGEN & DYAR.
6609. *mustelina* PACKARD, Proc. Ent. Soc. Phil., iii, No. Atl.
393, 1864; NEUMOEGEN & DYAR, C. 168. States.
syn. *labradorensis* PACKARD.
6610. *gracilis* GROTE, Proc. Ent. Soc. Phil., iii, 522, No. Atl.
1864; NEUMOEGEN & DYAR, C. 168. States.
syn. *fureatus* GROTE.
6611. *lembertii* DYAR, Ent. News, v, 25, 1894; NEU- Cal.
MOEGEN & DYAR, C. 168.
6612. *sequoiolus* BEHRENS, Can. Ent., viii, 174, 1876; Pac.
NEUMOEGEN & DYAR, C. 168. States.
syn. *mendocinolus* BEHRENS.

6613. *behrensi* STRETCH, Zyg. Bomb. No. Am., 105, 1872; NEUMOEGEN & DYAR, C. 168.
syn. *tutomae* HY. EDWARDS.
Pac. States.
6614. *montanus* STRETCH, Zyg. Bomb. No. Am., 105, 1872; NEUMOEGEN & DYAR, C. 170.
syn. *desolatus* STRECKER, *baroni* BEHRENS,
anceps HY. EDWARDS, *rectus* HY. EDWARDS.
Pac. States.
6615. *hectoides* BOISDUVAL, Ann. Soc. Ent. Belg., xii, 85, 1868; NEUMOEGEN & DYAR, C. 170.
syn. *modestus* HY. EDWARDS, *inutilis* HY.
EDWARDS.
a. lenzi BEHRENS, Can. Ent., viii, 175, 1876.
syn. *sangaris* STRECKER.
Cal., Ariz.
- *6616. *californicus* BOISDUVAL, Ann. Soc. Ent. Belg., xii, 85, 1868; NEUMOEGEN & DYAR, C. 170.
Cal.

Family MICROPTERYGIDÆ.

ERIOCEPHALA Curtis.

CURTIS, Brit. Ent., xvi, 1839.

- *6617. *luteiceps* WALKER, Cat. Brit. Mus., xxviii, 494, 1863; WALSINGHAM, Proc. Zool. Soc. Lond., 83, 1880.
Atl. States.
6618. *auricayanea* WALSINGHAM, Trans. Am. Ent. Soc., x, 204, 1882.
Atl. States.
- *6619. *griseocapitella* WALSINGHAM, Ent. Rec., x, 161, 1898.
Atl. States.
- *6620. *aurosparsella* WALSINGHAM, Proc. Zool. Soc. Lond., 83, 1880.
Pac. States.

EPIMARTYRIA Walsingham.

WALSINGHAM, Ent. Rec., x, 161, 1898.

- *6621. *pardella* WALSINGHAM, Proc. Zool. Soc. Lond., 83, 1880.
Pac. States.
- *6622. *auricerinella* WALSINGHAM, Ent. Rec., x, 161, 1898.
Atl. States.

INDEX TO SPECIFIC, GENERIC, AND FAMILY NAMES.

[Specific names are written in italics; generic and family names in broad-faced type.]

Page.		Page.
aaroni Skinner, 569.		<i>absconditella</i> Walker, 5585.
<i>abacta</i> Hulst, 3385.		<i>absidum</i> Harvey, 2292.
Abagrotis	131	<i>absinthiata</i> Clerck, 3294.
<i>abalinoides</i> Walker, 3068.		<i>absorptalis</i> Walker, 3031.
<i>abar</i> Strecker, 1727.		<i>abstrusellus</i> Walker, 4598.
Abbotana	348	<i>absynthiata</i> Guenée, 3294.
<i>abbotana</i> Hübner, 4089 (Phobetron).		<i>acaciella</i> Busek, 5648.
<i>abbotti</i> Edwards, 5 (Iphidicles).		<i>acadica</i> Edwards, 38 (Pontia).
<i>abbotti</i> Grote, 4062 (Oiketicus).		<i>acadica</i> Edwards, 339 (Thecla).
<i>abbotti</i> Swainson, 668 (Sphecodina).		<i>acadensis</i> Bethume, 1929.
<i>abbreviata</i> Walker, 3726.		Acallis
<i>abbreviatana</i> Walker, 5124.		401
<i>abbreviatella</i> Grote, 2889.		<i>acanthonotus</i> Scudder, 555.
<i>abdominalis</i> Zeller, 6453 (Argyresthia).		Acanthocnemes
<i>abdominalis</i> Grote, 915 (Pygaria).		563
<i>abdominalis</i> Zeller, 4473.1 (Pyrausta).		<i>acanthodactyla</i> Hübner, 4939.
<i>abdominalis</i> Grote, 2664 (Tarache).		Acanthophora
<i>abdominella</i> Busek, 5728.		331
<i>abella</i> Busek, 5775.		<i>acapnopennella</i> Clemens, 6491.
<i>aberrata</i> Hy. Edwards, 3891.		<i>acapuspennella</i> Riley, 6491.
<i>abietella</i> Schiffermüller, 4711.		<i>acastus</i> Edwards, 162.
<i>abietisella</i> Packard, 5596.		<i>acanda</i> Oberthür, 24.
<i>abietorella</i> Grote, 4711.		<i>accepta</i> Hy. Edwards, 2699.
<i>abjectarius</i> Hulst, 3815.		<i>accessoria</i> Hübner, 3759.
<i>abnormalis</i> Hulst, 3969.		<i>accessoriella</i> Frey & Boll, 6227.
<i>abnormis</i> Smith, 1527.		<i>accius</i> Smith & Abbot, 538.
<i>abortivaria</i> Herrich-Schaeffer, 3232.		<i>acdrivis</i> Morrison, 1529.
<i>abrasaria</i> Herrich-Schaeffer, 3450.		<i>accordella</i> Walsingham, 5989.
<i>abraxaria</i> Walker, 3862.		<i>accurata</i> Hy. Edwards, 2531.
<i>abronialis</i> Walker, 4623.		<i>acea</i> Smith, 1270.
<i>abronivella</i> Chambers, 6097.		<i>acerata</i> Hübner, 5359.
<i>abrostolla</i> Walker, 2547.		<i>acerba</i> Hy. Edwards, 2697.
Abrostola	203	<i>acericola</i> Guenée, 972 (Apatela).
<i>abrostoloides</i> Guenée, 2545.		<i>acericolum</i> Germar, 4221 (Sesia).
<i>abrota</i> Druce, 2497.		<i>aceriella</i> Clemens, 5777 (Gelechia).
<i>abrupta</i> Grote, 970.		<i>aceriella</i> Chambers, 6341 (Gracilaria).
<i>abruptana</i> Zeller, 5126.		<i>aceriella</i> Clemens, 6305 (Lithocolletes).
<i>abruptata</i> Walker, 3647.		<i>aceriella</i> Clemens, 5189 (Thiodia).
<i>abscondens</i> Oberthür, 845.		<i>acerifoliella</i> Chambers, 6342 (Gracilaria).
		<i>acerifoliella</i> Fitch, 6477 (Tischeria).
		<i>acerni</i> Clemens, 4221.
		Acerra
		167
		<i>acestealis</i> Walker, 4304.
		<i>achaia</i> Grote & Robinson, 881.

	Page.		Page.
Achatia	113	<i>addenda</i> Smith, 2051.	
<i>achatina</i> Smith & Abbot, 3193 (Olene).		Adela	575
<i>achatinus</i> Zeller, 4552 (Prionapteryx).		<i>adelina</i> Staudinger, 201.	
<i>achatinalis</i> Zeller, 3069.		Adelocephala	75
<i>achatinata</i> Hübner, 3349.		Adelphagrotis	130
Achatodes	174	<i>aden</i> Strecker, 2314.	
Acherdoa	195	<i>adenostomatis</i> Hy. Edwards, 356.	
<i>achemon</i> Drury, 679.		<i>aderusella</i> Riley, 5711.	
<i>acheronta</i> Fabricius, 252.		<i>adiante</i> Boisduval, 127.	
<i>achillæ</i> Hy. Edwards, 4245.		<i>adiaste</i> Behr, 127.	
Achlarus	57	<i>adipaloides</i> Grote & Robinson, 4426.	
<i>achor</i> Strecker, 1591.		Adipsopharus	108
Achroia	413	Adita	127
Achylodes	58	<i>adjuncta</i> Boisduval, 1812.	
<i>acidaliaria</i> Walker, 3860.		<i>adjuta</i> Grote, 1977.	
<i>acidaliata</i> Packard, 3464.		<i>adjutrix</i> Scudder, 201.	
Aciptilia	444	Admetovis	157
Aciptilus	444	<i>admiralis</i> Retzius, 219.	
<i>acis</i> Drury, 364.		<i>admirandus</i> Hy. Edwards, 4186.	
Acleris	472	<i>adnata</i> Boisduval, 848.	
<i>acmon</i> Doubleday & Hewitson, 434.		<i>adnixa</i> Grote, 1156.	
Acolothus	359	<i>adnota</i> Strecker, 3228.	
Acpa	108	<i>adonea</i> Grote, 1975.	
<i>acornis</i> Smith, 1611.		Adoneta	355
<i>aceræ</i> Drury, 851.		<i>adoptiva</i> Grote, 2876.	
<i>acronialis</i> Walker, 4450.		<i>adriana</i> Hy. Edwards, 2864.	
Acrobasis	418	<i>adulatalis</i> Hulst, 4646.	
Acrocaula	418	<i>adumbrata</i> Walsingham, 5430.	
Acrolepia	568	<i>adumbrata</i> Behr, 2785.	
Acrolophus	578	<i>aduncella</i> Zeller, 5711.	
Acronicta	99	<i>aduncula</i> Felder, 1143.	
<i>acronyctoides</i> Walker, 960.		<i>adusta</i> Walsingham, 4952.	
<i>actinomeridis</i> Frey & Boll, 6324.		<i>adustaria</i> Walker, 3944.	
Actinotia	122	<i>adrena</i> Grote, 2283.	
<i>actualis</i> Hulst, 4714.		<i>adversa</i> Grote, 2759.	
<i>aculeellus</i> Walker, 4557.		Ææa	540
<i>acuphisalis</i> Walker, 4450.		<i>adessa</i> Druce, 2434.	
<i>acutana</i> Eversmann, 5007.		<i>adon</i> Grote, 1258.	
<i>acutaria</i> Herrich-Schaeffer, 2571.		Ædophron	185
<i>acutella</i> Walker, 4409.		<i>argaria</i> Strecker, 3687.	
<i>acutifrons</i> Smith, 1731.		Ægeria	366
<i>acutilinea</i> Grote, 2341.		<i>ayglarella</i> Ragonot, 4833.	
<i>acutipennula</i> Walsingham, 5991.		<i>ayglealis</i> Walker, 4419.	
<i>acutipennis</i> Grote, 1850 (Mametschia).		<i>aygrana</i> Walsingham, 5474.	
<i>acutipennis</i> Hulst, 3315 (Tephroclystis).		<i>aygrotalis</i> Zeller, 4344.	
<i>acutissima</i> Grote, 1271.		<i>aygrotata</i> Hy. Edwards, 2749 (Cissura).	
Adactylotis	324	<i>aygrotata</i> Guenée, 4020 (Sabulodes).	
<i>adamantha</i> Guenée, 5145.		<i>ayhaja</i> Behr, 409.	
<i>adapella</i> Walker, 5778.		<i>aliaria</i> Walker, 3986.	
		Ællopus	63
		<i>amilea</i> Skinner, 598.	
		Æmilia	95

Page	Page.
<i>amula</i> Hübner, 3009.	
<i>amulata</i> Hulst, 3509.	
<i>amulataria</i> Walker, 3667.	
<i>amusella</i> Riley, 5990.	
<i>anea</i> Frey & Boll, 6449.	
<i>aneella</i> Hulst, 4788.	
<i>aneipennis</i> Grote, 1548.	
<i>aneorividella</i> Ragonot, 4789.	
<i>anescens</i> Walsingham, 6478 (<i>Incurvaria</i>).	
<i>anescens</i> Riley, 6573 (<i>Prodoxus</i>).	
<i>anescella</i> Chambers, 5990.	
<i>anigmatella</i> Frey & Boll, 6262.	
<i>ano</i> Scudder, 295.	
<i>annis</i> Edwards, 464.	
<i>annusella</i> Chambers, 5990.	
<i>aqualiaria</i> Grote, 3767 (<i>Caripeta</i>).	
<i>aqualiaria</i> Walker, 3910 (<i>Therina</i>).	
<i>aqualis</i> Walker, 4136 (<i>Dysodia</i>).	
<i>aqualis</i> Harvey, 1567 (<i>Paragrotis</i>).	
<i>aquepulrella</i> Chambers, 5674.	
<i>aqueferaria</i> Walker, 3675.	
<i>aqulinea</i> Smith, 2261.	
<i>aqusos</i> Grote & Robinson, 4005.	
<i>ærata</i> Lyman, 2180 (<i>Papaipema</i>).	
<i>ærata</i> Fabricius, 3578 (<i>Synchlora</i>).	
<i>ærea</i> Hübner, 2474.	
<i>æreoides</i> Grote, 2475.	
<i>æria</i> Grote, 2616.	
<i>ærifera</i> Clemens, 6281.	
<i>æruginosa</i> Guenée, 2983.	
<i>æruginosella</i> Walsingham, 6552.	
<i>æsculana</i> Riley, 5219.	
<i>æsculella</i> Riley, 6306.	
<i>æsculi</i> Linnaeus, 4141.	
<i>æsculicella</i> Chambers, 6306.	
<i>æsellia</i> Chambers, 6117.	
<i>æsionaria</i> Walker, 3934.	
<i>æstiva</i> Harris, 39.	
Æthalodes 324	
Æthaloptera 327	
<i>ætheria</i> Grote, 2635.	
<i>æthra</i> Strecker, 653.	
Æthyctera 317	
Ætia 540	
<i>ætna</i> Scudder, 519.	
<i>affinis</i> Grote, 906 (<i>Ammalo</i>).	
<i>affinis</i> Edwards, 379 (<i>Callophrys</i>).	
<i>affinis</i> Frey & Boll, 6314 (<i>Lithocelotes</i>).	
<i>affinis</i> Goeze, 699 (<i>Phlegethontius</i>).	
<i>afficta</i> Grote, 1018.	
<i>affictana</i> Walker, 5373.	
<i>affictella</i> Hulst, 4757 (<i>Salebria</i>).	
<i>affictella</i> Walker, 6530 (<i>Tinea</i>).	
<i>affusana</i> Zeller, 5139.	
<i>afra</i> Edwards, 419.	
<i>afrae</i> Lintner, 623.	
Agapema 72	
Agapetidæ 27	
<i>agarista</i> Cramer, 3006.	
Agaristidæ 96	
<i>agarithe</i> Boisduval, 55.	
Agassizia 219	
<i>agassizii</i> Robinson, 5082 (<i>Eucosma</i>).	
<i>agassizii</i> Packard, 922 (<i>Halisdota</i>).	
Agathodes 378	
<i>agema</i> Strecker, 1580.	
Agia 268	
<i>agilana</i> Clemens, 5053.	
<i>agilis</i> Grote, 1547.	
<i>agitatellus</i> Clemens, 4575.	
<i>aglwella</i> Hulst, 4833.	
<i>aglaia</i> Edwards, 119.	
Aglaia 23	
<i>agliata</i> Guenée, 4010.	
Aglossa 308	
<i>agnella</i> Clemens, 6234.	
Agnippe 497	
Agnomonia 233	
<i>agrophodactylus</i> Walker, 4974.	
Agraulis 12	
<i>agreasaria</i> Walker, 3944.	
<i>agrestis</i> Grote, 1519.	
Agriades 44	
<i>agricola</i> Boisduval, 508 (<i>Anthomasster</i>).	
<i>agricola</i> Grote, 2754 (<i>Drasteria</i>).	
<i>agricolana</i> Walsingham, 5092.	
<i>agrinomella</i> Clemens, 5711.	
Agriopis 330	
<i>agripina</i> Strecker, 2808.	
<i>agroliformis</i> Grote, 2002.	
<i>agrotipennella</i> Grote, 6594.	
<i>agrotipennis</i> Harvey, 2774.	
Agrotiphila 150	
Agrotis 133	
<i>ahaton</i> Harris, 523.	
<i>aholibah</i> Strecker, 2897.	
<i>aholibah</i> Strecker, 2860.	
<i>ahrensiiana</i> Geyer, 5076.	
<i>ajax</i> Linnaeus, 5.	
<i>akalus</i> Strecker, 2005.	
Alabama 205	
<i>alabamica</i> Grote, 2903 (<i>Catocala</i>).	
<i>alabamie</i> Grote, 1468 (<i>Peridroma</i>).	

	Page.		Page.
<i>alabastaria</i> Hübner, 3486.		<i>alberta</i> Edwards, 143 (Brenthis).	
<i>alacella</i> Clemens, 5659.		<i>alberta</i> Elwes, 294 (Oeneis).	
Alaria	186	<i>alberta</i> Dyar, 835.	
Alarodia	356	<i>albescens</i> Hulst, 3841 (Selidosema).	
<i>alaskae</i> Grote, 1763 (Agrotiphila).		<i>albescens</i> Tepper, 705 (Sphinx).	
<i>alaska</i> Hulst, 3423 (Cenocalpe).		<i>albicatus</i> Walker, 941 (Pheoptilia).	
<i>alaskensis</i> Holland, 123 (Brenthis).		<i>albicatus</i> Fisher, 4954 (Platyptilia).	
<i>alaskensis</i> Holland, 274 (Erebia).		<i>albicapitata</i> Packard, 3282.	
<i>alaskensis</i> Holland, 292 (Oeneis).		<i>albicapitella</i> Chambers, 6232.	
Alata	428	<i>albicepsana</i> Walker, 5177.	
<i>alatella</i> Hulst, 4678.		<i>albiceralis</i> Grote, 4362.	
<i>alautella</i> Duponchel, 6401.		<i>albiciliata</i> Fernald, 5054.	
<i>alba</i> Grote, 771 (Anisota).		<i>albiciliata</i> Walsingham, 4953.	
<i>alba</i> Strecker, 85 (Eurema).		<i>albivilla</i> Herrich-Schaeffer, 574.	
<i>alba</i> Strecker, 70 (Erynnis).		<i>albiocollis</i> Oberthur, 845.	
<i>alba</i> Edwards, 639 (Hesperia).		<i>albiocoma</i> Hulst, 4191 (Bembecia).	
<i>alba</i> Zeller, 6574 (Pronuba).		<i>albiocoma</i> Strecker, 3164 (Harpyia).	
<i>albaciliaella</i> Chambers, 5652.		<i>albiomatina</i> Clemens, 5400.	
<i>albacostella</i> Chambers, 5992.		<i>albicoris</i> Hy. Edwards, 4217.	
<i>albafascia</i> Smith, 2352.		<i>albicosta</i> Smith, 1530 (Rhizagrotis).	
<i>albaliucella</i> Chambers, 6136.		<i>albicosta</i> Hübner, 3125 (Symmerista).	
<i>albalis</i> Robinson, 4492 (Nymphula).		<i>albicostella</i> Beutennüller, 5896 (Ethmia).	
<i>albalis</i> Grote, 1525 (Rhizagrotis).		<i>albicostellus</i> Fernald, 4545 (Scheno-bius).	
<i>albana</i> Fabricius, 4623.		<i>albida</i> Walker, 817 (Clemensia).	
<i>albangulana</i> Walsingham, 5120.		<i>albida</i> Strecker, 852 (Estigmene).	
<i>albaniana</i> Walker, 5393.		<i>albida</i> Smith, 2136 (Euharveya).	
<i>albanotella</i> Chambers, 6396 (Coriscium).		<i>albida</i> Walsingham, 4946 (Platyptilia).	
<i>albanotella</i> Chambers, 6263 (Lithocolletes).		<i>albidana</i> Walker, 5462.	
<i>albanus</i> Felder, 9.		<i>albidella</i> Hulst, 4913.	
<i>albapalpella</i> Chambers, 5502 (Eido).		<i>albidentina</i> Walker, 2299.	
<i>albapalpella</i> Chambers, 6076 (Elachista).		<i>albidorsella</i> Walsingham, 4947 (Platyptilia).	
<i>albapennella</i> Chambers, 6104.		<i>albidorsella</i> Walsingham, 5507 (Plantella).	
<i>albapulrella</i> Chambers, 5843.		<i>albidula</i> Hulst, 3502 (Cinglis).	
<i>albaria</i> Grote, 3592.		<i>albidula</i> Guenée, 2601 (Eustrotia).	
<i>albarufa</i> Grote, 1022.		<i>albidula</i> Hulst, 3999 (Stenaspilates).	
<i>albata</i> Packard, 817 (Clemensia).		<i>albifascia</i> French, 848.	
<i>albata</i> Hulst, 3414 (Hydriomena).		<i>albifascialis</i> Boisduval, 4276.	
<i>albarena</i> Ottolengui, 2441.		<i>albifasciata</i> Packard, 3369.	
<i>albaritta</i> Ottolengui, 2500.		<i>albifera</i> Walker, 3336.	
<i>albella</i> Chambers, 6174 (Aphigalia).		<i>albifrons</i> Smith & Abbot, 3125.	
<i>albella</i> Chambers, 6249 (Bucculatrix).		<i>albifusata</i> Walker, 1801.	
<i>albella</i> Chambers, 6410 (Buseckia).		<i>albifusata</i> Walker, 3605.	
<i>albella</i> Chambers, 5841 (Ide).		<i>albigularium</i> Walker, 3838.	
<i>albella</i> Chambers, 6148 (Mompha).		<i>albiguttana</i> Zeller, 5090.	
<i>albella</i> Chambers, 6407 (Proleucopatra).		<i>albilinea</i> Hübner, 1963.	
<i>albellus</i> Clemens, 4577 (Crambus).		<i>albilineata</i> Walsingham, 6105.	
<i>albeolina</i> Zeller, 5035.		<i>albilineellus</i> Fernald, 4595.	

Page.		Page.
<i>albitorella</i> Zeller, 5725.		<i>albolivata</i> Packard, 3578 (Syn. <i>chlorata</i>).
<i>albitunata</i> Smith, 2159.		<i>albonucularia</i> Hy. Edwards, 3998.
<i>albinacula</i> Fernald, 5273.		<i>albonucularia</i> Stoll, 949.
<i>albimaculata</i> Freyer, 3390.		<i>albonucula</i> Chambers, 5721.
<i>albimarginella</i> Chambers, 5624.		<i>albonarginella</i> Chambers, 5624.
<i>albini</i> Poey, 88 (Eurema).		<i>albopulpella</i> Riley, 5502 (Eido).
<i>albina</i> Grote, 1236 (Hadena).		<i>albopulpella</i> Chambers, 6149 (Mompha).
<i>albinatella</i> Chambers, 6396.		<i>alboplagiata</i> Smith, 2271.
<i>albiulla</i> Cramer, 4540.		<i>albopunctalla</i> Walker, 1095.
<i>albinic</i> Skinner, 66.		<i>albopunctata</i> Morrison, 3764 (Carterita).
<i>albipenella</i> Hulst, 4846.		<i>albopunctata</i> Tepper, 3080 (Hypena).
<i>albipennis</i> Grote, 1708.		<i>albosigma</i> Fitch, 3096.
<i>albiplaga</i> Aaron, 174 (Cinclidia).		<i>albosignata</i> Packard, 3439.
<i>albiplaga</i> Walker, 3141 (Heterocampa).		<i>alboreosata</i> Geoze, 1049.
<i>albiplagiatella</i> Packard, 4792.		<i>alboritella</i> Hulst, 4718.
<i>albipunctata</i> Smith, 1089.		<i>alboritata</i> Guenée, 3332.
<i>albipunctata</i> Packard, 4100.		<i>album</i> Harvey, 2291.
<i>albiscutellum</i> Ragonot, 4869.		Aلبuna 367
<i>albisignalis</i> Zeller, 3072.		<i>aleurus</i> Hewitson, 583.
<i>albisinuatella</i> Packard, 4597.		<i>alee</i> Edwards, 444.
<i>albisparsella</i> Chambers, 5750.		<i>alectis</i> Edwards, 100 (Argynnus).
<i>albistriana</i> Wood, 5309.		<i>alectis</i> Edwards, 338 (Thecla).
<i>albistrigella</i> Walsingham, 5897 (Ethmia).		<i>alchemillaria</i> Esper, 3458 (Petropora).
<i>albistrigella</i> Chambers, 5779 (Gelechia).		<i>alchemillaria</i> Schiffermüller, 3361.
<i>albocapitella</i> Hulst, 4685 (Acrobasis).		<i>alchimiella</i> Scopoli, 6372.
<i>albocapitella</i> Chambers, 6164 (Mompha).		<i>alcidamus</i> Cramer, 11.
<i>alboclarellus</i> Zeller, 4574.		<i>alcina</i> Skinner, 524.
<i>albocostaliata</i> Packard, 3484.		<i>alcipharia</i> Walker, 3970.
<i>albocostalis</i> Walker, 4807 (Etiella).		Alcis 320
<i>albocostalis</i> Hulst, 4794 (Pima).		<i>alemeone</i> Cramer, 53.
<i>albocostella</i> Hulst, 4902.		<i>aleonalis</i> Walker, 4325.
<i>albofascia</i> Hy. Edwards, 3167.		<i>alcoolaria</i> Guenée, 3930.
<i>albofasciata</i> Grote, 3332 (Euchœa).		Alcothoe 364
<i>albofasciata</i> Bethune, 2994 (Homoptera).		Alepina 107
<i>albofasciatum</i> Zeller, 5021 (Exartema).		<i>althe</i> Neumogen & Dyar, 3097.
<i>albofasciatus</i> Hewitson, 580 (Endanus).		<i>aleutis</i> Harvey, 2327.
<i>albogallierella</i> Clemens, 6228.		<i>aleutianella</i> Bentenmüller, 5498.
<i>albogilvaria</i> Morrison, 3336.		<i>alexandra</i> Edwards, 70.
<i>alboguttata</i> Grote, 1838.		<i>alexandriella</i> Chambers, 5565.
<i>albolobes</i> Grote, 1121.		Alexicles 85
<i>albolineata</i> Grote & Robinson, 4263 (Glaphyria).		<i>alferata</i> Strecker, 2139.
<i>albolineata</i> Packard, 3382 (Mesoleuca).		<i>alfkenii</i> Grote, 1125.

	Page.		Page.
<i>algidella</i> Walker, 5839.		<i>alternata</i> Grote & Robinson, 463 (<i>Amblyscirtes</i>).	
<i>alia</i> Guenée, 2040.		<i>alternata</i> Chambers, 6334 (<i>Lithocolletes</i>).	
<i>alias</i> Ottolengui, 2501.		<i>alternata</i> Walker, 3370 (<i>Perconoptilota</i>).	
<i>alaska</i> Scudder, 16.		<i>alternata</i> Grote, 1397 (<i>Rhynchagrotis</i>).	
<i>alicia</i> Edwards, 247.		<i>alternatella</i> Zeller, 6334.	
<i>alicatella</i> Hulst, 4768.		<i>alternosquamella</i> Ragonot, 4721.	
<i>alienaria</i> Herrich-Schaeffer, 3934.		<i>alticola</i> Smith, 1229 (<i>Hadena</i>).	
<i>alinda</i> Druce, 766.1.		<i>alticola</i> Hulst, 3808 (<i>Meris</i>).	
<i>alisellana</i> Robinson, 5428.		<i>alticola</i> Smith, 1704 (<i>Paragrotis</i>).	
<i>alitalis</i> Hulst, 4322.		<i>alticola</i> Walker, 2535 (<i>Syngrapha</i>).	
<i>alko</i> Strecker, 1641.		<i>altissimella</i> Chambers, 6454.	
<i>alleteralis</i> Grote, 4355.		Altoona	438
<i>allecto</i> Smith, 1198.		<i>altua</i> Smith, 1832.	
<i>allediusaria</i> Walker, 4011.		Alucita	444, 448
<i>allenella</i> Walsingham, 5894.		<i>alunata</i> Skinner & Aaron, 22.	
<i>alleni</i> Fernald, 4625 (<i>Diatraea</i>).		<i>alvirina</i> Smith, 2041.	
<i>alleni</i> Grote, 2784 (<i>Syneda</i>).		<i>alutalis</i> Grote, 3046.	
<i>alleniana</i> Fernald, 5394.		<i>alvinalis</i> Guenée, 4306.	
<i>allionealis</i> Walker, 4491.		Alypia	97
Allotria	232	Alypiodes	97
<i>allusa</i> Hulst, 2855.		<i>amabilis</i> Möschler, 4297.1.	
<i>allutana</i> Zeller, 5207.		<i>amadis</i> Herrich-Schaeffer, 527.	
<i>alna</i> Strecker, 177.		Amadrya	573
Almodes	348	<i>amanda</i> Smith, 2096.	
<i>alm</i> Hy. Edwards, 922 (<i>Halisidota</i>).		<i>amaryllis</i> Smith, 2412 (<i>Heliophanina</i>).	
<i>alm</i> Walsingham, 6274 (<i>Lithocolletes</i>).		<i>amaryllis</i> Fabricius, 31 (<i>Tachyris</i>).	
<i>almi</i> Kellcott, 6604 (<i>Sthenopis</i>).		<i>amasia</i> Smith & Abbot, 2894.	
<i>almaria</i> Packard, 3923.		<i>amatalis</i> Walker, 4341.	
<i>alnicolella</i> Walsingham, 6273 (<i>Lithocolletes</i>).		<i>amatana</i> Dyar, 5422.	
<i>alniella</i> Zeller, 6264 (<i>Lithocolletes</i>).		<i>amatella</i> Hulst, 4716.	
<i>alniella</i> Chambers, 6413 (<i>Lyonetia</i>).		<i>amatris</i> Hubner, 2828.	
<i>alnivorella</i> Chambers, 6344 (<i>Gracilaria</i>).		<i>amaturaria</i> Walker, 3469.	
<i>alnivorella</i> Chambers, 6274 (<i>Lithocolletes</i>).		Ambesa	422
<i>alope</i> Fabricius, 258 (<i>Cercyonis</i>).		<i>ambigua</i> Strecker, 933.	
<i>alope</i> Drury, 688 (<i>Dilophonota</i>).		<i>ambigualis</i> Walker, 3055.	
<i>alpheus</i> Edwards, 611.		<i>ambisimilis</i> Dyar, 3217.	
<i>alpicola</i> Scopoli, 900.		<i>amblygona</i> Zeller, 5251.	
<i>alpina</i> Quensel, 870.		Amblyscirtes	47
<i>alpinana</i> Treitschke, 5290.		<i>ambrosiae</i> Murtfeldt, 4990.	
<i>alpinetta</i> Packard, 3259.		<i>ambrosiavella</i> Chambers, 5780.	
also Möschler, 295.		<i>ambrosiavoliella</i> Chambers, 6233.	
Alsophila	267	<i>ambrosiella</i> Chambers, 6321 (<i>Lithocolletes</i>).	
<i>altensis</i> Wocke, 4725.		<i>ambrosielli</i> Chambers, 6446 (<i>Tischeria</i>).	
<i>altera</i> Ottolengui, 2503.		<i>amelaina</i> Dyar, 866.	
<i>alterna</i> Strecker, 2517.		<i>amelanchierella</i> Clemens, 6183.	
<i>alternaria</i> Grote, 3602.			

	Page.		Page.
<i>amella</i> Guenée, 2957.		<i>amorada</i> Hulst, 3410 (Hydro-	
Ameria	267	mema).	
<i>ameriana</i> Linnaeus, 5359.		Amorbia	485
<i>americanus</i> Guenée, 3008.		<i>amorphæ</i> Frey & Boll, 6268 (Litho-	
<i>americanæ</i> Fernald, 5324 (Acleris).		colletes).	
<i>americanæ</i> Walsingham, 5276 (An-		<i>amorphæ</i> Hy. Edwards, 60 (Zer-	
ecylis).		rene).	
<i>americanæ</i> Harris, 972 (Apatala).		<i>amory'ella</i> Chambers, 5781 (Ge-	
<i>americanæ</i> Harris, 904 (Arctia).		lechia).	
<i>americanæ</i> Harris, 3223 (Epicanap-		<i>amorphælla</i> Chambers, 6268 (Litho-	
tera).		colletes).	
<i>americanæ</i> Speyer, 2162 (Gortyna).		<i>amorphælla</i> Clemens, 6179.	
<i>americanæ</i> Harris, 4129 (Harrisina).		Ampelophaga	65
<i>americanæ</i> D'Urban, 399 (Heodes).		<i>ampelophaga</i> Boisduval, 678 (Pho-	
<i>americanæ</i> Harris, 3214 (Malacos-		lus).	
oma).		<i>ampelopsiella</i> Chambers, 6120 (An-	
<i>americanæ</i> Harris, 3094 (Melalo-		tispila).	
pha).		<i>ampelopsiella</i> Chambers, 6419	
<i>americanæ</i> Smith, 1883 (Neuronia).		(Phyllokenistis).	
<i>americanæ</i> Herrich-Schaeffer, 3226		<i>ampelos</i> Edwards, 280.	
(Oreta).		<i>amphicarpa</i> Chambers, 6269.	
<i>americanæ</i> Morrison, 2226 (Ortho-		<i>amphicarpeana</i> Chambers, 5532.	
sia).		<i>amphicarpefoliella</i> Clemens, 6402.	
<i>americanæ</i> Harvey, 3115 (Ptilo-		Amphichlora	25
don).		Amphidasis	328
<i>americanæ</i> Beutenmüller, 4218		Amphidasys	328
(Sesia).		<i>amphidusa</i> Boisduval, 65.	
<i>americella</i> Walsingham, 6119.		Amphon	64
<i>americanus</i> Kollar, 19.		<i>amphygryoides</i> Guenée, 3005.	
Amestria	401	<i>amphorana</i> Walsingham, 5184.	
<i>amestris</i> Strecker, 2883.		<i>ampla</i> Walker, 2517 (Autographa).	
<i>amethystaria</i> Strecker, 3959.		<i>ampla</i> Grote, 3198 (Doa).	
<i>amica</i> Hübner, 2907 (Catocala).		<i>ampla</i> Dietz, 5936 (Plioiphora).	
<i>amica</i> Edwards, 410 (Cupido).		<i>amplaria</i> Walker, 3864.	
<i>amicaria</i> Herrich-Schaeffer, 3934.		<i>amplevella</i> Ragonot, 4700.	
<i>amicula</i> Hy. Edwards, 2592.		<i>ampliata</i> Ménétries, 22.	
<i>amiculatalis</i> Berg, 4414.		<i>amplissima</i> Walker, 2921.	
Amilapis	321	<i>amplus</i> Hy. Edwards, 2419.	
<i>amissa</i> Lefebre, 1939.		<i>amputatrix</i> Fitch, 1235.	
<i>amisus</i> Hewitson, 579.		<i>amygdalina</i> Harvey, 1976.	
Ammalo	92	<i>amynone</i> Ménétries, 203.	
<i>ammon</i> Lucas, 448.		Amyna	204
<i>amnoni</i> Behr, 10.		<i>amytas</i> Fabricius, 576.	
Amœba	288	<i>amytor</i> Hübner, 721.	
<i>amœba</i> Frey & Boll, 6285 (Litho-		<i>amytula</i> Boisduval, 441.	
colletes).		<i>amyrisoria</i> Walker, 4007.	
<i>amœba</i> Hy. Edwards, 4162 (Me-		<i>amyrisella</i> Busck, 5872 (Depres-	
llitia).		saria).	
<i>amœmaria</i> Guenée, 3961.		<i>amyrisella</i> Busck, 6472 (Eucatag-	
<i>amœmata</i> Stephens, 3380.		ma).	
Amolita	206	Anacampsis	509
<i>amorata</i> Packard, 4043 (Callizzia).		Anæa	27

	Page.		Page.
Anagoga	333	<i>angulina</i> Smith & Abbot, 3127 (<i>Dasylophia</i>).	
Anaitis	267	<i>anguina</i> Grote, 1845 (<i>Mamestra</i>).	
Anania	374	<i>anguinella</i> Clemens, 6184.	
<i>ananius</i> Plotz, 600.		<i>angulalis</i> Hübner, 3058.	
Anaphora	578	<i>angulata</i> Smith, 2056 (<i>Perigonica</i>).	
Anaplodes	302	<i>angulata</i> Grote, 2197 (<i>Pyrrhia</i>).	
Anarsia	509	<i>angulatalis</i> Lederer, 4500.	
<i>anarsicella</i> Chambers, 5745.		<i>angulatana</i> Robinson, 5445.	
Anarta	159	<i>angulidens</i> Smith, 2512.	
<i>anartalis</i> Grote, 4367.		<i>angulifasciana</i> Zeller, 5253.	
Anartia	24	<i>angulifera</i> Walker, 745 (<i>Callosamia</i>).	
<i>anatomella</i> Grote, 6474.		<i>angulifera</i> Walker, 922 (<i>Halesi-</i> <i>dota</i>).	
<i>aneclata</i> Walker, 3500.		<i>angulifera</i> Walker, 754 (<i>Thauma</i>).	
<i>anceps</i> Grote, 4588 (<i>Crambus</i>).		<i>angulifellum</i> Ragonot, 4872.	
<i>anceps</i> Hy. Edwards, 6614 (<i>Hebia-</i> <i>lus</i>).		<i>angulosa</i> Smith & Abbot, 3121.	
<i>anectaria</i> Hübner, 4001.		<i>angusana</i> Fernald, 5325.	
<i>anchocelioides</i> Guenée, 1393.		<i>angusella</i> Grote, 4687.	
Anchocelis	178	<i>angusi</i> Grote, 2822 (<i>Catocala</i>).	
<i>ancillaria</i> Strecker, 3685.		<i>angusii</i> Grote & Robinson, 3100 (<i>Datana</i>).	
<i>anacisrenensis</i> Morrison, 1278.		<i>angusta</i> Haworth, 4879.	
Ancylis	466	<i>angustalis</i> Fabricius, 4276.	
Ancyloxypha	48	<i>angustana</i> Clemens, 5440.	
<i>andereggiella</i> Duponchel, 6455.		<i>angustata</i> Frey & Boll, 6235 (<i>Buc-</i> <i>eulatrix</i>).	
<i>andremona</i> Cramer, 2912.		<i>angustata</i> Haworth, 3370 (<i>Perenop-</i> <i>tilota</i>).	
Andrewsia	232	<i>angustellus</i> Blanchard, 4781.	
<i>andria</i> Scudder, 254.		<i>angustiorata</i> Walker, 3765 (<i>Carip-</i> <i>eta</i>).	
Androloma	96	<i>angustiorata</i> Grote, 1089.1 (<i>Platy-</i> <i>senta</i>).	
<i>andromacha</i> Hy. Edwards, 2879 (<i>Catocala</i>).		<i>angustipennella</i> Clemens, 5782 (<i>Ge-</i> <i>lechia</i>)	
<i>andromacha</i> Hübner, 286 (<i>Eno-</i> <i>dia</i>).		<i>angustipennella</i> Dietz, 5944 (<i>Pig-</i> <i>ritia</i>).	
<i>andromeda</i> Boisduval, 715 (<i>Sphinx</i>).		<i>angustipennellus</i> Bentenmüller, 6585 (<i>Aerolophus</i> .)	
<i>andromeda</i> Guenée, 2776 (<i>Hypo-</i> <i>gramma</i>).		<i>angustipennis</i> Warren, 4534 (<i>Acal-</i> <i>lis</i>).	
<i>androphila</i> Guenée, 2907.		<i>angustipennis</i> Möschler, 1305 (<i>Ma-</i> <i>gusa</i>).	
Andropolia	119	<i>angustipennis</i> Grote, 2660 (<i>Thera-</i> <i>sea</i>).	
Anepischetos	207	<i>angustus</i> Walsingham, 4970.	
Anerastinæ	437	Ania	338
<i>anfracta</i> Hy. Edwards, 4051.		<i>anicia</i> Doubleday & Hewitson, 151 (<i>Lemonias</i>).	
<i>anfractata</i> Hulst, 4022.		<i>angulineata</i> Grote, 3235.	
<i>angulicella</i> Dietz, 5941.		<i>anilia</i> Scudder, 159 (<i>Lemonias</i>).	
<i>angelica</i> Grote, 3091 (<i>Apatelodes</i>).		<i>anilis</i> Drury, 2922.	
<i>angelica</i> Smith, 1071 (<i>Copibry-</i> <i>ophila</i>).			
<i>angelica</i> Smith, 2415 (<i>Heliodes</i>).			
<i>angelica</i> Smith, 2186 (<i>Papaipema</i>).			
<i>angelicus</i> Smith, 2066 (<i>Cobaliodes</i>).			
<i>angelina</i> Boisduval, 47.			
<i>anglicella</i> Stainton, 6390.			
<i>angrezi</i> Bailey, 4144.			
<i>anguilineata</i> Grote, 3235.			

Page.	Page.
<i>animalis</i> Guenée, 4275.	<i>antica</i> Boisduval, 418.
<i>animosa</i> Hy. Edwards, 4249.	Antiblemma 236
Anisopteryx 267	<i>andibubastus</i> Hübner, 447.
Anisota 75	<i>antica</i> Walker, 905 (Ammalo).
<i>anisaria</i> Walker, 3690.	<i>antica</i> Walker, 914 (Enchactias).
<i>anna</i> Grote, 880 (Apantesis).	<i>antica</i> Smith, 1945 (Trichoclea).
<i>anna</i> Grote, 2883 (Catocala).	<i>anticalis</i> Walker, 4807.
<i>anna</i> Dyar, 4160 (Hypopta).	<i>anticaria</i> Walker, 3859 (Ethalop-
Annaphila 208	tera).
<i>annaphilalis</i> Grote, 4366.	<i>anticaria</i> Walker, 3323 (Chloro-
<i>annellata</i> Hulst, 3427.	chlamys).
Annemoria 298	<i>anticaria</i> Walker, 3551 (Eois).
<i>annetta</i> Mead, 436.	Anticarsia 235
<i>annexa</i> Hy. Edwards, 2761 (Eucli-	<i>anticostalis</i> Grote, 4294.
dia).	<i>anticostata</i> Strecker, 3462.
<i>annexa</i> Treitschke, 1550 (Feltia).	<i>anticostiensis</i> Grote, 3180 (Euthy-
<i>annida</i> Fager, 2873.	atira).
<i>annir</i> Strecker, 1636.	<i>anticostieusis</i> Strecker, 21 (Papilio).
<i>annisaria</i> Walker, 3690.	<i>antidiscaria</i> Walker, 3949.
<i>annow</i> Shaw, 684.	<i>antigone</i> Strecker, 854.
<i>annosata</i> Zetterstedt, 3373.	<i>antilochus</i> Linnaeus, 11.
<i>annulalis</i> Grote, 3078.	<i>antiomyia</i> Hübner, 2884.
<i>annulata</i> Hulst, 3285.	<i>antiope</i> Linnaeus, 217.
<i>annulatella</i> Zetterstedt, 4725.	<i>antiphola</i> Walsh, 919.
<i>annulifascia</i> Walker, 923.	<i>antipoda</i> Strecker, 2138.
<i>annulimacula</i> Smith, 2020.	<i>antiqua</i> Linnaeus, 3187.
<i>annulipes</i> Smith, 1674.	Antispila 539
<i>annulosella</i> Ragonot, 4753.	<i>antonia</i> Edwards, 245.
<i>annulosum</i> Swainson, 664.	Anydraula 396
<i>anodontia</i> Guenée, 2205.	Anytus 149
Anomis 205	Aon 195
Anoristia 427	<i>aonides</i> Strecker, 3158.
<i>anormalis</i> Guenée, 4306.	<i>apache</i> Poling, 2911.
Anorthodes 110	<i>apachetina</i> Walsingham, 5199.
Anorthosia 507	Apæcasia 317
Anosia 33	<i>apama</i> Edwards, 381.
<i>antægon</i> Boisduval, 434.	Apamea 113
<i>antæus</i> Drury, 684.	<i>apamiformis</i> Grote, 1221.
Antapлага 183	Apantesis 88
<i>antaurata</i> Walker, 3738.	Apatela 99
<i>anteliella</i> Busck, 5546.	Apatelodes 249
<i>antennata</i> Smith, 1177 (Hadena).	Apatura 17
<i>antennata</i> Walker, 2090 (Xylina).	<i>apera</i> Druce, 4054.
Antepione 346	<i>apertalis</i> Walker, 4351.
<i>anteroclara</i> Smith, 1982.	Aphanaula 500
Anthanassa 21	Apharetra 105
Anthelia 316	Aphigalia 544
<i>anthracicoides</i> Grote & Robinson,	Aphomia 413
4528.	Aphrissa 8
Anthomaster 51	<i>aphrodite</i> Fabricius, 100.
Anthometria 298	<i>aphroditella</i> Chambers, 5653.
<i>anthyale</i> Hübner, 66.	<i>aphyta</i> Hampson, 4051.1.

Page.	Page.
<i>apiata</i> Grote, 2254.	<i>approximata</i> Strecker, 168 (Lemonias).
<i>apicalis</i> Guenée, 2925 (Grammades).	<i>approximata</i> Strecker, 2382 (Schinia).
<i>apicalis</i> Walker, 3092 (Melalophia).	<i>approximella</i> Walker, 4911.
<i>apicalis</i> Grote, 1532 (Rhizagrotis).	<i>aprica</i> Hubner, 2674.
<i>apicalis</i> Grote & Robinson, 3152 (Schizura).	<i>apriliana</i> Grote, 5208.
<i>apicana</i> Walker, 5256.	Aproærema 509
<i>apicella</i> Grote, 2699 (Fruva).	<i>aptalis</i> Lederer, 4491.
<i>apicella</i> Dyar, 6575 (Pronuba).	<i>aqualis</i> Grote, 1347.
<i>apicialbella</i> Chambers, 6185.	<i>aquamarina</i> Felder, 2756.
<i>apiciaria</i> Packard, 3943.	<i>aquilellus</i> Clemens, 4546.
<i>apicilinella</i> Chambers, 5699.	<i>aqnilo</i> Boisduval, 425.
<i>apicimaculella</i> Chambers, 6456.	<i>aqnilonaris</i> Lintner, 3164.
<i>apicipunctella</i> Chambers, 5902.	<i>ar</i> Strecker, 2380.
<i>apicistrigella</i> Chambers, 5699 (Aproærema).	<i>arabus</i> Edwards, 534.
<i>apicistrigella</i> Chambers, 6414 (Lyonetia).	<i>arachne</i> Edwards, 183.
<i>apicitripunctella</i> Clemens, 5596.	Arachnis 86
<i>apicosi</i> Harvey, 2612.	<i>aracinthusalis</i> Walker, 3058.
<i>apiella</i> Hubner, 5887.	Aræolepiæ 490
<i>apiiforme</i> Linnaeus, 4188.	<i>arapahoe</i> Reakirt, 406.
<i>apiacaulella</i> Chambers, 6492.	<i>araxes</i> Hewitson, 458.
<i>aplasterella</i> Hulst, 4653.	<i>arbeloides</i> Dyar, 4150.
<i>aplicula</i> Guenée, 4301.	<i>arbicularia</i> Walker, 4007.
Aplocea 267	<i>arbustorum</i> Stephens, 4580.
Aplodes 302	<i>arcanella</i> Clemens, 6602.
Apocheima 329	<i>areasaria</i> Walker, 4014.
Apochima 329	<i>arecella</i> Fabricius, 6531.
Apolema 315	<i>archasialis</i> Walker, 4302.
Aporophila 169	<i>archesilea</i> Felder, 199.
Apostraphia 32	<i>archippus</i> Cramer, 239 (Basilarchia).
<i>appassionata</i> Harvey, 2191.	<i>archippus</i> Fabricius, 308 (Anosia).
<i>appendicatum</i> Zeller, 5018.	Archips 478
<i>applana</i> Fabricius, 5862.	Archonias 4
<i>applanella</i> Fischer v. Röslerstamm, 5862.	<i>arcifera</i> Guenée, 2354.
<i>apposita</i> Grote, 1416 (Adelphagrotis).	<i>arctaria</i> Herrich-Schaeffer, 3390.
<i>apposita</i> Smith, 2076 (Pleroma).	<i>arctata</i> Zeller, 3390.
<i>approximaria</i> Packard, 3587 (Aplodes).	Arctia 92
<i>approximaria</i> Haworth, 3625 (Delinia).	<i>arctica</i> Möschler, 2507 (Autographa).
<i>approximaria</i> Packard, 3816 (Exellis).	<i>arctica</i> Ottolengui, 2513 (Autographa).
<i>approximaria</i> Dyar, 3933 (Plagodis).	<i>arctica</i> Zetterstedt, 137 (Brenthis).
<i>approximaria</i> Hubner, 3805 (Stenotachelys).	<i>arctica</i> Boisduval, 1235 (Hadena).
<i>approximata</i> Strecker, 878 (Apantesis).	<i>arctica</i> Zetterstedt, 1417 (Platagrotis).
	<i>arctica</i> Bentenmüller, 4204 (Sesia).
	<i>articata</i> Möschler, 5356.
	<i>articaria</i> Walker, 3513 (Leptometris).
	<i>arcticaria</i> Germar, 3456 (Petrophora).

	Page.		Page.
Arctiidæ	81	<i>argentichelatella</i> Clemens, 5920.	
Arctomyces	99	<i>argenticotana</i> Walsingham, 5175.	
Arctonotus	71	<i>argentifera</i> Busek, 5583.	
<i>arcostaphylælla</i> Walsingham, 5898.		<i>argentifimbriella</i> Clemens, 6258.	
<i>arcuata</i> Walker, 3229 (<i>Drepana</i>).		<i>argentifureatana</i> Grote, 5083.	
<i>arcuata</i> Walker, 1167 (<i>Hadena</i>).		<i>argenticiliatana</i> Robinson, 5446.	
Arcyonia	269	<i>argentilinæa</i> Walker, 2714.	
<i>ardea</i> Edwards, 414.		<i>argentinacutella</i> Murtfeldt, 6150.	
<i>ardema</i> Reakirt, 204.		<i>argentinotella</i> Clemens, 6283 (<i>Litho-</i>	
<i>ardifervæta</i> Hulst, 4908.		<i>colletes</i>).	
<i>ardoris</i> Hubner, 2692.		<i>argentinotella</i> Chambers, 6547 (<i>Se-</i>	
<i>arefacta</i> Hy. Edwards, 2335.		<i>mele</i>).	
<i>arefactaria</i> Grote & Robinson, 3961.		<i>argentistrigella</i> Chambers, 6546.	
<i>areli</i> Strecker, 2675.		Argens	65
<i>arene</i> Edwards, 474.		<i>argillacea</i> Hübner, 2555 (Alabama).	
<i>arenælla</i> Schiffermüller, 5877.		<i>argillacea</i> Walsingham, 5860 (De-	
<i>arenosaria</i> Haworth, 3625.		<i>pressaria</i>).	
<i>areolatus</i> Smith & Abbot, 298.		<i>argillacea</i> Packard, 806 (<i>Lexis</i>)	
Arequipa	404	<i>argillacearia</i> Packard, 3703.	
<i>ares</i> Edwards, 319.		<i>argillaceellus</i> Packard, 4556.	
<i>arctaria</i> Walker, 3766.		<i>argillaria</i> Hulst, 3951.	
<i>argalis</i> Fernald, 4398.		Argillophora	218
<i>argante</i> Fabricius, 54.		<i>argiolus</i> Smith & Abbot, 440.	
<i>arge</i> Drury, 882 (<i>Apantesis</i>).		Argiope	568
<i>arge</i> Strecker, 128 (<i>Argynnis</i>).		<i>argus</i> Neumoegen & Dyar, 753.	
<i>argentana</i> Martyn, 421 (<i>Argyria</i>).		<i>arguta</i> Lederer, 4318.	
<i>argentana</i> Clerck, 5411 (<i>Tortrix</i>).		<i>argutana</i> Clemens, 5207.	
<i>argentata</i> Emmons, 4620 (<i>Argy-</i>		<i>argyllaria</i> Walker, 3902.	
<i>ria</i>		Argynnис	13
<i>argentata</i> Packard, 930 (<i>Euschau-</i>		<i>argyralis</i> Hübner, 4287.	
<i>sia</i>		<i>argyrava</i> Stephens, 5134.	
<i>argentata</i> Packard, 6604 (<i>Stheno-</i>		<i>argyrella</i> Dietz, 5964.	
<i>pis</i>		Argyresthia	567
<i>argentatus</i> Wetherby, 4077 (<i>Eu-</i>		<i>argyreus</i> Stephens, 4580.	
<i>clea</i>		Argyria	411
<i>argenteana</i> Walsingham, 5146.		<i>argyroclana</i> Zeller, 5056.	
<i>argentella</i> Chambers, 6029 (<i>Coleo-</i>		<i>argyrospila</i> Walker, 5365.	
<i>phora</i>).		Argyroteuchia	404
<i>argentella</i> Fabricius, 4580 (<i>Cram-</i>		<i>argyrothamniella</i> Busek, 5705.	
<i>bus</i>).		<i>argyrotoxus</i> Behr, 437.	
<i>argenteomaculatus</i> Harris, 6604.		<i>ariadne</i> Edwards, 65.	
<i>argenteonervella</i> Hulst, 4617.		<i>ariana</i> Boisduval, 258.	
<i>argenteostriata</i> Strecker, 4032.		<i>arieye</i> Cramer, 51.	
<i>argentenu</i> Kirby, 214.		<i>arida</i> Smith, 2679.	
<i>argentalbana</i> Walsingham, 5089.		<i>arietis</i> Grote, 1777.	
<i>argentalbella</i> Chambers, 5993 (<i>Co-</i>		<i>arioch</i> , Strecker, 1044.	
<i>leophora</i>).		<i>aristella</i> Busek, 5733.	
<i>argentalbella</i> Chambers, 6029 (<i>Co-</i>		<i>aristodimus</i> Esper, 15.	
<i>leophora</i>).		Aristotelia	498
<i>argentalbella</i> Chambers, 5783 (<i>Ge-</i>		<i>arizone</i> French, 2447.1 (<i>Basilodes</i>).	
<i>lechia</i>).		<i>arizona</i> Grote, 2838 (<i>Catocala</i>).	
<i>argenticiliælla</i> Chambers, 5652.		<i>arizonæ</i> French, 3087 (<i>Gnophaelia</i>).	

Page.	Page.
<i>arizonea</i> Beutenmüller, 4209 (<i>Sesia</i>).	<i>arthrolita</i> Harvey, 2037.
<i>arizone</i> Hy. Edwards, 2684 (<i>Tarache</i>).	<i>artonis</i> Edwards, 128.
<i>arizonana</i> Walsingham, 5416.	Arucha
<i>arizonaria</i> Grote, 3595 (<i>Anaploides</i>). 428
<i>arizonaria</i> Grote, 3616 (<i>Cloraspilates</i>).	<i>arralis</i> Hy. Edwards, 2594 (<i>Annaphila</i>).
<i>arizonaria</i> Hy. Edwards, 3998 (<i>Stenaspilates</i>).	<i>arralis</i> Grote, 2419 (<i>Axenus</i>).
<i>arizonata</i> Grote, 3252.	Arzama
<i>arizomella</i> Busck, 5716 (<i>Gielechia</i>). 173
<i>arizomella</i> Hulst, 4848 (<i>Heterographis</i>).	Asaphodes
<i>arizonella</i> Ragonot, 4909 (<i>Martia</i>). 290
<i>arizonella</i> Dietz, 5947 (<i>Pigritia</i>).	Asara
<i>arizonellus</i> Walsingham, 6588 (<i>Aerolophus</i>). 428
<i>arizomenis</i> Stretch, 885 (<i>Apantesis</i>).	Asciodes
<i>arizomenis</i> Edwards, 236 (<i>Basilarchia</i>). 377
<i>arizomenis</i> Edwards, 440 (<i>Cyaniaris</i>).	<i>ashtaroth</i> Strecker, 278 (<i>Neominois</i>).
<i>arizomenis</i> Packard, 3201 (<i>Gloveria</i>).	<i>ashtaroth</i> Fischer, 95 (<i>Speyeria</i>).
<i>arizomenis</i> Edwards, 10 (<i>Papilio</i>).	<i>asdipennis</i> Boisduval, 4183.
<i>arizomenis</i> Strecker, 764 (<i>Pseudohazis</i>).	Asopia
<i>arizonicum</i> Dyar, 4061. 398
<i>armata</i> Grote, 1385.	<i>asopialis</i> Guenée, 3059.
<i>armataria</i> Guenée, 3990.	<i>aspasia</i> Strecker, 2839.
<i>armeniella</i> Frey & Boll, 5572.	<i>asperatella</i> Clemens, 4648.
<i>armiger</i> Hübner, 2300.	<i>aspersa</i> Grote, 850 (<i>Alexicles</i>).
<i>armillata</i> Hy. Edwards, 927.	<i>aspersa</i> Morrison, 1266 (<i>Polia</i>).
<i>arna</i> Guenée, 1137.	<i>aspidana</i> Walsingham, 5147.
<i>arnicella</i> Walsingham, 5859.	Aspidisca
<i>arogos</i> Boisduval & Le Conte, 572. 540
<i>aroata</i> Boisduval, 386.	<i>aspidiscana</i> Hübner, 5167.
Arotura	<i>aspilata</i> Guenée, 4011.
<i>arpa</i> Boisduval & Le Conte, 560.	<i>aspilodactylus</i> Walker, 4974.
Arrhostia	<i>asseclana</i> Hübner, 5169.
<i>arroga</i> Hulst, 3932.	<i>assecoma</i> Drince, 4030.
<i>arrosa</i> Harvey, 2962.	<i>assimilans</i> Walker, 861.
<i>arsace</i> Boisduval & Le Conte, 374.	<i>assimilis</i> Boisduval, 2430 (<i>Euthisanotia</i>).
<i>arsaltealis</i> Walker, 4437.	<i>assimilis</i> Morrison, 1809 (<i>Mamestra</i>).
<i>arsenaria</i> Walker, 4020.	<i>assimilis</i> Butler, 295 (<i>Oeneis</i>).
Arsilonche	<i>assimilis</i> Grote, 2599 (<i>Trichotarache</i>).
Arta	<i>assinioides</i> Lyman, 487.
Artace	<i>associans</i> Walker, 1514.
<i>artemis</i> Packard, 759.	<i>associata</i> Walker, 3142.
<i>artemisia</i> Hy. Edwards, 4199.	astarte Doubleday and Hewitson, 144 (<i>Brenthis</i>).
<i>artemisiana</i> Walsingham, 5174.	<i>astarte</i> Doubleday, 3132 (<i>Heterocampa</i>).
<i>artemisicolella</i> Chambers, 5994.	<i>astarte</i> Strecker, 730 (<i>Smerinthus</i>).
<i>arthemis</i> Fabricius, 237.	<i>astarte</i> Fischer, 95 (<i>Speyeria</i>).
105	<i>astenidia</i> Boisduval, 447.
400	<i>aster</i> Edwards, 435.
261	<i>astericola</i> Frey and Boll, 6345.
	<i>asterius</i> Cramer, 22.
	<i>asteroides</i> Guenée, 2127.
	Asteroscopus
 173
	Asthena
 275
	<i>asthenetria</i> Walker, 3477.
	<i>astigma</i> Smith, 2140.

	Page.		Page.
<i>astinuous</i> Drury, 23.		<i>atrifascialis</i> Hulst, 3380 (Mesoleuca).	
<i>astoria</i> Hy. Edwards, 3092.		<i>atrifascialis</i> Hulst, 4647 (Tallula).	
<i>astraea</i> Edwards, 69.		<i>atrifasciata</i> Morrison, 1341.	
<i>astricta</i> Morrison, 1464.		<i>atrifera</i> Grote, 1741.	
<i>astrologana</i> Zeller, 5062.		<i>atrifrons</i> Grote, 1502.	
Astropometis	414	<i>atrilineella</i> Grote, 3030.	
<i>astur</i> Cramer, 941.		<i>atripennis</i> Grote, 799.	
<i>astyanax</i> Fabricius, 236.		<i>atriciliator</i> Cockerell, 5995.	
<i>astylus</i> Drury, 733.		<i>atristrigata</i> Smith, 1596 (Paragrotis).	
<i>astylusaria</i> Walker, 3963.		<i>atristrigatus</i> Smith, 1755 (Amytus).	
<i>astynome</i> Olivier, 770.		<i>atrites</i> Grote, 2366.	
<i>asychis</i> Cramer, 604.		<i>atritincta</i> Harvey, 2095.	
<i>atela</i> Poey, 325.		<i>atrevosa</i> Palm, 3194.	
<i>atalanta</i> Linnaeus, 219.		<i>atrocolorata</i> Hulst, 4001 (Azelina).	
<i>atarah</i> Strecker, 2898.		<i>atrocoloratum</i> Grote, 3354 (Eustroma).	
Atascosa	438	<i>atrodentata</i> Fernald, 5020.	
<i>ate</i> Strecker, 221.		<i>atrodorsella</i> Clemens, 5854.	
<i>atergatis</i> Doubleday and Hewitson, 310.		<i>atrofasciata</i> Packard, 3662.	
<i>atermina</i> Grote, 1363.		<i>atrofusca</i> Smith, 1713.	
<i>aterinella</i> Walker, 6106.		<i>atrolinearia</i> Hulst, 3790.	
Atethmia	183	<i>atroliturata</i> Walker, 3237.	
<i>atha</i> Strecker, 1534.		<i>atropicta</i> Zeller, 5844 (Cryptolechia).	
<i>athabasca</i> Neumoegen, 2800.		<i>atropictella</i> Hampson, 4506 (Scoparia).	
<i>athasiaria</i> Walker, 3909.		<i>atropurpurea</i> Smith, 1685.	
Athena		<i>atropunctata</i> Zetterstedt, 5034.	
<i>athena</i> Strecker, 854.		<i>atropunctaria</i> Walker, 3759.	
<i>athereo</i> Harris, 3136.		<i>atropunctata</i> Packard, 3754.	
<i>atlantica</i> Smith, 2162 (Gortyna).		<i>atropurpuralis</i> Grote, 4465.	
<i>atlantica</i> Grote, 1792 (Mamestra).		<i>atropurpurea</i> Grote, 1711.	
<i>atlantis</i> Edwards, 102.		<i>atrosignata</i> Walker, 3708.	
Atlides	36	<i>atropictella</i> Dietz, 5595.	
<i>atomaria</i> Walker, 3195.		Atrytone	49
<i>atomariella</i> Zeller, 6332.		Attacapa	417
<i>atomaris</i> Walker, 2540 (Ogdoonta).		<i>attalus</i> Edwards, 501.	
<i>atomaris</i> Smith, 1604 (Paragrotis).		<i>attenta</i> Grote, 1424.	
<i>atomaris</i> Hübner, 2915 (Phoberia).		<i>attenuatella</i> Walker, 6068.	
<i>atomosotua</i> Walsingham, 5091.		<i>attenuatus</i> Grote, 4594.	
<i>atomosella</i> Zeller, 6346.		Atteva	490
Atopocera	578	<i>attributella</i> Walker, 5608.	
<i>atossa</i> Edwards, 126.		<i>attritella</i> Walker, 5784.	
<i>atra</i> Grote, 1297.		<i>auburniana</i> Harris, 362.	
<i>atratia</i> Hy. Edwards, 954 (Psuedalypia).		<i>audentis</i> Smith, 1636.	
<i>atratia</i> Morrison, 1770 (Pteroseia).		<i>aufragella</i> Zeller, 5941.	
<i>atratolis</i> Harvey, 1750.		<i>auge</i> Linnaeus, 779.	
<i>atrella</i> Hulst, 4802.		<i>augias</i> Hübner, 515.	
<i>atrescens</i> Hulst, 3873.		<i>augmentanus</i> Zeller, 5206.	
<i>atriciliata</i> Grote, 1088.		<i>angusta</i> Hy. Edwards, 2844 (Catala).	
<i>atricincta</i> Smith, 1504.			
<i>atricollaris</i> Haworth, 1361.			
<i>atricornis</i> Grote, 1257.			

Page.		Page.
	<i>augusta</i> Edwards, 155 (<i>Lemonias</i>). <i>augustalis</i> Grote, 4463. <i>augustana</i> Hübner, 5228. <i>augustinus</i> Westwood, 371. <i>augustus</i> Kirby, 371 (<i>Incisalia</i>). <i>augustus</i> Harvey, 1332 (<i>Oncocephalus</i>). <i>auhularia</i> Grote, 3892. <i>aurantiaca</i> Hübner, 834 (<i>Eubaphe</i>). <i>aurantiaca</i> Hy. Edwards, 2598 (<i>Inicta</i>). <i>aurantiacella</i> Grote, 4710. <i>aurantiago</i> Guenée, 2225. <i>aurantiaca</i> Walsingham, 5209. <i>aurantiaria</i> Packard, 4019. <i>auranticolor</i> Grote, 1249. <i>auranticolorata</i> Strecker, 3566. <i>aurata</i> Butler, 906 (<i>Animalo</i>). <i>aurata</i> Grote, 3418 (<i>Coenocalpe</i>). <i>aurata</i> Packard, 3373 (<i>Mesoleuca</i>). <i>auratalis</i> Walker, 4529. <i>auratella</i> Clemens, 4622. <i>auratus</i> Grote, 6607 (<i>Sthenopis</i>). <i>aurea</i> Fitch, 5481 (<i>Atteva</i>). <i>aurea</i> Pagenstecher, 4134 (<i>Dysodia</i>). <i>aurea</i> Grote, 1306 (<i>Pseudanarta</i>). <i>aurella</i> Fischer, 2872. <i>autreobalidana</i> Walsingham, 5475. <i>autrofasciella</i> Ragonot, 4859. <i>aureola</i> Hy. Edwards, 4203. <i>aureolalis</i> Hulst, 4348. <i>aureolum</i> Hy. Edwards, 2453. <i>aureopurpurea</i> Hy. Edwards, 4223. <i>aureorum</i> Boisduval, 342. <i>auricapitata</i> Walsingham, 5052. <i>auricinctaria</i> Grote, 2730. <i>auricrinella</i> Walsingham, 6622. <i>auricristatella</i> Chambers, 6542. <i>auricrenata</i> Walsingham, 6618. <i>aurifera</i> Zeller, 4633. <i>auriferaria</i> Hulst, 4031. <i>auriferella</i> Frey & Boll, 6379. <i>aurifimbrialis</i> Walker, 4585. <i>aurimaculella</i> Chambers, 5785. <i>aurionarginata</i> Cockerell, 215. <i>auripennis</i> Butler, 904 (<i>Arctia</i>). <i>auripennis</i> Grote, 2918 (<i>Siavana</i>). <i>aurisignata</i> Zeller, 5289. <i>auristrigella</i> Chambers, 6481. <i>aurivitta</i> Grote & Robinson, 2720. <i>aurouiteus</i> Frey & Boll, 6302. <i>europubella</i> Chambers, 6491. <i>europurpurella</i> Chambers, 5996.	457
	Aurora	
	<i>aurora</i> Smith & Abbot, 3155. <i>aurosed</i> Neumoegen, 751. <i>auroparsella</i> Walsingham, 6620. <i>aurostriata</i> Graef, 3157. <i>aurosuffusella</i> Chambers, 6493. <i>aurorus</i> Fabricius, 736. <i>aurulenta</i> Smith, 1453. <i>ausonides</i> Boisduval, 44. <i>ausonius</i> Lintner, 622. <i>austerella</i> Zeller, 6457. <i>australata</i> Hulst, 3413. <i>australella</i> Hulst, 4782. <i>australis</i> Grote, 1074 (<i>Baileya</i>). <i>australis</i> Edwards, 322 (<i>Calephelis</i>). <i>australis</i> Hulst, 3549 (<i>Eois</i>). <i>australis</i> Stretch, 4129 (<i>Harrisina</i>). <i>australis</i> Maynard, 11 (<i>Papilio</i>). <i>austrisella</i> Chambers, 6297 (<i>Lithocletetes</i>). <i>austrisella</i> Chambers, 5924 (<i>Ecophora</i>). <i>authorea</i> Boisduval, 885.	
	Autocosmia	386
	Autographa	199
	<i>autolyca</i> Edwards, 337.	
	Automeris	73
	Autoneda	496
	<i>autumnalis</i> Cockerell, 65 (<i>Euryimus</i>). <i>autumnalis</i> Stromeyer, 3388 (<i>Hydriomena</i>). <i>autumnalis</i> Riley, 1302 (<i>Laphygma</i>). <i>autummaria</i> Möschler, 3923. <i>autumnata</i> Guenée, 3337 (<i>Epirrita</i>). <i>autumnata</i> Packard, 3245 (<i>Palearrita</i>). <i>auxiliaris</i> Grote, 1517. <i>avernalis</i> Grote, 4501. <i>aversa</i> Hy. Edwards, 4125. <i>aria</i> Hübner, 870. <i>avimacula</i> Hudson, 3168. <i>avimacularia</i> Guenée, 3610.	
	Axenus	194
	<i>axillaris</i> Grote & Robinson, 653. <i>azalea</i> Smith & Abbot, 681.	
	Azelina	344
	Azenia	210
	<i>azif</i> Strecker, 1626.	
	Azinaphora	333

	Page.		Page.
<i>azionalis</i> Walker, 4281. <i>baal</i> Strecker, 99.		<i>barberella</i> Busck, 5644 (Neodactylota).	
Babaiaxa	526	<i>barberiana</i> Dyar, 4114.	
<i>babyaga</i> Strecker, 2837.		<i>barda</i> Hy. Edwards, 881.	
<i>baccata</i> Guenée, 3370.		<i>barnesi</i> Skinner, 194 (Phyciodes).	
<i>baccatalis</i> Hulst, 4357.		<i>barnesiella</i> Busck, 5747.	
<i>baccharisella</i> Busck, 5622.		<i>barnesii</i> Smith, 1033 (Apatela).	
<i>bachmani</i> Kirtland, 311.		<i>barnesii</i> Dyar, 6590 (Atopocera).	
Bactra	449	<i>barnesii</i> French, 2818 (Catocala).	
<i>baidia</i> Grote & Robinson, 2885 (Catocala).		<i>barnesii</i> Hulst, 3945 (Gonodontis).	
<i>badia</i> Hy. Edwards, 3187 (Notolophus).		<i>barnesii</i> Smith, 1189 (Hadena).	
<i>badia</i> Packard, 3153 (Schizura).		<i>barnesii</i> Smith, 1356 (Oncocnemis).	
<i>badiana</i> Schiffermüller, 5245.		<i>barnesii</i> Beutenmüller, 4196 (Sanninoidea).	
<i>badiaria</i> Hy. Edwards, 3339.		<i>barometricus</i> Goossens, 1759.	
<i>badicollis</i> Grote, 1426.		<i>baroni</i> Edwards, 121 (Argynnis).	
<i>badicella</i> Chambers, 6436.		<i>baroni</i> Edwards, 258 (Cercyonis).	
<i>badinodis</i> Grote, 1451.		<i>baroni</i> Behrens, 6614 (Hepialus).	
<i>badioicapitella</i> Chambers, 6186.		<i>baroni</i> Hy. Edwards, 156 (Lemonias).	
<i>badiomaculella</i> Chambers, 5786.		<i>baroni</i> Fish, 4986 (Pterophorns).	
<i>badipennis</i> Grote, 4436.		<i>basalatu</i> Walker, 3390.	
<i>badistriga</i> Grote, 1312.		<i>basalis</i> Grote, 2887 (Catocala).	
<i>badiusalis</i> Walker, 4492.		<i>basalis</i> Walker, 4149 (Inguromorpha).	
<i>baicalata</i> Bremer, 3450.		<i>basalis</i> Grote, 1716 (Paragrotis).	
Baileya	107	<i>basalis</i> Walker, 4507 (Seoparia).	
<i>baileyana</i> Grote, 1417.		<i>basilaria</i> Walker, 3619.	
<i>baileyi</i> Grote, 2108.		<i>basiliata</i> Packard, 3619.	
<i>bairdii</i> Edwards, 17.		<i>basicinerea</i> Grote, 2649.	
<i>balba</i> Grote, 2342.		<i>basifasciella</i> Zeller, 5561.	
<i>balder</i> Boisduval, 292.		<i>basiflava</i> Packard, 3194 (Olene).	
<i>baldur</i> Edwards, 1.		<i>basiflava</i> Smith, 1703 (Paragrotis).	
<i>balinitis</i> Grote, 1524.		<i>basigera</i> Walker, 2518.	
<i>baliola</i> Morrison, 2160.		Basilarchia	25
<i>balistaria</i> Hübner, 3533.		<i>basilarella</i> Dietz, 5940.	
<i>balluca</i> Geyer, 2476.		<i>basilaris</i> Zeller, 4767 (Salebria).	
Balsa		<i>basilaris</i> Zeller, 6107 (Seythris).	
<i>baltearia</i> Hulst, 3784.		<i>basilina</i> Schiffermüller, 1208.	
<i>balteata</i> Kirtland, 664 (.Ellopos).		Basilodes	196
<i>balteata</i> Smith, 1359 (Oncocnemis).		Basilona	76
<i>balteata</i> Smith, 2652 (Tripudia).		<i>basimaculella</i> Ragonot, 4839.	
<i>balteolata</i> Herrich-Schaeffer, 4030.		<i>basiochrealis</i> Grote, 4640.	
<i>baltimoralis</i> Guenée, 3065.		<i>basiplagana</i> Walsingham, 5412.	
<i>banarahrata</i> Strecker, 3397.		<i>basipunctana</i> Walsingham, 5093.	
Bandera		<i>basipunctaria</i> Walker, 3551.1.	
<i>banksiella</i> Busck, 5636.		<i>basistrigella</i> Chambers, 5997 (Coleophora).	
<i>baptisia</i> Bird, 2177.		<i>basistrigella</i> Clemens, 6301 (Lithocleletes).	
<i>baptisiella</i> Fernald, 4654.		<i>basistrigella</i> Zeller, 5560 (Telphusa).	
<i>baracoa</i> Lueas, 527.		<i>basitrichus</i> Walker, 3116.	
Barathra		<i>basquella</i> Chambers, 5729.	
<i>barbara</i> Hy. Edwards, 67.			
<i>barberella</i> Busck, 5888 (Depressaria).			

	Page.		Page.
<i>bassettella</i> Clemens, 5918.		<i>belfrageella</i> Chambers, 6187 (Neptinula).	
<i>bassiformis</i> Walker, 4207.		<i>belfragi</i> Fish, 4958 (Alucita).	
<i>b-ata</i> Goeze, 890.		<i>belfragi</i> Grote, 3139 (Chytolita).	
<i>bababao</i> Lefèbre, 575.		<i>belfragi</i> Stretch, 834 (Eubaphe).	
<i>babanella</i> Busek, 5637.		<i>belfragi</i> Grote, 3048 (Renia).	
<i>batesi</i> Felder, 4322 (Diaphania).		<i>belfragi</i> Smith, 1394 (Rhynchagrotis).	
<i>batesii</i> Reakirt, 190 (Phyciodes).		<i>belfragisella</i> Chambers, 5574.	
<i>bathyllus</i> Smith & Abbot, 599.		<i>belfragiana</i> Harvey, 2910.	
Batrachetra	534	<i>belialis</i> Druce, 4388.1.	
<i>battoides</i> Behr, 429.		<i>bella</i> Chambers, 6553 (Adela).	
<i>beani</i> Skinner, 151 (Lemonias).		<i>bella</i> Walsingham, 5998 (Coleophora).	
<i>beaniata</i> Grote, 2849.		<i>bella</i> Chambers, 6099 (Helioidines).	
<i>beani</i> Grote, 1820 (Mamestra).		<i>bella</i> Grote, 1828 (Mamestra).	
<i>beani</i> Neumoegen, 868 (Neoarectia).		<i>bella</i> Linnaeus, 836 (Utetheisa).	
<i>beani</i> Elwes, 295 (Eneis).		<i>bella</i> Hulst, 4825 (Zophodia).	
<i>beata</i> Grote, 1514.		<i>belladonna</i> Hy. Edwards, 2398 (Dysoenemis).	
<i>beckeri</i> Edwards, 33.		<i>belladonna</i> Petiver, 220 (Vanessa).	
Bedellia	557	<i>bella</i> Walker, 6554 (Adela).	
Begoe	505	<i>bella</i> Walker, 5575 (Aristotelia).	
<i>behrensaria</i> Hulst, 3638.		<i>bellula</i> Hübner, 2622.	
<i>behrensatia</i> Packard, 4002 (Azelina).		<i>bellula</i> Fabricius, 141.	
<i>behrensatia</i> Packard, 3312 (Tephroclystis).		<i>bellulalis</i> Hulst, 4458.	
<i>behrensellia</i> Chambers, 6347 (Graecilaria).		Bellura	173
<i>behrensellia</i> Chambers, 6494 (Timea).		<i>bellus</i> Edwards, 530.	
<i>behrensellus</i> Fernald, 4586 (Crambus).		<i>belmatria</i> Ehrman, 832.	
<i>behrensi</i> Grote, 1327 (Oneoenemis).		Belnoptera	361
Behrenzia	203	<i>belusalis</i> Walker, 4303.	
<i>behrenziana</i> Grote, 2049.		Bembecia	366
<i>behrensi</i> Edwards, 112 (Argynnis).		<i>benificentella</i> Murtfeldt, 5770.	
<i>behrensi</i> Stretch, 6613 (Hepialus).		<i>beaesignata</i> Harvey, 3003.	
<i>behrensi</i> Hy. Edwards, 3123 (Nadata).		<i>benigna</i> Hulst, 3718 (Cymatophora).	
<i>behrensi</i> Hy. Edwards, 4242 (Sesia).		<i>benigna</i> Hy. Edwards, 1171 (Hadena).	
<i>behrii</i> Stretch, 888 (Apantesis).		<i>benignalis</i> Walker, 3065.	
<i>behrii</i> Edwards, 370 (Callipsyche).		Benta	415
<i>behrii</i> Edwards, 77 (Eurymus).		<i>bentlegana</i> Donovan, 5076.	
<i>behrii</i> Edwards, 418 (Nomiaes).		<i>berenice</i> Cramer, 309.	
<i>behrii</i> Edwards, 2 (Parnassiins).		<i>bergii</i> Möschler, 4297.3.	
<i>behrii</i> Smith, 2683 (Tarache).		<i>bergmanniana</i> Linnaeus, 5401.	
Bejuda	399	<i>bernardino</i> Edwards, 60.	
<i>belia</i> Grote, 783.		<i>bertholdi</i> Grote, 4154.	
<i>belangerella</i> Chambers, 6460 (Argyresthia).		Bertholdia	96
<i>belangerella</i> Chambers, 5563 (Telphusa).		<i>bertrandi</i> Reessler, 4956.	
<i>belangeri</i> Morrison, 2232.		<i>beskei</i> Hübner, 3172.1.	
<i>belfrageana</i> Zeller, 5331.		Bessula	184
<i>belfrageella</i> Chambers, 6348 (Graecilaria).		<i>bethunei</i> Grote & Robinson, 2097.	
		<i>bethoniella</i> Chambers, 6326.	
		<i>betulae</i> Riley, 989.	

Page	Page
<i>betulella</i> Hulst, 4693 (Aerobasis).	<i>bifasciella</i> Chambers, 6329 (Lithocolletes).
<i>betulella</i> Busek, 5886 (Depressaria).	<i>bifasciella</i> Chambers, 6151 (Mompha).
<i>betulella</i> Busek, 5562 (Tephritis).	<i>bifasciella</i> Chambers, 6188 (Neptinula).
<i>betuliperda</i> Dyar, 5537.	<i>bifasciella</i> Hulst, 4769 (Salebria).
<i>betulicora</i> Walsingham, 6328.	<i>bifasciella</i> Chambers, 6548 (Semele).
<i>beutemnelleri</i> Hy. Edwards, 4090.	<i>bifasciella</i> Chambers, 6130 (Theisoa).
<i>bianca</i> Hy. Edwards, 2826.	<i>biferalis</i> Walker, 3040.
<i>biangulana</i> Walsingham, 5230.	<i>bifida</i> Packard, 4077.
<i>bianulella</i> Chambers, 5743.	<i>bifidalis</i> Grote, 3055 (Gaberata).
<i>biarcuana</i> Stephens, 5260.	<i>bifidalis</i> Fabricius, 4352 (Loxostege).
<i>bilobaria</i> Grote & Robinson, 3909.	<i>bifidella</i> Dietz, 5570.
<i>bicannea</i> Guenée, 1478.	<i>bifilata</i> Walker, 3590 (Aplodes).
<i>bicularia</i> Walker, 4005.	<i>bifilata</i> Hulst, 3631 (Deilinia).
<i>bicularis</i> Grote, 1597.	<i>bifiria</i> Hy. Edwards, 3092.
<i>bicollaris</i> Grote, 1587.	<i>biflavimaculella</i> Clemens, 6495.
<i>bicolor</i> Harris, 772 (Adelocephala).	<i>biformata</i> Hy. Edwards, 2746.
<i>bicolor</i> Walker, 865 (Diacrisia).	<i>bifurcalis</i> Snellen, 4282.
<i>bicolor</i> Grote, 806 (Lexis).	<i>biguttata</i> Schaeffer, 4391.
<i>bicolor</i> Frey & Boll, 6432 (Tischeria).	<i>biguttata</i> Packard, 4094 (Cochlidion).
<i>bicolorago</i> Guenée, 2222.	<i>bifittatus</i> Packard, 3148 (Schizura).
<i>bicoloralis</i> Guenée, 4414.	<i>bijugalis</i> Walker, 3066.
<i>bicoloraria</i> Packard, 3616.	<i>bilineata</i> Packard, 3960.
<i>bicolorata</i> Fabricius, 3737 (Cymatophora).	<i>bilineata</i> Smith, 2960 (Campometra).
<i>bicolorata</i> Minot, 3604 (Eufidonia).	<i>bilineata</i> Packard, 3231 (Falcaria).
<i>bicolorata</i> Borkhausen, 3387 (Hydriomena).	<i>bilineata</i> Packard, 3142 (Heterocampa).
<i>bicolorata</i> Grote, 1990 (Nelucania).	<i>bilineatella</i> Ragonot, 4676.
<i>bicolorella</i> Hulst, 4898 (Atascosa).	<i>billurellus</i> Zeller, 4604.
<i>bicolorella</i> Chambers, 6295 (Lithocolletes).	<i>billonaria</i> Strecker, 3593.
<i>bicostonaculella</i> Chambers, 5755 (Gelechia).	<i>biloba</i> Stephens, 2485.
<i>bicostonaculella</i> Chambers, 5609 (Recurvaria).	<i>bilobata</i> Grote, 1101.
<i>biceratella</i> Chambers, 6077 (Elachista).	<i>bimacula</i> Grote & Robinson, 555.
<i>biceratella</i> Chambers, 6094 (Lymnaeia).	<i>bimaculana</i> Donovan, 5143 (Eucosma).
<i>bicuspidata</i> Smith, 2359.	<i>bimaculana</i> Robinson, 5471 (Pharmacis).
<i>bicycla</i> Packard, 1932.	<i>bimaculata</i> Gmelin, 949 (Alypia).
<i>bidentata</i> Zeller, 4569.	<i>bimaculata</i> Herrich-Schaeffer, 953 (Alypiodes).
<i>bidentata</i> Walker, 3124.	<i>bimaculata</i> Stephens, 2483 (Autographa).
<i>bidiacomaculella</i> Chambers, 5670.	<i>bimaculata</i> Saunders, 834 (Eubaphe).
<i>bifascia</i> Hübner, 2338.	<i>bimaculella</i> Chambers, 5720 (Gelechia).
<i>bifascialis</i> Robinson, 4499.	<i>bimaculella</i> Chambers, 6496 (Tinea).
<i>bifasciata</i> Walsingham, 5510 (Glyptipteryx).	
<i>bifasciata</i> Smith, 1648 (Paragrotis).	
<i>bifasciata</i> Bates, 2941 (Phurys).	
<i>bifasciella</i> Busek, 5581 (Aristotelia).	

Page.	Page.
<i>bimaculella</i> Chambers, 5690 (<i>Ypsolophus</i>). <i>bimarginalis</i> Grote, 1400. <i>bimatrix</i> Harvey, 2280. <i>biminimaculella</i> Chambers, 5999 (<i>Coleophora</i>). <i>biminimaculella</i> Chambers, 5758 (<i>Gelechia</i>). <i>bina</i> Guenée, 2413. <i>binoocula</i> Grote, 2686. <i>binodulalis</i> Zeller, 4517. <i>biocininalis</i> Smith, 1411. <i>binotata</i> Walker, 1155. <i>binotella</i> Zeller, 4918. <i>biothecatalis</i> Hulst, 4586. <i>bipartita</i> Smith, 2574. <i>bipartitana</i> Clemens, 5071. <i>bipartitella</i> Ragonot, 4912. <i>biplagia</i> Walker, 2613 (<i>Erastria</i>). <i>biplagia</i> Guenée, 2673 (<i>Tarache</i>). <i>biplagata</i> Walsingham, 5148. <i>biplagialis</i> Walker, 4507. <i>bipuncta</i> Morrison, 2562. <i>bipunctalis</i> Fabricius, 4344. <i>bipunctatus</i> Möschler, 4968. <i>bipunctella</i> Chambers, 6129 (<i>Aetia</i>). <i>bipunctella</i> Walsingham, 6000 (<i>Coleophora</i>). <i>bipunctella</i> Walker, 5106 (<i>Eucosma</i>). <i>bipunctellus</i> Zeller, 4581 (<i>Crambus</i>). <i>bipunctellus</i> Walsingham, 5681 (<i>Ypsolophus</i>). <i>bipunctina</i> Guenée, 2555. <i>bipustulana</i> Walker, 5217. <i>biquadrata</i> Walsingham, 5110. <i>birivata</i> Borkhausen, 3387. <i>bischopfii</i> Edwards, 128 (<i>Argynnis</i>). <i>bischopfii</i> Zeller, 4956 (<i>Platyptilia</i>). <i>bicolorilla</i> Chambers, 5567. <i>bisecta</i> Lintner, 774. <i>biselliella</i> Zeller, 6487. <i>biseriata</i> Packard, 3225 (<i>Eudeiliinea</i>). <i>biseriata</i> Herrich-Schaeffer, 3248 (<i>Eudule</i>). <i>bisignata</i> Walker, 3678. <i>bisselliella</i> Hummel, 6487. <i>bistriaria</i> Packard, 3557 (<i>Anemomaria</i>). <i>bistriaria</i> Hübner, 3590 (<i>Aplodes</i>). <i>bistriaris</i> Geyer, 2571 (<i>Doryodes</i>). <i>bistriaris</i> Hübner, 2921 (<i>Parallelia</i>). <i>bistriatella</i> Hulst, 4900 (<i>Cayuga</i>). <i>bistriatella</i> Hulst, 4676 (<i>Myelois</i>). <i>bistriatella</i> Hulst, 4786 (<i>Pyla</i>). <i>bistriga</i> Smith, 2135. <i>bistrigata</i> Hübner, 2944. <i>bistrigella</i> Chambers, 6001 (<i>Coleophora</i>). <i>bistrigella</i> Chambers, 5787 (<i>Gelechia</i>). <i>bistriolata</i> Zeller, 3387. <i>bisulea</i> Grote, 1888. <i>bitactata</i> Walker, 3706. <i>biundata</i> Walker, 3140. <i>biundulata</i> Zeller, 2274 (<i>Antapla</i>). <i>biundulata</i> Smith, 2330 (<i>Schinia</i>). <i>biriella</i> Zeller, 6557. <i>birittata</i> Clemens, 897 (<i>Ectypia</i>). <i>birittata</i> Grote, 3034 (<i>Hormisa</i>). <i>birittata</i> Hulst, 3310 (<i>Tephroclysis</i>). <i>blakeana</i> Grote, 5221. <i>blakei</i> Grote, 887 (<i>Apantesis</i>). <i>blakei</i> Maynard, 89 (<i>Eurema</i>). <i>blancardella</i> Fabricius, 6270. <i>blanda</i> Grote, 1442 (<i>Metalepsis</i>). <i>blanda</i> Grote, 2210 (<i>Pseudogaea</i>). <i>blandana</i> Clemens, 5379. <i>blandella</i> Clemens, 6349. <i>blandula</i> Hulst, 2892. <i>Blastobasidæ</i> 526 <i>Blastobasis</i> 528 <i>blenina</i> Hewitson, 359. <i>blepharana</i> Herrich-Schaeffer, 5291. <i>Blepharocera</i> 526 <i>Blepharomastix</i> 376 <i>Bleptina</i> 244 <i>Boarmia</i> 325 <i>Bocchoris</i> 374 <i>bochus</i> Morrison, 1588. <i>bodicella</i> Chambers, 6436. <i>boisduralianna</i> Felder, 82. <i>boisduraliella</i> Guenée, 4793. <i>boisdurallii</i> Felder, 53 (<i>Aphrissa</i>). <i>boisdurallii</i> Duponchel, 137 (<i>Brenthis</i>). <i>boisdurallii</i> Butler, 848 (<i>Leptaretia</i>). <i>boisdurallii</i> Harris, 288 (<i>Satyrodes</i>). <i>bolanderana</i> Walsingham, 5081. <i>bolanderi</i> Strecker, 887. <i>bolliella</i> Dyar, 6312. <i>bollii</i> Grote, 1457 (<i>Agrotis</i>). <i>bollii</i> Zeller, 4816 (<i>Melitara</i>). <i>bollii</i> Hy. Edwards, 4207 (<i>Sesia</i>). <i>bollii</i> Edwards, 180 (<i>Thessalia</i>).	

Page.	Page.
<i>bollerellus</i> Fernald, 4592.	<i>boreata</i> Hübner, 3238 (Opheroptera).
<i>bolteri</i> Hy. Edwards, 933 (<i>Emilia</i>).	<i>borkhausenii</i> Zeller, 5922.
<i>bolteri</i> Stretch, 909 (<i>Euchaebias</i>).	<i>boras</i> Boisduval, 340.
<i>bolteri</i> Smith, 1870 (<i>Mamestra</i>).	<i>boscina</i> , Fabricius, 5303.
<i>bolteri</i> Smith, 1510 (<i>Noctua</i>).	<i>bosquella</i> Chambers, 5729 (<i>Celechia</i>).
<i>bolteri</i> Hy. Edwards, 4213 (<i>Sesia</i>).	<i>bosquella</i> Chambers, 6350 (<i>Gracilaria</i>).
<i>bolteri</i> Hulst, 3302.1 (<i>Tephroelystis</i>).	<i>bosquella</i> Chambers, 6229 (<i>Opostega</i>).
<i>bolteri</i> Hulst, 3890 (<i>Tracheops</i>).	<i>bostonica</i> Frey & Boll, 6319.
Bombycia	<i>bostonicus</i> Grote, 1631.
Bombycidæ	<i>botrama</i> Schiffermüller, 5005.
<i>bombyciformis</i> Smith, 1376 (Euto-type).	<i>bouteardi</i> Druce, 751 (<i>Automeris</i>).
<i>bombyciformis</i> Walker, 4183 (Methymthus).	<i>boucardi</i> Godman & Salvin, 187 (<i>Phyciodes</i>).
<i>bombycinia</i> Zeller, 6584.	Brachiloma 544
Bombycoidea	<i>brachialum</i> Harvey, 1819.
<i>bombycoides</i> Walker, 725.	<i>brachyelytrifoliella</i> Chambers, 6078.
Bombyx	<i>brackenridgella</i> Busck, 5794.
Bomolocha	<i>bracteatana</i> Fernald, 5271.
<i>bonifata</i> Hulst, 3521.	Bradyptetes 290
<i>bonifatellus</i> Hulst, 4600.	<i>branderiana</i> Haworth, 5359.
<i>bonuscula</i> Smith, 2074.	<i>braunani</i> Stretch, 946.
<i>bonuscularis</i> Hulst, 4590.	<i>brasiliella</i> Fitch, 5503.
<i>boopis</i> Behr, 258.	<i>brassica</i> Riley, 2496.
<i>bootes</i> Boisduval, 295.	<i>bredovii</i> Hübner, 243.
<i>boothii</i> Curtis, 64.	<i>brennerii</i> Edwards, 108.
<i>bore</i> Hübner, 295.	<i>brenda</i> Edwards, 281.
<i>borea</i> Guenée, 1233.	<i>brennus</i> Godman & Salvin, 616.
<i>borealis</i> Smith, 2146 (<i>Asterosopus</i>).	Brenthia 494
<i>borealis</i> Grote & Robinson, 321 (<i>Calaphelis</i>).	Brenthis 15
<i>borealis</i> Smith, 1371 (<i>Copipanolis</i>).	Brepodium 46
<i>borealis</i> Hulst, 3620 (<i>Deilinia</i>).	Brephinae 349
<i>borealis</i> Grote, 4637 (<i>Epipaschia</i>).	<i>brepoides</i> Walker, 4040.
<i>borealis</i> Smith, 3016 (<i>Epizeuxis</i>).	Brephos 349
<i>borealis</i> Boisduval, 3161 (<i>Harpyia</i>).	<i>brettoides</i> Edwards, 516.
<i>borealis</i> Fitch, 3190 (<i>Hemero-campa</i>).	<i>brecicanda</i> Saunders, 21.
<i>borealis</i> Möschler, 872 (<i>Hyphoraia</i>).	<i>brericornis</i> Walker, 834.
<i>borealis</i> Hulst, 3452 (<i>Petrophora</i>).	<i>brericrista</i> Dyar, 3212.
<i>borealis</i> Staudinger, 860 (<i>Phragmatobia</i>).	<i>breriornatalis</i> Grote, 4642.
<i>borealis</i> Grote, 38 (<i>Pontia</i>).	<i>breriornatina</i> Clemens 5349.
<i>borealis</i> Packard, 4453 (<i>Pyrausta</i>).	<i>breripeunis</i> Stretch, 2429 (<i>Euthisanotia</i>).
<i>borealis</i> Lefèbre, 4510 (<i>Scoparia</i>).	<i>breripeunis</i> Smith, 1577 (<i>Paragrotis</i>).
<i>borealis</i> Hulst, 3286 (<i>Tephroelystis</i>).	<i>brerostralis</i> Grote, 3041.
<i>boreana</i> Zetterstedt, 5409.	<i>brevis</i> Grote, 2366.
<i>boreasella</i> Chambers, 5921 (<i>Eco-phora</i>).	<i>brevistriga</i> Chambers, 6110.
<i>boreasella</i> Clemens, 6389 (<i>Ormix</i>).	<i>brevistrigella</i> Chambers, 6110.
<i>boreata</i> Packard, 3259 (<i>Carsia</i>).	<i>brevitella</i> Clemens, 6152.

Page.	Page.
<i>brewsteriana</i> Robinson, 5307.	<i>brunniceicollis</i> Grote, 1391.
<i>bridghami</i> Grote & Robinson, 1149.	<i>brunniceicrista</i> Smith, 1281.
<i>brilliens</i> Ottolengui, 2121.1 (Calocampa).	<i>brunniceifasciata</i> Packard, 3336.
<i>brilliens</i> Neumoegeen, 2425 (Eupseudomorphus).	<i>brunnigera</i> Morrison, 1659.
<i>brilliens</i> Barnes, 1285 (Feralia).	<i>brunnipeurus</i> Grote, 1393 (Rhynchagrotis).
<i>brisca</i> Edwards, 2854.	<i>brunnipeurus</i> Hy. Edwards, 4201 (Sesia).
<i>brizo</i> Boisduval & Le Conte, 617.	<i>brunnipeurus</i> Hulst, 3293 (Tephroelystis).
<i>brocha</i> Morrison, 1588.	
Bronchelia	328
<i>broutae</i> Drury, 694 (Diludia).	<i>brunnengrisea</i> Hy. Edwards, 4331.
<i>broutae</i> Denis & Schiffermüller, 469 (Pamphila).	<i>brunneolineata</i> Hulst, 3919.
Brotis	349
Brotolomia	<i>brunneonotulata</i> Bates, 3377.
<i>bruceata</i> Hulst, 3240.	<i>brunnescens</i> Busck, 5646 (Prostomeus).
<i>brucei</i> Hulst, 4728 (Ambera).	<i>bryonia</i> Oehsenheimer, 38.
<i>brucei</i> Smith, 2117 (Calocampa).	
<i>brucei</i> French, 4143 (Cossus).	177
<i>brucei</i> Elwes, 273 (Erebia).	Bryophila
<i>brucei</i> French, 654 (Hemaris).	<i>bububattalis</i> Hulst, 4396.
<i>brucei</i> Edwards, 151 (Lemonias).	Bucculatrix
<i>brucei</i> Hy. Edwards, 3097 (Melalopha).	<i>bucephalooides</i> Walsingham, 5198.
<i>brucei</i> Hy. Edwards, 867 (Neoarcia).	<i>bucephalus</i> Stephens, 515.
<i>brucei</i> Edwards, 295 (Eneis).	<i>bucetum</i> Grote, 2947.
<i>brucei</i> Edwards, 17 (Papilio).	<i>budea</i> Hübner, 855.
<i>brucei</i> Fernald, 4963 (Pterophorus).	<i>buffaloensis</i> Grote, 656 (Hemaris).
<i>brucei</i> Smith, 2345 (Schinia).	<i>buffaloensis</i> Grote, 2196 (Ochria).
Brechia	<i>ballula</i> Grote, 2554.
<i>brullei</i> Lefèbvre, 3444.	<i>bunkeri</i> Grote, 2872.
<i>brunnella</i> Clemens, 5788.	<i>bunteana</i> Robinson, 5452.
<i>brunosa</i> Guenée, 1026.	<i>burgessi</i> Morrison, 1214.
<i>brunnata</i> Stretch, 795 (Cnucha).	<i>burgessiana</i> Zeller, 5248.
<i>brunnata</i> Grote & Robinson, 3133 (Heterocampa).	<i>burgessiella</i> Zeller, 6378.
<i>brunnata</i> Strecker, 855 (Hyphantria).	<i>buristriga</i> Chambers, 6110.
<i>brunnata</i> Walsingham, 6536 (Phryganopsis).	<i>bursaria</i> Dyar, 2543.
<i>brunnearia</i> Packard, 3590 (Aploides).	<i>burerella</i> Busck, 6383.
<i>brunnearia</i> Packard, 3709 (Cymatophora).	
<i>brunnecata</i> Packard, 3709 (Cymatophora).	80
<i>brunnecata</i> Thunberg, 3695 (Macaria).	Busckia
<i>brunnecata</i> Packard, 3379 (Mesoletica).	<i>busckiella</i> Kearfott, 5523.
<i>brunneciliata</i> Packard, 3372.	Butalis
	<i>butlerii</i> Edwards, 137.
	<i>butyrosa</i> Butler, 4415.
	<i>buxea</i> Grote, 2263.
	Buzala
	<i>byssinella</i> Hübner, 5500.
	Byssodes
	<i>byssus</i> Edwards, 562.
	<i>cabelus</i> Edwards, 493.
	Cabera
	<i>caberata</i> Guenée, 4020.
	Caberodes
	<i>caberei</i> von Reizenstein, 728.
	<i>cacabella</i> Hulst, 4776.
	Cacelice
	<i>cacocacia</i>
	<i>Caconome</i>
	<i>cacozelia</i>

Page.		Page.
<i>vacuuminalis</i> Walker, 3040.		441
<i>vacuumaria</i> Packard, 3498.		371
<i>vacuumata</i> Morrison, 3498.		
<i>cadaverosa</i> Grote, 906 (Anomalo).		
<i>cadaverosa</i> Strecker, 309 (Hypo- pripia).	95	
<i>cadmia</i> Guenée, 3171.		
<i>caduca</i> Grote, 2610.		
<i>caducalis</i> Walker, 3069.		
<i>cacea</i> Strecker, 847.		
<i>caecalis</i> Warren, 4289 (Diastictis).		
<i>caecalis</i> Walker, 4510 (Scoparia).		
<i>caecella</i> Zeller, 5759.		
<i>caeculalis</i> Zeller, 4400.		
<i>calaria</i> Hulst, 3925.		
<i>canis</i> Grote, 1632.		
<i>canius</i> Linnaeus, 320.		
<i>Cænurgia</i>		
<i>cærulea</i> Grote, 2756 (Drasteria).		
<i>cærulea</i> Godman & Salvin, 228 (Eunica).	220	
<i>cæruleana</i> Walsingham, 5277.		
<i>cærulescens</i> Holland, 97.		
<i>casaria</i> Freyer, 3373.		
<i>casualbana</i> Zeller, 5071.		
<i>casuaria</i> Hulst, 3668.		
<i>casuaria</i> Denis & Schiffenmüller, 3373.		
<i>casina</i> Smith, 1744.		
<i>casonia</i> Grote, 4105 (Tortricidia).		
<i>casonia</i> Stoll, 61 (Zerene).		
<i>caspitalis</i> Boisduval, 646.		
<i>caspitella</i> Zeller, 6006.		
<i>cathartella</i> Zeller, 4875.		
<i>catia</i> Linneus, 904.		
<i>caicus</i> Cramer, 689 (Dilophonota).		
<i>caicus</i> Herrich-Schaeffer, 597 (Tho- rybes).		
<i>cajona</i> Reakirt, 437.		
<i>calais</i> Seudder, 291.		
<i>calumi</i> Harvey, 2259.		
<i>calaminea</i> Cramer, 2952.		
<i>Calamochrous</i>	386	
<i>Calamotropha</i>	404	
<i>Calantica</i>	491	
<i>calanus</i> Hübner, 347.		
<i>calceolaria</i> Butler & Druce, 84 (Eur- ema).		
<i>calceolarius</i> Strecker, 2003 (Orth- odes).		
<i>calchas</i> Fabricius, 12 (Papilio).		
<i>calchas</i> Behr, 430 (Rusticus).		
<i>Calephelis</i>	35	
<i>Calera</i>		441
<i>Calesesia</i>		371
<i>calgariana</i> Smith, 1983.		
<i>calgaria</i> Smith, 1508.		
<i>Calidotata</i>		
<i>californica</i> Walsingham, 5515 (Gly- phipteryx).		
<i>californica</i> Walker, 848 (Leptaretia).		
<i>californiana</i> Walsingham, 5333 (Epagoge).		
<i>californiana</i> Ménétries, 65 (Eury- mus).		
<i>californiaria</i> Packard, 3797 (Aleis).		
<i>californiaria</i> Packard, 3760 (Ene- mera).		
<i>californiaria</i> Packard, 3550 (Eois).		
<i>californaria</i> Herrich-Schaeffer, 3772 (Plataea).		
<i>californaria</i> Packard, 3652 (Scia- graphia).		
<i>californiata</i> Packard, 3550 (Eois).		
<i>californiata</i> Packard, 3333 (Eu- chloëa).		
<i>californiata</i> Packard, 3391 (Hydri- omena).		
<i>californiata</i> Packard, 3456 (Petro- phora).		
<i>californiata</i> Packard, 3342 (Phile- reme).		
<i>californiata</i> Packard, 3652 (Scia- graphia).		
<i>californiata</i> v. Gumppenberg, 3277 (Tephroclystis).		
<i>californica</i> Speyer, 2492 (Auto- grapha).		
<i>californica</i> Behr, 2969 (Capnodes).		
<i>californica</i> Hy. Edwards, 2831 (Catocala).		
<i>californica</i> Doubleday & Hewitson, 279 (Coenonympha).		
<i>californica</i> Dyar, 3099 (Datana).		
<i>californica</i> Stretch, 3223 (Epi- naptera).		
<i>californica</i> Packard, 851 (Estig- mene).		
<i>californica</i> Boisduval, 216 (Eugo- nia).		
<i>californica</i> Walker, 922 (Halisi- dota).		
<i>californica</i> Wright, 758 (Hemi- leuca).		
<i>californica</i> Behr, 3081 (Hypena).		
<i>californica</i> Packard, 859 (Isia).		

Page.		Page.
	<i>californica</i> Butler, 243 (Liminitis).	39
	<i>californica</i> Packard, 3218 (Malacosoma).	216
	<i>californica</i> Walker, 3219 (Malacosoma).	72
	<i>californica</i> Reakirt, 306 (Mechanitis).	276
	<i>californica</i> Boisduval, 290 (Oeneis).	171
	<i>californica</i> Packard, 4618 (Ommatopteryx).	119
	<i>californica</i> Smith, 2245 (Orrhodia).	202
	<i>californica</i> Ménétries, 18 (Papilio).	288
	<i>californica</i> Stretch, 3118 (Pheosia).	290
	<i>californica</i> Packard, 3089 (Phryganidia).	198
	<i>californica</i> Scudder, 471 (Potanthus).	54
	<i>californica</i> Packard, 4451 (Pyrausta).	38
	<i>californica</i> Grote, 742 (Samia).	182
	<i>californica</i> Edwards, 340 (Thecla).	3329.
	<i>californica</i> Behr, 1891 (Xylophages).	3329.
	<i>californicus</i> Boisduval, 4039 (Braphos).	3329.
	<i>californicus</i> Boisduval, 6616 (Hepialus).	3329.
	<i>californicus</i> Grote, 2406 (Melichætria).	5066.
	<i>californicus</i> Walsingham, 4931 (Trichoptilus).	192.
	<i>californiella</i> Ragonot, 4927.	1096.
	<i>caliginella</i> Hulst, 4701.	335
	<i>caliginosana</i> Walker, 5309.	4292.
	<i>caliginosalis</i> Walker, 4510.	5066.
	<i>caliginosellus</i> Clemens, 4607.	512 (Hylephila).
	<i>calipusaria</i> Walker, 3902.	1707 (Paragrotis).
	<i>Calledapteryx</i> 350	191 (Phyeodes).
	<i>callifa</i> Westwood, 743.	5459.
	<i>callias</i> Edwards, 272.	236
	<i>Callicista</i> 38	280
	<i>callida</i> Grote, 1954.	Campæta
	<i>Callidryas</i> 7	Campastrana
	<i>calligera</i> Zeller, 5483.	Boisduval, 191 (Phyeodes).
	<i>Callima</i> 525	canarica
	<i>callima</i> Boisduval, 193.	Robinson, 5341 (Cenopsis).
	<i>Calliomma</i> 64	cana
	<i>callipepla</i> Hulst, 4665.	Walker, 817 (Clemensia).
	<i>callippe</i> Boisduval, 116.	Walker, 3127 (Dasylophia).
	<i>Callopsyche</i> 39	Martyn, 726 (Lapara).
	<i>Callitricha</i> 196	Hy. Edwards, 3189 (Notolophus).
	<i>callitrichoides</i> Grote, 2573.	canace
	<i>Callizzia</i> 350	Edwards, 195.
		canaluria
		Guenée, 3858.
		canadensis
		Smith & Dyar, 980 (Apataela).
		Bethune, 2467 (Calpe).
		Guenée, 670 (Deilephila).
		Busek, 5878 (Depressaria).
		Smith, 1794 (Mamestra).
		Boisduval, 713 (Sphinx).

Page.		Page.
	<i>canadensisella</i> Chambers, 6236. <i>canalis</i> Grote, 2950. <i>canana</i> Walsingham, 5115. <i>canariella</i> Dietz, 5957. <i>camariellus</i> Walsingham, 5488.	
431	Canarsia	477
	<i>candefacta</i> Hübner, 2691. <i>candens</i> Guenée, 1997. <i>candescens</i> Hy. Edwards, 4233. <i>candida</i> Lintner, 3159 (Cerura). <i>candida</i> Wright, 475 (Copeodes). <i>candida</i> Hy. Edwards, 803 (Crambidia). <i>candida</i> Smith, 3182 (Euthyatira). <i>candida</i> Smith, 1311 (Homohadena). <i>candida</i> Walker, 856 (Hyphantria). <i>candida</i> Smith, 1616 (Paragrotis). <i>candida</i> Smith, 1899 (Nylomiges). <i>candidaria</i> Packard, 3491. <i>candidellum</i> Hulst, 4867. <i>canescens</i> Behr, 2259 (Calymnia). <i>canescens</i> Hy. Edwards, 4261 (Paranthrene). <i>canescensella</i> Hulst, 4749. <i>caniceps</i> Walsingham, 5149. <i>canicinctella</i> Clemens, 6146. <i>canicostella</i> Ragonot, 4857 (Honora). <i>canicostella</i> Walsingham, 5545 (Pal todora).	110
187	Canidia	258
	<i>caniplaga</i> Walker, 3170. <i>canjivorella</i> Hulst, 4690. <i>canalis</i> Quaintance, 4494. <i>canningii</i> Walker, 736. <i>canopnrella</i> Chambers, 5789. <i>canosuria</i> Walker, 3780. <i>canthus</i> Boisduval & Le Conte, 288. <i>canusella</i> Chambers, 5836. <i>capax</i> Grote & Robinson, 2113. <i>capella</i> Barnes, 152.	
245	Capis	318
	<i>capitalis</i> Grote, 4341. <i>capitochrella</i> Chambers, 5790 <i>capitalbella</i> Chambers, 6237.	
237	Capnodes	
	<i>caprawana</i> Wilkinson, 5033. <i>caprealis</i> Hübner, 4511. <i>capreana</i> Hübner, 5033. <i>caprotina</i> Drury, 851. <i>capsella</i> Grote, 2015.	
	<i>capsularis</i> Guenée, 1789. <i>capticola</i> Walker, 2781. Capua	
	<i>capucina</i> Linneus, 3115. <i>caria</i> Guenée, 2827 (Catocala).	358
	Caradrina	375
	<i>caradrinalis</i> Guenée, 3079. <i>caradrinoides</i> Walker, 1103.	
	Carama	
	<i>carata</i> Hulst, 3741.	
	Carbacha	
	<i>carbonaria</i> Packard, 4069 (Eury cyttarus). <i>carbonaria</i> Harvey, 2114 (Xylina). <i>carboniella</i> Fischer, 4776. <i>carbonellus</i> Hulst, 4781. <i>carduelis</i> Seba, 221. <i>cardui</i> Zeller, 4941 (Platyptilia). <i>cardui</i> Linnaeus, 221 (Vanessa). <i>carduidactyla</i> Riley, 4941. <i>carduiella</i> Kearfott, 5523. <i>c-argentum</i> Scudder, 212.	
	Cargida	
	Caria	35
	<i>carina</i> Harvey, 1080. <i>carinenta</i> Cramer, 312.	
	<i>cariosa</i> Guenée, 1243 (Hadena). <i>cariosa</i> Lederer, 4524 (Omphalocera). <i>cariosa</i> Hulst, 3809 (Pterotaea). <i>cariosus</i> Smith, 1691 (Paragrotis).	
	Caripeta	
	<i>carissima</i> Hulst, 2827 (Catocala). <i>carissima</i> Harvey, 1406 (Rhynchagrotis). <i>carlota</i> Reakirt, 186. <i>carolita</i> Hulst, 3871.	
	<i>carmelita</i> Morrison, 2637. <i>carminata</i> Smith, 2010. <i>carmosina</i> Neumoegen, 2319. <i>carnaria</i> Packard, 3982. <i>carnariella</i> Clemens, 6497.	
	<i>carnata</i> Packard, 3421. <i>carnea</i> Thunberg, 1432.	
	Carneades	140
	<i>carneana</i> Guenée, 5458. <i>carnearia</i> Hulst, 3630. <i>carneata</i> Packard, 3421. <i>carneella</i> Hulst, 4771. <i>carneicosta</i> Guenée, 2920. <i>carneola</i> Guenée, 2613 (Erastria). <i>carneola</i> Smith, 2541 (Ogdoconta).	

Page.	Page.
<i>carnosa</i> Grote, 2257.	<i>castaneaefoliella</i> Chambers, 6189.
<i>carolina</i> Hy. Edwards, 785 (Eucer-	<i>castanealis</i> Hulst, 4479.
eon).	<i>castaneana</i> Walsingham, 5151.
<i>carolina</i> Harris, 839 (Haploa).	<i>castanella</i> Walsingham, 6318 (Litho-
<i>carolina</i> Linnaeus, 697 (Phlegethon-	colletes).
tin).	<i>castanella</i> Walsingham, 6434 (Tis-
<i>carolina</i> Skinner, 565 (Phycanassa).	cheria).
<i>carolinana</i> Walsingham, 5150.	<i>castaneum</i> Beutennüller, 4184.
<i>caroliniana</i> Petiver, 61.	<i>castanipennula</i> Walsingham, 6004.
<i>carpenterellus</i> Packard, 4562.	<i>castella</i> Walsingham, 5485.
<i>carpenterii</i> Edwards, 99.	<i>castellalis</i> Guenée, 4285.
Carphoxera 295	<i>castoria</i> Reakirt, 38.
<i>carpinifolia</i> Boisduval, 3223.	<i>castro</i> Reakirt, 396.
Carpocapsa 471	Catabena 108
Carposina 489	<i>catachla</i> Hulst, 3588.
Carsia 268	Cataclysta 396
<i>carus</i> Edwards, 498 (Erynnis).	<i>catalystiana</i> Walker, 5096.
Carvanca 404	<i>catalina</i> Smith, 1187 (Hadena).
<i>carya</i> Grote, 4688 (Acrobasis).	<i>catalina</i> Reakirt, 421 (Phædrotæ).
<i>carya</i> Shimer, 5268 (Ancylis).	<i>catalpa</i> Boisduval, 724.
<i>carya</i> Robinson, 5330 (Epagoge).	Catamola 414
<i>carya</i> Harris, 923 (Halidiota).	<i>cataphracta</i> Grote, 2187.
<i>caryalbella</i> Chambers, 6251.	Catastega 511
<i>caryafoliella</i> Clemens, 6003 (Coleo-	Catastictis 311
phora).	<i>catenaria</i> Cramer, 3886.
<i>caryafoliella</i> Clemens, 6288 (Litho-	<i>catenula</i> Grote, 1553.
colletes).	<i>catenulalis</i> Grote, 4434.
<i>caryafoliella</i> Clemens, 6190 (Nepti-	<i>catenulata</i> Grote, 4023.
cula).	Caterva 331
<i>caryafolius</i> Chambers, 5684 (Yp-	Catharylla 411
solophus).	<i>catherina</i> Grote, 1428.
<i>caryarorella</i> Hulst, 4690 (Aerola-	Catocala 224
basis).	Catocalinæ 219
<i>caryarorella</i> Packard, 5791 (Gele-	Catoclothis 276
chia).	Catoptria 404
<i>caryallella</i> Walsingham, 6261.	Catopyrrha 317
<i>caryana</i> Fitch, 5268.	<i>catullus</i> Fabricius, 605.
<i>carye</i> Hübner, 222.	<i>caucasica</i> Herrich-Schaeffer, 900.
<i>caryivorella</i> Ragonot, 4690.	<i>candana</i> Haworth, 5299.
<i>cassandra</i> Hy. Edwards, 2842.	<i>candatum</i> Harris, 4170.
<i>cassella</i> Walker, 5792.	<i>cantella</i> Walker, 4875.
<i>cassius</i> Morrison, 452.	Cautethia 67
<i>cassus</i> Edwards, 466.	<i>carillaria</i> Hulst, 3912.1.
<i>casta</i> Hy. Edwards, 2585 (Anna-	<i>cayennaria</i> Packard, 3948.
phila).	Cayuga 438
<i>casta</i> Sanborn, 803 (Crambidia).	Cea 183
<i>casta</i> Kirby, 38 (Pontia).	<i>ceanothi</i> Behr, 742 (Samia).
<i>castalis</i> Edwards, 360.	<i>ceanothi</i> Walsingham, 6447 (Tis-
<i>castanea</i> Grote, 1237.	cheria).
<i>castaneella</i> Chambers, 6318 (Litho-	<i>cecopit</i> Linnaeus, 739.
colletes).	<i>cecreps</i> Fabricius, 365.
<i>castaneella</i> Chambers, 6434 (Tis-	<i>celano</i> Hübner, 295.
cheria).	Celama 351

Page.		Page.
<i>celatoria</i> Hulst, 3628.		<i>cerealis</i> Zeller, 4359.
<i>celeris</i> Grote, 2401.		<i>cereana</i> Linnaeus, 4636.2.
<i>celens</i> Hübner, 696.		<i>carella</i> Fabricius, 4636.2.
<i>celia</i> Skinner, 462 (Amblyscirtes).		<i>ceres</i> Butler, 279.
<i>celia</i> Saunders, 891 (Apantis sis).		<i>cerens</i> Doubleday, 320.
<i>celia</i> Hy. Edwards, 2864 (Cata-		<i>cerina</i> Grote, 2171.
calala).		<i>cerintha</i> Treitschke, 2656.
<i>celiana</i> Robinson, 5308.		<i>cerivana</i> Smith, 1208.
<i>celinene</i> Cramer, 294.		Cerma 106
Celiptera 235		<i>cernea</i> Harris, 557 (Limochroes).
<i>celis</i> Boisduval & Le Conte, 586.		<i>cernea</i> Boisduval & Le Conte, 523
Celma 268		(Thymelicus).
<i>celso</i> Hy. Edwards, 2514.		<i>cerogaea</i> Guenée, 2872.
<i>celtidella</i> Hulst, 4760.		<i>ceronatica</i> Grote, 2239.
<i>celtisfoliella</i> Chambers, 6286.		Cerostoma 491
<i>celtiphaga</i> Harvey, 3138.		<i>cerulea</i> Ehrman, 236.
<i>celtis</i> Boisduval & Le Conte, 244.		Cerura 256
<i>celtisana</i> Riley, 5136.		<i>cerusana</i> Duponchel, 5304 (Aeleris).
<i>celtisella</i> Chambers, 6286.		<i>cerusana</i> Hübner, 5303 (Aeleris).
<i>cembraria</i> Motschulsky, 3695.		<i>cerussata</i> Grote, 2183 (Papaipema).
Cemistoma 562		<i>cerussata</i> Grote, 4032 (Phrygionis).
Cenopsis 476		<i>cerraea</i> Eversmann, 5143.
<i>centaurea</i> Rambur, 644.		<i>cerrella</i> Walsingham, 5496.
<i>centerensis</i> Lintner, 4142.		<i>cerriana</i> Smith, 1208.
<i>centralis</i> Smith, 1248 (Hadena).		<i>cerriana</i> Hy. Edwards, 2751 (Cis-
<i>centralis</i> Walker, 4118 (Pyro-		sura).
morpha).		<i>cerriana</i> Hy. Edwards, 2718 (Euher-
<i>centralis</i> Grote, 3045 (Renia).		richia).
<i>centrana</i> Herrich-Schaeffer, 5472.		<i>cerrina</i> Smith, 1856 (Mamestra).
<i>centunnotata</i> Schulz, 3379.		<i>cerrina</i> Smith, 1130 (Perigea).
<i>centuriella</i> Schiffermüller, 4510.		<i>cerriuua</i> Fernald, 5323.
<i>ceos</i> Edwards, 608.		<i>cerriuinaria</i> Blanchard, 3698 (Cyma-
<i>cephalica</i> Grote & Robinson, 802		tophora).
(Crambida).		<i>cerriuinaria</i> Packard, 3642 (Epise-
<i>cephalica</i> Smith, 2393 (Stylopoda).		masia).
<i>cephalothiella</i> Chambers, 6162.		<i>cerriuinaria</i> Packard, 4018 (Sabu-
<i>cephisaria</i> Grote, 3435.		lodes).
<i>cephise</i> Cramer, 4035.		<i>cerrinicolor</i> Hulst, 3638.
<i>ceramica</i> Hübner, 892.		<i>cerrinidaetylus</i> Packard, 4956.
Cerapoda 128		<i>cerrinifascia</i> Walker, 3350.
<i>cerasivorana</i> Fitch, 5360.		<i>cerrinoides</i> Streeker, 886.
<i>cerasivorella</i> Packard, 6005.		<i>cerrius</i> Walsingham, 6585.
Cerathosia 217		<i>cerysii</i> Kirby, 730.
Ceratocampidæ 75		<i>cespitalis</i> Grote & Robinson, 900.
Ceratoclasia 375		<i>cespitiella</i> Hübner, 4579.
Ceratodalia 282		<i>cespitiella</i> Hulst, 6006.
Ceratomia 69		<i>cespitiella</i> Riley, 6006.
Ceratonyx 329		<i>cestalis</i> Hulst, 4512.
<i>ceravisella</i> Chambers, 5714.		<i>cestata</i> Hulst, 3316.
<i>ceryou</i> Burmeister, 687.		<i>cestus</i> Edwards, 553.
Cercyonis 27		<i>ctenina</i> Felder, 47.
<i>cerea</i> Hübner, 320.		<i>ceto</i> Westwood, 4162.
<i>cerealella</i> Olivier, 5552.		<i>chalcuma</i> Packard, 5437.

	Page.		Page.
<i>chalcedon</i> Doubleday & Hewitson, 148.		<i>chiococcella</i> Busck, 6452.	
<i>chalcedonia</i> Hübner, 1137.		<i>chionanthi</i> Smith & Abbot, 1370 (Adita).	
<i>Chalceria</i>	41	<i>chionanthi</i> Smith & Abbot, 698 (Phlegethonius).	
<i>chalcis</i> Behr, 353.		<i>chione</i> Curtis, 64.	
<i>Chalcoela</i>		<i>chionosema</i> Zeller, 5047.	
<i>chalecydonta</i> Clemens, 5970.		Chipota	441
<i>Chalcosidæ</i>	360	<i>chippera</i> Edwards, 74.	
<i>Chalia</i>	353	<i>chiricahua</i> Poling, 2861.	
<i>Chalinitis</i>	401	<i>chiridota</i> Grote, 4060.	
<i>chalybrellæ</i> Walsingham, 6061.		<i>chiriquensis</i> Dyar, 3109.	
<i>chalybeana</i> Fernald, 5322 (Acleris).		<i>chiron</i> Fabricius, 233.	
<i>chalybeata</i> Walsingham, 5055 (Ole-		<i>chironias</i> Hübner, 233.	
threutes).		<i>chitone</i> Edwards, 120.	
<i>chalybeis</i> Zeller, 6553.		Chlaenogramma	69
<i>chalybirostris</i> Zeller, 4585.		Chloraspilates	305
<i>chanachrysaria</i> Grote, 3615.		Chloridea	185
Chamaælea	186	<i>chlorina</i> Skinner, 439.	
<i>chambersella</i> Dyar, 5994 (Coleo-		Chlorippe	26
phora).		<i>chloris</i> Herrich-Schaeffer, 4080.	
<i>chambersella</i> Dyar, 5910 (Ethmia).		Chlorissa	299
<i>chambersella</i> Walsingham, 6300		<i>Chlorochlamys</i>	299
(Lithocolletes).		<i>Chloroclysta</i>	282
<i>chambersella</i> Murtfeldt, 5667 (Tri-		<i>Chloroclystis</i>	269
chotaphæ).		<i>chloroleucaria</i> Guenée, 3561.	
Chamberisia	526	<i>chlorophasma</i> Butler, 4279.	
<i>chamonevii</i> Harris, 670.		<i>chlorophora</i> Hübner, 2234.	
Chamyris	213	Chloropteryx	300
<i>chandleri</i> Grote, 1338.		Chlorosea	301
<i>chapmani</i> Grote, 3134.		<i>chlorostigma</i> Harvey, 1204.	
<i>chara</i> Edwards, 173.		Chlosyne	21
<i>characta</i> Grote, 1160.		Chœphora	178
Charadra	98	<i>chaerilus</i> Cramer, 681.	
<i>chariclea</i> Schneider, 137.		Chœrodes	346
Charidryas	20	<i>chorda</i> Grote, 1320.	
<i>charie</i> Blanchard, 222.		Choreutis	493
<i>charithonia</i> Linnaeus, 304.		<i>chorionia</i> Reakirt, 834.	
<i>charlottæ</i> Barnes, 98.		<i>choris</i> Harvey, 1669.	
Charommatæa	294	Chorizagrotis	137
<i>charon</i> Edwards, 263.		<i>chortalis</i> Grote, 4347 (Loxostege).	
<i>chartaria</i> Grote, 1817.		<i>choerodis</i> Harvey, 1750 (Richia).	
<i>chatfieldi</i> Grote, 3174.		<i>christina</i> Edwards, 69.	
Chauliodus	541	<i>chromalis</i> Guenée, 4312.	
Cheimatobia	266	Chrysauginae	400
<i>chelidonia</i> Grote, 2896.		<i>chryséis</i> Olivier, 846.	
<i>chennis</i> Fabricius, 550.		<i>chryselectra</i> Grote, 1171.	
<i>chenopodii</i> Fabricius, 1801.		<i>chrysellus</i> Grote, 2324.	
<i>chersis</i> Hübner, 706.		Chrysendeton	396
Chesiadodes	324	Chrysobia	34
Chesias	267	<i>chrysomelus</i> Hy. Edwards, 68.	
<i>chicorii</i> Grote & Robinson, 900.		Chrysopeleia	540
Chilo	412	Chrysophanus	41
<i>Chilocampyla</i>	557		

Page.		Page.
	<i>chrysopis</i> Grote, 2444.	
497	<i>Chrysopora</i>	<i>cineraseens</i> Smith, 1433 (Pachnobia).
	<i>chrysorrhœa</i> Linnaeus, 3197.	<i>cineræa</i> Haworth, 6401 (Coriscium).
404	<i>Chrysoteuchia</i>	<i>cineræa</i> Edwards, 440 (Cyaniris).
	<i>chrypsus</i> Doubleday & Hewitson, 291.	<i>cineræa</i> Smith, 1254 (Epidemas).
	<i>chusca</i> Edwards, 517.	<i>cineræa</i> Walker, 3162 (Harpyia).
243	<i>Chytolita</i>	<i>cineræa</i> Morrison, 2998 (Homoptera).
107	<i>Chytonix</i>	<i>cineræa</i> Schans, 3143 (Misogada).
204	<i>Chytoryzæ</i>	<i>cineræa</i> Standinger, 1432 (Pachnobia).
	<i>cibalis</i> Grote, 1358.	<i>cineræa</i> Harris, 706 (Sphinx).
	<i>cicatricosa</i> Grote & Robinson, 1572.	<i>cineræa</i> Riley, 2090 (Xylina).
352	<i>Cicinanus</i>	<i>cineræana</i> Neumögen & Dyar, 3083.
	<i>Cidaria</i>	<i>cineræata</i> Bates, 3656.
	<i>ciliacochrella</i> Chambers, 6006.	<i>cineræella</i> Hulst, 4814.
	<i>ciliolineella</i> Chambers, 5543.	<i>cinerella</i> Chambers, 6007 (Coleophora).
	<i>ciliata</i> Smith, 1355 (Oncozemis).	<i>cinerella</i> Hulst, 4855 (Honora).
	<i>ciliata</i> Smith, 2375 (Sehinia).	<i>cinerella</i> Murfeldt, 5617 (Phthorimaea).
	<i>cilioides</i> Grote, 4050.	
	<i>ciliella</i> Stainton, 5863.	206
	<i>cilium</i> Guenée, 1103.	<i>cineræocostella</i> Clemens, 5891.
18	<i>Cilla</i>	<i>cineræofrons</i> Packard, 3148.
	<i>cilla</i> Behr, 424.	<i>cineræoides</i> Dyar, 3162.
	<i>cellene</i> Cramer, 90.	<i>cineræola</i> Hulst, 3731 (Cymatophora).
	<i>cilliafuscella</i> Chambers, 6197.	<i>cineræola</i> Guenée, 2540 (Ogdoonta).
	<i>cimbiciformis</i> Stephens, 656.	<i>cineræola</i> Smith, 2212 (Selicanis).
	<i>cincinnatiella</i> Chambers, 6287.	<i>cineræomaculata</i> Morrison, 1719.
	<i>Cinclidia</i>	<i>cineræus</i> Packard, 3141 (Heterocampa).
	<i>cincta</i> Edwards, 198 (Anthanassa).	<i>cineræus</i> Riley, 6572 (Prodoxus).
	<i>cincta</i> Smith, 2970 (Kakopoda).	<i>cineræidactylus</i> Fitch, 4981.
	<i>cinctaria</i> French, 3881 (Phigalia).	<i>cineræitia</i> Grote, 2120.
	<i>cinetarius</i> Hulst, 3814 (Tornos).	<i>cineræosa</i> Grote, 690 (Dilophonota).
	<i>cinetella</i> Hübner, 5862 (Depressaria).	<i>cineræosa</i> Grote & Robinson, 4457 (Pyrausta).
	<i>cinetella</i> Hulst, 4803 (Megasis).	<i>cineræosa</i> Grote, 2092 (Xylina).
	<i>cinetipalpis</i> Smith, 2961.	388
	<i>cinetipedalis</i> Walker, 4423.	<i>Cingilia</i>
	<i>cinctipes</i> Grote, 921.	331
	<i>cinctus</i> Tepper, 738.	<i>Cinglis</i>
	<i>Cindaphia</i>	293
	<i>cinderella</i> Riley, 5319 (Acleris).	<i>cingulata</i> Fabricius, 699.
	<i>cinderella</i> Smith, 985 (Apatea).	<i>cingulifera</i> Walker, 2992.
	<i>cinderella</i> Smith, 2133 (Cucullia).	<i>ciniflonella</i> Zeller, 5869.
	<i>cinefacta</i> Grote, 1247.	<i>cinis</i> Guenée, 2774.
	<i>cineraceus</i> Fish, 4985.	<i>cinnabarina</i> Grote, 1830.
	<i>cineraria</i> Walker, 3862 (Ectropis).	<i>cinnamomea</i> Boisduval, 934.
	<i>cineraria</i> Packard, 3746 (Symphera-ta).	<i>cipris</i> Cramer, 54.
	<i>cinerascens</i> Walsingham, 4960 (Alucita).	<i>ciræa</i> Hy. Edwards, 660.
	<i>cinerascens</i> Walker, 3137 (Heterocampa).	<i>ciræe</i> Strecker, 2859.
		<i>circulana</i> Hübner, 5079.
		<i>circulifera</i> Walker, 964.
		<i>circumvineta</i> Smith, 1832.

Page.	Page.
<i>circundata</i> Grote, 1543.	<i>claudia</i> Grote, 2619.
<i>circumflexaria</i> Eversmann, 3708.	<i>claudus</i> Walker, 1153.
<i>circumlucens</i> Smith, 2189.	<i>claudia</i> Cramer, 92.
<i>circumscriptella</i> Chambers, 5514 (<i>Glyphipteryx</i>).	<i>claudialis</i> Walker, 4498.
<i>circumscriptella</i> Zeller, 6153 (Momo- pha).	<i>claufacta</i> Walker, 1119.
<i>circumradis</i> Smith, 1877.	<i>clausella</i> Walker, 5891.
Ciris 195, 437	<i>clausula</i> Grote, 2632
Cirrha 511	<i>clarana</i> Zeller, 5144 (Eucosma).
Cirrbolina 222	<i>clarana</i> Walker, 5024 (Exartema).
Cirrophanus 196	<i>clarana</i> Fernald, 5179 (Thiodia).
<i>cirrofærella</i> Hulst, 4691.	<i>clariformis</i> Morrison, 1437.
Cisse 399	<i>clariplena</i> Grote, 1783.
Cissia 32	<i>clappoleana</i> Riley, 5232.
Cissura 219	<i>cleis</i> Edwards, 319.
<i>cita</i> Grote, 2129.	<i>climataria</i> Smith & Abbot, 4028.
<i>citata</i> Grote, 3075.	<i>clemens</i> Smith, 1497.
Citheronia 76	<i>clemensella</i> Chambers, 6533 (Ama- drya).
<i>citima</i> Hy. Edwards, 328 (<i>Hypau- rotis</i>).	<i>clemensella</i> Chambers, 6060.1 (Ba- trachetra).
<i>citima</i> Grote, 2228 (<i>Orthosia</i>).	<i>clemensella</i> Stainton, 6062 (Cos- mopteryx).
<i>citima</i> Grote, 2724 (<i>Phaenosto- la</i>).	<i>clemensella</i> Chambers, 5862 (Depres- saria).
<i>citra</i> Neumoegen & Dyar, 857.	<i>clemensella</i> Chambers, 5985 (Hol- cocera).
<i>citrania</i> Fernald, 5395.	<i>clemensella</i> Chambers, 6256 (Lith- ocelotes).
<i>citrate</i> Linnaeus, 3380.	<i>clemensella</i> Chambers, 6191 (Nep- ticula).
<i>citricolor</i> Grote, 1610.	<i>clemensella</i> Chambers, 6409 (Phi- lonome).
<i>citriella</i> Chambers, 6057.	<i>clemensella</i> Chambers, 6432 (Tis- chelia).
<i>citrifolius</i> Chambers, 5683.	<i>clemensella</i> Chambers, 6476 (Xyles- thia).
<i>citrina</i> Grote & Robinson, 4351 (<i>Loxostege</i>).	<i>clemensellus</i> Robinson, 4546 (Scho- nobiuss).
<i>citrina</i> Hübner, 3925 (Xantho- type).	Clemensia 81
<i>citrinaria</i> Neumoegen & Dyar, 874.	<i>clemensiana</i> Fernald, 5377.
<i>citriripemella</i> Clemens, 6435.	<i>cleobaea</i> Godart, 310.
<i>citronella</i> Smith, 1991 (<i>Neleucania</i>).	Cleoceris 168
<i>citronellus</i> Grote, 2309 (<i>Rhodopho- ra</i>).	<i>cleones</i> Boisduval & Le Conte, 32.
<i>civica</i> Grote, 1105.	<i>cleopatra</i> Hy. Edwards, 2831.
Cladocera 113	<i>Cleora</i> 325
Cladora 265	<i>Cleptomita</i> 241
<i>clandestina</i> Walker, 3166 (<i>Glut- phisia</i>).	<i>clethra</i> Dyar, 4052.
<i>clandestina</i> Harris, 1496 (<i>Noctua</i>).	<i>clientis</i> Grote, 2971.
<i>clappiana</i> Holland, 3088.	<i>clintonii</i> Grote, 2888 (<i>Catocala</i>).
<i>clappii</i> Maynard, 85.	<i>clintonii</i> Grote & Robinson, 3195 (<i>Olene</i>).
<i>clara</i> Hy. Edwards, 405 (<i>Cupido</i>).	<i>clio</i> Edwards, 128 (<i>Argynnis</i>).
<i>clara</i> Harvey, 1142 (<i>Oligia</i>).	<i>clio</i> Packard, 899 (<i>Euverna</i>).
<i>clarescens</i> Guénée, 1002.	<i>clitosalis</i> Walker, 3045.
<i>clarioralis</i> Walker, 4709.	
<i>clarivus</i> Boisduval, 1.	
<i>clarkie</i> Boisduval, 659.	
<i>clarus</i> Grote & Robinson, 812.	

Page.		Page.	
<i>clitus</i> Edwards, 633.		Cœnochroa	441
<i>clivinarium</i> Guenée, 3834.		<i>canonymphata</i> Hulst, 3429.	
<i>cloacella</i> Haworth, 6527.		Cœnomympba	29
<i>cloanthoides</i> Grote, 1526.		<i>canopipennella</i> Clemens, 6002.	
<i>cloanius</i> Grote, 1548.		<i>coerctiva</i> Grote, 2343.	
<i>clodius</i> Ménétrries, 1.		<i>cofuquii</i> Strecker, 455.	
<i>clonialis</i> Walker, 3049.		<i>cogitans</i> Smith, 1590.	
<i>clorinda</i> Martyn, 681.		<i>cogitata</i> Smith, 1226.	
<i>clorinde</i> Godart, 56.		<i>cognata</i> Smith, 1901.	
<i>clothilde</i> Edwards, 383.		<i>cognataria</i> Hübner, 3860 (Glena).	
<i>clothe</i> Fabricius, 674.		<i>cognataria</i> Guenée, 3867 (Lycia).	
<i>cluna</i> Strecker, 1197.		<i>cohortalis</i> Grote, 4519.	
Glydonopteron	400	Colænis	12
<i>clymena</i> Cramer, 229.		<i>colata</i> Grote, 1734 (Paragrotis).	
<i>clymene</i> Brown, 838.		<i>colata</i> Grote, 3654 (Sciagraphia).	
<i>clytie</i> Edwards, 367.		Coleophora	530
<i>clyton</i> Boisduval & Le Conte, 248.		Coleotechnistes	534
<i>cnidia</i> Godart, 54.		<i>colla</i> Strecker, 1715.	
<i>c-nigrum</i> Linnaeus, 1481.		<i>collaris</i> Fitch, 905 (Animalo).	
<i>cnodus</i> Hübner, 682.		<i>collaris</i> Walker, 694 (Diludia).	
<i>coagulata</i> Guenée, 3294.		<i>collaris</i> Grote & Robinson, 1491 (Noctua).	
Cobaliodes	168	<i>collecta</i> Walker, 3850.	
Cobalos	168	<i>collina</i> Behr, 193.	
<i>coccidivora</i> Comstock, 4842.		<i>collinaria</i> Metzner, 3456.	
<i>coccinata</i> Grote, 2858.		<i>collinella</i> Chambers, 5633.	
<i>coccinea</i> Beutennmüller, 4257 (Cales- sia).		Collix	273
<i>coccinea</i> Hy. Edwards, 825 (Ptych- oglene).		<i>collocata</i> Smith, 1594.	
<i>coccinea</i> Warren, 4459 (Pyrausta).		<i>colobriuix</i> Busck, 5598.	
<i>coccineifascia</i> Grote, 2623.		<i>colon</i> Edwards, 150.	
<i>cocciniceps</i> Schaus, 829.		<i>colonii</i> Hübner, 839.	
Cochliidiæ	354	<i>colonella</i> Linnaeus, 4636.6 (Apho- nia).	
Cochlidion	356	<i>colonellus</i> Costa, 4807 (Etiella).	
<i>cochranii</i> Riley, 1649.		<i>colorada</i> Smith, 1048.	
<i>cochrusalis</i> Walker, 4281.		<i>coloradana</i> Fernald, 5426.	
Cochylis	486	<i>coloradaria</i> Grote, 3973.	
<i>cockervella</i> Busck, 5584.		<i>coloradata</i> Hulst, 3885.	
<i>cockervelli</i> Dyar, 6581 (Eulepiste).		<i>coloradella</i> Kearfott, 5527 (Choren- tis).	
<i>cockervelli</i> Busck, 5740 (Gelechia).		<i>coloradella</i> Hulst, 4885 (Euryth- mia).	
<i>coelæs</i> Lintner, 250.		<i>coloradella</i> Chambers, 6154 (Mom- pha).	
<i>coeytu</i> Cramer, 189.		<i>coloradella</i> Walsingham, 5923 (Eco- phora).	
Cocytius	66	<i>coloradellus</i> Fernald, 4591 (Cram- bus).	
Codonia	291	<i>coloradensis</i> Hy. Edwards, 4197 (Al- buna).	
Cœa	27	<i>coloradensis</i> Busck, 5717 (Gelechia).	
<i>caelebs</i> Martyn, 882 (Apantesis).		<i>coloradensis</i> Ragonot, 4847 (Hetero- graphis).	
<i>caelebs</i> Grote, 2886 (Catocala).			
<i>caligenalis</i> Hulst, 4327.			
Cœlostathma	477		
<i>clementariella</i> Chambers, 6538.			
<i>cania</i> Hübner, 223.			
Cœnocalpe	285		
Cœnocharis	323		

	Page.		Page.
<i>coloradensis</i> Hy. Edwards, 3146 (<i>Ianassa</i>). <i>coloradensis</i> Grote & Robinson, 4346 (<i>Loxostege</i>). <i>coloradensis</i> Riley, 454 (<i>Megathy-</i> <i>mus</i>). <i>coloradensis</i> Riley, 6569 (<i>Prodoxus</i>). <i>coloradensis</i> Putnam-Cramer, 969 (<i>Raphia</i>). <i>coloradensis</i> Fernald, 4996 (<i>Stenop-</i> <i>tilia</i>). <i>coloradensis</i> Hulst, 3745 (<i>Sympher-</i> <i>ta</i>). <i>coloradensis</i> Hy. Edwards, 44 (<i>Syn-</i> <i>chloe</i>). <i>coloradensis</i> Hulst, 3290 (<i>Tephro-</i> <i>elystis</i>). Coloradia 74 <i>colorado</i> Smith, 1768 (<i>Agrotiphila</i>). <i>colorado</i> Scudder, 487 (<i>Erynnis</i>). <i>colorado</i> Smith, 1348 (<i>Oncocnemis</i>). <i>coloradus</i> Smith, 711. <i>coloraria</i> Fabricius, 3759. <i>colorata</i> Walker, 895 (<i>Apantesis</i>). <i>colorata</i> Grote, 3644 (<i>Sciagraphia</i>). <i>columbella</i> Fabricius, 366. <i>columbia</i> Hy. Edwards, 106 (<i>Argyn-</i> <i>nis</i>). <i>columbia</i> Scudder, 487 (<i>Erynnis</i>). <i>columbia</i> Smith, 2023 (<i>Graphi-</i> <i>phora</i>). <i>columbia</i> Smith, 741 (<i>Samia</i>). <i>columbiata</i> Hy. Edwards, 3083 (<i>Nycteola</i>). <i>columbiata</i> Walsingham, 5187 (<i>Thiodia</i>). <i>columbiata</i> Godart, 92. Comacula 80 <i>comacina</i> Hulst, 4684. <i>comandra</i> Fernald, 5326. <i>comatula</i> Zeller, 5098. <i>combinata</i> Walker, 2920. <i>comes</i> Walsingham, 5463. <i>cometina</i> Walsingham, 5264. <i>comis</i> Grote, 1832. <i>comitina</i> Hübner, 5237. <i>commia</i> Linnaeus, 487 (<i>Erynnis</i>). <i>commia</i> Walker, 838 (<i>Haploa</i>). <i>commixta</i> Harris, 206 (<i>Polygonia</i>). <i>communotata</i> Haworth, 3379. <i>commelinia</i> Smith & Abbot, 1299. <i>commixta</i> Walker, 4359.			
<i>commoides</i> Guenée, 1979. Commophila <i>commortalis</i> Grote, 4470. <i>communis</i> Grote, 2870 (<i>Catocala</i>). <i>communis</i> Grote, 642 (<i>Hesperia</i>). <i>communis</i> Grote, 4354 (<i>Loxostege</i>). <i>comosa</i> Morrison, 1662. <i>compensata</i> Walker, 3499. <i>complanoides</i> Frey & Boll, 6451. <i>complicata</i> Walker, 883 (<i>Apantesis</i>). <i>complicata</i> Strecker, 1956 (<i>Helio-</i> <i>phila</i>). <i>complicata</i> Guenée, 4027 (<i>Sabu-</i> <i>lodes</i>). Composia <i>composita</i> Hy. Edwards, 2275. <i>compressipalpis</i> Guenée, 2464. <i>compressipennis</i> Smith, 1688. <i>compta</i> Clemens, 5481 (<i>Atteva</i>). <i>compta</i> Walker, 3148 (<i>Schizura</i>). <i>comptana</i> Frölich, 5252. <i>comptaria</i> Walker, 3331. <i>comptella</i> Ragonot, 4701. <i>comptoniella</i> Hulst, 4694. <i>comptulatalis</i> Hulst, 4631. <i>comstocki</i> Grote, 1286. <i>comstockiana</i> Fernald, 5000. <i>conus</i> Edwards, 532. <i>conigutus</i> Godart, 442. <i>cona</i> Strecker, 1637. Conacontia 213 <i>conur</i> Strecker, 2008. <i>conchana</i> Hübner, 5060. <i>conchellus</i> Treitschke, 4583. <i>conchiformis</i> Grote, 2538. <i>conchis</i> Grote, 1480. Conchyliis 486 Conchyloides 375 <i>concina</i> Warren, 4390 (<i>Autocos-</i> <i>mia</i>). <i>concina</i> Smith, 2367 (<i>Schinia</i>). <i>concina</i> Smith & Abbot, 3149 (<i>Schinura</i>). <i>concinnalis</i> Hampson, 4297. <i>concinnana</i> Clemens, 5017. <i>concinnimacula</i> Guenée, 2604. <i>concinnimicella</i> Chambers, 5700. <i>concinnusella</i> Chambers, 5700. <i>concisa</i> Walker, 3009. <i>concisaria</i> Walker, 3954. <i>conclusella</i> Walker, 5768. <i>concolor</i> Zeller, 6433.			

Page.	Page
<i>concolorella</i> Clemens, 6008 (Coleophora).	<i>confusella</i> Chambers, 5719 (Gelechia).
<i>concolorella</i> Bentenmüller, 5845 (Cryptolechia).	<i>confusella</i> Dietz, 5938 (Pigritia).
<i>concolorella</i> Chambers, 6079 (Elachista).	<i>confusellus</i> Dyar, 6592 (Anaphora).
<i>concolorella</i> Chambers, 6135 (Eriphia).	<i>confusus</i> Hy. Edwards, 6608.
<i>concordata</i> Walker, 3362.	<i>congeminatella</i> Zeller, 6476.
<i>concrebens</i> Walker, 2830.	<i>congermana</i> Morrison, 1805.
<i>concourseana</i> Walker, 5382.	<i>conglomeratella</i> Zeller, 6295.
<i>condaliae</i> Busek, 6139.	<i>congregata</i> Walker, 3409.
<i>condaliafoliella</i> Busek, 6192.	<i>congrua</i> Walker, 854 (Estigmene).
<i>condaliavorella</i> Busek, 5666.	<i>congrua</i> Walker, 3619 (Gineneria).
<i>condensata</i> Walker, 3331.	<i>congrua</i> Smith, 1448 (Setagrotis).
<i>condita</i> Guenée, 1419.	<i>congruata</i> Walker, 3571.
<i>conditana</i> Walsingham, 5037.	<i>coniella</i> Ragonot, 4680.
<i>conducta</i> Walker, 2559.	<i>coniferaria</i> Packard, 3587.
Condylolomia 401	<i>coniferarum</i> Smith & Abbot, 726 (Lapara).
Condylorrhiza 385	<i>coniferarum</i> Packard, 4065 (Thyridopteryx).
<i>confectella</i> Zeller, 5966.	<i>conifera</i> Hy. Edwards, 4071.
<i>confederata</i> Grote, 4068 (Euryctatarus.)	<i>conigerana</i> Zeller, 5379.
<i>confederata</i> Grote, 1118 (Perigea).	Coniodes 329
<i>confertella</i> Walker, 5853.	<i>conjugata</i> Smith, 1918.
<i>configurata</i> Hulst, 3851.	<i>conjugens</i> Walker, 1087.
<i>confinaria</i> Walker, 3699.	<i>conjugata</i> Hy. Edwards, 944 (Andromoma).
<i>confine</i> Herrich-Schaeffer, 785.	<i>conjuncta</i> Smith, 1671 (Paragrotis).
<i>confinis</i> Walker, 840.	<i>conjunctana</i> Möschler, 5169.
<i>confinisalis</i> Walker, 2624.	<i>connecta</i> Grote, 1007 (Apatela).
<i>confixana</i> Walker, 5077.	<i>connecta</i> Smith, 1070 (Chytonix).
<i>conflexana</i> Walker, 5252.	<i>connecta</i> Smith, 1262 (Polia).
<i>conflictana</i> Walker, 5408.	<i>connexalis</i> Walker, 4299.
<i>confluens</i> Morrison, 2040 (Crocigrapha).	<i>connevana</i> Walker, 5383.
<i>conflorens</i> Oberthür, 846 (Epantheria).	<i>conradi</i> Grote, 2229.
<i>conflorens</i> Cockerell, 6569 (Prodoxus).	<i>consanguinana</i> Walsingham, 5032.
<i>conforealis</i> Hulst, 4427.	<i>consecutaria</i> Walker, 3546.
<i>confragosa</i> Morrison, 1261.	<i>concepta</i> Walker, 3678.
<i>confusa</i> Worthington, 2865 (Cateala).	<i>consequaria</i> Hy. Edwards, 3598.
<i>confusa</i> Lyman, 841 (Maplaoa).	<i>conserta</i> Grote, 2075.
<i>confusa</i> Hübner, 1890 (Morrisonia).	Conservula 178
<i>confusa</i> Smith, 1410 (Rhyncharotis).	<i>consimilata</i> Zeller, 3678.
<i>confusa</i> Walker, 3148 (Schizura).	<i>consimilella</i> Frey & Boll, 6380 (Gracilaria).
<i>confusalis</i> Hulst, 4305 (Asciodes).	<i>consimilella</i> Frey & Boll, 6316 (Lithocolletes).
<i>confusalis</i> Walker, 4500 (Elophila).	<i>consimilis</i> Warren, 4335 (Evergestis).
<i>confusana</i> Robinson, 5431.	<i>consimilis</i> Hy. Edwards, 4207 (Sesia).
<i>confusaria</i> Hübner, 4007.	<i>consista</i> Walker, 839.
<i>confusella</i> Walker, 5915 (Ethmia).	<i>consobrina</i> Guenée, 2926.
	<i>consobrinella</i> Zeller, 4723.
	<i>consomaria</i> Haworth, 3862.

Page.	Page.
<i>consonella</i> Zeller, 5702.	<i>continuata</i> Walker, 3662.
<i>consopita</i> Grote, 2013.	<i>continuella</i> Zeller, 5721.
<i>cousors</i> Smith & Abbot, 2874 (Catocala).	<i>confotalis</i> Guenée, 4483.
<i>cousors</i> Smith, 1132 (Perigea).	<i>contracta</i> Walker, 3110 (Datana).
<i>conspecta</i> Hy. Edwards, 3151.	<i>contracta</i> Walker, 2734 (Homopyralis).
<i>consperso</i> Riley, 1295.	<i>contracta</i> Packard, 3395 (Hydriomena).
<i>conspicua</i> Worthington, 2865 (Catocala).	<i>contracta</i> Walker, 2361 (Ipimorpha).
<i>conspicua</i> Smith, 2757 (Drasteria).	<i>contradicta</i> Smith, 1216.
<i>conspicua</i> Morrison, 1212 (Hadena).	<i>contrahens</i> Walker, 2006.
<i>conspicua</i> Edwards, 556 (Limenochroes).	<i>contraria</i> Walker, 1278 (Hyppa).
<i>conspicua</i> Neumoegen, 917 (Pyrgocretia).	<i>contraria</i> Walker, 1807 (Mamestra).
<i>conspicua</i> Dyar, 4056 (Roselia).	<i>contrariata</i> Walker, 5031.
<i>constans</i> Hulst, 2902 (Catocala).	<i>contrariella</i> Walker, 5844.
<i>constans</i> Hulst, 3917 (Engonomabata).	<i>contribuaria</i> Walker, 3858.
<i>constans</i> Hy. Edwards, 4122 (Triprocris).	<i>contubernatellus</i> Fitch, 5678.
<i>constundella</i> Hulst, 4773.	<i>conralesceus</i> Guenée, 2758.
<i>constellatula</i> Zeller, 5057.	<i>conrallaria</i> Guenée, 3460.
<i>constipata</i> Walker, 1843.	<i>conrectalis</i> Walker, 4282.
<i>constricta</i> Walker, 1942 (Anarta).	<i>convergaria</i> Walker, 3855.
<i>constricta</i> Stretch, 3219 (Malacosoma).	<i>conversata</i> Walsingham, 5272.
<i>constricta</i> Hy. Edwards, 2363 (Schinia).	<i>converxipennis</i> Grote, 2122.
<i>constrictina</i> Zeller, 5125.	<i>conviva</i> Harvey, 1104.
<i>constrictella</i> Zeller, 5930 (Eco-phora).	<i>convolvulella</i> Fabricius, 6337.
<i>constrictella</i> Zeller, 6130 (Theisoa).	<i>convoluta</i> Linnaeus, 699.
<i>constrictina</i> Neumoegen & Dyar, 3215.	<i>cooleyi</i> Fernald, 4949.
<i>consuela</i> Strecker, 2449.	<i>cooperi</i> Behr, 147 (Lemonias).
<i>consularis</i> Dyar, 769.	<i>cooperi</i> Behr, 47 (Synchloe).
<i>contacta</i> Walker, 1266.	<i>coortaria</i> Hulst, 3705.
<i>contadina</i> Smith, 1273.	<i>Copablepharon</i> 184
<i>contagionis</i> Smith, 1617.	<i>Copæodes</i> 48
<i>contatella</i> Grote, 4759.	<i>Copanarta</i> 124
<i>contempta</i> Boisduval, 2933.	<i>Copibryophila</i> 107
<i>contempta</i> Guenée, 3647.	<i>Copicucullia</i> 173
<i>contenta</i> Walker, 1221 (Hadena).	<i>Copidryas</i> 97
<i>contenta</i> Walker, 1232 (Hadena).	<i>Copipanolis</i> 127
<i>contenta</i> Grote, 2080 (Xylina).	<i>Coptodisca</i> 540
<i>contenta</i> Grote, 2478.	<i>Coptotriche</i> 566
<i>confignat</i> Walker, 964 (Charadra).	<i>coquillettella</i> Busck, 5623.
<i>configna</i> Walker, 842 (Haploa).	<i>coquilletti</i> Smith, 2680.
<i>continens</i> Hy. Edwards, 1127.	<i>cora</i> Hübner, 1063.
<i>contingens</i> Walker, 4026.	<i>coracius</i> Guenée, 2984.
<i>continua</i> Hy. Edwards, 3087.	<i>coracina</i> Clemens, 4127.
<i>continuaria</i> Walker, 3487.	<i>corbis</i> Godman & Salvin, 24
	<i>coreulana</i> Zeller, 5166.
	<i>cordelia</i> Hy. Edwards, 2895.
	<i>cordigera</i> Thunberg, 1930.
	<i>Cordylopeza</i> 401
	<i>Coremia</i> 288
	<i>coresia</i> Godart, 232.
	<i>Coriscium</i> 562

Page.	Page.
<i>cornelia</i> Edwards, 104 (<i>Argynnis</i>). <i>cornelia</i> Nemnoegen & Dyar, 4157 (Hypopta).	
<i>cornelius</i> Godart, 296.	
<i>cornella</i> Walsingham, 6009.	
<i>cornii</i> Hy. Edwards, 4222.	
<i>corniella</i> Ragonot, 4680.	
<i>cornifoliana</i> Riley, 5257.	
<i>cornifoliella</i> Clemens, 6121.	
Cornifrons	394
<i>cornix</i> Guenée, 2985.	
<i>cornuta</i> Grote, 1441.	
<i>corollaria</i> Perry, 753.	
<i>coronaria</i> Strecker, 4045.	
<i>coronatella</i> Clemens, 6238.	
<i>coronides</i> Druce, 2440.	
<i>coroniella</i> Clemens, 6351.	
<i>coronis</i> Behr, 115.	
<i>corosana</i> Walsingham, 5152.	
<i>corrallatum</i> Hulst, 3853.	
<i>corrusca</i> Strecker, 2524.	
<i>corruscifasciella</i> Chambers, 6558.	
<i>corruscipennella</i> Clemens, 6010.	
<i>corticæ</i> Walker, 3148.	
<i>corticosa</i> Guenée, 1057.	
<i>conusa</i> Smith, 1349 (<i>Oncoenemis</i>).	
<i>conusea</i> Hy. Edwards, 4227 (<i>Sesia</i>).	
<i>conusean</i> Clemens, 5056.	
<i>corrina</i> Boisduval, 797.	
<i>corylana</i> Hübner, 5245 (<i>Ancylis</i>).	
<i>corylanum</i> Fernald, 5022 (Exarte- ma).	
<i>coryliella</i> Chambers, 6308 (Litho- colletes).	
<i>coryliella</i> Chambers, 5650 (<i>Menes- ta</i>).	
<i>corylifoliella</i> Clemens, 6011 (Cole- ophora).	
<i>corylifoliella</i> Clemens, 6193 (Nep- ticula).	
<i>corylisella</i> Chambers, 6308.	
Coryphista	276
Corythea	285
<i>coscinia</i> Herrich-Schaeffer, 549.1.	
Cosmia	179
<i>cosmodactyla</i> Hübner, 4937.	
Cosmoites	535
Cosmopteryx	534
Cosmorhoe	278
Cosmosoma	362
Cossidæ	363
Cossula	362
Cossus	
<i>costenacaulalis</i> Snellen, 4478.	
<i>costalis</i> Fabricius, 4513 (<i>Hypo- pygia</i>).	
<i>costalis</i> Doubleday & Hewitson, 625 (Thanaos).	
<i>costarufoella</i> Chambers, 5658.	
<i>costata</i> Strecker, 831 (<i>Eubaphe</i>).	
<i>costata</i> Grote, 1411 (<i>Rhyncha- grotis</i>).	
<i>costiferalis</i> Walker, 4514.1.	
<i>costiguttata</i> Hulst, 3405.	
<i>costimaculalis</i> Fernald, 4460.	
<i>costimacula</i> Fernald, 5046.	
<i>costinotata</i> Walker, 3426.	
<i>costipunctella</i> Möschler, 5729.	
<i>costolutella</i> Chambers, 5664.	
<i>costomaculana</i> Clemens, 5217.	
<i>costodata</i> Haworth, 3463.	
<i>costorufoella</i> Chambers, 5658.	
<i>costosignella</i> Clemens, 6498.	
<i>costostrigella</i> Chambers, 6499.	
Cosymbia	291
<i>cottalis</i> Walker, 4279.	
<i>couperi</i> Grote, 419.	
<i>coyote</i> Skinner, 593.	
<i>erabroniformis</i> Denis & Schiffer- müller, 4188.	
Crambidia	79
Crambidinæ	403
<i>cramboidoides</i> Grote, 4624.	
<i>crambis</i> Freyer, 295.	
<i>crambitana</i> Walsingham, 5085.	
<i>crambitella</i> Walsingham, 5837.	
Crambodes	108
Crambus	404
<i>crameri</i> Schaus, 691 (<i>Dilophonota</i>).	
<i>crameri</i> Ménétries, 675 (<i>Pachylia</i>).	
<i>crantor</i> Cramer, 679.	
Craspedia	294
<i>crassata</i> Hulst, 3727 (<i>Cymatopho- ra</i>).	
<i>crassatus</i> Haworth, 3079 (<i>Plathy- pea</i>).	
<i>crassifasciella</i> Ragonot, 4739.	
<i>crassinerrella</i> Zeller, 5480.	
<i>crassipes</i> Smith, 1387.	
<i>crassis</i> Herrich-Schaeffer, 1145.	
<i>crassiuscula</i> Haworth, 2755.	
<i>cratagella</i> Clemens, 6270 (Litho- colletes).	
<i>cratagella</i> Busck, 5600 (Recur- varia).	
<i>cratagi</i> Saunders, 2892 (<i>Catocala</i>).	

	Page.		Page.
<i>eratigi</i> Boisduval & Le Conte, 385 (Feniseca).		<i>cristata</i> Morrison, 2917 (Homophoberia).	
<i>eratigifoliella</i> Clemens, 6194 (Neptinula).		<i>cristatella</i> Chambers, 6080 (Elachista).	
<i>eratigifoliella</i> Clemens, 6388 (Ornix).		<i>cristatella</i> Chambers, 5604 (Recurvaria).	
<i>eratipennella</i> Clemens, 6012.		<i>cristatella</i> Chambers, 6548 (Semele).	
<i>crenata</i> Duponchel, 5260.		<i>cristatrix</i> Guenée, 2549.	
<i>crenulina</i> Smith, 2356.		<i>cristifasciella</i> Chambers, 5615.	
<i>crenulata</i> Butler, 1996 (Orthodes).		<i>cristifera</i> Walker, 1808 (Mamestra).	
<i>crenulata</i> Smith, 1409 (Rhynchagrotis).		<i>cristifera</i> Hulst, 3869 (Phaeoura).	
<i>creola</i> Skinner, 287.		<i>crocale</i> Edwards, 201.	
<i>creomalis</i> Walker, 4282.		<i>crocallata</i> Guenée, 4011.	
<i>crepera</i> Grote, 4147.		<i>crocataria</i> Fabricius, 3925.	
<i>crepuscularia</i> Schiffermüller, 3862.		<i>crocea</i> Hy. Edwards, 1307.	
<i>crescens</i> Walker, 953.		<i>crocearia</i> Hulst, 3696 (Cymatophora).	
<i>crescentella</i> Walsingham, 5475.1.		<i>crocearia</i> Packard, 3902 (Sicya).	
<i>crescentiella</i> Chambers, 5703.		<i>croceella</i> Hulst, 4738.	
<i>cresphontes</i> Cramer, 14.		<i>croccoreticella</i> Chambers, 6500.	
<i>cresphontinus</i> Martyn, 15.		<i>crociapitella</i> Clemens, 6488.	
<i>cressonana</i> Grote, 794.		Crocidophora	381
<i>cressonella</i> Chambers, 5851		Crocigrapha	165
<i>cresonii</i> Walsingham, 6579 (Eulepiste).		<i>crocolalis</i> Grote, 4440.	
Cressonia	71	<i>crassus</i> Dahlman, 666.	
<i>cressoniania</i> Clemens, 5212.		<i>crossii</i> Hulst, 3540.	
<i>cressoni</i> Grote, 2920 (Panapoda).		<i>crotalariaeilla</i> Busek, 5695.	
<i>cretacea</i> Zeller, 5846.		<i>crotchii</i> Hy. Edwards, 954 (Estigmene).	
<i>cretacealis</i> Lederer, 4491.		<i>crotchii</i> Grote, 1786 (Mamestra).	
<i>cretacea</i> Packard, 3334.		<i>crotchii</i> Hy. Edwards, 2331 (Trichosellus).	
<i>cretata</i> Smith, 981 (Apatela).		<i>cruciulus</i> Harvey, 1892.	
<i>cretata</i> Grote, 4108 (Carama).		<i>crecina</i> Zetterstedt, 5228.	
<i>cretata</i> Grote & Robinson, 2682 (Tarache).		<i>creciata</i> Grote, 3662.	
<i>cretata</i> Hulst, 3292 (Tephroclystis).		<i>creciferarum</i> Zeller, 5503 (Plutella).	
<i>cretaticostella</i> Clemens, 6013.		<i>creciferarum</i> Boisduval, 38 (Pontia).	
<i>cretidaetylus</i> Fitch, 4982 (Pterophorus).		<i>crudelis</i> Grote, 2974.	
<i>cretidaetylus</i> Zeller, 4983 (Pterophorus).		<i>cruentaria</i> Hübner, 3759.	
<i>crensa</i> Doubleday & Hewitson, 42.		<i>crentus</i> Scudder, 574.	
<i>cribrataria</i> Guenée, 3847.		<i>cruralis</i> Guenée, 3021.	
Crimona	128	<i>crustaria</i> Morrison, 2316.	
<i>crinella</i> Treitschke, 6487.		<i>crypto</i> Dyar, 4106.	
<i>criialis</i> Walker, 4354.		Cryptolechia	519
<i>criinalis</i> Lederer, 4354.		<i>cryptolechiella</i> Chambers, 5851.	
Crinodes	258	<i>crysadus</i> Edwards, 328.	
<i>crispata</i> Harvey, 2219.		Ctnucha	78
<i>crispata</i> Clemens, 5227.		<i>cubanalis</i> Guenée, 4292.	
<i>crispata</i> Packard, 4110.		<i>cubensis</i> Grote, 937 (Calidota).	
<i>cristata</i> Grote, 1245 (Hadena).		<i>cubensis</i> Grote & Robinson, 695 (Dilidia).	
		<i>cubilis</i> Grote, 1372.	

Page.		Page.
<i>eucomelana</i> Smith, 960.		<i>eurivferalis</i> Walker, 4492.
<i>eucularia</i> Guenée, 3478.		<i>eurilinea</i> Hulst, 3403.
<i>euculifera</i> Herrich-Schaeffer, 3127.		<i>eurilineatella</i> Packard, 6246.
<i>euculipennellum</i> Hübner, 6401.		<i>eurilinella</i> Chambers, 6095 (Coleophora).
Cucullia	172	<i>eurilueella</i> Bentenmüller, 5874 (Depressaria).
<i>cuculliformis</i> Grote, 1240.		<i>currimacula</i> Morrison, 2121.
<i>culea</i> Guenée, 2012.		<i>curvistrigella</i> Chambers, 5554.
<i>cunicaria</i> Guenée, 3478.		<i>cuspisana</i> Stephens, 5260.
<i>cuniciformis</i> Linnaeus, 4219.		Cuspidea
<i>cuniculalis</i> Hulst, 4529.		99
<i>culinaria</i> Walsingham, 5117.		<i>cuspidea</i> Hübner, 2760.
<i>culta</i> Lintner, 2487.		<i>custodiata</i> Guenée, 3406.
<i>cumatilis</i> Grote & Robinson, 3419 (Cenocalpe).		<i>cyanaea</i> Murtfeldt, 5039.
<i>cumatilis</i> Grote, 2328 (<i>Schinia</i>).		Cyane
<i>cunea</i> Drury, 855.		573
<i>cuneana</i> Walsingham, 5430.		Cyaniris
<i>cuneata</i> Goeze, 894 (Apantesis).		45
<i>cuneata</i> Grote, 1839 (Mamestra).		Cyatthisa
<i>cuneolalis</i> Hulst, 4552.1.		107
<i>cuniferata</i> Walker, 3356.		Cybalomia
<i>cunninghami</i> Owen, 128.		386
<i>cupentia</i> Cramer, 1118.		<i>cycbele</i> Fabricius, 99.
<i>cupes</i> Grote, 2321.		<i>cycladatu</i> Grote, 3613.
<i>cupida</i> Grote, 1393.		<i>cyclades</i> Druce, 4328.
<i>cupidaria</i> Grote, 3874.		<i>cyclata</i> Walker, 3609.
<i>cupidenaria</i> Grote, 3571.		<i>cyclella</i> Busek, 5707.
<i>cupidinella</i> Hulst, 4919.		Cyclica
<i>cupidissima</i> Grote, 1399.		276
Cupido	42	<i>cyclica</i> Hy. Edwards, 910.
<i>cupredis</i> Hübner, 4511.		<i>cycloides</i> Guenée, 1103.
<i>cupressella</i> Walsingham, 6461.		Cyclophora
<i>cupressi</i> Hy. Edwards, 4178 (Mythrus).		291
<i>cupressi</i> Boisduval, 718 (Sphinx).		Cycloplasis
<i>cupreus</i> Edwards, 400.		540
<i>cuprina</i> Zeller, 4514.		Cydia
<i>curcurbitæ</i> Harris, 4162.		471
<i>curialis</i> Smith, 1882 (Barathra).		Cydosia
<i>curialis</i> Grote, 1893 (Xylomiges).		216
<i>curiosum</i> Neumoegen, 2454.		<i>cynnus</i> Edwards, 340.
<i>currucipennella</i> Zeller, 6014.		<i>cylindrica</i> Grote, 1207.
<i>curta</i> Morrison, 1936.		Cymatophora
<i>curlatalis</i> Walker, 4303.		311
<i>curlita</i> Smith, 2017.		<i>cymatophoroides</i> Guenée, 3170.
<i>curvata</i> Grote, 3060 (Capis).		Cymazonita
<i>curvata</i> French, 2817 (Catocala).		288
<i>curvata</i> Grote, 1155 (Hadena).		<i>cymela</i> Cramer, 299.
<i>curvata</i> Grote, 3662 (Sciagraphia).		<i>cymosa</i> Grote, 1237.
<i>curvatella</i> Ragonot, 4735.		<i>cyna</i> Edwards, 446.
<i>curvicollis</i> Grote, 1347.		<i>cyneas</i> Godman & Salvin, 178.1.
<i>currifascia</i> Smith, 2071 (Cleoceris).		<i>cynica</i> Smith, 1511 (Noctua).
<i>currifascia</i> Skinner, 22 (Papilio).		<i>cynica</i> Guenée, 1997 (Orthodes).
		<i>cynoglossum</i> Hy. Edwards, 653.
		<i>cynthia</i> Drury, 736.
		<i>cypidalis</i> Hulst, 4561.
		<i>cyparis</i> Edwards, 100.
		<i>cyralis</i> Druce, 4348.
		<i>cyrilla</i> Costa, 4618.
		<i>cyrilli</i> Zeller, 4618.
		Cysteophora
		273
		Cysteopteryx
		265
		<i>cylhera</i> Edwards, 315.
		<i>dacotah</i> Edwards, 494.
		<i>ductylina</i> Grote, 975.

	Page		Page.
<i>dardalus</i> Behr, 408 (Cupido).		<i>daridsoni</i> Hy. Edwards, 4064.	
<i>dardalus</i> Smith, 1561 (Porosagrotis).		<i>darissellus</i> Bentenmüller, 6601.	
Dahana	79	<i>darisi</i> Hy. Edwards, 921.	
<i>dahliomima</i> Zetterstedt, 5167.		<i>dayi</i> Grote, 1325.	
<i>dakota</i> Smith, 1642.		<i>dealbana</i> Frölich, 5220 (Epinotia).	
Dakruma	429	<i>dealbana</i> Walker, 5069 (Olethreutes).	
Dalceridae	359		
Dalcerides	359	<i>debilis</i> Walker, 2691.	
<i>dallasiaria</i> Frey & Boll, 6195.		<i>decemmaculella</i> Chambers, 5793.	
<i>damna</i> Guenée, 2707.		<i>decempunctana</i> Walsingham, 5185.	
<i>damalis</i> Grote, 1379.		<i>decepta</i> Grote, 1442 (Metalepsis).	
<i>damaris</i> Felder, 81 (Pyrisita).		<i>decepta</i> Grote, 2210 (Pseudoglaea).	
<i>damaris</i> Skinner, 82 (Pyrisita).		<i>decepta</i> Strecker, 2805 (Syneda).	
<i>damastus</i> Godart, 362.		<i>decepta</i> Grote, 1944 (Trichoclea).	
<i>damnosalis</i> Walker, 3069.		<i>deceptalis</i> Walker, 3073.	
<i>damon</i> Cramer, 362.		<i>deceptata</i> Hulst, 3728.	
<i>danu</i> Cramer, 253.		<i>deceptiva</i> Beutennmüller, 4200.	
<i>danbyi</i> Nemnoegen, 864 (Diacrisia).		<i>decriptalis</i> Zeller, 3027.	
<i>danbyi</i> Nemnoegen, 3168 (Glaphisia).		<i>deceptusella</i> Chambers, 6270.	
<i>danbyi</i> Hulst, 3878 (Jubarella).		<i>decernens</i> Walker, 1550.	
<i>danbyi</i> Hulst, 3239 (Paraptera).		<i>decia</i> Grote, 2592 (Annaphila).	
<i>danistica</i> Grote, 2597.		<i>decia</i> Boisduval, 848 (Leptaretia).	
Dannemora	440	<i>decimera</i> Hulst, 4730.	
<i>dauma</i> Druce, 4088.		<i>decipiens</i> Walker, 3214 (Malacosoma).	
<i>dapalis</i> Grote, 4393.		<i>decipiens</i> Grote, 2220 (Orthosia).	
<i>daphnis</i> Cramer, 99 (Argynnис).		<i>decipiens</i> Riley, 6564 (Prodoxus).	
<i>daphnis</i> Martyn, 100 (Argynnис).		<i>decipiens</i> Grote, 1751 (Richia).	
<i>daphnis</i> Gray, 15 (Papilio).		<i>decipiens</i> Hy. Edwards, 4228 (Sesia).	
<i>dapsilis</i> Grote, 1458.		<i>decipiens</i> Kirby, 4141 (Zeuzea).	
<i>dara</i> Kollar, 471.		<i>decisata</i> Walker, 5021.	
Dargida	157	<i>decisaria</i> Walker, 3956.	
<i>dargo</i> Strecker, 1583.		<i>decinatus</i> Walker, 4280.	
<i>darua</i> Druce, 2639 (Eunestleta).		<i>declarans</i> Walker, 3004.	
<i>darua</i> Godart, 87 (Eurema).		<i>declarata</i> Walker, 1707.	
Daritis	248	<i>declinata</i> Grote, 2542.	
<i>daseonialis</i> Walker, 4345.		<i>declivira</i> Grote, 2255.	
Dasyceara	526	<i>decor</i> Mabille, 574 (Erycides).	
Dasyfidonia	304	<i>decor</i> Morrison, 1707 (Paragrotis).	
Dasylophia	253	<i>decoratoria</i> Esper, 3456 (Petrophora).	
Dasypyga	421	<i>decoratoria</i> Hulst, 3991 (Priocycela).	
Dasyphoudaea	191	<i>decorata</i> Hy. Edwards, 699.	
Datana	250	<i>decora</i> Morrison, 966 (Charadra).	
<i>dataria</i> Grote, 3844 (Cleora).		<i>decora</i> Zeller, 4634 (Dicymolomia).	
<i>dataria</i> Hulst, 3483 (Cosymbia).		<i>decoralis</i> Walker, 4777 (Elasmopalpus).	
<i>datisalis</i> Druce, 4302.		<i>decoralis</i> Hübner, 2725 (Pangrapta).	
<i>dauella</i> Treitschke, 5887.		<i>decorana</i> Zetterstedt, 5537 (Orchemia).	
<i>dauens</i> Cramer, 671.		<i>decorant</i> Haworth, 5169 (Thiodia).	
<i>dauvia</i> Edwards, 421.		<i>decorata</i> Saunders, 895 (Apantesis).	
<i>dauus</i> Herbst, 92 (Euptoleta).			
<i>dauus</i> Boisduval, 8 (Papilio).			
<i>dauria</i> Strecker, 295.			
<i>darena</i> Smith, 1832.			

Page	Page.
<i>decorata</i> Worthington, 2865 (Catocala).	<i>deletella</i> Zeller, 6463.
<i>decorata</i> Hulst, 3715 (Cymatophora).	<i>delia</i> Cramer, 87.
<i>decorata</i> Smith, 3081 (Hypena).	<i>delicata</i> Hulst, 3527 (Eois).
<i>decorella</i> Stephens, 6155 (Monpha).	<i>delicata</i> Grote, 1289 (Trachea).
<i>decorella</i> Hulst, 4636.5 (Paralipsa).	<i>delicatella</i> Walsingham, 6063.
<i>decorellus</i> Zincken, 4590 (Crambus).	<i>delicatum</i> Hulst, 3831 (Selidosema).
<i>decorellus</i> Hulst, 4777 (Elasmopalpus).	<i>delila</i> Fabricius, 90.
<i>decrepitaria</i> Herrich-Schaeffer, 3449.	<i>delilah</i> Strecker, 2876.
<i>decrepitata</i> Zetterstedt, 3449.	<i>delimitata</i> Warren, 3363.
<i>decriuella</i> Hübner, 4711.	<i>delinidata</i> Guenée, 2544.
<i>deducta</i> Morrison, 2777.	<i>delinqueus</i> Walker, 2927.
<i>deductaria</i> Walker, 3754 (Apreca-sia).	<i>deliella</i> Fernald, 5935.
<i>deductaria</i> Walker, 3965 (Enchlaena).	<i>delphinii</i> Boisduval, 4077.
<i>defecta</i> Grote, 1090.	<i>delphusa</i> Druce, 4509.
<i>defectorium</i> Guenée, 3838.	<i>dehodata</i> Clemens, 5213.
<i>defectella</i> Zeller, 6501.	Demas 98
<i>defensaria</i> Guenée, 3461.	<i>demissa</i> Walker, 1810.
<i>defessa</i> Grote, 1816.	<i>demissana</i> Walsingham, 5332.
<i>defessaria</i> Freyer, 3862.	<i>demissaria</i> Hübner, 3521.
<i>definita</i> Packard, 3192 (Hemero-campa).	<i>demolitas</i> Hübner, 87.
<i>definita</i> Aaron, 181 (Thessalia).	<i>demonica</i> Hübner, 226.
<i>definitella</i> Zeller, 6156.	<i>demorsaria</i> Strecker, 3775.
<i>defiraria</i> Walker, 3513.	<i>denotella</i> Grote, 4686.
<i>deflavora</i> Staudinger, 3381.	<i>denutabilis</i> Smith, 1471.
<i>deflectana</i> Robinson, 5301.	<i>dendraria</i> Guenée, 3864.
<i>deflorata</i> Fabricius, 846.	<i>denotata</i> Hy. Edwards, 4176.
<i>defloriana</i> Martyn, 894.	<i>densa</i> Walker, 2147 (Bellura).
<i>defluata</i> Walker, 3755.	<i>densa</i> Smith, 1907 (Scotogramma).
<i>defoliaria</i> Clerck, 3883.	<i>densaria</i> Walker, 3561.
<i>degenerata</i> Hübner, 3083.	<i>densellas</i> Zeller, 4629.
<i>degenerate</i> Haworth, 3361.	<i>dentalis</i> Smith, 2264.
Deidamia 64	<i>dentata</i> Grote, 1046 (Apharetra).
Deilephila 64	<i>dentata</i> Hy. Edwards, 3201 (Glo-veria).
Delinea 305	<i>dentata</i> Grote, 4817 (Militara).
<i>dejecta</i> Hulst, 3794 (Aeolis).	<i>dentata</i> Dyar, 4057 (Roselia).
<i>dejecta</i> Strecker, 2814 (Catocala).	<i>dentatella</i> Grote, 1947.
<i>dehassalis</i> Hulst, 4775.	<i>dentella</i> Fernald, 4553 (Eugrotea).
<i>deavaricensis</i> Forbes, 4935.	<i>dentella</i> Busck, 5726 (Gelechia).
<i>delaware</i> Edwards, 566.	<i>denticulalis</i> Harvey, 3013.
<i>delavaricensis</i> Zeller, 4933.	<i>denticulata</i> Hulst, 3882 (Phigalia).
<i>delecta</i> Walker, 2662.	<i>denticulata</i> Grote, 3648 (Sciagrapbia).
<i>delectata</i> Hulst, 3649.	<i>denticulata</i> Walker, 3580 (Syn-chlora).
<i>delectella</i> Hulst, 4755.	<i>denticulella</i> Ragonot, 4728.
<i>deleta</i> Hulst, 3688 (Cymatophora).	<i>denticolodes</i> Hulst, 3734.
<i>deleta</i> Grote, 2255 (Epigaea).	<i>dentifera</i> Walker, 2550.
<i>deleta</i> Hy. Edwards, 2701 (Fruva).	<i>dentiferellus</i> Walsingham, 5489.
<i>deleta</i> Guenée, 2929 (Poaphila).	<i>dentilinea</i> Hampson, 4489 (Nym-phula).
	<i>dentilinea</i> Smith, 2082 (Nyliina).
	<i>dentilincella</i> Hulst, 4643.

	Page.		Page.
<i>dentoset</i> Grote, 4525.		<i>destinatum</i> Möschler, 3351.	
<i>dentosella</i> Ragonot, 4838.		<i>destructor</i> Stephens, 6487.	
<i>denudata</i> Slosson, 846 (<i>Epantheria</i>).		<i>desuetella</i> Walker, 4875.	
<i>denudata</i> Neumoegen, 765 (<i>Pseudohazis</i>).		<i>determinata</i> Neumoegen, 889 (<i>Apantesis</i>).	
<i>denudatum</i> Harris, 4183.		<i>determinata</i> Smith, 1780 (<i>Mamestra</i>).	
Deoclona	504	<i>determinata</i> Walker, 3982 (<i>Metanema</i>).	
<i>depanterata</i> Oberthür, 845.		<i>determinate</i> Zeller, 5924.	
<i>depicta</i> Grote, 2593.		<i>detersa</i> Walker, 1623.	
<i>depilis</i> Grote, 1378.		<i>detersata</i> Guenée, 3753.	
<i>deplanaria</i> Walker, 3961 (<i>Euchlora</i>).		<i>detersella</i> Clemens, 5794.	
<i>deplanaria</i> Guenée, 3803 (<i>Paraphia</i>).		<i>detesta</i> Smith, 1621.	
<i>deponitata</i> Grote, 4014.		<i>detracta</i> Walker, 1783.	
Depressaria	520	<i>detrahens</i> Walker, 2962.	
<i>depressostrigella</i> Chambers, 5736.		<i>detritalis</i> Guenée, 4344.	
<i>deprirata</i> Walker, 3561.		<i>deutschiana</i> Zetterstedt, 5437.	
<i>depromaria</i> Grote, 3788.		Deva	198
Deptalia	291	<i>deva</i> Edwards, 541.	
<i>depuiseti</i> Boisduval, 81.		<i>derastatrix</i> Brace, 1232.	
<i>depussostrigella</i> Chambers, 5736.		<i>devergens</i> Hübner, 2535.	
<i>deridens</i> Guenée, 964.		<i>deria</i> Grote, 2244.	
<i>derogata</i> Walker, 2558.		<i>derialis</i> Grote, 4518.	
<i>derosa</i> Morrison, 1112.		<i>derinctaria</i> Guenée, 3886.	
Derrima	186	<i>dina</i> Grote, 1972.	
<i>derupta</i> Morrison, 1301.		Diachorisia	573
<i>descerevi</i> Neumoegen, 3119.		Diacrisia	87
<i>desdemona</i> Hy. Edwards, 2877.		Diæthria	25
<i>deserta</i> Smith, 1323 (<i>Homohadena</i>).		<i>diagonalis</i> Dyar, 2763.	
<i>deserti</i> Felder, 824 (<i>Illice</i>).		Diallagma	207
<i>deserta</i> Hy. Edwards, 2913 (<i>Litocala</i>).		<i>diana</i> Hy. Edwards, 2830 (<i>Catocala</i>).	
<i>desertana</i> Zeller, 5140.		<i>diana</i> Packard, 760 (<i>Hemileuca</i>).	
<i>desertus</i> Hy. Edwards, 792.1 (<i>Leucophrypha</i>).		<i>diana</i> Hübner, 5537 (<i>Orchemia</i>).	
<i>deshaisiana</i> Lucas, 5297.		<i>diana</i> Cramer, 94 (<i>Sennopsyché</i>).	
<i>designalis</i> Guenée, 4313.		<i>diaphanella</i> Frey & Boll, 6277.	
<i>designata</i> Hufnagel, 3438 (<i>Gypsochroa</i>).		Diaphania	378
<i>designata</i> Walker, 2361 (<i>Schinia</i>).		<i>diasema</i> Boisduval, 2530.	
Desmia	373	Diasemia	385
<i>desmodiella</i> Clemens, 6303.		Diestema	203
<i>desmodifoliella</i> Clemens, 6352.		Diastictis	311
<i>desolatus</i> Strecker, 6614.		Diathrausta	397
<i>desperaria</i> Hulst, 3810.		Diatræa	411
<i>desperata</i> Kirby, 945 (<i>Androloma</i>).		<i>diazoma</i> Grote, 3205.	
<i>desperata</i> Guenée, 2813 (<i>Catocala</i>).		<i>dibelia</i> Hübner, 5006.	
<i>desperata</i> Hulst, 3266 (<i>Gymnocelis</i>).		Dicentria	255
<i>desperata</i> Smith, 1793 (<i>Mamestra</i>).		Dichelia	475
		Dichogama	375
		<i>dichrocella</i> Ragonot, 4907.	
		Dichrorampha	470
		Dicopis	128
		<i>dictinealis</i> Walker, 4354.	

	Page.		Page.
<i>dictyna</i> Walker, 747.		<i>diminutiva</i> Grote, 2420 (Heliaca).	
Dicymolomia	412	<i>dimocki</i> Grote, 1793.	
Didasys	77	<i>dimotalis</i> Walker, 4264.	
<i>didonea</i> Smith, 1176.		<i>dina</i> Hübner, 84.	
<i>didyma</i> de Beauvois, 778.		<i>dion</i> Edwards, 559.	
<i>dieckii</i> Neumoegen, 889.		<i>dionalis</i> Walker, 4411.	
<i>dietziella</i> Busck, 5544.		<i>dione</i> Fabricius, 882 (Apantesis).	
<i>diffascialis</i> Hübner, 4276.		<i>dione</i> Scudder, 390 (Gaeides).	
<i>differentialis</i> Fernald, 4626.		<i>dionea</i> Smith, 1190.	
<i>differta</i> Morrison, 2225.		<i>dionysius</i> Scudder, 278.	
<i>difficilisella</i> Chambers, 5608.		<i>dionyza</i> Hy. Edwards, 2869.	
<i>diffinata</i> Walker, 5133.		Diopidae	249
<i>diffinis</i> Boisduval, 653.		Dioryctria	420
<i>diffissa</i> Grote & Robinson, 4458.		<i>diospyrella</i> Chambers, 6138.	
<i>diffusa</i> Geyer, 1233.		Diphryx	412
<i>difformis</i> Smith, 1668.		<i>diphleralis</i> Geyer, 4296.	
<i>diffusa</i> Grote, 2148 (Bellura).		Diphthera	106
<i>diffusa</i> Walker, 1965 (Heliophila).		<i>dipsaci</i> Grote & Robinson, 951.	
<i>diffusa</i> Smith, 2349 (Schinia).		<i>dipteroides</i> Guenée, 1054.	
<i>diffusilis</i> Harvey, 1266.		Dipterygia	122
<i>digitalis</i> Grote, 2211 (Anchocelis).		Direnna	33
<i>digitalis</i> Smith, 2362 (Schinia).		Directis	245
<i>digna</i> Morrison, 1474.		<i>directana</i> Walker, 5335.	
<i>dilara</i> Strecker, 1200.		<i>direptana</i> Walker, 5228.	
<i>dilatana</i> Walsingham, 5153.		<i>dis</i> Grote, 2279.	
<i>dilatata</i> Smith, 1865.		<i>disa</i> Thunberg, 270.	
<i>dilatifasciella</i> Ragonot, 4822.		<i>discalis</i> Grote, 2733 (Homopyralis).	
<i>dilatocula</i> Smith, 2088.		<i>discalis</i> Grote, 1771 (Mamestra).	
<i>dilecta</i> Hy. Edwards, 1924.		<i>disceptaria</i> Fischer, 3449.	
Dilophonota	66	<i>discessalis</i> Walker, 4286.	
<i>dilucidula</i> Morrison, 1426.		<i>discigerana</i> Walker, 5242.	
<i>dilucidella</i> Grote, 4649.		<i>discigerella</i> Ragonot, 4891.	
Diludia	67	<i>discinigra</i> Walker, 1147.	
<i>dilutana</i> Hübner, 3083 (Nycteola).		<i>discippus</i> Fabricius, 145.	
<i>dilutana</i> Walsingham, 5457 (Phalonia).		<i>discissa</i> Walker, 2946.	
<i>dilutaria</i> Freyer, 3337.		<i>discistriga</i> Smith, 1098.	
<i>dilutata</i> Schiffermüller, 3337.		<i>disciraria</i> Walker, 2235.	
<i>dilutostana</i> Walsingham, 5337.		<i>discoanandella</i> Chambers, 5795.	
<i>dilutifuscana</i> Walsingham, 5070.		<i>discocella</i> Dietz, 5744.	
<i>dimediatella</i> Ragonot, 4921.		<i>discoferana</i> Walker, 5246.	
<i>dimidiata</i> Sodoffsky, 5034.		<i>discoidalis</i> Kirby, 268 (Erebia).	
<i>dimidiata</i> Grote, 2272 (Antaplagia).		<i>discoidalis</i> Skinner, 362 (Mitoura).	
<i>dimidiata</i> Strecker, 848 (Leptartia).		<i>discoidalis</i> Grote, 1408 (Rhynchar-grotis).	
<i>dimidiata</i> Herrich-Schaeffer, 3118 (Pheosia).		<i>discolor</i> Walker, 2217 (Cosmia).	
<i>dimidiata</i> Herrich-Schaeffer, 4117 (Pyromorpha).		<i>discolor</i> Speyer, 1792 (Mamestra).	
<i>dimidiatellus</i> Grote, 4606.		<i>discolor</i> Smith, 1909 (Scotogramma).	
<i>dimidiella</i> Walsingham, 5925.		<i>discoloralis</i> Guenée, 3042.	
<i>diminutiva</i> Graef, 834 (Eubaphe).		<i>discolorata</i> Neumoegen, 3215.	
		<i>discomaculella</i> Chambers, 5785.	
		<i>discomotella</i> Chambers, 5588.	
		<i>discoocellella</i> Chambers, 5744.	

Page.	Page.
<i>discoocella</i> Chambers, 5744.	
<i>discoocellella</i> Chambers, 5744.	
<i>discoocella</i> Coquillett, 5744.	
<i>discopunctata</i> Clemens, 5344.	
<i>discopunctella</i> Dietz, 5958.	
<i>discors</i> Grote, 1214.	
<i>discospilata</i> Walker, 3604.	
<i>discostriata</i> Walsingham, 6015.	
<i>discostrigella</i> Chambers, 5899 (Ethmia).	
<i>discostrigella</i> Chambers, 5796 (Geluchia).	
<i>discorecta</i> Walker, 3748.	
<i>discreta</i> Strecker, 3087.	
<i>disertalis</i> Walker, 4285.	
<i>disippe</i> Godart, 239.	
<i>disjunctaria</i> Packard, 3356.	
<i>dislocaria</i> Packard, 3786.	
<i>dispar</i> Grote, 4495 (Nymphula).	
<i>dispar</i> Smith, 1276 (Polia).	
<i>dispar</i> Linnaeus, 3196 (Porthetria).	
<i>disparita</i> Hy. Edwards, 945.	
<i>dispersellus</i> Robinson, 4545.	
<i>displacina</i> Walker, 1649.	
<i>disposita</i> Morrison, 2078.	
<i>dispusa</i> Morrison, 965.	
<i>disputata</i> Walker, 3687.1 (Macaria).	
<i>disputata</i> Walker, 3647 (Sciagrapbia).	
<i>dissecta</i> Grote & Robinson, 1028.	
<i>dissectalis</i> Grote, 4431.	
<i>dissectella</i> Zeller, 5677.	
<i>dissectus</i> Grote, 4568.	
<i>dissertaria</i> Walker, 3864.	
<i>disserrans</i> Walker, 2923.	
<i>dissidens</i> Felder, 1305.	
<i>dissimilana</i> Treitschke, 5143.	
<i>dissimilaria</i> Hübner, 3759.	
<i>dissimilis</i> Hulst, 3771.	
<i>dissitata</i> Grote, 5381.	
<i>dissociata</i> Walker, 2943.	
<i>dissociaria</i> Hulst, 3821.	
<i>dissont</i> Möschler, 1697.	
<i>dissomaria</i> Hulst, 3792.	
<i>distria</i> Hübner, 3221.	
<i>distans</i> Grote, 1032.	
<i>distema</i> Grote, 5270 (Aneylis).	
<i>distema</i> Grote, 2566 (Cilla).	
<i>disticha</i> Morrison, 1923.	
<i>distichata</i> Guenée, 4010.	
<i>distichoides</i> Grote, 1752.	
<i>distigma</i> Walsingham, 772.	
<i>distigmana</i> Walker, 5144.	
<i>distincta</i> Neumoege, 2755 (Drasteria).	
<i>distincta</i> Grote, 2609 (Eustrotia).	
<i>distincta</i> Hübner, 1785 (Mamestra).	
<i>distincta</i> Walsingham, 5354 (Sparagnothis).	
<i>distincta</i> French, 3210 (Tolype).	
<i>distracta</i> Smith, 1407.	
<i>distributaria</i> Hübner, 3738.	
<i>distycharia</i> Guenée, 3948.	
<i>dira</i> Grote, 2588 (Annaphila).	
<i>dira</i> Hulst, 3774 (Platea).	
<i>dira</i> Riley, 5533 (Walsinghamia).	
<i>diraricata</i> Grote, 1305.	
<i>divergens</i> Walker, 4097 (Lithacodes).	
<i>divergens</i> Walker, 1736 (Paragrotis).	
<i>divergens</i> Walker, 2361 (Schinia).	
<i>divergens</i> Behr, 2782 (Syneda).	
<i>divergens</i> Fabricius, 2534 (Syngrapha).	
<i>diversicolor</i> Morrison, 1165.	
<i>diversilutea</i> Grote, 1267 (Polia).	
<i>diversilineatum</i> Hübner, 3348 (Eustroma).	
<i>divesta</i> Grote, 1168.	
Diviana	433
<i>divida</i> Möschler, 1305.	
<i>dividua</i> Grote, 2615.	
<i>diridula</i> Grote, 2587.	
<i>dirisa</i> Walker, 2571.	
<i>dirisana</i> Hübner, 5309 (Acleris).	
<i>dirisana</i> Walker, 5255 (Aneylis).	
<i>dirisaria</i> Walker, 3862 (Ectropis).	
<i>dirisaria</i> Walker, 3388 (Hydriomena).	
<i>divisata</i> Walker, 3764.	
<i>duoposella</i> Ragonot, 4813.	
Doa	261
<i>docilis</i> Grote, 1456.	
<i>docta</i> Walker, 885.	
<i>dodecana</i> Zeller, 5079.	
<i>dodgei</i> Butler, 890 (Apantesis).	
<i>dodgei</i> Grote, 1842 (Mamestra).	
Dodia	83
<i>dointa</i> Strecker, 1862.	
<i>dolabella</i> Zeller, 5686.	
Dolba	69
Dolichorhinia	433
Dolichosticha	374
<i>dolichus</i> Hübner, 329.	
<i>dolis</i> Grote, 1618.	
<i>dollii</i> Neumoege, 4184 (Memphrus).	

Page.	Page.
<i>dollii</i> Grote, 1562 (Porosagrotis).	<i>drusius</i> Edwards, 594 (Thorybes).
<i>dollii</i> Neumoegen, 710 (Sphinx).	<i>drya</i> Fabricius, 52.
<i>dolores</i> Neumoegen & Dyar, 3200.	<i>dryadata</i> Hulst, 3431.
<i>dolosa</i> Strecker, 2383 (Schinia).	<i>dryadella</i> Hulst, 4861.
<i>dolosa</i> Grote, 1894 (Xylomiges).	<i>dryas</i> Edwards, 206.
<i>domalis</i> Guenée, 4511.	Dryobota 121
<i>domicella</i> Erichson, 641.	Dryocetis 311
<i>domina</i> Hy. Edwards, 2590.	Dryope 527
<i>domingonis</i> Butler, 692.	<i>dryope</i> Edwards, 343.
<i>dominicaria</i> Guenée, 3585.	<i>dryopterata</i> Grote, 4044.
<i>dominicata</i> Guenée, 2919.	<i>duaria</i> Guenée, 3944.
Donacoscaptes 412	<i>dubia</i> Walker, 851.
<i>donotaria</i> Walker, 3739.	<i>dubiana</i> Clemens, 5249.
<i>dorantes</i> Stoll, 579.	<i>dubella</i> Stainton, 6520.
<i>doreas</i> Kirby, 397.	<i>dubiosella</i> Beutennüller, 5503.
<i>doris</i> Boisduval, 882 (Apantesis).	<i>dubitana</i> Hübner, 5462.
<i>doris</i> Barnes, 755 (Coloradia).	<i>dubitans</i> Walker, 1227 (Hadena).
<i>dormitans</i> Guenée, 1076.	<i>dubitans</i> Tepper, 2422 (Heliaca).
<i>dorothea</i> Dyar, 3165.	<i>dubitata</i> Linnaeus, 3416 (Triphosa).
<i>dorsalis</i> Smith, 2130.	<i>dubitata</i> Packard, 3417 (Triphosa).
<i>dorsalutea</i> Walker, 2365.	<i>dubitatella</i> Zeller, 5851.
<i>dorsimacula</i> Dyar, 6600.	<i>dubitella</i> Chambers, 5662.
<i>dorsimaculata</i> Robinson, 5440.	<i>ducus</i> Walker, 3148.
<i>dorsimaculata</i> Chambers, 6471.	<i>ducta</i> Grote, 1230.
<i>dorsipallidella</i> Chambers, 6110.	<i>dudicella</i> Busek, 5627.
<i>dorsisigillata</i> Clemens, 5144.	<i>dugesii</i> Cockerell, 953.
<i>dorsistriata</i> Walsingham, 5464.	<i>dulcicaria</i> Grote, 3773.
<i>dorsistrigella</i> Clemens, 6502.	<i>dulciella</i> Hulst, 4856 (Honora).
<i>dorsivittella</i> Zeller, 5603.	<i>dulciella</i> Hulst, 4679 (Myelois).
<i>dorsomaculella</i> Dietz, 5961.	<i>dulciola</i> Grote, 2901.
<i>dorus</i> Edwards, 581.	<i>dumetellus</i> Hübner, 4571.
Doryodes 206	<i>dumeti</i> Behr, 313.
Dosara 382	<i>dumetorum</i> Boisduval, 380.
Dosithea 294	<i>dunbari</i> Harvey, 2116.
<i>dotalis</i> Hulst, 4891.	<i>duodecemlineata</i> Packard, 3330.
<i>dotata</i> Clerck, 3350.	<i>duodecemlineella</i> Chambers, 6371.
<i>doubledayi</i> Guenée, 1075 (Baileya).	<i>duodecemstriata</i> Walsingham, 5284.
<i>doubledayi</i> Seudder, 3141 (Heterocampa).	<i>duorata</i> Bird, 2189.1.
<i>doubledayi</i> Packard, 3123 (Nadata).	<i>duplana</i> Fabriecius, 3083.
Douglasia 543	<i>duplex</i> Walsingham, 5049.
<i>draco</i> Edwards, 518.	<i>duplicata</i> Worthington, 2865 (Catala).
<i>dracusalis</i> Walker, 4306.	<i>duplicata</i> Neumoegen & Dyar, 839 (Haploa).
Drasteria 220	<i>duplicata</i> Bethune, 3002 (Homoptera).
Drepana 264	<i>duplicata</i> Packard, 3651 (Seiagraphia).
Drepanodes 344	<i>duplicatus</i> Smith, 2439 (Cirrhophanus).
<i>drewnseni</i> Staudinger, 1656.	<i>duplicatus</i> Grote, 4609 (Crambus).
<i>drevelii</i> Hy. Edwards, 3101.	<i>duplipunctella</i> Ragonot, 4681.
<i>drupacearum</i> Boisduval, 3221.	<i>dwysi</i> Edwards, 314.
<i>drupiferarum</i> Smith & Abbot, 701.	
<i>drurii</i> Donovan, 699.	
<i>druryi</i> Latreille, 545.	
<i>drusius</i> Edwards, 185 (Charidryas).	

	Page.		Page.
<i>divinellei</i> Hy. Edwards, 148.		<i>editha</i> Boisduval, 159 (Lemonias).	
<i>dyaralis</i> Fernald, 4333.		<i>edmundsi</i> Packard, 3151 (Schizura).	
<i>dyarella</i> Kearfott, 5520.		<i>edmundsi</i> Packard, 4838 (Vitula).	
<i>dyari</i> Cockerell, 2438 (<i>Cirrhophanus</i>).		<i>edna</i> Hulst, 3274.	
<i>dyari</i> Rivers, 3223 (Epicnaptera).		<i>edolata</i> Guenée, 1035.	
<i>dyari</i> Merrick, 840 (Haploa).		<i>edonis</i> Grote, 4613.	
<i>dyari</i> Busek, 5531 (Hemerophila).		<i>eductalis</i> Walker, 3063.	
Dyaria	417	<i>edusa</i> Drury, 2986.	
<i>dyariella</i> Busek, 6339 (Chilocampyla).		<i>edusina</i> Harvey, 2995.	
<i>dyariella</i> Busek, 5749 (<i>Gelechia</i>).		<i>edwardi</i> Nennoegeen & Dyar, 4158.	
<i>dyarii</i> Hulst, 3565 (Nemoria).		<i>edwardsata</i> Packard, 3901 (Neoterpes).	
<i>dynamis</i> Grote, 2487.		<i>edwardsata</i> Hulst, 3769 (Phengomataca).	
<i>dynas</i> Edwards, 171.		<i>edwardsi</i> Grote, 786 (Lymire).	
<i>dynamalis</i> Walker, 4807.		<i>edwardsialis</i> Hulst, 4800.	
Dynothea	33	<i>edwardsiana</i> Walsingham, 5465.	
Dyscia	332	<i>edwardsii</i> Boisduval, 944 (Androloma).	
Dyscymatoge		<i>edwardsii</i> Stretch, 881 (Apantesis).	
Dysocnemis	192	<i>edwardsii</i> Reakirt, 119 (Argynnис).	
Dysodia	361	<i>edwardsii</i> Butler, 688 (Dilophonota).	
<i>dyspteraria</i> Grote, 4139.		<i>edwardsii</i> Behr, 70 (Eurymus).	
Dyspteridinae	265	<i>edwardsii</i> Packard, 928 (Hemihylea).	
Dyspteris	265	<i>edwardsii</i> Barnes, 481 (Oarisma).	
Dysstroma	282	<i>edwardsii</i> Heylaerts, 4067 (Platocetius).	
<i>earina</i> Morrison, 1777.		<i>edwardsii</i> Fish, 4940 (Platyptilia).	
<i>earesi</i> Hy. Edwards, 242 (<i>Basilarchia</i>).		<i>edwardsii</i> Bentenmüller, 4194 (Sanninoidea).	
<i>earesi</i> Stretch, 896 (<i>Kodiosoma</i>).		<i>edwardsii</i> Bentenmüller, 4256 (Sesia).	
<i>eboracensis</i> Zeller, 6108.		<i>edwardsii</i> Behr, 46 (Synchloe).	
<i>eborata</i> Hulst, 3254.		<i>edwardsii</i> Behr, 2796 (Synedra).	
<i>ebriola</i> Poey, 88.		<i>edwardsii</i> Saunders, 345 (Thecla).	
<i>ebulealis</i> Guenée, 4300.		<i>edwardsii</i> Smith, 1943 (Trichoclea).	
<i>eburnea</i> Walsingham, 6173.		<i>effusinaria</i> Hulst, 4006.	
<i>eburnata</i> Guenée, 3536.		<i>effectaria</i> Walker, 3957.	
<i>ecclasialis</i> Guenée, 4285.		<i>efficitalis</i> Walker, 4454.	
Eccopsis	430	<i>effractana</i> Frölich, 5299.	
Ecdytolopha	470	<i>effrenatella</i> Clemens, 6534.	
<i>echinocystis</i> Behr, 2496.		<i>effusalis</i> Walker, 3009.	
<i>echo</i> Edwards, 440 (<i>Cyaniris</i>).		<i>egenaria</i> Walker, 4059.	
<i>echo</i> Smith & Abbot, 849 (<i>Seiraria</i>).		<i>egens</i> Walker, 1163.	
<i>Ecpantheria</i>	84	<i>egeremet</i> Scudder, 519.	
<i>etrapela</i> Smith, 1861.		<i>egestis</i> Smith, 1086.	
Ectropis	327	<i>eglanterina</i> Boisduval, 764.	
<i>ectypa</i> Morrison, 1828.		<i>egle</i> Drury, 910.	
Ectypia		<i>egleis</i> Boisduval, 130.	
<i>edentata</i> Grote, 2621 (<i>Azenia</i>).		<i>eglenensis</i> Clemens, 907.	
<i>edentata</i> Smith, 1539 (<i>Feltia</i>).			
<i>edentella</i> Hulst, 4917.			
<i>edictalis</i> Walker, 3074 (<i>Bomolocha</i>).			
<i>edictalis</i> Smith, 1565 (<i>Paragrotis</i>).			
<i>editha</i> Mead, 391 (<i>Gaeides</i>).			

	Page.		Page.
<i>egressalis</i> Walker, 4636.		<i>eliza</i> Fischer, 2872.	
Egrylon	238	<i>elko</i> Edwards, 280.	
Eido	492	<i>ella</i> Hulst, 3504 (Charommaticea).	
Eidothoa	500	<i>ella</i> Chambers, 6140 (Coptodisca).	
<i>ejectarium</i> Walker, 3838.		<i>ella</i> Hulst, 3697 (Cymatophora).	
<i>ekthipsis</i> Grote, 4490.		<i>ella</i> Hulst, 4916 (Homosassa).	
<i>elaborata</i> Hy. Edwards, 2424 (Heliaca).		<i>ellatina</i> Hulst, 3504.	
<i>elaborata</i> Grote, 3612 (Heliomata).		Ellema	70
Elachista	535	Ellida	257
Elachistidæ	530	<i>elliotti</i> Pearsall, 4077 (Euclea).	
Elasmopalpus	426	<i>elliotti</i> Fernald, 4964 (Pterophorus).	
<i>elata</i> Smith, 1446.		<i>ello</i> Linnens, 686.	
<i>elatialis</i> Grote, 4481.		Elloplia	334
<i>elda</i> Behr, 2825 (Catocala).		<i>cloisella</i> Clemens, 6157.	
<i>elda</i> French, 2069 (Cleoceris).		<i>elongata</i> Walsingham, 5172.	
<i>elda</i> Hy. Edwards, 4242 (Sesia).		<i>elongata</i> Stretch, 888 (Apantesis).	
<i>eldanaria</i> Walker, 4007.		<i>elongata</i> Hulst, 3823 (Cenocharis).	
<i>elealis</i> Walker, 4425.		<i>elongata</i> Grote, 3165 (Fentonia).	
<i>electa</i> Hulst, 3751 (Aethyctera).		<i>elongata</i> Haworth, 3294 (Tephroclystis).	
<i>electa</i> Edwards, 105 (Argynnис).		<i>elongatus</i> Grote, 2946 (Celiptera).	
<i>electalis</i> Hulst, 4515.		<i>elongella</i> Linnens, 6354.	
<i>electellum</i> Hulst, 4865.		<i>elonypuspha</i> Hübner, 2909.	
<i>electilis</i> Morrison, 1382.		Elophilà	396
Electra	277	<i>elsa</i> Strecker, 712.	
<i>electra</i> Wright, 756 (Hemileuca).		<i>elsiora</i> Hulst, 3609.	
<i>electra</i> Lintner, 602 (Thorybes).		<i>elutalis</i> Hübner, 4336.	
<i>elegans</i> Clemens, 4582 (Crambus).		<i>elutata</i> Hübner, 3387.	
<i>elegans</i> Hübner, 2432 (Noropsis).		<i>elutea</i> Haworth, 4879.	
<i>elegans</i> Strecker, 3114 (Odontosia).		<i>elutella</i> Hübner, 4879.	
<i>elegans</i> Packard, 4098 (Packardia).		<i>elva</i> Bates, 196.1.	
<i>elegans</i> Stretch, 918 (Pygarctia).		<i>elyni</i> Rambur, 221.	
<i>elegantalis</i> Warren, 4382 (Diasemia).		<i>emaciata</i> Walsingham, 5154.	
<i>elegantalis</i> Fitch, 2725 (Pangrapta).		<i>emaculata</i> Smith, 1038.	
<i>elegantaria</i> Hy. Edwards, 3888.		<i>emarginataria</i> Guenée, 3932.	
<i>elegantella</i> Chambers, 5582 (Aristolochia).		<i>emarginana</i> Walsingham, 5210.	
<i>elegantella</i> Frey & Boll, 6372 (Graecilaria).		<i>emarginata</i> Grote, 1405 (Rhynchagrotis).	
<i>elegantella</i> Hulst, 4718 (Pinipestis).		<i>emarginata</i> Smith, 2104 (Xylina).	
<i>elegantellus</i> Walker, 4557 (Crambus).		<i>emblemella</i> Clemens, 5654.	
<i>elegantula</i> Harvey, 2684.		<i>emeritella</i> Stainton, 5884.	
<i>elephantopodella</i> Frey & Boll, 6322.		Emesia	34
<i>elenchea</i> Hübner, 235.		<i>emilia</i> Hy. Edwards, 2810 (Catocala).	
<i>eleralis</i> Guenée, 4310.		<i>emilia</i> Edwards, 70 (Euryimus).	
<i>eleraea</i> Fabricius, 5309.		<i>emissa</i> Edwards, 192.	
<i>elevata</i> Smith, 1436 (Pachnobia).		Emmelesia	282
<i>elevata</i> Fabricius, 4310 (Sylepta).		Emmelia	382
<i>elminia</i> Hulst, 3621.		Emmiltis	298
<i>elminia</i> Guenée, 1426.		<i>emphytiformis</i> Walker, 4167.	
<i>elis</i> Strecker, 62.		Emplozia	286
<i>elisata</i> Strecker, 3415.		Enargia	179
		Enarmonia	469

	Page		Page
Enchoria	279	Epidemas	119
Enchrysa	507	Epidemia	41
Endropia	339	Epidromia	234
<i>eudropiaria</i> Grote & Robinson, 3908.		<i>epigaea</i> Grote, 2515. <i>epigarella</i> Chambers, 5718. <i>epigena</i> Butler, 592.	
Endrosis	543	Epiglaea	181
Enemera	318	<i>epigona</i> Herrich-Schaeffer, 592.	
<i>enervata</i> Guenée, 1091.		Epigraphia	523
<i>enervis</i> Guenée, 1998.		Epigritia	527
<i>euhydris</i> Grote, 4137.		<i>epilais</i> Walker, 781. <i>epilobii</i> Harris, 670.	
Enicostoma	523	Epimartyria	581
<i>enica</i> Grote, 1115.		Epimecis	328
<i>enniculalis</i> Hulst, 4522.		<i>epimenis</i> Drury, 2427.	
<i>ennius</i> Scudder & Burgess, 625.		Epimima	374
Ennominae	303	Epina	412
Ennomos	336	Epinephele	32
<i>ennucleata</i> Guenée, 3487 (Synelys).		Epinotia	464
<i>ennucleata</i> Packard, 3486 (Synelys).		Epinyctis	184
Enodia	30	<i>epione</i> Drury, 2806. <i>epionoides</i> Guenée, 2725.	
<i>enoptes</i> Boisduval, 427.		Epipaschia	414
<i>enotata</i> Linnaeus, 3667.		<i>epipaschia</i> Grote, 1321.	
<i>ensigerella</i> Hübner, 4560.		Epipaschiae	414
<i>enteridis</i> Smith, 1638.		Epiplatymetra	341
<i>enthea</i> Grote, 1256.		Epiplemidæ	350
<i>enthealis</i> Hulst, 4511.		<i>epipsodea</i> Butler, 273.	
Entoreuma	219	Epiipyropidæ	359
Enypia	319	Epiipyrops	359
<i>codamus</i> Cramer, 252.		Epiranthis	338
Eois	295	Epirrhoe	278
<i>eos</i> Edwards, 461.		Epirrita	275
Eosphoropteryx	199	Epischnia	427
Epagoge	475	<i>epischuioides</i> Hulst, 4827.	
Epargyreus	57	Episemasia	307
Epelis	303	Episimus	463
Epermenia	541	Epithectis	501
<i>ephelidaria</i> Hulst, 3899.		<i>epithore</i> Boisduval, 142.	
Ephelis	382	<i>epixanthe</i> Boisduval & Le Conte, 398.	
<i>ephemeriformis</i> Stephens, 4065.		Epizeuxis	240
Ephestia	434	<i>epopea</i> Cramer, 1118.	
<i>ephesiella</i> Ragonot, 4841.		<i>eppelesheimii</i> Frey & Boll, 6325.	
Ephesiodes	436	<i>epsilon</i> Ottolengni, 2511.	
<i>ephestion</i> Stoll, 236.		<i>epula</i> Boisduval, 193.	
<i>ephippiatus</i> Zetterstedt, 4392.		<i>epyaea</i> Strecker, 29.	
<i>ephippiatus</i> Harris, 4075.		<i>epitella</i> Dietz, 5962.	
Ephyra	291	Erannis	330
<i>ephyrarium</i> Walker, 3838.		<i>eraso</i> Guenée, 2931.	
<i>ephyrata</i> Guenée, 4005.		Erastria	209, 290
Epicallima	525	<i>erastrioides</i> Guenée, 2676.	
<i>epichysis</i> Grote, 1259.		<i>eratalis</i> Walker, 4448.	
Epicnaptera	263		
<i>epicanalis</i> Ragonot, 4530.			
Epicorsia	389		
Epicorythylis	505		

Page.		Page.
Ereta	373	<i>erutaria</i> Duponchel, 3329.
<i>erdmani</i> Möschler, 1145.		<i>erycata</i> Cramer, 2726.
<i>erubana</i> Guenée, 5311.		Erycides
Erebia	28	<i>erynnus</i> Boisduval, 408.
Erebos	240	<i>eryngii</i> Hy. Edwards, 279.
<i>erechtea</i> Cramer, 2754.		Erynnis
<i>erichtisella</i> Chambers, 6428.		<i>eryphon</i> Boisduval, 377.
<i>erecta</i> Walker, 1843.		<i>erythrella</i> Ragotot, 4883.
<i>erectalis</i> Guenée, 3079 (Bomolocha).		<i>erythremaria</i> Guenée, 3624.
<i>erectalis</i> Walker, 4778 (Elasmopalpus).		<i>erythriella</i> Clemens, 6177.
<i>erectalis</i> Grote, 4441 (Pyrausta).		<i>erythrinella</i> Busek, 6405.
<i>eremita</i> Hulst, 3521 (Eois).		<i>erythrolita</i> Grote, 2053.
<i>eremita</i> Guenée, 3673 (Macaria).		<i>erythrostigma</i> Haworth, 2462.
<i>eremoides</i> Strecker, 714.		Escaria
<i>eremita</i> Hübner, 716.		<i>escaria</i> Grote, 3819.
<i>eremocarpī</i> Hy. Edwards, 4245.		<i>esmeralda</i> Oberthür, 2472.
<i>erecta</i> Guenée, 2163.		Estigmene
<i>erica</i> Butler, 1103.		<i>esurialis</i> Grote, 1477.
<i>ericetorum</i> Boisduval, 639.		<i>etacta</i> Linnaeus, 1925.
<i>erichto</i> Guenée, 2755.		<i>ethela</i> Edwards, 274 (Erebia).
<i>eridania</i> Cramer, 1301.		<i>ethela</i> Neumügen, 4155 (Hypopta).
<i>eriensis</i> Grote, 1484.		<i>ethela</i> Hulst, 3384 (Mesoleuca).
<i>erigonomia</i> Riley, 5454.		<i>ethlius</i> Cramer, 550.
<i>erigeronella</i> Chambers, 6353.		Ethmia
<i>erimacra</i> Retzius, 904.		<i>ethmia</i> Smith, 1201.
<i>erinalis</i> Walker, 4297.		Etiella
<i>erina</i> Edwards, 128.		<i>etiella</i> Treitschke, 4807.
Eriocephala	581	<i>etolus</i> Boisduval, 656.
<i>eripalis</i> Grote, 4272.		Euacidalia
Eriphia		<i>euaspilates</i>
<i>eriphyle</i> Edwards, 65.	540	Eubaphe
<i>erippus</i> Cramer, 308.		<i>eubolia</i>
<i>erodyle</i> Bates, 202.		<i>eubolina</i>
Eromene		<i>ebule</i> Linnaeus, 52.
Erora	110	Eucalyptera
<i>eros</i> Edwards, 240.		<i>eucarphia</i>
<i>erosa</i> Hübner, 2556 (Anomis).	40	<i>eucatagma</i>
<i>erosa</i> Stretch, 3221 (Malacosoma).		<i>eucaterva</i>
<i>erossarium</i> Walker, 3838.		<i>ecatoptus</i>
<i>erosealis</i> Walker, 4458.		<i>euceratia</i>
<i>erosiata</i> Packard, 4044.		<i>eucereon</i>
<i>errans</i> Skinner, 549 (Premes).		<i>eucestia</i>
<i>errans</i> Smith, 2368 (Schinia).		<i>euchaetes</i>
<i>eransella</i> Chambers, 6158.		<i>euchaetias</i>
<i>erratica</i> Smith, 1425.		<i>euchalcia</i>
<i>errato</i> Boisduval, 658.		<i>euchiradia</i>
<i>eranella</i> Zeller, 4889.		<i>euchlena</i>
Ersephila	288	<i>euchloe</i>
<i>ericalis</i> Hübner, 4335.		<i>euchloria</i> Guenée, 3567.
<i>eruditella</i> Grote, 5893.		<i>euchœca</i>
<i>erutana</i> Herrich-Schaeffer, 5315.		<i>euchromius</i>
		<i>eueirrödia</i>
		<i>euclea</i>

	Page.		Page.
<i>euclea</i> Bergstraser, 189.		<i>euonymella</i> Chambers, 5477.	
Euclemensis	525	Eupanychis	187
Euclidia	221	Euparthenos	232
Eucoptocnemis	149	<i>eupatoriella</i> Chambers, 5858 (De-	
Eucordylea	500	pressaria).	
Eucosma	455	<i>eupatoriella</i> Chambers, 6375 (Gra-	
Eucosmia	276	cilaria).	
Eucosmophora	557	<i>eupatoriella</i> Chambers, 5686 (Yp-	
Eucrostis	300	sophus).	
Eucymatoge	273	<i>eupatoriellii</i> Fernald, 4983 (Pteropho-	
Eudamus	56	rus).	
Eudarcia	574	<i>eupatoriellii</i> Hy. Edwards, 420 (Sesia).	
Eudeilinea	264	<i>euphasalis</i> Walker, 4437.	
Eudemis	466	Euphanessa	267
<i>eudiopha</i> Guenée, 1300.		<i>euphemella</i> Hulst, 4661.	
Eudiopsis	378	Euphia	277
<i>eudora</i> Dyar, 814.		Euphydryas	17
Eudorea	397	Euphyes	53
<i>eudoriella</i> Ragonot, 4860.		Euphyia	282
Eudryas	194	Eupithecia	269
Eudule	267	<i>eupitheciaria</i> Grote, 3822.	
Eueretagrotis	131	Euplexia	122
Euerythra	84	Euplocamus	568
<i>eufala</i> Edwards, 533.		Eupoca	372
Eufernaldia	410	Eupolia	161
Eufidonia	303	Euproctis	260
Eufitchia	311	Eupseudomorpha	194
<i>eugeniella</i> Busck, 6122.		Eupseudosoma	95
Eugonia	23, 336	Eupsyche	36
Eugonobapta	335	Euptoieta	12
Eugrotea	403	Eurema	11
Euhagena	364	Eurhinosea	287
Euharveya	171	<i>euraea</i> Grote & Robinson, 2223.	
Euherrichia	216	<i>euroides</i> Grote, 1698.	
Euhyparpax	254	<i>europome</i> Stephens, 66.	
<i>eulalia</i> Doubleday & Hewitson, 243.		<i>europomene</i> Esper, 74.	
Eulepis Grote, 2137.		Euros	191
Eulepiste	577	<i>curydas</i> Boisduval, 742.	
Eulia	484	<i>cycles</i> Latreille, 578.	
Eulonche	99	Eurycreon	382
Eulyonetia	544	Eurycttarus	353
Eulypa	278	<i>curydice</i> Boisduval, 60.	
Eumacaria	311	<i>curymedon</i> Boisduval, 9.	
Eumæus	35	Eurymene	336
<i>eumelusalis</i> Walker, 3037.		Eurymus	9
Eumestleta	211	Eurynome	563
Eumeyrickia	519	<i>curyname</i> Edwards, 128.	
Eunemoria	300	<i>curytheme</i> Boisduval, 65.	
Eunica	24	Eurythmia	436
<i>eunus</i> Edwards, 478.		Eurythmidia	433
<i>eunusalis</i> Walker, 4336.		<i>curytris</i> Fabricius, 299.	
Eunystalea	252	<i>curytulus</i> Hübner, 366.	
		<i>curythus</i> Fabricius, 299.	

	Page.		Page.
Euschausia	95	<i>excelsa</i> Ottolengui, 2522 (Autographa).	
Eusebia	288	<i>excelsa</i> Strecker, 3984 (Metanema).	
Eustixia	394	<i>excelsarium</i> Strecker, 3840.	
Eustroma	277	<i>exclamationis</i> Walsingham, 4993.	
Eustrotia	209	<i>excogita</i> Smith, 1607.	
Eutelia	204	<i>exculta</i> Smith, 1606.	
Eutephria	282	<i>excavaria</i> Morrison, 3929 (Plagodis).	
<i>enterpe</i> Ménétries, 85 (Eurema).		<i>excavaria</i> Packard, 3580 (Synchlora).	
<i>enterpe</i> Hy. Edwards, 658 (Lepisista).		<i>excavata</i> Grote, 3407 (Hydriomena).	
<i>enterpe</i> Herrich-Schaeffer, 780 (Systomeida).		<i>excavata</i> Packard, 3662 (Seiagraphia).	
Euthales	106	<i>Exedrium</i>	70
Euthalia	282	Exelis	323
Euthisanotia	194	<i>exemplaris</i> Smith, 1365.	
Euthyatira	258	<i>exemptalis</i> Walker, 4325.	
Eutolype	127	Exentera	463
Eutrapela	341	<i>exertistigma</i> Morrison, 1404.	
Euvanessa	23	<i>exesa</i> Guenée, 1139 (Oligia).	
Euverna	91	<i>exesus</i> Grote, 4566 (Crambus).	
Euzophera	430	<i>exigua</i> Hübner, 1103 (Caradrina).	
<i>eradne</i> Godart, 53.		<i>exigua</i> Hy. Edwards, 4074 (Oedonia).	
<i>eragaria</i> Hulst, 3704.		<i>evilis</i> Grote, 1024 (Apatela).	
Evagora		<i>evilis</i> Boisduval, 450 (Brepnidium).	
<i>eranidalis</i> Grote, 1542 (Feltia).		<i>evimia</i> Grote, 3150.	
<i>eranidalis</i> Robinson, 3080 (Hypena).		<i>exitiosa</i> Say, 4194.	
<i>eranidum</i> Grote, 1049.		<i>exnotata</i> Walker, 3647.	
<i>erelinia</i> French, 2810 (Catocala).		<i>evoleta</i> Hy. Edwards, 355 (Thecla).	
<i>erelinia</i> French, 1148 (Hadena).		<i>evolutum</i> Zeller, 5023 (Exartema).	
Everes	45	<i>exoptatella</i> Chambers, 5513.	
Evergestis	380	Exoria	404
<i>everaria</i> Guenée, 3698.		<i>evornata</i> Möschler, 1222 (Hadena).	
<i>eversmanni</i> Ménétries, 4.		<i>evornata</i> Walker, 3605 (Orthofidonia).	
Evetria		<i>expallidus</i> Grote, 2459.	
<i>evicta</i> Grote, 1885.		<i>expandens</i> Walker, 4648.	
Evippe		<i>expansa</i> Walker, 1950.	
<i>eviria</i> Boisduval, 412.		<i>explagiata</i> Walker, 3390.	
<i>exacta</i> Hübner, 2557.		<i>explanata</i> Walker, 3323 (Encymatoge).	
<i>eragitalis</i> Walker, 3370.		<i>explanatum</i> Walker, 3355 (Eustroma).	
<i>eraltata</i> Hy. Edwards, 2347.		<i>expolita</i> Grote, 2667.	
<i>eranthemaria</i> Denis & Schiffermüller, 3625.		<i>exportalis</i> Guenée, 4275.	
<i>eranthemata</i> Scopoli, 3625.		<i>exposita</i> Dyar, 4054.	
Exartema		<i>expressa</i> Hy. Edwards, 914.1.	
<i>erasperata</i> Zeller, 5386.		<i>expressarium</i> Walker, 3838.	
<i>eraspicata</i> Walker, 3647.		<i>exprimens</i> Walker, 2197.	
<i>erectans</i> Smith & Abbot, 731.			
<i>erectalis</i> Hulst, 4801.			
<i>excelsa</i> Neumoegen, 890 (Apantesis).			

Page.	Page.
<i>expulsa</i> Walker, 1707.	<i>fagicosticella</i> Chambers, 6017.
<i>expultrix</i> Grote, 3177.	<i>fagigemmava</i> Chambers, 5009.
<i>expunctaria</i> Grote, 3939.	<i>fagina</i> Morrison, 2100.
<i>exsiccatus</i> Zeller, 4604.	<i>faginella</i> Chambers, 5851 (Crypto- lechia).
<i>exsimaria</i> Guenée, 3934.	<i>faginella</i> Zeller, 6271 (Lithocolle- tes).
<i>exsatella</i> Zeller, 4683.	Fagitana 179
<i>exsuperata</i> Walker, 3803.	Fala 197
<i>externa</i> Walker, 2618.	<i>faluva</i> Godart, 347.
<i>externalis</i> Warren, 4407.	Falcaria 264
<i>extensa</i> Walker, 1155.	<i>falcata</i> Packard, 3968 (Euchlaena).
<i>extimalis</i> Scudder, 4335.	<i>falcata</i> Schaus, 3191 (Hemero- campa).
<i>extimia</i> Walker, 1105.	<i>falcata</i> Neumoegen, 1310 (Pseuda- narta).
<i>extincta</i> Guenée, 1976 (Heliophila).	<i>falcaturia</i> Packard, 3629.
<i>extincta</i> Smith, 1269 (Polia).	<i>falciferella</i> Walsingham, 5491.
<i>extorris</i> Hulst, 4558.	<i>falcigera</i> Kirby, 2519.
<i>extorris</i> Warren, 4388.	<i>falcipennella</i> Hübner, 6355.
<i>extranea</i> Guenée, 1953 (Heliophila).	<i>falcata</i> Grote, 1016.
<i>extranea</i> Smith, 1366 (Oncoenemis).	<i>falerina</i> Smith, 1619.
<i>extranea</i> Smith, 1646 (Paragrotis).	<i>fallacialis</i> Walker, 3042.
<i>extranea</i> Hy. Edwards, 5538 (Thele- thia).	<i>fallax</i> Herrich-Schaeffer, 1060.
<i>extraneella</i> Walsingham, 6100.	<i>fallifera</i> Walker, 3530.
<i>extremaria</i> Walker, 3577 (Apeca- sia).	<i>falsea</i> Grote, 1120.
<i>extremaria</i> Walker, 3571 (Racheo- spila).	<i>falsarius</i> Clemens, 4115.
<i>extremis</i> Smith, 1340.	<i>famula</i> Zeller, 5312.
<i>extricalis</i> Guenée, 4411.	<i>famulata</i> Hulst, 3749.
<i>extricata</i> Grote, 1036.	<i>fatutasia</i> Butler, 58.
<i>extrinicella</i> Dyar, 5528.	<i>farcta</i> Grote, 1987.
<i>exuberans</i> Smith, 1509.	<i>farinalis</i> Linneus, 4516.
<i>exulis</i> Lefèbvre, 1233.	<i>faruhani</i> Grote, 1787.
<i>exusta</i> Guenée, 1807.	<i>farella</i> Curtis, 4793.
<i>exvagata</i> Walker, 5129.	211 <i>fascicularia</i> Packard, 3558.
Exyra 400	<i>fascialis</i> Cramer, 4276 (Hymenia).
Fabatana 400	<i>fascialis</i> Walker, 4437 (Pyrausta).
<i>fabia</i> Fabricius, 5.	<i>fasciata</i> Smith, 2950 (Antiblemma).
<i>fabrefacta</i> Morrison, 1119.	<i>fasciata</i> Walker, 1031 (Apatela).
<i>fabriciana</i> Hübner, 5435.	<i>fasciata</i> Smith, 1373 (Copipanolis).
<i>fabriciella</i> Villiers, 6010.	<i>fasciata</i> Swainson, 688 (Dilopho- nota).
<i>fabricii</i> Boisduval, 753 (Autome- ris).	<i>fasciata</i> Grote & Robinson, 4134 (Dysodia).
<i>fabricii</i> Edwards, 205 (Polygonia).	<i>fasciata</i> Butler, 267 (Erebia).
<i>fabricii</i> Kirby, 345 (Thecla).	<i>fasciata</i> Hy. Edwards, 2421 (He- liaca).
<i>fabula</i> Grote, 3229.	<i>fasciata</i> Strecker, 399 (Heodes).
<i>fausta</i> Hy. Edwards, 2794.	<i>fasciata</i> Hy. Edwards, 1124 (Peri- gea).
<i>fauconalis</i> Walker, 3046.	<i>fasciata</i> Skinner, 3443.1 (Psycho- phora).
<i>factoris</i> Smith, 1733.	
<i>faula</i> Grote, 1405.	
<i>fadus</i> Cramer, 664.	
<i>fagella</i> Busek, 5607.	
<i>fagicosticella</i> Chambers, 6017.	

Page.		Page.
<i>fasciata</i> Smith, 1922 (<i>Ulolonche</i>).		<i>felicitata</i> Smith, 2308.
<i>fasciatana</i> Clemens, 5021 (Exar-		<i>felina</i> Grote, 976 (<i>Apatela</i>).
tema).		<i>felina</i> Druce, 966 (<i>Charadra</i>).
<i>fasciatum</i> Retzius, 3083 (<i>Nycte-</i>		<i>felix</i> Walsingham, 5438.
<i>ola</i>).		Feltia 138
<i>fasciatella</i> Grote, 2696.		Fenaria 195
<i>fasciatus</i> Smith, 1326 (<i>Oncocene-</i>		<i>fenestra</i> Perry, 748.
<i>mis</i>).		<i>fenestrella</i> Packard, 4805.
<i>fasciatus</i> Sulzer, 677 (<i>Pholus</i>).		Feniseca 40
<i>fasciella</i> Chambers, 6563 (<i>Adela</i>).		<i>fenisca</i> Harvey, 1635.
<i>fasciella</i> Chambers, 6356 (<i>Gracila-</i>		<i>fennica</i> Tauscher, 1489.
<i>ria</i>).		Fentonia 257
<i>fasciella</i> Walsingham, 6317 (<i>Litho-</i>		<i>fenyesella</i> Dietz, 5960.
<i>colletes</i>).		Feralia 121
<i>fasciella</i> Fernald, 4537 (<i>Patissa</i>).		<i>feriella</i> Hulst, 4720.
<i>fasciella</i> Chambers, 6541 (<i>Pitys</i>).		<i>fernaldana</i> Grote, 5084 (<i>Eucosma</i>).
<i>fasciella</i> Chambers, 5666 (<i>Tel-</i>		<i>fernaldana</i> Walsingham, 5442 (<i>Pha-</i>
<i>phnsa</i>).		<i>lomia</i>).
<i>fascioferaria</i> Hulst, 3694.		<i>fernaldaria</i> Hulst, 3862.
<i>fasciola</i> Herrich-Schaeffer, 4097.		Fernaldella 303
<i>fasciolalis</i> Hulst, 4736.		<i>fernaldella</i> Walsingham, 6064 (<i>Cos-</i>
<i>fasciolana</i> Clemens, 5221.		<i>mopteryx</i>).
<i>fasciolaria</i> Hulst, 3558.		<i>fernaldella</i> Walsingham, 5864 (<i>De-</i>
<i>fasciolaris</i> Hübner, 2766.		<i>pressaria</i>).
<i>faseolaria</i> Guenée, 3558.		<i>fernaldella</i> Chambers, 5853 (<i>Machi-</i>
<i>fastidiosa</i> Strecker, 2371.		<i>mia</i>).
<i>fastuosa</i> Zeller, 5482 (<i>Atteva</i>).		<i>fernaldella</i> Riley, 5536 (<i>Setios-</i>
<i>fastuosa</i> Guenée, 2432 (<i>Noropsis</i>).		<i>toma</i>).
<i>faunaria</i> Strecker, 3905.		<i>fernaldella</i> Busek, 5671 (<i>Tricho-</i>
<i>faunalis</i> Walker, 4487.		<i>taphe</i>).
<i>faunia</i> Morrison, 1663.		Fernaldellinæ 303
<i>faunus</i> Edwards, 209 (<i>Polygonia</i>).		<i>fernaldi</i> Ragonot, 4534 (<i>Acallis</i>).
<i>faunus</i> Strecker, 1761 (<i>Ufeus</i>).		<i>fernaldi</i> Grote, 3754 (<i>Apecasia</i>).
<i>faustina</i> Strecker, 2855.		<i>fernaldi</i> Ragonot, 4775 (<i>Myrlaea</i>).
<i>faustinaria</i> Strecker, 3902.		<i>fernaldi</i> Morrison, 1693 (<i>Para-</i>
<i>faustinula</i> Boisduval, 823.		<i>grotis</i>).
<i>fautaria</i> Hulst, 3750.		Fernaldia 568
<i>furonus</i> Smith & Abbot, 336		<i>fernaldialis</i> Hulst, 4819.
(<i>Thecla</i>).		<i>feronia</i> Linnaeus, 231.
<i>furonus</i> Boisduval & Le Conte, 335		<i>ferox</i> Walker, 780.
(<i>Uranotes</i>).		<i>ferraria</i> Walker, 2435.
<i>furorita</i> Neumoegen, 890.		<i>ferrea</i> Grote, 1830.
<i>fax</i> Grote, 2629.		<i>ferrealis</i> Grote, 1854 (<i>Manestra</i>).
<i>faxoni</i> Minot, 3603.		<i>ferrealis</i> Grote, 2093 (<i>Xylina</i>).
<i>fea</i> Edwards, 450.		<i>ferriferanum</i> Walker, 5027.
<i>febrialis</i> Grote, 1283.		<i>ferrigera</i> Walker, 4085 (<i>Adoneta</i>).
<i>feialis</i> Grote, 3066.		<i>ferrigera</i> Smith, 2033 (<i>Graphi-</i>
<i>fegeus</i> Cramer, 665.		<i>phora</i>).
<i>feildeni</i> McLachlan, 399.		<i>ferroliniana</i> Walker, 5056.
Felderia	579	<i>ferrugalis</i> Hübner, 4401.
<i>felicella</i> Walsingham, 6176.		<i>ferrugana</i> Schiffermüller, 5316 (<i>Ae-</i>
<i>felicia</i> Poey, 41.		<i>leris</i>).

Page.	Page.
<i>ferruginea</i> Hübner, 5418 (Eulia).	<i>festuca</i> Linnaeus, 2479.
<i>ferrugaria</i> Borkhausen, 3457 (Petrophora).	<i>festus</i> Hübner, 586.
<i>ferrugaria</i> Haworth, 3458 (Petrophora).	<i>fendalis</i> Grote, 4421.
<i>ferrugata</i> Packard, 3521 (Eois).	<i>jubilata</i> Morrison, 1152 (Hadena).
<i>ferrugata</i> Hübner, 3458 (Petrophora).	<i>jubilata</i> Hufnagel, 3463 (Petrophora).
<i>ferrugata</i> Clerck, 3457 (Pterophora).	<i>jiculella</i> Barrett, 4876.
<i>ferruginatum</i> Fernald, 5168.	<i>ficus</i> Linnaeus, 675.
<i>ferruginaria</i> Packard, 3695.	<i>fidelis</i> Grote, 2007.
<i>ferruginea</i> Smith, 2949 (Antearia).	<i>fidelissima</i> Herrich-Schaeffer, 3086.
<i>ferruginea</i> Packard, 3223 (Epienaptera).	<i>fidella</i> Dietz, 5937.
<i>ferruginea</i> Packard, 4077 (Euclea).	<i>fidicularia</i> Morrison, 1102.
<i>ferruginea</i> Packard, 3120 (Lophodonta).	<i>fidoniata</i> Walker, 3604 (Eufidonia).
<i>ferrugineata</i> Riley, 5011.	<i>fidoniata</i> Walker, 3803 (Paraphia).
<i>ferruginella</i> Ragonot, 4835 (Euzoephra).	<i>fieldeni</i> McLachlan, 399.
<i>ferruginella</i> Hübner, 6488 (Monopsis).	<i>figulifella</i> Gregson, 4876.
<i>ferruginiguttana</i> Fernald, 5306.	<i>figurata</i> Drury, 892 (Apantesis).
<i>ferruginoides</i> Guenée, 2222 (Orthosia).	<i>figurata</i> Harvey, 1319 (Homohadena).
<i>ferruginoides</i> Smith, 1431 (Pachnobia).	<i>filaria</i> Walker, 3848 (Cleora).
<i>ferruginosus</i> Zeller, 5847 (Cryptolechia).	<i>filaria</i> Smith, 2975 (Egryrlon).
<i>ferruginosus</i> Walker, 834 (Eubaphe).	<i>filenus</i> Poey, 447.
<i>ferruginosaria</i> Packard, 3758.	<i>filicicornis</i> Walsingham, 6599.
<i>ferruginaria</i> Zeller, 3494.	<i>filicornis</i> Dyar, 6599.
<i>ferreus</i> Walker, 1113.	<i>filimentaria</i> Guenée, 3939.
<i>ferrida</i> Standinger, 860.	<i>filiolella</i> Hulst, 4707.
<i>ferridana</i> Clemens, 5368 (Archips).	<i>fimbrialis</i> Denis & Schiffermüller, 4513.
<i>ferridana</i> Walker, 5361 (Archips).	<i>fimbriaris</i> Guenée, 1749.
<i>ferridaria</i> Herrich-Schaeffer, 3929 (Plagodis).	<i>fimbriata</i> Haworth, 3337.
<i>ferridaria</i> Hübner, 3911 (Therina).	<i>fimetaria</i> Grote, 3601.
<i>ferrifactory</i> Grote, 3430.	<i>finis</i> Smith, 1602.
<i>fessa</i> Grote, 2567.	<i>finitella</i> Walker, 4743.
<i>festa</i> Guenée, 1063 (Cerma).	<i>finitima</i> Guenée, 1224 (Hadena).
<i>festa</i> Hulst, 3735 (Cymatophora).	<i>finitima</i> Smith, 2579 (Pleonectyptera).
<i>festa</i> Hy. Edwards, 692 (Dilophophota).	<i>fiscellaria</i> Guenée, 3910.
<i>festaiella</i> Hübner, 6178.	<i>fischeri</i> Zeller, 4955.
<i>festalis</i> Hulst, 4440.	Fishea 119
<i>festaria</i> Hulst, 3595.	<i>fishiana</i> Fernald, 5321.
<i>festinella</i> Clemens, 6391.	<i>fishii</i> Grote, 1440 (Pachnobia).
<i>festiva</i> Fabricius, 2432.	<i>fishii</i> Fernald, 4961 (Pterophorus).
<i>festivoides</i> Guenée, 1136.	<i>fiskeana</i> Dyar, 4103.

Page.	Page.
<i>flagellum</i> Walker, 2491.	<i>flaristriaria</i> Hübner, 2934.
<i>fligitiaria</i> Guenée, 3910.	<i>flavistrigella</i> Walsingham, 6481.
<i>fligrantis</i> Smith, 1364.	<i>flaritibia</i> Walker, 4190.
<i>flagrata</i> Walker, 4136.	<i>flarivenata</i> Hulst, 3646.
<i>flamensella</i> Walker, 6555.	<i>flarieittana</i> Clemens, 5309.
<i>flammans</i> Dyar, 826.	<i>flarieittellus</i> Clemens, 5678.
<i>flammea</i> Neumoegen, 893.	<i>flarocellana</i> Clemens, 5129.
<i>flammeusella</i> Chambers, 6555.	<i>flavocostella</i> Clemens, 5655.
<i>flammicincta</i> Walker, 2636.	<i>flavofascialis</i> Grote, 4456.
<i>flammifera</i> Walker, 3383.	<i>flavofasciaria</i> Packard, 3656.
<i>flava</i> Strecker, 83 (Eurema).	<i>flavofasciata</i> Barnston, 657 (Lepis-
<i>flava</i> Kilian, 900 (Parasemia).	esia).
<i>flava</i> Edwards, 38 (Pontia).	<i>flavofasciata</i> Strecker, 2803 (Sy-
<i>flava</i> Grote, 1307 (Psedanarta).	neda).
<i>flarago</i> Fabricius, 2199.	<i>flavofasciata</i> Grote, 2644 (Tripu-
<i>flaralis</i> Fernald, 4353.	dia).
<i>flararia</i> Packard, 3440.	<i>flavotincta</i> Cockerell, 72 (Eurymus).
<i>flarata</i> Packard, 3440.	<i>flavotincta</i> Smith, 1507 (Noctua).
<i>flaredana</i> Clemens, 5382.	<i>flavula</i> Herrich-Schaeffer, 4107.
<i>flavescenta</i> Hulst, 3524.	<i>flebilis</i> Grote, 2816 (Catocala).
<i>flavescentella</i> Haworth, 6520.	<i>flebilis</i> Hulst, 3308 (Tephroclystis).
<i>flavianula</i> Smith, 2034.	<i>flegia</i> Cramer, 4314.
<i>flavibasana</i> Fernald, 5353.	<i>flegialis</i> Poey, 4314 (Paradosis).
<i>flavicans</i> Goeze, 688.	<i>flegialis</i> Walker, 4448 (Pyrausta).
<i>flavicaria</i> Packard, 3693.	<i>fletcherella</i> Fernald, 6016.
<i>flaviciliatus</i> Haworth, 5500.	<i>fletcheri</i> Kemp, 11 (Papilio).
<i>flavicollis</i> Smith, 1531.	<i>fletcheri</i> Grote, 1900 (Xylomiges).
<i>flavicoloralis</i> Grote, 4427.	<i>flexuosa</i> Walker, 968 (Raphia).
<i>flavicornella</i> Ragonot, 4708.	<i>flexuosa</i> Grote, 4105 (Tortricidia).
<i>flavicornis</i> Smith, 962.	<i>flexarella</i> Clemens, 5798.
<i>flavicorporella</i> Walsingham, 5797.	<i>floccalis</i> Zeller, 2576.
<i>flavicosta</i> Smith, 2659.	<i>floccosa</i> Graeser, 900.
<i>flavicostella</i> Fernald, 4538 (Patissa).	<i>floccosana</i> Walker, 5431.
<i>flavicostella</i> Walsingham, 5655 (Tri-	<i>flora</i> Edwards, 249 (Chlorippe).
chotaphe).	<i>flora</i> Wright, 49 (Synchloe).
<i>flavidalis</i> Grote, 2866 (Catocala).	<i>florca</i> Guenée, 2128 (Rhodophora).
<i>flavidalis</i> Guenée, 4423 (Pyrausta).	<i>florella</i> Cramer, 4284 (Anania).
<i>flavidens</i> Smith, 1585 (Paragrotis).	<i>florella</i> Busek, 5635 (Gnorimo-
<i>flavidens</i> Grote, 1309 (Psedanarta).	schema).
<i>flavidissimalis</i> Grote, 4326.	<i>florida</i> Hulst, 3726 (Cymatophora).
<i>flavidorsella</i> Ragonot, 4799.	<i>florida</i> Smith, 1869 (Mamestra).
<i>flavifimbrialis</i> Warren, 4370.	<i>florida</i> Guenée, 2307 (Rhodo-
<i>flavifrontella</i> Clemens, 6107.	phora).
<i>flavigutta</i> Hulst, 3289.	<i>floride</i> Mabille, 470.
<i>flaviguttata</i> Grote, 2603.	<i>floridalis</i> Hulst, 4313 (Agathodes).
<i>flavilignus</i> Grote, 953.	<i>floridalis</i> Fernald, 4283 (Maras-
<i>flavimaculata</i> Harvey, 1103.	mnia).
<i>flavimedia</i> Harvey, 1300.	<i>floridana</i> Zeller, 5250 (Aneylis).
<i>flavinotalis</i> Grote, 4391.	<i>floridana</i> Hy. Edwards, 3090 (Apa-
<i>flavipennis</i> Grote, 2663.	telodes).
<i>flavipes</i> Hulst, 4191.	<i>floridana</i> Neumoegen, 5482 (At-
<i>flavipunctalis</i> Geyer, 3048.	teva).
<i>flaviscapula</i> Smith, 1605.	<i>floridana</i> Graef, 3104 (Datana).

Page.	Page.
<i>floridana</i> Hulst, 4136 (Dysodia).	<i>forgicaria</i> Guenée, 4020.
<i>floridana</i> Strecker, 204 (Mestra).	<i>forgicellus</i> Thunberg, 4547.
<i>floridana</i> Smith, 3051 (Tetanolita).	<i>forgicularia</i> Guenée, 3989.
<i>floridanella</i> Bentenmuller, 6055 (Cosmopteryx).	<i>formalis</i> Grote, 1405.
<i>floridanella</i> Busck, 5673 (Glyphi-	<i>formosa</i> Hy. Edwards, 3167 (Glu-
docera).	phisia).
<i>floridaria</i> Guenée, 4007 (Cabero-	<i>formosa</i> Hulst, 3946 (Gonodontis).
des).	<i>formosa</i> Hulst, 3345 (Philereme).
<i>floridaria</i> Hulst, 3529 (Eois).	<i>formosa</i> Grote, 2473 (Polychrysia).
<i>floridata</i> Packard, 3525 (Eois).	<i>formosa</i> Hulst, 3503 (Scelolophia).
<i>floridata</i> Walker, 3400 (Hydriomena).	<i>formosalis</i> Walker, 4058 (Nigetia).
<i>floridata</i> Grote, 4027 (Sabulodes).	<i>formosalis</i> Clemens, 4487 (Nym-
<i>floridella</i> Hulst, 4650 (Benta).	phila).
<i>floridellus</i> Hulst, 4779 (Elasmopal-	<i>formosana</i> Clemens, 5165.
pus).	<i>formosata</i> Hulst, 3852 (Cleora).
<i>floridensis</i> Neumoegen, 53 (Aphris-	<i>formosata</i> Strecker, 3431 (Ceno-
sa).	calpe).
<i>floridensis</i> Strecker, 240 (Basilar-	<i>formosella</i> Murtfeldt, 5761 (Gele-
chia).	chia).
<i>floridensis</i> Guenée, 2712 (Callopis-	<i>formosella</i> Hulst, 4659 (Tetralo-
tria).	pha).
<i>floridensis</i> Hulst, 3714 (Cymato-	<i>formula</i> Grote, 2897 (Catocala).
phora).	<i>formula</i> Grote, 3226 (Oreta).
<i>floridensis</i> Grote & Robinson, 656 (Hemaris).	<i>forax</i> Hübner, 230.
<i>floridensis</i> Grote, 4246 (Sesia).	<i>forrigens</i> Walker, 2915.
<i>floridensis</i> Holland, 4033 (Sphae-	<i>fortis</i> Grote, 1337.
lodes).	<i>fortinata</i> Grote, 2641.
<i>floridiana</i> Walker, 1139.	<i>fosterella</i> Hulst, 4792.
<i>floridum</i> Grote, 936 (Eupsendoso-	Fota
ma). 128
<i>floridus</i> Zeller, 4563 (Crambus).	Fotella
<i>florus</i> Edwards, 397. 109
<i>foscella</i> Hulst, 4899.	<i>fotis</i> Strecker, 373.
<i>floscularia</i> Grote, 3927.	<i>f-pallida</i> Strecker, 892.
<i>fluctigerana</i> Herrich-Schaeffer, 5260.	<i>fractilinea</i> Grote, 1205 (Hadena).
<i>fluctuata</i> Linnens, 3463.	<i>fractilinea</i> Zeller, 5984 (Holco-
<i>fluctuosa</i> Lederer, 4308.1.	cera).
<i>fluvioria</i> Herrich-Schaeffer, 3370.	<i>fractivittata</i> Clemens, 5371.
<i>fluvia</i> Hübner, 3370.	<i>fracturalis</i> Zeller, 4288.
<i>fluvelia</i> Zeller, 5971.	<i>fragaria</i> Hy. Edwards, 4241 (Al-
<i>fodiens</i> Guenée, 1091.	buna).
<i>fodinalis</i> Lederer, 4445.	<i>fragaria</i> Walsh & Riley, 5252 (An-
<i>fodina</i> Clemens, 5017.	cyllis).
<i>fodaria</i> Walker, 3941.	<i>fragaria</i> Stainton, 6390 (Ornix).
<i>fuminalis</i> Smith, 1723.	<i>fragariana</i> Packard, 5379.
<i>fuminaria</i> Guenée, 3628.	<i>fragicorticella</i> Riley, 6017.
<i>foliana</i> Walsingham, 5320.	<i>fragilella</i> Frey & Boll, 6313.
<i>footiana</i> Fernald, 5026.	<i>fragilis</i> Guenée, 1009 (Apatela).
<i>forbesellus</i> Fernald, 4632.	<i>fragilis</i> Strecker, 831 (Eubaphe).
<i>forbesii</i> French, 3016.	<i>fragilis</i> Streh, 3215 (Malacosoma).
	<i>fragilis</i> Walsingham, 4944 (Platyp-
	tilia).
	<i>fragmentella</i> Hy. Edwards, 4071 (Chalia).

Page.		Page.
<i>fragmentella</i> Zeller, 5557 (Telphusa).		<i>fractetella</i> Hulst, 4696.
<i>fragosa</i> Grote, 1111.		<i>frangallaria</i> Guenée, 3850.
<i>francesca</i> Hy. Edwards, 2851.		<i>frangiperda</i> Smith & Abbot, 1302.
<i>franciscana</i> Walsingham, 5403.		<i>fenestra</i> Scudder, 4998.
<i>franciscanus</i> Smith, 2065.		<i>feustellus</i> Walsingham, 5487.
<i>franckella</i> Hübner, 6372.		<i>frustulum</i> Guenée, 2946.
<i>franckii</i> Neumegen, 700.1.		<i>frutetorum</i> Boisduval, 3214.
<i>franconica</i> Hy. Edwards, 891 (Apantesis).		Fruva 215
<i>franconica</i> Slosson, 861 (Phragmatobia).		<i>fucina</i> Walsingham, 5404.
<i>franconiella</i> Hulst, 4831.		<i>fucosa</i> Hübner, 808.
<i>franklinii</i> Curtis, 425.		<i>fulda</i> Smith, 1655.
<i>fratella</i> Grote, 2493.		<i>fulgens</i> Hübner, 1103 (Caradrina).
<i>frater</i> Grote, 968.		<i>fulgens</i> Hy. Edwards, 791 (Lycomorpha).
<i>fraterna</i> Pagenstecher, 4138 (Beloptera).		<i>fulgidella</i> Clemens, 6357.
<i>fraterna</i> Grote & Robinson, 2898 (Catocala).		<i>fulivalis</i> Clemens, 4500.
<i>fraterna</i> Smith, 2954 (Campometra).		<i>fuliginarium</i> Hulst, 3830.
<i>fraterna</i> Butler, 4280 (Ereta).		<i>fuliginosa</i> Strecker, 407 (Cupido).
<i>fraterna</i> Grote, 4080 (Euleia).		<i>fuliginosa</i> Linnaeus, 860 (Phragmatobia).
<i>fraternalis</i> Smith, 3043.		<i>fuliginosa</i> Edwards, 403 (Satyrini).
<i>fraternella</i> Dietz, 5963.		<i>fuliginosalis</i> Fernald, 4274.
<i>fraudulentaria</i> Zeller, 3850.		<i>fulla</i> Edwards, 407 (Cupido).
<i>fraxini</i> Hy. Edwards, 4198 (Alnina).		<i>fulla</i> Eversmann, 295 (Oeneis).
<i>fraxini</i> Lugger, 4174 (Podoslesia).		<i>fullerca</i> Riley, 5038.
<i>frederici</i> Grote, 2880.		<i>fulliolus</i> Hulst, 399.
<i>freija</i> Thunberg, 138.		<i>fullonella</i> Zeller, 5709.
<i>frechii</i> Poling, 2832.		<i>fulminalis</i> Lederer, 4268 (Glypha-ria).
<i>freyi</i> Herrich-Schaeffer, 138.		<i>fulminalis</i> Zeller, 4636.3 (Paralipsa).
<i>freyella</i> Walsingham, 6462.		<i>fulminata</i> Walsingham, 5104.
<i>freyeraria</i> Standing, 3458.		<i>fulminans</i> Smith, 2058.
<i>friahilis</i> Grote, 1681.		<i>fultacia</i> Grote, 3467.
<i>frigga</i> Thunberg, 140.		<i>fulta</i> Walsingham, 5871 (Depressaria).
<i>frigida</i> Smith, 977 (Apatala).		<i>fulta</i> Stretch, 896 (Kodiosoma).
<i>frigida</i> Smith, 2184 (Papaipema).		<i>fularella</i> Duponchel, 5500.
<i>frigida</i> Scudder, 38 (Pontia).		<i>fulrescens</i> Hy. Edwards, 354.
<i>frigidalis</i> Guenée, 4392.		<i>fulvia</i> Edwards, 178 (Thessalia).
<i>frigidana</i> Packard, 5030.		<i>fulvia</i> Dodge, 220 (Vanessa).
<i>frigidaria</i> Möschler, 3513 (Leptomeris).		<i>fulvicollis</i> Hübner, 787.
<i>frigidaria</i> Guenée, 3443 (Psychophora).		<i>fulvicosta</i> Clemens, 839.
<i>frigidata</i> Walker, 3388.		<i>fulvidia</i> Butler, 3390.
<i>frigidella</i> Packard, 4776 (Laodamia).		<i>fulvifrontana</i> Packard, 5029.
<i>frigidella</i> Packard, 6503 (Tinea).		<i>fulvipes</i> Harris, 4214.
<i>frisia</i> Poey, 197.		<i>fulviplicana</i> Walsingham, 5473.
<i>fritillaria</i> Guenée, 3748.		<i>fulvirugella</i> Ragonot, 4796.
<i>frondaria</i> Grote, 3341.		<i>fulrofasciata</i> Butler, 848.
		<i>fulroflava</i> Walker, 922.
		<i>fulvoroseana</i> Clemens, 5331.
		<i>fulrosa</i> Riley, 1302.
		<i>fulrotinctana</i> Walsingham, 5466.

Page.	Page.
<i>fumalis</i> Grote, 1599 (Paragrotis).	<i>furfurella</i> Hulst, 4733.
<i>fumalis</i> Guenée, 4436 (Pyrausta).	<i>furtiva</i> Smith, 1721.
<i>fumatoria</i> Minot, 3862.	<i>furrana</i> Robinson, 5365.
<i>fumiferana</i> Clemens, 5406.	<i>fusca</i> Grote & Robinson, 535 (Euphyes).
<i>fumofralis</i> Hulst, 4442.	<i>fusca</i> Stretch, 823 (Illice).
<i>fumosa</i> Robinson, 5371 (Archips).	<i>fusca</i> Haworth, 4776 (Laodamia).
<i>fumosa</i> Hulst, 3639 (Deilinia).	<i>fusca</i> Harvey, 3130 (Litodonta).
<i>fumosa</i> Strecker, 862 (Diacrisia).	<i>fusca</i> Packard, 4098 (Packardia).
<i>fumosa</i> Strecker, 65 (Eurymus).	<i>fusca</i> Boisduval, 1557 (Porosagrotis).
<i>fumosa</i> Grote, 1173 (Hadena).	<i>fusca</i> Hy. Edwards, 4119 (Triporcris).
<i>fumosa</i> Strecker, 653 (Hemaris).	<i>fuscalbana</i> Zeller, 5067.
<i>fumosa</i> Butler, 4073 (Hyalocotes).	<i>fuscalis</i> Hübner, 4358.
<i>fumosa</i> Strecker, 2802 (Syneda).	<i>fusca</i> Haworth, 5359.
<i>fumosa</i> Hulst, 3295 (Tephroclystis).	<i>fuscaria</i> Thunberg, 3708.
<i>fumosalis</i> Guenée, 4316.	<i>fusca</i> Hulst, 3501 (Cinglis).
<i>fumosaria</i> Strecker, 3781.	<i>fusca</i> Hulst, 3975 (Synaxis).
<i>fumosella</i> Hulst, 4858.	<i>fuscatella</i> Hulst, 4843 (Canarsia).
<i>fumosum</i> Morrison, 1049 (Arsiloneche).	<i>fuscatella</i> Hulst, 4826 (Zophodia).
<i>fumosus</i> Hulst, 308 (Anosia).	<i>fuscescens</i> Walker, 2547.
<i>fumalis</i> Grote, 4329.	<i>fuscicandis</i> Walker, 656.
<i>funebris</i> Hübner, 1928 (Anarta).	<i>fuscicometta</i> Clemens, 6109.
<i>funebris</i> Strömeyer, 4472 (Pyrausta).	<i>fuscicostellus</i> Zeller, 4601.
<i>funeralis</i> Grote, 1008 (Apatela).	<i>fuscigera</i> Grote, 1682.
<i>funeralis</i> Hübner, 4277 (Desmia).	<i>fascimacula</i> Grote, 1140.
<i>funeralis</i> Grote, 2709 (Spragueia).	<i>fascimaculalis</i> Grote, 4427.
<i>funeralis</i> Sondler & Burgess, 634 (Thaumas).	<i>fascipedella</i> Walsingham, 5914.
<i>funereta</i> Grote, 903.	<i>fascipes</i> Zeller, 4621 (Argyria).
<i>fungirorella</i> Clemens, 5579.	<i>fascipes</i> Grote, 813 (Comacula).
<i>fungorum</i> Grote & Robinson, 2208.	<i>fascipunctella</i> Haworth, 6503.
<i>funicella</i> Treitschke, 4618.	<i>fasciocapitella</i> Chambers, 6196.
<i>fureata</i> Smith, 2193 (Papaipema).	<i>fasciocastella</i> Chambers, 6258.
<i>fureata</i> Walsingham, 5838 (Stenomma).	<i>fascocristatella</i> Chambers, 5574 (Lence).
<i>furetana</i> Walker, 5342.	<i>fascocristatella</i> Chambers, 6543 (Pitys).
<i>fureatus</i> Grote, 6610 (Hepialus).	<i>fascodactyla</i> Haworth, 4992.
<i>fureatus</i> Walsingham, 6577 (Neolophus).	<i>fascofasciella</i> Ragonot, 4873 (Ephesia).
<i>fureifascia</i> Walker, 3359.	<i>fascofasciella</i> Chambers, 6475 (Eu-
<i>fureifera</i> Guenée, 994.	<i>plocamus</i> .
<i>fureiferata</i> Packard, 3556 (Goniocidalia).	<i>fuscolimbellus</i> Ragonot, 4636.1.
<i>fureiferata</i> Packard, 4025 (Sabulodes).	<i>fuscolineata</i> Clemens, 5373.
<i>fureilla</i> Grote, 2731 (Argillophora).	<i>fuscoliniatella</i> Riley, 5776.
<i>fureilla</i> Packard, 957 (Panthea).	<i>fuscolotella</i> Ragonot, 4648.
<i>fureillata</i> Say, 218.	<i>fuscolutea</i> Smith, 1848.
<i>fureotibiella</i> Riley, 6197.	<i>fuscolutella</i> Chambers, 5799.
<i>furellus</i> Zeller, 4636.4.	<i>fuscomaculella</i> Chambers, 5800 (Gelechia).
<i>furfurata</i> Haworth, 5007.	<i>fuscomaculella</i> Chambers, 6504 (Tinea).
<i>furfuraria</i> Hulst, 3843.	<i>fuscomarginella</i> Chambers, 6437.
<i>furfurata</i> Grote, 2024.	

Page.		Page.
<i>fuscoochrella</i> Chambers, 5764 (<i>Gelechia</i>).		<i>gallarandiella</i> Dyar, 4140.
<i>fuscoochrella</i> Beutenmüller, 6358 (<i>Gracilaria</i>).		<i>gallaosalicana</i> Riley, 5280.
<i>fuscopallidella</i> Chambers, 5601.		<i>gallusolidaginis</i> Riley, 5620.
<i>fuscopulrella</i> Chambers, 5568 (<i>Agnippe</i>).		Galleria 413
<i>fuscopulrella</i> Chambers, 5816 (<i>Gelechia</i>).		Galleriinae 413
<i>fuscopulrella</i> Chambers, 5983 (<i>Holococera</i>).		<i>gallicana</i> Herrich-Schaeffer, 5169.
<i>fuscopulrella</i> Chambers, 6505 (<i>Tinea</i>).		<i>gallicana</i> Clemens, 5316.
<i>fuscopunctella</i> Clemens, 5801.		<i>gallidiplopappi</i> Fyles, 5621.
<i>fuscosa</i> Neumögen, 868.		<i>gallivorana</i> Clemens, 5331.
<i>fuscosecpulrella</i> Chambers, 6412.		<i>gallivorum</i> Westwood, 4225.
<i>fuscosparsa</i> Walsingham, 5155.		<i>galva</i> Strecker, 1062.
<i>fuscostrigata</i> Clemens, 5437.		<i>gamma</i> Linnaeus, 2492.
<i>fuscostrigella</i> Chambers, 6018 (<i>Coleophora</i>).		<i>gardetta</i> De Loche, 283.
<i>fuscostrigella</i> Chambers, 5647 (<i>Polyhymno</i>).		<i>gargamelle</i> Strecker, 3203.
<i>fuscosuffusella</i> Dietz, 5955.		<i>garita</i> Reakirt, 479.
<i>fuscotaninella</i> Chambers, 5776.		<i>garmani</i> Grote, 2044.
<i>fuscotaninella</i> Riley, 5776.		<i>garzoni</i> Oberthur, 845.
<i>fuscotibiella</i> Clemens, 6197.		<i>gasta</i> Strecker, 1045.
<i>fusculenta</i> Grote, 4056.		<i>gastropachata</i> Guenée, 4010.
<i>fusculenta</i> Smith, 1786.		<i>gaudicella</i> Hulst, 4923.
<i>fusca</i> Retzius, 4992 (<i>Stenoptilia</i>).		<i>gauthierella</i> Walsingham, 6291.
<i>fusifasciata</i> Walker, 3235.		<i>gaure</i> Smith & Abbot, 660 (<i>Lepiselia</i>).
<i>fusimacula</i> Barnes, 148 (<i>Lemonias</i>).		<i>gaure</i> Smith & Abbot, 2306 (<i>Rhodophora</i>).
<i>fusimacula</i> Smith, 2287 (<i>Oxyene-</i> <i>mis</i>).		<i>gausapalis</i> Hulst, 4572.
<i>fusimacula</i> Smith, 1739 (<i>Paragro-</i> <i>atis</i>).		<i>gausaparia</i> Grote, 3698.
<i>futilalis</i> Lederer, 4441.	245	<i>gausapata</i> Grote, 2087.
<i>futilis</i> Grote & Robinson, 2951.	364	<i>geddesi</i> Neumögen, 900.
<i>gabbii</i> Edwards, 260 (<i>Cercyonis</i>).	40	<i>geiella</i> Chambers, 6353.
<i>gabbii</i> Behr, 167 (<i>Lemonias</i>).		<i>gelata</i> Lefèbre, 1233 (<i>Hadena</i>).
<i>Gaberasa</i> 245		<i>gelata</i> Guenée, 3373 (<i>Mesoleuca</i>).
<i>Gæa</i> 364		Gelechia 511
<i>Gæides</i> 40		Gelechiidae 495
<i>gagates</i> Grote, 1608.		<i>gelida</i> Moschler, 883 (<i>Apantesis</i>).
<i>galactinus</i> Boisduval, 279.		<i>gelida</i> Grote, 3170 (<i>Ellida</i>).
<i>Galanthia</i> 537		<i>gelida</i> Guenée, 1233 (<i>Hadena</i>).
<i>Galasa</i> 401		<i>gelida</i> McLachlan, 4444 (<i>Pyrausta</i>).
<i>galbanaria</i> Hulst, 3952.		<i>gelidalis</i> Walker, 4478.
<i>galbanata</i> Morrison, 2996.		<i>gelidata</i> Möschler, 3322.
<i>galbaniata</i> Zeller, 3675.		<i>geliformis</i> Walker, 4247.
<i>galbina</i> Clemens, 746.		<i>geminana</i> Donovan, 5259.
<i>Galgula</i> 210		<i>geminata</i> Grote & Robinson, 3237 (<i>Cladora</i>).
<i>galii</i> Rottemburg, 670.		<i>geminata</i> Packard, 4099 (<i>Packardia</i>).
<i>gallasteriella</i> Kellicott, 5621.		<i>geminata</i> Packard, 3294 (<i>Tephro-</i> <i>elytis</i>).
<i>galligenitella</i> Clemens, 5613.		<i>geminatella</i> Packard, 6387.
		<i>geminatus</i> Say, 729 (<i>Smerinthus</i>).
		<i>geminella</i> Riley, 5613.
		<i>geminipunctella</i> Ragonot, 4734.
		<i>gemma</i> Hübner, 296.
		<i>gemmaialis</i> Hulst, 5524.

Page.	Page.
<i>gemmaria</i> Herrich-Schaeffer, 3370.	<i>gibbosella</i> Chambers, 5755.
<i>gemmata</i> Hübner, 3370 (Peremptoptila).	<i>gigantea</i> Strecker, 73 (Eurymus).
<i>gemmata</i> Grote, 5482 (Atteva).	<i>gigantea</i> French, 959 (Panthea).
<i>gemmata</i> Packard, 3505 (Leptomeris).	<i>giganteana</i> Riley, 5101.
<i>gemmatella</i> Hulst, 4900.	<i>gigantella</i> Chambers, 6019 (Coleophora).
<i>gemmatilis</i> Hübner, 2948.	<i>gigantella</i> Chambers, 5972 (Holeocera).
<i>gemmea</i> Frey & Boll, 6266.	<i>gigas</i> Butler, 290.
<i>gemmifera</i> Clemens, 6066.	<i>gillbucilla</i> Clemens, 5973.
<i>generalis</i> Walker, 3042.	<i>gilice</i> Hy. Edwards, 4200.
<i>generosa</i> Grote & Robinson, 4455.	<i>gillettei</i> Hulst, 3326 (Eucymatoge).
<i>genetrix</i> Grote, 1161.	<i>gillettei</i> Barnes, 153 (Lemonias).
<i>generua</i> Strecker, 888.	<i>gilrella</i> Hübner, 5877.
<i>genialis</i> Grote, 1251.	<i>gilvescentella</i> Ragonot, 4880.
<i>genicula</i> Grote, 3229.	<i>gilribasella</i> Hulst, 4741.
<i>geniculata</i> Grote & Robinson, 1455 (Agrotis).	<i>gilridorsis</i> Hedemann, 4991.
<i>geniculata</i> Hulst, 3950 (Euchlaena).	<i>gilripennis</i> Grote, 1389.
<i>genovara</i> Cramer, 223.	<i>gilroscopella</i> Zeller, 5602.
<i>gentilis</i> Grote, 2235 (Parastichtis).	<i>gilvolinella</i> Clemens, 5589.
<i>gentilis</i> Grote, 4417 (Pyrausta).	<i>gilvomaculella</i> Clemens, 5802.
<i>genualis</i> Lederer, 4487.	<i>gilrosecupella</i> Chambers, 5602.
<i>genutia</i> Fabricius, 48.	Gingla 360
<i>geometralis</i> Grote, 2577.	<i>girardellus</i> Clemens, 4564.
<i>geometrica</i> Grote, 900.	<i>gisela</i> Meyer, 2898.
Geometridæ 265	<i>gitonella</i> Druce, 4874.
Geometrinæ 298	<i>glabella</i> Morrison, 1293.
<i>geometroides</i> Walker, 4036 (Melanochroia).	<i>glacialis</i> McLachlan, 63 (Eurymus).
<i>geometroides</i> Guenée, 2725 (Pan-grapta).	<i>glacialis</i> Hulst, 3454 (Petrophora).
<i>georgiana</i> Grote, 5370.	<i>glacialis</i> Packard, 4403 (Phlyctenia).
<i>georgiae</i> Grote, 2700 (Frivva).	<i>glaciana</i> Möschler, 5068.
<i>georgiae</i> Herrich-Schaeffer, 3112 (Hypereschra).	<i>glaciata</i> Grote, 1814 (Mamestra).
<i>georgiella</i> Hulst, 4762 (Salebria).	<i>glaciata</i> Ciermar, 3373 (Mesoleuca).
<i>georgiella</i> Hulst, 5411 (Tortrix).	<i>gladiaria</i> Morrison, 1544.
<i>georgiella</i> Walker, 5672 (Trichophaphe).	Glaea 181
<i>georgii</i> Hulst, 3364 (Rheumaptera).	<i>glandifera</i> Chambers, 5564.
<i>georgii</i> Grote, 2102 (Xylina).	<i>glandiferella</i> Zeller, 5564.
<i>germania</i> Hy. Edwards, 2591 (Anaphila).	<i>glandulella</i> Riley, 5979.
<i>germania</i> Morrison, 2077 (Lithomoia).	<i>glaus</i> Grote, 2945.
<i>germanalis</i> Walker, 3080.	<i>glaphyralis</i> Guenée, 4263.
<i>geronimo</i> Barnes, 955.	Glaphyria 371
<i>gertruda</i> Hulst, 3770.	<i>glarensella</i> Zeller, 4898.
Getulia 427	<i>glaucomana</i> Walker, 5376 (Archips).
<i>gian</i> Strecker, 1625.	<i>glaucomana</i> Lampa, 3083 (Nycteola).
<i>glibbosata</i> Walker, 3426.	<i>glaucomaria</i> Guenée, 3578.
<i>gibbosa</i> Smith & Abbot, 3123.	<i>glaucoata</i> Packard, 3387.
	<i>glauconella</i> Hulst, 4824.
	Glance 504
	<i>glauccella</i> Walsingham, 6020.
	Glaucina 323
	<i>glaucofusca</i> Zeller, 5461.
	<i>glaucon</i> Edwards, 428.

	Page.		Page.
Glaucopteryx	280	<i>goodellioides</i> Grote, 4590 (Crambus).	
<i>glancoraria</i> Walker, 1801.		<i>goodellii</i> Grote, 1825 (Mamestra).	
<i>glaucus</i> Linnaeus, 41.		<i>goodellii</i> Grote, 4100 (Packardia).	
<i>gleditschiella</i> Chambers, 5592 (Helice).		<i>gopheri</i> Smith, 3018.	
<i>gleditschiella</i> Chambers, 6159 (Mompha).		<i>gordialis</i> Guenée, 4305.	
<i>gleditschiella</i> Fernald, 4744.		<i>gordius</i> Cramer, 703.	
Glena	327	<i>gorgon</i> Boisduval, 392.	
<i>glennyi</i> Grote, 1345.		<i>gorgone</i> Hübner, 189.	
<i>glenwoodii</i> Barnes, 3209.		Gortyna	174
<i>glochinella</i> Zeller, 5617.		<i>gortynides</i> Walker, 2147.	
<i>glomeralis</i> Walker, 4472.		Gorytodes	319
<i>glomerana</i> Walsingham, 5103.		<i>gossypiana</i> Packard, 5356.	
<i>glomeraria</i> Grote, 3683.		<i>gothicata</i> Guenée, 3359.	
<i>gloriosa</i> Hy. Edwards, 4164.		<i>gottiana</i> Linnaeus, 5411.	
<i>glosiosa</i> Strecker, 2320.		<i>gorana</i> Fabricius, 5411.	
<i>gloriana</i> Walsingham, 5425.		<i>gozora</i> Boisduval, 440.	
<i>glorieri</i> Grote & Robinson, 956 (Co- pidryas).		<i>gracea</i> Hulst, 3842.	
<i>glorieri</i> Packard, 4067 (Plateocetius).		<i>gracillula</i> Hulst, 4820.	
<i>glorieri</i> Strecker, 740 (Samia).		<i>gracilalis</i> Hulst, 4429.	
Gloveria	261	<i>gracilana</i> Walsingham, 5331.	
Gluphisia	257	Gracilaria	557
<i>glycyrrhizella</i> Chambers, 5803.		<i>gracillera</i> Chambers, 5676 (Anor- thosia).	
Glyphidocera		<i>gracilella</i> Hulst, 4844 (Canarsia).	
Glyphipteryx	492	<i>gracilella</i> Chambers, 6415 (Lyone- tia).	
Glyphodes	378	<i>gracilenta</i> Graef, 945 (Androloma).	
Glyptocera	422	<i>gracilenta</i> Hübner, 2333 (Schinia).	
<i>gnaphaliella</i> Kearfott, 5522.		<i>gracilinotata</i> Guenée, 3348.	
<i>gnata</i> Grote, 1784.		<i>gracilior</i> Butler, 3511.	
<i>gnatheme</i> Boisduval, 89.		<i>gracilis</i> Grote & Robinson, 4302 (Blepharomastrix).	
Gnophæla	248	<i>gracilis</i> Edwards, 2905 (Catocala).	
<i>gnophosaria</i> Guenée, 3668 (Mac- aria).		<i>gracilis</i> Walsingham, 5857 (Depres- saria).	
<i>gnophosarium</i> Guenée, 3839 (Sel- dosema).		<i>gracilis</i> Zeller, 6118 (Heliozela).	
Gnorimoschema	502	<i>gracilis</i> Grote & Robinson, 655 (Hemaris).	
<i>gousal</i> Walker, 3036.		<i>gracilis</i> Grote, 6610 (Hepialus).	
<i>godarti</i> Perty, 56 (Gonepteryx).		<i>gracilis</i> Grote & Robinson, 212 (Polygonia).	
<i>godartii</i> Boisduval, 326 (Eumaenus).		<i>gracillaria</i> Packard, 3578.	
<i>goedartella</i> Linnens, 6458.		<i>gracillima</i> Grote, 2286.	
<i>goadustella</i> Chambers, 6458.		<i>gradata</i> Walker, 3673.	
<i>gaiiana</i> Linnaeus, 5411.		<i>gradutana</i> Walsingham, 5144.	
<i>golgata</i> Strecker, 3311.		<i>graefiana</i> Tepper, 2403 (Meliclep- tria).	
<i>gonella</i> Strecker, 2669.		<i>graefiana</i> Grote, 2236 (Scopelosoma).	
Gonepteryx	8	<i>graefiaria</i> Hulst, 3559 (Annemoria).	
Goniacialidia	298	<i>graefiaria</i> Hulst, 3763 (Caripeta).	
<i>goniata</i> Guenée, 4026.		<i>graefii</i> Hulst, 3880 (Acanthophora).	
Gonodontia	198	<i>graefii</i> Grote, 988 (Apatela).	
Gonodontis	338	<i>graefii</i> Hulst, 3324 (Eucymatoge).	
<i>goedellella</i> Chambers, 5659.			
<i>goedelliana</i> Fernald, 5261 (Aneylis).			

Page.	Page.
<i>graftii</i> Hy. Edwards, 196 (<i>Sanninoidaea</i>). <i>graftii</i> Packard, 4104 (<i>Tortricidiae</i>). Græperia 187 Grais 59 Grammatophora 311 Grammodes 234 <i>grandiflara</i> Walsingham, 5107. <i>grandiosa</i> Hulst, 3412. <i>grandipennis</i> Hulst, 3446 (<i>Ersephila</i>). <i>grandipennis</i> Grote, 1466 (<i>Peridroma</i>). <i>grandipuncta</i> Guenée, 2555. <i>grandirena</i> Haworth, 2769. <i>grandis</i> Strecker, 2289 (<i>Copablepharon</i>). <i>grandis</i> Hulst, 3325 (<i>Eucymatoge</i>). <i>grandis</i> Smith, 1377 (<i>Eutolype</i>). <i>grandis</i> Ehrman, 217 (<i>Euvanessa</i>). <i>grandis</i> Boisduval, 1800 (<i>Mamistra</i>). <i>grandis</i> Strecker, 4165 (<i>Melittia</i>). <i>grandis</i> Speyer, 1493 (<i>Noctua</i>). <i>grandis</i> Walsingham, 4948 (<i>Platypilia</i>). <i>grandis</i> Fish, 4979 (<i>Pterophorus</i>). <i>grandisella</i> Chambers, 6160 (<i>Mompha</i>). <i>grandisella</i> Chambers, 6198 (<i>Nepticula</i>). <i>granella</i> Linnaeus, 6506. <i>granitaria</i> Packard, 3531. <i>granitata</i> Guenée, 3647. <i>granitella</i> Ragonot, 4798. <i>granitosa</i> Guenée, 2717. <i>granulata</i> Neumoegen, 4135. <i>graphica</i> Hübner, 2781. <i>graphidiaria</i> Hulst, 3710. Graphiphora 165 Grapholita 469 Grapholitha 469 <i>grassata</i> Hulst, 3677. <i>grata</i> Fabricius, 2430 (<i>Euthisanotia</i>). <i>grata</i> Hübner, 1141 (<i>Oligia</i>). <i>gratana</i> Walker, 5331. <i>grataria</i> Fabricius, 3468. <i>gratata</i> Packard, 3568. <i>gratiosa</i> Reakirt, 82 (<i>Pyrisita</i>). <i>gratiosa</i> Clemens, 5027. <i>gratiosus</i> Fish, 4987 (<i>Pterophorus</i>). <i>gratulata</i> Walker, 3372. <i>gravilinaria</i> Andrews, 3864. <i>gravis</i> Grote, 1546 (<i>Feltia</i>). <i>gravis</i> Hy. Edwards, 789 (<i>Scepsis</i>). <i>gregariella</i> Murtfieldt, 6303. <i>grindelia</i> Walsingham, 6299. <i>griphalis</i> Hulst, 4534. <i>grisea</i> Walker, 1014 (<i>Apatela</i>). <i>grisea</i> Robinson, 5372 (<i>Archips</i>). <i>grisea</i> Neumoegen, 3213 (<i>Hypopacha</i>). <i>grisea</i> Packard, 824 (<i>Illice</i>). <i>grisea</i> Strecker, 3114 (<i>Odontosia</i>). <i>griseella</i> Chambers, 5805. <i>grisearia</i> Grote, 3863. <i>griseata</i> Smith, 1863. <i>griseicollis</i> Grote, 1362. <i>griseipennis</i> Grote, 2964. <i>grisella</i> Fabricius, 4636.7 (<i>Achroia</i>). <i>grisella</i> Dietz, 5954 (<i>Dryope</i>). <i>grisella</i> Chambers, 5804 (<i>Gelechia</i>). <i>griseothorax</i> Walsingham, 5036. <i>griseocapitana</i> Walsingham, 5181. <i>griseocapitella</i> Walsingham, 6619. <i>griseochrella</i> Chambers, 5806. <i>griseocincta</i> Harvey, 1998. <i>griseosparsa</i> Hampson, 4554. <i>griseous</i> Walsingham, 4989. <i>griseus</i> Walsingham, 6582 (<i>Hypocolpus</i>). <i>grissella</i> Chambers, 6164. <i>grissella</i> Chambers, 5805 (<i>Gelechia</i>). <i>grissella</i> Chambers, 6520 (<i>Tinea</i>). <i>grissella</i> Chambers, 5691 (<i>Ypsolophus</i>). <i>grisefasciella</i> Chambers, 5768. <i>granulandica</i> Homeyer, 3186 (<i>Gymnophora</i>). <i>granulandica</i> Zetterstedt, 1233 (<i>Hadena</i>). <i>grogue</i> Fabricius, 214. <i>grossipunctella</i> Ragonot, 4677. <i>grossularia</i> Packard, 4821. <i>grossulariata</i> Staudinger, 3690. <i>groteana</i> Bailey, 2852 (<i>Catocala</i>). <i>groteana</i> Fernald, 5339 (<i>Cenopsis</i>). <i>grotearia</i> Packard, 3974. <i>groteella</i> Robinson, 5890. <i>grotei</i> Boisduval, 953 (<i>Alypiodes</i>). <i>grotei</i> Hy. Edwards, 693 (<i>Cantethia</i>).	

INDEX TO SPECIFIC, GENERIC, AND FAMILY NAMES. 641

Page.		Page.
<i>grotei</i> Butler, 653 (Hemaris).		<i>gyralis</i> Hulst, 4412 (Phlyctenia).
<i>grotei</i> Grote & Robinson, 760 (Hemileuca).		<i>Gyrocheilus</i> 28
<i>grotei</i> Packard, 790 (Lycomorpha).		<i>Gyros</i> 212
<i>grotei</i> Morrison, 1380 (Psaphidia).		<i>habilis</i> Grote, 2887.
<i>groti</i> Ragonot, 4705 (Ulophora).		<i>habitatis</i> Walker, 2578.
<i>groti</i> Riley, 2092 (Xylina).		<i>Habrodias</i> 35
Grotella 183		<i>Habrosyne</i> 258
<i>grotella</i> Ragonot, 4731.		<i>Hadena</i> 113
<i>grumella</i> Zeller, 6507.		<i>Hadenella</i> 108
<i>grunus</i> Boisduval, 327.		<i>hadeniformis</i> Smith, 1847 (Mamestra).
<i>grynea</i> Cramer, 2902.		<i>hadeniformis</i> Behr, 2774 (Meliopotis).
<i>gryneus</i> Hübner, 362.		<i>hadinalis</i> Hulst, 4430.
<i>guadeloupe</i> Streeker, 322.		<i>hematrica</i> Zeller, 4911.
<i>guenearia</i> Packard, 3721.		Hæmatomonis 80
<i>gueneata</i> Packard, 3406 (Hydriomena).		Hæmatopsis 290
<i>gueneata</i> Packard, 3407 (Hydriomena).		<i>hesitans</i> Walker, 1439.
<i>gueneei</i> Grote, 2811.		<i>hesitata</i> Grote, 1027 (Apatela).
Gueneria 305		<i>hesitata</i> Guenée, 3439 (Gynsochroa).
<i>guettardella</i> Busck, 6406.		<i>hagenella</i> Chambers, 5901.
<i>guilandini</i> Busck, 5967 (Blastobasis).		<i>hageni</i> Grote, 723 (Ceratomia).
<i>guilandini</i> Busck, 6404 (Marmara).		<i>hageni</i> Edwards, 65 (Eurynnius).
<i>gularis</i> Grote, 1719.		<i>hageni</i> Frey & Boll, 6252 (Lithocolletes).
<i>gulnare</i> Streeker, 2265.		Halia 311
<i>gulosa</i> Hy. Edwards, 3189.		<i>haliaeta</i> Guenée, 3647.
<i>gulosalis</i> Hulst, 4420.		<i>halicarnis</i> Streeker, 727.
<i>gulosella</i> Hulst, 4718.		Halisdota 94
<i>guundachia</i> Poey, 79.		<i>hallipalpis</i> Riley, 5662.
<i>gurgitana</i> Robinson, 5357.		Hamadryas 525
<i>gussata</i> Smith, 1797.		<i>hamadryas</i> Harris, 4037.
<i>guttata</i> Hulst, 3793 (Alcis).		<i>hamadryella</i> Clemens, 6334.
<i>guttata</i> Boisduval, 873 (Platyprepia).		<i>hamameliella</i> Clemens, 5807.
<i>guttata</i> Grote, 2711 (Spragueia).		<i>hamamelis</i> Guenée, 1003.
<i>guttatus</i> Walsingham, 4984 (Pterophorus).		<i>hamaria</i> Guenée, 3944.
<i>guttifera</i> Herrich-Schaeffer, 922.		<i>hamellus</i> Thunberg, 4560.
<i>guttifinitella</i> Clemens, 6306.		<i>hamifera</i> Walker, 2487 (Autographa).
<i>guttivitta</i> Walker, 8141.		<i>hamifera</i> Grote, 2054 (Stretchia).
<i>guttula</i> Hy. Edwards, 2950.		<i>hammondi</i> Riley, 4845.
<i>guttulosa</i> Walker, 4437.		<i>hamo</i> Lucas, 447.
<i>gyas</i> Edwards, 445.		<i>hampsoni</i> Dyar, 857.
<i>gyasalis</i> Walker, 3054.		<i>hangia</i> Streeker, 2379.
<i>gyges</i> Hewitson, 197.		<i>hanhami</i> Hulst, 3547 (Eois).
Gymnocelis 269		<i>hanhami</i> Smith, 3038 (Philomethra).
Gynaephora 259		<i>hanino</i> Stoll, 447.
<i>gypsalis</i> Grote, 3027.		
<i>gypsata</i> Grote, 3265.		
Gynsochroa 286		
<i>gyralis</i> Hulst, 4489 (Nymphula).		

	Page.		Page.
Haploa	83	<i>haytiellus</i> Zincken, 4596.	
<i>hapsella</i> Hulst, 4778.		<i>hebesana</i> Walker, 5038.	
<i>hariolalis</i> Hulst, 4379.		<i>hebescella</i> Hulst, 4695.	
<i>harpalus</i> Edwards, 489.		<i>hebetella</i> Ragonot, 4910.	
Harpalyce	282	<i>hebitata</i> Hulst, 3657.	
Harpyia	256	<i>hebrava</i> Guenée, 1061.	
<i>harrisii</i> Edwards, 185 (Charidryas).		<i>hebraicum</i> Hübner, 1061.	
<i>harrisii</i> Scudder, 169 (Cinclidia).		<i>hecate</i> Butler, 3359.	
<i>harrisii</i> Walsh, 920 (Halisidota).		<i>heela</i> Lefèbre, 63.	
<i>harrisii</i> Dyar, 840 (Haploa).		<i>hectoides</i> Boisduval, 6615.	
<i>harrisii</i> Packard, 3141 (Heterocampa).		Hedylepta	376
<i>harrisii</i> Clemens, 725 (Lapara).		<i>hegesia</i> Cramer, 93.	
<i>harrisii</i> Grote, 2175 (Papaipema).		<i>hegon</i> Scudder, 463.	
<i>harrisii</i> Edwards, 206 (Polygonia).		<i>heidemanniella</i> Dietz, 5950.	
<i>harrisii</i> Boisduval, 902 (Pygoctenucha).		<i>heiligbrodtii</i> Harvey, 775.	
Harrisimemna	105	<i>hela</i> Strecker, 63.	
Harrisina	360	<i>helcita</i> Boisduval, 166 (Lemonias).	
<i>hartfordii</i> Hy. Edwards, 67.		<i>helcita</i> Hübner, 298 (Neonympha).	
<i>hartii</i> French, 3035.		<i>helcitalis</i> Walker, 4306.	
<i>hartmanni</i> French, 2129.		<i>helena</i> Edwards, 135 (Brenthis).	
<i>hartmanniana</i> Clemens, 5035.		<i>helena</i> Hulst, 3701 (Cynatophora).	
<i>harnispica</i> Grote, 1493 (Noctua).		<i>helena</i> Edwards, 74 (Euryalus).	
<i>harnispica</i> Grote & Robinson, 4450 (Pyrausta).		<i>helena</i> Reakirt, 60 (Zerene).	
<i>hurreiata</i> Packard, 3260.		<i>helene</i> Pilate, 2888.	
Harveya	233	Heliaca	194
<i>harveiana</i> Grote, 1001 (Apatela).		Heliades	400
<i>harveiana</i> Grote, 4401 (Phlyctenia).		<i>helianthana</i> Riley, 5186.	
<i>harveji</i> Grote, 1963.		<i>helianthi</i> Walsingham, 4967 (Pterophorus).	
<i>hasdrubal</i> Stoll, 685.		<i>helianthi</i> Hy. Edwards, 4242 (Sesia).	
<i>hasta</i> Guenée, 985.		<i>helianthi</i> Frey & Boll, 6439 (Tischeria).	
<i>hastata</i> Linnaeus, 3359.		<i>helianthoides</i> Mertfeldt, 4397.	
<i>hastiana</i> Linnaeus, 5309.		<i>helianthiella</i> Chambers, 6320.	
<i>hastiferella</i> Walker, 4807 (Etiella).		<i>helianthirorella</i> Chambers, 6320.	
<i>hastiferellus</i> Walker, 4558 (Crambus).		Helice	500
<i>hastingsii</i> Hy. Edwards, 2792.		Heliconidæ	32
<i>hastulata</i> Guenée, 3359 (Rheumaptera).		Heliocheilus	185
<i>hastulata</i> Hübner, 3359 (Rheumaptera).		Heliodes	193
<i>hastulifera</i> Smith & Abbot, 973.		Heliodines	537
<i>hausta</i> Grote, 1159.		Heliodora	187
<i>haustellata</i> Walsingham, 5843.		Heliolonche	193
<i>havilae</i> Grote, 1500.		Heliomata	304
<i>haydenata</i> Packard, 3800.		<i>heliopalpis</i> Clemens, 4497.	
<i>haydenella</i> Chambers, 5931.		Helioptetes	61
<i>haydenii</i> Edwards, 285.		Heliphana	193
<i>hayesi</i> Grote, 1324.		Heliphila	161
<i>hayhurstii</i> Edwards, 609.		<i>heliopsiella</i> Chambers, 6444.	
		<i>helios</i> Edwards, 413.	
		Helioscota	113
		Heliosea	193
		<i>heliothidata</i> Guenée, 3651.	

	Page.		Page.
Heliothis	185	<i>hermes</i> Edwards, 388.	
Heliotropha	123	<i>hermia</i> Hy. Edwards, 2853.	
Heliozela	538	<i>herminia</i> Guenée, 3225.	
<i>helialis</i> Walker, 3048.		<i>herminioides</i> Walker, 3009.	
<i>hellioides</i> Boisduval, 396.		<i>hermoder</i> Hy. Edwards, 2.	
Hellula	379	<i>hero</i> Morrison, 1460 (<i>Agrotis</i>).	
<i>helva</i> Grote & Robinson, 2230.		<i>hero</i> Hy. Edwards, 2898 (<i>Catocala</i>).	
<i>helvalis</i> Walker, 4412.		<i>herodias</i> Strecker, 2864.	
<i>helvia</i> Sondner, 160.		<i>herrii</i> Grinnell, 441.	
<i>helialis</i> Walker, 4351.		<i>hersilia</i> Cramer, 54.	
<i>helviolaria</i> Hulst, 3892.		<i>hersiliata</i> Guenée, 3383.	
<i>helvolalis</i> Maassen, 4342.		Hesperia	61
Hemaris	62	<i>hesperida</i> Smith, 974.	
Hemerocampa	259	<i>hesperiella</i> Hübner, 5504.	
Hemerophila	494	<i>hesperidis</i> Haworth, 5504.	
Hemiargus	45	Hesperiidæ	47
Hemiceras	257	<i>hesperis</i> Edwards, 107.	
<i>hemidesma</i> Zeller, 5041.		Hesperumia	320
Hemihyalea		<i>hesus</i> Westwood & Hewitson, 587.	
Hemileuca	74	Heterocampa	253
Hemimene		<i>heterodora</i> Smith, 1974.	
<i>hemina</i> Grote, 2086.		Heterogenea	357
<i>hemiochrellus</i> Zeller, 4602.		Heterogramma	245
<i>hemizonia</i> Hy. Edwards, 4203.		Heterographis	432
Hendecastema	485	<i>heteronea</i> Boisduval, 404.	
<i>henrici</i> Grote, 1049 (<i>Arsilonche</i>).		Heteropacha	263
<i>henrici</i> Grote, 4156 (<i>Hypopta</i>).		Heterophleps	269
<i>henrici</i> Grote & Robinson, 376 (In- cisalia).		Heteropia	57
<i>henrietta</i> Grote, 2304 (<i>Derrima</i>).		<i>heterotear</i> Frey & Boll, 6443.	
<i>henrietta</i> Smith, 1729 (<i>Paragrotis</i>).		<i>heuchera</i> Hy. Edwards, 4259.	
<i>henshawi</i> Edwards, 297 (Neonym- pha).		<i>hexadactyla</i> Linnaeus, 4997.	
<i>henshawi</i> Hy. Edwards, 4215 (Se- sia).		<i>hexaspilata</i> Walker, 3262.	
Heodes	41	<i>hexastylus</i> Harvey, 2923.	
<i>hepara</i> Grote, 2618.		Hexeris	361
<i>hepaticaria</i> Guenée, 3494.		<i>hiatus</i> Scudder, 543.	
Hepialidæ	580	Hibernia	330
Hepialus	580	<i>hibiscella</i> Busck, 5739.	
<i>heptathalama</i> Busck, 6169.		<i>hibisci</i> Guenée, 2040.	
<i>hera</i> Harris, 766.		<i>hieinalis</i> Grote, 1891.	
<i>heraclæi</i> Retzius, 5889.		<i>hieroglyphica</i> Hübner, 2432.	
<i>heracliana</i> De Geer, 5889.		<i>hilarella</i> Zeller, 5882.	
<i>heraldella</i> Guenée, 4807.		<i>hilaripennella</i> Treitschke, 6372.	
<i>herbacea</i> Guenée, 1415.		<i>hilaris</i> Fourcroy, 4141.	
<i>herbarum</i> Guenée, 2941.		<i>hilda</i> Quensel, 295.	
<i>herbicola</i> Boisduval, 2932.		Hillia	113
<i>herbiculata</i> Hulst, 3399.		<i>hilliana</i> Harvey, 1486.	
<i>herbinacula</i> Guenée, 1829.		<i>hilliata</i> Hulst, 3523.	
Herculia	399	<i>hillii</i> Grote, 2830 (<i>Catocala</i>).	
<i>herilis</i> Grote, 1540.		<i>hillii</i> Grote, 1153 (<i>Hadena</i>).	
<i>hermannella</i> Fabricius, 5573.		<i>hillii</i> Lintner, 2912 (<i>Hypocala</i>).	
		<i>hilunaria</i> Hulst, 3940.	
		Himella	165
		<i>himonialis</i> Zeller, 4523.	

	Page.		Page.
<i>hindia</i> Freneli, 2866.		Horisma	273
<i>hinna</i> Geyer, 2963.		Hormisa	242
<i>hipeana</i> Grote, 5083.		<i>hormos</i> Hübner, 2741.	
<i>hippalus</i> Edwards, 596.		Hormoschista	217
Hipparchiseus	302	Hornigia	436
Hippia	253	<i>horrida</i> Hübner, 2977.	
<i>hippolyta</i> Edwards, 103 (<i>Argynnis</i>).		<i>hortaria</i> Fabricius, 3864.	
<i>hippolyta</i> Hy. Edwards, 2834 (<i>Catocala</i>).		<i>hortensis</i> Blanchard, 93.	
<i>hippolyta</i> Lyman, 217 (<i>Euvanessa</i>).		<i>hortuellus</i> Hübner, 4579.	
<i>hireina</i> Morrison, 2256.		<i>hortulana</i> Morrison, 1547.	
<i>hireinalis</i> Grote, 4443.		<i>horus</i> Edwards, 540.	
<i>hirsutana</i> Walsingham, 5132.		<i>hospes</i> Walsingham, 5455.	
<i>hirtalis</i> Guenée, 4341.		<i>hospiata</i> Denis & Schiffermüller, 900.	
<i>hirtella</i> Grote & Robinson, 2322.		<i>hospitalis</i> Grote, 1482.	
<i>hirtipes</i> Grote, 1994.		<i>hospitella</i> Zeller, 4884.	
<i>historialis</i> Grote, 2582.		<i>hostia</i> Harvey, 2559.	
Historis	27	<i>houstoniana</i> Grote, 5398.	
<i>histrio</i> Grote, 2551.		<i>howardi</i> Hy. Edwards, 2446 (Basilodes).	
<i>hobomok</i> Harris, 484.		<i>howardi</i> Hy. Edwards, 3085 (Dartitis).	
<i>hochenwarthi</i> Hochenwarth, 2534.		<i>howardi</i> Dyar, 3206 (<i>Gloveria</i>).	
<i>hoffmanni</i> Strecker, 259.		<i>howardi</i> Skinner, 568 (<i>Phycanassa</i>)	
<i>hoffmanni</i> Behr, 166.		<i>howlandii</i> Grote, 2795.	
Holeocera	259	<i>hogi</i> Grote, 4040.	
<i>hollandaria</i> Hulst, 3573.		<i>hualapai</i> Neumoegen, 763.	
<i>hollandii</i> Edwards, 17.		<i>hubbardi</i> Dyar, 816 (<i>Bruceia</i>).	
<i>hollemani</i> Grote, 1593.		<i>hubbardi</i> Dyar, 775 (<i>Syssphinx</i>).	
<i>holoberba</i> Smith, 1689.		<i>huhueraria</i> Guenée, 4001.	
Holochroa	323	<i>hüblerata</i> Packard, 4001.	
<i>holocinerea</i> Smith, 2103.		<i>hübleri</i> Plotz, 566.	
Homaledra	543	<i>hudsoniana</i> Walker, 5309.	
Homochlodes	316	<i>hudsonica</i> Hy. Edwards, 952 (Alypia).	
Homochroa	380	<i>hudsonica</i> Grote & Robinson, 2799 (Syneda).	
<i>homodactylus</i> Walker, 4962.		<i>hugo</i> Doubleday & Hewitson, 333.	
Homæosoma	434	<i>hugon</i> Godart, 333.	
<i>homogena</i> Grote, 1335.		<i>hulta</i> Edwards, 38.	
Homoglæa	182	Hulstea	432
<i>Homohadena</i>	124	<i>hulstellus</i> Beutenmüller, 6587 (<i>Aerolophus</i>).	
<i>Homophoberia</i>	233	<i>hulstellus</i> Fernald, 4593 (<i>Crambus</i>).	
Homophysa	371	<i>hulstia</i> Tepper, 2326.	
Homopyralis	218	<i>hulstiana</i> Dyar, 3576.	
Homoptera	239	<i>hulstiella</i> Ragonot, 4810.	
<i>homopterooides</i> Hulst, 3832.		<i>hulstii</i> Edwards, 241 (<i>Basilarchia</i>).	
Homosassa	440	<i>hulstii</i> Grote, 1223 (<i>Hadena</i>).	
<i>homuraria</i> Grote, 3941.		<i>hulstii</i> Cockerell, 4842 (<i>Lætilia</i>).	
<i>honesta</i> Walker, 2202 (<i>Jodia</i>).		<i>humarium</i> Guenée, 3838.	
<i>honesto</i> Grote, 2405 (<i>Melicleptria</i>).		<i>humeralis</i> Walker, 3886.	
<i>honestaria</i> Walker, 4001.		<i>humarella</i> Ragonot, 4662.	
Honora	432	<i>humerosana</i> Clemens, 5429.	
<i>hoffmieri</i> Grote & Robinson, 3087.			
Horama	77		
<i>horariama</i> Walsingham, 5414.			
<i>horatius</i> Scudder & Burgess, 627.			

	Page.		Page.
<i>humilis</i> Lederer, 4410.		Hyparpax	256
<i>humilis</i> Walsingham, 6479 (<i>Incur-</i> <i>varia</i>).		<i>hypatalis</i> Walker, 4401.	
<i>humilis</i> Ragonot, 4804 (<i>Lipogra-</i> <i>phis</i>).		Hypatima	528
<i>humilis</i> Walker, 3151 (<i>Schizukra</i>).		Hypatus	34
<i>humilis</i> Zeller, 5836 (<i>Stenoma</i>).		Hypaurotis	35
<i>humuli</i> Harris, 3080 (<i>Hypena</i>).		Hypena	247
<i>humuli</i> Harris, 335 (<i>Uranotes</i>).		Hypeninæ	240
<i>hunlera</i> Fabricius, 220.		Hypenula	243
<i>hunteri</i> Hübner, 220.		Hypepirritis	273
<i>huron</i> Edwards, 512.		Hyperescha	251
<i>huronalis</i> Guenée, 4340.		<i>hyperbola</i> Slosson, 734.	
Hyale	505	<i>hyperborea</i> Curtis, 870 (<i>Hypo-</i> <i>raia</i>).	
<i>hyalina</i> Hulst, 3250 (<i>Eudule</i>).		<i>hyperborea</i> Hulst, 3241 (<i>Rachela</i>).	
<i>hyalinata</i> Linnaeus, 4320.		<i>hyperboreæ</i> Hulst, 4012 (<i>Tetracis</i>).	
<i>hyalinutalis</i> Guenée, 4320.		<i>hyperborealis</i> Möschler, 4404.	
<i>hyalinopunctata</i> Packard, 3091.		<i>hyperboreata</i> Staudinger, 3273.	
<i>hyalinus</i> Walsh, 4089 (<i>Phobetron</i>).		<i>hyperboreus</i> Möschler, 6608 (<i>Hepi-</i> <i>alus</i>).	
Hyaloscotes	354	<i>hyperici</i> Hy. Edwards, 4201 (<i>Sesia</i>).	
Hyamia	218	<i>hyperici</i> Boisduval & Le Conte, 335 (<i>Uranotes</i>).	
<i>hyantis</i> Edwards, 44.		Hyperitis	337
Hybernia	330	Hyperythra	344
Hyblaæ	219	Hyphantria	86
Hyboma	99	Hyphoraia	88
<i>hybrida</i> Fabricius, 2952 (<i>Ophide-</i> <i>res</i>).		Hypocala	232
<i>hybrida</i> Butler, 836 (<i>Utetheisa</i>).		<i>hypocastrina</i> Poda, 4141.	
<i>hybridalis</i> Hübner, 4342.		Hypocharcia	428
Hybroma	574	<i>hypocharciella</i> Ragonot, 4737.	
<i>hybromella</i> Chambers, 6545.		<i>hypocharria</i> Herrich-Schaeffer, 3941.	
<i>hydaspe</i> Boisduval, 109.		Hypocephalus	577
<i>hydrangiella</i> Chambers, 6123.		Hypoerisias	94
Hydria	276	Hypogramma	222
Hydiomena	282	Hypolais	386
Hydiomeninæ	266	<i>hypnomentana</i> Walsingham, 5156.	
Hydriris	373	Hypopacha	262
Hydrocampa	395	<i>hypophleas</i> Boisduval, 399.	
Hydroelia	275	Hypoprepia	80
<i>hydroneili</i> Harvey, 3130.		Hypopta	363
<i>hyemalis</i> Stretch, 4047.		Hyppa	121
<i>hygiva</i> Heydenreich, 217.		Hypsopygia	398
Hylæa	334	Hypsoridra	344
<i>hylaus</i> Drury, 719.		Hypsoropha	219
<i>hylas</i> Edwards, 208.		Hypsotropa	439
<i>hylas</i> Edwards, 479.		Hyria	295
Hylephilæ	51	Hysterosia	489
Hylesia	75	Hystricophora	464
<i>hyllalis</i> Walker, 4513.		<i>hystriculella</i> Hulst, 4682.	
<i>hylotomiformis</i> Walker, 4197.		Ianassa	255
Hymenia	373	<i>ianthe</i> Edwards, 395.	
<i>hypothrata</i> Grote, 3674.		<i>iaspis</i> Guenée, 1067.	
Hyanartia	24		

	Page.		Page.
<i>icarioides</i> Boisduval, 408.		<i>illudens</i> Walker, 967.	
<i>icciusalis</i> Walker, 4487.		<i>illustraria</i> Hulst, 3600.	
<i>icelus</i> Lintner, 618.		<i>illuvialium</i> Ragonot, 4867.	
<i>icerayella</i> Riley, 5974.		<i>imbraria</i> Guenée, 4007.	
<i>ida</i> Hulst, 3762.		<i>imbrifera</i> Guenée, 1774.	
<i>idvensalis</i> Smith, 3075 (Bomolocha).		<i>imbutata</i> Hübner, 3259.	
<i>idvensalis</i> Walker, 3078. 1 (Bomolocha).		<i>imitata</i> Walker, 3797 (Alcis).	
<i>idaho</i> Edwards, 487.		<i>imitata</i> Strecker, 170 (Cinclidia).	
<i>idahoensis</i> Grote, 1720.		<i>imitata</i> Hy. Edwards, 4013 (Sabulodes).	
<i>idalia</i> Drury, 95.		<i>imitata</i> Hy. Edwards, 4207 (Sesia).	
<i>idalis</i> Fernald, 4627.		<i>imitatorella</i> Chambers, 6508.	
<i>idas</i> Cramer, 589.		<i>imitella</i> Stretch, 2719.	
Ide	519	<i>immaculalis</i> Harvey, 2583 (Pleonectoptera).	
<i>ideata</i> Walker, 3463.		<i>immaculalis</i> Hulst, 2565 (Reabotis).	
Idioglossa	539	<i>immaculata</i> Jewett, 772 (Adeloccephala).	
Idiographis	499	<i>immaculata</i> Grote, 2270 (Cea).	
Idiostoma	539	<i>immaculata</i> Reakirt, 833 (Eubaphne).	
<i>idonea</i> Grote, 1243.		<i>immaculata</i> Graef, 936 (Eupsendosoma).	
<i>iduata</i> Guenée, 3463.		<i>immaculata</i> Morrison, 2233 (Orthosia).	
<i>iduna</i> Edwards, 290.		<i>immaculata</i> Skinner & Aaron, 40 (Pontia).	
<i>ignea</i> Grote, 2533.		<i>immaculata</i> Skinner, 3443 (Psychophora).	
<i>ignidorsella</i> Ragonot, 4863.		<i>immaculatella</i> Chambers, 6239 (Buculatrix).	
<i>igninix</i> Walker, 5480.		<i>immaculatella</i> Chambers, 6110 (Seythris).	
<i>ignobilisella</i> Chambers, 6161.		<i>immanata</i> Haworth, 3380.	
<i>ignota</i> Frey & Boll, 6320.		<i>immanis</i> Grote, 2165.	
<i>ignotaria</i> Walker, 3479.		<i>immediata</i> Grote, 3404.	
<i>ilaire</i> Godart, 30.		<i>immerens</i> Harvey, 4395.	
<i>ilaria</i> Beutenmüller, 361.		<i>immersata</i> Walker, 3748.	
<i>ilia</i> Cramer, 2865.		<i>immixta</i> Grote, 1523.	
<i>ilioneus</i> Smith & Abbot, 13.		<i>immixtalis</i> Grote, 4400.	
<i>illabefacta</i> Morrison, 1823.		<i>immortua</i> Grote, 2395.	
<i>illapsa</i> Walker, 1514.		<i>immundella</i> Hulst, 4676.	
<i>illata</i> Walker, 1719.		<i>inova</i> Strecker, 2004.	
<i>illaudabilis</i> Grote, 1837.		<i>imparata</i> Walker, 3477.	
<i>illaudatum</i> Walker, 3838.		<i>impartialis</i> Harvey, 2956.	
<i>illecta</i> Walker, 2881.		<i>impartiprata</i> Walker, 3439 (Gypsochroa).	
<i>illepida</i> Grote, 1267.		<i>imperiprata</i> Walker, 3513 (Lepomeris).	
<i>illibalis</i> Hübner, 4437.		<i>impecuniosa</i> Grote, 2188.	
<i>illibella</i> Hulst, 4924.		<i>imperator</i> Strecker, 728.	
Illice	81	<i>imperatoria</i> Smith & Abbot, 778.	
<i>illicitella</i> Clemens, 6081.			
<i>illinois</i> Dodge, 555.			
<i>illinoiensis</i> French, 2225.			
<i>illita</i> Smith, 1040.			
<i>illiterata</i> Grote, 2225.			
<i>illiturata</i> Walker, 4027.			
<i>illiturbata</i> Guenée, 4027.			
<i>ilocata</i> Walker, 1277 (Dryobota).			
<i>ilocata</i> Hulst, 3451 (Petrophora).			
<i>illotana</i> Walsingham, 5138.			

Page.	Page.
<i>imperfecta</i> Smith, 1981 (Heliophila).	<i>incarnana</i> Haworth, 5220.
<i>imperfecta</i> Hy. Edwards, 4228 (Sesia).	<i>incarnata</i> Walker, 901.
<i>imperfectaria</i> Walker, 3858.	<i>incarnatorubra</i> Goeze, 882.
<i>imperialis</i> Drury, 778.	<i>incantellus</i> Zeller, 4781.
<i>imperita</i> Hübner, 1421.	<i>incensalis</i> Lederer, 4414.
<i>imperspicua</i> Strecker, 2362.	<i>incephalit</i> Walker, 3703.
<i>impigratella</i> Clemens, 5513.	<i>incertana</i> Clemens, 5421.
<i>impingens</i> Walker, 1936.	<i>incertata</i> Walker, 3568.
<i>impleta</i> Walker, 1039 (Apatela.)	<i>incertella</i> Chambers, 6471 (Acrolepia).
<i>impleta</i> Walker, 3327 (Eucymatoge).	<i>incertella</i> Zincken, 4550 (Mesolia).
<i>impletella</i> Zeller, 4832.	<i>incipita</i> Morrison, 2018.
<i>implexana</i> Walker, 5310.	<i>incisa</i> Harvey, 4078.
<i>implicata</i> Guenée, 3375 (Mesoleuca).	Incisalia 39
<i>implicata</i> Villiers, 3459 (Petrophora).	Ineita 208
<i>implicata</i> Walker, 3271 (Tephroclystis).	<i>inciris</i> Guenée, 1468.
<i>implora</i> Grote, 2620.	<i>inclar</i> Smith, 1026 (Apatela).
<i>implorata</i> Hulst, 3318.	<i>inclar</i> Strecker, 2369 (Schinia).
<i>impluiata</i> Borkhausen, 3337 (Epirrita).	<i>inclinata</i> Zeller, 5142.
<i>impluriata</i> Denis & Schiffermüller, 3388 (Hydriomena).	<i>inclinatoria</i> Walker, 3331.
<i>impoluta</i> Morrison, 1852.	<i>includens</i> Walker, 2487 (Autographa).
<i>impositella</i> Zeller, 6110.	<i>includens</i> Walker, 2617 (Erastria).
<i>impressa</i> Walker, 1031.	<i>inclusa</i> Hübner, 3094.
<i>impressale</i> Hulst, 4864.	<i>inclusaria</i> Walker, 3521 (Eois).
<i>improba</i> Butler, 140.	<i>inclusaria</i> Walker, 3571 (Racheospila).
<i>improbata</i> Walker, 5133.	<i>incognita</i> Smith, 1764.
<i>impropria</i> Hy. Edwards, 4203.	<i>incoloraria</i> Walker, 3619.
<i>impropriata</i> Walker, 3803.	<i>incomitata</i> Harvey, 1316.
<i>improris</i> Hy. Edwards, 3184.	<i>incompleta</i> Butler, 895.
<i>impudens</i> Walsingham, 5073.	<i>inconcinna</i> Harvey, 1521 (Chorizogrosis).
<i>impulta</i> Guenée, 1231.	<i>inconcinna</i> Smith, 1913 (Scotogramma).
<i>inequaliata</i> Packard, 3253.	<i>inconcinnalis</i> Lederer, 4440.
<i>inquepunctella</i> Chambers, 5667.	<i>inconclusana</i> Walker, 5402.
<i>inuamocella</i> Zeller, 6550.	<i>inconditana</i> Walsingham, 5351.
<i>inuma</i> Robinson, 5309.	<i>inconditella</i> Ragonot, 4759.
<i>inaptata</i> Walker, 3700.	<i>inconditus</i> Walsingham, 4975.
<i>inatomaria</i> Guenée, 3981.	<i>incongruaria</i> Hulst, 3987 (Metanema).
<i>inca</i> Dyar, 1072.	<i>incongruella</i> Hulst, 4893 (Urula).
<i>incallida</i> Smith, 1660 (Paragrotis).	<i>inconspicua</i> Hulst, 3263 (Chloroclystis).
<i>incallida</i> Walker, 1212 (Hadena).	<i>inconspicua</i> Smith, 1154 (Hadena).
<i>incana</i> Hy. Edwards, 1082 (Acopa).	<i>inconspicua</i> Grote, 2062 (Tricholita).
<i>incana</i> Edwards, 258 (Cereyonis).	<i>inconspicualis</i> Grote, 3028.
<i>incanana</i> Clemens, 5228.	<i>inconspicuella</i> Murtfeldt, 5617.
<i>incandescens</i> Grote, 2778.	<i>inconstans</i> Geyer, 3435 (Emplozia).
<i>incanella</i> Hulst, 4797 (Epischnia).	<i>inconstans</i> Stainton, 6354 (Gracilaria).
<i>incanella</i> Walsingham, 6272 (Lithocolletes).	
<i>incarcerata</i> Boisduval, 3092.	

Page.	Page.
<i>inconstans</i> Grote, 1318 (<i>Homohadena</i>).	<i>indistinctalis</i> Warren, 4408 (<i>Phlyctenia</i>).
<i>inconstans</i> Guenée, 2764 (<i>Panula</i>).	<i>indivisalis</i> Grote, 3055.
<i>incopriaria</i> Hulst, 3820.	<i>indivisa</i> Walker, 5417.
<i>incopularia</i> Guenée, 4006.	<i>indocilis</i> Walker, 1217.
<i>incorrupta</i> Hy. Edwards, 888.	<i>indoctoria</i> Walker, 3493.
<i>incoruscella</i> Hulst, 4787.	<i>indoctrinata</i> Walker, 3327.
<i>increta</i> Morrison, 1023.	<i>indotatellus</i> Walker, 4359.
<i>increta</i> Hulst, 4641.	<i>indra</i> Reakirt, 20.
<i>incubita</i> Smith, 1650.	<i>indubitata</i> Grote, 3417.
<i>inculta</i> Hy. Edwards, 180.	<i>inducta</i> Walker, 1649.
<i>incursaria</i> Herrich-Schaeffer, 3449.	<i>inductata</i> Guenée, 3546.
<i>incursata</i> Hübner, 3449.	<i>indurata</i> Smith, 1903.
<i>incurva</i> Hy. Edwards, 3215 (<i>Malaeosoma</i>).	<i>induta</i> Harvey, 1315.
<i>incurva</i> Smith, 1834 (<i>Mamestra</i>).	<i>ineffusaria</i> Guenée, 4007.
<i>Incurvaria</i> 569	<i>inelegans</i> Smith, 1402.
<i>incurvata</i> Guenée, 4026.	<i>incepta</i> Hy. Edwards, 2745.
<i>inecusalis</i> Grote, 2580.	<i>inermis</i> Harris, 1467.
<i>indeclinata</i> Walker, 3941.	<i>ines</i> Edwards, 369.
<i>indecorana</i> Zetterstedt, 5299.	<i>inexacta</i> Walker, 2950.
<i>indentalis</i> Grote, 4361.	<i>inxpertana</i> Walker, 5038.
<i>indentata</i> Packard, 3092 (<i>Melalophia</i>).	<i>inestrictata</i> Walker, 3614 (<i>Mellilla</i>).
<i>indentata</i> Harvey, 2923 (<i>Remigia</i>).	<i>inestrictata</i> Walker, 1649 (<i>Paragrotis</i>).
<i>indefinita</i> Boisduval, 4079.	<i>infans</i> Möschler, 4037.
<i>indefinitata</i> Walker, 1413 (<i>Adelphagrotis</i>).	<i>infausta</i> Walker, 1702.
<i>indefinitata</i> Walker, 3141 (<i>Heterocampa</i>).	<i>infecta</i> Walker, 1829.
<i>indiana</i> Grote, 3122.	<i>infectata</i> Walker, 3668.
<i>indicans</i> Walker, 1837.	<i>infelix</i> Smith, 1726 (<i>Paragrotis</i>).
<i>indicata</i> Fabricius, 4299.	<i>infelix</i> Guenée, 1118 (<i>Perigea</i>).
<i>indicatalis</i> Walker, 4807.	<i>infensata</i> Guenée, 4005.
<i>indicataria</i> Walker, 3848.	<i>inferior</i> Grote, 3050 (<i>Bleptina</i>).
<i>indigenella</i> Zeller, 4704.	<i>inferior</i> Hulst, 3264 (<i>Gymnocelis</i>).
<i>indigenus</i> Walker, 1088.	<i>inferior</i> Smith, 2048 (<i>Stretchia</i>).
<i>indigna</i> Walker, 2498.	<i>infernalis</i> Strecker, 776.
<i>indirecta</i> Grote, 1157 (<i>Hadena</i>).	<i>inficita</i> Walker, 2551.
<i>indirecta</i> Walker, 1649 (<i>Paragrotis</i>).	<i>infidelis</i> Grote, 1886.
<i>indirecta</i> Walker, 2236 (<i>Scopelosoma</i>).	<i>infinalis</i> Guenée, 4317.
<i>indiscreta</i> Hy. Edwards, 2916.	<i>infimata</i> Guenée, 3668.
<i>indiscretata</i> Hy. Edwards, 3938.	<i>infinitatis</i> Grote, 1450.
<i>indiscriminaria</i> Walker, 3561.	<i>infimella</i> Ragonot, 4881.
<i>indistincta</i> Hy. Edwards, 3091 (<i>Apatelodes</i>).	<i>infirma</i> Hy. Edwards, 4207.
<i>indistincta</i> Hulst, 3447 (<i>Ersephila</i>).	<i>infixa</i> Walker, 1313.
<i>indistincta</i> Smith, 1279 (<i>Hyppa</i>).	<i>infiraria</i> Walker, 3860.
<i>indistinctalis</i> Walker, 4342 (<i>Nomophila</i>).	<i>inflatella</i> Clemens, 5519.
	<i>infusa</i> Morrison, 1304.
	<i>infraacta</i> Morrison, 1624.
	<i>infrequentata</i> Haworth, 3373.
	<i>infraactuosa</i> Walker, 1890.
	<i>infalata</i> Grote, 3611.
	<i>infumata</i> Grote, 2217.
	<i>infumatana</i> Zeller, 5358.

Page.	Page.
<i>infumataria</i> Grote, 3816.	<i>inornata</i> Grote, 2269 (Trichocosmia).
<i>infusa</i> Smith, 1725.	<i>inornatalis</i> Walker, 4352 (Loxostege).
<i>infuscana</i> Walsingham, 5195.	<i>inornatalis</i> Fernald, 4461 (Pyrausta).
<i>infuscata</i> Tengström, 3379 (Meso-leuca).	<i>inornatana</i> Clemens, 5024.
<i>infuscata</i> Smith, 1908 (Scotogramma).	<i>inornatella</i> Chambers, 6022 (Coleophora).
<i>infuscatella</i> Clemens, 6021.	<i>inornatella</i> Chambers, 6082 (Elachista).
<i>ingeniculata</i> Smith, 1456 (Agrotis).	<i>inornatella</i> Chambers, 6181 (Eulyonetia).
<i>ingeniculata</i> Morrison, 2791 (Syneda).	<i>inornatella</i> Hulst, 4834 (Euzophera).
<i>ingenita</i> Hy. Edwards, 4113.	<i>inornatella</i> Chambers, 6372 (Gracilaria).
<i>ingens</i> Hy. Edwards, 932.	<i>inornatellus</i> Clemens, 4580 (Crambus).
<i>ingenua</i> Walker, 2915.	<i>inornatellus</i> Walker, 4610 (Crambus).
<i>ingrata</i> Felder, 82.	<i>inotabilis</i> Grote, 1413.
<i>ingravis</i> Smith, 1798.	<i>inquadrata</i> Walsingham, 5008.
<i>inguinalis</i> Guenée, 4294.	<i>inquisitoria</i> Grote & Robinson, 2172.
<i>Ingura</i>	<i>inquietaria</i> Walker, 5074.
<i>Inguromorpha</i>	<i>inquiliella</i> Ragonot, 4740.
<i>inimicella</i> Zeller, 5078.	<i>inquinaria</i> Hulst, 3733.
<i>inuexa</i> Grote, 1843.	<i>inquinata</i> Guenée, 2155 (Nonagria).
<i>innocuella</i> Zeller, 5701.	<i>inquinatalis</i> Zeller, 4403.
<i>innominata</i> Smith, 2095.	<i>inquivatus</i> Zeller, 4990 (Pterophorus).
<i>innotata</i> Guenée, 988.	<i>insciens</i> Walker, 2040.
<i>innotellus</i> Walker, 4580.	<i>inscripta</i> Walsingham, 5615 (Paralechia).
<i>innubens</i> Guenée, 2866.	<i>inscriptata</i> Donovan, 3337.
<i>inopiana</i> Haworth, 5472.	<i>inscriptum</i> Harris, 669 (Deildamia).
<i>inopinatus</i> Hy. Edwards, 907 (Am-malo).	<i>insequalis</i> Guenée, 4454.
<i>inopinatus</i> Smith, 1494 (Noctua).	<i>inserrata</i> Walsingham, 5656.
<i>inops</i> Grote, 2224.	<i>insertans</i> Smith, 1576.
<i>inordinaria</i> Walker, 3647.	<i>insignata</i> Cotes & Swinhoe, 1103 (Caradrina).
<i>inordinata</i> Morrison, 1252.	<i>insignata</i> Walker, 1227 (Hadena).
<i>inornata</i> Edwards, 125 (Argynnis).	<i>insignata</i> Walker, 1707 (Paragrotis).
<i>inornata</i> Edwards, 284 (Coenonympha).	<i>insignilis</i> Guenée, 4448.
<i>inornata</i> Grote, 2696 (Fruva).	<i>insignis</i> Walsingham, 6255 (Lithocleletes).
<i>inornata</i> Beutennüller, 3191 (Hemerocampa).	<i>insignis</i> Frey & Boll, 6428 (Phyllocoptis).
<i>inornata</i> Neumoegen, 3093 (Mela-lophia).	<i>insignis</i> Walker, 2464 (Plusiodonta).
<i>inornata</i> Grote, 1295 (Pyrophila).	<i>insignisella</i> Walker, 6495.
<i>inornata</i> Walsingham, 5895 (Semi-scopis).	<i>insignitalis</i> Guenée, 4448.
<i>inornata</i> Grote & Robinson, 4087 (Sisyrosea).	<i>insinuaria</i> Guenée, 3934.
<i>inornata</i> Hulst, 3895 (Stergamma-taea).	
<i>inornata</i> Hulst, 3281 (Tephroclytis).	
<i>inornata</i> Grote & Robinson, 347 (Theela).	

Page.	Page.
<i>insipida</i> Strecker, 1108.	<i>intermedia</i> Butler, 836 (<i>Utetheisa</i>).
<i>insita</i> Walker, 979.	<i>intermedialis</i> Walker, 4520.
<i>insiticiana</i> Zeller, 5287.	<i>intermediata</i> Guenée, 3376.
<i>insolabilis</i> Guenée, 2821 (<i>Catocala</i>).	<i>intermediella</i> Busek, 6427.
<i>insolabilis</i> Hulst, 3283 (<i>Tephroclystis</i>).	<i>intermedius</i> Riley, 6565 (<i>Prodoxus</i>).
<i>insolens</i> Grote, 1777.	<i>intermicata</i> Walker, 3893.
<i>insolita</i> Grote, 1043 (<i>Apatela</i>).	<i>intermidella</i> Chambers, 5576.
<i>insolita</i> Smith, 2491 (<i>Autographa</i>).	<i>interminaria</i> Grote, 3893.
<i>insolita</i> Lintner, 707 (<i>Sphinx</i>).	<i>interminellus</i> Walker, 4604.
<i>insperata</i> Grote, 2748.	<i>intermistana</i> Clemens, 5028.
<i>inspergella</i> Ragonot, 4925.	<i>internata</i> Packard, 3128 (<i>Dasylophia</i>).
<i>instabilis</i> Mann, 5490.	<i>internata</i> Grote, 1289 (<i>Trachea</i>).
<i>instabilis</i> Fitch, 2040.	<i>interoceania</i> Smith, 2162.
<i>instrutana</i> Claypole, 5232 (<i>Epinotia</i>).	<i>interpositella</i> Frey & Boll, 6381.
<i>instrutana</i> Clemens, 5064 (<i>Olethreutes</i>).	<i>interpuncta</i> Grote, 3062.
<i>insueta</i> Guenée, 1975.	<i>interpunctella</i> Hübner, 4890.
<i>insularia</i> Guenée, 3477.	<i>interrogationis</i> Fabricius, 205.
<i>insularis</i> Grote, 1405 (<i>Rhynebagrotis</i>).	<i>interrupta</i> Guenée, 991 (<i>Apatela</i>).
<i>insularis</i> Vollenhoven, 736 (<i>Philosamia</i>).	<i>interrupta</i> Zeller, 4485 (<i>Lineodes</i>).
<i>insulata</i> Walker, 906.	<i>interrupta</i> Walsingham, 5508 (<i>Plutella</i>).
<i>insulidens</i> Bird, 2190.1.	<i>interruptaria</i> Grote, 3824.
<i>insulsa</i> Walker, 1103 (<i>Caradrina</i>).	<i>interruptella</i> Ragonot, 4638.
<i>insulsa</i> Walker, 1707 (<i>Paragrotis</i>).	<i>interruptofasciata</i> Robinson, 5451 (<i>Phalonia</i>).
<i>intactana</i> Walsingham, 5444.	<i>interruptofasciata</i> Packard, 3278 (<i>Tephroclystis</i>).
<i>integerrima</i> Walker, 2957 (<i>Campometra</i>).	<i>interruptolineana</i> Fernald, 5040.
<i>integerrima</i> Grote & Robinson, 3108 (<i>Datana</i>).	<i>interruptomarginata</i> De Beauvois, 838.
<i>integerrima</i> Harris, 733 (<i>Paonia</i>).	<i>interruptus</i> Grote, 4583 (<i>Crambus</i>).
<i>integra</i> Zeller, 4484.	<i>interstinctana</i> Clemens, 5270.
<i>integvaria</i> Walker, 3636.	<i>intestinata</i> Guenée, 3327.
<i>intenta</i> Walker, 2992.	<i>intexta</i> Harvey, 2258.
<i>intentata</i> Walker, 3623 (<i>Deilinia</i>).	<i>intextata</i> Walker, 3859.
<i>intentata</i> Smith, 1860 (<i>Mamestrina</i>).	<i>intrabilis</i> Smith, 2374.
<i>intercalaris</i> Grote, 2762.	<i>intractaria</i> Walker, 3862 (<i>Ectropis</i>).
<i>interior</i> Scudder, 71.	<i>intractarium</i> Walker, 3838 (<i>Selidosema</i>).
<i>interjacens</i> Grote, 2301.	<i>intractata</i> Morrison, 2007 (<i>Himella</i>).
<i>interjecta</i> Dyar, 4077.	<i>intractata</i> Walker, 1489 (<i>Noctua</i>).
<i>interlinearia</i> Guenée, 4007.	<i>intractella</i> Walker, 4354.
<i>intermedia</i> Stretch, 877 (<i>Apantesis</i>).	<i>intraritum</i> Guenée, 3838.
<i>intermedia</i> Speyer, 2132 (<i>Cueullia</i>).	<i>intricatellis</i> Lederer, 4411.
<i>intermedia</i> Strecker, 440 (<i>Cyaniris</i>).	<i>intrita</i> Morrison, 1692.
<i>intermedia</i> Kirby, 670 (<i>Deilephila</i>).	<i>introferens</i> Grote, 1518.
<i>intermedia</i> Graef, 829 (<i>Eubaphe</i>).	<i>intrusa</i> Smith, 1712.
<i>intermedia</i> Cockerell, 65 (<i>Euryimus</i>).	<i>intrusata</i> Walker, 3370.
<i>intermedia</i> Fitch, 3190 (<i>Hamero-campa</i>).	<i>inulta</i> Grote, 2247.
<i>intermedia</i> Frey & Boll, 6301 (<i>Lithocolletes</i>).	<i>inusitata</i> Hy. Edwards, 4216.
	<i>inusitatumurilla</i> Chambers, 6392.

Page.	Page.
<i>inusta</i> Guenée, 2268.	<i>irrorata</i> Smith, 2000 (Orthodes).
<i>inutilis</i> Hy. Edwards, 6615.	<i>irrorata</i> Grote, 2935 (Poaphila).
<i>invalida</i> Smith, 1799.	<i>irrorata</i> Packard, 3655 (Sciagrapdia).
<i>invariata</i> Walker, 3477.	<i>irroratana</i> Walsingham, 5105.
<i>inventaria</i> Grote, 3373.	<i>irroratella</i> Walsingham, 6023.
<i>invenusta</i> Grote, 1513.	<i>irrocea</i> Robinson, 5350.
<i>invenustalis</i> Walker, 4280.	<i>irus</i> Godart, 374.
<i>inversa</i> Packard, 3094.	<i>isabella</i> Clemens, 6124 (Antispila).
<i>inversella</i> Zeller, 5665.	<i>isabella</i> Smith & Abbot, 859 (Arachnids).
<i>inverxana</i> Walker, 5380.	<i>isabella</i> Hy. Edwards, 2897 (Catocala).
<i>inxerata</i> Walker, 3911.	Isia 86
<i>invicta</i> Walsingham, 5157.	<i>islandica</i> Staudinger, 1728.
<i>invictalis</i> Hulst, 4406.	<i>isimaura</i> Boisduval & Le Conte, 186.
<i>inviolata</i> Hulst, 3995.	Isochætes 356
<i>invisalis</i> Guenée, 4265.	Isogona 219
<i>involuta</i> Walker, 2986 (Homoptera).	<i>isola</i> Reakirt, 444.
<i>involuta</i> Dyar, 4054 (Nola).	<i>isophthalma</i> Herrich-Schaeffer, 449.
<i>involutellus</i> Clemens, 4567.	<i>issabella</i> Chambers, 6124.
<i>involutum</i> Sepp, 936 (Eupseudosoma).	<i>istupa</i> Reakirt, 366.
<i>io</i> Fabricius, 753 (Automeris).	Itama 311
<i>io</i> Boisduval, 733 (Paonias).	<i>itata</i> Smith, 2085.
<i>iochroa</i> Zeller, 6553.	<i>itealis</i> Walker, 4491.
<i>iola</i> Boisduval, 41 (Nathalis).	<i>ithare</i> Bentemüller, 4226.
<i>iola</i> Grote, 1116 (Perigea).	Ithobalus 4
<i>iola</i> Cramer, 220 (Vanessa).	Ithomiidæ 33
<i>iowa</i> Scudder, 572.	Ithusia 329
Iphidicles 182	<i>itodes</i> Smith, 1664.
<i>iphitalis</i> Walker, 4633.	<i>itys</i> Edwards, 341.
Ipmorpha 2	<i>itysalis</i> Walker, 4404.
<i>ipomare</i> Busek, 6067 (Cosmopteryx).	<i>itzalana</i> Strecker, 4161.
<i>ipomare</i> Doubleday, 3148 (Schizura).	<i>ix</i> Busek, 5580.
<i>ipomare</i> Harris, 780 (Syntomeida).	<i>ivalda</i> Mead, 291.
<i>irene</i> Boisduval, 122 (Argynnис).	<i>ivana</i> Fernald, 5405.
<i>irene</i> Behr, 2856 (Catocala).	<i>ivella</i> Busek, 6240.
<i>irene</i> Fitch, 41 (Nathalis).	Ixala 322
<i>iricolor</i> Smith, 1344.	<i>ixion</i> Linnaeus, 664.
<i>iridaria</i> Guenée, 3599 (Anaploides).	<i>jachusalis</i> Walker, 3021.
<i>iridaria</i> Packard, 3600 (Anaploides).	<i>juclifera</i> Guenée, 1540.
<i>iridella</i> Chambers, 6477.	<i>juda</i> Butler, 53 (Aplurissa).
<i>iris</i> Guenée, 2203.	<i>juda</i> Hewitson, 334 (Eupsychie).
<i>iroides</i> Boisduval, 372.	<i>juguarina</i> Guenée, 2353.
<i>irrecta</i> Walker, 2576.	<i>juir</i> Strecker, 2908.
<i>irregulara</i> Walker, 3647.	<i>j-album</i> Boisduval & Le Conte, 215.
<i>iresoluta</i> Walker, 1137.	<i>juanicensis</i> Drury, 729.
<i>irridipennula</i> Clemens, 5653.	<i>juauais</i> Drury, 200.
<i>irrorata</i> Hy. Edwards, 817 (Clemensia).	<i>juassialis</i> Walker, 4379.
<i>irrorata</i> Packard, 3227 (Oreta).	<i>juiphe</i> Boisduval, 690.
	<i>janthiella</i> Duponchel, 4776.
	<i>junalis</i> Grote, 1426.
	<i>joquemetta</i> Hy. Edwards, 2898.

	Page.		Page.
<i>jarbusalis</i> Walker, 4279.		<i>juncicola</i> Guenée, 1977.	
<i>jasminearum</i> Boisduval, 720.		<i>juncidella</i> Clemens, 5662.	
Jaspidea	106	<i>juncinuella</i> Smith, 1776.	
<i>jaspidiaria</i> Hulst, 3572.		<i>juneta</i> Grote, 1492.	
<i>jassieur</i> Hübner, 677.		<i>juctaria</i> Walker, 3608.	
<i>jatrophix</i> Linnaeus, 224 (Anartia).		<i>juncticiliata</i> Walsingham, 5121.	
<i>jatrophe</i> Fabricius, 684 (Coctytus).		<i>junctolinearia</i> Graef, 3597.	
<i>jessica</i> Hy. Edwards, 2833 (Catocala).		<i>junctolinella</i> Hulst, 4818.	
<i>jessica</i> Barnes, 899 (Euverna).		<i>junctura</i> Walker, 2841.	
Jocara	414	<i>juncturaria</i> Guenée, 4006.	
<i>jocasta</i> Strecker, 2910 (Andrewsia).		<i>juniperaria</i> Packard, 4005.	
<i>jocasta</i> Smith, 1194 (Hadena).		<i>juno</i> Packard, 759.	
Jochæra	99	Junonia	24
<i>jocosa</i> Guenée, 1282 (Feralia).		<i>jutta</i> Hübner, 292.	
<i>jocosa</i> Hy. Edwards, 3094 (Melalopha).		<i>juturnaria</i> Guenée, 3760.	
Jodia	177	<i>juvendis</i> Fabricius, 625.	
<i>johsonaria</i> Fitch, 3960.		<i>juvenilis</i> Grote, 2164.	
<i>joculla</i> Westwood, 738.		<i>jurenis</i> Hübner, 625.	
<i>josephina</i> Godart, 31.		Kakopoda	237
<i>juanita</i> Scudder, 329 (Atlides).		<i>kali</i> Strecker, 370.	
<i>juanita</i> Strecker, 661 (Lepisesia).		Kallima	525
<i>juba</i> Boisduval, 115 (Argynnis).		Kallitrichia	196
<i>juba</i> Scudder, 487 (Erynnis).		<i>kalmia</i> Smith & Abbot, 700.	
<i>jubaria</i> Hulst, 3979.		<i>kappa</i> Grote, 1313.	
Jubarella	330	<i>karwinskii</i> Hübner, 251.	
<i>jucunda</i> Boisduval & Le Conte, 88 (Eurema).		<i>kataldin</i> Newcomb, 295.	
<i>jucunda</i> Hübner, 2774 (Meliopotis).		Katona	416
<i>jucunda</i> Walker, 1483 (Noctua).		<i>kearfottella</i> Busek, 5698 (Aproerema).	
<i>jucundaria</i> Strecker, 3992.		<i>kearfottella</i> Busek, 5590 (Aristotelia).	
<i>judith</i> Strecker, 2823.		<i>keeraydin</i> Edwards, 65.	
<i>juglandaria</i> Fernald, 5420.		<i>kellicotti</i> Fish, 4977.	
<i>juglandella</i> Mann, 6359.		<i>kelloggi</i> Hy. Edwards, 1940.	
<i>juglandiella</i> Chambers, 6142 (Coptodisca).		<i>kempii</i> Hulst, 3926.	
<i>juglandiella</i> Clemens, 6288 (Lithocollates).		<i>kennicottella</i> Clemens, 6170.	
<i>juglandifoliella</i> Chambers, 6199.		<i>kentaria</i> Grote, 3971.	
<i>juglandis</i> Smith & Abbot, 734 (Cresonia).		<i>kerrvillei</i> Smith, 1677.	
<i>juglandis</i> Le Baron, 4702 (Mineola).		<i>kentzingaria</i> Packard, 3928.	
<i>juglandisnigrivitta</i> Chambers, 6359.		<i>kentzingii</i> Packard, 3928.	
<i>jugosella</i> Ragonot, 4724.		<i>kincaidiata</i> Fernald, 5267.	
<i>julia</i> Fabricius, 90 (Colaenis).		<i>kindermaniana</i> Treitschke, 5436.	
<i>julia</i> Grote, 2310 (Rhodosea).		<i>kinzelbelli</i> Busek, 5571.	
<i>julia</i> Hulst, 3744 (Sympherta).		<i>kiowah</i> Reakirt, 529.	
<i>julia</i> Edwards, 49 (Synchloe).		<i>klagesii</i> Ehrman, 851.	
<i>julialis</i> Walker, 4414.		<i>klamathiana</i> Walsingham, 5868.	
<i>julianalis</i> Walker, 4634.		<i>klujii</i> Hübner, 305.	
<i>juncalis</i> Guenée, 4502.		<i>kodiak</i> Edwards, 282 (Coenonympha).	
<i>junceti</i> Zeller, 1103.		<i>kodiak</i> Edwards, 415 (Cupido).	
		<i>kodiakata</i> Packard, 3362.	
		Kodiosoma	91
		<i>koebeli</i> Riley, 2277 (Antaplagia).	

Page.	Page.
<i>kochbelei</i> Hy. Edwards, 4224 (<i>Sesia</i>).	<i>lacteella</i> Schiffermüller, 6170 (Endrosis).
<i>kochbelella</i> Dyar, 5499.	<i>lacteella</i> Hulst, 4765 (<i>Salebria</i>).
<i>korites</i> Druce, 4171.	<i>lacteodactylus</i> Chambers, 4966.
<i>kreimhild</i> Strecker, 142.	<i>lacteolaria</i> Hulst, 3199.
<i>Kricogonia</i> 8	<i>lacteolata</i> Lintner, 3538.
<i>Kronæa</i> 358	<i>lacteoschrella</i> Chambers, 5810.
<i>kuehniella</i> Zeller, 4874.	<i>lactiflasella</i> Chambers, 5668.
<i>kunzei</i> Hulst, 3899 (<i>Neoterpes</i>).	<i>lactinuendella</i> Walsingham, 6555.
<i>kunzei</i> Hulst, 3812 (<i>Pterospoda</i>).	<i>lactipenis</i> Harvey, 2665.
<i>lube</i> Strecker, 2378.	<i>lactureolella</i> Duponchel, 6006.
<i>labeula</i> Grote, 1094 (<i>Balsa</i>).	<i>lacunosa</i> Morrison, 1568.
<i>labeula</i> Grote, 929 (<i>Hemihyalea</i>).	<i>lacustrata</i> Guenée, 3374.
<i>labeculalis</i> Hulst, 4364.	<i>ladon</i> Cramer, 440.
<i>labeculana</i> Robinson, 5449.	<i>Laertias</i> 4
<i>labeculata</i> Hulst, 3555.	<i>lata</i> Edwards, 383 (<i>Erota</i>).
<i>labiosana</i> Zeller, 5385.	<i>lata</i> Boisduval, 828 (<i>Eubaphe</i>).
<i>labradoriata</i> Möschler, 3891 (Dyscia).	<i>lata</i> Morrison, 2154 (<i>Nomagria</i>).
<i>labradoriata</i> Möschler, 3672 (Malaria).	<i>lata</i> Hulst, 3906 (<i>Therina</i>).
<i>labradorica</i> Möschler, 5808.	<i>latabilis</i> Smith, 1183.
<i>labradoriella</i> Clemens, 5809 (Gelechia).	<i>latella</i> Grote, 4727.
<i>labradoriella</i> Clemens, 6480 (Incurvaria).	<i>latifica</i> Smith, 992 (<i>Apatela</i>).
<i>labradoriensis</i> Christoph, 4570 (Crambus).	<i>latifica</i> Lintner, 2129 (<i>Cuenlia</i>).
<i>labradoriensis</i> Scudder, 73 (Euryalus).	<i>laticans</i> Smith, 1570.
<i>labradoriensis</i> Packard, 6609 (Heptaulax).	<i>Latilia</i> 431
<i>labradoriensis</i> Staudinger, 1694 (Paragrotis).	<i>latula</i> Hulst, 3740 (<i>Cymatophora</i>).
<i>labradoriensis</i> Packard, 3456 (Petrophora).	<i>latula</i> Grote, 1407 (Rhynchagrotis).
<i>labrosa</i> Grote, 2490.	<i>latulus</i> Grote, 3063 (<i>Lomanaltes</i>).
<i>labrusca</i> Linnaeus, 674.	<i>lavigata</i> Schiffermüller, 5359.
<i>lachrymosa</i> Hulst, 3832 (<i>Selidosema</i>).	<i>lavigata</i> Smith, 1079 (<i>Hadenella</i>).
<i>lachrymosa</i> Hulst, 3297.1 (Tephroclystis).	<i>lavigata</i> Grote, 3019 (<i>Zanclognatha</i>).
<i>lacinia</i> Hübner, 201.	<i>lavigatella</i> Hulst, 4756.
<i>laciniana</i> Zeller, 5247.	<i>lervitaria</i> Hübner, 3525.
<i>lacinillus</i> Grote, 4605.	<i>laflaugella</i> Constant, 4793.
<i>laciniosa</i> Zeller, 3065.	<i>lagena</i> Grote, 1533.
<i>laeocalis</i> Walker, 4423.	<i>lagyanæ</i> Smith, 1665.
<i>Lacosoma</i> 352	<i>Lagoa</i> 359
<i>Lacosomidae</i> 352	<i>lagopana</i> Walsingham, 5222.
<i>lacrymosa</i> Guenée, 2810.	<i>laguineularia</i> Dyar, 4054.
<i>lactata</i> Smith, 839.	<i>lagumentariella</i> Busck, 5706.
<i>lactea</i> Stretch, 818.	<i>lagus</i> Edwards, 571.
<i>lacteata</i> Packard, 3445.	<i>laidon</i> Borkhausen, 284.
<i>lacteella</i> Fabricius, 4623 (<i>Argyria</i>).	<i>lais</i> Edwards, 101.
	<i>laisata</i> Strecker, 3306.
	<i>lallata</i> Hulst, 3789.
	<i>lallatalis</i> Hulst, 4728.
	<i>lanuma</i> Zeller, 5007.
	<i>lanialis</i> Walker, 4497.
	<i>lamina</i> Fabricius, 237.
	<i>laminarinum</i> Strecker, 3837.
	<i>laminis</i> Smith, 1746.

	Page.		Page.
Lamprolophus	537	<i>larissa</i> Smith, 1804.	
<i>lamprostua</i> Robinson, 5392.		<i>larra</i> Fabricius, 54.	
Lamprosema	376	<i>larunda</i> Strecker, 171.	
<i>laniarella</i> Clemens, 6487.		<i>larvalis</i> Grote, 3044.	
<i>lanceana</i> Frölich, 5006.		<i>larraria</i> Guenée, 3855.	
<i>lanceolata</i> Hübner, 5006 (Bactra).		<i>larrata</i> Strecker, 312.	
<i>lanceolata</i> Stephens, 5169 (Thiodia).		<i>lasciniata</i> Zeller, 3402.	
<i>lanceolaria</i> Grote, 1042.		Lasiacme	374
<i>lanceolata</i> Hulst, 3532 (Eois).		Lasiocampidae	261
<i>lanceolata</i> Boisduval, 46 (Synchloe).		<i>lassatii</i> Boisduval, 687.	
<i>lanceolata</i> Grote, 2668 (Tarache).		<i>lasus</i> Edwards, 492.	
<i>langdonalis</i> Grote, 4422.		<i>lata</i> Robinson, 5397.	
<i>langtonii</i> Conper, 952.		<i>lataria</i> Packard, 3588.	
<i>langrida</i> Smith, 1846 (Mamestra).		Latebraria	240
<i>langrida</i> Hy. Edwards, 2402 (Mecileptria).		<i>latebricola</i> Grote, 1076.	
<i>lanice</i> Lintner, 57.		<i>laterana</i> Robinson, 5382.	
Laniifera	380	<i>latercula</i> Hy. Edwards, 4121.	
Lanthaphe	416	<i>latercula</i> Dyar, 4130.	
<i>lanuginosa</i> Smith, 1935 (Anarta).		<i>lateritia</i> Hübner, 1225.	
<i>lanuginosa</i> Clemens, 4109 (Megalo-pyge).		<i>lateritaria</i> Guenée, 3941.	
<i>lani</i> Strecker, 2325.		<i>latex</i> Guenée, 1810.	
Laodamia	425	Lathosea	173
Laosticha	431	<i>latia</i> Strecker, 2194.	
Lapara	70	<i>laticapitana</i> Walsingham, 5469.	
Laphygma	123	<i>laticapitella</i> Clemens, 5941.	
<i>lapidana</i> Walsingham, 5190.		<i>laticineta</i> Walker, 3934.	
<i>lapidaria</i> Grote, 1978.		<i>laticinerea</i> Grote, 2091.	
<i>lapillata</i> Guenée, 3370.		<i>laticilaria</i> Morrison, 2518 (Auto-grapha).	
<i>lapitaria</i> Strecker, 3686.		<i>laticilaria</i> Clemens, 4097 (Lithacodes).	
<i>lapella</i> Linneus, 5539.		<i>laticilaria</i> Grote & Robinson, 4457 (Pyrausta).	
<i>lapponica</i> Thunberg, 1939 (Anarta).		<i>laticornella</i> Clemens, 6025.	
<i>lapponica</i> Esper, 138 (Brenthis).		<i>latifasciana</i> Haworth, 5315.	
<i>lapponica</i> Staudinger, 74 (Erynnis-mus).		<i>latifasciaria</i> Packard, 3799.	
<i>lapponica</i> Thunberg, 870 (Hypopho-raia).		<i>latifasciata</i> Butler, 848.	
<i>lapponica</i> Staudinger, 3459 (Petro-phora).		<i>latifasciella</i> Packard, 4734 (Nephopteryx).	
<i>laqueata</i> Hy. Edwards, 937.		<i>latifasciella</i> Chambers, 6200 (Nepti-cula).	
<i>laqueatellus</i> Clemens, 4573.		<i>latifasciella</i> Chambers, 5556 (Tel-phusa).	
<i>larana</i> Walsingham, 5087.		<i>latiferreana</i> Walsingham, 5295.	
Larentia	288	<i>latiferrugata</i> Walker, 3709.	
<i>larentioides</i> Grote, 2724.		<i>latiorata</i> Walker, 3765.	
<i>l-argenteum</i> Scudder, 214.		<i>latipenella</i> Chambers, 6451.	
<i>laricella</i> Hübner, 6024.		<i>latipennis</i> Hulst, 3802 (Aleis).	
<i>laricinella</i> Ratzeburg, 6024.		<i>latipennis</i> Stretch, 863 (Diaserisia).	
<i>laricis</i> Fitch, 3211.		<i>latipennis</i> Boisduval, 3087 (Gnophaela).	
<i>larimana</i> Walsingham, 5286.		<i>latipennis</i> Walsingham, 5476 (Mar-tyringa).	
<i>larinia</i> Godart, 223.			
Larissa	268		

Page.		Page.
	<i>latipennis</i> Hulst, 3243 (Rachela).	3110.
	<i>latipennis</i> Hulst, 3915 (Slossonia).	4356.
	<i>latipennis</i> Hulst, 3287 (Tephroclytia).	5450.
	<i>latipes</i> Guenée, 2923.	<i>lepidula</i> Grote, 1055 (Jaspidia).
	<i>latipunctana</i> Walsingham, 5456.	<i>lepidula</i> Smith, 1779 (Mamestra).
	<i>latiradiellus</i> Walker, 4583.	127
	<i>latirupta</i> Walker, 3402.	Lepipolys
	<i>latispargaria</i> Walker, 3748.	63
	<i>latistrigella</i> Walsingham, 6416.	Lepiscesia
	<i>lativittella</i> Ragonot, 4901.	99
	<i>latomia</i> Harvey, 4095.	Lepitoreuma
	<i>latreillana</i> Kirby, 798.	107
	<i>landabilis</i> Guenée, 1837.	<i>leporina</i> Linnaeus, 982.
	<i>laura</i> Edwards, 123.	Leptalis
	<i>laurentii</i> Smith, 3015.	4
	<i>laurentina</i> Lyman, 487 (Erynnis).	Leptaretia
	<i>laurentina</i> Scudder, 71 (Eurymius).	85
	<i>lautana</i> Clemens, 5279.	Leptina
	<i>lautaria</i> Hübner, 3506.	107
	<i>lautus</i> Cockerell, 6569.	<i>leptinoides</i> Grote, 3154.
541	Laverna	Leptomeris
	<i>lavernella</i> Chambers, 5638.	294
	<i>lariana</i> Hewitson, 638.	Leptotes
	<i>larinia</i> Fabricius, 225.	46
	<i>lauchellus</i> Zincken, 4565.	<i>lepusculina</i> Guenée, 984.
	<i>leanira</i> Boisduval, 175.	53
	<i>lebertella</i> Frey & Boll, 6327.	Lerema
	<i>leca</i> Butler, 638.	92
	<i>lecontei</i> Boisduval, 840.	Lerina
	<i>lecontella</i> Clemens, 5883.	<i>lespedeza</i> Walsingham, 6068.
	<i>leda</i> Edwards, 368.	<i>lespedezaefoliella</i> Clemens, 6364.
	<i>ledella</i> Walsingham, 6292.	<i>lethalis</i> Grote, 4466.
375	Ledereria	<i>lethe</i> Fabricius, 226.
	<i>legitima</i> Grote, 1822.	<i>teto</i> Behr, 98.
	<i>leilia</i> Edwards, 246.	Leucania
444	Leioptilus	161
	<i>lemberti</i> Dyar, 6611.	<i>leucanillus</i> Walker, 4624.
17	Lemonias	Leucanthiza
	<i>lena</i> Boisduval, 848 (Leptaretia).	562
	<i>lena</i> Edwards, 612 (Pholisora).	<i>leucata</i> Hulst, 3279.
	<i>tentaria</i> Hulst, 3949.	498
	<i>lentifusalis</i> Zeller, 4265.	Leuce
	<i>lentiginosa</i> Grote, 3074.	5835.
	<i>lentiginosana</i> Walsingham, 5343.	<i>leucobasis</i> Fernald, 5529.
	<i>lenzi</i> Behrens, 6615 (Hepialus).	Leucobrepbos
	<i>lenzi</i> French, 2477 (Plusia).	350
	<i>leo</i> Guenée, 2703.	<i>leucochrysetta</i> Clemens, 6026.
	<i>leodueusalis</i> Walker, 4377.	Leucocora
	<i>leonana</i> Walsingham, 5209.	269
	<i>leonardus</i> Harris, 504.	<i>leucocycla</i> Staudinger, 1934.
	<i>leoninata</i> Packard, 3441.	<i>leucogramma</i> Grote, 1778.
	<i>leoninella</i> Packard, 4806.	<i>leucographa</i> Geyer, 3190.
		<i>leucoloma</i> Snellen, 4793.
		<i>leucomelana</i> Morrison, 960.
		<i>leucomelas</i> Herrich-Schaeffer, 840.
		<i>leuconera</i> Butler, 900.
		<i>leuconota</i> Zeller, 5594.
		<i>leucophaea</i> Smith & Abbot, 3194.
		<i>leucophalis</i> Walker, 4377.
		<i>leucophælla</i> Hulst, 4675.
		<i>leucophaleratana</i> Packard, 5266.
		Leucophryne
		543
		Leucophthalmia
		291
		Leucoptera
		562
		<i>leucorena</i> Smith, 1114.
		<i>leucoscelis</i> Grote, 1152.
		<i>leucosigma</i> Packard, 4085.
		<i>leucostigma</i> Smith & Abbot, 3190.
		Leuculodes
		261

Page.	Page.
<i>lervialis</i> Hulst, 4294.	
<i>lereetii</i> Grote, 2823.	
<i>teripedella</i> Clemens, 5713.	
<i>levis</i> Hudson, 3231 (Falearia).	
<i>levis</i> Grote, 1331 (Oncoenemis).	
<i>levisorii</i> Grote, 1735.	
Lexis 79	
<i>libatrix</i> Linnaeus, 2207.	
<i>libedis</i> Smith, 2689.	
<i>libella</i> Grote, 4507.	
<i>libera</i> Walker, 1800 (Mamestræ).	
<i>libera</i> Strecker, 3188 (Notolophus).	
<i>liberaria</i> Walker, 3636.	
<i>libocedrus</i> Hy. Edwards, 706.	
<i>liboraria</i> Walker, 3699.	
<i>liburna</i> Geyer, 2560.	
<i>libya</i> Scudder, 610.	
Libytheidæ 34	
<i>licalis</i> Walker, 4354.	
<i>licentiosa</i> Smith, 1949.	
<i>licinus</i> Edwards, 500.	
<i>lienigiana</i> Heinemann, 5045.	
<i>lienigillus</i> Zeller, 4598.	
<i>ligata</i> Grote, 1969 (Heliophila).	
<i>ligata</i> Walker, 1842 (Mamestræ).	
<i>ligea</i> Smith, 2373.	
<i>ligitima</i> Grote, 1822.	
<i>ligua</i> Guenée, 2560.	
<i>liguicolor</i> Guenée, 1250 (Hadena).	
<i>liguicolor</i> Walker, 3145 (Iamassa).	
<i>liguicolorata</i> Packard, 3366.	
<i>lignigera</i> Walker, 3145.	
<i>lignosellus</i> Zeller, 4781.	
<i>ligularia</i> Guenée 3450.	
<i>ligulella</i> Hübner, 5678.	
<i>lilacina</i> Harvey, 1823.	
<i>lilea</i> Reakirt, 574.	
<i>liliata</i> Hy. Edwards, 121.	
<i>liliæ</i> Strecker, 753.	
<i>lima</i> Guenée, 2943.	
<i>limata</i> Grote and Robinson, 4307.	
<i>limbalis</i> Grote, 2370.	
<i>limbata</i> Haworth, 3939 (Ania).	
<i>limbata</i> Hy. Edwards, 2646 (Tripudia).	
<i>limbidipennella</i> Clemens, 5503.	
<i>limbolaris</i> Geyer, 2769.	
<i>limbopunctata</i> Noleken, 3360.	
Limenitis 26	
<i>limitata</i> Smith, 1966 (Heliophila).	
<i>limitata</i> Walker, 3234 (Nyctobia).	
<i>limitata</i> Robinson, 5391 (Pandemis).	
Limochroes 55	
<i>limpida</i> Guenée, 2182.	
<i>linda</i> Edwards, 86.	
<i>lindana</i> Fernald, 5235.	
<i>lindenella</i> Busck, 5748.	
<i>linealis</i> Fernald, 4368.	
<i>lineana</i> Fernald, 5116 (Eucosma).	
<i>lineana</i> Schiffenmüller, 5035 (Ole-threutes).	
<i>lineapulicella</i> Chambers, 6027.	
<i>linearis</i> Grote, 3033.	
<i>lineata</i> Hulst, 3752 (Æthyctera).	
<i>lineata</i> Fabricius, 671 (Deilephila).	
<i>lineata</i> Walker, 2539 (Diastema).	
<i>lineata</i> Druce, 3131 (Heterocampa).	
<i>lineata</i> Walsingham, 5494 (Pteroloneche).	
<i>lineata</i> Walker, 2332 (Schinia).	
<i>lineatella</i> Zeller, 5693 (Anarsia).	
<i>lineatella</i> Harvey, 1300 (Prodenia).	
<i>lineella</i> Grote, 2907.	
<i>lineifrons</i> Smith, 1676.	
Lineodes 394	
<i>lineola</i> Walker, 2979.	
<i>lineolata</i> Walker, 1084.	
<i>linocellus</i> Walker, 4624.	
<i>lingulaella</i> Clemens, 5572.	
<i>linita</i> Guenée, 1976.	
<i>linnei</i> Grote & Robinson, 676.	
<i>linneria</i> Speyer, 3083.	
<i>linneria</i> Packard, 3636.	
<i>linneri</i> Grote, 3169 (Glaphisia).	
<i>linneri</i> Grote, 2156 (Ommatostola).	
Lintneria 59	
<i>lintneriana</i> Grote, 5357.	
<i>lintnerii</i> Fitch, 217 (Euvanessa).	
Liopasia 385	
Liptilos 444	
Liparidæ 259	
<i>lipatrops</i> Boisduval & Le Conte, 349.	
<i>Lipocosma</i> 372	
<i>Lipographis</i> 428	
<i>Lipoptyla</i> 471	
<i>liquida</i> Grote, 1788.	
<i>liquidambarisella</i> Clemens, 6425.	
<i>liquoraria</i> Guenée, 3581.	
<i>liriiodendraria</i> Smith & Abbot, 3864.	
<i>liriiodendronella</i> Clemens, 6423.	
<i>lisa</i> Boisduval, 85.	
<i>litaria</i> Hulst, 3633.	
Lithacodes 357	
<i>Lithacodia</i> 210	
<i>Lithariapteryx</i> 537	

Page.		Page.	
<i>lithella</i> Busck, 6098.		<i>longeciliata</i> Frey & Boll, 6445 (<i>Tischeria</i>).	
Lithocolletes	549	<i>longiciliata</i> Hulst, 3244 (<i>Paleacrita</i>).	
Litholomia	171	<i>longidens</i> Smith, 1844.	
Lithomoia	169	<i>longidens</i> Smith, 1537 (<i>Feltia</i>).	
Lithophane	169	<i>longidens</i> Hulst, 3303 (<i>Tephroclystis</i>).	
<i>lithosella</i> Ragonot, 4783.		<i>longifasciella</i> Clemens, 5554.	
Lithosiidae	79	<i>longilabris</i> Grote, 3036.	
<i>lithosina</i> Hy. Edwards, 2595 (<i>Anaphila</i>).		<i>longimaculella</i> Chambers, 5912.	
<i>lithosina</i> Zeller, 5842 (<i>Ide</i>).		<i>longior</i> Smith, 2083.	
<i>lithosioides</i> Dyar, 804.		<i>longipalpata</i> Hulst, 3475 (<i>Mycetophora</i>).	
<i>lithospila</i> Grote, 1005.		<i>longipalpata</i> Packard, 3296 (<i>Tephroclystis</i>).	
Lithostege	267	<i>longipalpella</i> Ragonot, 4894.	
<i>litigiosella</i> Zeller, 6241.		<i>longipalpus</i> Morrison, 4612.	
Litocala	232	<i>longipennata</i> Packard, 3528.	
Litodonta	253	<i>longipenne</i> Grote, 2290.	
<i>litophora</i> Grote, 3032.		<i>longipennella</i> Hulst, 4820.	
Litoprosopus	236	<i>longipennis</i> Walker, 3235.	
Litosea	220	<i>longipes</i> Druce, 2433 (<i>Fenaria</i>).	
<i>littera</i> Guenée, 2216.		<i>longipes</i> Möschler, 4173 (<i>Podosesia</i>).	
<i>littoralis</i> Packard, 1431.		<i>longirostrata</i> Frey & Boll, 6259.	
<i>littoralis</i> Hübner, 3026.		<i>longirostellus</i> Clemens, 4547.	
<i>liturana</i> Walsingham, 5223.		<i>longleyi</i> French, 473.	
<i>liturata</i> Ménétries, 883 (<i>Apantesis</i>).		<i>longula</i> Grote, 1215 (<i>Hadena</i>).	
<i>liturata</i> Smith, 1020 (<i>Apatela</i>).		<i>longula</i> Hulst, 3454 (<i>Petrophora</i>).	
<i>liturella</i> Walker, 5811 (<i>Gelechia</i>).		Lophoderus	484
<i>liturella</i> Walker, 5650 (<i>Menesta</i>).		Lophodonta	252
<i>liturosella</i> Zeller, 5764.		Lophosis	298
<i>lividus</i> Hübner, 576.		<i>loria</i> Strecker, 2387.	
<i>livorella</i> Riley, 5982.		<i>lorata</i> Grote, 3179 (<i>Euthyatira</i>).	
<i>livorella</i> Zeller, 5982.		<i>lorata</i> Grote, 4016 (<i>Sabulodes</i>).	
Lixa	399	<i>lorata</i> Grote & Robinson, 347 (<i>Thecla</i>).	
<i>lixalis</i> Grote, 3052.		<i>loreu</i> Guenée, 1842.	
<i>lixaria</i> Grote, 3846 (<i>Cleora</i>).		<i>loriana</i> Grote, 5265.	
<i>lixaria</i> Guenée, 3571 (<i>Racheospila</i>).		<i>lorquinaria</i> Guenée, 3747.	
<i>lixira</i> Grote, 2650.		<i>lorquini</i> Boisduval, 60 (<i>Zerene</i>).	
<i>loammi</i> Whitney, 539.		<i>lorquini</i> Grote & Robinson, 943 (<i>Androloma</i>).	
<i>lobelia</i> Guenée, 993.		<i>lorquini</i> Boisduval, 242 (<i>Basilarchia</i>).	
<i>lobidactylus</i> Fitch, 4931.		<i>lorquini</i> Behr, 421 (<i>Phaedrotes</i>).	
<i>lobophorata</i> Walker, 3234.		<i>los</i> Strecker, 6604.	
<i>loculata</i> Morrison, 1212.		<i>lotis</i> Lintner, 433.	
<i>loculosa</i> Grote, 1123.		Lotria	434
<i>locutia</i> Hewitson, 640.		<i>lotta</i> Beutenmüller, 45.	
<i>loda</i> Strecker, 1179.		<i>louisa</i> Hulst, 3577.	
<i>logan</i> Edwards, 566.		Loxofidonia	290
<i>logiana</i> Fabricius, 5309 (<i>Acleris</i>).		Loxostege	382
<i>logiana</i> Schiffenmüller, 5312 (<i>Acleris</i>).			

Page.	Page.
<i>loya</i> Smith, 1586.	<i>lumenaria</i> Hübner, 3480.
<i>lubens</i> Grote, 1808.	<i>lumenosa</i> Neumoegen, 4194.
<i>lubricalis</i> Geyer, 3012.	<i>luna</i> Morrison, 2288 (Nyctero- phaeta).
<i>lubricans</i> Guenée, 1514.	<i>luna</i> Linnaeus, 747 (Tropaea).
<i>lucasi</i> Smith, 2672.	<i>lunata</i> Stretch, 948 (Alypia).
<i>lucata</i> Guenée, 3335.	<i>lunata</i> Smith, 2159 (Gortyna).
<i>luccalis</i> Walker, 4285.	<i>lunata</i> Hy. Edwards, 3135 (Hete- rocampus).
<i>lucens</i> Morrison, 2389 (Dasyspon- dea).	<i>lunata</i> Drury, 2986 (Homoptera).
<i>lucens</i> Freyer, 2162 (Gortyna).	<i>lunatana</i> Walsingham, 5274.
<i>lucernalis</i> Hübner, 4320.	<i>lundana</i> Fabricius, 5245.
<i>luctuella</i> Clemens, 6262.	<i>lunearis</i> Guenée, 2766.
<i>luctetta</i> Hy. Edwards, 2822 (Cato- calae).	<i>lunifera</i> Hübner, 2979.
<i>luctetta</i> Smith, 1129 (Perigea).	<i>luniferella</i> Hulst, 4645.
<i>lucia</i> Kirby, 440.	<i>lunigerella</i> Ragonot, 4722.
<i>luciana</i> Hy. Edwards, 2836.	<i>lunilinea</i> Grote, 2953.
<i>lucidata</i> Walker, 2216.	<i>lunulalis</i> Hübner, 4298 (Lampro- sema).
<i>lucidicostella</i> Clemens, 6257.	<i>lunulalis</i> Hulst, 4644 (Oneida).
<i>lucidifera</i> Walker, 3699.	<i>lunus</i> Edwards, 542.
<i>lucidus</i> Boisduval, 735.	<i>lupatus</i> Grote, 2357.
<i>luciferella</i> Clemens, 6162.	Luperina 113
<i>lucifluella</i> Clemens, 6141.	<i>lupinella</i> Busck, 5710.
<i>lucilius</i> Lintner, 620.	<i>lupini</i> Grote, 1050 (Merolonche).
<i>lucina</i> Hy. Edwards, 757 (Hemi- leuca).	<i>lupini</i> Behr, 430 (Rusticus).
<i>lucina</i> Smith, 1832 (Mamestra).	<i>lupini</i> Hy. Edwards, 4203 (Sesia).
<i>lucipara</i> Linnaeus, 1288.	<i>luridana</i> Walsingham, 5088 (Eu- cosma).
<i>luctiferana</i> Walker, 5238.	<i>luridana</i> Walker, 5537 (Orchemia).
<i>luctaria</i> Herrich-Schaeffer, 3362.	<i>luridula</i> Hulst, 3801 (Alcis).
<i>luctuata</i> Hübner, 3362.	<i>luridula</i> Guenée, 2558 (Anomis).
<i>luctuella</i> Herrich-Schaeffer, 4584.	<i>luseana</i> Fabricius, 5237.
<i>luctuosa</i> Hulst, 2815.	<i>luscitiosa</i> Clemens, 704.
<i>luctuosus</i> Boisduval, 665.	<i>lusella</i> Zeller, 4623.
<i>ludenta</i> Hy. Edwards, 3095.	Lussa 123
<i>luda</i> Druce, 2648.	<i>lustralis</i> Grote, 1782.
<i>ludicostella</i> Riley, 6257.	<i>lustrans</i> Grote, 4207 (Sesia).
<i>lugens</i> Walker, 715.1.	<i>lustrans</i> Beutenmüller, 4126 (Tri- procris).
<i>lugubralis</i> Walker, 4504.	<i>lutarella</i> Hübner, 5500.
<i>lugubrata</i> Staudinger, 3362 (Rheu- maptera).	<i>lutaria</i> Walker, 3923.
<i>lugubratum</i> Möschler, 3351 (Eus- tromina).	<i>lutea</i> Grote, 794 (Ctnueha).
<i>lugubrella</i> Fabricius, 5724 (Gele- chia).	<i>lutea</i> Smith, 2575 (Dialagma).
<i>lugubrella</i> Ragonot, 4887 (Moodna).	<i>luteata</i> Packard, 3272.
<i>lugubris</i> Hulst, 890 (Apantesis).	<i>luteella</i> Chambers, 6242 (Buccula- trix).
<i>lugubris</i> Fish, 4988 (Pterophorus).	<i>luteella</i> Chambers, 6411 (Busekia).
<i>lugubris</i> Boisduval, 4132 (Thyris).	<i>luteella</i> Hulst, 4854 (Honora).
<i>lugubris</i> Linnaeus, 665 (Tripteron).	<i>luteiceps</i> Walker, 6617.
<i>lugubrosa</i> Hulst, 3912.	<i>luteicoma</i> Grote & Robinson, 1039.
<i>lughialis</i> Hulst, 4367.	<i>luteicostella</i> Ragonot, 4914.
<i>lumbonigera</i> Dyar, 842.	<i>luteitinctus</i> Grote, 2301.

Page.		Page.
<i>luteocinerea</i> Smith, 1182.		
<i>luteocostella</i> Chambers, 6029.		
<i>luteola</i> Grote & Robinson, 1930 (<i>Anarta</i>).		
<i>luteola</i> Smith, 1627 (<i>Paragrotis</i>).		
<i>luteola</i> Smith, 1911 (<i>Scotogramma</i>).		
<i>luteolana</i> Hübner, 5345.		
<i>luteolata</i> Hulst, 3496 (<i>Cinglis</i>).		
<i>luteolata</i> Hulst, 3347 (<i>Phylace</i>).		
<i>luteolellus</i> Clemens, 4609.		
<i>luteolus</i> Reakirt, 41.		
<i>luteopallens</i> Smith, 1957.		
<i>luteoputrella</i> Chambers, 5941.		
<i>luteoscapus</i> Neumoegen & Dyar, 796.		
<i>lutesitus</i> Smith, 1645.		
<i>luteostrigella</i> Chambers, 5647.		
<i>lutescens</i> Neumoegen & Dyar, 3215.		
<i>lutina</i> Smith, 1952.		
<i>lutosa</i> Andrews, 2231.		
<i>lutosana</i> Clemens, 5424.		
<i>lutosus</i> Haworth, 5500.		
<i>lutulenta</i> Smith, 1661.		
<i>lutulentana</i> Herrich-Schaeffer, 5437.		
<i>lura</i> Grote, 2281 (<i>Bessula</i>).		
<i>lura</i> Grote, 1117 (<i>Perigea</i>).		
<i>luxuriosa</i> Grote, 2389 (<i>Dasysspou-</i> <i>dea</i>).		
<i>luxuriosa</i> Smith, 2651 (<i>Tripudia</i>).		
<i>lybia</i> Walker, 4341.		
Lycenidae	35	
<i>lycaste</i> Fabricius, 307.		
<i>lycea</i> Edwards, 406.		
<i>lyceas</i> Godman & Salvin, 26.		
Lynchnosea	332	
Lycia	328	
<i>lyciades</i> Hübner, 591.		
<i>lycialis</i> Walker, 4344.		
<i>lycidus</i> Smith & Abbot, 591.		
Lycomorpha	78	
Lycorea	33	
<i>lycus</i> Hübner, 333.		
<i>lygdamas</i> Doubleday, 420.		
Lygropia	378	
<i>lymani</i> Dyar, 841.		
Lymire	77	
Lymnadiidae	33	
Lymnæcia	537	
<i>lyncea</i> Clemens, 675.		
<i>lynccella</i> Zeller, 5754.		
<i>lynosyrana</i> Walsingham, 5328.		
<i>lynosyridella</i> Walsingham, 6028.		
<i>lynx</i> Guenée, 2346.		
Lyonetia	563	
<i>lyonetella</i> Chambers, 6157.		
<i>lysida</i> Godart, 57.		
<i>lysimachiwella</i> Chambers, 6336.		
<i>lythrella</i> Walsingham, 5879.		
Lytrosis	322	
Macaria	310	
<i>macaria</i> Edwards, 128 (<i>Argynnis</i>).		
<i>macaria</i> Reakirt, 640 (<i>Hesperia</i>).		
<i>macarea</i> Treitschke, 5311.		
<i>macellochii</i> Kirby, 943.		
<i>macerata</i> Smith, 1203.		
<i>macerashani</i> Rivers, 149.		
<i>machaon</i> Linnaeus, 16.		
Machimia	520	
<i>macilura</i> Riley, 4369.		
<i>macimurtri</i> Peale, 4148.		
<i>macounii</i> Edwards, 289.		
<i>macera</i> Guenée, 1302.		
<i>macrinellus</i> Zeller, 4541.		
<i>macrocarpina</i> Walsingham, 5467.		
<i>macrocarpella</i> Frey & Boll, 6289.		
<i>macrogaster</i> Walsingham, 6596.		
<i>macromera</i> Butler, 900.		
Macronoctua	119	
<i>macroptellus</i> Zeller, 4612.		
Macrorrhinia	433	
<i>maculata</i> Guenée, 1166.		
<i>macula</i> Smith, 2655.		
<i>maculabella</i> Chambers, 6509.		
<i>maculalis</i> Westwood, 4277 (<i>Desmia</i>).		
<i>maculalis</i> Clemens, 4495 (<i>Nym-</i> <i>phula</i>).		
<i>maculana</i> Fernald, 5293.		
<i>macularia</i> Harris, 3902.		
<i>maculata</i> Smith, 1767 (<i>Agrotiphila</i>).		
<i>maculata</i> Harris, 922 (<i>Halesidota</i>).		
<i>maculata</i> Edwards, 544 (<i>Oligoria</i>).		
<i>maculata</i> Riley, 6575 (<i>Pronuba</i>).		
<i>maculata</i> Harris, 4131 (<i>Thyris</i>).		
<i>maculatana</i> Walsingham, 5111.		
<i>maculatusella</i> Chambers, 5812.		
<i>maculicollis</i> Walker, 941.		
<i>maculidorsata</i> Clemens, 5309.		
<i>maculifascia</i> Hulst, 3645.		
<i>maculifer</i> Walsingham, 6580.		
<i>maculinmarginella</i> Chambers, 5757 (<i>Gelechia</i>).		
<i>maculinmarginella</i> Chambers, 6510 (<i>Tinea</i>).		
<i>maculipeanis</i> Curtis, 5503.		
<i>maculipes</i> Grote & Robinson, 4258.		
<i>maculisella</i> Chambers, 6201.		
<i>maculomarginella</i> Chambers, 5757.		

	Page.		Page.
<i>maculosa</i> Behr, 2793.		Magusa	124
<i>maculosella</i> Clemens, 6083.		<i>maia</i> Ottolengui, 857 (Arachnis).	
<i>madarella</i> Clemens, 6084.		<i>maia</i> Drury, 757 (Hemileuca).	
<i>madaria</i> Hy. Edwards, 4203.		<i>maizi</i> Fitch, 1711.	
<i>madefactalis</i> Guenée, 3069.		<i>major</i> Grote & Robinson, 3102 (Datana).	
<i>madetesalis</i> Walker, 4454.		<i>major</i> Smith, 1284 (Feralia).	
<i>madagascarica</i> Saalmüller, 4807.		<i>major</i> Speyer, 1801 (Mamestra).	
<i>madusaria</i> Walker, 3963.	87	<i>major</i> Walsingham, 5058 (Olethreutes).	
Mænas		<i>major</i> Grote, 1347 (Oncoconemis).	
<i>marula</i> Hübner, 56.		282 <i>major</i> Smith, 2666 (Tarache).	
Mæsia		<i>majoralis</i> Smith, 3017.	
<i>masonoides</i> Butler, 471.		<i>majoraria</i> Guenée, 4008.	
<i>mæstosa</i> Hulst, 2811 (Catocala).		<i>majorella</i> Costa, 4807.	
<i>mæstosa</i> Hulst, 3798 (Nepytia).		<i>majuscula</i> Hy. Edwards, 2721.	
<i>mæstosa</i> Hulst, 3297 (Tephroclystis).		<i>maluea</i> Grote, 2600.	
<i>magdalena</i> Strecker, 2881 (Catocala).		<i>maluchitana</i> Zeller, 5044.	
<i>magdalena</i> Fernald, 4383 (Diasemia).		Malacosoma	262
<i>magdalena</i> Strecker, 275 (Erebia).		Malacotricha	505
<i>magdalena</i> Hulst, 3896 (Melemea).		<i>malana</i> Fitch, 1092 (Balsa).	
<i>magdalena</i> Hulst, 2288 (Nyctero-		<i>malanum</i> Fernald, 5025 (Exar-	
pheta).		tema).	
<i>magicalis</i> Felder, 4297.		<i>m-album</i> Boisduval & Le Conte, 330.	
<i>magistralis</i> Grote, 4420.		<i>malefida</i> Guenée, 1551.	
<i>magnalis</i> Guenée, 4303 (Blepharomastix).		<i>malifoliella</i> Clemens, 6448 (Tischeria).	
<i>magnalis</i> Hulst, 4481 (Noctuelia).		<i>malifoliellus</i> Fitch, 5687 (Ypsolophus).	
<i>magnana</i> Hübner, 5411.		<i>maligemella</i> Murtfeldt, 5986.	
<i>magnarius</i> Guenée, 3923.		<i>malis</i> Smith, 1714.	
<i>magnatella</i> Zeller, 6157 (Monpha).		<i>malivorana</i> Le Baron, 5319.	
<i>magnatella</i> Zeller, 6429 (Phylloenis-		<i>malirorella</i> Riley, 6030.	
sis).		Mamestra	151
<i>magnolia</i> Chambers, 6243 (Bucculatrix).		<i>maninaria</i> Guenée, 3803.	
<i>magnolia</i> Busek, 5542 (Paltodora).		<i>matinalis</i> Walker, 3064.	
<i>magnetaria</i> Guenée, 3512.		<i>manotaqua</i> Scudder, 557.	
<i>magniferis</i> Walker, 4437.		<i>matinalis</i> Lederer, 4350.	
<i>magniferaria</i> Walker, 3530.		<i>mancinus</i> Doubleday & Hewitson,	
<i>magnifica</i> Bailey, 4151 (Cossula).		270 (Erebia).	
<i>magnifica</i> Strecker, 4151 (Cossula).		<i>mancinus</i> Herrich-Schaeffer, 575	
<i>magnifica</i> Neumoegen, 2317 (Grae-		(Erycides).	
peria).		<i>municipata</i> Guenée, 3442.	
<i>magnifica</i> Beutenmüller, 4166 (Me-		<i>mandan</i> Edwards, 469.	
littia).		<i>manfredi</i> Neumoegen, 4152.	
<i>magnifica</i> Grote, 2704 (Spragueia).		Manhatta	436
<i>magnifica</i> Fernald, 4611 (Thauma-		<i>mania</i> Strecker, 1873.	
topsis).		<i>manifesta</i> Morrison, 1438.	
<i>magnificalis</i> Hübner, 4497.		<i>manifestolabes</i> Morrison, 1428.	
<i>magnoliana</i> Fernald, 5369.		<i>manitoba</i> Smith, 996 (Apatela).	
<i>magnoliana</i> Guenée, 3419.		<i>manitoba</i> Scudder, 487 (Erynnis).	
<i>magnoliella</i> Chambers, 6424.		<i>manitoboides</i> Fletcher, 487.	
<i>magualis</i> Guenée, 4303.		<i>maniton</i> Neumoegen & Dyar, 3111.	
		<i>manni</i> Mayer, 40.	

Page.		Page.
<i>mansueta</i> Smith, 1015.		Maricopa ----- 438
<i>mantalini</i> Smith, 1106.		<i>maricopa</i> Reakirt, 408 (Cupido).
<i>manteo</i> Doubleday & Hewitson, 3137.		<i>maricopa</i> Hulst, 3725 (Cymatophora).
<i>manta</i> Strecker, 3194.		<i>mariella</i> Riley, 6315.
<i>manubriaria</i> Hulst, 3953.		<i>marina</i> Grote, 1175 (Hadena).
<i>mappa</i> Grote & Robinson, 2482.		<i>marina</i> Reakirt, 451 (Leptotes).
Marasmalus ----- 204		<i>marina</i> Packard, 3143 (Misogada).
Marasmia ----- 374		<i>marinaria</i> Strecker, 3713.
<i>mareata</i> Neumoegen, 766.		<i>marinitincta</i> Harvey, 1836.
<i>marcellina</i> Cramer, 52.		<i>mariona</i> Beutennüller, 4243.
<i>marcellus</i> Boisduval & Le Conte, 5.		<i>mariposa</i> Grote & Robinson, 948 (Alypia).
<i>marcessaria</i> Packard, 3746.		<i>mariposa</i> Reakirt, 394 (Epidemia).
<i>marcia</i> Edwards, 189 (Phyciodes).		<i>maritima</i> Edwards, 258.
<i>marcia</i> Bentenmüller, 4239 (Sesia).		<i>marinus</i> Cramer, 233.
<i>marcida</i> Guenée, 2923.		Marmara ----- 562
<i>marcidana</i> Zeller, 5254.		Marmarea ----- 343
<i>marcidilinea</i> Grote, 3025.		<i>marmorodactyla</i> Dyar, 4938.
<i>marculenta</i> Grote & Robinson, 4349 (Loxostege).		Marmopteryx ----- 286
<i>marculenta</i> Zeller, 4350 (Loxostege).		<i>marmorata</i> Smith, 1021 (Apatela).
<i>mardon</i> Edwards, 522.		<i>marmorata</i> Edwards, 2829 (Catocala).
<i>margarita</i> Hübner, 30.		<i>marmorata</i> Zetterstedt, 1233 (Hadena).
<i>margaritalis</i> Denis & Schiffermüller, 4335.		<i>marmorata</i> Packard, 3436 (Marmopteryx).
<i>margaritosa</i> Haworth, 1467.		<i>marmorata</i> Haworth, 3380 (Mesoleuca).
Margaronia ----- 378		<i>marmorata</i> Walsingham, 5903.
<i>margartalis</i> Hübner, 5411.		<i>marmorella</i> Chambers, 5619 (Phthorimaea).
<i>marginalis</i> Stoll, 4320 (Diaphania).		<i>marmorella</i> Chambers, 6512 (Tinea).
<i>marginalis</i> Grote, 653 (Hemaris).		Marmoropteryx ----- 286
<i>marginalis</i> Sondner, 40 (Pontia).		<i>mars</i> Fabricius, 364.
<i>marginalis</i> Walker, 4468 (Pyrausta).		<i>marshallana</i> Westwood, 1232.
<i>marginata</i> Harris, 4191 (Bembecia).		<i>marsyas</i> Edwards, 207.
<i>marginata</i> Edwards, 440 (Cyaniris).		<i>marteni</i> French, 4124.
<i>marginata</i> Minot, 3964 (Euchlora).		<i>marthesia</i> Cramer, 3165.
<i>marginata</i> Walker, 3226 (Oreta).		Martia ----- 439
<i>marginata</i> Haworth, 2361 (Sehinia).		<i>martialis</i> Herrich-Schaeffer, 332 (Eupsyche).
<i>marginatus</i> Harris, 472 (Aneyloxypha).		<i>martialis</i> Guenée, 4401 (Phlyctenia).
<i>marginatus</i> Riley, 6566 (Prodoxus).		<i>martialis</i> Sondner, 624 (Thanaos).
<i>marginidactyla</i> Fitch, 4956.		<i>martinella</i> Walker, 6529.
<i>marginidens</i> Guenée, 2192.		Martyringa ----- 489
<i>marginimaculella</i> Chambers, 6510.		Marumba ----- 70
<i>marginistrigella</i> Chambers, 6511.		<i>masoni</i> Smith, 2313.
<i>maria</i> Skinner, 1511.		<i>massasoit</i> Sondner, 482.
<i>maria</i> Grote, 2617.		Mastiphanes ----- 99
<i>marivella</i> Chambers, 6315.		<i>matu</i> Reakirt, 192.
<i>marianna</i> Hy. Edwards, 2851 (Catocala).		<i>materna</i> Linnaeus, 2952.
<i>marianna</i> Fernald, 5427 (Eulia).		
<i>marianna</i> Barnes, 148 (Lemonias).		

	Page.	Pag
<i>mathewianus</i> Zeller, 4972.		
Matigramma	237	
<i>matricaria</i> Behr, 2143.		
<i>matronalis</i> Frey, 900 (Parasemia).		
<i>matronalis</i> Grote, 4453 (Pyrausta).		
<i>matthewi</i> Hy. Edwards, 6608 (Hepialus).		
<i>matthewi</i> Grote, 788 (Scepsis).		
<i>matuta</i> Hy. Edwards, 949.		
<i>matutella</i> Clemens, 6110.		
<i>matutina</i> Grote, 5137 (Eucosma).		
<i>matutina</i> Hübner, 2306 (Rhodophora).		
<i>maxima</i> Neumoegen, 55.		
<i>maximella</i> Chambers, 6202 (Nepticula).		
<i>matimellus</i> Fernald, 4548 (Scheno-bins).		
<i>mayrella</i> Zeller, 6010.		
<i>meglashani</i> Hy. Edwards, 6608.		
<i>meadiana</i> Morrison, 1346.		
<i>meadiaria</i> Packard, 3661.		
<i>meadiata</i> Packard, 3338 (Coryphista).		
<i>meadiata</i> Packard, 3661 (Sciographia).		
<i>meadii</i> Edwards, 118 (Argynnia).		
<i>meadii</i> Edwards, 261 (Ceryxonia).		
<i>meadii</i> Packard, 3338 (Coryphista).		
<i>meadii</i> Grote, 2390 (Dasypondea).		
<i>meadii</i> Edwards, 62 (Euryimus).		
<i>meadii</i> Hy. Edwards, 4066 (Thyridopteryx).		
<i>meanderana</i> Walker, 5015.		
Mechanitis	33	
Mecoceras	348	
Mecoceratinæ	348	
Mecyna	386	
<i>medialis</i> Walker, 4303.		
<i>media</i> Morrison, 2781.		
<i>medialis</i> Smith, 3050 (Bleptina).		
<i>medialis</i> Smith, 2168 (Gortyna).		
<i>medialis</i> Smith, 1634 (Parogrotis).		
<i>medialis</i> Grote, 1268 (Polia).		
<i>mediata</i> Walker, 3370.		
<i>mediatrix</i> Felder, 201.		
<i>medicinalis</i> Grote, 4498.		
<i>mediofuscana</i> Clemens, 5239.		
<i>mediofasciella</i> Dietz, 5942.		
<i>mediofuscella</i> Clemens, 5764.		
<i>medioplaga</i> Walsingham, 5236.		
<i>mediostriata</i> Walsingham, 5158.		
<i>mediostriatella</i> Clemens, 6481.		
<i>meditata</i> Grote, 1781.		
<i>medusa</i> Strecker, 3202.		
Megachyta	241	
Megacronycta	99	
<i>megadia</i> Smith, 1973.		
<i>megara</i> Smith, 1907.		
<i>megalippe</i> Hübner, 308.		
Megalopyge	358	
Megalopygidæ	358	
Megaphycis	429	
<i>megarena</i> Smith, 1832.		
Megasis	427	
<i>megastigma</i> Smith, 1612.		
Megathymidæ	46	
Megathymus	46	
<i>megocula</i> Smith, 2658.		
<i>mela</i> Strecker, 416.		
<i>melaleuca</i> Thunberg, 1932.		
<i>melaleucalis</i> Walker, 4377.		
<i>melalencana</i> Walker, 5380.		
Melalopha	249	
<i>melalutea</i> Smith, 1350.		
<i>melancholica</i> Grote, 690.		
Melanchroia	349	
Melanchroinæ	349	
<i>melane</i> Edwards, 570.		
<i>melanella</i> Murtfeldt, 5651 (Mnestesta).		
<i>melanellus</i> Hulst, 4780 (Elasmopalpus).		
<i>melanie</i> Skinner, 66.		
Melanippe	278	
<i>melanippe</i> Cramer, 51.		
<i>melanis</i> Boisduval, 4038.		
<i>melanogrammos</i> Zeller, 4649.		
<i>melanographella</i> Ragonot, 4663.		
Melanolophia	326	
<i>melanomera</i> Butler, 900.		
Melanomma	218	
<i>melanopa</i> Thunberg, 1931 (Anarta).		
<i>melanopa</i> Barnes, 3129 (Dasylophilia).		
<i>melanopa</i> Zeller, 4058 (Nigetia).		
Melanoporphyrinia	192	
<i>melanopyga</i> Grote, 2147.		
<i>melanosticta</i> Walsingham, 5048.		
<i>melantherella</i> Busek, 5663.		
Melanthia	280	
<i>melantho</i> Smith, 1351.		
Melanydris	288	
<i>melas</i> Christoph, 900.		
Melemæa	332	

	Page.		Page.
Melia	430	<i>meridionalis</i> Dyar, 3163.	
<i>melicerta</i> Schaus, 324.		Meris	322
Melicleptria	192	<i>Merlonche</i>	99, 105
<i>melinellus</i> Clemens, 4545.		Meroptera	423
<i>melinus</i> Hübner, 335.		<i>merricata</i> Dyar, 3245.	
Meliopotis	221	<i>merricki</i> Holland, 2919.1.	
<i>mellissa</i> Edwards, 481.		<i>mersa</i> Morrison, 1134.	
<i>melissalis</i> Walker, 4391.		<i>mertila</i> Edwards, 418.	
Melissoblaptes	413	<i>mesapana</i> Scudder, 469.	
Melissopus	471	<i>mesilla</i> Cockerell, 3106.	
Militara	429	Meskea	361
<i>melite</i> Linnaeus, 27.		<i>meskeana</i> Grote, 2371.	
<i>melitta</i> Möschler, 779.		<i>meskearia</i> Packard, 3998.	
Melittia	364	<i>meskei</i> Edwards, 505 (Anthomaster).	
Mella	428	<i>meskei</i> Hy. Edwards, 2958 (Camponotra).	
Melliilla	304	<i>meskei</i> Grote, 2850 (Catocala).	
<i>mellinellus</i> Hübner, 4415.		<i>meskei</i> Speyer, 1088 (Platysenta).	
<i>mellinella</i> Grote, 4851.		<i>meskei</i> Smith, 2687 (Tarache).	
<i>melliniipennis</i> Boisduval, 4199.		Mesogona	182
<i>mellistrigata</i> Grote, 3664.		Mesographe	380
<i>mellitula</i> Hulst, 2906.		Mesoleuca	280
<i>mellitularia</i> Hulst, 3980.		Mesolia	403
<i>mellonella</i> Linnæus, 4636.2.		Mesolomia	177
<i>melon</i> Godman & Salvin, 585.		<i>mesospila</i> Zeller, 5335.	
<i>melsheimeri</i> Harris, 4059.		Mesotype	288
<i>membranacea</i> Morrison, 1938.		<i>mespilella</i> Haworth, 6270.	
<i>menumialis</i> Walker, 4292.		<i>messalina</i> Guenée, 2910.	
Memythrus	365	<i>messoria</i> Harris, 1649.	
<i>menaclus</i> Poda, 283.		<i>mestoralis</i> Walker, 4385.	
<i>menapia</i> Felder, 28.		Mestra	22
<i>menas</i> Harris, 3132.		<i>mestusata</i> Walker, 3941.	
<i>mendica</i> Haworth, 6459 (Argyresthia).		<i>metacomet</i> Harris, 529.	
<i>mendica</i> Walker, 3248 (Endale).		<i>metagrammellis</i> Walker, 4777.	
<i>mendicata</i> Hulst, 3681.		Metalepsis	132
<i>mendocino</i> Behrens, 749.		<i>metallicella</i> Hulst, 4785.	
<i>mendocinolus</i> Behrens, 6612.		<i>metallica</i> Stretch, 4128 (Harrisina).	
Menesta	505	<i>metallica</i> Grote, 2477 (Plusia).	
<i>menetriesii</i> Hy. Edwards 1.		<i>metallica</i> Grote, 2662 (Tarache).	
<i>mengelana</i> Fernald, 5059.		<i>metallicana</i> Walsingham, 5388.	
<i>mengeli</i> Fernald, 4994.		<i>metallicera</i> Walsingham, 6085.	
<i>menippe</i> Hübner, 308.		<i>metalliferalis</i> Packard, 4635.	
<i>mensurata</i> Walker, 3487.		<i>metamelana</i> Walker, 5246.	
<i>menthastrina</i> Martyn, 851.		Metamorpha	539
<i>mera</i> Harvey, 2596.		Metanema	342
<i>meralis</i> Morrison, 1101.		<i>metanemaria</i> Hulst, 3787.	
<i>mercedulata</i> Strecker, 3756.		Metarranthis	338
<i>mercenaria</i> Grote, 1519.		Metasia	387
<i>mercurius</i> Fabricius, 589.		<i>metathetis</i> Butler, 653.	
<i>merdella</i> Zeller, 6520.		Metathorasa	216
<i>meriana</i> Grote, 687.		<i>metea</i> Scudder, 496.	
Mericisca	325	<i>meticulosalis</i> Guenée, 4327.	

	Page.		Page.
<i>metonalis</i> Walker, 3036.		<i>mimica</i> Strecker, 1975.	
Metoponia	212	<i>mimicata</i> Walker, 3578.	
Metrea	379	Mimorista	380
Metriochora	564	<i>mimosaria</i> Guenée, 3587.	
Metrocampa	335	<i>mimula</i> Grote, 1926.	
<i>metrocamparia</i> Guenée, 4007.		<i>mimuli</i> Behr, 1927 (Anarta).	
Metzneria	495	<i>mimuli</i> Hy. Edwards, 4202 (Sesia).	
<i>mexicana</i> Grote & Robinson, 885 (Apantesis).		<i>minea</i> Slosson, 876.	
<i>mexicana</i> Behr, 2778 (Cirrhobolina).		<i>minehaha</i> Scudder, 430.	
<i>mexicana</i> Hampson, 851 (Estig- mene).		<i>mineola</i>	419
<i>mexicana</i> Druce, 811 (Haemato- monis).		<i>minuta</i> Guenée, 2990.	
<i>mexicana</i> Reakirt, 606 (Pholisora).		<i>mingo</i> Edwards, 471.	
<i>mexicana</i> Boisduval, 81 (Pyrisita).		<i>miniatum</i> Grote, 2312 (Rhododipsa).	
<i>mexicana</i> Herrich-Schaeffer, 600 (Thorybes).		<i>minimus</i> Guenée, 1950 (Nephe- lodes).	
<i>mexicana</i> Hy. Edwards, 3178 (Thya- tira).		<i>mininata</i> Kirby, 807 (Hypoprepia).	
<i>mexicanaria</i> Grote, 3868.		<i>mininata</i> Packard, 792 (Lyco- morphæ).	
<i>mexicanellus</i> Bentenmüller, 6599.		<i>miniatella</i> Ragonot, 4710.	
<i>mexicanus</i> Bentenmüller, 4262 (Pa- ranthrene.)		<i>minima</i> Hulst, 4007 (Caberodes).	
<i>michaboi</i> Grote, 876.		<i>minima</i> Edwards, 475 (Copaeodes).	
<i>microchrysella</i> Walker, 4620.		<i>minima</i> Neumoegen, 927 (Hypo- crisia).	
Microcœlia		<i>mininata</i> Hulst, 3870 (Nacophora).	
<i>microdactylus</i> Hedemann, 4968.		<i>minima</i> Grote, 782 (Pseudomya).	
Microgonia		<i>minimaculella</i> Chambers, 5735.	
<i>micronymphula</i> Guenée, 2898.		<i>minimalis</i> Grote, 1392 (Rhyncha- grotis).	
<i>micronyx</i> Grote, 1684.		<i>minimalis</i> Grote, 3023 (Zanclognatha).	
<i>microphysa</i> Hulst, 3526.		<i>minimana</i> Walsingham, 5194.	
<i>microptera</i> Hulst, 3543.		<i>minimaria</i> Guenée, 3861 (Æthalop- tera).	
Micropterygidæ	581	<i>minimella</i> Ragonot, 4688 (Aero- basis).	
Micropterygoidea	580	<i>minimella</i> Chambers, 5586 (Aristo- telia).	
Microsemia	344	<i>minimella</i> Chambers, 6163 (Mom- pha).	
Microtia	21	<i>minimella</i> Chambers, 6203 (Nepti- cula).	
<i>middeboei</i> Ménétries, 4041.		<i>minimella</i> Robinson, 4555 (Raphi- ptera).	
Midea	7	<i>minimimaculella</i> Chambers, 5735.	
<i>midea</i> Hübner, 48.		<i>minimum</i> Neumoegen, 4190.	
Mieza		<i>ministra</i> Drury, 3098.	
<i>milberti</i> Godart, 218.		<i>ministra</i> Linnaeus, 5481.	
<i>mildei</i> Stretch, 3223.		<i>mina</i> Butler, 4047.	
<i>militaris</i> Harris, 840.		<i>minicella</i> Dietz, 5953.	
<i>militella</i> Zeller, 4658.		Minoa	275
<i>milleri</i> Zeller, 4876 (Ephestia).		<i>minor</i> Busck, 6338 (Bedellia).	
<i>milleri</i> Grote, 1563 (Porosagrotis).			
<i>milleriella</i> Chambers, 5813.			
<i>milia</i> Edwards, 509.			
<i>mima</i> Harvey, 2959.			
<i>mimallonis</i> Grote, 1556.			
<i>minella</i> Clemens, 5814.			

Page.	Page.
<i>minor</i> Smith, 2955 (Campometra).	
<i>minor</i> Dyar, 6601 (Pseudanaphora).	
<i>minor</i> Dyar, 4055 (Roeselia).	
<i>minor</i> Cockerell, 221 (Vanessa).	
<i>minoralis</i> Smith, 3029.	
<i>minorana</i> Treitschke, 5220.	
<i>minoraria</i> Hulst, 3960.	
<i>minorata</i> Smith, 2950 (Antiblemma).	
<i>minorata</i> Grote, 1386 (Fota).	
<i>minorata</i> Smith, 1958 (Heliophila).	
<i>minorata</i> Packard, 3676 (Macaria).	
<i>minorata</i> Smith, 1815 (Manestra).	
<i>mintha</i> Edwards, 408.	
<i>minuadis</i> Walker, 4503.	
<i>minuscula</i> Morrison, 1078 (Hadrella).	
<i>minuscula</i> Butler, 54 (Phoebis).	
<i>minuscula</i> Zeller, 4055 (Roeselia).	
<i>minuta</i> Robinson, 5319 (Acleris).	
<i>minuta</i> Edwards, 2906 (Catocala).	
<i>minuta</i> Hulst, 3724 (Cymatophora).	
<i>minutula</i> Hulst, 3267 (Gymnocelis).	
<i>minuta</i> Reakirt, 4102 (Kromea).	
<i>minuta</i> Edwards, 182 (Schemis).	
<i>minuta</i> Grote, 3211 (Tolype).	
<i>minutata</i> Treitschke, 3294.	
<i>minutella</i> Beutennüller, 6069 (Cosmopteryx).	
<i>minutella</i> Frey & Boll, 6276 (Lithocolletes).	
<i>minutipulrella</i> Chambers, 6513.	
<i>minutularia</i> Hulst, 3506.	
<i>minutulella</i> Hulst, 4672.	
<i>mingas</i> Hübner, 326.	
<i>mira</i> Grote, 2892.	
<i>mirabelle</i> Barnes, 361.	
<i>mirabilata</i> Grote, 3408.	
<i>mirabilis</i> Neumoegen, 2447 (Basilodes).	
<i>mirabilis</i> Frey & Boll, 6364 (Graeilaris).	
<i>mirabilis</i> Grote, 1403 (Rhynchagrotis).	
<i>miraculosa</i> Frey & Boll, 6119.	
<i>miranda</i> Grote, 1109 (Caradrina).	
<i>miranda</i> Hy. Edwards, 2823 (Catocala).	
<i>miranda</i> Hulst, 3553 (Pentopoda).	
<i>mirandalis</i> Hübner, 2726.	
<i>mirandella</i> Ragonot, 4745.	
	96
<i>mirifica</i> Frey & Boll, 6275 (Lithocolletes).	
<i>mirifica</i> Hy. Edwards, 2789 (Sympeda).	
<i>mirificalis</i> Grote, 1328.	
<i>mirificum</i> Strecker, 2742 (Hyblea).	
<i>mirusella</i> Chambers, 5904.	
Misa	254
<i>misecalonella</i> Chambers, 6179.	
<i>misecolorella</i> Chambers, 6179.	
<i>misecristatella</i> Chambers, 6544.	
<i>misecella</i> Chambers, 6515.	
<i>misellus</i> Grote, 1084 (Catabena).	
<i>misellas</i> Smith, 1202 (Hadrena).	
<i>misidice</i> Sondner, 66.	
<i>misella</i> Zeller, 6514.	
<i>miscladiis</i> Guenée, 1202.	
<i>misera</i> Felder, 201 (Chlosyne).	
<i>misera</i> Grote, 1206 (Hadrena).	
<i>miserrulata</i> Grote, 2737 (Homopyralis).	
<i>miserrulata</i> Grote, 3277 (Tephroelytis).	
<i>misippus</i> Linnaeus, 145.	
Misogada	38
<i>misurata</i> Morrison, 1614 (Paragrotis).	
<i>misurata</i> Hulst, 3268 (Tephroelytis).	
<i>mitellii</i> French, 300.	
<i>mitis</i> Grote, 2411 (Heliophana).	
<i>mitis</i> Smith, 1615 (Paragrotis).	
<i>mitographa</i> Grote, 3071.	
Mitoura	414
<i>mixta</i> Neumoegen, 931 (Euschemania).	
<i>mixta</i> Grote, 1231 (Hadrena).	
<i>mixta</i> Walker, 1417 (Platagrotis).	
Mochlocera	
<i>moderata</i> Walker, 1965.	
<i>moderna</i> Grote, 2812.	
<i>modesta</i> Maynard, 366 (Callieista).	
<i>modesta</i> Beutennüller, 3105 (Datanata).	
<i>modesta</i> Bates, 227 (Eunica).	
<i>modesta</i> Hy. Edwards, 2698 (Fruva).	
<i>modesta</i> Hudson, 3164 (Harpinia).	
<i>modesta</i> Smith, 3082 (Hypena).	
<i>modesta</i> Frey & Boll, 6294 (Lithocolletes).	
<i>modesta</i> Harris, 728 (Marumba).	
<i>modesta</i> Walsingham, 5551 (Paltdora).	

	Page.		Page.
<i>modesta</i> Packard, 900 (Parasemia).		Monocona	368
<i>modesta</i> Walsingham, 4950 (Platyp-		Monocteniinæ	290
tilia).		<i>monodactyla</i> Linnaeus, 4981.	
<i>modesta</i> Kellicott, 4217 (Sesia).		<i>monodia</i> Dyar, 2736.	
<i>modesta</i> Morrison, 1921 (Ulolonche).		<i>monodon</i> Grote, 2491.	
<i>modestalis</i> Fitch, 3019.		<i>monogrammana</i> Zeller, 5086.	
<i>modestaria</i> Hulst, 3703.		Monoleuca	355
<i>modestella</i> Clemens, 5975 (Holeo-		Monopis	570
cera).		Monoptilotata	421
<i>modestella</i> Hulst, 4732 (Nephop-		Monotaxiinæ	290
teryx).		Monotaxis	290
<i>modestus</i> Hy. Edwards, 6615 (He-		<i>monotropa</i> Grote, 2978.	
pialus).	428	<i>monstralis</i> Guenée, 4313.	
Modiana		<i>monstratella</i> Walker, 6110.	
<i>modica</i> Walker, 1024 (Apatela).		<i>montana</i> Morrison, 1765 (Agro-	
<i>modica</i> Guenée, 1158 (Hadena).		tiphila).	
<i>modicella</i> Grote, 2409.		<i>montana</i> Hy. Edwards, 4197 (Al-	
<i>modifica</i> Morrison, 2012.		buna).	
<i>modiola</i> Grote, 1205.		<i>montana</i> Walsingham, 4959 (Alu-	
<i>melinalis</i> Walker, 4299.		rita).	
<i>mores</i> Grote, 1613.		<i>montana</i> Hy. Edwards, 4134 (Dy-	
<i>maeschleriana</i> Wocke, 5415.		sodia).	
<i>maestata</i> Wocke, 5033.		<i>montana</i> Smith, 1252 (Hadena).	
<i>maestata</i> Nolcken, 3359.		<i>montana</i> Cockerell, 4997 (Orneo-	
<i>maestella</i> Walker, 4776.		des).	
<i>moffatiana</i> Grote, 2237.		<i>montana</i> Behr, 195 (Phyciodes).	
<i>moilena</i> Strecker, 1185.		<i>montane</i> Grote, 2123.	
<i>moina</i> Strecker, 76.		<i>montanana</i> Walsingham, 5200.	
<i>molestella</i> Zeller, 5577.		<i>montanaria</i> Treitschke, 3459 (Pe-	
<i>mollicularia</i> Zeller, 3935.		trphora).	
<i>molliculata</i> Walker, 3350.		<i>montanaria</i> Neumoegen, 3993 (Sno-	
<i>mollifera</i> Walker, 3009.		wia).	
<i>mollipedella</i> Clemens, 5503.		<i>montanata</i> Denis & Schiffermüller,	
<i>mollis</i> Walker, 3140 (Heterocampa).		3459 (Petrophora).	
<i>mollis</i> Walker, 1693 (Paragrotis).		<i>montanata</i> Packard, 3255 (Talle-	
<i>mollisaria</i> Hulst, 3960.		dega).	
<i>mollissima</i> Guenée, 2716.		<i>montanatum</i> Packard, 3352 (Eu-	
<i>molochina</i> Hübner, 1225.		stroma).	
<i>molpodia</i> Hübner, 30.	121	<i>montanus</i> Stretch, 6614.	
Momophana		<i>montella</i> Chambers, 6464.	
Mompha	541	<i>monticola</i> Behr, 110 (Argynnis).	
Mona	432	<i>monticola</i> Walsingham, 5905 (Eth-	
<i>monachella</i> Hübner, 6490.		mnia).	
<i>moneta</i> Fabricius, 2472.		<i>monticola</i> Hulst, 3474 (Myctero-	
<i>monetifera</i> Riley, 5012.		phora).	
<i>moniarium</i> Walker, 3838.		<i>montinatella</i> Hulst, 4857.	
<i>monica</i> Reakirt, 443.		<i>montinella</i> Chambers, 5518.	
<i>monicaria</i> Guenée, 3628.		<i>montinus</i> Scudder, 136.	
<i>monilis</i> Fabricius, 2740.		<i>montis</i> Edwards, 245.	
<i>monima</i> Cramer, 227.		<i>montisella</i> Chambers, 6070 (Cos-	
<i>monitifera</i> Guenée, 2715.		mopteryx).	
<i>monitor</i> Packard, 4077.		<i>montisella</i> Chambers, 5518 (Glyph-	
<i>monochromatea</i> Morrison, 1430.		ipteryx).	
<i>monoco</i> Scudder, 538.		<i>montivaga</i> Behr, 129 (Argynnис).	

Page.	Page.
<i>montivagus</i> Reakirt, 643 (Hesperiæ).	<i>mornula</i> Grote & Robinson, 990 (Apatela).
<i>monnalis</i> Hulst, 4434.	<i>morula</i> Hy. Edwards, 4210 (Sesia).
<i>monumentella</i> Chambers, 5771.	<i>moschus</i> Edwards, 597.
<i>monuste</i> Linneus, 32.	<i>mossii</i> Hy. Edwards, 375.
Moodna 436	<i>mucus</i> Hübner, 1889.
<i>mopsa</i> Hy. Edwards, 2864.	<i>mucidellum</i> Ragonot, 4871.
<i>mopsus</i> Hübner, 384.	<i>mucidus</i> Hy. Edwards, 4143.
<i>mora</i> Grote, 6603.	<i>mucorea</i> Herrich-Schaeffer, 3141.
<i>morbidalis</i> Guenée, 3039.	<i>mucronata</i> Grote, 2744.
<i>morbosa</i> Hy. Edwards, 2745 (Cissura).	<i>muelleri</i> Letcher, 222.
<i>morbosa</i> Hulst, 3641 (Episemasia).	<i>muirii</i> Hy. Edwards, 2643 (Gyros).
<i>moernata</i> Hulst, 3261.	<i>muiri</i> Hy. Edwards, 355 (Thecla).
<i>mori</i> Linneus, 3224.	<i>muliecula</i> Guenée, 2875.
<i>morigera</i> Hy. Edwards, 2468.	<i>mulleolata</i> Hulst, 3379.
<i>morio</i> Linneus, 217.	<i>mulleotella</i> Hulst, 4530.
<i>moriscaria</i> Hulst, 3897.	<i>multifaria</i> Walker, 796 (Ctnucha).
<i>mormo</i> Felder, 313.	<i>multifaria</i> Walker, 1890 (Morrisonia).
<i>mormonia</i> Boisduval, 130 (Argynnis).	<i>multifasciella</i> Chambers, 6131.
<i>mormonia</i> Boisduval, 313 (Chrysobia).	<i>multifera</i> Walker, 1102.
<i>mormonica</i> Neumögen, 885.	<i>multiferata</i> Walker, 3401.
<i>morna</i> Streeker, 1223.	<i>multilinata</i> Walker, 1978.
<i>morosaria</i> Walker, 3675.	<i>multilineata</i> Packard, 3785 (Alcis).
<i>morosata</i> Hulst, 3827.	<i>multilineata</i> Packard, 3375 (Meso-
<i>morphea</i> Godart, 189.	leuca).
<i>morpheus</i> Fabricius, 189.	<i>multilineata</i> Hulst, 3471 (Pigia).
<i>morrisata</i> Hulst, 3428.	<i>multilineatella</i> Hulst, 4629.
<i>morrisella</i> Fitch, 6269.	<i>multilineellas</i> Fernald, 4576.
<i>morrisonata</i> Hy. Edwards, 4001.	<i>multiliellus</i> Fernald, 4576.
<i>morrisonella</i> Ragonot, 4847.	<i>multimaculella</i> Chambers, 5509.
<i>morrisoni</i> Edwards, 256 (Amea).	<i>multipicalis</i> Guenée, 4286.
<i>morrisoni</i> Walsingham, 6593 (Anaphora).	<i>multipunctella</i> Chambers, 6030.
<i>morrisoni</i> Walsingham, 5159 (Eunomia).	<i>multipunctella</i> Chambers, 5907 (Ethmia).
<i>morrisoni</i> Druce, 3087 (Gnophaelia).	<i>multipunctella</i> Clemens, 5477 (Yponomena).
<i>morrisoni</i> Grote, 2243 (Scopelosoma).	<i>multiscripta</i> Riley, 3159 (Cerura).
<i>morrisoni</i> Edwards, 47 (Synchloe).	<i>multiscripta</i> Hulst, 3305 (Tephroelystis).
Morrisonia 157	<i>multistrigata</i> Hulst, 3304.
<i>morrisoniana</i> Riley, 1544.	<i>multivagata</i> Hulst, 3343.
<i>morrisonii</i> Hy. Edwards, 4198 (Albuma).	<i>multivitta</i> Dyar, 3097.
<i>morrisonii</i> Edwards, 514 (Hylephila).	<i>mundula</i> Grote & Robinson, 2754 (Drasteria).
<i>mors</i> Lucas, 4036.	<i>mundula</i> Zeller, 2638 (Eunomia).
<i>mortipenellus</i> Grote, 6583.	<i>munis</i> Grote, 1696.
<i>morta</i> Grote, 2358.	<i>mutinaria</i> Herrich-Schaeffer, 3456.
<i>mortuorum</i> Guenée, 2505.	<i>mutinata</i> Hübner, 3456.
	<i>muranula</i> Grote & Robinson, 1552.
	<i>muradis</i> Grote, 1381.
	<i>murcialis</i> Walker, 4354.

Page.		Page.
	<i>murdockii</i> Smith, 1679.	<i>mys</i> Dyar, 2055.
	<i>muricana</i> Walsingham, 5258.	<i>mysia</i> Godart, 30.
	<i>muricina</i> Grote, 2048.	<i>mysippusalis</i> Walker, 4410.
	<i>muricolor</i> Dyar, 938 (<i>Calidota</i>).	<i>mystic</i> Snodder, 520.
	<i>muricolor</i> Hulst, 3828 (<i>Selidosema</i>).	<i>mystica</i> Smith, 1859.
	<i>muricolor</i> Hulst, 3997 (<i>Stenaspila-</i>	<i>myus</i> French, 527.
	<i>tes</i>).	Nacophora ----- 329
	<i>muricolorella</i> Busek, 5873.	Nadata ----- 252
	<i>murina</i> Walker, 812 (<i>Comacla</i>).	Naera ----- 498
	<i>murina</i> Stretch, 908 (<i>Enchatias</i>).	<i>nervia</i> Smith, 1875 (<i>Mamestra</i>).
	<i>murina</i> Packard, 5042 (<i>Olethreut-</i>	<i>nerius</i> Lintner, 630 (<i>Thanaos</i>),
	<i>tes</i>).	<i>nerosiductylus</i> Fitch, 4981.
	<i>murifeldtella</i> Chambers, 5956 (<i>Dry-</i>	<i>nerulus</i> Smith, 1609.
	<i>ope</i>).	<i>nais</i> Drury, 894 (<i>Apatesis</i>).
	<i>murifeldtella</i> Chambers, 6164 (<i>Mom-</i>	<i>nais</i> Edwards, 317 (<i>Polystigma</i>).
	<i>pha</i>).	<i>nana</i> Dyar, 4076 (<i>Enclea</i>).
	<i>murifeldtiana</i> Riley, 5244.	<i>nana</i> Hübner, 1056 (<i>Jaspidia</i>).
	<i>nas</i> Neumoegen, 3215.	<i>nana</i> Haworth, 5458 (<i>Phalonia</i>).
	<i>nascariata</i> Guenée, 3649.	<i>namalis</i> Grote, 1459.
	<i>nascosa</i> Grote, 1633.	<i>namata</i> Neumoegen, 2451.
	<i>nascoseta</i> Guenée, 2607.	<i>nanina</i> Dyar, 4076.
	<i>musculana</i> Hübner, 5374.	Nannia ----- 269
	<i>musta</i> Grote & Robinson, 2606.	<i>nanno</i> Edwards, 467.
	<i>mustelina</i> Smith, 1192 (<i>Hadena</i>).	Nannodia ----- 497
	<i>mustelina</i> Packard, 3154 (<i>Schizura</i>).	<i>nannus</i> Streckner, 4159 (<i>Hypopta</i>).
	<i>mustelinis</i> Packard, 4434.	<i>nanus</i> Neumoegen, 2 (<i>Parnassius</i>).
	<i>mustelinus</i> Packard, 6609 (<i>Hepia-</i>	<i>napa</i> Edwards, 494.
	<i>lus</i>).	<i>napaea</i> Morrison, 2115.
	<i>mutabilans</i> Clemens, 5077.	<i>napovalis</i> Hulst, 4332.
	<i>mutabilis</i> Clemens, 4601.	<i>napi</i> Linnaeus, 38.
	<i>mutilata</i> Smith, 1871.	Napuca ----- 332
	<i>mutinalis</i> Zeller, 4344.	<i>narensalis</i> Walker, 4324.
	<i>muvaria</i> Walker, 3957.	<i>narrata</i> Walker, 2454.
	<i>muza</i> Oberthür, 845.	Narthecophora ----- 197
	Mycterophora ----- 291	<i>nasomi</i> Grote, 4088.
	<i>myellus</i> Hübner, 4583.	<i>nasonialis</i> Zeller, 4374.
	Myelois ----- 417	<i>nastanria</i> Zeller, 2573.
	Myeza ----- 404	<i>nastes</i> Boisduval, 75.
	<i>mylitta</i> Edwards, 193.	<i>nasturtii</i> Boisduval, 38.
	<i>myrmularia</i> Walker, 4007.	Natada ----- 356
	<i>mynesalis</i> Walker, 3052.	<i>natatrix</i> Guenée, 2739.
	<i>myops</i> Smith & Abbot, 732.	Nathalis ----- 6
	<i>myricafoliella</i> Busek, 6204.	<i>nausicia</i> Edwards, 100.
	<i>myrina</i> Cramer, 131 (<i>Brenthis</i>).	Navasota ----- 439
	<i>myrina</i> Martyn, 141 (<i>Brenthis</i>).	Nealyda ----- 497
	<i>myrissa</i> Godart, 131.	<i>neechus</i> Edwards, 641.
	Myrlaea ----- 425	<i>nebraska</i> Dodge, 2836 (<i>Catocala</i>).
	<i>myrmidonata</i> Guenée, 3506.	<i>nebraskae</i> Hy. Edwards, 4169 (<i>Eu-</i>
	<i>myron</i> Cramer, 682.	<i>hagena</i>).
	<i>myrrha</i> Strecker, 2891.	<i>nebris</i> Guenée, 2179.
	<i>myrta</i> Godart, 227.	<i>nebulaductylus</i> Fitch, 4956.
	<i>myrtaria</i> Guenée, 3479.	<i>nebulana</i> Stephens, 5359.
	<i>myrtis</i> Edwards, 477.	

Page.		Page.
nebulella Riley, 4704.		29
nebulifera Stephens, 4551.		
nebula Walsh, 4704.		
nebulosa Edwards, 2867 (Catocala).		
nebulosa Zeller, 5870 (Depressaria).		
nebulosa Neumoegen, 774 (Sphinx).		
nebulosa Hulst, 3269 (Tephroclystis).		
nebulosalis Fernald, 4488.		
nebulosana Packard, 5231.		
nebulosaria Freyer, 3329.		
nebulosus Wetherby, 4085 (Adoneta).		
neocopina Grote, 2181.		
neocinnisella Chambers, 6252		
Neda	496	
neglecta Edwards, 440 (Cyaniris).		
neglecta Strecker, 2384 (Schinia).		
neglecta Hy. Edwards, 4205 (Sesia).		
negreta Reakirt, 307.		
negundana Dyar, 5367.		
negundiella Chambers, 6360.		
negussa Smith, 1876.		
nelcis Boisduval, 53.		
Neleucania	163	
nclita Strecker, 2180.		
nelsoni Edwards, 35 (Pontia).		
nelsonii Boisduval, 355 (Thecla).		
nelumbialis Smith, 4439.		
Nematoampa	338	
nemesis Edwards, 323.		
nemorella Hulst, 3453.		
Nemoria	299	
nemoris Edwards, 463 (Amblyscirtes).		
nemoris Walsingham, 6293 (Lithocelotes).		
nemorum Boisduval, 506.		
nenoquis Reakirt, 130.		
Nearactia	87	
neoclesalis Walker, 4282.		
neoculo Smith, 2681.		
Neodactylota	504	
neogama Smith & Abbot, 2870.		
Neolexia	278	
Neolophus	577	
neomexicana Hulst, 3411 (Hydroisma).		
neomexicana Smith, 1573 (Paragrotis).		
neomexicana Smith, 2690 (Tarache).		
Neominois		32
neonaria Packard, 3934.		
neoninaria Walker, 3934.		
Neonympha		5
Neophasia		80
Neoplynes		
neotelis Smith, 1710.		
neotrica Smith, 1857.		
Neoterpes		333
nephela Hufnagel, 283 (Coenonympha).		
nephela Kirby, 258 (Cercyonis).		
Nephelodes		161
nephelotella Hulst, 4656.		
Nephopteryx		422
nepiasaria Walker, 3934.		
Nepista		203
neptaria Guenée, 3656.		
neptata Packard, 3656.		
Nepticula		545
neptis Smith, 1968.		
Nepytiia		320
nerea Boisduval, 882 (Apantesis).		
nereus Edwards, 537 (Euphyes).		
Nerice		252
nerissa Hy. Edwards, 2907.		
nerrata Guenée, 3702.		
nerrosa Neumoegen & Dyar, 882 (Apantesis).		
nerrosa Haworth, 5887 (Depressaria).		
nesaea Smith, 2410.		
nesalis Walker, 4451.		
nessus Cramer, 667 (Amphion).		
nessus Edwards, 649 (Hesperia).		
nestos Boisduval, 424.		
nestusalis Walker, 4354.		
neunoegeni Hy. Edwards, 761 (Hemileuca).		
neunoegeni Skinner, 163 (Lemonias).		
neunoegeni Skinner, 30 (Tachyris).		
neunoegeni Hy. Edwards, 2418 (Xanthothrix).		
Neumoegenia		197
neunoegenii Edwards, 457 (Methymus).		
neurona Skinner, 438.		
Neuronia		157
nevada Scudder, 487 (Erynnis).		
nevada Smith, 1595 (Paragrotis).		
nevada Scudder, 600 (Thorybes).		
nevadæ Grote, 1795 (Mamestra).		

Page.	Page
<i>neradaria</i> Oberthür, 4132 (Thyris).	<i>nigricans</i> Bethune, 2987 (Homoptera).
<i>neradaria</i> Packard, 3586 (Chlorosea).	<i>nigricans</i> Packard, 4089 (Phobetron).
<i>neradaria</i> Hulst, 3627 (Deilinia).	<i>nigricans</i> Hulst, 4758 (Salebria).
<i>neradaria</i> Hulst, 3879 (Phigalia).	<i>nigricantella</i> Ragonot, 4830.
<i>neradaria</i> Packard, 3317.	<i>nigriiceps</i> Walker, 1496.
<i>neradensis</i> Grote & Robinson, 888 (Apantesis).	<i>nigridia</i> Robinson, 5406.
<i>neradensis</i> Edwards, 118 (Argynnis).	<i>nigridice</i> Seudder, 66.
<i>neradensis</i> Stretch, 758 (Hemileuca).	<i>nigrifera</i> Walker, 832.
<i>neradensis</i> Felder, 290 (Oeneis).	<i>nigrilinella</i> Chambers, 6137.
<i>newmanella</i> Clemens, 5932.	<i>nigrimaculella</i> Busek, 5756.
<i>necta</i> Boisduval, 824.	<i>nigrina</i> Strecker, 66 (Eurymus).
<i>neralis</i> Hulst, 4390.	<i>nigrinata</i> Graef, 4127 (Harrisina).
<i>nerilis</i> Morrison, 2423.	<i>nigrinodis</i> Zeller, 4533.
<i>nezahualcoyoll</i> Strecker, 24.	<i>nigrior</i> Smith, 1242.
<i>nicaeensis</i> Walker, 4286.	<i>nigripennis</i> Grote, 1708.
<i>nicalis</i> Grote, 4467.	<i>nigripunctata</i> Goodell, 4098.
<i>nectaria</i> Guenée, 3699.	<i>nigrevirens</i> Haworth, 2339.
<i>nicippe</i> Cramer, 83.	<i>nigristrigella</i> Bentenmüller, 6361.
<i>nectania</i> Hy. Edwards, 4228.	<i>nigritula</i> Guenée, 2612.
<i>nictitans</i> Borkhausen, 2162 (Gortyna).	<i>nigricinctella</i> Chambers, 6205.
<i>nietitanus</i> Ménétries, 900 (Parasemia).	<i>nigroangulata</i> Strecker, 3236.
<i>nidificansella</i> Packard, 6417.	<i>nigrocerulea</i> Cockerell, 97.
<i>nigella</i> Hulst, 4250 (Sesia).	<i>nigrocandida</i> Hulst, 3489.
<i>nigellus</i> Strecker, 3010 (Epizeuxis).	<i>nigrocavipal</i> Morrison, 2628 (Exyra).
<i>nigerlinella</i> Chambers, 6031.	<i>nigrocavipal</i> Smith, 1367 (Oncoetenia).
Nigetia	352
<i>nigra</i> Edwards, 440 (Cyaniris).	<i>nigrocervina</i> Walsingham, 5389.
<i>nigra</i> Strecker, 896 (Kodiosoma).	<i>nigrociliatus</i> Zeller, 4935.
<i>nigra</i> Edwards, 295 (Oeneis).	<i>nigrocinerella</i> Hulst, 4895.
<i>nigra</i> Smith, 1465 (Peridroma).	<i>nigrodiscalis</i> Hulst, 3516.
<i>nigra</i> Busek, 5605 (Recurvula).	<i>nigrofasciata</i> Zeller, 4049 (Celama).
<i>nigra</i> Bentenmüller, 4254 (Sesia).	<i>nigrofasciata</i> Packard, 3450 (Petrophora).
<i>nigralbaea</i> Walsingham, 5123.	<i>nigrofasciata</i> Hulst, 1301 (Prodenia).
<i>nigralinella</i> Chambers, 6031.	<i>nigrofasciella</i> Ragonot, 4811.
<i>nigralis</i> Fernald, 4378.	<i>nigrofimbria</i> Guenée, 2631.
<i>nigrapunctella</i> Busek, 6065.	<i>nigroflava</i> Graef, 897.
<i>nigratomella</i> Clemens, 5699.	<i>nigroguttata</i> Grote, 1303.
<i>nigrella</i> Chambers, 5697 (Aprocrrema).	<i>nigrolineata</i> Robinson, 5305.
<i>nigrella</i> Hulst, 4878 (Ephestia).	<i>nigrolineata</i> Packard, 1931.
<i>nigrella</i> Hulst, 4882 (Ephestiodes).	<i>nigromaculella</i> Hulst, 4896.
<i>nigrescens</i> Hulst, 3928.	<i>nigromaculata</i> Strecker, 2804.
<i>nigrescens</i> Grote & Robinson, 2767 (Meliopotis).	<i>nigroseriata</i> Packard, 3637.
<i>nigrescens</i> Hulst, 3836 (Phaeoura).	<i>nigrosignata</i> Walker, 3148.
<i>nigrescens</i> Hulst, 3344 (Philereme).	<i>nigrosignella</i> Hulst, 4689.
<i>nigricans</i> Reakirt, 832 (Eubaphe).	<i>nigrostrigata</i> Walsingham, 6032.

Page.	Page.
<i>nimbata</i> Clemens, 5031.	<i>nircopulella</i> Chambers, 5704.
<i>nimbicolor</i> Hulst, 3529 (Eois).	<i>nircosama</i> Packard, 5410.
<i>nimbicolor</i> Hulst, 3298 (Tephroclystis).	<i>nircosericata</i> Jones, 3922.
<i>nimia</i> Guenée, 1998.	<i>niriella</i> Hulst, 4729.
<i>ninana</i> Riley, 5298.1.	<i>nirigerata</i> Walker, 3253.
<i>ningoria</i> Walsingham, 4934.	<i>nirihumellus</i> Walker, 4564.
<i>ninguidalis</i> Hulst, 5510.	<i>nirisellana</i> Walsingham, 5314.
<i>ninonia</i> Boisduval, 28.	<i>nirium</i> Boisduval, 430.
<i>ninus</i> Edwards, 358.	<i>nirosvium</i> Guenée, 3916.
<i>nioche</i> Strecker, 849.	<i>nirosvata</i> Packard, 3916.
<i>niphon</i> Hübner, 378.	<i>nobilis</i> Neumoegen, 778 (Basilona).
<i>nisella</i> Clemens, 5131.	<i>nobilis</i> Grote, 2358 (Schinia).
<i>nisorecalis</i> Walker, 4411.	<i>nocticolata</i> Hulst, 3255.
<i>nitella</i> Guenée, 2179.	<i>noctiraga</i> Grote, 1030.
<i>nitens</i> Walsingham, 6071 (Cosmopteryx).	Noctua ----- 134
<i>nitens</i> Grote, 1998 (Neleucania).	Noctuelia ----- 394
<i>nitida</i> Packard, 3149.	<i>noctuella</i> Schiffermüller, 4342.
<i>nitidalis</i> Cramer, 4316.	Noctuidæ ----- 98
<i>nitidana</i> Clemens, 5010.	<i>noctuiformis</i> Walker, 693 (Cautethia).
<i>nitidatum</i> Zeller, 5014.	<i>noctuiformis</i> Möschler, 942 (Misa).
<i>nitocraria</i> Hübner, 4029.	<i>noctuiformis</i> Smith, 1701 (Paragrotis).
<i>nitocris</i> Edwards, 97 (Argynnis).	Noctuinæ ----- 98
<i>nitocris</i> Cramer, 4029 (Mecoceras).	<i>nodosella</i> Hulst, 4915.
<i>nitra</i> Edwards, 20.	<i>nokomis</i> Edwards, 96.
<i>nivalis</i> Drury, 4620 (Argyria).	Nola ----- 351
<i>nivalis</i> Boisduval, 394 (Epidemas).	<i>nolekenii</i> Frey & Boll, 6444.
<i>nivalis</i> Smith, 2285 (Oxychemis).	Nolidæ ----- 351
<i>nivaria</i> Grote, 1936.	<i>Nolophana</i> ----- 109
<i>nivea</i> Herrich-Schaeffer, 936 (Eu-pseudosoma).	Nomia ----- 497
<i>nivea</i> Neumoegen, 3163 (Harpyia).	Nomiades ----- 43
<i>nivea</i> Walker, 4540 (Seirpophaga).	<i>nominatalis</i> Hulst, 4505.
<i>niveana</i> Fabricius, 5304 (Aeleris).	<i>nomion</i> Fischer, 3.
<i>niveana</i> Walsingham, 5338 (Cenopis).	Nomophila ----- 381
<i>nivella</i> Chambers, 6244.	Nonagria ----- 174
<i>niviciliialis</i> Grote, 4473.	<i>nouangulata</i> Strecker, 4021.
<i>nivicollis</i> Smith, 2693.	<i>noudescriptus</i> Wetherby, 4089.
<i>nivicosta</i> Smith, 1989.	<i>noufasciella</i> Chambers, 6286.
<i>nivicostatus</i> Grote, 2216.	<i>noustrigella</i> Chambers, 5933 (Dasy-cera).
<i>nivifascia</i> Hulst, 3280.	<i>nonstrigella</i> Chambers, 6230 (Opostega).
<i>nivifasciata</i> Hulst, 3386.	<i>nonstrigella</i> Chambers, 5661 (Trichotaphe).
<i>nivignittata</i> Grote, 5075.	<i>norax</i> Druce, 4151.
<i>nivignittata</i> Grote, 1919.	<i>nordica</i> Smith, 1732.
<i>nivilinea</i> Grote, 1575.	<i>norma</i> Morrison, 2617.
<i>nivirena</i> Harvey, 1135.	<i>normalis</i> Grote, 2047.
<i>nivivenosa</i> Grote, 1210.	<i>normani</i> Grote, 2009.
<i>niveocapitella</i> Chambers, 6516.	<i>normaniiana</i> Grote, 1476.
<i>niveocilia</i> Hampson, 4319.	<i>norna</i> Thunberg, 295.

	Page.
Noropsis	195
<i>nortoni</i> Edwards, 538.	
<i>nostra</i> Smith, 1718.	
<i>notabilis</i> Strecker, 649.	
<i>notalis</i> Grote, 1099.	
<i>notaria</i> Hy. Edwards, 3114 (Odon-tosia).	
<i>notaria</i> Denis & Schiffermüller, 3666 (Philobia).	
<i>notata</i> Cramer, 3667 (Philobia).	
<i>notata</i> Linnaeus, 3666 (Philobia).	
<i>notata</i> Stephens, 3294 (Tephroelytis).	
<i>notata</i> Strecker, 2063 (Tricholita).	
<i>notatalis</i> Walker, 4669.	
<i>notataria</i> Hulst, 3937 (Hyperitis).	
<i>notataria</i> Walker, 3604 (Sciagrap-hia).	
<i>notella</i> Grote, 2288.	
<i>notha</i> Hy. Edwards, 4118.	
Notodontidae	251
Notolophus	249
<i>nora</i> Fitch, 3187.	
<i>noradialis</i> Grote, 4478.	
<i>noranglia</i> Scudder, 40.	
<i>noravocensis</i> Hy. Edwards, 4211.	
<i>norcellata</i> Hulst, 4015.	
<i>norerei</i> Grote, 1824.	
<i>norimundi</i> Walsingham, 5866.	
Nuarace	403
<i>nubeculana</i> Clemens, 5240.	
<i>nubecularia</i> Guenée, 3803.	
<i>nubeculosa</i> Zeller, 5836.	
<i>nubicola</i> Behr, 2797.	
<i>nubiculata</i> Packard, 3654.	
<i>nubiferella</i> Ragonot, 4751 (Sale-bria).	
<i>nubiferella</i> Walsingham, 5881 (De-pressaria).	
<i>nubigena</i> Behr, 152.	
<i>nubila</i> Strecker, 2381.	
<i>nubilana</i> Clemens, 5050.	
<i>nubilata</i> Packard, 4024 (Sabulodes).	
<i>nubilatum</i> Packard, 3353 (Eustro-ma).	
<i>nubilella</i> Zeller, 5980 (Holcocera).	
<i>nubilella</i> Hulst, 4713 (Monoptilota).	
<i>nubilifascia</i> Grote, 3031.	
<i>nubilifasciata</i> Packard, 3387.	
<i>nubilipennella</i> Clemens, 6503.	
<i>nubilis</i> Hübner, 2911.	
<i>nuchalis</i> Grote, 2302 (Heliothis).	
Numeria	333
<i>numerosa</i> Zeller, 5100.	
<i>nunitor</i> Fabricius, 472.	
<i>nunnumalis</i> Hübner, 4621 (Ar-gyria).	
<i>nunnumalis</i> Zeller, 4620 (Argyria).	
<i>nunnumalis</i> Lederer, 4324 (Omnia-tospila).	
<i>nundina</i> Drury, 2339.	
<i>nundinella</i> Zeller, 5770.	
<i>nupera</i> Lintner, 2118.	
<i>nuptialis</i> , Walker, 2891.	
<i>nurus</i> Walker, 2828.	
<i>nutrix</i> Cramer, 2466.	
<i>nuttalli</i> Strecker, 764.	
<i>nycteis</i> Doubleday & Hewitson, 185.	
Nycteola	248
Nycteolidae	248
Nycterophæta	184
Nycterosea	269
Nyctiphanta	315
Nyctobia	265
<i>nympha</i> Edwards, 184.	
Nymphælla	395
<i>nymphælla</i> Hulst, 4862.	
Nymphalidae	12
Nymphula	395
Nymphulinae	395
<i>nysa</i> Edwards, 460.	
<i>nyssafoliella</i> Clemens, 6125 (Anti-spila).	
<i>nyssafoliella</i> Chambers, 6206 (Nep-ticula).	
<i>nyssaria</i> Guenée, 3934.	
Nyssia	329
Oarisma	49
<i>obatra</i> Morrison, 2706.	
<i>obaurata</i> Morrison, 4054.	
<i>obduetata</i> Möschler, 3362.	
<i>obeliscoides</i> Guenée, 1724.	
<i>oberon</i> Worthington, 588.	
<i>oberthuralis</i> Fernald, 4363.	
<i>oberthurella</i> Ragonot, 4768.	
<i>obesalis</i> Stephens, 3079.	
<i>obesula</i> Smith, 1554.	
<i>obfirmaria</i> Hübner, 3947.	
<i>offuscaria</i> Walker, 3539.	

Page.	Page.
<i>olfuscana</i> Riley, 5140.1.	<i>obscura</i> Strecker, 2819 (Catocala).
<i>oljurgata</i> Smith, 1690.	<i>obscura</i> Fabricius, 692 (Dilophonota).
<i>oblata</i> Morrison, 1486.	<i>obscura</i> Stretch, 832 (Enbaphe).
<i>oblectalis</i> Hulst, 4372.	<i>obscura</i> Grote, 2561 (Encalyptera).
<i>oblentaria</i> Grote, 3977.	<i>obscura</i> Cockerell, 217 (Euvanessa).
<i>oblinita</i> Smith & Abbot, 1041.	<i>obscura</i> Riley, 1302 (Laphygma).
<i>obliqua</i> Hulst, 3593 (Anaploides).	<i>obscura</i> Smith, 1827 (Mamestra).
<i>obliqua</i> Smith, 2215 (Fagitala).	<i>obscuralis</i> Grote, 4493 (Nymphula).
<i>obliqua</i> Harvey, 2167 (Gortyna).	<i>obscuralis</i> Möschler, 4496 (Nymphula).
<i>obliqua</i> Packard, 3133 (Heterocampa).	<i>obscurata</i> Lederer, 4309 (Sylepta).
<i>obliqua</i> Guenée, 3001 (Homoptera).	<i>obscurata</i> McLachlan, 137 (Brenthis).
<i>obliqua</i> Hy. Edwards, 4084 (Monoleuca).	<i>obscurata</i> Strecker, 2386 (Schinia).
<i>obliqua</i> Smith, 2337 (Schinia).	<i>obscurata</i> Hulst, 3367 (Zenophleps).
<i>obliqua</i> Walker, 2149 (Sphida).	<i>obscurella</i> Beutennmüller, 5906 (Ethmia).
<i>obqualsis</i> Grote, 4330 (Evergestis).	<i>obscurella</i> Chambers, 5815 (Gelechia).
<i>obqualsis</i> Hy. Edwards, 2584 (Plecoptera).	<i>obscurella</i> Dietz, 5948 (Pigritia).
<i>obliquaria</i> Grote, 3796.	<i>obscurecostella</i> Clemens, 6280.
<i>obliquata</i> Smith, 2411 (Heliophana).	<i>obscurior</i> Smith, 2125 (Cucullia).
<i>obliquata</i> Grote & Robinson, 3193 (Olene).	<i>obscurior</i> Smith, 1964 (Heliophila).
<i>obliquata</i> Smith, 2073 (Pleroma).	<i>obscurior</i> Smith, 1832 (Mamestra).
<i>obliquata</i> Grote & Robinson, 2149 (Sphida).	<i>obscurior</i> Hulst, 3309 (Tephroclytis).
<i>obliquella</i> Walker, 4636.2.	<i>obscuripennella</i> Frey & Boll, 6382.
<i>obliquestrigella</i> Chambers, 5599.	<i>obscuripennis</i> Grote, 3022.
<i>obliquifasciella</i> Chambers, 5554.	<i>obscurecella</i> Riley, 5752.
<i>obliquifera</i> Walker, 1092.	<i>obscurofasciella</i> Chambers, 6251 (Bucephatatrix).
<i>obliquilinea</i> Walker, 3171.	<i>obscurofasciella</i> Chambers, 6172 (Douglasia).
<i>obliquistrigella</i> Chambers, 5599.	<i>obsenromaculella</i> Chambers, 5848.
<i>oblita</i> Grote, 1357.	<i>obscuroocecella</i> Chambers, 5752.
<i>obliteralis</i> Walker, 4496 (Nymphula).	<i>obscurostrigella</i> Chambers, 6517.
<i>obliteralis</i> Walker, 4349 (Sphida).	<i>obscurostrigifusella</i> Chambers, 5772.
<i>obliterana</i> Walsingham, 5201.	<i>obscurus</i> Smith, 1757 (Anytus).
<i>obliterata</i> Stretch, 884 (Apantesis).	<i>obscurusella</i> Chambers, 5816 (Gelechia).
<i>obliterata</i> Grote, 1054 (Microcelia).	<i>obscurussella</i> Chambers, 6164 (Mompha).
<i>obliteratellus</i> Zeller, 4624.	<i>observabilis</i> Grote, 1404.
<i>obliviosa</i> Hy. Edwards, 3190.	<i>obsipella</i> Hulst, 4778.
<i>oblonga</i> Grote, 2152.	<i>obsolescens</i> Dyar, 4112.
<i>oblongostigma</i> Smith, 1578.	<i>obsoleta</i> Edwards, 241 (Basilarchia).
<i>oblunalis</i> Lederer, 4401.	<i>obsoleta</i> Worthington, 2865 (Catocala).
<i>obluridata</i> Hulst, 3492.	<i>obsoleta</i> Grote, 2696 (Fruva).
<i>olmigra</i> Smith, 1832.	<i>obsoleta</i> Ehrman, 23 (Laertias).
<i>olmigralis</i> Hulst, 4443.	
<i>omusella</i> Hulst, 4671.	
<i>obruptata</i> Walker, 3370.	
<i>obrusata</i> Grote, 4032.	
<i>obretella</i> Zeller, 6226.	
<i>obseura</i> Hy. Edwards, 972 (Apataela).	

	Page.		Page.
<i>obsoleta</i> Frey & Boll, 6279 (Lithoclettes).		<i>occidentalis</i> Packard, 3314 (Tephrolystis).	
<i>obsoleta</i> Grote, 2929 (Poaphila).		<i>occidentaria</i> Packard, 3507.	
<i>obsoleta</i> Hy. Edwards, 175 (Thessalia).		<i>occidentata</i> Grote, 1881 (Barathra).	
<i>obsoleta</i> Smith, 3019 (Zanclognatha).		<i>occidentata</i> Packard, 3507 (Leptomeris).	
<i>obsoletalis</i> Bergstrasser, 4352.		<i>occidentella</i> Dyar, 5526 (Choreutis).	
<i>obsoletana</i> Walker, 5364.		<i>occidentella</i> Dietz, 5951 (Dryope).	
<i>obsoletella</i> Zeller, 5849 (Cryptolechia).		<i>occidentella</i> Chambers, 5763 (Glechia).	
<i>obsoletella</i> Chambers, 6279 (Lithoclettes).		<i>occidentella</i> Chambers, 6532 (Trichophaga).	
<i>obstrictella</i> Clemens, 6307.		<i>occidentis</i> Zeller, 6034 (Coleophora).	
<i>obtusa</i> Smith, 2028 (Graphiphora).		<i>occidentis</i> Walker, 3223 (Epiemaptera).	
<i>obtusa</i> Smith, 1298 (Helotropha).		<i>occiduaria</i> Walker, 3898 (Anagoga).	
<i>obtusa</i> Herrich-Schaeffer, 2653 (Metoponia).		<i>occiduaria</i> Guenée, 3862 (Ectropis).	
<i>obtusa</i> Speyer, 1476 (Noctua).		<i>occiduaria</i> Packard, 3692 (Macaria).	
<i>obtusangulella</i> Ragonot, 4886.		<i>occipitana</i> Zeller, 5099.	
<i>obtusaria</i> Hübner, 3956.		<i>occitanica</i> Frey & Boll, 6284.	
<i>obtusiloba</i> Frey & Boll, 6295.		<i>oculatissima</i> Smith & Abbot, 846.	
<i>obumbratilis</i> Lederer, 4433.		<i>oculta</i> Linnaeus, 1462 (Peridroma).	
<i>obversa</i> Walker, 2943.		<i>oculta</i> Hy. Edwards, 2801 (Syndra).	
<i>obria</i> Walker, 1749.	433	<i>occultana</i> Walker, 5229.	
<i>Ocala</i>		<i>oceanus</i> Edwards, 640.	
<i>occidentaria</i> Hulst, 3958.		<i>ocellea</i> Chambers, 5743.	
<i>occulta</i> Grote, 1336.		<i>ocellana</i> Clemens, 5266 (Aencylis).	
<i>occidens</i> Grote, 1238 (Hadena).		<i>ocellana</i> Schiffermüller, 5237 (Tmetocera).	
<i>occidea</i> Hulst, 3398 (Hydrymena).		<i>ocellata</i> Edwards, 248 (Chlorippe).	
<i>occidentalis</i> French, 935 (Emilia).		<i>ocellata</i> Grote, 4100 (Packardia).	
<i>occidentalis</i> Lintner, 3160 (Cerura).		<i>ocellata</i> Fabricius, 3459 (Petrophora).	
<i>occidentalis</i> Riley, 6034 (Coleophora).		<i>ocellata</i> Haworth, 4618.	
<i>occidentalis</i> Grote, 4559 (Crambus).		<i>ocellella</i> Chambers, 5743.	
<i>occidentalis</i> Smith, 3012 (Epizeuxis).		<i>ocellifera</i> Grote, 366.	
<i>occidentalis</i> Seudder, 68 (Eurymus).		<i>ocellinata</i> Guenée, 3651.	
<i>occidentalis</i> Hulst, 4522 (Herculia).		<i>ochrifuscella</i> Chambers, 5817.	
<i>occidentalis</i> French, 848 (Leptaretia).		<i>ochracea</i> Neumoegen, 888 (Apantesis).	
<i>occidentalis</i> Packard, 4354 (Loxostege).		<i>ochracea</i> Edwards, 281 (Coenonympha).	
<i>occidentalis</i> Hulst, 4000 (Marmarea).		<i>ochracea</i> Haworth, 6362 (Gracilaria).	
<i>occidentalis</i> Hy. Edwards, 728 (Maramba).		<i>ochracea</i> Stretch, 873 (Platyprepia).	
<i>occidentalis</i> Reakirt, 36 (Pontia).		<i>ochracea</i> Smith, 1275 (Polia).	
<i>occidentalis</i> Walsingham, 4982 (Pterophorus).		<i>ochracea</i> Behr, 2788 (Syneda).	
<i>occidentalis</i> Hulst, 3242 (Rachela).		<i>ochracea</i> Riley, 1898 (Xylomiges).	
		<i>ochracalis</i> Walker, 4529.	

Page.	Page.
<i>ochraceana</i> Fernald, 5097.	
<i>ochraceus</i> Hy. Edwards, 2419.	
<i>ochrea</i> Grote, 2755.	
<i>ochreana</i> Clemens, 5096.	
<i>ochreata</i> Packard, 3784 (Aleis).	
<i>ochreata</i> Butler, 894 (Apantesis).	
<i>ochreata</i> Hulst, 3918 (Eugonobapta).	
<i>ochreatus</i> Hulst, 3924 (Ennomos).	
<i>ochreella</i> Clemens, 5959.	
<i>ochrefasciella</i> Chambers, 6207.	
<i>ochreicostana</i> Walsingham, 5202.	
<i>ochreifascia</i> Smith, 2325.	
<i>ochreipennis</i> Harvey, 2767 (Meliopotis).	
<i>ochreipennis</i> Grote, 3024 (Zanelognatha).	
<i>ochrella</i> Chambers, 5500 (Cerostoma).	
<i>ochrella</i> Chambers, 6033 (Coleophora).	
<i>ochreola</i> Walker, 5458.	
<i>ochreocostella</i> Chambers, 5702.	
<i>ochreofuscella</i> Chambers, 5817.	
<i>ochromaculella</i> Chambers, 6175.	
<i>ochrostrigella</i> Chambers, 5738 (Glechia).	
<i>ochrostigella</i> Chambers, 5632 (Gnorrimoschema).	
<i>ochrosuffusella</i> Chambers, 5736.	
Ochria 177	
<i>ochrifrontella</i> Zeller, 4835.	
<i>ochrimaculella</i> Ragonot, 4851.	
<i>ochripalpella</i> Zeller, 5639.	
<i>ochristriata</i> Walsingham, 6111.	
<i>ochrocephala</i> Walsingham, 5203	
<i>ochrocomella</i> Clemens, 5956.	
<i>ochrodactylus</i> Fish, 4930.	
<i>ochrocomella</i> Dietz, 5956.	
<i>ochrofuscaria</i> Grote, 3825.	
<i>ochrogaster</i> Guenée, 1719.	
<i>ochromelina</i> Guenée, 5034.	
<i>ochroscapus</i> Grote & Robinson, 797.	
<i>ochrostriata</i> Walsingham, 6035.	
<i>ochsenheimeri</i> Staudinger, 39.	
Ochyria 288	
<i>ocola</i> Edwards, 548.	
Ocrasa 399	
<i>octagonella</i> Walsingham, 6036.	
<i>octolineata</i> Hulst, 3711.	
<i>octomaculalis</i> Fernald, 4503.	
<i>octomaculata</i> Fabricius, 949 (Alypia).	
<i>octomaculata</i> Linnaeus, 4472 (Pyrausta).	
<i>octomaculella</i> Chambers, 5631.	
<i>octonalis</i> Zeller, 4475.	
<i>octopunctata</i> Walsingham, 5204.	
<i>octoscripta</i> Grote, 2502.	
<i>octosignalis</i> Hulst, 4438.	
<i>octosignata</i> Grote, 2502.	
<i>oculata</i> Harris, 5237.	
<i>oculata</i> Smith, 2376.	
<i>oculatana</i> Clemens, 4134.	
<i>oculatrix</i> Guenée, 2548.	
<i>oculea</i> Neumoegen, 748.	
<i>oculiferalis</i> Ragonot, 4536.	
<i>odiosella</i> Hulst, 4770.	
<i>odius</i> Fabricius, 253.	
<i>odontata</i> Hulst, 3437.	
Odontoptera 338	
Odontosia 251	
Odoptera 336	
<i>odora</i> Linnaeus, 3006.	
<i>odyneripennis</i> Walker, 4191.	
Ecophora 525	
Ecophoridæ 519	
Ectoperia 400	
<i>adipodalis</i> Guenée, 4415.	
Edonia 354	
<i>amearia</i> Walker, 4005.	
Eneactra 477	
<i>aneiformis</i> Harvey, 3426.	
Eneis 30	
<i>ano</i> Boisduval, 295.	
Enoe 574	
<i>anone</i> Scudder, 185.	
<i>anotherella</i> Chambers, 6157.	
<i>anotheraseminella</i> Chambers, 6152.	
<i>anotherana</i> Riley, 5453.	
<i>anotherirorella</i> Chambers, 6152.	
<i>anotrus</i> Cramer, 690.	
Eseis 511	
Eta 490	
<i>atus</i> Boisduval, 264.	
<i>ofellusalis</i> Walker, 4302.	
<i>officinalis</i> Hulst, 5198.	
<i>offinalis</i> Hulst, 4360.	
Ogdoconta 203	
<i>ohionis</i> Zeller, 5521.	
Oidæmatophorus 444	
Oiketicus 352	
<i>oilensis</i> Westwood & Humphreys, 652.	
<i>oithona</i> Strecker, 879.	
<i>okakaria</i> Packard, 3513.	
<i>okakensis</i> Packard, 1435.	

	Page.		Page.
<i>okeechobee</i> Worthington, 575.		<i>omphale</i> Hübner, 779.	
<i>olbiella</i> Hulst, 4847.		<i>omphalea</i> Boisduval, 687.	
<i>oleaginea</i> Morrison, 2333.		Omphalocera	399
<i>olealis</i> Ragonot, 4535 (Chalinitis).		<i>onagrus</i> Guenée, 2702.	
<i>olealis</i> Felder, 4315 (Diaphania).		Oncocnemis	125
Olene	260	Oneida	415
<i>olenusaria</i> Walker, 3759.		<i>oneko</i> Scudder, 468.	
<i>oleracea</i> Harris, 38.		<i>ontariella</i> Bethune, 5889.	
<i>Olethreutes</i>	451	<i>ontario</i> Smith, 1666 (Paragrotis).	
<i>Olethreutinæ</i>	448	<i>ontario</i> Edwards, 348 (Theela).	
<i>Oligia</i>	112	<i>onusta</i> Grote, 1255.	
<i>Oligoria</i>	54	<i>onustana</i> Walker, 5521.	
<i>Oligostigma</i>	396	Onychia	288
<i>olinalis</i> Guenée, 4521.		<i>onychina</i> Guenée, 2068.	
<i>oliracea</i> Smith, 1064 (Cerma).		<i>onythesalis</i> Walker, 4448.	
<i>oliracea</i> Grote, 3080 (Hypena).		<i>oo</i> Cramer, 2486.	
<i>oliracea</i> Morrison, 1832 (Mames- tra).		<i>opaca</i> Harvey, 1529.	
<i>olivaceana</i> Fernald, 5016 (Exarte- ma).		<i>opacalis</i> Grote, 3040.	
<i>olivaccana</i> Riley, 5164 (Thiodia).		<i>opacaria</i> Hulst, 3845.	
<i>olivaceaaria</i> Morrison, 3880.		<i>opacella</i> Hulst, 4897.	
<i>olivalis</i> Grote, 4531 (Arta).		<i>opacifrons</i> Grote, 1427.	
<i>olivalis</i> Hulst, 3717 (Cymatophora).		<i>opalesculis</i> Hulst, 4554.	
<i>olivalis</i> Hulst, 4637 (Epipaschia).		<i>opalesculum</i> Ragonot, 4866.	
<i>olivalis</i> Morrison, 1581 (Paragrotis).		<i>opalescens</i> Hy. Edwards, 4195.	
<i>olirata</i> Harvey, 2248 (Glea).		<i>opalizalis</i> Guenée, 4448.	
<i>oliratus</i> Packard, 3140 (Heterocampa).		<i>opella</i> Grote, 832.	
<i>olivella</i> Hulst, 4790 (Anoristia).		<i>opelloides</i> Graef, 831.	
<i>olirella</i> Grote, 4550 (Mesolia).		<i>opercularis</i> Smith & Abbot, 4109.	
<i>olivia</i> Hy. Edwards, 2899 (Catoca- la).		<i>opericella</i> Zeller, 5616.	
<i>olivia</i> Morrison, 1536 (Feltia).		<i>operosella</i> Zeller, 6549.	
<i>olivix</i> Cockerell, 763.		<i>ophelia</i> Hy. Edwards, 2863.	
<i>oliriosa</i> Walker, 1225.		Opheroptera	266
<i>olliusalis</i> Walker, 4302.		Ophideres	236
<i>olongella</i> Riley, 6354.		<i>ophionalis</i> Walker, 4373.	
<i>olovina</i> Grote, 1260.		<i>ophis</i> Edwards, 546.	
<i>olympia</i> Butler, 3086 (Composia).		<i>ophthalmica</i> Guenée, 1073 (Bai- leyia).	
<i>olympia</i> Edwards, 43 (Synchloe).		<i>ophthalmicus</i> Boisduval, 730 (Sme- rinthus).	
<i>olympiadella</i> Zeller, 5714.		<i>opina</i> Grote, 1287.	
<i>olympus</i> Edwards, 258.		<i>opipara</i> Morrison, 1694 (Paragrotis).	
<i>olynthus</i> Boisduval & Le Conte, 550.		<i>opipara</i> Hy. Edwards, 2647 (Tri- pudia).	
<i>olyzonaria</i> Walker, 4005.		<i>opis</i> Edwards, 128.	
<i>omaha</i> Edwards, 471.		<i>oponearia</i> Walker, 3963.	
<i>omega</i> Hübner, 2486.		Oporabia	275
Omia	193	<i>oporaria</i> Zeller, 3568.	
<i>omicron</i> Afzelius, 2525 (Autographa).		Oporinia	275
<i>omicron</i> Hübner, 2486 (Autographa).		Opostega	547
<i>omissa</i> Walsingham, 5505.		<i>oppilalis</i> Grote, 4411.	
Ommatopteryx	410	<i>oppositaria</i> Guenée, 3738.	
Ommatospila	379	<i>ops</i> Druce, 254.	
Ommatostola	174		

Page.		Page.	
<i>optimata</i> Strecker, 3346.		Oreta	264
<i>opulenta</i> Hy. Edwards, 904.		<i>orgyia</i> Grote, 2626.	
<i>opscularia</i> Hulst, 3811.		<i>orichalcella</i> Clemens, 6086.	
<i>orasusalis</i> Walker, 4436.		<i>orientalis</i> Moore, 904 (Arctia).	
<i>oratalis</i> Hulst, 4385.		<i>orientalis</i> Grote, 2213 (Tapinostola).	
<i>orba</i> Grote, 2640.		<i>orillata</i> Walker, 3662.	
<i>orbica</i> Morrison, 2553.		<i>orilliana</i> Grote, 1437.	
<i>orbicularis</i> Walker, 1103 (Caradrina).		<i>orina</i> Guenée, 2259.	
<i>orbicularis</i> Smith, 1683 (Paragrotis).		<i>orion</i> Fabricius, 253.	
<i>orbiculata</i> Smith, 1920.		<i>orimunda</i> Grote, 2098.	
<i>orbimaculella</i> Chambers, 5477.		<i>orizaba</i> Westwood, 737.	
<i>orbis</i> Grote, 1396.		<i>oreatusella</i> Chambers, 6519.	
<i>orbitalis</i> Felder, 4352.		<i>ornata</i> Neumögen, 2435 (Acherdoa).	
<i>orbitulus</i> Strecker, 424 (Agriades).		<i>ornata</i> Packard, 881 (Apantesis).	
<i>orbitulus</i> Scudder, 410 (Cupido).		<i>ornata</i> Grote & Robinson, 3092 (Melalopha).	
<i>ore</i> Strecker, 4144.	495	<i>ornata</i> Ottolenghi, 2471 (Panchrysia).	
Orechemia		<i>ornata</i> Hulst, 3276 (Tephroclystis).	
<i>orciferalis</i> Walker, 3035.		<i>ornatalis</i> Duponchel, 4280.	
<i>orciferata</i> Walker, 3891.		<i>ornatella</i> Chambers, 6265 (Lithocolletes).	
<i>oreus</i> Cramer, 652.		<i>ornatella</i> Dietz, 5943 (Pigritia).	
<i>ordinaria</i> Walker, 3757 (Aprecasia).		<i>ornatimibriella</i> Clemens, 5818.	
<i>ordinaria</i> Walker, 1232 (Hadena).		<i>ornatrix</i> Linnaeus, 837.	
<i>ordinata</i> Walker, 1649 (Paragrotis).		Orneodes	448
<i>ordinata</i> Walker, 3647 (Sciagraphia).		Orneodidae	448
<i>ordinata</i> Walker, 3491 (Synelys).		<i>ornithogalli</i> Guenée, 1300.	
<i>ordinatellus</i> Walker, 5477.		Ornix	561
<i>oreadella</i> Hulst, 4549.		<i>oro</i> Scudder, 420.	
Oreana	423	Orobena	380
<i>oreas</i> Edwards, 213.		<i>orobia</i> Harvey, 2015.	
<i>oreasella</i> Clemens, 6455.		<i>oromella</i> Walsingham, 5563.	
<i>oregona</i> Smith, 1985 (Heliophila).		<i>orono</i> Scudder, 556.	
<i>oregona</i> Hy. Edwards, 2397 (Melanoporphryria).		<i>orphisalis</i> Walker, 4426.	
<i>oregonana</i> Walsingham, 5211.		<i>orphnoides</i> Walker, 4306.	
<i>oregonella</i> Walsingham, 6486 (Incurvaria).		Orrhodia	181
<i>oregonella</i> Busck, 6518 (Tinea).		<i>orsa</i> Boisduval, 194.	
<i>oregonensis</i> Stretch, 911 (Euchae-tias).		<i>orseis</i> Edwards, 191.	
<i>oregonensis</i> Walsingham, 6309 (Lithocolletes).		<i>orsua</i> Godman & Salvin, 24.	
<i>oregonensis</i> Butler, 3123 (Nadata).		<i>orthocarpi</i> Walsingham, 4945 (Platyptilia).	
<i>oregonensis</i> Harvey, 2101 (Xylina).		<i>orthocarpi</i> Hy. Edwards, 4241 (Sesiaria).	
<i>oregonia</i> Edwards, 487 (Erynnis).		Orthodes	164
<i>oregonia</i> Edwards, 17 (Papilio).		Orthofidonia	304
<i>oreonica</i> Grote, 1801 (Mamestræ).		<i>orthogonia</i> Morrison, 1560.	
<i>oreonicus</i> Grote, 4599 (Crambus).		Ortholepis	422
<i>oreolla</i> Dietz, 5563.		Ortholitha	288
<i>oreodaphne</i> Hy. Edwards, 706.		Ortholophus	579
<i>orestes</i> Lintner, 592.		Orthonana	273
		Orthosia	179

	Page.		Page
<i>orthosiooides</i> Guenée, 2915.		<i>ovulalis</i> Guenée, 4297.	
<i>ortonii</i> Packard, 1467.		<i>oweni</i> Edwards, 103.	
<i>orythia</i> Smith & Abbot, 223.		<i>ovalina</i> Hübner, 2258.	
<i>oryzwellus</i> Riley, 4628.		<i>oxilus</i> Hübner, 14.	
Osceola	441	<i>oxyacanthus</i> Hübner, 5359.	
<i>osceola</i> Lintner, 529.		<i>oxybaphi</i> Clemens, 671.	
<i>oscitalis</i> Grote, 4412.		Oxycnemis	184
<i>osculata</i> Hulst, 2865 (Catocala).		<i>oxyocana</i> Packard, 5318.	
<i>osculata</i> Hulst, 3368 (Enchoria).		<i>oxydalis</i> Guenée, 4423.	
<i>oslari</i> Skinner, 536 (Euphyes).		Oxydia	345
<i>oslari</i> Barnes, 3188 (Notolophus).		<i>oxygala</i> Grote, 1959.	
<i>osmundata</i> Fernald, 5043.		<i>oxygramma</i> Geyer, 2498 (Autographa).	
<i>osseana</i> Scopoli, 5409.		<i>oxygramma</i> Hulst, 3420 (Cœno-calpe).	
<i>osseella</i> Walsingham, 5840.		Oxylos	186
<i>ossianus</i> Boisduval, 134.		<i>oxymorus</i> Grote, 1879.	
<i>ossularia</i> Hübner, 3530.		Oxyptilus	441
<i>ossulata</i> Packard, 3530.		Ozonadia	81
<i>ostensackenella</i> Fitch, 6265.		<i>pacalis</i> Grote, 4487 (Nymphula).	
<i>ostenta</i> Hy. Edwards, 830.		<i>pacalis</i> Walker, 2935 (Poaphila).	
<i>ostentaria</i> Walker, 3514.		Pachnobia	131
<i>ostreella</i> Ragonot, 4904.		Pachylia	65
<i>ostreonalis</i> Grote, 4323.		Pachypolia	119
<i>ostricolorella</i> Hulst, 4829.		Pachyzancla	382
<i>ostriinella</i> Clemens, 4886.		<i>pacificia</i> Hy. Edwards, 1083 (Acopa).	
<i>ostryx</i> Clemens, 6037.		<i>pacificia</i> Hy. Edwards, 4189 (Aegeria).	
<i>ostrycella</i> Chambers, 6132.		<i>pacificia</i> Smith, 978 (Apatela).	
<i>ostryxfoliella</i> Clemens, 6143 (Coptodisca).		<i>pacificia</i> Smith, 2162 (Gortyna).	
<i>ostryxfoliella</i> Clemens, 6208 (Nepticula).		<i>pacificia</i> Harvey, 2039 (Graphiphora).	
<i>ostryxfoliella</i> Clemens, 6335.		<i>pacificia</i> Behr, 3111 (Hyperæschra).	
<i>osykt</i> Edwards, 531.		<i>pacificia</i> Riley, 4195 (Sanninoidea).	
<i>otho</i> Barnes, 926 (Halisdota).		<i>pacificana</i> Clemens, 5263.	
<i>otho</i> Smith & Abbot, 519 (Thymelicus).		<i>pacificaria</i> Packard, 3626 (Deilinia).	
<i>otiosa</i> Neumoegen & Dyar, 875.		<i>pacificaria</i> Packard, 3550 (Eois).	
<i>otiosatua</i> Clemens, 5142.		<i>packardaria</i> Hulst, 3826 (Ethalodes).	
<i>ottoe</i> Edwards, 491.		<i>packardaria</i> Grote, 3589 (Aplodes).	
<i>ottoleuguii</i> Dyar, 2513.		<i>packardaria</i> Möschler, 3707 (Macaria).	
<i>ou</i> Guenée, 2493.		<i>packardata</i> Lintner, 3350.	
<i>outis</i> Skinner, 595.		<i>packardella</i> Chambers, 6245 (Buculatrix).	
<i>ouwah</i> Poling, 2898.		<i>packardella</i> Chambers, 5732 (Gelechia).	
<i>oralis</i> Guenée, 2537 (Abrostola).		<i>packardella</i> Chambers, 6372 (Graecilaria).	
<i>oralis</i> Packard, 4734 (Amibesa).		<i>packardella</i> Clemens, 5893 (Semioscopis).	
<i>oralis</i> Grote, 2942 (Phurys).		<i>packardi</i> Zeller, 5282 (Enarmonia).	
<i>orata</i> Grote, 1025.			
<i>oridins</i> Scudder & Burgess, 628.			
<i>oriducta</i> Grote, 2015.			
<i>orilla</i> Grote, 4053.			
<i>oviplagalis</i> Walker, 4528.			

	Page.		Page.
Packardia	357	<i>pallicornella</i> Ragonot, 4667.	
<i>packardiana</i> Clemens, 5127 (<i>Eucosma</i>).		<i>pallida</i> Bowles, 771 (<i>Anisota</i>).	
<i>packardiana</i> Fernald, 5407 (<i>Tortrix</i>).		<i>pallida</i> Ottolengui, 2523 (<i>Autographa</i>).	
<i>packardiella</i> Ragonot, 4823.		<i>pallida</i> Packard, 800 (<i>Crambidia</i>).	
<i>packardii</i> Schauss, 851 (<i>Estigmene</i>).		<i>pallida</i> Smith, 1066 (<i>Cyathisa</i>).	
<i>packardii</i> Morrison, 3126 (<i>Hippia</i>).		<i>pallida</i> Hulst, 3535 (<i>Eois</i>).	
<i>packardii</i> Grote, 821 (<i>Illicie</i>).		<i>pallida</i> Cockerell, 70 (<i>Eurymus</i>).	
<i>packardii</i> Saunders, 189 (<i>Phyciodes</i>).		<i>pallida</i> Lyman, 69 (<i>Eurymus</i>).	
<i>packardii</i> Grote, 788 (<i>Scepsis</i>).		<i>pallida</i> Skinner & Mengel, 63 (<i>Eurymus</i>).	
<i>packardii</i> Grote, 2358 (<i>Schinia</i>).		<i>pallida</i> Packard, 855 (<i>Hyphantria</i>).	
<i>pacuvius</i> Lintner, 631.		<i>pallida</i> Strecker, 3147 (<i>Ianassa</i>).	
Pæctes	203	<i>pallida</i> Edwards, 192 (<i>Phyciodes</i>).	
<i>pactinaria</i> Dyar, 3965.		<i>pallida</i> Sendler, 38 (<i>Pontia</i>).	
Pædisca	455	<i>pallida</i> Herrich-Schaeffer, 4107	
<i>pemulata</i> Clemens, 4077.		(<i>Tortricidia</i>).	
<i>panulataria</i> Grote, 3872.		<i>pallidata</i> Packard, 3652.	
<i>pagenstecheri</i> Möschler, 2723.		<i>pallidoflava</i> Goeze, 54.	
<i>paginata</i> Morrison, 1142.		<i>pallidegriseella</i> Chambers, 5819.	
Palada	191	<i>pallidella</i> Chambers, 5550.	
<i>palamon</i> Pallas, 469.		<i>palliderosacella</i> Chambers, 5558.	
<i>palano</i> Cramer, 66 (<i>Eurymus</i>).		<i>pallidice</i> Sendler, 66.	
<i>palano</i> Linnaeus, 74 (<i>Eurymus</i>).		<i>pallidicollis</i> Grote, 1505.	
<i>palamedes</i> Drury, 12.		<i>pallidicomata</i> Grote, 1037.	
<i>palata</i> Grote, 963.		<i>pallidicostata</i> Walsingham, 5180.	
Palatka	433	<i>pallidior</i> Dyar, 805 (<i>Palpidia</i>).	
<i>palatka</i> Edwards, 561.		<i>pallidior</i> Smith, 1904 (<i>Xylomiges</i>).	
<i>paleacea</i> Esper, 2217 (<i>Cosmia</i>).		<i>pallidipennata</i> Hulst, 4903.1.	
<i>paleacus</i> Zeller, 4973 (<i>Pterophorus</i>).		<i>pallidistrigella</i> Chambers, 5541.	
Paleacrita	266	<i>pallidochrella</i> Chambers, 5626	
<i>paleogamia</i> Guenée, 2873.		(<i>Gnorimoschema</i>).	
<i>pales</i> Denis & Schiffermüller, 132		<i>pallidochrella</i> Chambers, 5592 (<i>Heleia</i>).	
(<i>Brenthis</i>).		<i>pallidotinctella</i> Dietz, 5949.	
<i>pales</i> Felder, 310 (<i>Lycorea</i>).		<i>pallidula</i> Hulst, 3729 (<i>Cymatophora</i>).	
<i>palida</i> Comstock, 4842.		<i>pallidulus</i> Hy. Edwards, 730 (<i>Smerinthus</i>).	
<i>palidochrella</i> Chambers, 5592.		<i>pallifera</i> Grote, 1264.	
<i>palilis</i> Harvey, 2022.		<i>palligerata</i> Grote, 2470 (<i>Panchrysia</i>).	
Palindia	233	<i>palligera</i> Smith, 3053 (<i>Tetanolita</i>).	
<i>palla</i> Boisduval, 164 (<i>Lemonias</i>).		<i>pallimeda</i> Smith, 1388.	
<i>palla</i> French, 3094 (<i>Melalopha</i>).		<i>palliotella</i> Ragonot, 4685.	
Fallachira	242	<i>pallipedpis</i> Walker, 5662.	
<i>pallens</i> Tepper, 2293 (<i>Aedophrion</i>).		<i>pallipennis</i> Smith, 1672.	
<i>pallens</i> Strecker, 734 (<i>Cressonia</i>).		<i>palliseata</i> Smith, 1988.	
<i>pallens</i> Hy. Edwards, 787 (<i>Scepsis</i>).		<i>pallorata</i> Robinson, 5396.	
<i>pallidescens</i> Smith, 2168 (<i>Gortyna</i>).		<i>pallula</i> Hy. Edwards, 969.	
<i>pallidescens</i> Grote & Robinson, 2768		<i>pallulata</i> Hulst, 3976.	
(<i>Meliopotis</i>).		<i>pallulella</i> Hulst, 4832.	
<i>pallialis</i> Zeller, 3066.		<i>palmea</i> Packard, 790 (<i>Lycomorpha</i>).	
<i>palliatricula</i> Guenée, 1067.			

	Page.		Page.
<i>palmerii</i> Edwards, 318 (Polystigma).		Pantographa	377
Palmia	366	Panula	221
<i>palmii</i> Bentenmüller, 3103 (Datanai).		Paonias	71
<i>palmii</i> Hy. Edwards, 4182 (Memythrns).		Paota	290
<i>palmii</i> Neumoegen, 4260 (Paranthrene).		Papaipema	175
<i>palpalis</i> Haworth, 3079 (Bomolocha).		<i>paphia</i> Linnaeus, 748.	
<i>palpalis</i> Grote, 653 (Hemaris).		Papilio	2
<i>palpalis</i> Walker, 1118 (Perigea).		Papilionidæ	2
<i>palpana</i> Walsingham, 5112.		Papilionoidea	1
Palparia	404	Parachma	400
<i>palpata</i> Packard, 3272.		Paradosis	378
<i>palpiabellu</i> Chambers, 5820.		<i>paradoxa</i> Behr, 3162 (Harpyia).	
<i>palpiabelli</i> Riley, 5820.		<i>paradoxa</i> Riley, 6576 (Pronuba).	
<i>palpiatunella</i> Chambers, 5585.		<i>paradoxica</i> Chambers, 6564.	
Palpidia	79	<i>paradoxum</i> Frey & Boll, 6397 (Coriscium).	
<i>palpilinella</i> Chambers, 5696.		paradoxus Grote, 2298 (Heliocheilus).	
Palthis	245	Parædis	380
Paltodora		Paragrotis	140
<i>paltodoriella</i> Busck, 5708.		Paralechia	502
<i>paludana</i> Robinson, 5368.		Paralipsa	413
<i>paludata</i> Thunberg, 3259.		<i>parallela</i> Grote, 1017 (Apatela).	
Palyadinae	348	<i>parallela</i> Robinson, 5362 (Archips).	
Palyas	348	<i>parallela</i> Panzer, 5500 (Cerostoma).	
<i>pamina</i> Neumoegen, 751.		<i>parallela</i> Hy. Edwards, 4096 (Cochlidion).	
Pammene		<i>parallela</i> Grote & Robinson, 3193 (Olene).	
Pamphila	48	<i>parallela</i> Grote, 1995 (Trichorthosia).	
<i>pamphilus</i> Linnaeus, 283.		<i>parallelana</i> Walsingham, 5447.	
<i>pamphiloides</i> Reakirt, 283.		<i>parallelaria</i> Packard, 3978.	
<i>petupina</i> Guenée, 2206.		Parallelia	233
<i>petumparia</i> Guenée, 3850.		<i>parallelaria</i> Packard, 3978.	
<i>petumpatrix</i> Smith & Abbot, 682.		Paranthrene	371
<i>petu</i> Harris, 335.		Paraphia	321
Panapoda	233	Paraponyx	395
Panchrysis	198	Paraptera	266
<i>pandaria</i> Walker, 4008.		Parasemia	91
Pandemis		Parastictitis	180
<i>pandora</i> Blake, 755.		<i>pardalis</i> Behr, 408 (Cupido).	
<i>pandorus</i> Hübner, 678.		<i>pardalis</i> Grote, 2708 (Spragueia).	
<i>panella</i> Busck, 5774.		<i>pardella</i> Walsingham, 6621.	
Pangrapta	217	Parectopa	557
<i>panicifoliella</i> Clemens, 6128.		Parennomos	318
<i>panisaria</i> Walker, 3910.		<i>parentalis</i> Grote, 1751.	
<i>paniscus</i> Fabricius, 469.		Parharmonia	366
<i>pannaria</i> Guenée, 3485.		<i>parilis</i> Hübner, 2532.	
<i>panopealis</i> Walker, 4448.		<i>parinotata</i> Zeller, 3424.	
<i>panoquin</i> Scudder, 546.		<i>parisiata</i> Guenée, 5303.	
<i>panoquioides</i> Skinner, 547.		<i>parmatalana</i> Clemens, 5283.	
Panthea	98	<i>parmaliana</i> Hy. Edwards, 2340.	

Page.	Page.	
Parnasiidæ	1	<i>petula</i> Walker, 1557 (Porosagrotis).
Parnassius	1	<i>paniguttellus</i> Clemens, 5678.
Parora	218	<i>panella</i> Busek, 5730.
<i>parra</i> Guenée, 2857.		<i>paolina</i> Hy. Edwards, 2810.
<i>parthenice</i> Kirby, 878.		<i>pandus</i> Edwards, 262.
<i>parthenos</i> Harris, 872.		<i>panpera</i> Felder, 201.
<i>participalis</i> Grote, 4532.		<i>panperula</i> Grote, 1011.
<i>particolor</i> Hulst, 3712.		<i>pansis</i> Smith, 1184.
<i>partita</i> Guenée, 2618.		<i>panxillas</i> Grote, 2404.
<i>partitaria</i> Grote, 3601.		<i>paris</i> Behr, 1154.
<i>parvana</i> Walsingham, 5192.		<i>paritensis</i> Morrison, 2777.
<i>parvieristatella</i> Chambers, 6164.		<i>patronacella</i> Clemens, 5532.
<i>parrimacula</i> Grote, 2604.		<i>patronia</i> Geyer, 731.
<i>parrimaculana</i> Walsingham, 5460.		<i>parvnea</i> Dodge, 490.
<i>parripulrella</i> Chambers, 6087 (Ela-		<i>partia</i> Edwards, 295.
chista).		<i>peckius</i> Kirby, 526.
<i>parripulrella</i> Chambers, 5821 (Gele-		<i>pectinalicella</i> Chambers, 5642.
chia).		<i>pectinaria</i> Schiffermüller, 3965.
<i>parvula</i> Edwards, 2906 (Catocala).		<i>pectinata</i> Smith, 2019 (Graphi-
<i>parvula</i> Neumoegen & Dyar, 829		phora).
(Eubaphe).		<i>pectinata</i> Grote, 1431 (Pachnobia).
<i>parvula</i> Walker, 2700 (Fruva).		<i>pectinatus</i> Smith, 1951 (Nephelodes).
<i>parvula</i> Hy. Edwards, 5483 (Tri-		<i>pectinicornis</i> Smith, 2563 (Eucalyp-
chostibas).		tera).
<i>parvularia</i> Hulst, 3518.		<i>pectinicornis</i> Smith, 1541 (Feltia).
<i>parvus</i> Walsingham, 4976.		<i>pectinifer</i> Zeller, 4616.
<i>passellus</i> Linnaeus, 4563.		<i>peculiana</i> Zeller, 5300.
<i>pasiphacia</i> Grote, 2520.		<i>pedalis</i> Grote, 2495 (Autographa).
<i>passa</i> Morrison, 1811.		<i>pedalis</i> Smith, 1675 (Paragrotis).
Passadena	425	<i>pedicillata</i> Hulst, 3857.
<i>passer</i> Guenée, 1212.		<i>pedipilalis</i> Guenée, 3020.
<i>passerana</i> Walsingham, 5114.		<i>pedumontella</i> Chambers, 6466 (Ar-
<i>passeraria</i> Freyer, 3380.		gyresthia).
<i>passiflora</i> Fabricius, 91.		<i>pedumontella</i> Chambers, 5629 (Gnor-
<i>passulella</i> Barrett, 4875.		imoschema).
<i>pastillicatus</i> Grote, 2251.		<i>pegala</i> Fabricius, 257.
<i>pastinacella</i> Duponchel, 5889.		<i>pegasalis</i> Walker, 4636.
<i>pastor</i> Felder, 638.		<i>pegula</i> Herbst, 257.
<i>pastoralis</i> Grote, 1601 (Paragrotis).		<i>pelurga</i> Cramer, 656.
<i>pastoralis</i> Grote, 3048 (Renia).		<i>pelens</i> Sulzer, 234.
Patalene	344	<i>pelidna</i> Boisduval, 73.
<i>patalis</i> Grote, 1900.		<i>pellenis</i> Godart, 235.
<i>patefacta</i> Smith, 1492 (Noctua).		<i>pellionella</i> Linnaeus, 6520.
<i>patefacta</i> Walker, 2089 (Xylina).		<i>pellucida</i> Herrich-Schaeffer, 770.
<i>patella</i> Druce, 817.		<i>pellucidalis</i> Grote, 1469.
<i>patibilis</i> Walker, 2754.		<i>pellucidaria</i> Packard, 3780 (Nepy-
<i>patina</i> Harvey, 1162.		tia).
Patissa	401	<i>pellucidaria</i> Grote & Robinson,
<i>patricia</i> Grote, 1992.		3907 (Therina).
<i>patriciata</i> Grote, 3785.		<i>pelvicatella</i> Hulst, 4888.
Patridiva	323	<i>pembina</i> Edwards, 411 (Cupido).
<i>patruelis</i> Grote, 2636.		<i>pembina</i> Strecker, 419 (Nomiaes).
<i>patula</i> Morrison, 2636 (Eumestleta).		<i>pendula</i> Ottolengui, 2440.

	Page.		Page.
<i>pendulinaria</i> Guenée, 3480.		<i>perforata</i> Grote, 2027.	
<i>peninsularia</i> Grote, 4029.		<i>perfundis</i> Smith, 2282.	
<i>penitalis</i> Grote, 4439.		<i>perfusalis</i> Walker, 4273.	
<i>pennia</i> Morrison, 2999.		<i>perfusata</i> Grote, 1600 (Paragrotis).	
<i>pennsylvanica</i> Smith, 3180 (Enthyatira).		<i>perfusata</i> Hulst, 3299 (Tephroelystis).	
<i>pennsylvanica</i> Dietz, 5766 (Gelechia).		<i>perfusalis</i> Hulst, 4291 (Pilocrocis).	
<i>pensis</i> Grote, 1851.		<i>perfusalis</i> Hulst, 4813 (Sarata).	
Penthetria	216	<i>perfusaria</i> Grote, 3473.	
Penthina	451	<i>perganus</i> Hy. Edwards, 20.	
<i>pentia</i> Morrison, 2617.		<i>pergandeella</i> Busek, 5916.	
Pentopoda	298	<i>pergentilis</i> Grote, 1077.	
<i>penumbralis</i> Grote, 4308.		<i>pergilvalis</i> Hulst, 4346.	
<i>penumbrata</i> Hulst, 3554.		<i>pergraciliaductylus</i> Packard, 4981.	
Peoria	439	<i>pergracilis</i> Hulst, 3488.	
<i>pesinata</i> Guenée, 4010.		<i>pergratialis</i> Hulst, 4731.	
<i>pepita</i> Guenée, 2443.		Periclymenobius	490
<i>peplaria</i> Hübner, 4001.		Pericopidæ	248
<i>pepluriooides</i> Hulst, 4000.		<i>periculosa</i> Guenée, 2204.	
<i>pepsidiformis</i> Hübner, 4194.		Peridroma	133
<i>peracuta</i> Walker, 3370.		Perigea	111
<i>peralbata</i> Packard, 3528.		Perigonica	168
<i>perangulata</i> Harvey, 3073.		Perigrapha	168
<i>perangulata</i> Hulst, 3777 (Enypia).		<i>perirrorata</i> Packard, 3533.	
<i>perangulata</i> Hulst, 3972 (Eutrapela).		<i>periscelidactylus</i> Fitch, 4932.	
<i>perangulata</i> Hy. Edwards, 3150 (Schizura).		Perispasta	387
<i>perangustata</i> Walsingham, 5183		<i>perita</i> Grote, 2642.	
<i>perarcuata</i> Walker, 3705.		<i>peritalis</i> Smith, 1902.	
<i>perattenta</i> Grote, 1423.		<i>peritana</i> Clemens, 5402.	
<i>perbellis</i> Grote, 2235.		<i>perinusalis</i> Walker, 4343.	
<i>perbrunnea</i> Grote, 2025.		Perizoma	282
<i>percara</i> Morrison, 1065.		<i>perizomaria</i> Hulst, 4003.	
<i>perenoductyla</i> Walsingham, 4942.		<i>perlata</i> Hy. Edwards, 2773.	
Percnoptilota	280	<i>perlaria</i> Packard, 3913.	
<i>perconfusa</i> Grote, 1483.		<i>perlata</i> Guenée, 3913 (Metrocampa).	
<i>perdiceas</i> Edwards, 147.		<i>perlata</i> Walker, 2923 (Remigia).	
<i>perdita</i> Grote, 1034 (Apatela).		<i>perlellas</i> Scopoli, 4580.	
<i>perdita</i> Hy. Edwards, 2831 (Catala).		<i>perlentans</i> Walker, 1748.	
<i>perdita</i> Dyar, 6604 (Sthenopis).		<i>perlepidellus</i> Hulst, 4928.	
<i>perditalis</i> Walker, 2728.		<i>perlevis</i> Grote, 913.	
<i>perdricta</i> Walsingham, 5102.		<i>perlineata</i> Packard, 3331.	
<i>perductana</i> Walker, 5077.		<i>perlubens</i> Grote, 1896.	
<i>peredia</i> Grote, 2026.		<i>perlucidula</i> Clemens, 4117.	
<i>perlegans</i> Hy. Edwards, 702.		<i>perlutea</i> Neumoegen & Dyar, 3215.	
<i>peremptalis</i> Grote, 4269.		<i>permactulata</i> Packard, 847.	
<i>percecellens</i> Grote, 1726.		<i>permagnata</i> Grote, 2150.	
<i>perfecta</i> Hy. Edwards, 2779.		<i>permagnaria</i> Packard, 3806.	
<i>perlava</i> Harvey, 2654.		<i>permanans</i> Hulst, 2875.	
<i>perflava</i> Zeller, 5279.		<i>permiminta</i> Hy. Edwards, 2400.	
		<i>permolestella</i> Busek, 6182.	
		<i>permunda</i> Morrison, 1599.	
		<i>permundata</i> Clemens, 5015.	
		<i>permutata</i> Duponchel, 5313.	

Page.		Page.
<i>pernuana</i> Grote, 2305.		<i>perspicua</i> Grote & Robinson, 3106. (<i>Datana</i>).
<i>pernotata</i> Hulst, 3389 (<i>Hydriomena</i>).		<i>perspicua</i> Walker, 2945 (<i>Phurys</i>).
<i>pernotata</i> Grote, 1334 (<i>Oneocenemis</i>).		<i>perspicuata</i> Walker, 4131 (<i>Thyris</i>).
<i>perolivata</i> Hulst, 3759 (<i>Catopyrrha</i>).		<i>perspicuata</i> Robinson, 5309.
<i>perolivata</i> Packard, 3134 (<i>Heterocampa</i>).		<i>perstrialis</i> Hübner, 4541.
<i>perophoroides</i> Strecker, 3157.		<i>perstructana</i> Walker, 5197.
<i>perotensis</i> Schaus, 857.		<i>persuasa</i> Harvey, 1019.
<i>perpallida</i> Grote, 1081 (<i>Acopa</i>).		<i>perteatalis</i> Lederer, 4417.
<i>perpallida</i> Hy. Edwards, 2792 (<i>Sydneya</i>).		<i>pertracta</i> Morrison, 1961.
<i>perpallidaria</i> Grote, 3632.		<i>perturbata</i> Smith, 1658.
<i>perpensa</i> Grote, 1239.		<i>perunubraria</i> Hulst, 3817.
<i>perpieta</i> Dyar, 881.		<i>peruriana</i> Walker, 4478.
<i>perplexa</i> Strecker, 2857 (<i>Catocala</i>).		<i>pervaria</i> Packard, 3893.
<i>perplexa</i> Boisduval, 2937 (<i>Poaphila</i>).		<i>pervelata</i> Walker, 3719.
<i>perplexa</i> Smith, 1912 (<i>Scotogramma</i>).		<i>perversa</i> Neumoegen & Dyar, 3221.
<i>perplexa</i> Hy. Edwards, 4203 (<i>Sesia</i>).		<i>pervertipennis</i> Hulst, 3320.
<i>perplexa</i> Hy. Edwards, 2798 (<i>Syndra</i>).		<i>perviridaria</i> Packard, 3558.
<i>perplexalis</i> Fernald, 4355.		<i>percolata</i> Hulst, 3660.
<i>perplexana</i> Fernald, 5130.		Petaluma 440
<i>perplexus</i> Neumoegen & Dyar, 4145 (<i>Cossus</i>).		<i>petasitis</i> Pfaffenzeller, 5773.
<i>perpolita</i> Morrison, 1598.		<i>petita</i> Smith, 1832.
<i>perpura</i> Morrison, 1936 (<i>Anarta</i>).		<i>peticerella</i> Schiffermüller, 5291.
<i>perpura</i> Morrison, 1698 (<i>Paragrotis</i>).		<i>petrealis</i> Grote, 3039.
<i>purpuripennis</i> Grote, 2160.		<i>petreius</i> Edwards, 646.
<i>perquirita</i> Morrison, 1417.		<i>petrellus</i> Zeller, 4778.
<i>perrubralis</i> Packard, 4447.		<i>petreus</i> Cramer, 234.
<i>perscripta</i> Guenée, 1369.		<i>petricola</i> Walker, 2783.
<i>perse</i> Edwards, 172.		<i>petroductyla</i> Walker, 4951.
Perseis 400		<i>petronius</i> Lintner, 626.
<i>persephone</i> Grote, 880.		Petrophora 288
<i>persice</i> Thomas, 4194.		<i>petrosa</i> Walker, 900.
<i>persicella</i> Murtfeldt, 5719.		<i>pettitana</i> Robinson, 5336.
<i>persicina</i> Fitch, 5379.		<i>petti</i> Grote, 2238.
<i>persimilata</i> Grote, 3477.		<i>petulans</i> Hulst, 2857 (<i>Catocala</i>).
<i>persimilis</i> Hulst, 3545 (<i>Eois</i>).		<i>petulans</i> Hy. Edwards, 2355 (<i>Schinia</i>).
<i>persimilis</i> Grote, 2404 (<i>Melicleptria</i>).		<i>petulea</i> Grote, 2079.
<i>persimplex</i> Dyar, 6578.		<i>pevata</i> Guenée, 2112.
<i>persinaria</i> Guenée, 3934.		<i>pezellus</i> Zeller, 4612.
<i>persius</i> Scudder, 621.		<i>phaladis</i> Guenée, 3012.
<i>personaria</i> Hy. Edwards, 3772.		Phæcasiphora 455
<i>personata</i> Morrison, 1623 (<i>Paragrotis</i>).		<i>phädou</i> Herrich-Schaeffer, 146.
<i>personata</i> Walker, 968 (<i>Raphia</i>).		Phædrotes 43
<i>perspectalis</i> Hübner, 4275.		<i>phæosoma</i> Butler, 904.
<i>perspicella</i> Walsingham, 6112.		Phæoura 328
		<i>phærusalis</i> Walker, 4304.
		<i>phactana</i> Hübner, 146.
		<i>phathusa</i> Hulst, 146.
		<i>phaton</i> Drury, 146 (<i>Euphydryas</i>).
		<i>phaton</i> Grote & Robinson, 658 (<i>Lepisesia</i>).
		<i>phatometa</i> Godart, 146.

	Page		Page.
<i>Phætusa</i>	500	<i>phlogophagus</i> Grote & Robinson, 2101.	
<i>Phakellura</i>	378	<i>phlogosaria</i> Guenée, 3931.	
<i>phalænalis</i> Grote, 2578.			
<i>Phalænostola</i>	217	Phlyctænia	387
<i>phalanga</i> Grote, 2873.		Phlyctænodes	382
<i>phalerata</i> Harris, 895.		Phoberia	232
<i>phalerosalis</i> Walker, 3048.		Phobetron	356
<i>Phalonia</i>	486	<i>phœcia</i> Möschler, 1915.	
<i>Phaloniinae</i>	486	<i>phœcata</i> Möschler, 3443.	
<i>phantasmalis</i> Guenée, 4314.		<i>phœcion</i> Fabricius, 298.	
<i>phantasmaria</i> Strecker, 3782.		<i>phœbus</i> Edwards, 263.	
<i>phaon</i> Edwards, 188.		<i>phœbe</i> Hy. Edwards, 2886.	
<i>Pharetra</i>	99	Phœbæs	8
<i>pharmacis</i>	488	<i>phanicealis</i> Hübner, 4448.	
<i>sharos</i> Harris, 189.		Pholisora	58
<i>phasianaria</i> Guenée, 4007.		Pholus	65
<i>phasma</i> Harvey, 843.		<i>pholus</i> Drury, 792.	
<i>Phasyle</i>	282	Phoxopteris	466
<i>Phegoptera</i>	96	<i>phrada</i> Druse, 826.	
<i>Phengomatæa</i>	319	<i>phragmitidicola</i> Guenée, 1980.	
<i>Pheocyma</i>	238	Phragmatobia	86
<i>Pheosia</i>	251	<i>phragmitella</i> Stainton, 6096.	
<i>pherecydes</i> Cramer, 252.		<i>phrasinalis</i> Walker, 4275.	
<i>phères</i> Boisduval, 412.		Phryganeopsis	573
<i>Pherne</i>	342	Phryganidia	249
<i>Phibalapteryx</i>	273	Phrygionis	349
<i>Phigalia</i>	330, 544	<i>phrynia</i> Hy. Edwards, 2826.	
<i>phigaliaria</i> Guenée, 3872.		Phtheochroa	488
<i>Philagraula</i>	350	Phthorimaea	502
<i>philea</i> Linnaeus, 51.		Phthorobiastis	471
<i>philealis</i> Walker, 4344.		Phurys	235
<i>Philedia</i>	320	Phycanassa	55
<i>philemon</i> Boisduval, 437.		Phycidea	434
<i>philenor</i> Linnaeus, 23.		Phycides	20
<i>Philereme</i>	276	Phycitinæ	417
<i>phileros</i> Boisduval, 413.		Phycitopsis	420
<i>phileta</i> Fabricius, 32.		Phylace	277
<i>philetæ</i> Edwards, 645.		<i>phylace</i> Edwards, 563 (Limochroes).	
<i>Philobia</i>	309	<i>phyllens</i> Drury, 515.	
<i>philodice</i> Godart, 66.		<i>phylla</i> Dyar, 4055.	
<i>philodina</i> Druse, 817.		<i>phyllinaria</i> Zeller, 3562.	
<i>Philometra</i>	243	<i>phyllira</i> Drury, 890.	
<i>Philonome</i>	563	<i>phyllialis</i> Walker, 4424.	
<i>philonomene</i> Hübner, 74.		Phylloecnis	563
<i>Philepsia</i>	268	<i>phyllophora</i> Grote, 1484.	
<i>Philorygia</i>	99	<i>physaliella</i> Chambers, 5587.	
<i>Philosamia</i>	71	<i>physalivorella</i> Chambers, 5638.	
<i>Philotes</i>	43	<i>phytolæcw</i> Smith & Abbot, 1301.	
<i>Philtræa</i>	331	<i>piasus</i> Boisduval, 440.	
<i>Phiprosopus</i>	207	<i>patrix</i> Grote, 2868.	
<i>phleas</i> Boisduval & Le Conte, 399.		<i>picu</i> Walsingham, 4936.	
<i>phlebeculata</i> Guenée, 3422.		<i>picina</i> Grote, 1337.	
<i>Phlegethonius</i>	67		

Page.		Page.
	<i>picta</i> Packard, 857 (Arachnus).	
	<i>picta</i> Felder, 3134 (Heterocampa).	
	<i>picta</i> Harris, 1807 (Mamestra).	
	<i>picta</i> Edwards, 195 (Phycodes).	
	<i>picta</i> Walker, 766 (Pseudohazis).	
	<i>pictipennata</i> Hulst, 3670.	
	<i>pictipennis</i> Grote, 2416.	
4	<i>pictipes</i> Grote & Robinson, 4216.	
	Pieridae	
420	Piesmopoda	
	<i>piger</i> Dyar, 6597.	
	Pigia	
	<i>pigrata</i> Walker, 3370.	
	Pigritia	
	<i>pilalis</i> Hulst, 4431.	
	<i>pilipalpis</i> Guenée, 1955.	
	<i>pilleriana</i> Schiffermüller, 5345.	
	Pilocrocis	
	<i>pilosaria</i> Packard, 3944.	
	<i>pilosella</i> Zeller, 6113.	
	<i>pilumnus</i> Boisduval, 7.	
	Pima	
	<i>pima</i> Edwards, 50.	
	<i>pimpinella</i> Murtfeldt, 6147.	
	<i>pinaria</i> Packard, 3780.	
	<i>pinastri</i> Linnaeus, 1290 (Dipterygia).	
	<i>pinastri</i> Linnaeus, 708 (Sphinx).	
	<i>piñar</i> Smith, 1740.	
	<i>piñetana</i> Hübner, 5076.	
	<i>piñetaria</i> Hübner, 3695.	
	<i>piñetum</i> Lintner, 725.	
	<i>piñi</i> Kellieott, 4193.	
	<i>piñaria</i> Packard, 3765.	
	<i>piñolana</i> Zeller, 5229.	
	<i>piñoliella</i> Chambers, 5614.	
	Pinipestis	
	<i>piñorana</i> Zeller, 5003.	
	<i>piñorum</i> Behrens, 4192.	
	<i>piperatella</i> Zeller, 5850.	
	<i>piperis</i> Boisduval, 690.	
	Pippona	
	<i>pirus</i> Edwards, 607.	
	<i>piscipellis</i> Grote, 1501 (Noctua).	
	<i>piscipellis</i> Zeller, 5548 (Paltodora).	
	<i>pisonia</i> Busek, 5569.	
	<i>pisoniella</i> Busek, 6075.	
	<i>pistacearia</i> Packard, 3596.	
	<i>pistaciata</i> Guenée, 3563.	
	<i>pithecium</i> Smith & Abbot, 4089.	
	<i>pittacns</i> Edwards, 551.	
	<i>pitychrous</i> Grote, 1623.	
	<i>pityochromus</i> Grote, 2456.	
421	Platæa	319
	Platagrotis	130
	<i>platanaa</i> Clemens, 5254.	
	<i>platanella</i> Chambers, 5750 (Gelechia).	
184	<i>platanella</i> Clemens, 4652 (Lanthape).	
	<i>platanella</i> Clemens, 6209 (Neptiula).	
	<i>platea</i> Clemens, 6210.	
	Plathypena	247
	<i>platina</i> Skinner, 114.	
	<i>platinalis</i> Guenée, 4297.	
	Platæcticus	353
	Platynota	481
	Platyperigea	109
	Platyprepia	88
	Platypterygidæ	264
	Platytilia	442

	Page.		Page.
Platyptilus	442	<i>plutella</i> Chambers, 5657 (Trichoptera).	
Platysenta	108		
<i>plauipennella</i> Chambers, 6114.			
<i>plautus</i> Scudder & Burgess, 637.			
<i>plebeia</i> Smith, 1503.			
<i>plebins</i> Fabricius, 717.			
<i>pleviformis</i> Walker, 4191.			
<i>plecta</i> Linnaeus, 1490.			
<i>plectilis</i> Grote & Robinson, 4413.			
<i>plejadellus</i> Zincken, 4628.			
<i>plemyratu</i> Felder, 3370.			
Plemyria	278	Poanes	49
<i>plena</i> Walker, 4134.		Poaphila	234
<i>plenilinealis</i> Grote, 4491 (Nymphaula).		<i>pocahontas</i> Scudder, 484.	
<i>plenilinealis</i> Grote, 3046 (Renia).		Pococera	416
<i>pleniperaria</i> Walker, 2983.		Podagra	128
<i>plenoscripta</i> Hulst, 3301.		<i>podarce</i> Felder, 424.	
<i>pleonectus</i> Grote, 2261.		Podiasa	567
Pleonectyptera	207	Podosesia	365
Plerocymia	288	<i>pocas</i> Hübner, 365.	
Pleroma	169	<i>poccila</i> Stephens, 703.	
Pleurasympieza	375	<i>poccilana</i> Guenée, 5134.	
<i>pleuritica</i> Grote, 1652.		<i>poetica</i> Grote, 2463.	
<i>plexippus</i> Linnaeus, 308.		<i>poeyi</i> Butler, 30.	
<i>plicata</i> Smith, 1853 (Mamestræ).		<i>pohono</i> Smith, 1352.	
<i>plicatus</i> Grote, 1759 (Ufens).		<i>pola</i> Boisduval, 165.	
<i>plicipunctella</i> Walsingham, 6465.		<i>polaris</i> Boisduval, 139 (Brenthis).	
Plodia	437	<i>polaris</i> Hulst, 3443 (Psychophora).	
Ploiphora	526	<i>polaris</i> Herrich-Schaeffer, 3444 (Trichochlamys).	
<i>plota</i> Streeker, 713.		<i>polata</i> Hübner, 3444.	
<i>plumbana</i> Scopoli, 5291.		<i>poli</i> Guenée, 1233.	
<i>plumbaria</i> Hulst, 3288.		Polia	119
<i>plumbea</i> Hy. Edwards, 808 (Hypoprepia).		<i>polingii</i> Barnes, 651.	
<i>plumbea</i> Stretch, 822 (Illice).		<i>polistiformis</i> Harris, 4179.	
<i>plumbeella</i> Beutenmüller, 5909.		<i>polita</i> Walsingham, 5493.	
<i>plumbicostalis</i> Grote, 4293.		<i>politana</i> Haworth, 5423 (Eulia).	
<i>plumbifimbriata</i> Grote, 2705.		<i>politana</i> Guenée, 5290 (Hemimene).	
<i>plumbosignalis</i> Fernald, 4380.		<i>politata</i> Guenée, 4027.	
<i>plumifrontellus</i> Clemens, 6584.		<i>politella</i> Walsingham, 6482.	
<i>plumigerella</i> Hulst, 4668.		Polites	52
<i>plumogeraria</i> Hulst, 3877.		<i>politia</i> Cramer, 4027.	
<i>plumosa</i> Hy. Edwards, 3135.		<i>pollinalis</i> Schiffermüller, 4391.	
<i>plumosaria</i> Packard, 3855.		Polepeustis	422
<i>pluralis</i> Grote, 1564.		<i>polyactinelles</i> Zeller, 4590.	
Plusia	199	Polyochrosis	449
<i>plusiiformis</i> Hy. Edwards, 2048.		Polychrysia	198
Plusiodonta	198	<i>polydactyla</i> Hübner, 4997.	
Plutella	492	<i>polydamas</i> Linnaeus, 25.	
<i>plutella</i> Chambers, 5553 (Automedæ).		<i>polygama</i> Guenée, 2892.	
<i>plutella</i> Chambers, 5594 (Epippe).		<i>polygoni</i> Hy. Edwards, 4244.	
		Polygonia	22
		<i>polygrammaria</i> Packard, 3848.	

Page.		Page.	
<i>polygrammata</i> Hulst, 3425.		<i>portia</i> Fabricius, 255 (Amea).	
Polygrammate	106	<i>portia</i> Hy. Edwards, 2835 (Catala).	
Polygrammodes	381	<i>portlandia</i> Fabricius, 286 (Enodia).	
<i>polygrapharia</i> Boisduval, 3449.		<i>portlandia</i> Grote, 958 (Panthea).	
Polyhymno	504	<i>portlandia</i> Hy. Edwards, 3119 (Phesia).	
<i>polyommata</i> Tepper, 743.		<i>portulacea</i> Cockerell, 6038.	
<i>polyphemella</i> Ragonot, 4800.		<i>postera</i> Guenée, 2126.	
<i>polyphemus</i> Boisduval, 418 (Nominales).		<i>postica</i> Smith, 1945.	
<i>polyphemus</i> Cramer, 748 (Telea).		<i>posticata</i> Grote & Robinson, 4354 (Loxostege).	
Polyphrasia	282	<i>posticata</i> Harvey, 2227 (Orthosia).	
Polystigma	34	<i>posticella</i> Walsingham, 5880 (Depressaria).	
<i>polyrenes</i> Fabricius, 22.		<i>posticella</i> Zetterstedt, 4776 (Laodamia).	
<i>pomana</i> Fabricius, 5296.		<i>postrema</i> Walker, 3675.	
<i>pometaria</i> Harris, 3247.		<i>postrubralis</i> Hampson, 4447.	
<i>pometella</i> Harris, 5678.		Potanthus	48
<i>pomifoliella</i> Clemens, 6246 (Bucculatrix).		<i>potentilla</i> Hy. Edwards, 4259.	
<i>pomifoliella</i> Zeller, 6270 (Lithocolletes).		<i>pottawatomie</i> Worthington, 528.	
<i>pomiliella</i> Clemens, 6539.		<i>poreschick</i> Parker, 480.	
<i>pomirorella</i> Packard, 6211.		<i>praecuta</i> Smith, 1097.	
<i>pomona</i> Smith, 2080.		<i>praeculta</i> Haworth, 6058.	
<i>pomonana</i> Schiffermüller, 5296.		<i>praedonata</i> Harvey, 3678.	
<i>pomonella</i> Packard, 6246 (Bucculatrix).		<i>praeedens</i> Hy. Edwards, 4187.	
<i>pomonella</i> Linnaeus, 5296 (Cydia).		<i>praelata</i> Grote & Robinson, 2900.	
<i>pompadour</i> Pollich, 217.		<i>prefectellus</i> Zincken, 4567.	
Pontia	5	<i>preficia</i> Morrison, 1463 (Peridroma).	
<i>pontiac</i> Edwards, 556.		<i>preficta</i> Grote, 1300 (Prodenia).	
<i>pontiella</i> Zeller, 4623.		<i>pragracilis</i> Grote, 1993.	
<i>popanella</i> Clemens, 6594.		<i>pragrandaria</i> Guenée, 3913.	
<i>popofensis</i> Smith, 2157.		<i>pranaturella</i> Clemens, 6088.	
<i>populata</i> Linnaeus, 3350.		<i>prapilata</i> Grote, 2547.	
<i>populetorum</i> Frey & Boll, 6212.		<i>prases</i> Grote, 2031.	
<i>populi</i> Riley, 983 (Apatela).		<i>prastans</i> Hy. Edwards, 4240.	
<i>populi</i> Strecker, 2067 (Cleoceris).		<i>prasinata</i> Fabricius, 1415.	
<i>populi</i> Walker, 4144 (Cossus).		<i>pratanut</i> Hübner, 5409.	
<i>populicota</i> Boisduval, 728.		<i>prattella</i> Hübner, 4571.	
<i>populiella</i> Chambers, 6373 (Gracilaria).		<i>pratensis</i> Behr, 191 (Phyciodes).	
<i>populiella</i> Chambers, 6331 (Lithocolletes).		<i>pratensis</i> Scudder, 195 (Phyciodes).	
<i>populiella</i> Chambers, 6420 (Phylloclastis).		<i>pratinicola</i> Boisduval, 510.	
<i>porellarium</i> Guenée, 3839.		<i>prarella</i> Grote, 4746.	
<i>porcus</i> Hübner, 673.		<i>prarinominella</i> Chambers, 5746.	
Porosagrotis	139	<i>praxialis</i> Druce, 4316.	
<i>porphyria</i> Herrich-Schaeffer, 923.		<i>precationis</i> Guenée, 2488.	
<i>porrectella</i> Linnaeus, 5504.		Prenes	54
Porrima	187	<i>pressata</i> Grote, 1418.	
<i>porsema</i> Scudder, 385.		<i>pretiosa</i> Lintner, 2893.	
Porthetria	260	<i>pretoria</i> Boisduval, 201.	
		<i>prima</i> Smith, 1100 (Anorthodes).	
		<i>prima</i> Slosson, 853 (Estigmene).	

	Page.		Page.
<i>prima</i> Smith, 2059 (Perigrapha).		<i>propinquua</i> Smith, 2141 (Copienculia).	
<i>primaria</i> Eversman, 3259.		<i>propinqualis</i> Möschler, 4278 (Desmia).	
<i>primariana</i> Walker, 5029.		<i>propinqualis</i> Guenée, 2568 (Rivula).	
<i>primordialis</i> Zeller, 4275.		<i>propinquilinea</i> Grote, 961.	
<i>primulina</i> Walsingham, 5095.		<i>proprialis</i> Fernald, 4496.	
<i>princeps</i> Walker, 728.		<i>propriaria</i> Walker, 3956 (Euchlaena).	
<i>princetonia</i> Poling, 29.		<i>propriaria</i> Walker, 3332 (Euchlaena).	
<i>principalis</i> Walker, 4636 (Diptychomalia).		<i>propriella</i> Walker, 4849.	
<i>principalis</i> Lederer, 4312 (Hygrobia).	343	<i>proprius</i> Hy. Edwards, 2394.	
<i>prini</i> Smith & Abbot, 719.		<i>propinquaria</i> Treitschke, 3438.	
Priocycela		<i>propinquata</i> Denis & Schiffermüller, 3438.	
Prionapteryx	403	<i>propulsa</i> Walker, 1789.	
Prionoxystus		<i>propulsata</i> Walker, 3350.	
Pristophora		<i>proculta</i> Grote, 2396.	
<i>privatus</i> Walker, 1753.		<i>proserpina</i> Edwards, 237 (Basilarchia).	
<i>probata</i> Hy. Edwards, 865.		<i>proserpina</i> Scudder, 248 (Chlorippe).	
Probola	337	<i>proserpina</i> Fabricius, 757 (Hemileuca).	
<i>proceralis</i> Lederer, 4450.		<i>proserpinella</i> Frey & Boll, 5653.	
Procherodes		Prosoparia	291
<i>procinctus</i> Grote, 1884.		<i>prosopis</i> Hy. Edwards, 4231.	
<i>procivis</i> Morrison, 1528.		Prostomeus	504
<i>procris</i> Edwards, 475.		<i>protecta</i> Dyar, 3084.	
Prodenia		Proteides	57
<i>prodendialis</i> Walker, 4816.		Proteopteryx	464
<i>prodeniformis</i> Smith, 1791.		Proteoteras	464
<i>prodenus</i> Walker, 1998.		<i>protecta</i> Fabricius, 80.	
<i>proditata</i> Walker, 3699.		<i>proto</i> Linnaeus, 577.	
Prodoxus	576	Prothymia	210
<i>productata</i> Packard, 3548.		<i>protillus</i> Herrich-Schaeffer, 579.	
<i>prefecta</i> Grote, 3069.		<i>protodice</i> Boisduval & Le Conte, 37.	
<i>profugaria</i> Herrich-Schaeffer, 3617.		Protosia	92
<i>profundalis</i> Packard, 4402.		<i>protumnalis</i> Walker, 3023.	
<i>profundus</i> Smith, 1756.		<i>proxanthata</i> Walker, 3738.	
<i>progne</i> Cramer, 214.		<i>proxima</i> Guerin-Méneville, 885 (Apantesis).	
<i>progressata</i> Walker, 3417.		<i>proxima</i> Morrison, 1133 (Perigea).	
<i>prolatella</i> Grote, 4628.		<i>proxima</i> Hy. Edwards, 4217 (Sesia).	
Proleucoptera	563	<i>proximalis</i> Fernald, 4394.	
Prolimacodes	356	<i>prudens</i> Clemens, 5606.	
<i>promethia</i> Drury, 744.		<i>prunatum</i> Linnaeus, 3352.	
<i>promptana</i> Robinson, 5441.		<i>pruni</i> Harris, 1002.	
<i>promptilla</i> Walker, 2571.		<i>penniella</i> Clemens, 5693 (Anarsia).	
<i>promulsa</i> Morrison, 1915.		<i>penniella</i> Clemens, 6034 (Coicophora).	
Promylea	421		
Pronoctua	136		
Pronuba	577		
<i>propera</i> Grote, 2611.			
<i>properius</i> Lintner, 629.			
Propexus	410		
<i>propinquua</i> Walsingham, 6591 (Anaphora).			

Page.		Page.
<i>pruniella</i> Clemens, 6145 (Coptodisca).		<i>psoraliella</i> Walsingham, 5865.
<i>prunifoliella</i> Chambers, 5593 (Epippe).		<i>psyche</i> Boisduval & Le Conte, 330.
<i>prunifoliella</i> Clemens, 6213 (Neptinula).		<i>psychidæ</i> 352.
<i>pruniosella</i> Chambers, 6441.		<i>Psychomorpha</i> 194.
<i>pruniramiella</i> Clemens, 6476.		<i>Psychophora</i> 287.
<i>prunivora</i> Walsh, 5269.		<i>psychotriella</i> Busck, 6430.
<i>prunivorella</i> Chambers, 6387.		<i>Psysostegania</i> 305.
<i>pryeri</i> Butler, 736.		<i>pteatvia</i> Riley, 3519.
<i>Pryocyclo</i> 343.		<i>pteliarella</i> Chambers, 6214.
<i>psammitis</i> Zeller, 5479.		<i>Pterætholix</i> 204.
<i>Psaphidia</i> 128.		<i>pteridis</i> Hy. Edwards, 865.
<i>Psecadria</i> 523.		<i>pterodactyla</i> Hübner, 4981 (Pterophorus).
<i>Psednothrix</i> 332.		<i>pterodactyla</i> Linnaeus, 4992 (Stenoptilia).
<i>pseudacaciella</i> Fitch, 6267.		<i>Pterolonche</i> 491.
<i>Pseudacontia</i> 187.		<i>Pterophoridæ</i> 441.
<i>Pseudalypia</i> 97.		<i>Pterophorus</i> 444.
<i>Pseudanaphora</i> 579.		<i>Pteroscia</i> 150.
<i>Pseudanarta</i> 124.		<i>Pterospoda</i> 322.
<i>Pseudanthœcia</i> 191.		<i>Pterotæa</i> 322.
<i>Pseudanthrœcia</i> 238.		<i>ptilodactyla</i> Hübner, 4992 (Stenoptilia).
<i>pseudargiolus</i> Boisduval & Le Conte, 440.		<i>Ptilodon</i> 251.
<i>pseudargyria</i> Guenée, 1954.		<i>ptilodonta</i> Grote, 1948.
<i>Pseudasopia</i> 399.		<i>Ptychoglene</i> 81.
<i>pseuderminea</i> Peck, 851.		<i>ptychogrammos</i> Zeller, 5309.
<i>pseudoacaciella</i> Chambers, 5759.		<i>Ptychopoda</i> 295.
<i>Pseudochelaria</i> 511.		<i>Ptychopseustis</i> 411.
<i>Pseudoconchylis</i> 488.		<i>ptychophora</i> Grote, 2461.
<i>pseudodorippus</i> Strecker, 239.		<i>puber</i> Grote & Robinson, 4005.
<i>pseudofea</i> Morrison, 449.		<i>pudendana</i> Herrich-Schaeffer, 5003.
<i>Pseudogalleria</i> 455.		<i>pudens</i> Guenée, 3180 (Euthyatira).
<i>pseudogatina</i> Grote, 2492.		<i>pudens</i> Hy. Edwards, 912 (Pygaria).
<i>Pseudoglæa</i> 178.		<i>pudilundana</i> Zeller, 5576.
<i>Pseudohazis</i> 74.		<i>pudilundella</i> Ragonot, 4761.
<i>Pseudolimacodes</i> 179.		<i>puclca</i> Hy. Edwards, 335.
<i>Pseudomya</i> 77.		<i>pudorata</i> Morrison, 1014 (Apatela).
<i>pseudonastria</i> Boisduval, 3218.		<i>pudorata</i> Smith, 1353 (Oncoenemis).
<i>Pseudopigritia</i> 528.		<i>puella</i> Smith, 2081.
<i>pseudotiletes</i> Boisduval & Le Conte, 447.		<i>puer</i> Hübner, 472.
<i>Pseudorgyia</i> 206.		<i>puera</i> Fabricius, 2742.
<i>Pseudorthosia</i> 178.		<i>puerilis</i> Grote, 2001.
<i>Pseudoschænobius</i> 403.		<i>pugionis</i> Smith, 1584.
<i>Pseudosiona</i> 332.		<i>pulchella</i> Walker, 4622 (Argyria).
<i>Pseudosphinx</i> 66.		<i>pulchella</i> Chambers, 6377 (Gracilaria).
<i>pseudospretella</i> Stainton, 5926.		<i>pulchella</i> Boisduval, 191 (Phycoides).
<i>Pseudotamila</i> 192.		<i>pulchella</i> Harvey, 2052 (Strechbia).
<i>Pseudothyatira</i> 258.		
<i>psidii</i> Sallé, 3204.		
<i>psilogrammaria</i> Zeller, 3552.		

Page	Page.
<i>pulchella</i> Smith, 2200 (Xanthia).	
<i>pulchella</i> Smith, 1897 (Nylomiges).	
<i>pulchellana</i> Stephens, 5423 (Eulia).	
<i>pulchellana</i> Clemens, 5218 (Proteropteryx).	
<i>pulchellus</i> Zeller, 4565 (Crambus).	
<i>pulcher</i> Grote, 6608.	
<i>pulcherrima</i> Grote, 2550.	
<i>pulcherrimata</i> Walsingham, 5329.	
<i>pulcherrimella</i> Chambers, 6072.	
<i>pulchra</i> Strecker, 308 (Anosia).	
<i>pulchra</i> Dyar, 790 (Lycormorpha)	
<i>pulchra</i> Minot, 3780.	
<i>pulchripennis</i> Grote, 2402.	
<i>pulchripetalis</i> Hampson, 4414.	
<i>pulla</i> Hy. Edwards, 279.	
<i>pullana</i> Eversman, 5228.	
<i>pullata</i> Grote, 2144.	
<i>pullatella</i> Ragonot, 4801.	
<i>pullifimbriella</i> Clemens, 5822.	
<i>pullusella</i> Chambers, 5823.	
<i>pulmonarium</i> Grote, 3833.	
<i>pultaria</i> Guenée, 3911.	
<i>pulvella</i> Chambers, 6060.1 (Batrachetta).	
<i>pulvella</i> Chambers, 6442 (Tischeria).	
<i>pulveralis</i> Warren, 4477.	
<i>pulveraria</i> Linnaeus, 3898 (Anaga-	
ga).	
<i>pulveraria</i> Hulst, 3634 (Deilinia).	
<i>pulveraria</i> Walsingham, 5122.	
<i>pulverea</i> Grote & Robinson, 3136	
(Heterocampa).	
<i>pulverea</i> Smith, 2462 (Narthecophora).	
<i>pulverilinea</i> Grote, 2965.	
<i>pulverina</i> Neumoegen, 815.	
<i>pulverosa</i> Walker, 2966.	
<i>pulverosalis</i> Smith, 3047.	
<i>pulverosana</i> Walker, 5310.	
<i>pulverulenta</i> Smith, 1809 (Mamestra).	
<i>pulverulenta</i> Smith, 1126 (Perigea).	
<i>pulverulenta</i> Alpheraky, 860 (Phragmatobia).	
<i>pulverulenta</i> Smith, 1265 (Polia).	
<i>pulverulenta</i> Felder, 613 (Systas-	
sea).	
<i>pulverulentus</i> Riley, 6570 (Prodoxus).	
<i>pulvipennella</i> Clemens, 5858.	
<i>pumila</i> Boisduval & Le Conte, 320.	
<i>pumillella</i> Ragonot, 4750.	
	pumilio Zeller, 4991.
	<i>punctana</i> Hübner, 3083.
	<i>punctanum</i> Walsingham, 5019.
	<i>punctata</i> Edwards, 199 (Anthanasia).
	<i>punctata</i> Walker, 3127 (Dasylophia).
	<i>punctata</i> Packard, 865 (Diacerisia).
	<i>punctata</i> Fitch, 855 (Hyphantria).
	<i>punctata</i> Hulst, 3904 (Therina).
	<i>punctatissima</i> Neumoegen, 778 (Basilona).
	<i>punctatissima</i> Smith & Abbot, 855 (Hyphantria).
	<i>punctella</i> Grote & Robinson, 538.
	<i>puncticostata</i> Walker, 5063.
	<i>punctiductyla</i> Haworth, 4937.
	<i>punctidiscellus</i> Clemens, 5679.
	<i>punctifera</i> Walker, 1122.
	<i>punctiferella</i> Walsingham, 6556 (Adela).
	<i>punctiferella</i> Clemens, 5824 (Gelechia).
	<i>punctiferella</i> Walsingham, 6483 (Incurvaria).
	<i>punctiformis</i> Smith, 3039.
	<i>punctigera</i> Walker, 1601.
	<i>punctilimbella</i> Ragonot, 4926.
	<i>punctipennella</i> Clemens, 5675.
	<i>punctipennis</i> Grote, 2729.
	<i>punctipes</i> Curtis, 3444.
	<i>punctirena</i> Smith, 2218.
	<i>punctistriga</i> Walker, 3207.
	<i>punctivena</i> Smith, 2968 (Capnodes).
	<i>punctivena</i> Smith, 1107 (Caradrina).
	<i>punctofimbriata</i> Packard, 3539.
	<i>punctolineata</i> Packard, 3650.
	<i>punctomacularia</i> Hulst, 3778.
	<i>pungeus</i> Eschscholtz, 699.
	<i>pantagorda</i> Slosson, 3127.
	<i>pupillaris</i> Grote, 3035.
	<i>pupula</i> Hübner, 4474.
	<i>pura</i> Butler, 4108 (Carama).
	<i>pura</i> Hulst, 2846 (Catocala).
	<i>pura</i> Neumoegen, 924 (Halisidota).
	<i>pura</i> Butler, 837 (Utetheisa).
	<i>paravia</i> Walker, 3491.
	<i>purata</i> Guenée, 3498.
	<i>purgata</i> Walker, 2758.
	<i>puricostella</i> Ragonot, 4924.
	<i>puriuasella</i> Chambers, 6441.
	<i>puritana</i> Robinson, 5348.
	<i>purpura</i> Walker, 6557.

Page.	Page.
<i>purpurana</i> Clemens, 5357.	
<i>purpurascens</i> Hy. Edwards, 110 (<i>Argynnis</i>).	
<i>purpurascens</i> Walker, 2467 (<i>Calpe</i>).	
<i>purpurascens</i> Hulst, 3522 (<i>Eois</i>).	
<i>purpuraseens</i> Packard, 6604 (<i>Sthenopis</i>).	
<i>purpurea</i> Grote, 2219.	
<i>purpurella</i> Dietz, 5939 (<i>Pigritia</i>).	
<i>purpurella</i> Hulst, 4772 (<i>Salebria</i>).	
<i>purpureofusca</i> Walsingham, 5660.	
<i>purpuriciliata</i> Walsingham, 5224.	
<i>purpuricella</i> Chambers, 6133 (<i>Chrysopoeleia</i>).	
<i>purpuricella</i> Chambers, 6362 (<i>Graecilaria</i>).	
<i>purpurifascia</i> Grote & Robinson, 2178.	
<i>purpurigera</i> Walker, 2469.	
<i>purpuripennis</i> Grote, 2160.	
<i>purpurissata</i> Grote, 3485 (<i>Cosymbia</i>).	
<i>purpurissata</i> Grote, 1775 (<i>Mamestra</i>).	
<i>purpurocomella</i> Clemens, 5976.	
<i>pusilla</i> Frey & Boll, 6089.	
<i>pusillifoliella</i> Frey & Boll, 6286.	
<i>pusionellus</i> Zeller, 4578.	
<i>pussillalis</i> Hübner, 4623.	
<i>pustularia</i> Hübner, 3709 (<i>Cymatophora</i>).	
<i>pustularia</i> Guenée, 3618 (<i>Psystostegania</i>).	
<i>pustularia</i> Hy. Edwards, 3417 (<i>Triphosa</i>).	
<i>pustulata</i> Hy. Edwards, 2589 (<i>Anaphila</i>).	
<i>pustulata</i> Walker, 4049 (<i>Celama</i>).	
<i>pustulata</i> Packard, 941 (<i>Phegoptera</i>).	
<i>pustuliferata</i> Lederer, 4338.	
<i>puta</i> Grote & Robinson, 2201.	
<i>putnami</i> Grote, 2479 (<i>Euchalcia</i>).	
<i>putnami</i> Hy. Edwards, 350 (<i>Thecla</i>).	
<i>putrescens</i> Guenée, 2986.	
<i>Pyctis</i>	291
<i>Pygarcetia</i>	93
<i>pygmaea</i> Grote & Robinson, 4086 (<i>Adoneta</i>).	
<i>pygmaea</i> Grote, 3057 (<i>Dircetis</i>).	
<i>pygmaea</i> Hübner, 2547 (<i>Piectes</i>).	
<i>pygmella</i> Hübner, 6467 (<i>Argyresthia</i>).	
<i>pygmella</i> Ragonot, 4717 (<i>Pinipestis</i>).	
<i>pygmensis</i> Walsingham, 4929.	
<i>pygmeolaria</i> Grote, 3818.	
<i>Pygoctmucha</i>	92
<i>Pyla</i>	426
<i>pylades</i> Scudder, 601.	
<i>Pyralidæ</i>	371
<i>pyralidiformis</i> Walker, 4250.	
<i>Pyralinæ</i>	398
<i>Pyralis</i>	398
<i>pyralis</i> Smith, 1047 (<i>Apharetra</i>).	
<i>pyralis</i> Hübner, 2676 (<i>Pleonectypetera</i>).	
<i>pyraloides</i> Strecker, 2331.	
<i>pyramidalis</i> Walker, 4197.	
<i>pyramidoides</i> Guenée, 1295.	
<i>pyramus</i> Boisduval, 656.	
<i>pyramusalis</i> Walker, 3054.	
<i>Pyrausta</i>	389
<i>Pyraustinae</i>	371
<i>pyri</i> Harris, 4224.	
<i>pyricolana</i> Murtfeldt, 5234.	
<i>pyrifoliana</i> Clemens, 5237.	
<i>pyrina</i> Linnaeus, 4141.	
<i>Pyrisita</i>	11
<i>pyrolaria</i> Guenée, 3816.	
<i>Pyromorpha</i>	359
<i>Pyromorphidæ</i>	359
<i>Pyrophila</i>	122
<i>pyrophiloides</i> Harvey, 1498.	
<i>pyrrha</i> Druce, 3172.	
<i>Pyrrharctia</i>	86
<i>Pyrrhia</i>	177
<i>Pyrrhopuga</i>	47
<i>pyrrhoura</i> Hulst, 902.	
<i>pythion</i> Druce, 967.	
<i>python</i> Edwards, 552.	
<i>pyridifera</i> Smith & Abbot, 4111.	
<i>quadriguttapunctata</i> Dyar, 5517.	
<i>quadranulata</i> Morrison, 1841.	
<i>quadranotata</i> Strecker, 893.	
<i>quadraquina</i> Scudder, 484.	
<i>quadraria</i> Grote, 3635.	
<i>quadrata</i> Grote, 1000 (<i>Apatea</i>).	
<i>quadrata</i> Smith, 1826 (<i>Mamestra</i>).	
<i>quadratalis</i> Walker, 4327.	
<i>quadratella</i> Zetterstedt, 4510.	
<i>quadriannulata</i> Walker, 3480.	
<i>quadricornis</i> Harris, 721.	
<i>quadrieristatella</i> Chambers, 6134.	
<i>quadridentata</i> Grote & Robinson, 1574.	

Page.	Page.
<i>quadrifasciana</i> Fernald, 5419.	<i>quebecensis</i> Smith, 1445.
<i>quadrifasciaria</i> Packard, 3622.	<i>quehtala</i> Reakirt, 201.
<i>quadrifera</i> Zeller, 2645.	<i>quenselii</i> Paykull, 883.
<i>quadrifidum</i> Zeller, 5024.	<i>queracana</i> Fernald, 5337.
<i>quadrigularis</i> Hübner, 2928.	<i>quereti</i> Herrich-Schaeffer, 4077.
<i>quadriguttalis</i> Hübner, 949.	<i>queret</i> Hy. Edwards, 4230.
<i>quadriguttatus</i> Grote, 6605.	<i>querelialabella</i> Fitch, 6259.
<i>quadrilineata</i> Packard, 3706.	<i>queribella</i> Chambers, 6259.
<i>quadrilineata</i> Packard, 3497 (Cinglis).	<i>quericastanella</i> Chambers, 6215.
<i>quadrilineata</i> Grote, 1835 (Mametsra).	<i>quericella</i> Clemens, 5851 (Cryptolechia).
<i>quadrilineata</i> Grote & Robinson, 773 (Syssphinx).	<i>quericellus</i> Chambers, 5688 (Ypsolophus).
<i>quadrilineella</i> Chambers, 6039 (Coleophora).	<i>quericola</i> Herrich-Schaeffer, 4077.
<i>quadrilineella</i> Chambers, 6073 (Cosmopteryx).	<i>quericolella</i> Chambers, 6469 (Argyresthia).
<i>quadrilunata</i> Grote, 1933.	<i>quericolella</i> Ragonot, 4754 (Salabria).
<i>quadrimaculella</i> Chambers, 5702 (Anacampsis).	<i>quericella</i> Clemens, 6040 (Coleophora).
<i>quadrimaculella</i> Chambers, 5746, (Gelechia).	<i>quericella</i> Chambers, 5559 (Telphusa).
<i>quadrimaculella</i> Chambers, 5927 (Oecophora).	<i>quericella</i> Chambers, 5688 (Ypsolophus).
<i>quadrinotata</i> Walker, 3262 (Heterophleps).	<i>queriefoliana</i> Fitch, 5399.
<i>quadrinotata</i> Herrich - Schaeffer, 3682 (Macaria).	<i>queriefoliella</i> Chambers, 5755 (Gelechia).
<i>quadripilosa</i> Walker, 2532 (Syngrapha).	<i>queriefoliella</i> Fitch, 6253 (Lithocolletes).
<i>quadripilosa</i> Smith, 2677 (Tarache).	<i>queriefoliella</i> Chambers, 6393 (Ornix).
<i>quadripunctana</i> Haworth, 5409.	<i>querenigracella</i> Chambers, 5557.
<i>quadripunctaria</i> Morrison, 3604.	<i>querenigrella</i> Chambers, 5557.
<i>quadripunctata</i> Packard, 3419.	<i>queriperda</i> Fitch, 4148.
<i>quadripunctella</i> Clemens, 6395 (Ornix).	<i>queripomonella</i> Chambers, 5678.
<i>quadripunctellus</i> Dyar, 6583 (Hypoclopus).	<i>queripinchella</i> Chambers, 6259.
<i>quadrisignata</i> Walker, 3679 (Macaria).	<i>queripinchrella</i> Riley, 6259 (Lithocolletes).
<i>quadrisignata</i> Walker, 3647 (Sciaigraphia).	<i>queripinchrella</i> Chambers, 6216 (Nepticula).
<i>quadristigma</i> Smith, 2008.	<i>queritella</i> Clemens, 6435.
<i>quadristigmatis</i> Guénée, 4321.	<i>queritorum</i> Frey & Boll, 6253.
<i>quadristrigalis</i> Fernald, 4399.	<i>querivaria</i> Smith & Abbot, 3986.
<i>quadristrigella</i> Zeller, 6468 (Argyresthia).	<i>querivarella</i> Chambers, 6296 (Lithocolletes).
<i>quadristrigella</i> Chambers, 6231 (Opstegia).	<i>querivarella</i> Chambers, 5602 (Recurvaria).
<i>quasita</i> Grote, 1250.	<i>querivarella</i> Chambers, 6435 (Tischeria).
<i>quasitata</i> Hulst, 3542.	<i>querus</i> Boisduval, 928 (Hemihylea).
<i>quantulella</i> Hulst, 4884.	<i>querus</i> Ehrman, 4147 (Prionoxystus).
<i>quarta</i> Grote, 1414.	<i>querus</i> Hy. Edwards, 4230 (Sesia).

Page.		Page.
<i>queruaria</i> Smith & Abbot, 3873.		<i>radiatus</i> Haworth, 5500 (Cerostoma).
<i>querquera</i> Grote, 2109.		<i>radiatus</i> Strecker, 13 (Papilio).
<i>questionis</i> Treitschke, 2486.		<i>radiatus</i> Smith, 1444 (Setagrotis).
<i>quieta</i> Hübner, 1942.		<i>radicana</i> Walsingham, 5113.
<i>quietalis</i> Walker, 4305.		<i>radiculana</i> Walsingham, 5292.
<i>quinaria</i> Grote, 834.		<i>radiosalis</i> Möschler, 4405.
<i>quinella</i> Zeller, 5715.		<i>radiosaria</i> Hulst, 3996.
<i>quino</i> Behr, 154.		<i>radix</i> Walker, 1793.
<i>quinquareatus</i> Zeller, 4558.		<i>ragonoti</i> Walsingham, 5160.
<i>quinquaria</i> Hübner, 3695.		Ragonotia 437
<i>quinqueannulella</i> Chambers, 5606.		<i>rainieri</i> Smith, 1868.
<i>quinqueaudata</i> Ridings, 4172.		<i>ralla</i> Grote & Robinson, 2221.
<i>quinquecristatella</i> Chambers, 6127 (Stilbosis).		<i>ramburialis</i> Duponchel, 4377.
<i>quinquecristatella</i> Chambers, 5555 (Telphusa).		<i>ramentalis</i> Lederer, 4291.
<i>quinquefasciata</i> Packard, 3387.		<i>ramosana</i> Hübner, 3083.
<i>quinqueferella</i> Walsingham, 5512.		<i>ramosula</i> Guenée, 1291.
<i>quinquelinea</i> Dyar, 3166 (Glypha- sia).		Ramphodes 428
<i>quinquelinea</i> Smith, 1680 (Paragro- tis).		<i>ramalis</i> Guenée, 4302.
<i>quinquelinalis</i> Grote, 4419.		Raneora 173
<i>quinquelinaria</i> Packard, 3795 (Al- cis).		<i>randiella</i> Busck, 6399.
<i>quinquelinaria</i> Packard, 3510 (Lep- tomeris).		<i>rantalis</i> Guenée, 4354.
<i>quinquemaculana</i> Robinson, 5080.		<i>ramunculi</i> Hy. Edwards, 2417.
<i>quinquemaculata</i> Haworth, 696.		<i>rapae</i> Linnaeus, 40.
<i>quinquenotella</i> Chambers, 6247 (Buc- culatrix).		Raphia 99
<i>quinquenotella</i> Chambers, 6356 (Gra- cilaria).		Raphidodemas 330
<i>quinquenotella</i> Chambers, 6300 (Lithocolletes).		Raphiptera 404
<i>quinquepunctatus</i> Haworth, 5500.		<i>rasilis</i> Morrison, 1141.
<i>quinquepunctella</i> Busck, 5591 (Aris- totelia).		<i>rata</i> Hy. Edwards, 4120.
<i>quinquepunctella</i> Chambers, 6564 (Prodoxus).		<i>ratzeburgiana</i> Saxesen, 5233.
<i>quinquepunctella</i> Grote, 4759 (Sale- bria).		<i>rauterbergi</i> Skinner, 579.
<i>quinquestrigella</i> Chambers, 6398.		<i>rara</i> Herrich-Schaeffer, 1488.
<i>quintana</i> Zeller, 5080.		<i>rarecostaliata</i> Packard, 2319.
<i>quisquiliella</i> Zeller, 5977.		Reabotis 206
<i>rachel</i> Bruce, 657.		<i>reakirtii</i> Edwards, 49.
Rachela 266		<i>reciproca</i> Walker, 3332.
<i>rachelae</i> Hulst, 3876.		<i>reconditaria</i> Walker, 4377 (Diasema).
Racheospila 300		<i>reconditalis</i> Walker, 4503 (Diath- rausta).
<i>radeltifei</i> Harvey, 999.		<i>reconditaria</i> Walker, 3486.
<i>radians</i> Walker, 895.		<i>rectangula</i> Kirby, 2505.
<i>radiatana</i> Walsingham, 5163.		<i>rectangulata</i> Ottolenghi, 3175 (Ha- brosyne).
<i>radiatella</i> Donovan, 5500.		<i>rectangulata</i> Fabricius, 3387 (Hy- diomena).
		<i>rectaria</i> Grote, 3599 (Anaplodes).
		<i>rectaria</i> Dyar, 4116 (Aeolothitus).
		<i>rectineta</i> Smith, 1673.
		<i>rectifascia</i> Grote, 2267 (Atethmia).
		<i>rectifascia</i> Smith, 2070 (Cleoceris).
		<i>rectifascia</i> Hulst, 3720 (Cymato- phora).
		<i>rectilinea</i> French, 879 (Apantesis).

	Page.		Page.
<i>rectilinea</i> Grote & Robinson, 4095 (Cochlidion).		<i>remissa</i> Hübner, 1217 (Hadena).	
<i>rectilinea</i> Esper, 1280 (Hyppa).		<i>remissa</i> Hy. Edwards, 869 (Neocaria).	
<i>rectilinea</i> Smith, 1832 (Mamestra)		<i>remissa</i> Walker, 1117 (Perigea).	
<i>rectilinea</i> Zeller, 4508 (Scoparia).		<i>remissaria</i> Guenée, 4007.	
<i>rectipicana</i> Walsingham, 5118.		<i>remota</i> Smith, 1622.	
<i>rectistrigella</i> Ragonot, 4678.		<i>remotaria</i> Walker, 3598.	
<i>rectus</i> Hy. Edwards, 6614.		<i>remotata</i> Walker, 3350.	
<i>recula</i> Harvey, 1571.		<i>rena</i> Smith, 1706.	
<i>recurrens</i> Fabricius, 4276.		Renia 243	
Recurvaria 500		<i>renivalis</i> Zeller, 4271.	
<i>recusans</i> Walker, 2725.		<i>reniculella</i> Grote, 4712.	
<i>redecella</i> Chambers, 5678.		<i>reniformis</i> Grote, 1297 (Helotropa).	
<i>redimicula</i> Morrison, 1737.		<i>reniformis</i> Smith, 2377 (Schinia).	
<i>redtenbacheri</i> Lederer, 4297.1.		<i>renigera</i> Stephens, 1829.	
<i>reducta</i> Neumoegen, 740 (Samia).		<i>renunciata</i> Walker, 3388.	
<i>reducta</i> Grote, 847 (Turruptiana).		<i>repanda</i> Fabricius, 2923 (Remigia).	
<i>reductalis</i> Walker, 4299.		<i>repanda</i> Walker, 2918 (Siavana).	
<i>reductella</i> Walker, 4744.		<i>repandus</i> Grote, 4614 (Thaumatopsis).	
<i>refecta</i> Smith, 1368.		<i>repetina</i> Morrison, 1818 (Mamestra).	
<i>refectalis</i> Hulst, 4608.		<i>repentinus</i> Clemens, 722 (Ceratoma).	
<i>refectoria</i> Walker, 3550.1.		<i>repentis</i> Grote & Robinson, 1649 (Paragrotis).	
<i>reflata</i> Grote, 3393.		<i>repentis</i> Grote, 2973 (Yrias).	
<i>reflexa</i> Chambers, 5852.		<i>repetitalis</i> Grote, 4344.	
<i>reflexella</i> Clemens, 5852.		<i>repletalis</i> Walker, 4454.	
<i>refractoria</i> Guenée, 3941.		<i>repletaria</i> Walker, 3530.	
<i>refugalis</i> Hulst, 4508.		<i>repressus</i> Grote, 1296.	
<i>refula</i> Smith, 1702.		<i>repugnata</i> Walker, 3700.	
<i>refulgens</i> Hy. Edwards, 4206.		<i>resedae</i> Boisduval, 38.	
<i>refusata</i> Walker, 5196.		<i>residua</i> Grote, 2820.	
<i>refusata</i> Walker, 3260.		<i>resistaria</i> Herrich-Schaeffer, 3939.	
<i>refusella</i> Chambers, 5709.		<i>resoluta</i> Zeller, 4040 (Leucobrrophos).	
<i>regalis</i> Fabricius, 776 (Citheronia).		<i>resoluta</i> Smith, 1272 (Polia).	
<i>regalis</i> Walker, 5516 (Glyhipteryx).		<i>respersata</i> Hulst, 3653.	
<i>regia</i> Smith & Abbot, 776 (Citheronia).		<i>resplendens</i> Hy. Edwards, 4199.	
<i>regia</i> Boisduval, 423 (Philotes).		<i>resplendensella</i> Chambers, 6217.	
<i>regia</i> Strecker, 2318 (Porrima).		<i>restionalis</i> Lederer, 4270.	
<i>regina</i> Smith, 1360.		<i>restituens</i> Walker, 3247.	
<i>regnatix</i> Grote, 4034 (Melanochroa).		<i>restitutata</i> Walker, 5383.	
<i>regnatrix</i> Grote, 2426 (Xanthopastis).		<i>restorata</i> Walker, 3651.	
<i>regulus</i> Edwards, 539.		<i>restrictalis</i> Smith, 2414 (Heliodes).	
<i>relatus</i> Smith, 1644.		<i>restrictalis</i> Grote, 3044 (Renia).	
<i>relevina</i> Morrison, 1246.		<i>restrictata</i> Walker, 3487.	
<i>relieta</i> Walker, 2826.		<i>resumens</i> Walker, 1381.	
<i>reliqua</i> Smith, 2030.		<i>resumptana</i> Walker, 5215.	
<i>reliquana</i> Hübner, 5005.		<i>retana</i> Walsingham, 5398.	
<i>reluctalis</i> Hulst, 4267.		<i>retardata</i> Walker, 1028.	
Remigia 234			
<i>remigipila</i> Guenée, 2765.			

	Page.		Page.
<i>rectecta</i> Grote, 2815.		<i>ribesella</i> Chambers, 5722 (Gelechia).	
<i>rectetata</i> Walker, 3673.		<i>ribesella</i> Chambers, 6376 (Gra-	
<i>rectetella</i> Zeller, 5978.		cilaria).	
<i>retentata</i> Walker, 3673.		<i>ribis</i> Hy. Edwards, 754.	
<i>reticens</i> Walker, 1649.		<i>ricaria</i> Edwards, 646.	
<i>reticulatana</i> Clemens, 5335.		<i>richardsoni</i> Curtis, 1935.	
<i>reticulatus</i> Lintner, 4147 (Prionox-		<i>richi</i> Grote, 2458.	
ystus).		Richia	149
<i>reticulatus</i> Riley, 6568 (Prodoxus).		<i>rickseckeri</i> Behr, 851.	
<i>reticulina</i> Beutennüller, 4137.		<i>ridenda</i> Hy. Edwards, 3166.	
<i>retinadis</i> Lederer, 4279.		<i>ridingsana</i> Robinson, 5083.	
<i>retinana</i> Walsingham, 5378.		<i>ridingsella</i> Clemens, 6558.	
Retinia	448	<i>ridingsiana</i> Grote, 1582.	
<i>retinotata</i> Walker, 3647.		<i>ridingsii</i> Grote, 947 (Alypia).	
<i>retis</i> Grote, 2608.		<i>ridingsii</i> Reakirt, 496 (Erynnis).	
<i>retractaria</i> Walker, 3647.		<i>ridingsii</i> Riley, 2628 (Exyra).	
<i>retroversa</i> Morrison, 1314.		<i>ridingsii</i> Edwards, 277 (Neominois).	
<i>reuda</i> Strecker, 1700.		<i>rigida</i> Smith, 1766 (Agrotiphila).	
<i>revayana</i> Scopoli, 3083.		<i>rigida</i> Walker, 1942 (Anarta).	
<i>recellata</i> Smith, 1013.		<i>rigida</i> Grote, 2174 (Papaipema).	
<i>reversa</i> Stretch, 839.		<i>rigidana</i> Fernald, 4999.	
<i>reversalis</i> Guenée, 4386.		<i>rigidata</i> Walker, 3386.	
<i>reversata</i> Dyar, 3019.		<i>rilearia</i> Packard, 3615.	
<i>revicta</i> Morrison, 2032.		<i>rileyana</i> Grote, 5361 (Archips).	
<i>revocata</i> Walker, 3881.		<i>rileyana</i> Harvey, 3222 (Hetero-	
<i>revoluta</i> Walker, 2938.		pacha).	
Rhabdoïdes		<i>rileyana</i> Smith, 1887 (Morrisonia).	
<i>rhaa</i> Boisduval, 421.		<i>rileyana</i> Morrison, 1559 (Porosa-	
Rhagonis		grotis).	
<i>rhena</i> Edwards, 554.		<i>rileyana</i> Hy. Edwards, 4201 (Sesia).	
<i>rhesus</i> Edwards, 497.		<i>rileyella</i> Ragonot, 4877 (Ephesia).	
Rheumaptera		<i>rileyella</i> Chambers, 5769 (Gelechia).	
<i>rhexia</i> Smith & Abbot, 2296.		<i>rileyella</i> Chambers, 6254 (Litho-	
<i>rhinthonialis</i> Walker, 4275.		colletes).	
Rhizagrotis		<i>rileyi</i> Walsingham, 6059 (Batra-	
<i>rhodu</i> Butler, 895 (Apantesis).		cheta).	
<i>rhodu</i> Edwards, 273 (Erebia).		<i>rileyi</i> Frey & Boll, 6248 (Buccu-	
<i>rhodarialis</i> Walker, 2623.		latrix).	
Rhododipsa		<i>rileyi</i> Heylaerts, 4070 (Chalia).	
<i>rhodope</i> Edwards, 111.		<i>rileyi</i> Fernald, 4980 (Pterophorus).	
Rhodophæa		<i>rimosa</i> Grote, 1971 (Heliophila).	
Rhodophora		<i>rimosa</i> Packard, 3118 (Pheosia).	
Rhodosea		<i>rimosalis</i> Guenée, 4334.	
<i>rhabus</i> Boisduval, 692.		Riodinidæ	34
<i>rhoifoliella</i> Chambers, 6363.		<i>riparia</i> Morrison, 1339.	
<i>rhoifructella</i> Clemens, 5702.		Ripidophora	448
<i>rhombofervellum</i> Frey & Boll, 6400.		Ripula	335
Rhynchagrotis		<i>rithusaria</i> Walker, 3698.	
<i>rhynchosia</i> Dyar, 4978.		<i>riragana</i> Fabricius, 3083.	
Rhyparia		<i>rirata</i> Duponchel, 3361.	
<i>hypodella</i> Hulst, 4735.		<i>ricellana</i> Fabricius, 5060.	
<i>ribearia</i> Fitch, 3690.		Rivula	206
<i>riberiaria</i> Boisduval, 3352.		<i>virulalis</i> Hampson, 4311.	

	Page.		Page.
<i>rirulana</i> Scopoli, 5060.		<i>rosea</i> Harvey, 1803 (Mamestra).	
<i>rirularia</i> Grote, 4030.		<i>rosea</i> Walker, 3226 (Oreta).	
<i>riridosa</i> Guenée, 2361.		<i>rosea</i> Smith, 2295 (Thyreion).	
<i>robinia</i> Hy. Edwards, 4177 (Memythrus).		<i>roseata</i> Walker, 934 (Aemilia).	
<i>robiniae</i> Peck, 4147 (Prionoxystus).		<i>roseata</i> Stretch, 3223 (Epicnaptera).	
<i>robiniafoliella</i> Chambers, 5601.		<i>roseatella</i> Packard, 4911.	
<i>robinietta</i> Packard, 5882 (Depressaria).		<i>roseicapitis</i> Neumoegen & Dyar, 918.	
<i>robinietta</i> Clemens, 6364 (Gracilaria).		<i>roseicaput</i> Neumoegen & Dyar, 6608.	
<i>robinietta</i> Clemens, 6267 (Lithocolletes).		<i>roseicosta</i> Guenée, 2920.	
<i>robinietta</i> Fitch, 5601 (Recurvaria).		<i>roseinicta</i> Harvey, 2347.	
<i>robinsonana</i> Grote, 5080.		<i>roseocostellus</i> Walsingham, 5689.	
<i>robinsonii</i> Grote, 2817 (Catocala).		<i>roseola</i> Smith, 1986.	
<i>robinsonii</i> Butler, 734 (Cressonia).		<i>roseonaculata</i> Herrich-Schaeffer, 5045.	
<i>robinsonii</i> Grote, 4636 (Dicymolomia).		<i>roseopenella</i> Hulst, 4903.	
<i>robinsonii</i> Boisduval, 901 (Lerina).		<i>roseopenalis</i> Hulst, 4381.	
<i>robusta</i> Strecker, 3107.		<i>roseosuffusa</i> Smith, 1867.	
<i>robustella</i> Zeller, 4657.		<i>roseosuffusella</i> Clemens, 5575.	
<i>robustior</i> Smith, 1535.		<i>roseotincta</i> Hulst, 3508.	
<i>Roeselia</i>	352	<i>roseotinctella</i> Ragonot, 4922.	
<i>rassleri</i> Zeller, 5170.		<i>roseticola</i> Frey & Boll, 6450.	
<i>rogatalis</i> Hulst, 4325.		<i>rossi</i> Ross, 747 (Tropaea).	
<i>rogationis</i> Guenée, 2487.		<i>rossii</i> Curtis, 269 (Erebia).	
<i>rogenhaferi</i> Möschler, 1772.		<i>rossii</i> Guenée, 75 (Eurymus).	
<i>rolandi</i> Grote, 1375.		<i>rossii</i> Curtis, 3185 (Gynaphora).	
<i>rolandiana</i> Grote, 2630.		<i>rostrata</i> Walker, 5383.	
<i>rosa</i> French, 834 (Eubaphe).		<i>rostrata</i> Ragonot, 4906.	
<i>rosa</i> Druce, 4461 (Pyrausta).		<i>Rothschildia</i>	72
<i>rosa</i> Edwards, 43 (Synchloe).		<i>rotundalis</i> Walker, 3016.	
<i>rosa</i> McNeill, 61 (Zerene).		<i>rotundata</i> Packard, 3252.	
<i>rosaceana</i> Harris, 5356.		<i>rotundopennata</i> Packard, 3544.	
<i>rosaceum</i> Boisduval, 732.		<i>rotundopunctata</i> Packard, 3284.	
<i>rosacella</i> Clemens, 6041.		<i>rotundopunctata</i> Packard, 3284.	
<i>rose</i> Behr, 2988.		<i>roxburghii</i> Gregson, 4890.	
<i>rosafoliella</i> Clemens, 6042 (Coleophora).		<i>rubefacta</i> Morrison, 1806.	
<i>rosafoliella</i> Clemens, 6218 (Nepitiella).		<i>rubefactalis</i> Grote, 1657.	
<i>rosalba</i> Grote, 2624.		<i>rubens</i> Hy. Edwards, 653.	
<i>rosalinda</i> Hy. Edwards, 2845.		<i>rubensella</i> Chambers, 5578.	
<i>rosana</i> Linnaeus, 5359 (Archips).		<i>rubescens</i> Walsingham, 5709.	
<i>rosana</i> Hübner, 5401 (Tortrix).		<i>rabescentella</i> Hulst, 4639.	
<i>rosaria</i> Grote, 1487 (Noctua).		<i>rubi</i> Riley, 4191 (Bembecia).	
<i>rosaria</i> Grote, 3927 (Plagodis).		<i>rubi</i> Hy. Edwards, 2989 (Homoptera).	
<i>rosasuffusella</i> Chambers, 5575.		<i>rubicunda</i> Fabricius, 771 (Anisota).	
<i>roseipennella</i> Treitschke, 6354.		<i>rubicunda</i> Walker, 2716 (Eucherichia).	
<i>rosea</i> Beutenmüller, 3144 (Eulyparpax).		<i>rubicunda</i> Hy. Edwards, 157 (Lemonias).	
<i>rosea</i> Walker, 3155 (Hyparpax).		<i>rubicundaria</i> Hübner, 834.	

Page.	Page.
<i>rubidus</i> Behr, 402 (<i>Chaleeria</i>).	<i>rubroscapus</i> Ménétries, 797.
<i>rubifera</i> Grote, 1485.	<i>rubrosuffusa</i> Grote, 2967.
<i>rubifoliella</i> Clemens, 6219.	<i>rubrosuffusata</i> Packard, 3365.
<i>rubigalis</i> Guenée, 4401.	<i>rubrotincta</i> Hulst, 3914 (<i>Slossonia</i>).
<i>rubiginella</i> Walker, 4778.	<i>rudaria</i> Walsingham, 5346.
<i>rubiginosa</i> Walker, 1144 (<i>Oligia</i>).	<i>rude</i> Hy. Edwards, 4088.
<i>rubiginosa</i> Strecker, 2348 (<i>Schiniia</i>).	<i>rudens</i> Harvey, 1470.
<i>rubiginosus</i> Morrison, 3814 (<i>Tornos</i>).	<i>ruderella</i> Ragonot, 4791 (<i>Epischinia</i>).
<i>rubigora</i> Riley, 3578.	<i>ruderella</i> Zeller, 6551 (<i>Setomorpha</i>).
<i>rubigoraria</i> Packard, 3578.	<i>ruderella</i> Chambers, 5678 (<i>Ypsolophus</i>).
<i>rubra</i> Neumoegen, 864 (<i>Diacrisia</i>).	<i>rufa</i> Haworth, 4879 (<i>Ephestia</i>).
<i>rubra</i> Behr, 742 (<i>Samia</i>).	<i>rufa</i> Grote, 3062 (<i>Salia</i>).
<i>rubralis</i> Warren, 4389.	<i>rufago</i> Hübner, 2202.
<i>rubrella</i> Dyar, 5501.	<i>rufaria</i> Grote, 3849.
<i>rubrescens</i> Hulst, 4197 (<i>Albuna</i>).	<i>rufescens</i> Boisduval, 409 (<i>Cupido</i>).
<i>rubrescens</i> Walker, 2042 (<i>Graphiphora</i>).	<i>rufescens</i> Hulst, 3534 (<i>Eois</i>).
<i>rubribasella</i> Hulst, 4809.	<i>rufibasella</i> Ragonot, 4738.
<i>rubriea</i> Harvey, 1895.	<i>ruficaudis</i> Kirby, 656.
<i>rubricalis</i> Hübner, 4451.	<i>ruficiliata</i> Guenée, 3371.
<i>rubricata</i> Edwards, 302.	<i>ruficornis</i> Hy. Edwards, 4252.
<i>rubricoma</i> Guenée, 971.	<i>rufimarginata</i> Hübner, 4450.
<i>rubricosa</i> Harris, 860.	<i>rufilinata</i> Walker, 3490.
<i>rubricosta</i> Ehrman, 832 (<i>Eubaphe</i>).	<i>rufimargo</i> Hübner, 2920.
<i>rubricosta</i> Guenée, 2920 (<i>Panopoda</i>).	<i>rufimeda</i> Grote, 2371.
<i>rubrifasciella</i> Packard, 4692.	<i>rufiminetellus</i> Stephens, 5500.
<i>rubrifrontaria</i> Packard, 3589 (<i>Apolodes</i>).	<i>rufinalis</i> Walker, 4598 (<i>Crambus</i>).
<i>rubrifrontaria</i> Packard, 3583 (<i>Synchlora</i>).	<i>rufinalis</i> Walker, 4778 (<i>Elasmopalpus</i>).
<i>rubripallens</i> Smith, 1960.	<i>rufipertus</i> Morrison, 1390.
<i>rubripalpis</i> Felder, 3207.	<i>rufipennis</i> Grote, 1556.
<i>rubripeurus</i> Grote & Robinson, 1962 (<i>Heliophila</i>).	<i>rufisquamella</i> Zeller, 4623.
<i>rubripeurus</i> Neumoegen & Dyar, 3123 (<i>Nadata</i>).	<i>rufocristatella</i> Chambers, 6165.
<i>rubrisparsella</i> Ragonot, 4738.	<i>rufolaterella</i> Chambers, 6003.
<i>rubristigma</i> Kelliecott, 4229.	<i>rufostrigata</i> Packard, 1107.
<i>rubrofascia</i> Hy. Edwards, 4212.	<i>rufula</i> Boisduval, 865 (<i>Diacrisia</i>).
<i>rubrolinearia</i> Packard, 3512.	<i>rufula</i> Grote, 2014 (<i>Graphiphora</i>).
<i>rubrolineata</i> Packard, 3512 (<i>Leptomeris</i>).	<i>rufula</i> Smith, 1702 (<i>Paragrotis</i>).
<i>rubrolinenta</i> Packard, 3571 (<i>Raheospila</i>).	<i>rufusella</i> Chambers, 5709.
<i>rubromarginaria</i> Packard, 3594 (<i>Anaplodes</i>).	<i>rugifrons</i> Grote, 2448.
<i>rubromarginaria</i> Packard, 3494 (<i>Nystrota</i>).	<i>rugosa</i> Morrison, 1821.
<i>rubromarginata</i> Packard, 3494.	<i>runcinata</i> Smith, 1185.
<i>rubropicta</i> Packard, 828.	<i>runcinaria</i> Strecker, 3894.
	<i>rupestris</i> Behr, 122.
	<i>rupta</i> Hy. Edwards, 3167.
	<i>ruptalis</i> Walker, 4281.
	<i>ruptifasciatus</i> Plotz, 615.
	<i>ruptostrigella</i> Beutemüller, 6361.
	<i>ruralis</i> Boisduval, 486.
	<i>rurea</i> Edwards, 529.
	<i>ruricola</i> Boisduval, 486.

	Page.		Page.
<i>ruricolellus</i> Zeller, 4587.		<i>sagittalba</i> Ottolengui, 2442.	
<i>rurigena</i> Grote, 3054.		<i>sagittana</i> Walker, 5165.	
<i>russaria</i> Herrich-Schaeffer, 3379.		<i>sagittarius</i> Grote, 1758.	
<i>russata</i> Hulst, 3521 (Eois).		<i>sagittigera</i> Felder, 421.	
<i>russata</i> Denis & Schiffenmüller, 3379 (Mesoleuca).		<i>sagratis</i> Druce, 4304.	
<i>russatella</i> Clemens, 6484.		Salebria	424
<i>russea</i> Hy. Edwards, 2492.		Salia	245
<i>russula</i> Grote, 2570.		<i>salicalis</i> Fabricius, 3061.	
<i>rustica</i> Edwards, 426 (Agriades).		<i>salicarum</i> Walker, 1437.	
<i>rustica</i> Fabricius, 698 (Phlegethon-		<i>salicella</i> Chambers, 6403.	
tius).		<i>salicina</i> Clemens, 5226.	
<i>rustica</i> Sepp, 685 (Pseudosphinx).		<i>salicelana</i> Clemens, 5225.	
<i>rusticella</i> Hübner, 6489.		<i>salicella</i> Chambers, 6144.	
Rusticus	44	<i>salicifoliella</i> Chambers, 6365 (Gra-	
<i>rusticus</i> Edwards, 209 (Polygona).		cillaria).	
<i>rusticus</i> Walsingham, 5692 (Ypsos-		<i>salicifungilla</i> Clemens, 5579.	
lophus).		<i>salicipomonella</i> Clemens, 6060.	
<i>rutila</i> Walker, 2486 (Autographa).		<i>salicis</i> Hy. Edwards, 2594 (Ama-	
<i>rutila</i> Guenée, 2190 (Papaipema).		phila).	
<i>rutilans</i> Hübner, 5439.		<i>salicis</i> Harris, 1041 (Apatela).	
<i>rutilans</i> Hy. Edwards, 4203.		<i>salicis</i> Boisduval, 922 (Halisidota).	
<i>rutulus</i> Boisduval, 10.		<i>salicis</i> Behr, 2993 (Homoptera).	
<i>sabatella</i> Chambers, 6169.1.		<i>salicis</i> Smith, 3061 (Salia).	
<i>sabalis</i> Walker, 4299.		<i>salictella</i> Clemens, 6403.	
<i>sabesaria</i> Grote, 3887.		<i>saligna</i> Zeller, 3062.	
<i>sabinaria</i> Packard, 3443.		<i>salignana</i> Clemens, 5139.	
<i>sabinii</i> Curtis, 3443.		Salobrana	400
<i>sabularia</i> Guenée, 3671.		<i>saloua</i> Hewitson, 366.	
<i>sabulella</i> Walsingham, 5876 (De-		<i>saltitanus</i> Westwood, 5297.	
pressaria).		<i>saltinellus</i> Zeller, 4575.	
<i>sabulella</i> Walsingham, 5547 (Palto-		<i>saltusaria</i> Hulst, 3575.	
dora).		Saluda	415
<i>sabuleti</i> Boisduval, 525.		Saluria	438
<i>sabulifera</i> Walker, 4628.		<i>salusalis</i> Walker, 3041.	
<i>sabulinus</i> Butler, 4807.		<i>salutalis</i> Hulst, 4272.	
Sabulodes	346	<i>sambuci</i> Behr, 2260.	
<i>sabulosa</i> Hy. Edwards, 2750 (Cis-		Samea	374
sura).		Samia	72
<i>sabulosa</i> Boisduval, 942 (Misa).		<i>setnoset</i> Scudder, 463.	
<i>saccatella</i> Packard, 6145.		<i>setnoriana</i> Robinson, 5364.	
<i>saccharalis</i> Fabricius, 4624.		<i>setnorini</i> Packard, 4115 (Aeoloi-	
<i>sackeni</i> Grote, 2528.		thus).	
<i>sacrementi</i> Grote & Robinson, 952.		<i>semorni</i> Hy. Edwards, 4251 (Sesia).	
<i>sadalus</i> Lucas, 19.		<i>sancta</i> Hy. Edwards, 982 (Apatela).	
<i>sangeri</i> Neumoegen, 776.		<i>sancta</i> Hulst, 2894 (Catocala).	
<i>sapiolus</i> Boisduval, 409.		<i>sancta</i> Neumoegen & Dyar, 4122 (Triprocris).	
<i>sapillum</i> Boisduval, 354.		<i>sangaris</i> Strecker, 6615.	
<i>saga</i> Kaden, 140 (Brenthis).		<i>sanguinaria</i> Strecker, 794.	
<i>saga</i> Fabricius, 2742 (Hyblaea).		<i>sanguinea</i> Scudder, 574 (Erycides).	
<i>sanguella</i> Hulst, 4892.		<i>sanguinea</i> Geyer, 2319 (Porrima).	
Sagaritis	507		
<i>sanguinella</i> Clemens, 6220.			

Page.	Page.	
<i>sanguinella</i> Busck, 5861 (Depressaria).	<i>saunderii</i> Bethune, 2986 (Homoptera).	
<i>sanguinella</i> Beutennüller, 6368 (Gracilaria).	<i>sauzalitae</i> Grote, 2195.	
<i>sanguineola</i> Boisduval, 827.	<i>sauzalitoella</i> Chambers, 6366.	
<i>sanguirenosa</i> Neumoegen, 934.	<i>savignyi</i> Latreille, 576.	
<i>sanaria</i> Hübner, 3468.	<i>saxa</i> Hy. Edwards, 2784.	
<i>saniptri</i> Streeker, 708.	<i>saxicolana</i> Walsingham, 5468.	
Sannina	<i>saxifrage</i> Hy. Edwards, 4215.	
Sanninoidea	<i>sayii</i> Edwards, 2.	
<i>sansar</i> Streeker, 1274.	<i>seabella</i> Zeller, 5892.	
<i>sapharinella</i> Chambers, 5634.	<i>seabra</i> Fabricius, 3079.	
<i>saphiriella</i> Chambers, 5634.	<i>seabranai</i> Fabricius, 5299 (Aeleris).	
<i>saporis</i> Grote, 2315.	<i>seabranai</i> Schiffermüller, 5309 (Aeleris).	
<i>sappho</i> Streeker, 2807.	<i>scarbiuseula</i> Linnaeus, 1290.	
<i>sapygiformis</i> Walker, 4248.	<i>scalana</i> Walsingham, 5188.	
<i>sara</i> French, 2839 (Catocala).	<i>scandens</i> Riley, 1620.	
<i>sara</i> Boisduval, 49 (Synchloe).	<i>scandinavialis</i> Guenée, 4392.	
Sarasota	<i>scapha</i> Harris, 4092.	
Sarata	<i>scapularis</i> Streeker, 932 (Euschau-sia).	
<i>sartita</i> Skinner, 363.	<i>scapularis</i> Hy. Edwards, 2477 (Plu-sia).	
<i>sartana</i> Hübner, 5470.	Scardia	568
<i>sassacus</i> Harris, 488.	<i>scardina</i> Zeller, 6594.	
<i>sassafrasella</i> Chambers, 6567.	<i>scarletina</i> Smith, 2392.	
<i>satanaria</i> Guenée, 3875.	Scelidacantha	268
<i>satiens</i> Smith, 1555.	Scelolophia	294
<i>satina</i> Streeker, 1191.	Scelorthus	535
<i>satis</i> Harvey, 1705.	<i>sepsiformis</i> Graef, 909 (Euchnetias).	
<i>satrapellus</i> Zincken, 4557.	<i>sepsiformis</i> Hy. Edwards, 4180 (Memythrus).	
<i>saturata</i> Barnes, 3127 (Dasylophia).	Scepsis	77
<i>saturata</i> Grote, 2348 (Sehinia).	<i>schäfferi</i> Plötz, 597.	
<i>saturnalis</i> Treitschke, 4280.	<i>schalleriana</i> Linnaeus, 5315.	
Saturnia	Schidax	350
<i>saturniata</i> Guenée, 4010.	Schinia	187
Saturniidæ	<i>schisticolor</i> Zeller, 4808.	
Saturnoidea	Schizura	255
<i>saturnus</i> Streeker, 2035.	<i>schlageri</i> Zeller, 6558 (Adela).	
<i>satyricus</i> Grote, 1762.	<i>schlegeli</i> Zeller, 5834 (Stenoma).	
<i>satyriniformis</i> Hübner, 4162.	<i>schawalleri</i> Zetterstedt, 1934.	
Satyrium	Schœnænis	19
Satyrodes	Schœnobinae	401
<i>satyrus</i> Edwards, 207.	Schœnobius	402
<i>sauberi</i> Hedemann, 4635.	Schreckensteinia	544
<i>saucia</i> Hübner, 1467.	<i>schudziana</i> Fabricius, 5073.	
<i>saundersella</i> Chambers, 5612 (Epi-thectis).	<i>schwarzella</i> Busck, 5919.	
<i>saundersella</i> Chambers, 6402 (Leucaanthiza).	<i>schwarzii</i> Smith, 2678.	
<i>saundersiana</i> Grote, 1333.	<i>schwarziorum</i> Dyar, 819.	
<i>saundersii</i> Grote, 878 (Apantesis).	Sciagraphia	
<i>saundersii</i> Doubleday & Hewitson, 201 (Chlosyne).	<i>sciaphiella</i> Zeller, 5968.	

Page.		Page.
<i>sciata</i> Walker, 3911.		<i>sentellaris</i> Grote, 3067.
<i>scintillana</i> Clemens, 5079.		<i>sentosus</i> Fabricius, 2302.
<i>scintillans</i> Grote, 2866 (Catocala).		Scybalista 372
<i>scintillans</i> Grote, 4784 (Pyla).		Scythris 537
<i>scintillaria</i> Hulst, 3520.		<i>sebastianiv</i> Riley, 5285.
<i>scirpina</i> Herrich-Schaeffer, 5007.		<i>sebastianella</i> Busek, 6384.
<i>scirpicola</i> Guenée, 1976.		<i>seghana</i> Austant, 1103.
Scirpophaga 402		<i>secedens</i> Walker, 1937.
<i>scissa</i> Grote, 2323 (Canidia).		<i>secors</i> Walker, 2758.
<i>scissa</i> Walker, 2920 (Panapoda).		<i>secta</i> Grote, 2602.
<i>scissata</i> Walker, 5434.		<i>sectilis</i> Guenée, 1885 (Morrisonia).
<i>scitana</i> Walker, 5270.		<i>sectilis</i> Smith, 2284 (Oxyzemis).
<i>scitipennis</i> Walker, 3111.		<i>sectuaculata</i> Morrison, 3667.
<i>scitiscripta</i> Walker, 3159.		<i>securella</i> Walsingham, 5484.
<i>scitticitalis</i> Walker, 4807.		<i>sedakorii</i> Ménétries, 2.
<i>scitula</i> Harris, 4225.		<i>sedata</i> Hy. Edwards, 2670.
<i>scitularia</i> Walker, 3329.		<i>sedilis</i> Smith, 1916.
<i>scitulella</i> Hulst, 4697.		<i>seductaria</i> Strecker, 3768.
<i>sciurella</i> Ragonot, 4852.		<i>seductata</i> Walker, 3668.
<i>sciurus</i> Boisduval, 905.		<i>segregata</i> Smith, 1849 (Mamestræ).
<i>scobialis</i> Grote, 3014.		<i>segregata</i> Smith, 1569 (Paragrotis).
<i>scobiella</i> Grote, 4730.		<i>seifertii</i> Neumoegen, 3432.
Scodiona 332		Seirarctia 85
Scolecocampa 205		Selagia 426
Scoiopteryx 178		<i>selama</i> Strecker, 1872.
<i>scolopatinarius</i> Guenée, 3814.		<i>selecta</i> Walker, 2509.
<i>scolopendrina</i> Boisduval, 3164.		Selenia 341
Scoparia 397		Selenis 238
Scopariinae 397		<i>selenis</i> Smith, 1747.
Scopelosoma 180		Selicanis 179
Scopolia 380		Selidosema 324
Scoptonomia 394		<i>sella</i> Chambers, 5564.
Scotogramma 158		<i>selvynii</i> Neumoegen, 900.
Scotopteryx 288		Semasia 460
Scotosia 276		Semele 574
<i>scribonia</i> Stoll, 846.		<i>semialba</i> Ehrman, 22.
<i>scripta</i> Gossé, 3173.		<i>semianaula</i> Robinson, 5316.
<i>scriptana</i> Hübner, 5035.		<i>semiaperta</i> Morrison, 2060.
<i>scriptaria</i> Herrich-Schaeffer, 3270.		<i>semiatra</i> Smith, 1694.
<i>scriptipennis</i> Walker, 3008.		<i>semiatratum</i> Hulst, 3353.
<i>scriptura</i> Boisduval, 648.		<i>semiauratus</i> Neumoegen & Dyar, 6605.
<i>scrupulana</i> Morrison, 1434.		<i>semicincta</i> Walker, 1205.
<i>scrupulosa</i> Hy. Edwards, 2747.		<i>semicrenulata</i> Fernald, 5405.1.
<i>scudderella</i> Frey & Boll, 6278.		<i>semicrenularis</i> Grote, 3181.
<i>scuddereri</i> Skinner, 495 (Erynnis).		<i>semiclarata</i> Grote, 1547 (Feltia).
<i>scuddereri</i> Reakirt, 72 (Euryalus).		<i>semiclarata</i> Walker, 3606 (Ortho-
<i>scuddereri</i> Packard, 900 (Parasemia).		donia).
<i>scuddereri</i> Edwards, 432 (Rusticus).		<i>semilusitaria</i> Walker, 3780.
<i>scudderiana</i> Clemens, 5139.		<i>semicostata</i> Zeller, 4995.
<i>sculptilis</i> Harvey, 1670.		<i>semicrocea</i> Guenée, 2627.
<i>sculptus</i> Grote, 1753.		<i>semicyclionella</i> Busek, 5625.
<i>seurralis</i> Hulst, 4447.		<i>semidea</i> Say, 295.
<i>scutellariella</i> Chambers, 5639.		

Page.		Page.
	<i>semidiaphana</i> Harris, 787.	
	<i>semifascia</i> Smith, 1069 (<i>Chytonix</i>).	
	<i>semifascia</i> Walker, 4082 (<i>Mono-</i> <i>leuea</i>).	
	<i>semiferata</i> Walker, 5366.	
	<i>semiflava</i> Guenée, 2633.	
	<i>semifuneralis</i> Walker, 4832.	
	<i>semifuscana</i> Clemens, 5380.	
	<i>semifusellus</i> Walker, 45. 3.	
	<i>semilineata</i> Walker, 2728.	
	<i>semilugens</i> Zeller, 5907.	
	<i>semilunata</i> Grote, 1252. 1.	
	<i>semineata</i> Walker, 4502.	
	<i>seminirealis</i> Hulst, 2684.	
	<i>seminirella</i> Walker, 4495.	
	<i>seminole</i> Scudder, 501 (<i>Erynnis</i>).	
	<i>seminole</i> Neumoegen, 4185 (<i>Me-</i> <i>mythrus</i>).	
	<i>seminole</i> Beutenmüller, 4237 (<i>Se-</i> <i>sia</i>).	
	<i>seminolella</i> Beutenmüller, 6521.	
	<i>semimundaria</i> Packard, 3909.	
	<i>seminalata</i> Walker, 3909.	
	<i>semiochrearella</i> Hulst, 4766.	
	<i>semioptaca</i> Grote, 5908.	
131	Semiohora	
523	Semioscopis	
	<i>seniorana</i> Zeller, 5243.	
	<i>semipictinata</i> Hulst, 3465.	
	<i>semiplaga</i> Walker, 3136.	
	<i>semipurpurea</i> Walker, 2624.	
	<i>semiramis</i> Edwards, 124.	
	<i>semirelicta</i> Grote, 2847.	
	<i>semirubralis</i> Packard, 4446.	
	<i>semirufescens</i> Walker, 3150.	
	<i>semisigna</i> Walker, 1145.	
	<i>semistuta</i> Grote, 2099.	
	<i>semistuma</i> Walker, 5390.	
12	Semnopsyche	
	<i>senatoria</i> Fabricius, 768 (<i>Anisota</i>).	
	<i>senatoria</i> Smith, 1864 (<i>Mamestra</i>).	
431	Seneca	
	<i>senecioides</i> Hy. Edwards, 4199.	
	<i>senecionana</i> Walsingham, 5347.	
	<i>senescens</i> Zeller, 5305 (<i>Acleris</i>).	
	<i>senescens</i> Grote, 1145 (<i>Hillia</i>).	
	<i>senex</i> Walsingham, 5492.	
	<i>senicella</i> Busck, 5875.	
	<i>senicionella</i> Busck, 5875.	
	<i>senilis</i> Smith, 2169.	
	<i>senua</i> Linnaeus, 52.	
	<i>senettii</i> Lintner, 845.	
	<i>sensilis</i> Grote, 1068.	
	Senta	109
	<i>sentula</i> Strecker, 653.	
	<i>sentana</i> Clemens, 5387.	
	<i>sentinaria</i> Hübner, 3511.	
	<i>separans</i> Grote, 1218.	
	<i>separata</i> Grote, 2341 (<i>Schinia</i>).	
	<i>separarium</i> Grote, 3835.	
	<i>separatus</i> Neumoegen, 715 (<i>Sphinx</i>).	
	<i>seposita</i> Hy. Edwards, 2786.	
	<i>septemfluaria</i> Grote, 3682.	
	<i>septendincaria</i> Grote, 3682.	
	<i>septempunctata</i> Harvey, 2278.	
	<i>septenstrigella</i> Chambers, 6522.	
	<i>septentrionalis</i> Walker, 3166 (<i>Glut-</i> <i>phisia</i>).	
	<i>septentrionalis</i> Hy. Edwards, 2408 (<i>Meliceleptria</i>).	
	<i>septentrionalis</i> Tengström, 4359 (<i>Pachyzancla</i>).	
	<i>septentrionalis</i> Walker, 1649 (<i>Para-</i> <i>grotis</i>).	
	<i>septentrionalis</i> Möschler, 1557 (<i>Po-</i> <i>rosagrotis</i>).	
	<i>septentrionalis</i> Walker, 2364 (<i>Schi-</i> <i>nia</i>).	
	<i>septentrionana</i> Curtis, 5029.	
	<i>septentrionella</i> Walsingham, 6559.	
	<i>sepulchralis</i> Grote & Robinson, 777 (<i>Citheronia</i>).	
	<i>sepulchralis</i> Boisduval, 4132 (<i>Thy-</i> <i>ris</i>).	
	<i>sequax</i> Haworth, 5762.	
	<i>sequoia</i> Boisduval, 709 (<i>Sphinx</i>).	
	<i>sequoia</i> Hy. Edwards, 4192 (<i>Vespe-</i> <i>mima</i>).	
	<i>sequiolus</i> Behrens, 6612.	
	<i>sera</i> Grote & Robinson, 2161.	
	<i>serena</i> Edwards, 2882.	
	<i>seriata</i> Druee, 3129.	
	<i>seriatana</i> Zeller, 5443.	
	<i>sericarium</i> Scott, 4878.	
	<i>sericea</i> Morrison, 2249.	
	<i>sericeata</i> Hulst, 3716 (<i>Cymato-</i> <i>phora</i>).	
	<i>sericeata</i> Packard, 3472 (<i>Euacidalia</i>).	
	<i>sericeiferata</i> Walker, 3245.	
	<i>sericidactylus</i> Muntfeldt, 4973.	
	<i>sericinellus</i> Zeller, 4580.	
	<i>sericorana</i> Walsingham, 5013.	
	Sericoris	451
	<i>serinalis</i> Walker, 4340.	
	<i>serinaria</i> Herrich-Schaeffer, 3927.	
	<i>serotinaella</i> Chambers, 6221.	

	Page.	Page.
<i>serotinella</i> Busek, 5760.		<i>sexta</i> Johanssen, 697.
<i>serpentaria</i> Walsingham, 5161.		<i>shaleriella</i> Chambers, 6043 (Coleophora).
<i>serrata</i> Drury, 3954 (<i>Enchlaena</i>).		<i>shalleriella</i> Chambers, 5928 (Oecophora).
<i>serrata</i> Grote, 2170 (<i>Gortyna</i>).		<i>shasta</i> Edwards, 430.
<i>serrata</i> Smith, 1946 (<i>Trichopolia</i>).		<i>shastae</i> Walsingham, 4943.
<i>serraturia</i> Packard, 3954.		<i>shastaella</i> Bentenmüller, 6369.
<i>serraticornis</i> Lintner, 2134 (Euharveya).		<i>shastaensis</i> French, 888 (<i>Apantesis</i>).
<i>serraticornis</i> Grote, 3037 (<i>Philometra</i>).		<i>shastaensis</i> Behr, 765 (<i>Pseudohazis</i>).
<i>serratilineella</i> Ragonot, 4828.		<i>shastana</i> Walsingham, 5109.
<i>serratipalpella</i> Chambers, 5628.		<i>sheridani</i> Edwards, 382.
<i>serratissimalis</i> Zeller, 4337.		<i>shisticolor</i> Zeller, 4808.
<i>serrativittella</i> Zeller, 5657.		<i>shuttleffi</i> Packard, 4101.
<i>serricornis</i> Smith, 1628.		Savana 233
<i>serriradiellus</i> Walker, 4541.		<i>sibillalis</i> Walker, 4322.
<i>serrulata</i> Packard, 3482.	364	Sibine 354
<i>servitus</i> Smith, 1738.		<i>sicalis</i> Walker, 4273.
<i>servulella</i> Clemens, 6540.		<i>siccaria</i> Walker, 3909.
<i>sescuplana</i> Zeller, 5375.		<i>siccata</i> Smith, 1566.
Sesia 367		<i>siculata</i> Guenée, 4003.
Sesiidae 364		<i>siculifer</i> Packard, 3230.
<i>sesquialteralis</i> Zeller, 4375.		Sicya 333
<i>sesquilinea</i> Grote & Robinson, 4005.		<i>sideraria</i> Guenée, 3550.
<i>sesquilinearia</i> Grote, 3967.		<i>sideroxygonella</i> Busek, 6340.
<i>sesquistrialis</i> Hübner, 4264.		<i>sidus</i> Guenée, 2242.
<i>sesquistriaris</i> Hübner, 2922.		<i>sierra</i> Harvey, 1495 (<i>Noctua</i>).
<i>sessile</i> Smith, 1643.		<i>sierra</i> Hulst, 3291 (<i>Tephroclystis</i>).
Setagrotis 132		Sigela 298
Setiostoma 494		<i>sigmaria</i> Guenée, 3690.
Setomorpha 575		<i>sigmoïdes</i> Guenée, 1422 (<i>Eueretagrotis</i>).
<i>setosella</i> Clemens, 5664.		<i>sigmoïdes</i> Hy. Edwards, 4234 (<i>Sesia</i>).
<i>severa</i> Hy. Edwards, 3168.		<i>signaria</i> Walker, 3862.
<i>sevorsa</i> Grote, 2434.		<i>signata</i> Walker, 3127 (<i>Dasylophia</i>).
<i>seratilis</i> Grote, 1724.		<i>signata</i> French, 2250 (<i>Glea</i>).
<i>sexfasciata</i> Hy. Edwards, 4207.		<i>signata</i> Walker, 2060 (<i>Tricholita</i>).
<i>sexguttata</i> Harris, 1053.		<i>signatalis</i> Walker, 4461.1.
<i>sermaculalis</i> Grote, 4475.		<i>signatana</i> Clemens, 5189.
<i>semaculata</i> Grote, 4046 (<i>Celama</i>).		<i>signataria</i> Walker, 3858 (<i>Melanolophia</i>).
<i>sermaculata</i> Packard, 3647 (<i>Sciagraphia</i>).		<i>signataria</i> Walker, 3370 (<i>Perenoptilota</i>).
<i>sernotella</i> Chambers, 6282 (Lithocolletes).		<i>signifera</i> Walker, 1302.
<i>sernotella</i> Chambers, 6168 (Mompha).		<i>significans</i> Hy. Edwards, 934.
<i>serplagiata</i> Smith, 2331.		<i>significata</i> Walker, 3153.
<i>sexpunctata</i> Grote, 2727 (<i>Hymania</i>).		<i>signipennella</i> Hübner, 6354.
<i>sexpunctata</i> Bates, 3648 (<i>Sciagraphia</i>).		<i>signosa</i> Walker, 2094.
<i>serpunctella</i> Walsingham, 6101.		<i>silaceata</i> Hübner, 3381.
<i>serseriata</i> Grote, 2273.		<i>silago</i> Hübner, 2199.
<i>sexsignata</i> Harvey, 2913.		<i>silens</i> Grote, 1745.
<i>sexstrigella</i> Chambers, 5649.		<i>silenus</i> Edwards, 213 (<i>Polygonia</i>).

Page.	Page.
<i>silenus</i> Doubleday, 335 (Uranotes).	
<i>silphicella</i> Grote, 5524.	
<i>silvius</i> Edwards, 210.	
<i>simethis</i> Drury, 363.	
<i>simalis</i> Grote, 4476.	
<i>similaciella</i> Chambers, 6426.	
<i>similalis</i> Guenée, 4354 (Loxostege).	
<i>similalis</i> Lederer, 4451 (Pyrausta).	
<i>similana</i> Clemens, 5144 (Eucosma).	
<i>similana</i> Hübner, 5143 (Eucosma).	
<i>similaria</i> Walker, 3497.	
<i>similaris</i> Smith, 2124 (Cneullia).	
<i>similaris</i> Hulst, 3394 (Hydriomena).	
<i>similata</i> Hulst, 3680.	
<i>similiella</i> Chambers, 5548.	
<i>similis</i> Barnes, 1880 (Admetovis).	
<i>similis</i> Strecker, 460 (Amblyseirites).	
<i>similis</i> Stretch, 944 (Androloma).	
<i>similis</i> Edwards, 2897 (Catocala).	
<i>similis</i> Walker, 3350 (Eustroma).	
<i>similis</i> Boisduval, 2925 (Grammodes).	
<i>similisana</i> Walker, 5072.	
<i>simius</i> Edwards, 465.	
<i>simplicaria</i> Graef, 3117 (Notodontida).	
<i>simplicaria</i> Morrison, 1473 (Peridroma).	
<i>simplex</i> Guenée, 2519 (Autographa).	
<i>simplex</i> Walker, 812 (Comaela).	
<i>simplex</i> Warren, 4482 (Noctuelia).	
<i>simplex</i> Smith, 1343 (Oneocnemis).	
<i>simplex</i> Smith, 2334 (Schinia).	
<i>simplex</i> Walker, 1892 (Xylomigæ).	
<i>simpliciana</i> Walsingham, 5317.	
<i>simplicaria</i> Grote, 3984.	
<i>simpliciella</i> Walsingham, 6560 (Adela).	
<i>simpliciella</i> Chambers, 5825 (Gelechia).	
<i>simplicima</i> Ottolenghi, 2527.	
<i>simplicior</i> Butler, 881.	
<i>simplicis</i> Stoll, 578.	
<i>simulana</i> Clemens, 5289.	
<i>simulans</i> Grote, 4181.	
<i>simulata</i> Hulst, 3680 (Macaria).	
<i>simulatilis</i> Grote, 2819 (Catocala).	
<i>simulatilis</i> Grote, 4331 (Evergestis).	
<i>simulatricella</i> Clemens, 6538.	
<i>simulatus</i> Walsingham, 6589 (Aerolophus).	
<i>sincera</i> Zeller, 4527 (Oectoperia).	
<i>sincera</i> Herrich-Schaeffer, 1420 (Platagrotis).	
<i>sinfascia</i> Edwards, 238.	
<i>sinocellata</i> Skinner, 273.	
<i>singula</i> Grote, 1308.	
<i>singularis</i> Neumoegen, 4666 (Dyaria).	
<i>singularis</i> Lederer, 4435 (Pyrausta).	
<i>singulella</i> Walsingham, 6561.	
<i>sinon</i> Fabricius, 6.	
<i>sinualis</i> Harvey, 2775.	
<i>sinuata</i> Packard, 3658.	
<i>sinuosa</i> Grote, 2858.	
Siparocera 400	
<i>siren</i> Strecker, 2388.	
<i>sirenaria</i> Strecker, 3966.	
<i>siris</i> Edwards, 521.	
<i>sirinx</i> Edwards, 402.	
<i>sirinsalis</i> Walker, 4354.	
<i>sistrella</i> Busck, 5727.	
<i>sisymbri</i> Boisduval, 34.	
Sisyhypena 242	
Sisyrosea 355	
<i>sitellata</i> Guenée, 3439.	
Sitotroga 496	
<i>sira</i> Edwards, 359.	
<i>skada</i> Edwards, 469.	
<i>skinneri</i> Barnes, 73.	
<i>slossonae</i> Skinner, 501.	
<i>slossonella</i> Hulst, 4764.	
<i>slossoni</i> H. y. Edwards, 4149 (Ingurophora).	
Slossonia 335	
<i>slossonii</i> Fernald, 5534.	
<i>slossonii</i> Packard, 4091 (Alarodia).	
<i>slossonii</i> Hulst, 3476 (Mycteroephora).	
<i>slossonii</i> Hulst, 4042 (Philagraula).	
<i>slossonii</i> Packard, 3168 (Glaphisia).	
<i>slossonii</i> Hulst, 4660 (Tetralopha).	
<i>smaragdina</i> Neumoegen, 1209.	
<i>smearhammiana</i> Fabricius, 5435.	
<i>smerdis</i> Hewitson, 198.	
Smerinthus 70	
<i>smilaciella</i> Busck, 6408.	
<i>smilacis</i> Boisduval & Le Conte, 362.	
<i>sminthens</i> Doubleday & Hewitson, 2.	
<i>smithiana</i> Walsingham, 5162.	
<i>smithii</i> Guenée, 2924 (Grammodes).	
<i>smithii</i> Dyar, 840 (Haploa).	
<i>smithii</i> Snellen, 1475 (Noctua).	
<i>smithii</i> Druce, 2442 (Trichoeca).	
<i>smithsonianus</i> Clemens, 4123.	

	Page.		Page.
Smyrna	26	<i>somnus</i> Dodge, 2836 (Catocala).	
<i>snellenella</i> Walsingham, 5643.		<i>somnus</i> Lintner, 619 (Thanaos).	
<i>snoriaria</i> Grote, 2870.		<i>somudatella</i> Riley, 6337.	
<i>snoriaria</i> Packard, 3614 (Mellilla).		<i>somudentella</i> Zeller, 6337.	
<i>snoriaria</i> Hulst, 3900 (Neoterpes).		<i>sonora</i> Scudder, 507.	
<i>snoriaria</i> Packard, 3659.		<i>sonora</i> Boisduval, 167.	
<i>snori</i> Edwards, 503 (Anthomaster).		<i>sonorensis</i> Felder, 316 (Chrysobia).	
<i>snori</i> Grote, 893 (Apantesis).		<i>sonorensis</i> Felder, 422 (Phaeodrotes).	
<i>snori</i> Hy. Edwards, 2529 (Autographa).		<i>sordida</i> Grote, 2905 (Catocala).	
<i>snori</i> Edwards, 401 (Chalceria).		<i>sordida</i> Butler, 4358 (Loxostege).	
<i>snori</i> Grote, 2294 (Thyreion).		<i>sordida</i> Harris, 716 (Sphinx).	
Snowia	343	<i>sordida</i> Grote, 2710 (Spragueia).	
<i>snowii</i> Hy. Edwards, 4163 (Melitaea).		<i>sordidata</i> Fabricius, 3387.	
<i>sugleri</i> Skinner, 117.		<i>sordidellus</i> Zincken, 4542.	
<i>sobria</i> Walker, 2467 (Calpe).		<i>sordidula</i> Grote, 3070.	
<i>sobria</i> Walker, 2754 (Drasteria).		<i>sordidus</i> Riley, 6571 (Prodoxus).	
<i>sobria</i> Walker, 3546 (Eois).		<i>sordidus</i> Smith, 2350 (Schinia).	
<i>sobria</i> Walker, 3143 (Misogada).		<i>sorghiella</i> Riley, 4048.	
<i>sobria</i> Walker, 1950 (Nephelodes).		<i>soror</i> Smith, 1520.	
<i>sobridus</i> Walker, 3044.		<i>sororaria</i> Herrich-Schaeffer, 3259.	
<i>sobrina</i> Stretch, 930.		<i>sorexella</i> Dyar, 5525.	
<i>socia</i> Behr, 2787.		<i>sororius</i> Hy. Edwards, 763.	
<i>socialis</i> Grote, 4445 (Pyrausta).		<i>sophius</i> Fabricius, 301.	
<i>socialis</i> Feisthamel, 754 (Thaumata).		<i>souhegan</i> Whitney, 339.	
<i>sociata</i> Borkhausen, 3361.		<i>spadaceella</i> Zincken, 4776.	
<i>sociella</i> Linnaeus, 4636.6.		<i>spadaria</i> Guenée, 2572.	
<i>socius</i> Butler & Druce, 574.		<i>spadicetria</i> Denis & Schiffermüller, 3458.	
<i>sodalis</i> Walker, 4520.		<i>spadix</i> Cramer, 2743 (Cissura).	
<i>sofit</i> Strecker, 274.		<i>spadix</i> Hy. Edwards, 351 (Thecla).	
<i>solanata</i> Hulst, 3640.		Spanista	373
<i>solanella</i> Boisduval, 5616.		Spargaloma	218
<i>solanella</i> Chambers, 5617.		Sparganothis	477
Solenobia	353	<i>sparsaria</i> Walker, 3552.	
<i>solenobiella</i> Walsingham, 6485.		<i>sparsicella</i> Chambers, 5844.	
<i>softataria</i> Guenée, 3902.		<i>sparsiciliella</i> Clemens, 5844.	
<i>solictana</i> Walker, 5127.		<i>sparsimacula</i> Hulst, 3396.	
<i>solida</i> Ottolengui, 2484.		<i>sparsipulrella</i> Chambers, 6044.	
<i>solidaginifolia</i> Clemens, 6440.		<i>spartiella</i> Bond, 4807.	
<i>solidaginis</i> Walsingham, 5858 (Depressaria).		<i>spatiosaria</i> Walker, 3862.	
<i>solidaginis</i> Frey & Boll, 6298 (Lithocellettes).		<i>specialis</i> Grote, 1567.	
<i>solidaginis</i> Behr, 2142 (Ranecora).		<i>specificata</i> Dyar, 3096.	
<i>solidaginisella</i> Chambers, 6298.		<i>speciosa</i> Möschler, 875 (Apantesis).	
<i>solitaria</i> Walker, 3700 (Cymatophora).		<i>speciosa</i> Ottolengui, 2526 (Autographa).	
<i>solitaria</i> Smith, 1717 (Paragrotis).		<i>speciosa</i> Hulst, 3739.1 (Cymatophora).	
<i>solitaria</i> Hy. Edwards, 4168.		<i>speciosa</i> Hulst, 3358 (Neolexia).	
Somatolophia	322	<i>speciosa</i> Hulst, 3246 (Paleacrita).	
<i>sommeri</i> Lefèbre, 1234.		<i>speciosa</i> Hy. Edwards, 422 (Phaeodrotes).	
<i>somniaria</i> Hulst, 3911.		<i>speciosa</i> Hübner, 1417 (Platagrotis).	

Page.	Page.
<i>speciosa</i> Morrison, 1263 (Polia).	<i>spraguei</i> Grote, 2354 (Schinia).
<i>speciosa</i> Walker, 836 (Utetheisa).	Spragueia 215
<i>speciosata</i> Packard, 3392.	<i>spreta</i> Smith, 1515.
<i>speciosella</i> Hulst, 4651.	<i>sprerella</i> Zeller, 6503.
<i>speciosissima</i> Grote & Robinson, 2173.	<i>spinosum</i> Grote, 3452.
<i>spectacula</i> Strecker, 2296 (Chloridea).	<i>spiraria</i> Christoph, 3511.
<i>spectacula</i> Smith, 1709 (Paragrotis).	<i>sputreata</i> Walker, 2222.
<i>spectularis</i> Walker, 1009.	<i>sputatrix</i> Grote, 1227.
<i>speculifera</i> Clemens, 6418.	<i>squamalis</i> Grote, 4520.
<i>speculifera</i> Sepp, 4136.	<i>squamigera</i> Felder, 4030.
Speranza 311	<i>squamidellus</i> Zeller, 4630.
<i>sperata</i> Grote, 1029.	<i>s-signata</i> Packard, 3669.
<i>speraturia</i> Walker, 3867.	<i>stabilata</i> Walker, 3700.
<i>speyeri</i> Lintner, 2131.	<i>stabilis</i> Smith, 1317.
Speyeria 13	<i>stachydiana</i> Herrich-Schaeffer, 5435.
Sphæcelodes 349	<i>staintonella</i> Clemens, 6337 (Bedelia).
Sphæcelodinae 349	<i>staintonella</i> Chambers, 6249 (Bucculatrix).
<i>spicromacaria</i> Harvey, 3759.	<i>staintonella</i> Chambers, 6090 (Elachista).
Sphecodes 305	<i>stalachtaria</i> Strecker, 3602.
Sphecodina 64	Stammodes 285
Sphida 174	Staphylus 59
Sphingidae 62	<i>statalis</i> Grote, 4530.
Sphingoidæ 68	Statina 440
Sphinx 305	<i>statira</i> Cramer, 53.
<i>spiculata</i> Zeller, 5176.	<i>standingeri</i> Möschler, 1765.
<i>spiculosa</i> Grote, 1831.	Staudingeria 432
Spilodes 382	<i>staurata</i> Stephens, 3379.
Spiloloma 236	Steganolophia 277
<i>spilonella</i> Walker, 1104.	<i>stella</i> Edwards, 49.
Spilosoma (= <i>Diacrisia</i>).	<i>stellaris</i> Grote, 1412.
<i>spinatoria</i> Packard, 3742.	<i>stellata</i> Walker, 2304 (Derrima).
<i>spina</i> Grote, 1052.	<i>stellata</i> Hulst, 3307 (Tephroclystis).
<i>spinctorum</i> Boisduval, 358.	<i>stellularia</i> Guenée, 4030.
<i>spinigeru</i> Guenée, 1001.	Stenaspilates 343
<i>spinosa</i> Guenée, 2322.	<i>stenalis</i> Linnaeus, 225.
<i>spinuloides</i> Herrich-Schaeffer, 4085.	<i>stenialis</i> Guenée, 4304.
<i>spiculofoliatu</i> Clemens, 5246.	Stenoma 518
<i>spissa</i> Guenée, 1649.	Stenophyes 381
<i>spissicornis</i> Haworth, 6010.	<i>stenupterus</i> Grote, 4468.
<i>splendorella</i> Clemens, 6145.	Stenoptilia 447
<i>spodolea</i> Hulst, 3791.	<i>Stenoptycha</i> 430
Spodolepis 322	Stenotachelys 322
Spodoptera 322	Stenurges 378
<i>spodopterata</i> Hulst, 3663.	<i>stercoraria</i> Zeller, 5165.
Spoladea 372	Stergammatæa 332
<i>spoliata</i> Clemens, 5214.	<i>sternipennella</i> Zeller, 6006.
<i>spoliata</i> Walker, 1889.	<i>sterope</i> Edwards, 161.
<i>spoliatella</i> Dietz, 5946.	Sterrhinæ 290
<i>sponsa</i> Smith, 1589.	<i>stewarti</i> Grote, 1292.
<i>sponsata</i> Grote, 3431.	<i>sthenele</i> Boisduval, 265.
<i>spraguei</i> Grote, 917 (Pygarcetia).	

	Page.		Page.
<i>stheno</i> Hübner, 692.		<i>streichii</i> Behr, 2795 (Syneda).	
Sthenopsis	580	<i>stretchii</i> Butler, 837 (Utetheisa).	
Stibadium	197	<i>striaria</i> Hübner, 3625.	
<i>sticticalis</i> Linnaeus, 4358.		<i>striata</i> Ottolengui, 821 (Illice).	
<i>stictophorella</i> Ragonot, 4721.		<i>striata</i> Edwards, 453 (Leptotes).	
<i>stigma</i> Fabricius, 767 (Anisota).		<i>striata</i> Walsingham, 5355 (Sparganothis).	
<i>stigma</i> Smith, 1374 (Copipanolis).		<i>striatana</i> Clemens, 5177.	
<i>stigma</i> Skinner, 513 (Hylephila).		<i>striatella</i> Grote, 2480 (Euchalcia).	
<i>stigmata</i> Grote, 1277.		<i>striatella</i> Busek, 5737 (Gelechia).	
<i>stigmatella</i> Fabricius, 6362.		<i>striatella</i> Hübner, 5540 (Paltodora).	
<i>stigmatius</i> Mabille, 614.		<i>striatella</i> Murtfeldt, 5618 (Phthorimaea).	
<i>stigmatilis</i> Smith, 1592.		<i>striatella</i> Fernald, 4615 (Thaumatomopsis).	
<i>stiquosa</i> Morrison, 1549.		<i>stricta</i> Walker, 1830.	
Stilbosis	539	<i>strictalis</i> Walker, 4302.	
<i>stilla</i> Grote, 2198.		<i>strictella</i> Walker, 6386.	
<i>stimulea</i> Clemens, 4075.		<i>strigata</i> Smith, 1253 (Calophasia).	
<i>stipata</i> Morrison, 1211.		<i>strigata</i> Smith, 2564 (Eucalyptera).	
<i>stipatalis</i> Walker, 4263.		<i>strigata</i> Boisduval, 4077 (Euclea).	
Stiria	196	<i>strigata</i> Packard, 3456 (Petrophora).	
<i>stolata</i> Smith, 1984.		<i>strigata</i> Smith, 2142 (Rancora).	
<i>stoninus</i> Curtis, 3083.		<i>strigataria</i> Minot, 3881.	
<i>stragula</i> Grote, 3111.		<i>strigicollis</i> Walker, 1837.	
<i>stramentalis</i> Hübner, 4336.		<i>strigifinitella</i> Clemens, 6370.	
<i>stramentosa</i> Guenée, 2166.		<i>strigilis</i> Grote, 1742.	
<i>straminalis</i> Hübner, 4336.		<i>strigosa</i> Bates, 309 (Anosia).	
<i>straminea</i> Warren, 4387.		<i>strigosa</i> Fabricius, 883 (Apantesis).	
<i>stramineana</i> Walsingham, 5193.		<i>strigosa</i> Walker, 937 (Calidota).	
<i>straminellus</i> Chambers, 5679.		<i>strigosa</i> Stretch, 3219 (Malaeosoma).	
<i>straminella</i> Stainton, 6354.		<i>strigosa</i> Grote, 3095 (Melalopha).	
<i>stramineus</i> Walsingham, 4969.		<i>strigosa</i> Harris, 349 (Theela).	
<i>straminella</i> Chambers, 6528.		<i>strigularia</i> Minot, 3426 (Cenocaphe).	
<i>straminoides</i> Grote, 5433.		<i>strigularia</i> Walker, 3662 (Episemasia).	
<i>straton</i> Edwards, 505.		<i>strigulata</i> Smith, 998.	
<i>strattonata</i> Packard, 3323.		<i>strigulataria</i> Smith, 2614.	
<i>streckeri</i> Ellsworth, 146 (Euphydryas).		<i>striolata</i> Zeller, 6060.1.	
<i>streckeri</i> Grunim-Gershimailo, 75 (Enrymus).		Strobisia	505
<i>streckeri</i> Skinner, 456 (Megathyimus).		Strymon	40
<i>streckeri</i> Skinner, 567 (Phycanassa).		<i>stygialis</i> Grote, 2771.	
<i>strena</i> Grote, 2713.		<i>stygiaria</i> Walker, 4001.	
Strenoloma	236	<i>stylata</i> Smith, 1384.	
<i>strenuum</i> Walker, 5129.		<i>stylobata</i> Harvey, 2957.	
Stretchia	167	Stylopoda	191
<i>stretchii</i> Grote, 877 (Apantesis).		<i>stupiticulum</i> Grote, 4870.	
<i>stretchii</i> Behr, 2843 (Catocala).		<i>styracis</i> Guenée, 2045.	
<i>stretchii</i> Butler, 848 (Leptaretia).		<i>suadicola</i> Cockerell, 6045.	
<i>stretchii</i> Edwards, 277 (Neominois).			
<i>stretchii</i> Hy. Edwards, 1917 (Seotogramma).			

Page.	Page.
<i>suasa</i> Boisduval, 403.	<i>subflavidens</i> Grote, 2289.
<i>suarata</i> Hulst, 3537.	<i>subflera</i> Guenée, 2297.
<i>suaris</i> Hy. Edwards, 2303 (Heliophis).	<i>subfuscella</i> Ragonot, 4763.
<i>subaenta</i> Hulst, 3730.	<i>subfuscula</i> Grote, 2036.
<i>subarcescens</i> Walker, 4621.	<i>subgothica</i> Stephens, 1538.
<i>subaqualis</i> Walker, 4306.	<i>subhastata</i> Nolcken, 3359.
<i>subaquauna</i> Zeller, 5241.	<i>subhyalina</i> Curtis, 295.
<i>subaquarea</i> Walker, 3855.	<i>subridescens</i> Walsingham, 6166.
<i>subaquila</i> Harvey, 1113.	<i>subiecta</i> Walker, 821.
<i>subareta</i> Hy. Edwards, 4253.	<i>subiectalis</i> Lederer, 4437 (Pyrausta).
<i>subalbaria</i> Hulst, 3723 (Cymatophora).	<i>subiectalis</i> Lederer, 4327 (Terastia).
<i>subalbaria</i> Packard, 3551 (Eois).	<i>subinuncta</i> Smith, 1078 (Hadenella).
<i>subalbicans</i> Grote, 3137.	<i>subinuncta</i> Grote & Robinson, 1796 (Mamestra).
<i>subalbusella</i> Chambers, 5826.	<i>subjunctella</i> Walker, 6502.
<i>subalpina</i> French, 930.	<i>sublaetolaria</i> Hulst, 3643.
<i>subapicalis</i> Smith, 1896.	<i>sublapidaria</i> Walsingham, 5191.
<i>subapicaria</i> Walker, 3647.	<i>sublataria</i> Guenée, 3530.
<i>subapicata</i> Guenée, 3314.	<i>sublatis</i> Grote, 1696.
<i>subatomaria</i> Wood, 3803.	<i>sublimaria</i> Guenée, 3902.
<i>subauratana</i> Walker, 5335.	<i>sublucella</i> Walsingham, 5495.
<i>subaustruela</i> Frey & Boll, 6260.	<i>sublunaria</i> Guenée, 3850.
<i>subaustralis</i> Hulst, 3856.	<i>subluteella</i> Ragonot, 4920.
<i>subbistrigella</i> Haworth, 6167.	<i>submarina</i> Grote, 1906.
<i>subceerulea</i> Walsingham, 5900.	<i>submarmorata</i> Walker, 3647.
<i>subceasiella</i> Clemens, 4759.	<i>submediatis</i> Grote, 4431.
<i>subcanalis</i> Walker, 4664.	<i>subminiata</i> Packard, 3659 (Scia-graphia).
<i>subcarnea</i> Kellicott, 2153.	<i>subminiata</i> Packard, 3665 (Scia-graphia).
<i>subcedens</i> Walker, 1158.	<i>submurraria</i> Walker, 3859.
<i>subcervinana</i> Walsingham, 5004.	<i>subnata</i> Grote, 2871.
<i>subcessaria</i> Walker, 3705.	<i>subnebulosa</i> Dyar, 871.
<i>subcinctaria</i> Walker, 3673.	<i>subnivalis</i> Warren, 4464.
<i>subcitrina</i> Walker, 4109.	<i>subnigra</i> Millière, 860.
<i>subcitrinalis</i> Hulst, 2634.	<i>subnisaea</i> Zeller, 5189.
<i>subcolorata</i> Hulst, 3275.	<i>subnivana</i> Walker, 5301.
<i>subcolumbata</i> Walker, 3651.	<i>subochreaceus</i> Walsingham, 4965.
<i>subcostella</i> Ragonot, 4795.	<i>subochrea</i> Grote, 1003.
<i>suberoceata</i> Walker, 3564.	<i>subochrearia</i> Hulst, 4008.1 (Cabrodes).
<i>subdentalis</i> Grote, 4337.	<i>subochrearia</i> Grote, 3766 (Caripeta).
<i>subdentosa</i> Dyar, 4081.	<i>subochreata</i> Packard, 3442 (Eurhinosea).
<i>subdita</i> Möschler, 1855.	<i>subochreata</i> Hulst, 3466 (Synomila).
<i>subdirialis</i> Grote, 4277.	<i>subolivacea</i> Harvey, 2626.
<i>subdolens</i> Walker, 1950.	<i>subolivalis</i> Packard, 4443.
<i>subfalcata</i> Hulst, 3736.	<i>suboruata</i> Neumoegen & Dyar, 807.
<i>subfascianus</i> Stephens, 5418.	<i>subpallida</i> Cockerell, 218.
<i>subfasciella</i> Walsingham, 5486.	<i>subpartita</i> Guenée, 2618.
<i>subferrens</i> Walker, 5478.	<i>subplicana</i> Walsingham, 5094.
<i>subflava</i> Grote, 2151.	<i>subporphyrea</i> Walker, 1499.
<i>subflavana</i> Walsingham, 5108.	
<i>subflavidalis</i> Grote, 2581.	

Page.	Page.
<i>subprivata</i> Walker, 3927.	<i>sulfurea</i> Grote, 4083.
<i>subquinetata</i> Harvey, 1956 (Helio-	<i>sulfureana</i> Clemens, 5331.
phila).	<i>sulphuraria</i> Packard, 3784 (Aleis).
<i>subquinetata</i> Hulst, 3983 (Metane-	<i>sulphuraria</i> Packard, 3691 (Cyma-
ma).	tophora).
<i>subquadrata</i> Guenée, 3492.	<i>sulphurata</i> Packard, 4013.
<i>subreticulata</i> Walsingham, 6470.	<i>sulphurea</i> Packard, 3691 (Cyma-
<i>subrotata</i> Harvey, 3138.	tophora).
<i>subrunderella</i> Chambers, 5709.	<i>sulphurea</i> Neumoegen, 2450 (Stiria).
<i>subrufalis</i> Grote, 3079.	<i>sulphurea</i> Frey & Boll, 6431 (Tis-
<i>subrufella</i> Hulst, 4706.	cheria).
<i>subsciurella</i> Ragonot, 4853.	<i>sulphureodactylus</i> Packard, 4971.
<i>subscuella</i> Zeller, 5965.	<i>sulphurens</i> Walsingham, 4971.
<i>subsequalis</i> Guenée, 4454.	<i>sulphurica</i> Neumoegen, 888.
<i>subsignarius</i> Hübner, 3922.	<i>sumptuosalis</i> Walker, 4450.
<i>subsimella</i> Clemens, 5611.	<i>superans</i> Guenée, 1004.
<i>subsinuaria</i> Guenée, 3934.	<i>superantalis</i> Clemens, 4637.
<i>substriata</i> Haworth, 3361.	<i>superavia</i> Guenée, 4007.
<i>substriataria</i> Hulst, 3804.	<i>superata</i> Walker, 3563.
<i>substrigata</i> Smith, 1506.	<i>superba</i> Hy. Edwards, 2586 (Anna-
<i>subsylrella</i> Walsingham, 5497	phila).
<i>subtermina</i> Smith, 2752.	<i>superba</i> Stretch, 888 (Apantesis).
<i>subterminata</i> Smith, 2043.	<i>superlat</i> Strecke, 146 (Euphydryas).
<i>subtetricella</i> Ragonot, 4670.	<i>superba</i> Hy. Edwards, 3138 (Hetero-
<i>subtinctella</i> Ragonot, 4742.	campa).
<i>subtractella</i> Walker, 5969.	<i>superba</i> Barnes, 3178 (Thyatira).
<i>subusta</i> Hübner, 2266.	<i>superbella</i> Chambers, 5582.
<i>subversata</i> Zeller, 5129.	<i>superbifrontella</i> Clemens, 6372.
<i>subvera</i> Grote, 2262.	<i>suppressaria</i> Walker, 3546.
<i>subviridis</i> Harvey, 2809.	<i>supremat</i> Neumoegen, 772.
<i>succandidalis</i> Hulst, 4371.	<i>sarena</i> Grote, 2516.
<i>succedana</i> Schiffermüller, 5169.	<i>surrectalis</i> Walker, 3012.
<i>successaria</i> Walker, 3468.	<i>spectata</i> Möschler, 3379.
<i>succosata</i> Zeller, 3647.	<i>suspicalis</i> Walker, 4282.
<i>sucta</i> Grote, 2406.	<i>sutor</i> Guenée, 1119.
<i>suffusa</i> Denis & Schiffermüller, 1454 (Agrotis).	<i>satrina</i> Grote, 1840.
<i>suffusa</i> Smith, 2017.1 (Graphi-	<i>satrix</i> Grote, 2657.
phora).	<i>swainsonia</i> Swainson, 56.
<i>suffusa</i> Smith, 839 (Haploa).	<i>swederella</i> Thunberg, 6372.
<i>suffusa</i> Strecke, 855 (Hyphantria).	<i>syfamia</i> Grummi-Grischimailo, 900.
<i>suffusa</i> Smith, 1782 (Mamestra).	Sylecta 217
<i>suffusa</i> Stretch, 28 (Neophasia).	Sylepta 377
<i>suffusa</i> Laurent, 482 (Poanes).	<i>sylla</i> Perty, 232.
<i>suffusa</i> Walsingham, 6115 (Scyth-	<i>syleacolella</i> Chambers, 5720.
ris).	<i>sylvana</i> Treitschke, 5423.
<i>suffusalis</i> Smith, 3011 (Epizeuxis).	<i>sylvanoides</i> Boisduval, 507.
<i>suffusalis</i> Druce, 4307 (Pantogra-	<i>sylyratia</i> Curtis, 3695.
pha).	<i>sylyracum</i> Guenée, 2930.
<i>suffusea</i> Morrison, 1219.	<i>sylyrativa</i> Harris, 3221.
<i>suffusella</i> Chambers, 5694 (Anarsia).	<i>sylyratoides</i> Neumoegen & Dyar,
<i>suffusella</i> Chambers, 5827 (Gele-	3221.
chia).	<i>sylvestra</i> Curtis, 5002.
	<i>sylvestrella</i> Ratzeburg, 4711.

Page.		Page
<i>sylvestris</i> Edwards, 263.		
<i>syria</i> Hy. Edwards, 2827.		
<i>syricolella</i> Busck, 5610.		
<i>svlinus</i> Boisduval, 344.		
<i>Symmerista</i>	252	
<i>Symphera</i>	316	
<i>syphoricarpella</i> Chambers, 6311 (Lithocolletes).		
<i>syphoricarpella</i> Frey & Boll, 6312 (Lithocolletes).		
<i>Symphysa</i>	372	
<i>Sympistis</i>	191	
<i>Synaxis</i>	341	
<i>Synchloe</i>	7	
<i>Synchlora</i>	300	
<i>Synclera</i>	373	
<i>Syncleita</i>	395	
<i>Syneda</i>	222	
<i>Synedoida</i>	219	
<i>Synelys</i>	292	
<i>Syngamia</i>	374	
<i>Synglochis</i>	323	
<i>Syngrapha</i>	202	
<i>Synnomia</i>	475	
<i>synochitis</i> Grote & Robinson, 2605.		
<i>Synomila</i>	290	
<i>synthetica</i> Riley, 6576.		
<i>Syntomeida</i>	77	
<i>Syntomidæ</i>	76	
<i>syriocosa</i> Druce, 933.		
<i>syrichtus</i> Fabricius, 652.		
<i>springe</i> Harris, 4173.		
<i>springicola</i> Packard, 4413.		
<i>syrissa</i> Streeker, 2064.		
<i>Syssaura</i>	344	
<i>Syssphinx</i>	76	
<i>Systasea</i>	59	
<i>syzyggaria</i> Hulst, 4004.		
<i>tabacella</i> Ragonot, 5616.		
<i>tabulata</i> Hulst, 3256 (Talledega).		
<i>tabulata</i> Grote, 1905 (Nylomiges).		
<i>tabulella</i> Ragonot, 4793.		
<i>Tachyptilia</i>	509	
<i>Tachyris</i>	5	
<i>tacita</i> Hy. Edwards, 357.		
<i>Tacoma</i>	421	
<i>tacoma</i> Streeker, 1874 (Mamestra).		
<i>tacoma</i> Bentenmüller, 4235 (Sesia).		
<i>tacomæ</i> Hy. Edwards, 6613.		
<i>tacturata</i> Walker, 3536.		
<i>tactus</i> Grote, 2734.		
<i>tdatula</i> Grote, 1442 (Metalepsis).		
<i>tdatula</i> Grote, 2210 (Pseudoglaea).		
<i>taedialis</i> Walker, 4425.		
<i>tanitata</i> Stephens, 3390.		
<i>Tæniocampa</i>		165
<i>tages</i> Cramer, 4278.		
<i>taleana</i> Grote, 5182.		
<i>talidiformis</i> Guenée, 1087.		
<i>talis</i> Grote, 4290.		
<i>Talledega</i>		268
<i>tallealalis</i> Hulst, 4649.		
<i>Tallula</i>		415
<i>tamenund</i> Edwards, 603.		
<i>Tampa</i>		440
<i>tanaceti</i> Hy. Edwards, 4197.		
<i>tanema</i> Streeker, 2385.		
<i>tantalus</i> Linnaeus, 664.		
<i>tantillus</i> Grote, 2735.		
<i>Tantura</i>		216
<i>tapella</i> Linnaeus, 6532.		
<i>tapeta</i> Smith, 1196.		
<i>Tapinostola</i>		179
<i>Tarache</i>		213
<i>Tarachia</i>		269
<i>tarandana</i> Möschler, 5173.		
<i>tarda</i> Guenée, 1110.		
<i>tardigrada</i> Clemens, 4077.		
<i>termitalis</i> Hulst, 4774.		
<i>tarphia</i> Pallas, 294.		
<i>tarquinius</i> Curtis, 138 (Brenthis).		
<i>tarquinius</i> Fabricius, 385 (Feni- seca).		
<i>tartarellus</i> Zeller, 4781.		
<i>tartarus</i> Hübner, 652.		
<i>tatalis</i> Grote, 4452.		
<i>tatila</i> Herrich-Schaeffer, 228.		
<i>tatus</i> Edwards, 632.		
<i>tau</i> Scudder, 28.		
<i>tammus</i> Scudder, 523.		
<i>tantana</i> Clemens, 5279.		
<i>taxiles</i> Edwards, 485.		
<i>Taygete</i>		501
<i>taggete</i> Hübner, 295.		
<i>taylorata</i> Hulst, 3743.		
<i>taylori</i> Butler, 3891 (Dyscia).		
<i>taylori</i> Edwards, 158 (Lemonias).		
<i>tearlii</i> Hy. Edwards, 3184.		
<i>teconæ</i> Riley, 4526.		
<i>tecta</i> Grote, 2553 (Amyna).		
<i>tecta</i> Walker, 1997 (Orthodes).		
<i>tecta</i> Hy. Edwards, 4232 (Sesia).		
<i>teduscognalis</i> Clemens, 4493.		
<i>tegularia</i> Walker, 3698.		
<i>tehama</i> Reakirt, 424.		

Page.		Page.
tejonica Behr, 2790.	Tephroclystis	269
tela Smith, 1195.	Tephrosia	327
telamonides Felder, 5.	tepida Grote, 2107.	
Telea	tepperaria Hulst, 3570.	
<i>telea</i> Hewitson, 331.	tepperi Smith, 1512 (Noctua).	
<i>teleba</i> Smith, 1678.	tepperi Morrison, 2458 (Plagiomim-	
Telegonus	eus).	
<i>telifer</i> Grote, 3148.	tepperi Hy. Edwards, 4220 (Sesia).	
<i>telifera</i> Harris, 1454.	Teras	472
<i>teligera</i> Morrison, 1850.	Terastia	380
<i>teligii</i> Barnes, 4093.	teratophora Herrich-Schaeffer, 1059.	
<i>tellus</i> Bates, 201.	terratinus Scudder & Burgess, 628.	
Telphusa	terissa Lucas, 57.	
<i>telum</i> Guenée, 995.	terlooii Hy. Edwards, 662 (Lepise-	
<i>tema</i> Strecker, 3183.	sia).	
<i>temenes</i> Godart, 15.	terlooii Behr, 29 (Neophasia).	
<i>temnaria</i> Guenée 3530.	<i>termessus</i> Smith, 1640.	
Tenaga	termina Grote, 2981.	
<i>tenebrella</i> Dietz, 5952.	terminalis Smith, 1342 (Oncoene-	
<i>tenebrescus</i> Hulst, 3303.1.	mis).	
<i>tenebrifera</i> Walker, 1428.	terminalis Walker, 902 (Pygoct-	
<i>tenebrosata</i> Hulst, 3722.	nueha).	
<i>tenebrosella</i> Hulst, 4754.	terminalis Neumoegen & Dyar, 836	
<i>tenella</i> Hy. Edwards, 2770.	(Utetheisa).	
<i>tenera</i> Hübner, 905 (Anmalo).	terminata Smith, 2029.	
<i>tenera</i> Smith, 1193 (Hadena).	terminellus Grote, 1085.	
<i>teneralis</i> Lederer, 4384.	termininacula Grote, 2661.	
<i>tentoriferella</i> Clemens, 5853.	ternariella Zeller, 5720.	
<i>tenuata</i> Hulst, 3321.	ternarius Smith, 1687.	
<i>tenuescens</i> Smith, 1472 (Peridroma).	terracotana Walsingham, 5119.	
<i>tenuescens</i> Grote, 2329 (Schinia).	terracottella Busck, 5641.	
<i>tenuescens</i> Smith, 2695 (Tarache).	terraria Guenée, 4030.	
<i>tenniana</i> Walsingham, 5178.	terrealis Grote, 1522 (Chorizagrotis).	
<i>tennicola</i> Morrison, 1461 (Agrotis).	terrealis Treitschke, 4410 (Phyle-	
<i>tennicola</i> Morrison, 2688 (Tarache).	taenia).	
<i>tenuidactylus</i> Fitch, 4935.	terrella Walker, 5616 (Phthori-	
<i>tenuifascia</i> Smith, 1329 (Oncoene-	miae).	
mis).	terrellus Zeller, 4589 (Crambus).	
<i>tenuifascia</i> Grote & Robinson, 820	terrenella Zeller, 4636.1.	
(Ozonadia).	terrenus Smith, 1651.	
<i>tenuipunctellum</i> Ragonot, 4866.	terrifica Smith, 1447.	
<i>tennis</i> Walsingham, 6595 (Ana-	territans Hy. Edwards, 2445.	
phora).	territorialis Smith, 1654.	
<i>tennis</i> Walsingham, 6046 (Coleo-	tersa Linnaeus, 672.	
phora).	tertia Dyar, 2057 (Perigonica).	
<i>tennis</i> Grote, 653 (Hemaris).	tertia Grote, 2351 (Schinia).	
<i>tennis</i> Grote, 2739 (Isogona).	tertiadis Guenée, 4413.	
<i>tenuistrigata</i> Frey & Boll, 6254.	tesella Packard, 3165.	
<i>tephra</i> Hübner, 3193.	tesquatella Chambers, 6127.	
<i>tephrella</i> Ragonot, 4812.	tesquella Clemens, 6127.	
<i>tephriasella</i> Chambers, 5767.	tessalutella Riley, 6473.	
Tephrina	tessellaris Smith & Abbot, 919.	
<i>tephrinana</i> Zeller, 5127.	tessellana Packard, 5028.	

Page.	Page.
<i>tessellata</i> Packard, 3433 (Ceno-calpe).	<i>texanella</i> Chambers, 6091 (Ela-chista).
<i>tessellata</i> Scudder, 642 (Hesperia).	<i>texanella</i> Chambers, 5910 (Ethmia).
<i>tessellata</i> Harris, 1711 (Paragrotis).	<i>texanella</i> Chambers, 5913 (Ethmia).
<i>tesselloides</i> Grote, 1743.	<i>texanella</i> Hulst, 4850 (Hulstea).
<i>tesseradactyla</i> Linnaeus, 4955.	<i>texanella</i> Zeller, 6269 (Lithocol-letes).
<i>tessulatella</i> Zeller, 6473.	<i>texanella</i> Hulst, 4673 (Myelois).
<i>testacea</i> Packard, 4106.	<i>texanella</i> Ragonot, 4664 (Tetralo-phpha).
<i>testata</i> Linnaeus, 3349.	<i>texanellum</i> Ragonot, 4865 (Homosoma).
<i>testata</i> Smith, 1667.	<i>texanellus</i> Chambers, 6586 (Aerolophus).
<i>testulana</i> Zeller, 5340.	<i>texanica</i> Frey & Boll, 6092.
Tetanolita 244	<i>texanus</i> Ehrman, 13.
<i>terrellus</i> Zincken, 4589.	<i>textor</i> Harris, 468 (Amblyseirtes).
<i>tethys</i> Fabricius, 234.	<i>textor</i> Harris, 856 (Hyphantria).
<i>tetra</i> Smith, 1967 (Heliophila).	<i>textrinaria</i> Grote & Robinson, 3988.
<i>tetra</i> Walker, 1698 (Paragrotis).	<i>textula</i> Herrich-Schaeffer, 4087.
<i>tetra</i> Behr, 352 (Thecla).	<i>thalialis</i> Walker, 4478.
Tetrachila 404	Thallophaga 317
Tetracis 346	<i>thallophilalis</i> Hulst, 4365.
<i>tetradactylus</i> Walsh, 4089.	Thalpochares 211
<i>tetradella</i> Zeller, 4905.	Thamnonoma 311
<i>tetradymiella</i> Busek, 5640.	Thanaos 59
<i>tetragonalis</i> Haworth, 4358.	<i>tharus</i> Drury, 189.
Tetralopha 416	<i>Tharsalea</i> 40
<i>tetraspilaris</i> Walker, 4094.	<i>Thauma</i> 73
<i>tetrica</i> Hy. Edwards, 2780 (Cirrhobolina).	<i>Thaumatopsis</i> 410
<i>tetrica</i> Smith, 1629 (Paragrotis).	<i>thauxteri</i> Grote, 2111.
<i>tetrio</i> Linnaeus, 685.	<i>thauxterianus</i> Grote, 1383.
<i>teucaria</i> Strecker, 3684.	<i>thecata</i> Morrison, 2006.
<i>teusaria</i> Walker, 3816.	Thecla 36
<i>terana</i> Riley, 2558 (Anomis).	Theisoa 540
<i>terana</i> Edwards, 198 (Anthanassa).	<i>thekka</i> Edwards, 179.
<i>terana</i> French, 2838.1 (Catocala).	Theleteria 394
<i>terana</i> Edwards, 258 (Ceryxonia).	Thelda 379
<i>terana</i> French, 812 (Comacula).	Thelethia 495
<i>terana</i> Scudder, 573 (Erycides).	<i>theodora</i> Schaus, 1754 (Anytus).
<i>terana</i> Stretch, 4129 (Harrisina).	<i>theodori</i> Dyar, 4153 (Hypopta).
<i>terana</i> Morrison, 1980 (Heliophila).	<i>theodori</i> Grote, 1259 (Polia)
<i>terana</i> Grote, 784 (Horama).	<i>theona</i> Ménétries, 178.
<i>terana</i> Robinson, 4618 (Ommatopteryx).	<i>theonus</i> Lucas, 452.
<i>terana</i> Smith, 2732 (Parora).	Thera 282
<i>terana</i> Smith, 1131 (Perigea).	<i>theralis</i> Walker, 3027.
<i>terana</i> Grote, 1554 (Porosogrotis).	Therasea 213
<i>terana</i> Morrison, 2923 (Renigia).	Theretra 65
<i>terana</i> Hy. Edwards, 4236 (Sesia).	Therina 334
<i>terana</i> Hulst, 3582 (Synchlora).	<i>thermopsella</i> Chambers, 6374.
<i>teranana</i> Walsingham, 5294.	<i>thesalis</i> Zeller, 4417.
<i>teranaria</i> Hulst, 3861.	<i>thesenalis</i> Walker, 4421.
<i>teranella</i> Chambers, 6047 (Coleophora).	



	Page.		Page.
Thessalia	19	Thymelicus	52
<i>thestivalis</i> Walker, 4420.		<i>thymetasalis</i> Walker, 4518.	
<i>thetis</i> Boisduval, 653.		Thyone	290
<i>thiemei</i> Oberthür, 845.		Thyreion	185
<i>thiodamus</i> Scudder, 211.		Thyridæ	361
Thiodia	460	<i>thyridina</i> Felder, 4136.	
Thisanotia	404	Thyridopteryx	353
<i>thoas</i> Linnaeus, 14.		Thyridopyralis	362
<i>thoasalis</i> Walker, 4294.		Thyris	361
<i>thor</i> Boisduval, 393.		Thysania	240
Tholeria	386	<i>thysbe</i> Fabricius, 656.	
<i>thoma</i> Strecker, 898.		<i>tibiale</i> Harris, 4190.	
<i>thoomalis</i> Walker, 4354.		<i>tibialis</i> Scudder & Burgess, 636.	
<i>thoosat</i> Scudder, 49.		<i>tigrinaria</i> Guenée, 3956.	
<i>thor</i> Hy. Edwards, 4.		<i>tigris</i> Guenée, 2539 (Diastema).	
<i>thoracealbella</i> Chambers, 5734 (Gelechia).		<i>tigris</i> Dyar, 3220 (Malacosoma).	
<i>thoracealbella</i> Chambers, 6222 (Nepitula).		<i>tilicella</i> Chambers, 6310.	
<i>thoracefusciella</i> Chambers, 5867.		<i>tilixfoliella</i> Clemens, 6048.	
<i>thoracella</i> Walsingham, 5929.		<i>tiliaria</i> Harris, 3884.	
<i>thoracenigraella</i> Chambers, 5856.		<i>tiliacella</i> Chambers, 6310.	
<i>thoraccochella</i> Chambers, 5828.		<i>tiliella</i> Walsingham, 6310.	
<i>thoracestrigella</i> Chambers, 5829 (Gelechia).		<i>tilletta</i> Hulst, 4655.	
<i>thoracestrigella</i> Chambers, 6523 (Tinea).		<i>timais</i> Cramer, 2426.	
<i>thoracica</i> Hy. Edwards, 2276 (Antaplagia).		Timandra	290
<i>thoracica</i> Grote, 997 (Apatela).		<i>timandra</i> Hy. Edwards, 2898.	
<i>thoracica</i> Putnam-Cramer, 2119 (Calocampa).		<i>timandratu</i> Walker, 3490.	
<i>thoracica</i> Stretch, 3221 (Malacosoma).		Timetes	25
<i>thoracicoidea</i> Neumoegen & Dyar, 3221.		<i>timidella</i> Clemens, 5830.	
<i>thorates</i> Hübner, 666.		Timochares	59
<i>thoreani</i> Grote & Robinson, 2360.		<i>tinctoria</i> Walker, 5384.	
Thorybes	58	<i>tinctoria</i> Walker, 3850.	
<i>thraso</i> Hübner, 603.		<i>tinctoriella</i> Chambers, 6438.	
<i>threialis</i> Walker, 3042.		Tinea	570
<i>thuriella</i> Packard, 6250.		<i>tineana</i> Hübner, 5266.	
<i>thula</i> Strecker, 1181.		Tineidae	545
<i>thule</i> Strecker, 6606.		Tineoidea	351
<i>thulea</i> Dahlman, 870.		Tineola	570
<i>thulearia</i> Herrich-Schaeffer, 3359.		Tioga	416
Thyatira	258	<i>tipuliformis</i> Clemens, 4208.	
Thyatiridæ	258	Tischeria	564
<i>thyatiroides</i> Walker, 3128 (Dasylophia).		<i>titan</i> Cramer, 664.	
<i>thyatiroides</i> Guenée, 2481 (Eosphoropteryx).		<i>titania</i> Dodge, 2904.	
<i>thycesalis</i> Walker, 4351.		Titanio	386
		Titanoceros	414
		<i>titaea</i> Cramer, 3881.	
		<i>titearia</i> Guenée, 3881.	
		<i>titubatis</i> Smith, 1699.	
		<i>titus</i> Fabricius, 384.	
		<i>titulus</i> Fabricius, 584.	
		<i>tituria</i> Walker, 3963.	
		Tlascala	423
		Tmetocera	466

	Page		Page
<i>tocoya</i> Smith, 1653.		<i>transfindens</i> Walker, 4026.	
<i>togata</i> Walsingham, 5885 (Depressaria).		<i>transflararium</i> Walker, 3838.	
<i>togati</i> Walker, 1998 (Orthodes).		<i>transfrons</i> Neumoegeen, 1150.	
<i>togata</i> Esper, 2199 (Xanthia).		<i>transitaria</i> Walker, 3738.	
Tolype	261	<i>transitella</i> Walker, 4669.	
<i>tousa</i> Grote, 1170.		<i>transiturana</i> Walker, 5364.	
<i>toparius</i> Zeller, 4579.		<i>transducida</i> Walker, 928.	
<i>topazda</i> Strecker, 3434.		<i>transmissana</i> Walker, 5128.	
<i>tophella</i> Walsingham, 5549.		<i>transmontana</i> Neumoegeen & Dyar, 904.	
<i>toralis</i> Grote, 4449.		<i>transmutans</i> Walker, 4026.	
<i>turenta</i> Grote, 3072 (Bomolocha).		<i>transmutata</i> Walker, 2708.	
<i>turenta</i> Grote, 5298 (Cydia).		<i>transputens</i> Grote, 2054.	
Toripalpus	414	<i>transponens</i> Walker, 4010.	
Tornacontia	213	<i>transposita</i> Walker, 4026.	
Tornos	323	<i>transversa</i> Walsingham, 5205.	
<i>torrefacta</i> Smith & Abbot, 3090.		<i>transversana</i> Walsingham, 5448.	
<i>torrida</i> Smith, 2084.		<i>transversata</i> Smith, 986 (Apatela).	
<i>tortilis</i> Grote, 1174.		<i>transversata</i> Walker, 3170 (Ellida).	
<i>tortricella</i> Chambers, 5842.		<i>transversata</i> Kellieott, 3379 (Meso-leuca).	
Tortricidæ	448	<i>transversata</i> Thunberg, 3362 (Rheumaptera).	
Tortricidia	358	<i>transversata</i> Drury, 4026 (Sabulodes).	
<i>tortriciformella</i> Clemens, 5650.		<i>transverdens</i> Walker, 4026.	
<i>torticina</i> Zeller, 2696.		<i>trapezalis</i> Guenée, 4282.	
Tortricinæ	472	<i>treatii</i> Grote, 828 (Enbaphe).	
Tortrix	482	<i>treatii</i> Grote, 1479 (Noctua).	
<i>tortuosa</i> Tepper, 3113.		<i>tremula</i> Harvey, 2252.	
<i>torra</i> Hy. Edwards, 4197.		<i>tremularia</i> Walker, 3485.	
<i>torealis</i> Möschler, 4444.		<i>trentonialis</i> Lederer, 4521.	
Tosale	400	<i>trepidella</i> Clemens, 6394.	
<i>tota</i> Grote, 987.		<i>treneriana</i> Hübner, 5304.	
<i>tonocyllus</i> Busek, 5680.		<i>treecriana</i> Duponchel, 5304.	
<i>townsendi</i> Cockerell, 4063.		Triæna	99
<i>toxana</i> Boisduval, 326.		<i>trialbamaculella</i> Chambers, 5718.	
<i>toxeta</i> Gray, 325.		<i>triangulalis</i> Möschler, 4486.	
<i>toxicodendri</i> Frey & Boll, 6304.		<i>triangularis</i> Smith, 839.	
Toxocampa	232	<i>triangularisella</i> Chambers, 5981.	
<i>trabalis</i> Grote, 4646 (Oneida).		<i>triangulum</i> Packard, 3352.	
<i>trabalis</i> Grote, 1419 (Platagrotis).		<i>triangulifer</i> Grote, 2437.	
<i>trabea</i> Smith, 2472.		<i>triangulifera</i> Packard, 3336.	
Trachea	122	<i>tribunella</i> Schiffermüller, 4636. 6.	
Tracheops	331	Trichocala	196
Trachoma	491	Trichocharalamys	287
Trachycera	417	Trichoclea	161
<i>tracta</i> Grote, 1137.		Trichocosmia	183
<i>tractaria</i> Walker, 3587.		Trichodezia	275
<i>tractata</i> Walker, 3702.		Tricholita	168
<i>traducalis</i> Zeller, 4279.		Tricholonche	99
<i>tragopoginis</i> Linnaeus, 1296.		Trichophaga	573
Trama	237	Trichopolia	161
<i>tranquilla</i> Grote, 2260.			
<i>transducens</i> Walker, 4028.			
<i>transferens</i> Walker, 4028.			

	Page.		Page.
<i>Trichoptilus</i>	441	<i>trigonana</i> Walsingham, 5413 (Tortrix).	
<i>Trichorthosia</i>	164	<i>Trigonophora</i>	178
<i>Trichosellus</i>	187	<i>trigrapha</i> Zeller, 6563.	
<i>Trichostibas</i>	490	<i>triguttaria</i> Herrich-Schaeffer, 3262.	
<i>trichostomus</i> Christoph, 1596.		<i>triguttella</i> Stainton, 6271.	
<i>Trichotaphe</i>	505	Trileuca	182
<i>Trichotarache</i>	208	<i>trilinearia</i> Packard, 3166 (Glaphisia).	
<i>trichusalis</i> Hulst, 4571.		<i>trilinearia</i> Packard, 3986 (Metanema).	
<i>tricincta</i> Harris, 4175.		<i>trilinearia</i> Packard, 3773 (Plataea).	
<i>tricinctulata</i> Chambers, 6524.		<i>trilineella</i> Chambers, 6049 (Coleophora).	
<i>triclaris</i> Hübner, 134.		<i>trilineella</i> Chambers, 5742 (Gelechia).	
Triclonella	525	<i>trimaculalis</i> Grote, 4428.	
<i>tricolor</i> Smith, 2722 (Cerathosia).		<i>trimaculata</i> Boisduval, 953 (Alypiodes).	
<i>tricolor</i> Packard, 762 (Hemileuca).		<i>trimaculata</i> Smith, 844 (Euerythra).	
<i>tricolor</i> Fitch, 808 (Hypoprepia).		<i>trimaculella</i> Fitch, 5843 (Eumeyrickia).	
<i>tricolor</i> Stretch, 896 (Kodiosoma).		<i>trimaculella</i> Packard, 5721 (Gelechia).	
<i>tricoloraria</i> Packard, 3581.		<i>trimaculella</i> Chambers, 6525 (Tinea).	
<i>tricolorella</i> Grote, 4698.		<i>trimaculella</i> Chambers, 5669 (Trichoptphe).	
<i>tricosia</i> Lintner, 1540.		<i>trimaculellus</i> Chambers, 5680 (Ypsolophus).	
<i>triceratella</i> Chambers, 6171.		<i>trimaculosa</i> Reakirt, 833.	
<i>trientiplaga</i> Walker, 1143.		<i>trinotata</i> Walker, 4046 (Celama).	
<i>trifariana</i> Walker, 2707.		<i>trinotellus</i> Coquillett, 5682 (Ypsolophus).	
<i>trifascia</i> Smith, 2011 (Graphiphora).		<i>triocecella</i> Chambers, 5630.	
<i>trifascia</i> Hübner, 2332 (Schinia).		<i>triocecella</i> Chambers, 5630.	
<i>trifasciata</i> Haworth, 5374.		Triocnemis	186
<i>trifasciata</i> Borkhausen, 3388 (Hydriomena).		<i>tripars</i> Walker, 1558.	
<i>trifasciata</i> Smith, 1647 (Paragrotis).		<i>tripartita</i> Walker, 3128 (Dasylophia).	
<i>trifasciata</i> Packard, 3664 (Sciagrapbia).		<i>tripartitana</i> Zeller, 5141.	
<i>trifasciella</i> Chambers, 6562 (Adela).		<i>tripartitus</i> Grote, 729 (Smerinthus).	
<i>trifasciella</i> Clemens, 6251 (Bucculatrix).		Triplosa	284
<i>trifasciella</i> Chambers, 5725 (Gelechia).		<i>triplagiatus</i> Smith, 2457.	
<i>trifasciella</i> Frey & Boll, 6313 (Lithocolletes).		<i>triplicipunctaria</i> Fitch, 3803.	
<i>triferaea</i> Walker, 5421.		Triprocris	360
<i>trifolii</i> Rottemburg, 1801.		Tripteron	64
Trifurcella	547	Tripudia	212
<i>trifurcella</i> Chambers, 5911.		<i>tripunctaria</i> Paekard, 3747.	
Trifurecula	547	<i>tripunctata</i> Goeze, 664 (Aellepos).	
<i>trifurculana</i> Zeller, 5399.		<i>tripunctata</i> Fabricius, 4192 (Pilocoeloides).	
<i>trigemina</i> Zeller, 5134.			
<i>trigona</i> Grote, 940 (Bertholdia).			
<i>trigona</i> Smith, 1213 (Hadena).			
<i>trigona</i> Hy. Edwards, 4093 (Proli-			
macodes).			
<i>trigona</i> Smith, 1398 (Rhynchagro-			
sis).			
<i>trigonana</i> Stephens, 5312 (Acleris).			

Page.		Page.
<i>tripunctella</i> Walsingham, 6102 (Helioidines).		<i>tubiferella</i> Clemens, 6330.
<i>tripunctella</i> Walsingham, 6484 (Incurvaria).		<i>tuleis</i> Bates, 199.
<i>tripunctellus</i> Robinson, 4544 (Schœnobius).		<i>tumida</i> Grote, 2391.
<i>triquetra</i> Grote, 1294.		<i>tumidinella</i> Ragonot, 4836.
<i>triquetrana</i> Fitch, 4046.		<i>tunicana</i> Walsingham, 5334.
<i>trisectus</i> Walker, 4604.		<i>turbans</i> Christoph, 883.
<i>triseriata</i> Packard, 3336 (Euchœea).		<i>turbata</i> Walker, 2939.
<i>triseriata</i> Packard, 3257 (Scelidacantha).		<i>turbatellus</i> Walker, 4581.
<i>trisignata</i> Robinson, 5302.		<i>turbida</i> Walker, 3165 (Fentonias).
<i>trisignata</i> Walker, 1053.		<i>turbida</i> Walker, 3142 (Heterocampa).
<i>tristana</i> Hübner, 5312.		<i>turbitella</i> Grote, 4821.
<i>tristata</i> Linnaeus, 3360.		<i>turbulenta</i> Hübner, 1167.
<i>tristella</i> Dietz, 5945.		<i>turfosana</i> Herrich-Schaeffer, 5065.
<i>tristicula</i> Morrison, 1695.		<i>turiomana</i> Hübner, 5001.
<i>tristigialis</i> Hampson, 4295.		<i>turiouella</i> Wilkinson, 5001.
<i>tristigmata</i> Grote, 2240.		<i>tumalis</i> Grote, 4404.
<i>tristis</i> Edwards, 2824 (Catocala).		<i>turnus</i> Linnaeus, 11.
<i>tristis</i> Boisduval, 635 (Thanaos).		<i>turpidella</i> Ragonot, 4752.
<i>tristrigata</i> Clemens, 5275.		<i>turris</i> Grote, 1719.
<i>tristrigella</i> Walsingham, 5712 (Anacamptis).		Turnptiana 84
<i>tristrigella</i> Walker, 1093 (Balsa).		<i>tusa</i> Grote, 1169.
<i>tristrigella</i> Heinemann & Wocke, 6014 (Coleophora).		<i>typarus</i> Esper, 272.
Tristyla 183		typhon Rottenburg, 284 (Coenonympha).
<i>tritaniella</i> Chambers, 6316.		<i>typhon</i> Klug, 680 (Pholus).
<i>tritealis</i> Walker, 4385.		<i>typica</i> Smith, 1516.
<i>tritona</i> Hübner, 1006.		<i>tyralis</i> Guenée, 4458.
<i>tritonia</i> Edwards, 266.		<i>tyria</i> Slosson, 3157.
<i>trituberalis</i> Zeller, 3075.		<i>u-album</i> Guenée, 2160.
<i>trivinctella</i> Zeller, 6116.		<i>u-aureum</i> Guenée, 2506.
<i>trivittata</i> Zeller, 5177.		Ufeus 150
Trivolumia 438		<i>uhlerella</i> Fitch, 6268.
<i>trochilipennella</i> Grote, 6010.		<i>uhleri</i> Reakirt, 293.
<i>troilus</i> Linnaeus, 13.		Uinta 403
Tropæa 73		<i>ulae</i> Cockerell, 4609.
<i>trophella</i> Busek, 5723.		<i>ulalume</i> Strecker, 2810 (Catocala).
Trosia 359		<i>ulalume</i> Strecker, 657 (Lepisesia).
<i>trossulana</i> Walsingham, 5281.		<i>ulicata</i> Guenée, 5291.
<i>trourelotii</i> Packard, 3133.		<i>ulicetana</i> Haworth, 5169.
<i>truncata</i> Hufnagel, 3379.		<i>ulmella</i> Ragonot, 4843 (Canarsia).
<i>truncataria</i> Walker, 3603 (Epelis).		<i>ulmella</i> Chambers, 6294 (Lithocolletes).
<i>truncataria</i> Guenée, 3902 (Sicya).		<i>ulmi</i> Harris, 990 (Apatela).
<i>truncatellus</i> Zetterstedt, 4598.		<i>ulmi</i> Harris, 3142 (Heterocampa).
<i>truncatula</i> Zeller, 2699.		<i>ulmiarrosorella</i> Clemens, 4843.
<i>truxaliata</i> Guenée, 4017.		<i>ulodactyla</i> Zetterstedt, 4937.
Trypanisma 501		Ulolonche 159
<i>tuberculalis</i> Lederer, 4339.		Ulophora 420
<i>tuberculum</i> Hübner, 2365.		Ulosyneda 220
		<i>ulrica</i> Edwards, 170.
		<i>ultima</i> Strecker, 2372.
		<i>ultronii</i> Hübner, 2864.

Page.	Page.
<i>umatillaria</i> Strecker, 3481.	
<i>umbellana</i> Fabricius, 5889.	
<i>umbellella</i> Zetterstedt, 5889.	
<i>umbellulariae</i> Walsingham, 6290.	
<i>umbilicata</i> Guenée, 3493.	
<i>umbra</i> Hübner, 2197.	
<i>umbralis</i> Smith, 3076.	
<i>umbrata</i> Packard, 817 (Clemensia).	
<i>umbrata</i> Walker, 3136 (Heterocampa).	
<i>umbrata</i> Packard, 1488 (Noctua).	
<i>umbraticostella</i> Walsingham, 5855.	
<i>umbrafascia</i> Grote, 2728 (Hyamia).	
<i>umbrafascia</i> Smith, 1330 (Omoecemis).	
<i>umbrafasciata</i> Hulst, 3732.	
<i>umbraferrata</i> Hulst, 3732.	
<i>umbrina</i> Grote, 2980.	
<i>umbripennis</i> Hulst, 4719 (Pinipes-tis).	
<i>umbripennis</i> Hulst, 3813 (Somatophia).	
<i>umbripennis</i> Grote, 2983 (Ypsia).	
<i>umbrosa</i> Worthington, 2865 (Catocala).	
<i>umbrosa</i> Lintner, 205 (Polygona).	
<i>umbrosa</i> Smith, 1914 (Scotogramma).	
<i>umbrosarium</i> Guenée, 3839	
<i>umbrosata</i> Packard, 3783.	
<i>umbrosus</i> Grote, 2300.	
<i>una</i> Strecker, 1180.	
Unadilla	436
<i>unangulata</i> Hübner, 3409.	
<i>uncana</i> Hübner, 5259.	
<i>uncanula</i> Hulst, 4868.	
<i>uncanaria</i> Guenée, 3772.	
<i>uncas</i> Edwards, 499.	
<i>uncella</i> Heinemann, 5259.	
<i>unctulella</i> Zeller, 5751.	
<i>undalis</i> Fabricius, 4325.	
<i>undatus</i> Grote, 4603.	
<i>undifera</i> Walker, 4092.	
<i>undinaria</i> Strecker, 3557.	
<i>undosus</i> Lintner, 4143.	
<i>undulana</i> Hübner, 3083.	
<i>undularia</i> Drury, 2983.	
<i>undulata</i> Linnaeus, 3340.	
<i>undulatella</i> Chambers, 6457 (Argyresthia).	
<i>undulatella</i> Clemens, 4849 (Hulstea).	
<i>undulatella</i> Walker, 4776 (Laodamia).	
<i>undulosa</i> Walker, 722.	
<i>unica</i> Neumoegen, 2465.	
<i>unicalcaria</i> Guenée, 3638.	
<i>unicincta</i> Smith, 1164.	
<i>unicipunctellus</i> Clemens, 5685.	
<i>unicolor</i> Robinson, 3251 (Endule).	
<i>unicolor</i> Godman & Salvin, 59 (Kricogonia).	
<i>unicolor</i> Packard, 3143 (Misogada).	
<i>unicolor</i> Walker, 1496 (Noctua).	
<i>unicolor</i> Hulst, 3313 (Tephroclystis).	
<i>unicolor</i> Grote, 1760 (Ufeus).	
<i>unicoloraria</i> Hulst, 3784 (Aeolis).	
<i>unicoloraria</i> Hulst, 3810 (Ixala).	
<i>unicoloraria</i> Standlunger, 3380 (Mesoleuca).	
<i>unicolorella</i> Chambers, 6050 (Coleophora).	
<i>unicolorella</i> Walsingham, 6074 (Cosmopteryx).	
<i>unicolorella</i> Hulst, 4748 (Tlascala).	
<i>unicornis</i> Smith & Abbot, 3151.	
<i>unicristatella</i> Chambers, 6156.	
<i>unidentaria</i> Haworth, 3457.	
<i>unifascia</i> Grote & Robinson, 820.	
<i>unifascialis</i> Packard, 4443.	
<i>unifasciata</i> Clemens, 5348.	
<i>unifasciata</i> Walsingham, 5511.	
<i>unifasciella</i> Chambers, 6093 (Elachista).	
<i>unifasciella</i> Busek, 5731 (Gelechia).	
<i>unifasciella</i> Chambers, 6317 (Lithocleletes).	
<i>unifasciella</i> Chambers, 6155 (Mompha).	
<i>unifasciella</i> Chambers, 6223 (Neptula).	
<i>uniformis</i> Dyar, 801 (Crambidia).	
<i>uniformis</i> Smith, 2021 (Graphiphora).	
<i>uniformis</i> Grote & Robinson, 656 (Hemaris).	
<i>uniformis</i> Morrison, 2097 (Homoptera).	
<i>uniformis</i> Smith, 1910 (Scotogramma).	
<i>unijuga</i> Walker, 2848.	

	Page.		Page.
<i>unilineata</i> Grote, 3000.		<i>utahensis</i> Smith, 2016 (Graphiphora).	
<i>unimacula</i> Grote & Robinson, 4469 (<i>Pyrausta</i>).		<i>utahensis</i> Strecker, 17 (Papilio).	
<i>unimacula</i> Smith, 2336 (<i>Schinia</i>).		<i>utahensis</i> Hy. Edwards, 701 (<i>Sphinx</i>).	
<i>unimoda</i> Smith, 2185 (<i>Papaipema</i>).		Utetheisa	83
<i>unimoda</i> Lintner, 2106 (<i>Xylina</i>).		<i>winella</i> Ragonot, 4747.	
<i>unimodaria</i> Morrison, 3647.		<i>xnor</i> Guenée, 2865.	
<i>unio</i> Hübner, 2428.		<i>xorecularis</i> Hulst, 4467.	
<i>unipuncta</i> Haworth, 1953.		<i>raccinei</i> Hy. Edwards, 2407.	
<i>unipunctaria</i> Haworth, 3803.		<i>racciniana</i> Packard, 5238.	
<i>unipunctata</i> Guenée, 3803.		<i>raccini</i> Hy. Edwards, 2508 (Autographa).	
<i>unipunctella</i> Clemens, 6180 (Brachyloma).		<i>raccini</i> Riley, 4703 (Mineola).	
<i>unipunctella</i> Walsingham, 6103 (<i>Heliodines</i>).		<i>racciniorana</i> Packard, 5319.	
<i>unipunctellus</i> Robinson, 4543 (Schœnobius).		<i>raenalis</i> Grote, 4416.	
<i>unisignata</i> Walker, 1142.		<i>ragana</i> Boisduval, 865.	
<i>unistriatellus</i> Packard, 4566.		<i>ragaria</i> Walker, 3699.	
<i>unistrigella</i> Chambers, 5831.		<i>ragatiocella</i> Chambers, 5603.	
<i>unitaria</i> Packard, 3560 (Annemoria).		<i>ragella</i> Walker, 5764.	
<i>unitaria</i> Herrich-Schaeffer, 3807 (<i>Lytrosis</i>).		<i>r-alba</i> Ottolengui, 2504.	
<i>unitella</i> Treitschke, 5500.		<i>valens</i> Hy. Edwards, 2753.	
<i>unirocalis</i> Walker, 4279.		Valeria	121
<i>unna</i> Plotz, 650.		<i>valeria</i> Hy. Edwards, 2856.	
<i>unomaculella</i> Chambers, 6158 (<i>Mompha</i>).		<i>vallus</i> Smith, 1639.	
<i>unomaculella</i> Chambers, 6526 (<i>Tinea</i>).		<i>vancouverensis</i> Hy. Edwards, 4197 (<i>Album</i> a).	
<i>unopiparvella</i> Hübner, 6362.		<i>vancouverensis</i> Hulst, 3883 (Eranmis).	
<i>urania</i> Westwood & Hewitson, 573.		<i>vancouverensis</i> Grote, 1547 (Feltia).	
Uranotes	36	<i>vancouverensis</i> Butler, 730 (Smerinthus).	
<i>urbicola</i> Behr, 2738.		<i>vancouverensis</i> Hy. Edwards, 705 (<i>Sphinx</i>).	
<i>urentis</i> Guenée, 2536.		<i>ranella</i> Walsingham, 5506 (Pluttella).	
<i>uroceriformis</i> Walker, 4172.		<i>ranella</i> Grote, 2399 (Pseudotamila).	
Urola	411	Vanessa	23
<i>ursa</i> Worthington, 519.		<i>vanidicus</i> Smith, 1730.	
<i>ursaria</i> Walker, 3865.		<i>vanille</i> Linnaeus, 91.	
<i>ursina</i> Smith, 2145 (<i>Lathosea</i>).		<i>vanusaria</i> Strecker, 3985.	
<i>ursina</i> Smith, 1051 (<i>Merolonche</i>).		<i>capularis</i> Grote, 1546.	
<i>ursula</i> Godart, 236.		<i>varadaria</i> Walker, 4007.	
<i>ursus</i> Poling, 4571.		<i>varavia</i> Grote, 3887.	
<i>urticaloides</i> Fyles, 4323.		<i>varia</i> Walker, 753 (Automeris).	
<i>urticana</i> Hübner, 5061.		<i>varia</i> Walker, 3132 (Heterocampa).	
Urula	437	<i>varia</i> Walker, 1136 (Oligia).	
<i>u-scripta</i> Smith, 1802.		<i>variabilis</i> Busck, 5741 (Gelechia).	
<i>usticana</i> Zeller, 5027.		<i>variabilis</i> Walsingham, 6598 (Ortholophus).	
<i>ustipennis</i> Walker, 3148.		<i>variabilis</i> Grote, 2209 (Pseudorthoxia).	
<i>utahensis</i> Hy. Edwards, 904 (Arctia).			

Page.	Page.
<i>variabilis</i> Smith, 2050 (<i>Strechia</i>). <i>variana</i> Fernald, 5327 (<i>Acleris</i>). <i>variana</i> Fabricius, 5359 (<i>Archips</i>). <i>variana</i> Ottolengui, 2510 (<i>Autographa</i>). <i>variana</i> Morrison, 2214 (<i>Tapinostola</i>). <i>variana</i> Clemens, 5189 (<i>Thiodia</i>). <i>variata</i> Denis & Schiffermüller, 3378 (<i>Mesoleuca</i>). <i>variata</i> Grote, 1396 (<i>Rhynchagrotis</i>). <i>variella</i> Clemens, 6506. <i>variegata</i> Walker, 4404. <i>variella</i> Hübner, 5500 (<i>Cerostoma</i>). <i>variella</i> Ragonot, 4663 (<i>Pococera</i>). <i>variella</i> Chambers, 5597 (<i>Recurvaria</i>). Varina 195 <i>variolana</i> Zeller, 5319. <i>variolaria</i> Guenée, 3623. <i>variolata</i> Smith, 1813. <i>varix</i> Grote, 1396. <i>varuna</i> Edwards, 293. <i>varus</i> Grote & Robinson, 4005. <i>vasaliata</i> Guenée, 3386. <i>vashti</i> Strecker, 705. <i>vau</i> Fitch, 3092. <i>vauaria</i> Schrank, 3708. <i>vau-medita</i> Smith, 1833. <i>vau-orbicularis</i> Smith, 1878. <i>v-brunneum</i> Grote, 2204. <i>recors</i> Guenée, 1998 (<i>Orthodes</i>). <i>recors</i> Guenée, 1117 (<i>Perigea</i>). <i>vega</i> Smith, 3077 (<i>Bomolocha</i>). <i>vega</i> Dyar, 663 (<i>Lepisesia</i>). <i>vegeta</i> Morrison, 2743. <i>velaris</i> Grote, 2325. <i>velata</i> Strecker, 1769 (<i>Agrotiphila</i>). <i>velata</i> Walker, 2161 (<i>Gortyna</i>). <i>velata</i> Walker, 1998 (<i>Orthodes</i>). <i>velata</i> Walker, 1383 (<i>Psaphidia</i>). <i>velatella</i> Clemens, 6537. <i>velleda</i> Stoll, 3208. <i>velleipennis</i> Grote, 1603. <i>vellifera</i> Grote, 3074. <i>vellirolata</i> Hulst, 3854. <i>velulana</i> Walsingham, 5424. <i>velutina</i> Smith, 1952. <i>velutinata</i> Walker, 5424. <i>venalalis</i> Hulst, 4432. <i>venalis</i> Grote, 4409. <i>renata</i> Grote, 3776 (<i>Enypia</i>). <i>renata</i> Smith, 2042 (<i>Graphiphora</i>). <i>venerabilis</i> Walker, 1545. <i>venezuelensis</i> Schaufuss, 675. Venilia 492 <i>renosa</i> Butler, 1103 (<i>Caradrina</i>). <i>renosa</i> Walker, 793 (<i>Ctnucha</i>). <i>renosa</i> Sendler, 38 (<i>Pontia</i>). <i>ventilator</i> Grote, 2552. <i>rentalis</i> Grote & Robinson, 4287. <i>rentellus</i> Fitch, 5685. <i>renus</i> Neumoegen, 3156. Venusia 274 <i>renusta</i> Walsh, 3587 (<i>Aplodes</i>). <i>renusta</i> Walker, 2480 (<i>Enchalcia</i>). <i>renusta</i> Walker, 3155 (<i>Hyparpax</i>). <i>renusta</i> Hy. Edwards, 2396 (<i>Melanoporphyrinia</i>). <i>renusta</i> Dalman, 836 (<i>Utetheisa</i>). <i>renustella</i> Clemens, 6375 (<i>Gracilaria</i>). <i>renustella</i> Chambers, 5654 (<i>Strobisia</i>). <i>renustula</i> Grote, 2253. <i>verbascoides</i> Guenée, 1241. <i>verbesinella</i> Busck, 6323. <i>verecunda</i> Hulst, 2855 (<i>Catocala</i>). <i>verecunda</i> Hy. Edwards, 4255 (<i>Sesia</i>). <i>vermiculata</i> Grote & Robinson, 3087. <i>verminalis</i> Guenée, 4344. <i>verna</i> Edwards, 528. <i>vernalis</i> Morrison, 1375 (<i>Eutolype</i>). <i>vernalis</i> Edwards, 37 (<i>Pontia</i>). <i>vernata</i> Packard, 4079 (<i>Euclea</i>). <i>vernata</i> Peck, 3245 (<i>Paleaceraita</i>). <i>vernella</i> Murtfeldt, 5761. <i>vernalis</i> Grote, 1449. <i>verona</i> Smith, 2176. <i>veroniella</i> Chambers, 6051. <i>verrilliana</i> Grote, 2863. <i>verrillii</i> Grote & Robinson, 1031. <i>verruca</i> Fabricius, 2486. <i>versabilis</i> Harvey, 2772. <i>versicolor</i> Harris, 683 (<i>Ampelophaga</i>). <i>versicolor</i> Grote, 1138 (<i>Oligia</i>). <i>versicolor</i> Warren, 4471 (<i>Pyrausta</i>). <i>versicolorana</i> Clemens, 5018 (<i>Exartema</i>). <i>versicolorana</i> Clemens, 5019 (<i>Exartema</i>). <i>versicolorella</i> Chambers, 5832.	

Page.	Page.
<i>versipellis</i> Grote, 1736.	<i>victoria</i> Grote, 2914 (Toxocampa).
<i>versuta</i> Smith, 1199 (Hadena).	<i>victoria</i> Grote, 659.
<i>versata</i> Harvey, 2569 (Pseudorygia).	Victorina 24
<i>versutella</i> Zeller, 5753.	<i>videns</i> Guenée, 1088.
<i>versutus</i> Hy. Edwards, 2644 (Triptinia).	<i>vidleri</i> Elwes, 271.
<i>verticalis</i> Grote, 1707.	<i>vidua</i> Smith & Abbot, 2813.
<i>vertuana</i> Zeller, 5006.	<i>viduata</i> Guenée, 2811.
<i>vertumana</i> Zeller, 5135.	<i>vidularis</i> Grote, 3974.
<i>verus</i> Edwards, 511.	<i>vigilans</i> Grote, 1145.
<i>resca</i> Morrison, 2618.	<i>vilisana</i> Walker, 5228.
Vespemima 366	<i>villella</i> Busck, 5917.
<i>respirata</i> Clemens, 5364.	<i>villosa</i> Grote, 2404.
<i>respiformis</i> Hufnagel, 4188.	<i>villosalis</i> Zeller, 4314.
<i>vespivane</i> Herrich-Schaeffer, 4183.	<i>villosella</i> Hulst, 4808 (Etiella).
<i>vesta</i> Walker, 736 (Philosamia).	<i>villosella</i> Clemens, 6224 (Nepticula).
<i>resta</i> Edwards, 187 (Phyciodes).	Viminia 99
<i>restaliata</i> Zeller, 5171.	<i>vineta</i> Walker, 1137.
<i>restaliata</i> Guenée, 3608.	<i>vinculum</i> Guenée, 2940.
<i>restaliella</i> Zeller, 4539.	<i> vindemialis</i> Grote, 2038.
<i>restalis</i> Packard, 840 (Haploa).	<i>vinula</i> Grote, 1012.
<i>restalis</i> Zeller, 5841 (Ide).	<i>vinosaria</i> Grote & Robinson, 3963.
<i>restalis</i> Packard, 866 (Mænas).	<i>vinulenta</i> Grote & Robinson, 4461.1. (Pyrausta).
<i>restalis</i> Hulst, 3920 (Ripula).	<i>vinulenta</i> Grote, 2242 (Scopelosoma).
<i>vestianella</i> Stephens, 6489.	<i>vinuleutoria</i> Grote & Robinson, 3962.
<i>vestigialis</i> Guenée, 4385.	<i>violacei</i> Edwards, 440 (Cyaniris).
Vestigifera 331	<i>violacea</i> Grote, 1151 (Hadena).
<i>vestitaria</i> Herrich-Schaeffer, 3939.	<i>violaceana</i> Robinson, 5352.
<i>restris</i> Boisduval, 529.	<i>violacearia</i> Walker, 3530.
<i>vesulin</i> Cramer, 4010.	<i>violaceellus</i> Bentemmüller, 6595.
<i>vesuliata</i> Guenée, 4010.	<i>violacella</i> Clemens, 6352.
<i>reterata</i> Smith, 1128.	<i>violaceofusa</i> Zeller, 5744.
<i>vetulana</i> Walsingham, 5051.	<i>violans</i> Guenée, 1950.
<i>retusta</i> Boisduval, 3189 (Notolophus)	<i>violaris</i> Grote & Robinson, 1452.
<i>retusta</i> Walker, 1698 (Paragrotis).	<i>violentia</i> Hy. Edwards, 2862.
<i>retusta</i> Walker, 1552 (Porosagrotis).	<i>viralis</i> Grote, 1212.
<i>riaca</i> Edwards, 421.	<i>virens</i> French, 2894.
<i>rialis</i> Edwards, 459.	<i>virescata</i> Clemens, 5375.
<i>riatica</i> Grote, 2246 (Glea).	<i>virescens</i> Fabricius, 2296 (Chloridea).
<i>riatica</i> Harvey, 3606 (Orthofidonia).	<i>virescens</i> Hulst, 4619 (Ommatopteryx).
<i>riator</i> Edwards, 564.	<i>virgata</i> Packard, 3145.
<i>vibicalis</i> Zeller, 4376.	<i>virgatella</i> Clemens, 4759.
<i>viburnana</i> Clemens, 5312.	<i>virgilia</i> Hy. Edwards, 2856.
<i>viburnella</i> Clemens, 6052.	<i>virgilius</i> Scudder & Burgess, 627.
<i>ricaria</i> Walker, 1490.	<i>virginalis</i> Hulst, 3689 (Cymatophora).
<i>ricariana</i> Walker, 5356.	<i>virginudis</i> Boisduval, 873 (Platyptelia).
<i>vicarialis</i> Zeller, 5530.	
<i>vicina</i> Grote, 1850.	
<i>victoria</i> Edwards, 144 (Brenthis).	

Page.	Page.
<i>virginalis</i> Grote, 2685 (Tarache).	<i>viridisignata</i> Grote, 2509.
<i>virginaria</i> Cramer, 3864 (Epimecis).	<i>viriditincta</i> Smith, 1354.
<i>virginaria</i> Grote, 3866 (Lycia).	<i>viridoperlata</i> Packard, 1913.
<i>virginaria</i> Hulst, 3921 (Ripula).	<i>viridula</i> Grote, 2260.
<i>virgina</i> Graef, 3258 (Scelidacantha).	<i>visaliella</i> Chambers, 6456 (Argyresthia).
<i>virginella</i> Chambers, 6280.	<i>visaliella</i> Chambers, 6535 (Cyane).
<i>virginiana</i> Clemens, 5331 (Epagoge).	<i>riscidiflorella</i> Walsingham, 6054.
<i>virginiana</i> Clemens, 5216 (Proteopteryx).	<i>vitalbata</i> Hübner, 3328.
<i>virginica</i> Charpentier, 798 (Ctnucha).	<i>vitaligata</i> Felder, 4010.
<i>virginica</i> Fabricius, 862 (Diacerisia).	<i>vitanata</i> Fabricius, 5345.
<i>virginicella</i> Clemens, 5519 (Choreutis).	<i>viteana</i> Clemens, 5005.
<i>virginicella</i> Clemens, 6225 (Neptisula).	<i>vitellina</i> Zeller, 5432.
<i>virginicensis</i> Drury, 770 (Anisota).	<i>vitellius</i> Fabricius, 566.
<i>virginensis</i> Boisduval, 320 (Calephelis).	<i>riticordifoliella</i> Chambers, 6126.
<i>virginensis</i> Edwards, 38 (Pontia).	<i>ritipoliella</i> Chambers, 6421.
<i>virginensis</i> Edwards, 387 (Tharsalea).	<i>ritigenella</i> Clemens, 6422.
<i>virginensis</i> Drury, 220 (Vanessa).	<i>ritis</i> French, 1785 (Mamestra).
<i>virgo</i> Linnaeus, 874	<i>ritis</i> Linnæus, 677 (Pholus).
<i>virgula</i> Retzius, 487 (Erynnis).	<i>ritisana</i> Jacquin, 5005.
<i>virgula</i> Grote, 1999 (Orthodes).	<i>ritrorana</i> Packard, 5005.
<i>virgultii</i> Behr, 316.	<i>ritralis</i> Hübner, 4316.
<i>virguncula</i> Kirby, 875 (Apantesis).	<i>ritrana</i> Walsingham, 5278.
<i>virguncula</i> Smith, 1188 (Hadena).	<i>ritraria</i> Grote, 3903.
<i>virida</i> Strecker, 66.	<i>ritrea</i> Grote, 3056.
<i>viridana</i> Walker, 2986	<i>ritrina</i> Boisduval, 4133 (Dysodia).
<i>viridata</i> Grote, 3233 (Cysteopteryx).	<i>ritrina</i> Neumoegen, 4200 (Sesia).
<i>viridata</i> Packard, 3387 (Hydriomena).	<i>vittata</i> Fabricius, 895 (Apantesis).
<i>viridata</i> Harvey, 1058 (Jaspidea).	<i>vittata</i> Harris, 807 (Hypoprepia).
<i>viridescentia</i> Walker, 1381.	<i>vittatus</i> Fabricius, 5504 (Plutella).
<i>viridicaria</i> Hulst, 3592.	<i>vittifrons</i> Grote, 1401
<i>viri lidata</i> Walker, 4077.	<i>vittata</i> Grote, 1790.
<i>viridicuprella</i> Walsingham, 6053.	Vitalia 431
<i>viridifera</i> Grote, 2460.	<i>vividula</i> Grote, 916.
<i>viridiminea</i> Smith, 1178.	<i>viridiana</i> Dyar, 5365.
<i>viridipallens</i> Hulst, 3579 (Synchlo-	<i>v-nigraria</i> Haworth, 3708
ra).	<i>vocalis</i> Grote, 1513.
<i>viridipallens</i> Grote, 2105 (Xylina).	<i>volcania</i> Perry, 54.
<i>viridipennaria</i> Guenée, 3470.	<i>volvulus</i> Grote, 1549.
<i>viridipennata</i> Hulst, 3569.	<i>volucera</i> Hulst, 3448.
<i>viridipurpurea</i> Hulst, 3574.	<i>volucrata</i> Hulst, 3541.
<i>viridimacula</i> Neumoegen, 3761.	<i>volueris</i> Grote, 2972.
<i>viridis</i> Edwards, 380 (Callophrys).	<i>oluminia</i> Hy. Edwards, 2856.
<i>viridis</i> Edwards, 487 (Erynnis).	<i>volupia</i> Fitch, 2311.
<i>viridis</i> Reakirt, 4080 (Euclea).	<i>volupialis</i> Grote, 4462.
	Volusia 438
	<i>voluta</i> Clemens, 4085.
	<i>vomerina</i> Grote, 1885.
	<i>vorax</i> Behr, 1337.
	<i>rotaria</i> Hulst, 2863 (Catocala).
	<i>rotaria</i> Hy. Edwards, 902 (Pygoctenucha).
	<i>v-signatana</i> Packard, 5365.

Page.	Page.
<i>vulgalis</i> Guenée, 4299.	<i>werlandi</i> Herrich-Schaeffer, 74.
<i>vulgaris</i> Grote & Robinson, 1244.	<i>wescotti</i> Grote, 2883.
<i>vulgivagellus</i> Clemens, 4585.	<i>westermanni</i> Staudinger, 1722.
<i>vulneraria</i> Hübner, 4033.	<i>westwoodii</i> Boisduval, 84.
<i>vulnerea</i> Grote, 1322.	<i>wheeleri</i> Edwards, 259 (<i>Cercyonis</i>).
<i>vulnifica</i> Grote, 2147.	<i>wheeleri</i> Hy. Edwards, 152 (<i>Lem-</i>
<i>vulpina</i> Grote, 982 (Apatela).	<i>onias</i>).
<i>vulpina</i> Hy. Edwards, 2778 (<i>Cirrh-</i>	<i>whitneyi</i> Dodge, 2890 (<i>Catocala</i>).
<i>bolina</i>).	<i>whitneyi</i> Behr, 165 (<i>Lemonias</i>).
<i>vulpina</i> Smith, 1630 (<i>Paragrotis</i>).	<i>williamsii</i> Dodge, 889.
<i>vulv. sa</i> Grote, 1220.	<i>wilsoni</i> Grote, 2431 (<i>Ciris</i>).
<i>vulv. aja</i> Morrison, 1205.	Wilsonia 541
<i>waco</i> Edwards, 475.	<i>wilsonii</i> Grote, 1567 (<i>Paragrotis</i>).
<i>wacoella</i> Chambers, 5833.	<i>wingina</i> Sondner, 516.
<i>wakarusa</i> Gaumer, 5477.	<i>winnipeg</i> Smith, 2092.
<i>wakulla</i> Edwards, 468.	Winona 414
<i>walkeri</i> Neumoegen, 4170 (<i>Aleo-</i>	<i>viskotti</i> Staudinger, 904.
<i>thoe</i>).	<i>wittfeldii</i> Hy. Edwards, 950 (<i>Aly-</i>
<i>walkeri</i> Andrews, 1022 (Apatela).	<i>pia</i>).
<i>walkeri</i> Felder, 736 (<i>Philosamia</i>).	<i>wittfeldii</i> Hy. Edwards, 4236 (<i>Se-</i>
<i>walkeri</i> Grote, 2241 (<i>Scopelosoma</i>).	<i>sia</i>).
<i>walshella</i> Clemens, 4072.	<i>wittfeldii</i> Edwards, 346 (<i>Thecla</i>).
Walshia 544	<i>wockei</i> Möschler, 1434.
<i>walshii</i> Edwards, 2840 (<i>Catocala</i>).	<i>woodii</i> Grote, 2992.
<i>walshii</i> Edwards, 5 (<i>Iphidieles</i>).	<i>worthingtoni</i> Grote, 1558.
<i>walsinghamella</i> Beutenmüller, 5912.	<i>worthingtoniana</i> Fernald, 5106.
<i>walsinghami</i> Fernald, 4957 (<i>Alu-</i>	<i>wosnesenski</i> Ménétries, 4 (<i>Parnas-</i>
<i>cita</i>).	<i>sius</i>).
<i>walsinghami</i> Ragonot, 4726 (<i>Amb-</i>	<i>wosnesenski</i> Ménétries, 60 (<i>Zerene</i>).
<i>besa</i>).	<i>wrightianum</i> Hulst, 3829.
<i>walsinghami</i> Hy. Edwards, 797	<i>wrightii</i> Edwards, 476 (<i>Copaeodes</i>).
(<i>Ctuchia</i>).	<i>wrightii</i> Hy. Edwards, 3167 (<i>Glut-</i>
<i>walsinghami</i> Butler, 864 (<i>Diacri-</i>	<i>phisia</i>).
<i>sia</i>).	<i>wrightii</i> French, 848 (<i>Leptaretia</i>).
<i>walsinghami</i> Dietz, 5765 (<i>Gelechia</i>).	<i>wrightii</i> Stretch, 789 (<i>Scepsis</i>).
<i>walsinghami</i> Hy. Edwards, 2344	<i>wrightii</i> Edwards, 176 (<i>Thessalia</i>).
(<i>Schinia</i>).	<i>wyandot</i> Edwards, 644.
Walsinghamia 494	<i>wythiae</i> Walsingham, 6055.
<i>wamsutta</i> Harris, 526.	Xanthia 177
Wanda 416	<i>xanthia</i> Sepp, 54.
<i>warneri</i> Harvey, 3943.	<i>xanthobasis</i> Zeller, 5535.
<i>washingtonalis</i> Grote, 4406.	<i>xanthoides</i> Boisduval, 389 (<i>Gaides</i>).
<i>washingtonia</i> Hy. Edwards, 4203	<i>xanthoides</i> Guenée, 1115 (<i>Perigea</i>).
(<i>Sesia</i>).	<i>xanthoides</i> Walker, 5349 (<i>Spargan-</i>
<i>washingtonia</i> Grote, 2112 (<i>Xylina</i>).	<i>oththis</i>).
<i>washingtoniensis</i> Grote, 1413.	<i>xantholeucalis</i> Guenée, 4537.
<i>wasmuthi</i> Weeks, 23.	<i>xanthomictata</i> Walker, 3614.
<i>wauaria</i> Linnaeus, 3708.	<i>xanthonota</i> Oberthur, 845.
Wauchula 293	Xanthopastis 194
<i>wararia</i> Fabricius, 3708.	Xanthoptera 211
<i>wawaria</i> Herrich-Schaeffer, 3708.	<i>Xanthorhoe</i> 288
<i>weidemeyerii</i> Edwards, 238.	<i>Xanthothrix</i> 193
Wekiva 440	<i>Xanthotype</i> 336

	Page.		Page.
<i>xanthus</i> Edwards, 647.		Yuma	415
<i>veniolalis</i> Hulst, 4301.		<i>yuma</i> Edwards, 502.	
Xenolechia	496	<i>zabolicus</i> Strecker, 4147.	
<i>xerxes</i> Boisduval, 417.		<i>zabulon</i> Boisduval & Le Conte, 483.	
<i>xicaque</i> Reakirt, 303.		<i>zacharia</i> Butler & Druce, 444.	
<i>xiphiformis</i> Boisduval, 4194.		<i>zachana</i> Treitschke, 5291.	
Xylenea	113	Zale	238
Xylestia	569	<i>zalissaria</i> Walker, 3994.	
Xylinea	169	<i>zampa</i> Edwards, 613.	
<i>xylinea</i> Say, 2555 (Alabama).		Zanclognatha	241
<i>xylinea</i> Hulst, 3357 (Neolexia).		<i>zapulata</i> Robinson, 5363.	
<i>xyliniformis</i> Guenée, 1037 (Apataela).		Zazaca	400
<i>xyliniformis</i> Smith, 1670 (Paragrotis).		<i>zev</i> Harris, 2158 (Achatodes).	
<i>xylinoides</i> Guenée, 1278.		<i>zev</i> Fitch, 4890 (Plodia).	
Xylomiges	158	<i>zeillus</i> Fernald, 4608.	
Xylophasia	113	<i>zelata</i> Butler, 319.	
Xylorictidae	518	<i>zelatella</i> Hulst, 4704.	
<i>xylostella</i> Packard, 5503.		<i>zelica</i> French, 2810.	
<i>xystearia</i> Hulst, 3584.		<i>zelicaym</i> Lucas, 18.	
Xystrota	293	<i>zella</i> Dyar, 939.	
<i>yakima</i> Smith, 1866.		<i>zelleraria</i> Packard, 3562.	
<i>yanana</i> Reakirt, 52.		<i>zellerella</i> Frey & Boll, 6451.	
<i>yarrowi</i> Stretch, 869.		<i>zelleri</i> Grote & Robinson, 750 (Automeris).	
<i>yarupai</i> Neumoegen, 759.		<i>zelleri</i> Grote, 1093 (Balsa).	
<i>yehl</i> Skinner, 558.		<i>zelleri</i> Grote, 4639 (Epipaschia).	
<i>y-inversa</i> Packard, 4096 (Cochlidion).		<i>zelleriana</i> Fernald, 5014.	
<i>y-inversus</i> Riley, 6567 (Prodoxus).		<i>zelleriella</i> Chambers, 6056 (Coleophora).	
Yosemetia	429	<i>zelleriella</i> Clemens, 6451 (Coptotricha).	
<i>yosemita</i> Hy. Edwards, 905 (Amimalo).		<i>zelleriella</i> Chambers, 5913 (Ethmia).	
<i>yosemita</i> Grote, 2072 (Aporophila).		<i>zelmira</i> Felder, 430.	
<i>youngi</i> Holland, 133 (Brenthis).		<i>zenobia</i> Cramer, 3007.	
<i>youngi</i> Holland, 276 (Erebia).		Zenophleps	279
<i>youngii</i> Smith, 1429 (Semiophora).		<i>zephyria</i> Grote, 752.	
Yponomeuta	489	<i>zephyrus</i> Edwards, 211.	
Yponomeutidae	489	Zerene	9
Ypsia	238	<i>zerene</i> Boisduval, 109.	
<i>ypsilon</i> Rottenburg, 1454 (Agrotis).		<i>zeroe</i> Boisduval, 395.	
<i>ypsilon</i> Forbes, 3871 (Nacophora).		Zerynthia	288
Ypsiptes	282	<i>zerynthia</i> Hübner, 232.	
Ypsolophus	507	<i>zestos</i> Hübner, 588.	
<i>yreka</i> Edwards, 506 (Anthomaster).		<i>zeta</i> Ottolengui, 2521.	
<i>yreka</i> Reakirt, 40 (Pontia).		<i>zetterstedti</i> Staudinger, 1941.	
Yrias	237	Zeuzera	362
<i>yucca</i> Boisduval & Le Conte, 454.		<i>ziczacata</i> Walker, 3419.	
<i>yuccasella</i> Busek, 5645 (Deoelona).		<i>zillah</i> Strecker, 2855.	
<i>yuccasella</i> Riley, 6574 (Pronuba).		<i>zilpa</i> Butler, 582.	
<i>yukatanensis</i> Oberthur, 845.		<i>zimmermanni</i> Grote, 4715.	
<i>yukonensis</i> Holland, 282.		<i>zinckenana</i> Frölich, 5076.	
		<i>zinckenella</i> Treitschke, 4807.	

	Page.		Page.
Zinckenia	372	<i>zonulella</i> Ragonot, 4674.	
<i>zinghalis</i> Walker, 4340.		Zophodia	429
<i>zoe</i> Behr, 2865.		Zosteropoda	164
<i>zolicaon</i> Boisduval, 18.		Zotheca	182
<i>zonalis</i> Grote, 914.		<i>zuni</i> Neumoegen, 858.	
<i>zonata</i> Duncan, 664 (<i>Ellopos</i>).		<i>zygocidata</i> Packard, 3300.	
<i>zonata</i> Walker, 2734 (<i>Homopyralis</i>).		<i>zygotaria</i> Hulst, 3591.	
Zenosoma	291	<i>zylostella</i> Chambers, 5503.	
<i>zonulata</i> Hulst, 4009.			

O



